*Prepared for*

**Florida Power & Light Company**
700 Universe Boulvard, JES/JB
Juno Beach, Florida 33408

# 2022 ANNUAL GROUNDWATER MONITORING REPORT

## FLORIDA POWER & LIGHT COMPANY, GULF CLEAN ENERGY CENTER ASH LANDFILL NO. 1

*Prepared by*

Geosyntec consultants

engineers | scientists | innovators

1120 North 12th Avenue
Pensacola, Florida 32501


Project Number FR8309

January 31, 2023

Geosyntec
consultants

## CERTIFICATION STATEMENT


This *2022 Annual Groundwater Monitoring Report, Florida Power & Light Company – Gulf Clean Energy Center – Ash Landfill No. 1* has been prepared in accordance with the requirements of the United States Environmental Protection Agency Coal Combustion Residuals rule (40 Code of Federal Regulations Part 257, Subpart D) under the supervision of a State of Florida licensed Professional Engineer and Professional Geologist with Geosyntec Consultants, Inc.




This document has been electronically signed and sealed by Benjamin Amos P.E. on 31 January 2023 using a SHA-1 authentication code. Printed copies of this document are not considered signed and sealed, and the SHA-1 authentication code must be verified on any electronic copies.
2023.01.31 09:48:19 -05'00'

Benjamin K. Amos, Ph.D., P.E.
Florida Professional Engineer No. 82837

Date




1/31/23

Lane Dorman, P.G.
Florida Professional Geologist No. PG2861

1/31/23
Date

## EXECUTIVE SUMMARY

In accordance with the United States Environmental Protection Agency Coal Combustion Residuals ("CCR") rule (40 Code of Federal Regulations ("CFR") Part 257, Subpart D) ("CCR Rule"), this *2022 Annual Groundwater Monitoring Report* documents CCR groundwater monitoring activities completed in 2022 at Florida Power & Light Company's ("FPL") Gulf Clean Energy Center Ash Landfill No. 1 ("LF1").

FPL installed a CCR groundwater monitoring well network to monitor groundwater within the uppermost aquifer in the vicinity of LF1. Monitoring wells in the LF1 CCR groundwater monitoring well network are listed below:

- background wells: MW-100, MW-101, MW-107, MW-108, MW-306, and MW-307; and
- downgradient wells: MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, and MW-110.

Statistical evaluation of CCR groundwater monitoring data collected through October 2017 identified statistically significant increases ("SSIs") of certain CCR Rule Appendix III groundwater monitoring constituents relative to background. In accordance with the CCR Rule, FPL initiated an assessment monitoring program for LF1 in March 2018 and continued assessment monitoring activities for LF1 through 2022. Semi-annual assessment monitoring groundwater sample collection events for CCR Rule Appendix III and Appendix IV constituents were conducted in March and September 2022.

In 2022, analytical data from the March and September 2022 groundwater sampling events were evaluated in accordance with the *Statistical Analysis Plan* (Groundwater Stats Consulting, 2017) and the *Statistical Analysis Method Certification, 40 CFR 257.93(f), Plant Crist Ash Landfill No. 1* (Gulf Power Company, 2017). Statistical analysis of this data indicated SSIs of the following CCR Rule Appendix III constituents relative to background levels: boron, calcium, chloride, fluoride, sulfate, total dissolved solids ("TDS") and pH as below:

| SSI Constituent | Semi-Annual Assessment Monitoring Event | |
|---|---|---|
| | March 2022 | September 2022 |
| Boron | MW-103, MW-104, MW-105, MW-109, & MW-110 | MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, & MW-110 |
| Calcium | MW-102, MW-103, MW-104, MW-105, MW-109, & MW-110 | MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, & MW-110 |
| Chloride | MW-103, MW-104, MW-105, MW-109, & MW-110 | MW-102, MW-104, MW-109, & MW-110 |
| Fluoride | MW-104 | - |
| Sulfate | MW-103, MW-104, MW-105, MW-109, & MW-110 | MW-102, MW-103, MW-104, MW-105, MW-109, & MW-110 |
| TDS | MW-104, MW-105, & MW-110 | MW-104, MW-105, & MW-110 |
| pH | MW-104 & MW-105 | MW-104 & MW-105 |

Statistical analysis also indicated statistically significant levels ("SSLs") of the following CCR Rule Appendix IV constituents above applicable groundwater protection standards:

| SSL Constituent | Semi-Annual Assessment Monitoring Event | |
|---|---|---|
| | March 2022 | September 2022 |
| Radium 226 and 228 combined (total radium) | MW-104<br>MW-110 | MW-104<br>MW-110 |
| Mercury | MW-110 | MW-110 |
| Cobalt | MW-104<br>MW-110 | MW-104<br>MW-110 |

In accordance with the CCR Rule, FPL requested that Geosyntec evaluate the source of SSLs observed in groundwater downgradient of LF1. Geosyntec developed an *Alternate Source Demonstration* (Geosyntec, 2019), which documents that the total radium, mercury, and cobalt SSLs at LF1 are from a source other than LF1. In addition, Geosyntec completed an evaluation of an SSL identified for cobalt at MW-110 that demonstrates that the current alternate source demonstration (Geosyntec, 2019) also applies to cobalt

detected at MW-110 (Appendix D; Geosyntec, 2023). Accordingly, neither assessment of corrective measures nor remedial action will be performed for LF1 at this time. LF1 will remain in assessment monitoring in 2023.

Geosyntec consultants

# TABLE OF CONTENTS


EXECUTIVE SUMMARY ..... ES-1

1.0 INTRODUCTION ..... 1
- 1.1 Overview ..... 1
- 1.2 Regional Geology & Hydrogeologic Setting ..... 1
- 1.3 LF1 and Groundwater Monitoring System Descriptions ..... 2

2.0 GROUNDWATER MONITORING ACTIVITIES ..... 3
- 2.1 Monitoring Well Installation and Maintenance ..... 3
- 2.2 Semi-Annual Assessment Monitoring Events ..... 3

3.0 SAMPLE METHODOLOGY & RESULTS ..... 4
- 3.1 Groundwater Elevation Measurement ..... 4
- 3.2 Groundwater Gradient and Flow Velocity ..... 4
- 3.3 Groundwater Sampling ..... 5
- 3.4 Laboratory Analyses ..... 5
- 3.5 Quality Assurance & Quality Control Summary ..... 5

4.0 STATISTICAL ANALYSIS ..... 7
- 4.1 Statistical Method ..... 7
  - 4.1.1 Appendix III Constituent Statistical Method ..... 7
  - 4.1.2 Appendix IV Constituent Statistical Method ..... 7
- 4.2 Statistical Analysis Results ..... 8
  - 4.2.1 Appendix III Constituent Statistical Results ..... 8
  - 4.2.2 Appendix IV Constituents Statistical Results ..... 9

5.0 ALTERNATE SOURCE DEMONSTRATION ..... 10

6.0 CONCLUSIONS & FUTURE ACTIONS ..... 12

7.0 REFERENCES ..... 13

# TABLE OF CONTENTS (Continued)

## LIST OF TABLES


| | |
|---|---|
| Table 1 | Groundwater Monitoring Location Details |
| Table 2 | Summary of 2022 Groundwater Sampling Events |
| Table 3 | Summary of 2022 Groundwater Laboratory Analytical Data |
| Table 4 | Summary of 2022 Groundwater Elevations |
| Table 5 | Summary of Background Limits and Groundwater Protection Standards |


## LIST OF FIGURES


| | |
|---|---|
| Figure 1 | Site Location Map – Ash Landfill No. 1 |
| Figure 2 | Well Locations – Ash Landfill No. 1 |
| Figure 3 | Groundwater Elevation Map – 21 March 2022 |
| Figure 4 | Groundwater Elevation Map – 6 September 2022 |


## LIST OF APPENDICES


| | |
|---|---|
| Appendix A | Laboratory Analytical, Field Sampling Reports, and March 2022 Data Validation Report |
| Appendix B | Statistical Analyses – March 2022 Semi-Annual Monitoring |
| Appendix C | Statistical Analyses – September 2022 Semi-Annual Monitoring |
| Appendix D | MW-110 Cobalt Evaluation at Ash Landfill No. 1 |

# 1.0 INTRODUCTION

## 1.1 Overview

On behalf of Florida Power & Light Company ("FPL"), Geosyntec Consultants, Inc. ("Geosyntec") prepared this *2022 Annual Groundwater Monitoring Report* for FPL's Gulf Clean Energy Center ("GCEC") Coal Combustion Residuals ("CCR") unit Ash Landfill No. 1 ("LF1"). The purpose of this report is to present a summary of the CCR groundwater monitoring activities performed at LF1 in 2022. This report has been prepared in accordance with annual reporting requirements of the 40 Code of Federal Regulations ("CFR") Section 257.90(e) ("CCR Rule").

GCEC ("Site") is located at 11999 Pate Street in Pensacola, Escambia County, Florida, and is situated on approximately 670 acres. A Site location map is provided in **Figure 1**. Site topography ranges from approximately 120 feet ("ft") relative to the North American Vertical Datum of 1988 ("NAVD88") on the western portions of the Site and along Pate Street to approximately 5 ft NAVD88 near Clear Creek to the north and Governor's Bayou to the east. LF1 is located on the western portion of the Site.

## 1.2 Regional Geology & Hydrogeologic Setting

The Sand and Gravel Aquifer, the uppermost aquifer underlying the Site, includes Pleistocene terrace deposits, the Pleistocene Citronelle Formation, and the upper portion of the Pliocene/Miocene coarse clastics. The Sand and Gravel Aquifer has been subdivided into three major zones (listed in order from ground surface): (i) the surficial zone; (ii) the low permeability zone; and (iii) the main producing zone (Roaza et al., 1991).

The surficial zone consists of the upper most layer of sand and gravel, although layers of silt and clay may also occur within this zone. Beneath the surficial zone is the low permeability zone. The low permeability zone is the first substantial, more regionally continuous lower permeability layer encountered within the Sand and Gravel Aquifer (Roaza et al., 1991). This layer generally consists of a poorly sorted mixture of sand, silt, and clay, although actual lithology is variable. As a semi-confining interval, the low permeability zone limits vertical groundwater flow between the surficial zone above and the main producing zone below (Roaza et al., 1991). The main producing zone is lithologically similar to the surficial zone with moderate to well sorted quartz sands and gravels with interbedded layers of sandy clay and clay. Groundwater in the main producing zone is under semi-confined conditions due to the nature of the low

permeability zone that lies above and a regionally extensive confining unit that lies underneath (Richards, 2001).

Site-specific lithology in the uppermost aquifer consists primarily of silty or clayey sands interbedded with well-graded sands and gravels. Groundwater in the uppermost aquifer at the Site is generally encountered between 15 and 4 ft NAVD88 within the Sand and Gravel Aquifer in a laterally-extensive water-bearing zone of fine to coarse sand. This aquifer is considered the uppermost aquifer for groundwater monitoring purposes. CCR groundwater monitoring wells were screened in the uppermost aquifer at elevations shown in **Table 1**.

## 1.3 LF1 and Groundwater Monitoring System Descriptions

LF1 is a dry ash landfill occupying approximately 57.3 acres.

Pursuant to the CCR Rule, FPL previously installed a CCR groundwater monitoring system around LF1 to monitor groundwater within the uppermost aquifer (Southern Company ("SC"), 2018). Background monitoring wells were installed to establish Site-wide background water quality. The downgradient monitoring well network was installed at the waste boundary. Monitoring wells in the LF1 groundwater monitoring network include:

- background wells: MW-100, MW-101, MW-107, MW-108, MW-306, and MW-307; and
- downgradient wells: MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, and MW-110.

Monitoring well details, including installation dates, coordinates, elevations, screen intervals, and designations are summarized in **Table 1**. The CCR groundwater monitoring well network for LF1 is illustrated in **Figure 2**.

## 2.0 GROUNDWATER MONITORING ACTIVITIES

The following section describes CCR groundwater monitoring-related activities performed in 2022.

### 2.1 Monitoring Well Installation and Maintenance

Monitoring well and piezometer installation activities were completed in 2015 and 2016 (SC, 2018). No additional monitoring wells were installed in 2022.

### 2.2 Semi-Annual Assessment Monitoring Events

Semi-annual assessment monitoring events were conducted in March and September 2022. During the 2022 semi-annual assessment monitoring events, groundwater samples were collected from each monitoring well shown on **Figure 2** and analyzed for CCR Rule Appendix III and Appendix IV constituents. A summary of groundwater sample collection events completed in 2022 are provided in **Table 2**. Groundwater analytical data associated with these events are summarized in **Table 3**; laboratory analytical reports are included in **Appendix A**.

## 3.0 SAMPLE METHODOLOGY & RESULTS

The following section describes the methods used to conduct CCR groundwater monitoring at LF1. Results for CCR Rule Appendix III and Appendix IV constituents are discussed in Section 4.

### 3.1 Groundwater Elevation Measurement

Prior to each CCR groundwater monitoring event, the depth to groundwater was recorded at each CCR groundwater monitoring well. Groundwater elevations calculated from the depth to groundwater measurements recorded during the semi-annual assessment monitoring events are summarized in **Table 4**. Site-wide groundwater elevation maps developed using groundwater elevation data from each CCR groundwater monitoring event are presented in **Figure 3** and **Figure 4**.

As illustrated on the March 2022 and September 2022 potentiometric surface maps (**Figures 3** and **4**), the general direction of groundwater flow near LF1 is to the northeast. The groundwater flow patterns observed at LF1 during the March 2022 and September 2022 assessment monitoring events are generally consistent with observations from 2021 (Geosyntec, 2022).

### 3.2 Groundwater Gradient and Flow Velocity

Groundwater flow rates were calculated based on hydraulic gradients estimated from groundwater elevations during each sampling event and hydraulic conductivity (31 feet per day [ft/day]) documented in the *Hydrogeological and Geotechnical Investigation Report* (SC Generation, 2007). The horizontal hydraulic gradients between MW-101 and MW-109 was calculated based on groundwater elevation data from the 2022 sampling events, resulting in horizontal gradients of approximately 0.003 ft/ft and 0.002 ft/ft between the well pair in March and September 2022, respectively.

Horizontal flow velocity was calculated using a form of Darcy's Law:

$$V=(K*i)/n_e$$

Where:

V=groundwater velocity (ft/day);

K=measured hydraulic conductivity (ft/day);

i=horizontal hydraulic gradient (ft/ft); and

$n_e$=effective porosity (unitless), which was assumed to be 0.25.

The calculated horizontal groundwater velocities between MW-101 and MW-109 were approximately 0.3 ft/day (110 ft/year) in both March and September 2022.

## 3.3 Groundwater Sampling

Groundwater samples were collected in accordance with Florida Department of Environmental Protection ("FDEP") Standard Operating Procedures FS2200 (FDEP, 2017a) and the CCR Rule. Field instruments were used to monitor and record field water quality parameters (pH, temperature, conductivity, oxidation reduction potential, and dissolved oxygen) during well purging to evaluate stabilization prior to groundwater sample collection. Turbidity was measured using a portable turbidimeter. Following sample collection, samples were placed in ice-packed coolers and submitted to Eurofins TestAmerica Laboratories, Inc. ("TAL"), in Pensacola, Florida following chain-of-custody protocols. Field sampling data sheets are provided in **Appendix A**.

## 3.4 Laboratory Analyses

Laboratory analyses for groundwater samples collected during the semi-annual assessment monitoring events included CCR Rule Appendix III and Appendix IV constituents. Applicable analytical methods are provided in laboratory reports (**Appendix A**).

Laboratory analyses were performed by TAL. TAL is accredited by the National Environmental Laboratory Accreditation Program ("NELAP") and maintains a NELAP certification for all parameters analyzed for this project. In addition, TAL is certified to perform laboratory analyses by the State of Florida. Groundwater data and chain-of-custody records for the two semi-annual assessment monitoring events are presented in **Appendix A**.

## 3.5 Quality Assurance & Quality Control Summary

During each sampling event, quality assurance/quality control ("QA/QC") samples including equipment blanks, field blanks, and duplicate samples were collected. Data from these QA/QC samples were evaluated during data validation.

Groundwater quality data from March 2022 were independently validated in accordance with *Region IV Data Validation Standard Operating Procedures* (United States Environmental Protection Agency ("USEPA"), 2011) and the analytical methods employed. Data validation generally consisted of reviewing sample integrity, holding times, laboratory method blanks, laboratory control samples, matrix spikes/matrix spike duplicate recoveries and relative percent differences ("RPDs"), post digestion spikes, laboratory and field duplicate RPDs, field and equipment blanks, and reporting limits. Where appropriate, validation qualifiers and flags are applied to the data using *National Functional Guidelines for Inorganic Superfund Methods Data Review* (USEPA, 2017). Data validation report for the March 2022 semi-annual assessment monitoring event is included in **Appendix A.** The data validation report for the September 2022 semi-annual assessment monitoring event along with a revised laboratory report will be included in the 2023 annual report.

# 4.0 STATISTICAL ANALYSIS

The following section describes the statistical methods and analyses performed in 2022.

## 4.1 Statistical Method

Statistical analysis of CCR Rule Appendix III and Appendix IV constituents was performed on groundwater monitoring data collected during the March 2022 and September 2022 semi-annual assessment monitoring events in accordance with the *Statistical Analysis Plan* ("SAP") (Groundwater Stats Consulting ("GSC"), 2017) and the *Statistical Analysis Method Certification, 40 CFR 257.93(f), Plant Crist Ash Landfill No. 1* ("SAMC") (Gulf Power Company, 2017).

Statistical analysis of LF1 CCR groundwater data was performed using the Sanitas™ v.9.6.28 groundwater statistical software. Sanitas™ is a decision support software package that incorporates statistical tests required of Subtitle C and D facilities by USEPA regulations and incorporates methods recommended in the *Statistical Analysis of Groundwater Data at RCRA Facilities, Unified Guidance* (USEPA, 2009), consistent with the SAP (GSC, 2017) and the SAMC (Gulf Power Company, 2017).

### 4.1.1 Appendix III Constituent Statistical Method

Statistical analysis of CCR Rule Appendix III constituents was performed to evaluate if concentrations were consistent with observed background values. Statistical tests used to evaluate the CCR groundwater monitoring data consisted of interwell prediction limits combined with a 1-of-2 resample strategy for each Appendix III constituent. Interwell prediction limits pool upgradient well data to establish a background prediction limit for an individual constituent, and the most recent sample from each downgradient well is compared to the background prediction limit for each constituent. The 1-of-2 resample strategy allows for collection of a verification sample when statistically significant increases ("SSIs") are identified. If the most recent constituent concentration exceeded its respective background prediction limit and a verification sample is not collected, an SSI is identified.

### 4.1.2 Appendix IV Constituent Statistical Method

In accordance with the CCR Rule, groundwater protection standards ("GWPSs") for Appendix IV constituents were established and are presented in **Table 5**.

To evaluate statistically significant levels ("SSLs") of CCR Rule Appendix IV constituents, confidence intervals were constructed for each Appendix IV constituent in each downgradient well and compared to the GWPSs. An SSL is identified only when the entire confidence interval is above the GWPS. Other statistical tests, including time-series plots and trend analyses, were performed in accordance with the SAP (GSC, 2017) and the SAMC (Gulf Power Company, 2017). Additional details are presented in the statistical analysis reports for the March 2022 and September 2022 semi-annual assessment monitoring events provided in **Appendices B** and **C**, respectively.

## 4.2 Statistical Analysis Results

Analytical data from the March 2022 and September 2022 semi-annual assessment monitoring events were evaluated in accordance with the SAP (GSC, 2017) and SAMC (Gulf Power Company, 2017). Appendix III statistical analysis was performed to evaluate if constituent concentrations in groundwater were consistent with background values. CCR Rule Appendix IV constituents were evaluated to assess if groundwater concentrations statistically exceeded the established GWPSs.

### 4.2.1 Appendix III Constituent Statistical Results

Concentrations of select CCR Rule Appendix III constituents from samples collected during the March 2022 and September 2022 semi-annual assessment monitoring events differed from background levels. SSIs were identified for the following constituents: boron, calcium, chloride, fluoride, sulfate, total dissolved solids ("TDS"), and pH as below:

| SSI Constituent | Semi-Annual Assessment Monitoring Event | |
|---|---|---|
| | March 2022 | September 2022 |
| Boron | MW-103, MW-104, MW-105, MW-109, & MW-110 | MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, & MW-110 |
| Calcium | MW-102, MW-103, MW-104, MW-105, MW-109, & MW-110 | MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, & MW-110 |
| Chloride | MW-103, MW-104, MW-105, MW-109, & MW-110 | MW-102, MW-104, MW-109, & MW-110 |
| Fluoride | MW-104 | - |

| SSI Constituent | Semi-Annual Assessment Monitoring Event | |
|---|---|---|
| | March 2022 | September 2022 |
| Sulfate | MW-103, MW-104, MW-105, MW-109, & MW-110 | MW-102, MW-103, MW-104, MW-105, MW-109, & MW-110 |
| TDS | MW-104, MW-105, & MW-110 | MW-104, MW-105, & MW-110 |
| pH | MW-104 & MW-105 | MW-104 & MW-105 |

Based on the SSIs, assessment monitoring will continue in 2023.

### 4.2.2 Appendix IV Constituents Statistical Results

Statistical analysis of CCR Rule Appendix IV constituents identified the following SSLs:

| SSL Constituent | Semi-Annual Assessment Monitoring Event | |
|---|---|---|
| | March 2022 | September 2022 |
| Radium 226 and 228 combined (total radium) | MW-104<br>MW-110 | MW-104<br>MW-110 |
| Mercury | MW-110 | MW-110 |
| Cobalt | MW-104<br>MW-110 | MW-104<br>MW-110 |

## 5.0 ALTERNATE SOURCE DEMONSTRATION

In accordance with the CCR Rule, FPL previously prepared an *Alternate Source Demonstration* ("ASD") for total radium, mercury, and cobalt (Geosyntec, 2019). Key conclusions of the ASD are briefly summarized below:

- Naturally-occurring uranium and thorium, both of which decay to radium isotopes, were documented at the Site in an investigation by LBG-Guyton (1998), the results of which were concurred with by FDEP in the *Summary of the February 10, 1999 Meeting with Gulf Power* (FDEP, 1999). The naturally-occurring parent radionuclides and subsequent decay to the components of total radium accounts for the periodic GWPS exceedances observed in LF1 CCR groundwater monitoring wells MW-104 and MW-110. Therefore, data indicate that total radium is leaching into groundwater from naturally-occurring radioactive elements in Site soils causing SSLs of total radium in groundwater.

- The presence of naturally-occurring mercury observed at the Site and documented in investigations by Geosyntec in the *Assessment Report* (Geosyntec, 2014) and *Surface Water Sampling Summary* (Geosyntec, 2017), the results of which were concurred with by FDEP in the *Site Assessment Report* (FDEP, 2015) and *Gulf Power Crist Plant Surface Water Study* (FDEP, 2017b), account for the periodic GWPS exceedances observed in MW-110. Therefore, the mercury observed in MW-110 is leached into groundwater from naturally-occurring Site soils causing the SSL of mercury in groundwater.

- The widespread lateral and vertical distribution of cobalt in subsurface soils across the Site, including samples collected upgradient, downgradient, and side-gradient of LF1, indicate cobalt concentrations at LF1 are naturally occurring. The synthetic precipitation leaching procedure ("SPLP") test of soil samples collected indicated leachate concentrations up to 0.588 milligrams per liter.

- These results along with other observations documented in the ASD (Geosyntec, 2019), indicate an alternate, naturally-occurring source of cobalt that can leach into groundwater. Therefore, cobalt observed in MW-104 is leached into groundwater from naturally-occurring cobalt resulting in the cobalt SSL. Similarly, Geosyntec completed an evaluation of the cobalt SSL at MW-110 that demonstrates that the current alternate source demonstration (Geosyntec, 2019)

also applies to cobalt at MW-110 (Geosyntec, 2023). The additional evaluation is provided in **Appendix D**.

## 6.0 CONCLUSIONS & FUTURE ACTIONS

SSLs of certain CCR Rule Appendix IV constituents (total radium, mercury, and cobalt) were identified relative to GWPSs at LF1 in 2022. In accordance with the CCR Rule, an ASD was previously prepared for the SSLs which document that a source other than LF1 caused the SSLs. In addition, Geosyntec completed an evaluation that demonstrates that the current alternate source demonstration (Geosyntec, 2019) applies to the cobalt detected at MW-110; the evaluation is included in **Appendix D**. Therefore, an assessment of corrective measures will not be performed at this time and assessment monitoring will continue in 2023.

## 7.0 REFERENCES

Florida Department of Environmental Protection (FDEP), 1999. *Summary of the February 10,1999 Meeting with Gulf Power.* February.

Florida Department of Environmental Protection (FDEP), 2015. *Site Assessment Report, Gulf Power Crist Plant, Escambia County, Florida.* May.

Florida Department of Environmental Protection (FDEP), 2017a. *Department of Environmental Protection Standard Operating Procedures for Field Activities. DEP-SOP-001/01. Florida Department of Environmental Protection*. January. https://floridadep.gov/dear/quality-assurance/content/dep-sops

Florida Department of Environmental Protection (FDEP), 2017b. *Gulf Power Crist Plant Surface Water Study.* July.

Geosyntec Consultants, 2014. *Assessment Report, James F. Crist Generating Plant.* December.

Geosyntec Consultants, 2017. *Surface Water Sampling Summary, James F. Crist Generating Plant.* June.

Geosyntec Consultants, 2019. *Alternate Source Demonstration, Gulf Power Company, Plant Crist, Ash Landfill No. 1*. January.

Geosyntec Consultants, 2022. *2021 Annual Groundwater Monitoring Report, Gulf Power Company, Plant Crist, Ash Landfill No. 1*. January

Geosyntec Consultants, 2023. *MW-110 Cobalt Evaluation at Ash Landfill No. 1, Gulf Clean Energy Center. January.*

Groundwater Stats Consulting (GSC), 2017. *Gulf Power Company Plant Crist Ash Landfill No. 1, Ash Landfill No. 2, and Gypsum Storage Area Statistical Analysis Plan*. October.

Gulf Power Company, 2017. *Statistical Analysis Method Certification, 40 CFR 257.93(f), Plant Crist Ash Landfill No. 1.* October.

LBG-Guyton Associates, 1998. *Investigation for Potential Sources of Elevated Radiological Activity in Two Monitoring Wells at Crist Electric Generating Plant, James F. Crist Generating Plant.* July.

Richards, C.J., 2001*, Results of the ECUA Beulah Constant Rate Aquifer Test, Sand-and-Gravel Aquifer, Escambia County Florida.* Northwest Florida Water Management District.

Roaza, H.P., Pratt, T.R., Richards, C.J., Johnson, J.L. and Wagner, J.R., 1991, *Conceptual Model of the Sand-and-Gravel Aquifer, Escambia County, Florida: Northwest Florida Water Management District, Water Resources Special Report 91-6, 117 p.*

Southern Company (SC) Generation, 2007. *Hydrogeological and Geotechnical Investigation Report, Plant Crist Gypsum Storage Area*. June.

Southern Company (SC), 2018. *2017 Annual Groundwater Monitoring and Corrective Action Report. Gulf Power Company – Plant Crist Ash Landfill No1, Ash Landfill No.2, and Gypsum Storage Area*. January.

USEPA, 2009. Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, *Unified Guidance*. Office of Resource Conservation and Recovery – Program Implementation and Information Division. March.

USEPA, 2011. Region IV *Data Validation Standard Operating Procedures*. Science and Ecosystem Support Division. Region IV. Athens, GA. September.

USEPA, 2017. *National Functional Guidelines for Inorganic Superfund Methods Data Review*. Office of Superfund Remediation and Technology Innovation. OLEM 9355.0-135 [EPA-540-R-2017-001]. Washington, DC. January.

# TABLES

## TABLE 1: GROUNDWATER MONITORING LOCATION DETAILS
## Florida Power & Light Company - Gulf Clean Energy Center Landfill 1, Pensacola, Florida

| Monitoring Location | Installation Date | Northing | Easting | Ground Elevation | Top of Casing Elevation | Top of Screen Elevation | Bottom of Screen Elevation | Designation |
|---|---|---|---|---|---|---|---|---|
| MW-100 | 11/11/2015 | 578116.11 | 1107316.00 | 99.84 | 103.03 | -5.16 | -15.16 | Background |
| MW-101 | 11/10/2015 | 577158.45 | 1107724.27 | 105.1 | 108 | -1.9 | -11.9 | Background |
| MW-102 | 11/10/2015 | 576886.86 | 1108472.89 | 112.59 | 112.17 | 2.59 | -7.41 | Downgradient |
| MW-103 | 11/7/2015 | 577354.11 | 1109233.05 | 121.28 | 120.79 | 11.28 | 1.28 | Downgradient |
| MW-104 | 11/4/2015 | 578494.34 | 1108915.77 | 65.15 | 68.25 | -4.85 | -14.85 | Downgradient |
| MW-105 | 11/17/2015 | 579092.61 | 1108688.61 | 27.39 | 30.53 | -2.61 | -12.61 | Downgradient |
| MW-106 | 11/3/2015 | 578765.08 | 1107895.05 | 74.8 | 77.99 | -5.2 | -15.2 | Downgradient |
| MW-107 | 11/17/2015 | 577201.66 | 1107442.83 | 111.4 | 114.71 | 1.4 | -8.6 | Background |
| MW-108 | 11/17/2015 | 576208.36 | 1107577.06 | 80.51 | 83.54 | -4.49 | -14.49 | Background |
| MW-109 | 11/20/2015 | 577624.83 | 1109293.64 | 116.82 | 119.85 | -2.68 | -12.68 | Downgradient |
| MW-110 | 11/21/2015 | 578095.94 | 1109139.45 | 87.3 | 90.33 | -17.7 | -27.7 | Downgradient |
| MW-306 | 11/19/2015 | 578417.11 | 1106200.44 | 67.61 | 70.56 | -12.39 | -22.39 | Background |
| MW-307 | 11/19/2015 | 578209.77 | 1106865.99 | 101.11 | 104.18 | -8.89 | -18.89 | Background |

**Notes:**

1. Northing and easting are in feet relative to the State Plane Florida North Datum of 1983.
2. Elevations are in feet relative to the North American Vertical Datum of 1988.
3. Designations are relative to CCR Unit.

## TABLE 2: SUMMARY OF 2022 GROUNDWATER SAMPLING EVENTS
## Florida Power & Light Company - Gulf Clean Energy Center Landfill 1, Pensacola, Florida

| Monitoring Location | Semi-Annual Assessment Monitoring Event 1 | Semi-Annual Assessment Monitoring Event 2 |
|---|---|---|
| MW-100 | 3/22/2022 | 9/7/2022 |
| MW-101 | 3/22/2022 | 9/7/2022 |
| MW-102 | 3/23/2022 | 9/9/2022 |
| MW-103 | 3/24/2022 | 9/9/2022 |
| MW-104 | 3/23/2022 | 9/9/2022 |
| MW-105 | 3/23/2022 | 9/9/2022 |
| MW-106 | 3/23/2022 | 9/8/2022 |
| MW-107 | 3/22/2022 | 9/7/2022 |
| MW-108 | 3/22/2022 | 9/8/2022 |
| MW-109 | 3/23/2022 | 9/8/2022 |
| MW-110 | 3/23/2022 | 9/9/2022 |
| MW-306 | 3/22/2022 | 9/8/2022 |
| MW-307 | 3/22/2022 | 9/8/2022 |

**Notes:**

1. Both assessment monitoring events include groundwater samples analyzed for CCR Rule Appendix III and Appendix IV constituents.

**TABLE 3: SUMMARY OF 2022 GROUNDWATER LABORATORY ANALYTICAL DATA**
**Florida Power & Light Company - Gulf Clean Energy Center Landfill 1, Pensacola, Florida**

| Monitoring Location | Well Designation | Sample Date | Antimony (mg/L) | Arsenic (mg/L) | Barium (mg/L) | Beryllium (mg/L) | Boron (mg/L) | Cadmium (mg/L) | Calcium (mg/L) | Chloride (mg/L) | Chromium (mg/L) | Cobalt (mg/L) | Total Radium (pCi/L) | Fluoride (mg/L) | Lead (mg/L) | Lithium (mg/L) | Mercury (mg/L) | Molybdenum (mg/L) | pH (SU) | Selenium (mg/L) | Sulfate (mg/L) | TDS (mg/L) | Thallium (mg/L) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Semi-Annual Assessment Monitoring Event 1** | | | | | | | | | | | | | | | | | | | | | | | |
| MW-100 | Background | 3/22/2022 | 0.00030 U | 0.00024 U | 0.019 | 0.00018 U | 0.013 V | 0.00013 U | 0.90 | 5.9 | 0.0046 | 0.0014 | 1.75 | 0.070 U | 0.00016 U | 0.0013 | 0.00015 U | 0.00066 I | 4.90 | 0.00016 U | 1.4 U | 58 | 0.000092 U |
| MW-101 | Background | 3/22/2022 | 0.00030 U | 0.00024 U | 0.0092 | 0.00018 U | 0.012 V | 0.00013 U | 0.38 | 4.9 | 0.0051 | 0.0012 | 1.10 | 0.070 U | 0.00016 U | 0.0014 | 0.00015 U | 0.00064 I | 5.02 | 0.00016 U | 1.4 U | 14 | 0.000092 U |
| MW-107 | Background | 3/22/2022 | 0.00030 U | 0.00024 U | 0.010 | 0.00018 U | 0.013 V | 0.00013 U | 0.33 | 4.7 | 0.00032 I | 0.00038 I | 1.78 | 0.070 U | 0.00016 U | 0.00098 U | 0.00015 U | 0.00026 U | 4.91 | 0.00016 U | 1.4 U | 18 | 0.000092 U |
| MW-108 | Background | 3/22/2022 | 0.00030 U | 0.00027 | 0.012 | 0.00018 U | 0.017 V | 0.00013 U | 1.6 | 8.8 | 0.00027 I | 0.00020 I | 3.12 | 0.070 U | 0.00016 U | 0.00098 U | 0.00015 U | 0.00026 U | 4.89 | 0.00051 | 4.5 I | 46 | 0.000092 U |
| MW-306 | Background | 3/22/2022 | 0.00030 U | 0.00024 U | 0.013 | 0.00018 U | 0.0090 I V | 0.00013 U | 0.81 | 5.6 | 0.0088 | 0.0014 | 1.33 | 0.070 U | 0.00016 U | 0.0012 | 0.00015 U | 0.0011 I | 5.10 | 0.00016 U | 1.4 U | 84 | 0.000092 U |
| MW-307 | Background | 3/22/2022 | 0.00030 U | 0.00024 U | 0.018 | 0.00018 U | 0.0063 I V | 0.00013 U | 0.70 | 4.8 | 0.0022 | 0.0016 | 1.32 | 0.070 U | 0.00016 U | 0.00098 U | 0.00015 U | 0.00031 I | 5.18 | 0.00016 U | 1.4 U | 22 | 0.000092 U |
| MW-102 | Downgradient | 3/23/2022 | 0.00030 U | 0.00024 U | 0.013 | 0.00018 U | 0.017 V | 0.00013 U | 2.0 | 6.9 | 0.0063 | 0.00088 | 2.18 | 0.070 U | 0.00016 U | 0.00098 U | 0.00015 U | 0.00091 I | 5.02 | 0.00025 | 1.8 I | 36 | 0.000092 U |
| MW-103 | Downgradient | 3/24/2022 | 0.00030 U | 0.00024 U | 0.027 | 0.00018 U | 0.20 | 0.00013 U | 3.6 | 9.8 | 0.0030 | 0.00026 I | 4.52 | 0.070 U | 0.00016 U | 0.00099 I | 0.00015 U | 0.00092 I | 5.02 | 0.0014 | 28 | 90 | 0.000092 U |
| MW-104 | Downgradient | 3/23/2022 | 0.0015 U | 0.0018 | 0.030 | 0.00092 U | 8.7 | 0.00065 U | 71 | 120 | 0.0010 I | 0.023 | 16.5 | 0.30 | 0.0018 | 0.020 | 0.00032 | 0.0013 U | 4.15 | 0.0067 | 560 | 1300 | 0.00046 U |
| MW-105 | Downgradient | 3/23/2022 | 0.00030 U | 0.0073 | 0.027 | 0.00018 U | 0.23 | 0.00013 U | 62 | 10 | 0.00073 | 0.00017 I | 1.79 | 0.070 U | 0.00016 U | 0.00098 U | 0.00015 U | 0.0089 | 6.48 | 0.00023 I | 24 | 230 | 0.000092 U |
| MW-106 | Downgradient | 3/23/2022 | 0.00030 U | 0.00024 U | 0.012 | 0.00018 U | 0.0074 I V | 0.00013 U | 0.48 | 4.1 | 0.0044 | 0.00099 | 1.17 | 0.070 U | 0.00016 U | 0.00098 U | 0.00015 U | 0.00068 I | 4.99 | 0.00016 U | 1.4 U | 30 | 0.000092 U |
| MW-109 | Downgradient | 3/23/2022 | 0.00030 U | 0.00024 U | 0.020 | 0.00018 U | 0.36 | 0.00013 U | 4.8 | 28 | 0.0061 | 0.0094 | 3.57 | 0.070 U | 0.00016 U | 0.0062 | 0.00047 | 0.00090 I | 5.00 | 0.00035 | 28 | 90 | 0.000092 U |
| MW-110 | Downgradient | 3/23/2022 | 0.0015 U | 0.0012 U | 0.024 | 0.00092 U | 4.5 | 0.00065 U | 28 | 110 | 0.0025 | 0.013 | 6.71 | 0.070 U | 0.00081 U | 0.011 | 0.0034 | 0.0013 U | 5.01 | 0.0034 | 270 | 630 | 0.00046 U |
| **Semi-Annual Assessment Monitoring Event 2** | | | | | | | | | | | | | | | | | | | | | | | |
| MW-100 | Background | 9/7/2022 | 0.0015 U | 0.0012 U | 0.019 | 0.00092 U | 0.031 I | 0.00065 U | 1.0 V | 4.4 | 0.0010 U | 0.00056 U | 2.00 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 4.72 | 0.00082 U | 1.7 I | 36 | 0.00046 U |
| MW-101 | Background | 9/7/2022 | 0.0015 U | 0.0012 U | 0.0089 | 0.00092 U | 0.029 I | 0.00065 U | 0.60 V | 3.4 | 0.0010 U | 0.00056 U | 1.32 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 4.89 | 0.00082 U | 1.5 I | 14 | 0.00046 U |
| MW-107 | Background | 9/7/2022 | 0.0015 U | 0.0012 U | 0.012 | 0.00092 U | 0.031 I | 0.00065 U | 0.61 | 3.6 | 0.0010 U | 0.00056 U | 1.46 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 4.92 | 0.00082 U | 1.4 I | 22 | 0.00046 U |
| MW-108 | Background | 9/8/2022 | 0.0015 U | 0.0012 U | 0.012 | 0.00092 U | 0.055 V | 0.00065 U | 2.1 | 3.4 | 0.0010 U | 0.00056 U | 3.32 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 4.78 | 0.00082 U | 5.5 | 44 | 0.00046 U |
| MW-306 | Background | 9/8/2022 | 0.0015 U | 0.0012 U | 0.012 | 0.00092 U | 0.027 I | 0.00065 U | 0.69 | 4.3 | 0.0010 U | 0.00056 U | 0.936 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 4.87 | 0.00082 U | 1.4 U | 24 | 0.00046 U |
| MW-307 | Background | 9/8/2022 | 0.0015 U | 0.0012 U | 0.017 | 0.00092 U | 0.025 I | 0.00065 U | 0.82 | 5.3 | 0.0010 U | 0.00064 I | 1.36 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 5.13 | 0.0034 | 1.4 U | 48 | 0.00046 U |
| MW-102 | Downgradient | 9/9/2022 | 0.0015 U | 0.0012 U | 0.030 | 0.00092 U | 0.13 | 0.00065 U | 12 | 11 | 0.0010 U | 0.00056 U | 5.92 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 4.96 | 0.0044 | 27 | 62 | 0.00046 U |
| MW-103 | Downgradient | 9/9/2022 | 0.0015 U | 0.0012 U | 0.018 | 0.00092 U | 0.22 | 0.00065 U | 3.3 | 6.9 | 0.0010 U | 0.00056 U | 3.16 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 5.19 | 0.0012 I | 20 | 48 | 0.00046 U |
| MW-104 | Downgradient | 9/9/2022 | 0.0015 U | 0.010 | 0.035 | 0.00092 U | 14 | 0.00065 U | 110 | 140 | 0.0010 U | 0.032 | 21.2 | 2.8 U | 0.0021 | 0.015 | 0.00082 | 0.0013 U | 4.08 | 0.020 | 870 | 1400 | 0.00051 |
| MW-105 | Downgradient | 9/9/2022 | 0.0015 U | 0.0048 | 0.024 | 0.00092 U | 0.50 | 0.00065 U | 57 | 6.2 | 0.0020 I | 0.00056 U | 2.04 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0044 I | 6.47 | 0.0014 | 17 | 200 | 0.00046 U |
| MW-106 | Downgradient | 9/8/2022 | 0.0015 U | 0.0012 U | 0.012 | 0.00092 U | 0.097 | 0.00065 U | 1.6 | 3.3 | 0.0010 U | 0.00056 U | 1.49 | 0.14 U | 0.00081 U | 0.0049 U | 0.00015 U | 0.0013 U | 5.00 | 0.0016 | 1.4 U | 18 | 0.00046 U |
| MW-109 | Downgradient | 9/8/2022 | 0.0015 U | 0.0012 U | 0.017 | 0.00092 U | 0.45 | 0.00065 U | 6.0 | 17 | 0.0010 U | 0.0077 | 2.78 | 0.14 U | 0.00081 U | 0.0049 U | 0.00041 | 0.0013 U | 4.82 | 0.0020 | 34 | 80 | 0.00046 U |
| MW-110 | Downgradient | 9/9/2022 | 0.0015 U | 0.0012 U | 0.023 | 0.00092 U | 4.4 | 0.00065 U | 26 | 84 | 0.0010 U | 0.019 | 6.33 | 0.14 U | 0.00081 U | 0.0060 | 0.0036 | 0.0013 U | 4.68 | 0.0045 | 270 | 560 | 0.00046 U |

**Notes:**
1. "mg/L" indicates milligrams per liter, "pCi/L" indicates picocuries per liter, "SU" indicates standard units.
2. "TDS" indicates total dissolved solids.
3. "U" indicates analyte was analyzed but not detected.
4. "V" indicates that the analyte was detected at or above the method detection limit in both the sample and associated method blank and the value of 10 times the blank was equal to or greater than the associated sample value (i.e., the reported concentration may be biased high).
5. "I" indicates that the reported value is between laboratory method detection limit and laboratory practical quantitation limit.
6. Data validation is being performed on both the semi-annual assessment monitoring (AM01 & AM02) events of 2022. Data validation flags are not included in Table 3. Data validation reports for 2022 AM01 data are included in Appendix A. Data validation reports for 2022 AM02 data will be included in the 2023 annual report.
7. Total radium is defined as the combined concentrations of radium 226 and radium 228.

**TABLE 4: SUMMARY OF 2022 GROUNDWATER ELEVATIONS**
**Florida Power & Light Company - Gulf Clean Energy Center Landfill 1, Pensacola, Florida**

| Monitoring Location | Northing | Easting | Top of Casing Elevation | Date | Depth to Water | Groundwater Elevation |
|---|---|---|---|---|---|---|
| MW-100 | 578116.11 | 1107316.00 | 103.03 | 3/21/2022 | 88.87 | 14.16 |
| MW-101 | 577158.45 | 1107724.27 | 108.00 | 3/21/2022 | 94.05 | 13.95 |
| MW-102 | 576886.86 | 1108472.89 | 112.17 | 3/23/2022 | 100.42 | 11.75 |
| MW-103 | 577354.11 | 1109233.05 | 120.79 | 3/21/2022 | 110.75 | 10.04 |
| MW-104 | 578494.34 | 1108915.77 | 68.25 | 3/21/2022 | 58.11 | 10.14 |
| MW-105 | 579092.61 | 1108688.61 | 30.53 | 3/21/2022 | 20.72 | 9.81 |
| MW-106 | 578765.08 | 1107895.05 | 77.99 | 3/21/2022 | 65.86 | 12.13 |
| MW-107 | 577201.66 | 1107442.83 | 114.71 | 3/21/2022 | 99.55 | 15.16 |
| MW-108 | 576208.36 | 1107577.06 | 83.54 | 3/21/2022 | 67.18 | 16.36 |
| MW-109 | 577624.83 | 1109293.64 | 119.85 | 3/21/2022 | 110.09 | 9.76 |
| MW-110 | 578095.94 | 1109139.45 | 90.33 | 3/21/2022 | 80.36 | 9.97 |
| MW-306 | 578417.11 | 1106200.44 | 70.56 | 3/21/2022 | 54.67 | 15.89 |
| MW-307 | 578209.77 | 1106865.99 | 104.18 | 3/21/2022 | 89.83 | 14.35 |

**Notes:**
1. Northing and easting are in feet relative to the State Plane Florida North Datum of 1983.
2. Elevations are in feet relative to the North American Vertical Datum of 1988.
3. Depth to water measurements are in feet below top of casing.
4. The depth to water measurement at MW-102 collected on 3/21/22 was erroneous. The purge log depth to water collected on 3/23/22 was substituted for the groundwater elevation at this location.

**TABLE 4: SUMMARY OF 2022 GROUNDWATER ELEVATIONS**
**Florida Power & Light Company - Gulf Clean Energy Center Landfill 1, Pensacola, Florida**

| Monitoring Location | Northing | Easting | Top of Casing Elevation | Date | Depth to Water | Groundwater Elevation |
|---|---|---|---|---|---|---|
| MW-100 | 578116.11 | 1107316.00 | 103.03 | 9/7/2022 | 88.45 | 14.58 |
| MW-101 | 577158.45 | 1107724.27 | 108.00 | 9/6/2022 | 93.58 | 14.42 |
| MW-102 | 576886.86 | 1108472.89 | 112.17 | 9/6/2022 | 98.82 | 13.35 |
| MW-103 | 577354.11 | 1109233.05 | 120.79 | 9/6/2022 | 109.79 | 11.00 |
| MW-104 | 578494.34 | 1108915.77 | 68.25 | 9/6/2022 | 57.26 | 10.99 |
| MW-105 | 579092.61 | 1108688.61 | 30.53 | 9/6/2022 | 19.51 | 11.02 |
| MW-106 | 578765.08 | 1107895.05 | 77.99 | 9/6/2022 | 64.83 | 13.16 |
| MW-107 | 577201.66 | 1107442.83 | 114.71 | 9/6/2022 | 99.57 | 15.14 |
| MW-108 | 576208.36 | 1107577.06 | 83.54 | 9/6/2022 | 67.65 | 15.89 |
| MW-109 | 577624.83 | 1109293.64 | 119.85 | 9/6/2022 | 109.23 | 10.62 |
| MW-110 | 578095.94 | 1109139.45 | 90.33 | 9/6/2022 | 79.64 | 10.69 |
| MW-306 | 578417.11 | 1106200.44 | 70.56 | 9/6/2022 | 54.42 | 16.14 |
| MW-307 | 578209.77 | 1106865.99 | 104.18 | 9/6/2022 | 88.85 | 15.33 |

**Notes:**
1. Northing and easting are in feet relative to the State Plane Florida North Datum of 1983.
2. Elevations are in feet relative to the North American Vertical Datum of 1988.
3. Depth to water measurements are in feet below top of casing.
4. The depth to water measurement at MW-100 collected on 9/6/22 was erroneous. The purge log depth to water collected on 9/7/22 was substituted for the groundwater elevation at this location.

**TABLE 5: SUMMARY OF BACKGROUND LIMITS AND GROUNDWATER PROTECTION STANDARDS**
**Florida Power & Light Company - Gulf Clean Energy Center Landfill 1, Pensacola, Florida**

| Analyte | Units[1] | USEPA CCR Rule Specified Limit[1] | March 2022 | | September 2022 | |
|---|---|---|---|---|---|---|
| | | | Background[3] | Site-Specific GWPS[1,4] | Background[3] | Site-Specific GWPS[1,4] |
| Antimony | mg/L | 0.006 | 0.0005 | 0.006 | 0.0025 | 0.006 |
| Arsenic | mg/L | 0.01 | 0.0013 | 0.01 | 0.0013 | 0.01 |
| Barium | mg/L | 2 | 0.023 | 2 | 0.023 | 2 |
| Beryllium | mg/L | 0.004 | 0.0015 | 0.004 | 0.0025 | 0.004 |
| Cadmium | mg/L | 0.005 | 0.0005 | 0.005 | 0.0025 | 0.005 |
| Chromium | mg/L | 0.1 | 0.0088 | 0.1 | 0.0088 | 0.1 |
| Cobalt[2] | mg/L | 0.006 | 0.0032 | 0.006 | 0.0032 | 0.006 |
| Fluoride | mg/L | 4 | 0.12 | 4 | 0.12 | 4 |
| Lead[2] | mg/L | 0.015 | 0.001 | 0.015 | 0.001 | 0.015 |
| Lithium[2] | mg/L | 0.04 | 0.0054 | 0.04 | 0.0054 | 0.04 |
| Mercury | mg/L | 0.002 | 0.00025 | 0.002 | 0.00025 | 0.002 |
| Molybdenum[2] | mg/L | 0.1 | 0.0042 | 0.1 | 0.0150 | 0.1 |
| Selenium | mg/L | 0.05 | 0.0025 | 0.05 | 0.0034 | 0.05 |
| Thallium | mg/L | 0.002 | 0.00015 | 0.002 | 0.00050 | 0.002 |
| Total Radium[5] | pCi/L | 5 | 2.33 | 5 | 2.48 | 5 |

**Notes:**
1. USEPA indicates United States Environmental Protection Agency; CCR indicates Coal Combustion Residuals; GWPS indicates Groundwater Protection Standard; mg/L indicates milligrams per liter; pCi/L indicates picocuries per liter.
2. USEPA CCR Rule Specified Limit established in the USEPA CCR Rule Amendment dated July 30, 2018.
3. Background indicates the statistically derived upper tolerance limit.
4. GWPS selected as the higher of the USEPA CCR Rule Specified Limit and background.
5. Total Radium is defined as the combined concentrations of radium 226 and radium 228.

# FIGURES






**Legend**

- Approximate Ash Landfill No. 1 Boundary
- Approximate Property Boundary

Notes:
1. CCR indicates Coal Combustion Residuals.
2. Source of property and Ash Landfill boundaries: Gulf Power drawing number ES4041S1.
3. Source of 2022 Aerial Imagery: Esri, DigitalGlobe, GeoEye, i-cubed, USDA FSA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community.
4. Source of inset World Street Map: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, © OpenStreetMap contributors, and the GIS User Community.

# Site Location Map - Ash Landfill No. 1


Florida Power & Light Company
Gulf Clean Energy Center
Pensacola, FL

Geosyntec consultants

Pensacola, FL | January 2023

Figure 1

Path: (Tifusville-01\DATA) \\Tifusville-01\Data\0GIS\FR2406_Gulf_Power_Plant_Crist\MXDs\202209\LF1_SiteLocationMap.mxd 21 December 2022. Last Edited by: csaville




**Legend**

- Ash Landfill No. 1 Downgradient Monitoring Well Location
- Background CCR Monitoring Well Location
- Approximate Ash Landfill No. 1 Boundary
- Approximate Property Boundary

Notes:
1. CCR indicates Coal Combustion Residuals.
2. Source of property and Ash Landfill boundaries: Gulf Power drawing number ES4041S1.
3. Source of 2022 Aerial Imagery: Esri, DigitalGlobe, GeoEye, i-cubed, USDA FSA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community.

**Well Locations - Ash Landfill No. 1**

Florida Power & Light Company
Gulf Clean Energy Center
Pensacola, FL

Geosyntec consultants

Pensacola, FL | January 2023

Figure 2

Path: (Titusville-01\DATA) \\Titusville-01\Data\0GIS\FR2406_Gulf_Power_Plant_Crist\MXDs\202209\Well_locs_LF1_202209.mxd 22 December 2022. Last Edited by: csaville




**Legend**

- Ash Landfill No. 1 CCR Downgradient Monitoring Well Location
- Ash Landfill No. 2 CCR Downgradient Monitoring Well Location
- Ash Landfill No. 2 Piezometer Location
- Downgradient GSA CCR Monitoring Well Location
- Background CCR Monitoring Well Location
- Upgradient GSA CCR Monitoring Well Location
- Shallow Delineation Piezometer and Well Location
- Deep Delineation Piezometer and Well Location
- Groundwater Elevation Contour (ft NAVD88, dashed where inferred)
- Groundwater Flow Direction
- Approximate Ash Landfill No. 1 Boundary
- Approximate Property Boundary
- [16.36] Groundwater Elevation (ft NAVD88)

Notes:
1. CCR indicates Coal Combustion Residuals.
2. ft NAVD88 indicates an elevation in feet relative to the North American Vertical Datum of 1988.
3. * indicates that contours represent groundwater and not the gypsum process water contained within the Gypsum Storage Area (GSA) lined impoundments.
4. Groundwater elevations at monitoring wells PZ-200D, PZ-201D, PZ-203D, and MW2032 were not used for potentiometric surface interpretation.
5. † indicates the depth to water measurement at MW-102 collected on 21 March 2022 was erroneous. The purge log depth to water collected on 23 March 2022 was substituted for the groundwater elevation at this location.
6. Source of property and Gypsum Storage Area boundaries: Gulf Power drawing number ES4041S1.
7. Source of 2022 Aerial Imagery: Esri, DigitalGlobe, GeoEye, i-cubed, USDA FSA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community.

# Groundwater Elevation Map
## 21 March 2022
## Ash Landfill No. 1

Florida Power & Light Company
Gulf Clean Energy Center
Pensacola, FL

Geosyntec consultants

Pensacola, FL | January 2023

Figure 3

Path: (Titusville-01\DATA) \\Titusville-01\Data\0GIS\FR2406_Gulf_Power_Plant_Crist\MXDs\202209\LF1_GW_elev_Mar2022.mxd 12 January 2023, Last Edited by: csaville




**Legend**

- Ash Landfill No. 1 CCR Downgradient Monitoring Well Location
- Ash Landfill No. 2 CCR Downgradient Monitoring Well Location
- Ash Landfill No. 2 Piezometer Location
- Downgradient GSA CCR Monitoring Well Location
- Background CCR Monitoring Well Location
- Upgradient GSA CCR Monitoring Well Location
- Shallow Delineation Piezometer and Well Location
- Deep Delineation Piezometer and Well Location
- Groundwater Elevation Contour (ft NAVD88, dashed where inferred)
- Groundwater Flow Direction
- Approximate Ash Landfill No. 1 Boundary
- Approximate Property Boundary
- [11.22] Groundwater Elevation (ft NAVD88)

Notes:
1. CCR indicates Coal Combustion Residuals.
2. ft NAVD88 indicates an elevation in feet relative to the North American Vertical Datum of 1988.
3. * indicates that contours represent groundwater and not the gypsum process water contained within the Gypsum Storage Area (GSA) lined impoundments.
4. Groundwater elevations at monitoring wells PZ-200D, PZ-201D, PZ-203D, MW-302, and MW2032 were not used for potentiometric surface interpretation.
5. † indicates the depth to water measurement at MW-100 collected on 6 September 2022 was erroneous. The purge log depth to water collected on 7 September 2022 was substituted for the groundwater elevation at this location.
6. Source of property and Gypsum Storage Area boundaries: Gulf Power drawing number ES4041S1.
7. Source of 2022 Aerial Imagery: Esri, DigitalGlobe, GeoEye, i-cubed, USDA FSA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community.

# Groundwater Elevation Map
## 6 September 2022
## Ash Landfill No. 1

Florida Power & Light Company
Gulf Clean Energy Center
Pensacola, FL

Geosyntec consultants

Pensacola, FL | January 2023

Figure 4

Path: [Titusville-01\DATA] \\Titusville-01\Data\0GIS\FR2406_Gulf_Power_Plant_Crist\MXDs\202209\LF1_GW_elev_Sep2022.mxd 24 January 2023. Last Edited by: csaville

# APPENDIX A

# Laboratory Analytical, Field Sampling Reports, and March 2022 Data Validation Report

# Low-Flow Test Report:

**Test Date / Time:** 3/22/2022 1:12:11 PM
**Project:** Crist plant CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: Crist plant MW-100**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 109 ft**<br>**Total Depth: 119 ft**<br>**Initial Depth to Water: 88.52 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 114 ft**<br>**Estimated Total Volume Pumped: 16000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.05 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 1400. Cloudy 70.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/22/2022 1:12 PM | 00:00 | 5.11 pH | 23.33 °C | 38.18 µS/cm | 6.25 mg/L | 1.89 NTU | 189.5 mV | 88.57 ft | 400.00 ml/min |
| 3/22/2022 1:17 PM | 05:00 | 5.03 pH | 25.35 °C | 40.07 µS/cm | 7.08 mg/L | 1.60 NTU | 188.2 mV | 88.57 ft | 400.00 ml/min |
| 3/22/2022 1:22 PM | 10:00 | 4.95 pH | 26.60 °C | 40.34 µS/cm | 7.90 mg/L | 1.57 NTU | 188.1 mV | 88.57 ft | 400.00 ml/min |
| 3/22/2022 1:27 PM | 15:00 | 4.94 pH | 26.96 °C | 40.14 µS/cm | 7.94 mg/L | 1.40 NTU | 188.2 mV | 88.57 ft | 400.00 ml/min |
| 3/22/2022 1:32 PM | 20:00 | 4.92 pH | 27.29 °C | 40.35 µS/cm | 8.14 mg/L | 1.33 NTU | 188.8 mV | 88.57 ft | 400.00 ml/min |
| 3/22/2022 1:37 PM | 25:00 | 4.91 pH | 27.50 °C | 40.35 µS/cm | 8.20 mg/L | 1.22 NTU | 189.3 mV | 88.57 ft | 400.00 ml/min |
| 3/22/2022 1:42 PM | 30:00 | 4.91 pH | 27.75 °C | 40.33 µS/cm | 8.27 mg/L | 1.14 NTU | 189.9 mV | 88.57 ft | 400.00 ml/min |
| 3/22/2022 1:47 PM | 35:00 | 4.90 pH | 27.89 °C | 40.29 µS/cm | 8.25 mg/L | 1.01 NTU | 190.5 mV | 88.57 ft | 400.00 ml/min |
| 3/22/2022 1:52 PM | 40:00 | 4.90 pH | 27.93 °C | 40.32 µS/cm | 8.25 mg/L | 0.95 NTU | 191.0 mV | 88.57 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-100 | Sample time @ 1400. Cloudy 70. |

# Low-Flow Test Report:

**Test Date / Time:** 3/22/2022 11:54:00 AM
**Project:** Crist plant CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: Crist CCR MW-101**<br>**Well Diameter: 0.2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 108 ft**<br>**Total Depth: 118 ft**<br>**Initial Depth to Water: 93.7 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 113 ft**<br>**Estimated Total Volume Pumped: 16000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.04 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 1240. Cloudy 74.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/22/2022 11:54 AM | 00:00 | 5.32 pH | 22.63 °C | 21.93 µS/cm | 9.08 mg/L | 3.49 NTU | 158.0 mV | 93.74 ft | 400.00 ml/min |
| 3/22/2022 11:59 AM | 05:00 | 5.12 pH | 25.23 °C | 22.55 µS/cm | 9.53 mg/L | 3.12 NTU | 157.6 mV | 93.74 ft | 400.00 ml/min |
| 3/22/2022 12:04 PM | 10:00 | 5.07 pH | 26.45 °C | 22.55 µS/cm | 9.30 mg/L | 2.80 NTU | 159.2 mV | 93.74 ft | 400.00 ml/min |
| 3/22/2022 12:09 PM | 15:00 | 5.05 pH | 26.81 °C | 22.70 µS/cm | 9.22 mg/L | 2.40 NTU | 161.6 mV | 93.74 ft | 400.00 ml/min |
| 3/22/2022 12:14 PM | 20:00 | 5.02 pH | 27.12 °C | 22.79 µS/cm | 9.06 mg/L | 2.17 NTU | 167.2 mV | 93.74 ft | 400.00 ml/min |
| 3/22/2022 12:19 PM | 25:00 | 5.03 pH | 27.21 °C | 22.80 µS/cm | 8.95 mg/L | 2.08 NTU | 165.9 mV | 93.74 ft | 400.00 ml/min |
| 3/22/2022 12:24 PM | 30:00 | 5.03 pH | 27.48 °C | 22.78 µS/cm | 8.85 mg/L | 1.68 NTU | 168.0 mV | 93.74 ft | 400.00 ml/min |
| 3/22/2022 12:29 PM | 35:00 | 5.03 pH | 27.56 °C | 22.81 µS/cm | 9.03 mg/L | 1.51 NTU | 169.6 mV | 93.74 ft | 400.00 ml/min |
| 3/22/2022 12:34 PM | 40:00 | 5.02 pH | 27.61 °C | 22.83 µS/cm | 9.00 mg/L | 1.46 NTU | 171.7 mV | 93.74 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-101 | Sample time @ 1240. Cloudy 74. |

# Low-Flow Test Report:

**Test Date / Time:** 3/22/2022 9:40:03 AM
**Project:** GCEC MW-107
**Operator Name:** Brett Surles

| | | |
|---|---|---|
| **Location Name: GCEC MW-107**<br>**Well Diameter: 2 in**<br>**Casing Type: PE**<br>**Screen Length: 10 ft**<br>**Top of Screen: 114 ft**<br>**Total Depth: 124 ft**<br>**Initial Depth to Water: 99.14 ft** | **Pump Type: QED**<br>**Tubing Type: Cloudy 70**<br>**Pump Intake From TOC: 117 ft**<br>**Estimated Total Volume Pumped: 14 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.31 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 800306** |

**Test Notes:**

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.5 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/22/2022 9:40 AM | 00:00 | 5.16 pH | 21.47 °C | 31.71 µS/cm | 8.96 mg/L | 4.92 NTU | 141.6 mV | 99.45 ft | 400.00 ml/min |
| 3/22/2022 9:45 AM | 05:00 | 5.02 pH | 21.12 °C | 30.46 µS/cm | 8.95 mg/L | 1.98 NTU | 173.5 mV | 99.45 ft | 400.00 ml/min |
| 3/22/2022 9:50 AM | 10:00 | 4.98 pH | 21.03 °C | 30.38 µS/cm | 8.96 mg/L | 0.61 NTU | 105.5 mV | 99.45 ft | 400.00 ml/min |
| 3/22/2022 9:55 AM | 15:00 | 4.95 pH | 21.03 °C | 30.34 µS/cm | 8.96 mg/L | 3.04 NTU | 104.2 mV | 99.45 ft | 400.00 ml/min |
| 3/22/2022 10:00 AM | 20:00 | 4.92 pH | 21.05 °C | 30.19 µS/cm | 8.96 mg/L | 4.56 NTU | 167.7 mV | 99.45 ft | 400.00 ml/min |
| 3/22/2022 10:05 AM | 25:00 | 4.91 pH | 21.13 °C | 29.99 µS/cm | 8.93 mg/L | 4.19 NTU | 104.8 mV | 99.45 ft | 400.00 ml/min |
| 3/22/2022 10:10 AM | 30:00 | 4.90 pH | 21.13 °C | 29.94 µS/cm | 8.91 mg/L | 2.69 NTU | 104.0 mV | 99.45 ft | 400.00 ml/min |
| 3/22/2022 10:15 AM | 35:00 | 4.91 pH | 21.08 °C | 29.82 µS/cm | 9.02 mg/L | 2.03 NTU | 106.6 mV | 99.45 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 3/22/2022 7:00:07 AM
**Project:** MW-108
**Operator Name:** Brett Surles

| | | |
|---|---|---|
| **Location Name: GCEC MW-108**<br>**Well Diameter: 2 in**<br>**Casing Type: PE**<br>**Screen Length: 10 ft**<br>**Top of Screen: 87.9 ft**<br>**Total Depth: 97.9 ft**<br>**Initial Depth to Water: 66.8 ft** | **Pump Type: QED**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 92.9 m**<br>**Estimated Total Volume Pumped: 30 liter**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 800306** |

**Test Notes:**
Sample@0817

**Weather Conditions:**
Cloudy 65

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.5 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/22/2022 7:00 AM | 00:00 | 5.45 pH | 19.51 °C | 146.51 µS/cm | 8.59 mg/L | 4.62 NTU | 168.7 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:05 AM | 05:00 | 4.80 pH | 20.46 °C | 62.71 µS/cm | 9.69 mg/L | 5.41 NTU | 125.0 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:10 AM | 10:00 | 4.78 pH | 20.59 °C | 62.88 µS/cm | 10.65 mg/L | 3.70 NTU | 118.4 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:15 AM | 15:00 | 4.80 pH | 20.60 °C | 62.86 µS/cm | 10.69 mg/L | 3.60 NTU | 111.1 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:20 AM | 20:00 | 4.80 pH | 20.53 °C | 60.97 µS/cm | 10.96 mg/L | 2.32 NTU | 108.0 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:25 AM | 25:00 | 4.80 pH | 20.51 °C | 60.85 µS/cm | 11.15 mg/L | 2.22 NTU | 177.3 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:30 AM | 30:00 | 4.81 pH | 20.47 °C | 59.96 µS/cm | 11.37 mg/L | 1.63 NTU | 107.7 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:35 AM | 35:00 | 4.80 pH | 20.46 °C | 59.66 µS/cm | 11.30 mg/L | 2.38 NTU | 109.5 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:40 AM | 40:00 | 4.82 pH | 20.46 °C | 59.59 µS/cm | 11.30 mg/L | 1.95 NTU | 173.1 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:45 AM | 45:00 | 4.83 pH | 20.46 °C | 59.60 µS/cm | 11.58 mg/L | 1.75 NTU | 107.7 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:50 AM | 50:00 | 4.85 pH | 20.51 °C | 59.76 µS/cm | 11.81 mg/L | 2.16 NTU | 105.8 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 7:55 AM | 55:00 | 4.84 pH | 20.55 °C | 59.70 µS/cm | 11.74 mg/L | 2.58 NTU | 107.3 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 8:00 AM | 01:00:00 | 4.85 pH | 20.57 °C | 59.45 µS/cm | 11.48 mg/L | 1.89 NTU | 105.8 mV | 66.80 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 3/22/2022 8:05 AM | 01:05:00 | 4.87 pH | 20.59 °C | 59.43 µS/cm | 11.46 mg/L | 1.47 NTU | 170.3 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 8:10 AM | 01:10:00 | 4.88 pH | 20.67 °C | 59.35 µS/cm | 11.50 mg/L | 1.58 NTU | 167.7 mV | 66.80 ft | 400.00 ml/min |
| 3/22/2022 8:15 AM | 01:15:00 | 4.89 pH | 20.72 °C | 59.14 µS/cm | 11.53 mg/L | 1.50 NTU | 102.5 mV | 66.80 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 3/22/2022 8:40:13 AM
**Project:** Crist CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: Crist CCR MW-306**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 83 ft**<br>**Total Depth: 93.2 ft**<br>**Initial Depth to Water: 54.47 ft** | **Pump Type: BP**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 88 ft**<br>**Estimated Total Volume Pumped: 10000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.05 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 0910. Cloudy 72.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/22/2022 8:40 AM | 00:00 | 8.33 pH | 20.31 °C | 32.05 µS/cm | 8.45 mg/L | 1.84 NTU | 107.5 mV | 54.52 ft | 400.00 ml/min |
| 3/22/2022 8:45 AM | 05:00 | 6.31 pH | 22.12 °C | 30.97 µS/cm | 8.08 mg/L | 1.70 NTU | 106.3 mV | 54.52 ft | 400.00 ml/min |
| 3/22/2022 8:50 AM | 10:00 | 5.36 pH | 22.93 °C | 30.38 µS/cm | 7.97 mg/L | 1.52 NTU | 109.9 mV | 54.52 ft | 400.00 ml/min |
| 3/22/2022 8:55 AM | 15:00 | 5.17 pH | 23.23 °C | 29.92 µS/cm | 7.88 mg/L | 1.38 NTU | 113.4 mV | 54.52 ft | 400.00 ml/min |
| 3/22/2022 9:00 AM | 20:00 | 5.12 pH | 23.15 °C | 29.81 µS/cm | 7.82 mg/L | 1.18 NTU | 118.0 mV | 54.52 ft | 400.00 ml/min |
| 3/22/2022 9:05 AM | 25:00 | 5.10 pH | 23.35 °C | 29.79 µS/cm | 7.80 mg/L | 1.11 NTU | 122.0 mV | 54.52 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-306 | Sample time @ 0910. Cloudy 72. |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 3/22/2022 9:43:35 AM
**Project:** Crist CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: Crist CCR MW-307**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 113 ft**<br>**Total Depth: 123 ft**<br>**Initial Depth to Water: 88.85 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 118 ft**<br>**Estimated Total Volume Pumped: 22000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.04 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 1045. Cloudy 72. DUP-01@ fake time 0945.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/22/2022 9:43 AM | 00:00 | 5.32 pH | 21.52 °C | 32.93 µS/cm | 3.41 mg/L | 1.12 NTU | 154.5 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 9:48 AM | 05:00 | 5.31 pH | 24.55 °C | 33.85 µS/cm | 3.22 mg/L | 1.10 NTU | 153.6 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 9:53 AM | 10:00 | 5.31 pH | 25.23 °C | 33.84 µS/cm | 3.17 mg/L | 1.03 NTU | 153.9 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 9:58 AM | 15:00 | 5.25 pH | 25.41 °C | 32.09 µS/cm | 4.01 mg/L | 0.97 NTU | 152.7 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 10:03 AM | 20:00 | 5.22 pH | 25.41 °C | 30.67 µS/cm | 5.13 mg/L | 0.94 NTU | 150.0 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 10:08 AM | 25:00 | 5.22 pH | 25.58 °C | 30.59 µS/cm | 5.75 mg/L | 0.89 NTU | 148.5 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 10:13 AM | 30:00 | 5.20 pH | 25.71 °C | 30.31 µS/cm | 6.22 mg/L | 0.80 NTU | 149.0 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 10:18 AM | 35:00 | 5.19 pH | 25.90 °C | 30.75 µS/cm | 6.50 mg/L | 0.74 NTU | 148.6 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 10:23 AM | 40:00 | 5.19 pH | 25.95 °C | 30.98 µS/cm | 6.63 mg/L | 0.66 NTU | 149.0 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 10:28 AM | 45:00 | 5.19 pH | 26.05 °C | 31.09 µS/cm | 6.79 mg/L | 0.61 NTU | 149.0 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 10:33 AM | 50:00 | 5.19 pH | 26.12 °C | 31.13 µS/cm | 6.85 mg/L | 0.56 NTU | 149.5 mV | 88.89 ft | 400.00 ml/min |
| 3/22/2022 10:38 AM | 55:00 | 5.18 pH | 26.09 °C | 31.20 µS/cm | 6.85 mg/L | 0.49 NTU | 150.6 mV | 88.89 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|

| | |
|---|---|
| MW-307 | Sample time @ 1045. Cloudy 72. DUP-01@ fake time 0945. |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 3/23/2022 2:06:40 PM
**Project:** GCEC CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: GCEC MW-102**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 110.1 ft**<br>**Total Depth: 120.1 ft**<br>**Initial Depth to Water: 100.4 ft** | **Pump Type: BP**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 115.1 ft**<br>**Estimated Total Volume Pumped: 20000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.02 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 1500. Sunny 82.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/23/2022 2:06 PM | 00:00 | 5.25 pH | 25.29 °C | 37.60 µS/cm | 7.20 mg/L | 4.18 NTU | 158.1 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:11 PM | 05:00 | 5.25 pH | 23.96 °C | 41.44 µS/cm | 8.12 mg/L | 3.40 NTU | 157.7 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:16 PM | 10:00 | 5.14 pH | 26.83 °C | 41.21 µS/cm | 7.95 mg/L | 2.94 NTU | 158.4 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:21 PM | 15:00 | 5.08 pH | 27.63 °C | 41.03 µS/cm | 7.66 mg/L | 2.26 NTU | 159.2 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:26 PM | 20:00 | 5.06 pH | 27.80 °C | 40.91 µS/cm | 7.72 mg/L | 2.04 NTU | 160.4 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:31 PM | 25:00 | 5.05 pH | 27.91 °C | 41.09 µS/cm | 7.78 mg/L | 1.96 NTU | 162.1 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:36 PM | 30:00 | 5.05 pH | 28.08 °C | 41.00 µS/cm | 7.70 mg/L | 1.90 NTU | 162.8 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:41 PM | 35:00 | 5.04 pH | 28.51 °C | 41.09 µS/cm | 7.89 mg/L | 1.92 NTU | 163.9 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:46 PM | 40:00 | 5.03 pH | 28.16 °C | 41.01 µS/cm | 7.91 mg/L | 1.95 NTU | 165.2 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:51 PM | 45:00 | 5.02 pH | 28.35 °C | 41.97 µS/cm | 8.00 mg/L | 1.91 NTU | 166.3 mV | 100.42 ft | 400.00 ml/min |
| 3/23/2022 2:56 PM | 50:00 | 5.02 pH | 28.35 °C | 41.45 µS/cm | 7.86 mg/L | 1.93 NTU | 167.5 mV | 100.42 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-102 | Sample time @ 1500. Sunny 82. |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 3/24/2022 12:03:31 PM
**Project:** GCEC CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: GCEC MW-103**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 110 ft**<br>**Total Depth: 120 ft**<br>**Initial Depth to Water: 110.72 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 115 ft**<br>**Estimated Total Volume Pumped: 40000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 1350. Sunny 75.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/24/2022 12:03 PM | 00:00 | 5.20 pH | 20.65 °C | 97.49 µS/cm | 8.01 mg/L | 50.50 NTU | 160.4 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:08 PM | 05:00 | 5.16 pH | 21.81 °C | 97.95 µS/cm | 7.65 mg/L | 41.30 NTU | 159.7 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:13 PM | 10:00 | 5.15 pH | 21.62 °C | 97.73 µS/cm | 7.60 mg/L | 36.50 NTU | 160.0 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:18 PM | 15:00 | 5.13 pH | 21.11 °C | 98.72 µS/cm | 7.72 mg/L | 32.00 NTU | 161.2 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:23 PM | 20:00 | 5.11 pH | 21.22 °C | 100.73 µS/cm | 7.83 mg/L | 25.10 NTU | 161.4 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:28 PM | 25:00 | 5.11 pH | 21.05 °C | 101.06 µS/cm | 7.82 mg/L | 19.70 NTU | 161.6 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:33 PM | 30:00 | 5.10 pH | 20.83 °C | 102.01 µS/cm | 7.85 mg/L | 17.20 NTU | 162.3 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:38 PM | 35:00 | 5.08 pH | 20.68 °C | 102.56 µS/cm | 7.86 mg/L | 16.30 NTU | 163.2 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:43 PM | 40:00 | 5.07 pH | 20.74 °C | 103.44 µS/cm | 7.89 mg/L | 15.80 NTU | 163.6 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:48 PM | 45:00 | 5.08 pH | 21.09 °C | 103.60 µS/cm | 7.87 mg/L | 13.20 NTU | 162.9 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:53 PM | 50:00 | 5.06 pH | 20.97 °C | 103.65 µS/cm | 7.92 mg/L | 11.90 NTU | 163.4 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 12:58 PM | 55:00 | 5.05 pH | 21.57 °C | 104.21 µS/cm | 7.94 mg/L | 10.40 NTU | 163.3 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 1:03 PM | 01:00:00 | 5.05 pH | 21.50 °C | 103.75 µS/cm | 7.84 mg/L | 9.27 NTU | 163.8 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 1:08 PM | 01:05:00 | 5.04 pH | 21.23 °C | 106.43 µS/cm | 8.02 mg/L | 7.33 NTU | 164.2 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 1:13 PM | 01:10:00 | 5.04 pH | 21.83 °C | 106.54 µS/cm | 7.94 mg/L | 5.10 NTU | 163.4 mV | 110.72 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 3/24/2022 1:18 PM | 01:15:00 | 5.03 pH | 21.86 °C | 105.52 µS/cm | 7.91 mg/L | 3.85 NTU | 164.1 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 1:23 PM | 01:20:00 | 5.02 pH | 21.94 °C | 105.01 µS/cm | 7.90 mg/L | 2.63 NTU | 164.3 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 1:28 PM | 01:25:00 | 5.03 pH | 21.85 °C | 105.13 µS/cm | 7.89 mg/L | 2.14 NTU | 164.0 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 1:33 PM | 01:30:00 | 5.03 pH | 22.10 °C | 105.38 µS/cm | 7.90 mg/L | 1.96 NTU | 163.7 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 1:38 PM | 01:35:00 | 5.02 pH | 22.17 °C | 105.32 µS/cm | 7.90 mg/L | 1.75 NTU | 163.8 mV | 110.72 ft | 400.00 ml/min |
| 3/24/2022 1:43 PM | 01:40:00 | 5.02 pH | 22.21 °C | 105.39 µS/cm | 7.90 mg/L | 1.68 NTU | 163.9 mV | 110.72 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|
| MW-103 | Sample time @ 1350. Sunny 75. |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 3/23/2022 10:33:38 AM
**Project:** GCEC MW-104
**Operator Name:** Brett Surles

| | | |
|---|---|---|
| **Location Name: GCEC MW-104**<br>**Well Diameter: 2 in**<br>**Casing Type: PE**<br>**Screen Length: 10 ft**<br>**Top of Screen: 73 ft**<br>**Total Depth: 83 ft**<br>**Initial Depth to Water: 57.86 ft** | **Pump Type: QED**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 78 m**<br>**Estimated Total Volume Pumped: 36 liter**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.04 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 800306** |

**Test Notes:**
Sample@1205, EB-01@1220 ORP READINGS moving from 530-580 every few minutes

**Weather Conditions:**
Partly cloudy 71

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.5 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/23/2022 10:33 AM | 00:00 | 7.64 pH | 22.29 °C | 1,488.9 µS/cm | 8.30 mg/L | 2.27 NTU | 52.3 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 10:38 AM | 05:00 | 7.58 pH | 22.24 °C | 1,454.1 µS/cm | 8.23 mg/L | 1.91 NTU | 54.0 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 10:43 AM | 10:00 | 7.48 pH | 22.28 °C | 1,514.1 µS/cm | 8.32 mg/L | 2.40 NTU | 88.9 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 10:48 AM | 15:00 | 5.59 pH | 21.98 °C | 1,592.5 µS/cm | 6.80 mg/L | 7.83 NTU | 483.1 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 10:53 AM | 20:00 | 5.04 pH | 21.83 °C | 1,662.3 µS/cm | 6.25 mg/L | 3.79 NTU | 478.9 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 10:58 AM | 25:00 | 4.96 pH | 22.18 °C | 1,686.1 µS/cm | 6.10 mg/L | 2.70 NTU | 506.4 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:03 AM | 30:00 | 4.68 pH | 22.31 °C | 1,762.0 µS/cm | 5.99 mg/L | 1.20 NTU | 500.9 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:08 AM | 35:00 | 4.53 pH | 22.43 °C | 1,813.2 µS/cm | 6.02 mg/L | 1.47 NTU | 495.3 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:13 AM | 40:00 | 4.40 pH | 22.26 °C | 1,839.5 µS/cm | 5.96 mg/L | 0.71 NTU | 513.5 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:18 AM | 45:00 | 4.20 pH | 22.11 °C | 1,833.4 µS/cm | 5.99 mg/L | 0.66 NTU | 553.4 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:23 AM | 50:00 | 4.18 pH | 21.98 °C | 1,859.3 µS/cm | 5.90 mg/L | 0.59 NTU | 531.6 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:28 AM | 55:00 | 4.15 pH | 22.07 °C | 1,861.5 µS/cm | 5.85 mg/L | 0.49 NTU | 528.3 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:33 AM | 01:00:00 | 4.11 pH | 22.15 °C | 1,861.2 µS/cm | 5.82 mg/L | 0.44 NTU | 558.2 mV | 57.90 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 3/23/2022 11:38 AM | 01:05:00 | 4.19 pH | 22.15 °C | 1,844.7 µS/cm | 5.84 mg/L | 0.56 NTU | 555.5 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:43 AM | 01:10:00 | 4.25 pH | 22.11 °C | 1,853.0 µS/cm | 6.01 mg/L | 0.50 NTU | 527.7 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:48 AM | 01:15:00 | 4.21 pH | 22.27 °C | 1,859.9 µS/cm | 6.13 mg/L | 0.56 NTU | 518.3 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:53 AM | 01:20:00 | 4.22 pH | 22.29 °C | 1,858.2 µS/cm | 6.11 mg/L | 0.51 NTU | 531.7 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 11:58 AM | 01:25:00 | 4.18 pH | 22.29 °C | 1,859.0 µS/cm | 6.04 mg/L | 0.39 NTU | 537.7 mV | 57.90 ft | 400.00 ml/min |
| 3/23/2022 12:03 PM | 01:30:00 | 4.15 pH | 22.27 °C | 1,862.6 µS/cm | 6.13 mg/L | 0.31 NTU | 507.0 mV | 57.90 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|

# Low-Flow Test Report:

**Test Date / Time:** 3/23/2022 9:29:51 AM
**Project:** GCEC MW-105
**Operator Name:** Brett Surles

| | | |
|---|---|---|
| **Location Name: GCEC MW-105**<br>**Well Diameter: 2 in**<br>**Casing Type: PE**<br>**Screen Length: 10 ft**<br>**Top of Screen: 33 ft**<br>**Total Depth: 43 ft**<br>**Initial Depth to Water: 20.56 ft** | **Pump Type: PP**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 37 ft**<br>**Estimated Total Volume Pumped: 8 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.03 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 800306** |

**Test Notes:**
Sample@0951, DUP -01@0851

**Weather Conditions:**
Partly cloudy 65

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.5 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/23/2022 9:29 AM | 00:00 | 6.41 pH | 19.71 °C | 440.46 µS/cm | 1.74 mg/L | 20.20 NTU | 26.0 mV | 20.59 ft | 400.00 ml/min |
| 3/23/2022 9:34 AM | 05:00 | 6.46 pH | 20.99 °C | 430.84 µS/cm | 0.14 mg/L | 8.94 NTU | -81.5 mV | 20.59 ft | 400.00 ml/min |
| 3/23/2022 9:39 AM | 10:00 | 6.47 pH | 21.16 °C | 430.29 µS/cm | 0.11 mg/L | 3.07 NTU | -44.7 mV | 20.59 ft | 400.00 ml/min |
| 3/23/2022 9:44 AM | 15:00 | 6.49 pH | 21.30 °C | 419.07 µS/cm | 0.09 mg/L | 1.71 NTU | -44.7 mV | 20.59 ft | 400.00 ml/min |
| 3/23/2022 9:49 AM | 20:00 | 6.48 pH | 21.41 °C | 434.45 µS/cm | 0.09 mg/L | 1.44 NTU | -43.9 mV | 20.59 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|

# Low-Flow Test Report:

**Test Date / Time:** 3/23/2022 8:13:56 AM
**Project:** Crist plant CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: Crist CCR MW-106**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 83 ft**<br>**Total Depth: 93 ft**<br>**Initial Depth to Water: 65.55 ft** | **Pump Type: BP**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 88 ft**<br>**Estimated Total Volume Pumped: 24000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 0920. Pc 72. FB-01@ 0925.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/23/2022 8:13 AM | 00:00 | 7.40 pH | 20.79 °C | 37.15 µS/cm | 8.12 mg/L | 1.10 NTU | 119.0 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:18 AM | 05:00 | 6.64 pH | 22.88 °C | 28.56 µS/cm | 7.97 mg/L | 0.98 NTU | 116.1 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:23 AM | 10:00 | 5.40 pH | 24.55 °C | 27.15 µS/cm | 7.51 mg/L | 0.85 NTU | 115.1 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:28 AM | 15:00 | 5.15 pH | 25.23 °C | 27.09 µS/cm | 7.45 mg/L | 0.77 NTU | 114.0 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:33 AM | 20:00 | 5.09 pH | 24.96 °C | 27.26 µS/cm | 7.36 mg/L | 0.71 NTU | 114.8 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:38 AM | 25:00 | 5.05 pH | 24.69 °C | 26.97 µS/cm | 7.69 mg/L | 0.64 NTU | 116.9 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:43 AM | 30:00 | 5.05 pH | 25.23 °C | 26.86 µS/cm | 7.58 mg/L | 0.60 NTU | 117.0 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:48 AM | 35:00 | 5.05 pH | 25.19 °C | 26.58 µS/cm | 7.61 mg/L | 0.52 NTU | 118.6 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:53 AM | 40:00 | 5.02 pH | 25.67 °C | 26.56 µS/cm | 7.90 mg/L | 0.51 NTU | 118.4 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 8:58 AM | 45:00 | 5.01 pH | 25.81 °C | 26.58 µS/cm | 7.79 mg/L | 0.48 NTU | 120.7 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 9:03 AM | 50:00 | 5.00 pH | 26.14 °C | 26.58 µS/cm | 7.76 mg/L | 0.45 NTU | 123.0 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 9:08 AM | 55:00 | 5.00 pH | 26.08 °C | 26.37 µS/cm | 7.79 mg/L | 0.43 NTU | 125.2 mV | 65.55 ft | 400.00 ml/min |
| 3/23/2022 9:13 AM | 01:00:00 | 4.99 pH | 26.02 °C | 26.43 µS/cm | 7.81 mg/L | 0.38 NTU | 127.0 mV | 65.55 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
| --- | --- |
| MW-106 | Sample time @ 0920. Pc 72. FB-01@ 0925. |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 3/23/2022 11:43:31 AM
**Project:** Crist plant CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: Crist CCR MW-109**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 123 ft**<br>**Total Depth: 133 ft**<br>**Initial Depth to Water: 109.82 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 128 ft**<br>**Estimated Total Volume Pumped: 24000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.08 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 1250. Sunny 78.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/23/2022 11:43 AM | 00:00 | 5.50 pH | 23.39 °C | 118.55 µS/cm | 6.92 mg/L | 1.63 NTU | 161.8 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 11:48 AM | 05:00 | 5.04 pH | 23.42 °C | 179.83 µS/cm | 8.09 mg/L | 1.34 NTU | 171.0 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 11:53 AM | 10:00 | 5.04 pH | 26.28 °C | 200.70 µS/cm | 8.00 mg/L | 1.20 NTU | 171.4 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 11:58 AM | 15:00 | 5.04 pH | 26.73 °C | 195.94 µS/cm | 7.93 mg/L | 0.99 NTU | 172.8 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:03 PM | 20:00 | 5.03 pH | 27.05 °C | 190.67 µS/cm | 7.87 mg/L | 0.97 NTU | 173.5 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:08 PM | 25:00 | 5.03 pH | 27.19 °C | 188.73 µS/cm | 7.84 mg/L | 0.88 NTU | 174.3 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:13 PM | 30:00 | 5.02 pH | 27.47 °C | 186.85 µS/cm | 7.83 mg/L | 0.87 NTU | 175.4 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:18 PM | 35:00 | 5.03 pH | 27.81 °C | 179.93 µS/cm | 7.85 mg/L | 0.85 NTU | 175.8 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:23 PM | 40:00 | 5.03 pH | 28.14 °C | 179.87 µS/cm | 7.85 mg/L | 0.81 NTU | 176.3 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:28 PM | 45:00 | 5.02 pH | 27.91 °C | 174.35 µS/cm | 7.79 mg/L | 0.79 NTU | 178.8 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:33 PM | 50:00 | 5.00 pH | 27.67 °C | 180.40 µS/cm | 7.73 mg/L | 0.77 NTU | 181.2 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:38 PM | 55:00 | 5.00 pH | 27.70 °C | 172.29 µS/cm | 7.76 mg/L | 0.74 NTU | 181.2 mV | 109.90 ft | 400.00 ml/min |
| 3/23/2022 12:43 PM | 01:00:00 | 5.00 pH | 27.68 °C | 172.52 µS/cm | 7.79 mg/L | 0.72 NTU | 182.1 mV | 109.90 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
| --- | --- |
| MW-109 | Sample time @ 1250. Sunny 78. |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 3/23/2022 9:55:02 AM
**Project:** Crist plant CCR
**Operator Name:** Philip Evans

| | | |
|---|---|---|
| **Location Name: Crist CCR MW-110**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 108.8 ft**<br>**Total Depth: 118.8 ft**<br>**Initial Depth to Water: 80.12 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 113.8 ft**<br>**Estimated Total Volume Pumped: 20000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.04 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 817728** |

**Test Notes:**
Sample time @ 1050. Sunny 75.

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth To Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.2 | |
| 3/23/2022 9:55 AM | 00:00 | 5.51 pH | 22.08 °C | 876.45 µS/cm | 1.48 mg/L | 2.46 NTU | 202.5 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:00 AM | 05:00 | 6.30 pH | 23.13 °C | 946.34 µS/cm | 0.45 mg/L | 2.23 NTU | 187.2 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:05 AM | 10:00 | 6.26 pH | 25.00 °C | 979.28 µS/cm | 1.14 mg/L | 2.02 NTU | 186.5 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:10 AM | 15:00 | 5.66 pH | 25.56 °C | 980.50 µS/cm | 1.30 mg/L | 1.95 NTU | 189.5 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:15 AM | 20:00 | 5.31 pH | 25.87 °C | 980.91 µS/cm | 1.40 mg/L | 1.84 NTU | 191.3 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:20 AM | 25:00 | 5.22 pH | 25.64 °C | 982.70 µS/cm | 1.66 mg/L | 1.61 NTU | 191.9 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:25 AM | 30:00 | 5.14 pH | 25.79 °C | 983.74 µS/cm | 2.10 mg/L | 1.50 NTU | 192.4 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:30 AM | 35:00 | 5.09 pH | 25.95 °C | 977.65 µS/cm | 2.33 mg/L | 1.42 NTU | 192.8 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:35 AM | 40:00 | 5.05 pH | 26.53 °C | 977.60 µS/cm | 2.41 mg/L | 1.31 NTU | 193.4 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:40 AM | 45:00 | 5.03 pH | 26.62 °C | 974.79 µS/cm | 2.50 mg/L | 1.29 NTU | 194.3 mV | 80.16 ft | 400.00 ml/min |
| 3/23/2022 10:45 AM | 50:00 | 5.01 pH | 26.44 °C | 975.10 µS/cm | 2.56 mg/L | 1.25 NTU | 195.6 mV | 80.16 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-110 | Sample time @ 1050. Sunny 75. |

Created using VuSitu from In-Situ, Inc.

eurofins | Environment Testing America



# ANALYTICAL REPORT

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Tel: (850)474-1001

Laboratory Job ID: 400-217387-1
Laboratory Sample Delivery Group: Background A
Client Project/Site: CCR GCEC

For:
Gulf Power Company
BIN 731
One Energy Place
Pensacola, Florida 32520

Attn: Barry Evans

Cheyenne R Whitmire

*Authorized for release by:*
*4/20/2022 3:23:20 PM*

Cheyenne Whitmire, Project Manager II
(850)471-6222
Cheyenne.Whitmire@et.eurofinsus.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

*The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . . 1
Table of Contents . . . . . 2
Case Narrative . . . . . 3
Detection Summary . . . . . 4
Method Summary . . . . . 7
Sample Summary . . . . . 8
Client Sample Results . . . . . 9
Definitions . . . . . 16
Chronicle . . . . . 17
QC Association . . . . . 20
QC Sample Results . . . . . 23
Chain of Custody . . . . . 29
Receipt Checklists . . . . . 30
Certification Summary . . . . . 31

## Job ID: 400-217387-1

### Laboratory: Eurofins Pensacola

**Narrative**

**Job Narrative**
**400-217387-1**

**Metals**
Method 6020: The CRI associated with batch 400-571318 recovered above the upper control limit for Cadmium. The samples associated with this CRI were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: (CRI 400-571318/24).

Method 6020: The CRI associated with batch 400-571318 recovered above the upper control limit for Lithium. The samples associated with this CRI were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: (CRI 400-571318/24).

**General Chemistry**
Method SM 2540C: The sample duplicate (DUP) precision for analytical batch 400-571426 was outside control limits. Sample non-homogeneity is suspected.

Method SM 4500 F C: The matrix spike (MS) recoveries for analytical batch 400-572170 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method SM 4500 F C: The matrix spike duplicate (MS/MSD) recoveries and precision for analytical batch 400-572170 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method SM 4500 SO4 E: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 400-573459 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

# Detection Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

## Client Sample ID: MW-100 — Lab Sample ID: 400-217387-1

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.019 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.013 | V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 0.90 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.0046 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.0014 | | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Lithium | 0.0013 | | 0.0010 | 0.00098 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.00066 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 58 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 5.9 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Field pH | 4.90 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-101 — Lab Sample ID: 400-217387-2

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.0092 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.012 | V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 0.38 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.0051 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.0012 | | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Lithium | 0.0014 | | 0.0010 | 0.00098 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.00064 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 14 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 4.9 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Field pH | 5.02 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-107 — Lab Sample ID: 400-217387-3

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.010 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.013 | V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 0.33 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.00032 | I | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.00038 | I | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 18 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 4.7 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Field pH | 4.91 | | | | SU | 1 | | Field Sampling | Total/NA |

This Detection Summary does not include radiochemical test results.

# Detection Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

## Client Sample ID: MW-108 — Lab Sample ID: 400-217387-4

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Arsenic | 0.00027 | | 0.00025 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Barium | 0.012 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.017 | V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 1.6 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.00027 | I | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.00020 | I | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Selenium | 0.00051 | | 0.00025 | 0.00016 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 46 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 8.8 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Sulfate | 4.5 | I | 5.0 | 1.4 | mg/L | 1 | | SM 4500 SO4 E | Total/NA |
| Field pH | 4.89 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-306 — Lab Sample ID: 400-217387-5

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.013 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.0090 | I V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 0.81 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.0088 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.0014 | | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Lithium | 0.0012 | | 0.0010 | 0.00098 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.0011 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 84 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 5.6 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Field pH | 5.10 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-307 — Lab Sample ID: 400-217387-6

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.018 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.0063 | I V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 0.70 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.0022 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.0016 | | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.00031 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 22 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 4.8 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |

This Detection Summary does not include radiochemical test results.

Eurofins Pensacola

## Client Sample ID: MW-307 (Continued) — Lab Sample ID: 400-217387-6

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | 5.18 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: DUP-01 — Lab Sample ID: 400-217387-7

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.018 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.0071 | I V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 0.68 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.0021 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.0016 | | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Lithium | 0.0010 | | 0.0010 | 0.00098 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.00029 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 46 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 4.7 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Field pH | 5.18 | | | | SU | 1 | | Field Sampling | Total/NA |

This Detection Summary does not include radiochemical test results.

# Method Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| 6020 | Metals (ICP/MS) | SW846 | TAL PEN |
| 7470A | Mercury (CVAA) | SW846 | TAL PEN |
| SM 2540C | Solids, Total Dissolved (TDS) | SM | TAL PEN |
| SM 4500 Cl- E | Chloride, Total | SM | TAL PEN |
| SM 4500 F C | Fluoride | SM | TAL PEN |
| SM 4500 SO4 E | Sulfate, Total | SM | TAL PEN |
| Field Sampling | Field Sampling | EPA | TAL PEN |
| 3005A | Preparation, Total Recoverable or Dissolved Metals | SW846 | TAL PEN |
| 7470A | Preparation, Mercury | SW846 | TAL PEN |

**Protocol References:**

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

# Sample Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 400-217387-1 | MW-100 | Water | 03/22/22 14:00 | 03/23/22 15:30 |
| 400-217387-2 | MW-101 | Water | 03/22/22 12:40 | 03/23/22 15:30 |
| 400-217387-3 | MW-107 | Water | 03/22/22 10:16 | 03/23/22 15:30 |
| 400-217387-4 | MW-108 | Water | 03/22/22 08:17 | 03/23/22 15:30 |
| 400-217387-5 | MW-306 | Water | 03/22/22 09:10 | 03/23/22 15:30 |
| 400-217387-6 | MW-307 | Water | 03/22/22 10:45 | 03/23/22 15:30 |
| 400-217387-7 | DUP-01 | Water | 03/22/22 09:45 | 03/23/22 15:30 |

## Client Sample ID: MW-100
**Date Collected: 03/22/22 14:00**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-1
**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| **Barium** | **0.019** | | 0.00050 | 0.00014 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| **Boron** | **0.013** | **V** | 0.010 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| **Calcium** | **0.90** | | 0.050 | 0.025 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| **Chromium** | **0.0046** | | 0.00050 | 0.00020 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| **Cobalt** | **0.0014** | | 0.00050 | 0.00011 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| **Lithium** | **0.0013** | | 0.0010 | 0.00098 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| **Molybdenum** | **0.00066** | **I** | 0.0030 | 0.00026 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/24/22 11:49 | 03/25/22 16:26 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 03/25/22 11:38 | 03/30/22 17:02 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **58** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **5.9** | | 2.0 | 1.4 | mg/L | | | 04/03/22 05:13 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 03/31/22 14:48 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 04:47 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **4.90** | | | | SU | | | 03/22/22 14:00 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

**Client Sample ID: MW-101**
**Date Collected: 03/22/22 12:40**
**Date Received: 03/23/22 15:30**

**Lab Sample ID: 400-217387-2**
**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| **Barium** | **0.0092** | | 0.00050 | 0.00014 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| **Boron** | **0.012** | **V** | 0.010 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| **Calcium** | **0.38** | | 0.050 | 0.025 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| **Chromium** | **0.0051** | | 0.00050 | 0.00020 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| **Cobalt** | **0.0012** | | 0.00050 | 0.00011 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| **Lithium** | **0.0014** | | 0.0010 | 0.00098 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| **Molybdenum** | **0.00064** | **I** | 0.0030 | 0.00026 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/24/22 11:49 | 03/25/22 16:29 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 03/25/22 11:38 | 03/30/22 17:04 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **14** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **4.9** | | 2.0 | 1.4 | mg/L | | | 04/03/22 05:13 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 03/31/22 14:48 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 04:47 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **5.02** | | | | SU | | | 03/22/22 12:40 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

**Client Sample ID: MW-107**
**Date Collected: 03/22/22 10:16**
**Date Received: 03/23/22 15:30**

**Lab Sample ID: 400-217387-3**
**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| **Barium** | **0.010** | | 0.00050 | 0.00014 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| **Boron** | **0.013** | **V** | 0.010 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| **Calcium** | **0.33** | | 0.050 | 0.025 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| **Chromium** | **0.00032** | **I** | 0.00050 | 0.00020 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| **Cobalt** | **0.00038** | **I** | 0.00050 | 0.00011 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| Molybdenum | 0.00026 | U | 0.0030 | 0.00026 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/24/22 11:49 | 03/25/22 16:40 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 03/25/22 11:38 | 03/30/22 17:06 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **18** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **4.7** | | 2.0 | 1.4 | mg/L | | | 04/03/22 05:13 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 03/31/22 14:48 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 04:47 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **4.91** | | | | SU | | | 03/22/22 10:16 | 1 |

## Client Sample ID: MW-108

**Date Collected: 03/22/22 08:17**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-4

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| **Arsenic** | **0.00027** | | 0.00025 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| **Barium** | **0.012** | | 0.00050 | 0.00014 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| **Boron** | **0.017** | **V** | 0.010 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| **Calcium** | **1.6** | | 0.050 | 0.025 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| **Chromium** | **0.00027** | **I** | 0.00050 | 0.00020 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| **Cobalt** | **0.00020** | **I** | 0.00050 | 0.00011 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| Molybdenum | 0.00026 | U | 0.0030 | 0.00026 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| **Selenium** | **0.00051** | | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/24/22 11:49 | 03/25/22 16:44 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 03/25/22 11:38 | 03/30/22 17:08 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **46** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **8.8** | | 2.0 | 1.4 | mg/L | | | 04/03/22 05:14 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 03/31/22 14:48 | 1 |
| **Sulfate** | **4.5** | **I** | 5.0 | 1.4 | mg/L | | | 04/12/22 04:47 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **4.89** | | | | SU | | | 03/22/22 08:17 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

**Client Sample ID: MW-306**
**Date Collected: 03/22/22 09:10**
**Date Received: 03/23/22 15:30**

**Lab Sample ID: 400-217387-5**
**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| **Barium** | **0.013** | | 0.00050 | 0.00014 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| **Boron** | **0.0090** | **I V** | 0.010 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| **Calcium** | **0.81** | | 0.050 | 0.025 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| **Chromium** | **0.0088** | | 0.00050 | 0.00020 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| **Cobalt** | **0.0014** | | 0.00050 | 0.00011 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| **Lithium** | **0.0012** | | 0.0010 | 0.00098 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| **Molybdenum** | **0.0011** | **I** | 0.0030 | 0.00026 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/24/22 11:49 | 03/25/22 16:47 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 03/25/22 11:38 | 03/30/22 17:10 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **84** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **5.6** | | 2.0 | 1.4 | mg/L | | | 04/03/22 05:14 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 03/31/22 14:48 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 04:47 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **5.10** | | | | SU | | | 03/22/22 09:10 | 1 |

## Client Sample ID: MW-307

**Date Collected: 03/22/22 10:45**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-6

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| **Barium** | **0.018** | | 0.00050 | 0.00014 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| **Boron** | **0.0063** | **I V** | 0.010 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| **Calcium** | **0.70** | | 0.050 | 0.025 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| **Chromium** | **0.0022** | | 0.00050 | 0.00020 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| **Cobalt** | **0.0016** | | 0.00050 | 0.00011 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| **Molybdenum** | **0.00031** | **I** | 0.0030 | 0.00026 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/24/22 11:49 | 03/25/22 16:50 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 03/25/22 11:38 | 03/30/22 17:12 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **22** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **4.8** | | 2.0 | 1.4 | mg/L | | | 04/03/22 05:14 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 03/31/22 14:48 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 04:47 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **5.18** | | | | SU | | | 03/22/22 10:45 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

**Client Sample ID: DUP-01**
**Date Collected: 03/22/22 09:45**
**Date Received: 03/23/22 15:30**

**Lab Sample ID: 400-217387-7**
**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| **Barium** | **0.018** | | 0.00050 | 0.00014 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| **Boron** | **0.0071** | **I V** | 0.010 | 0.00024 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| **Calcium** | **0.68** | | 0.050 | 0.025 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| **Chromium** | **0.0021** | | 0.00050 | 0.00020 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| **Cobalt** | **0.0016** | | 0.00050 | 0.00011 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| **Lithium** | **0.0010** | | 0.0010 | 0.00098 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| **Molybdenum** | **0.00029** | **I** | 0.0030 | 0.00026 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/24/22 11:49 | 03/25/22 16:53 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 03/25/22 11:38 | 03/30/22 17:13 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **46** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **4.7** | | 2.0 | 1.4 | mg/L | | | 04/03/22 05:14 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 03/31/22 14:48 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 04:47 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **5.18** | | | | SU | | | 03/22/22 09:45 | 1 |

## Qualifiers

### Metals

| Qualifier | Qualifier Description |
|---|---|
| I | The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit. |
| U | Indicates that the compound was analyzed for but not detected. |
| V | Indicates that the analyte was detected at or above the method detection limit in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value. |

### General Chemistry

| Qualifier | Qualifier Description |
|---|---|
| I | The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit. |
| J3 | Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria. |
| U | Indicates that the compound was analyzed for but not detected. |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

## Client Sample ID: MW-100
**Date Collected: 03/22/22 14:00**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-1
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571206 | 03/24/22 11:49 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 571562 | 03/25/22 16:26 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 571377 | 03/25/22 11:38 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 572101 | 03/30/22 17:02 | VLC | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 572414 | 04/03/22 05:13 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 572170 | 03/31/22 14:48 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573459 | 04/12/22 04:47 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/22/22 14:00 | EHS | TAL PEN |

## Client Sample ID: MW-101
**Date Collected: 03/22/22 12:40**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-2
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571206 | 03/24/22 11:49 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 571562 | 03/25/22 16:29 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 571377 | 03/25/22 11:38 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 572101 | 03/30/22 17:04 | VLC | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 572414 | 04/03/22 05:13 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 572170 | 03/31/22 14:48 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573459 | 04/12/22 04:47 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/22/22 12:40 | EHS | TAL PEN |

## Client Sample ID: MW-107
**Date Collected: 03/22/22 10:16**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-3
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571206 | 03/24/22 11:49 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 571562 | 03/25/22 16:40 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 571377 | 03/25/22 11:38 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 572101 | 03/30/22 17:06 | VLC | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 572414 | 04/03/22 05:13 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 572170 | 03/31/22 14:48 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573459 | 04/12/22 04:47 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/22/22 10:16 | EHS | TAL PEN |

## Client Sample ID: MW-108

**Lab Sample ID: 400-217387-4**

**Date Collected: 03/22/22 08:17**

**Matrix: Water**

**Date Received: 03/23/22 15:30**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571206 | 03/24/22 11:49 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 571562 | 03/25/22 16:44 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 571377 | 03/25/22 11:38 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 572101 | 03/30/22 17:08 | VLC | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 572414 | 04/03/22 05:14 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 572170 | 03/31/22 14:48 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573459 | 04/12/22 04:47 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/22/22 08:17 | EHS | TAL PEN |

## Client Sample ID: MW-306

**Lab Sample ID: 400-217387-5**

**Date Collected: 03/22/22 09:10**

**Matrix: Water**

**Date Received: 03/23/22 15:30**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571206 | 03/24/22 11:49 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 571562 | 03/25/22 16:47 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 571377 | 03/25/22 11:38 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 572101 | 03/30/22 17:10 | VLC | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 572414 | 04/03/22 05:14 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 572170 | 03/31/22 14:48 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573459 | 04/12/22 04:47 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/22/22 09:10 | EHS | TAL PEN |

## Client Sample ID: MW-307

**Lab Sample ID: 400-217387-6**

**Date Collected: 03/22/22 10:45**

**Matrix: Water**

**Date Received: 03/23/22 15:30**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571206 | 03/24/22 11:49 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 571562 | 03/25/22 16:50 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 571377 | 03/25/22 11:38 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 572101 | 03/30/22 17:12 | VLC | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 572414 | 04/03/22 05:14 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 572170 | 03/31/22 14:48 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573459 | 04/12/22 04:47 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/22/22 10:45 | EHS | TAL PEN |

# Lab Chronicle

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

## Client Sample ID: DUP-01
**Date Collected: 03/22/22 09:45**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-7
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571206 | 03/24/22 11:49 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 571562 | 03/25/22 16:53 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 571377 | 03/25/22 11:38 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 572101 | 03/30/22 17:13 | VLC | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 572414 | 04/03/22 05:14 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 572170 | 03/31/22 14:48 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573459 | 04/12/22 04:47 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/22/22 09:45 | EHS | TAL PEN |

**Laboratory References:**
TAL PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

## Metals

### Prep Batch: 571206

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total Recoverable | Water | 3005A | |
| 400-217387-2 | MW-101 | Total Recoverable | Water | 3005A | |
| 400-217387-3 | MW-107 | Total Recoverable | Water | 3005A | |
| 400-217387-4 | MW-108 | Total Recoverable | Water | 3005A | |
| 400-217387-5 | MW-306 | Total Recoverable | Water | 3005A | |
| 400-217387-6 | MW-307 | Total Recoverable | Water | 3005A | |
| 400-217387-7 | DUP-01 | Total Recoverable | Water | 3005A | |
| MB 400-571206/1-A ^5 | Method Blank | Total Recoverable | Water | 3005A | |
| LCS 400-571206/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 3005A | |
| 400-217403-D-2-B MS ^5 | Matrix Spike | Total Recoverable | Water | 3005A | |
| 400-217403-D-2-C MSD ^5 | Matrix Spike Duplicate | Total Recoverable | Water | 3005A | |

### Analysis Batch: 571318

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| MB 400-571206/1-A ^5 | Method Blank | Total Recoverable | Water | 6020 | 571206 |
| LCS 400-571206/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 6020 | 571206 |
| 400-217403-D-2-B MS ^5 | Matrix Spike | Total Recoverable | Water | 6020 | 571206 |
| 400-217403-D-2-C MSD ^5 | Matrix Spike Duplicate | Total Recoverable | Water | 6020 | 571206 |

### Prep Batch: 571377

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | 7470A | |
| 400-217387-2 | MW-101 | Total/NA | Water | 7470A | |
| 400-217387-3 | MW-107 | Total/NA | Water | 7470A | |
| 400-217387-4 | MW-108 | Total/NA | Water | 7470A | |
| 400-217387-5 | MW-306 | Total/NA | Water | 7470A | |
| 400-217387-6 | MW-307 | Total/NA | Water | 7470A | |
| 400-217387-7 | DUP-01 | Total/NA | Water | 7470A | |
| MB 400-571377/14-A | Method Blank | Total/NA | Water | 7470A | |
| LCS 400-571377/15-A | Lab Control Sample | Total/NA | Water | 7470A | |
| 400-217406-I-11-C MS | Matrix Spike | Total/NA | Water | 7470A | |
| 400-217406-I-11-D MSD | Matrix Spike Duplicate | Total/NA | Water | 7470A | |

### Analysis Batch: 571562

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total Recoverable | Water | 6020 | 571206 |
| 400-217387-2 | MW-101 | Total Recoverable | Water | 6020 | 571206 |
| 400-217387-3 | MW-107 | Total Recoverable | Water | 6020 | 571206 |
| 400-217387-4 | MW-108 | Total Recoverable | Water | 6020 | 571206 |
| 400-217387-5 | MW-306 | Total Recoverable | Water | 6020 | 571206 |
| 400-217387-6 | MW-307 | Total Recoverable | Water | 6020 | 571206 |
| 400-217387-7 | DUP-01 | Total Recoverable | Water | 6020 | 571206 |
| LCS 400-571206/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 6020 | 571206 |

### Analysis Batch: 572101

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | 7470A | 571377 |
| 400-217387-2 | MW-101 | Total/NA | Water | 7470A | 571377 |
| 400-217387-3 | MW-107 | Total/NA | Water | 7470A | 571377 |
| 400-217387-4 | MW-108 | Total/NA | Water | 7470A | 571377 |
| 400-217387-5 | MW-306 | Total/NA | Water | 7470A | 571377 |

## Metals (Continued)

### Analysis Batch: 572101 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-6 | MW-307 | Total/NA | Water | 7470A | 571377 |
| 400-217387-7 | DUP-01 | Total/NA | Water | 7470A | 571377 |
| MB 400-571377/14-A | Method Blank | Total/NA | Water | 7470A | 571377 |
| LCS 400-571377/15-A | Lab Control Sample | Total/NA | Water | 7470A | 571377 |
| 400-217406-I-11-C MS | Matrix Spike | Total/NA | Water | 7470A | 571377 |
| 400-217406-I-11-D MSD | Matrix Spike Duplicate | Total/NA | Water | 7470A | 571377 |

## General Chemistry

### Analysis Batch: 571426

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | SM 2540C | |
| 400-217387-2 | MW-101 | Total/NA | Water | SM 2540C | |
| 400-217387-3 | MW-107 | Total/NA | Water | SM 2540C | |
| 400-217387-4 | MW-108 | Total/NA | Water | SM 2540C | |
| 400-217387-5 | MW-306 | Total/NA | Water | SM 2540C | |
| 400-217387-6 | MW-307 | Total/NA | Water | SM 2540C | |
| 400-217387-7 | DUP-01 | Total/NA | Water | SM 2540C | |
| MB 400-571426/1 | Method Blank | Total/NA | Water | SM 2540C | |
| LCS 400-571426/2 | Lab Control Sample | Total/NA | Water | SM 2540C | |
| 400-217364-A-1 DU | Duplicate | Total/NA | Water | SM 2540C | |

### Analysis Batch: 572170

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | SM 4500 F C | |
| 400-217387-2 | MW-101 | Total/NA | Water | SM 4500 F C | |
| 400-217387-3 | MW-107 | Total/NA | Water | SM 4500 F C | |
| 400-217387-4 | MW-108 | Total/NA | Water | SM 4500 F C | |
| 400-217387-5 | MW-306 | Total/NA | Water | SM 4500 F C | |
| 400-217387-6 | MW-307 | Total/NA | Water | SM 4500 F C | |
| 400-217387-7 | DUP-01 | Total/NA | Water | SM 4500 F C | |
| MB 400-572170/1 | Method Blank | Total/NA | Water | SM 4500 F C | |
| LCS 400-572170/4 | Lab Control Sample | Total/NA | Water | SM 4500 F C | |
| 400-217579-K-2 MS | Matrix Spike | Total/NA | Water | SM 4500 F C | |
| 400-217579-K-2 MSD | Matrix Spike Duplicate | Total/NA | Water | SM 4500 F C | |
| 660-118773-A-5 MS | Matrix Spike | Total/NA | Water | SM 4500 F C | |
| 660-118773-A-5 MSD | Matrix Spike Duplicate | Total/NA | Water | SM 4500 F C | |

### Analysis Batch: 572414

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217387-2 | MW-101 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217387-3 | MW-107 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217387-4 | MW-108 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217387-5 | MW-306 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217387-6 | MW-307 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217387-7 | DUP-01 | Total/NA | Water | SM 4500 Cl- E | |
| MB 400-572414/7 | Method Blank | Total/NA | Water | SM 4500 Cl- E | |
| LCS 400-572414/8 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| MRL 400-572414/4 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| 400-217387-2 MS | MW-101 | Total/NA | Water | SM 4500 Cl- E | |

## General Chemistry (Continued)

### Analysis Batch: 572414 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-2 MSD | MW-101 | Total/NA | Water | SM 4500 Cl- E | |

### Analysis Batch: 573459

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-2 | MW-101 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-3 | MW-107 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-4 | MW-108 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-5 | MW-306 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-6 | MW-307 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-7 | DUP-01 | Total/NA | Water | SM 4500 SO4 E | |
| MB 400-573459/5 | Method Blank | Total/NA | Water | SM 4500 SO4 E | |
| LCS 400-573459/6 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| MRL 400-573459/7 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-2 MS | MW-101 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-2 MSD | MW-101 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-3 MS | MW-107 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217387-3 MSD | MW-107 | Total/NA | Water | SM 4500 SO4 E | |

## Field Service / Mobile Lab

### Analysis Batch: 573528

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | Field Sampling | |
| 400-217387-2 | MW-101 | Total/NA | Water | Field Sampling | |
| 400-217387-3 | MW-107 | Total/NA | Water | Field Sampling | |
| 400-217387-4 | MW-108 | Total/NA | Water | Field Sampling | |
| 400-217387-5 | MW-306 | Total/NA | Water | Field Sampling | |
| 400-217387-6 | MW-307 | Total/NA | Water | Field Sampling | |
| 400-217387-7 | DUP-01 | Total/NA | Water | Field Sampling | |

## Method: 6020 - Metals (ICP/MS)

**Lab Sample ID: MB 400-571206/1-A ^5**
**Matrix: Water**
**Analysis Batch: 571318**

**Client Sample ID: Method Blank**
**Prep Type: Total Recoverable**
**Prep Batch: 571206**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Barium | 0.00070 | U | 0.0025 | 0.00070 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Boron | 0.0172 | I | 0.050 | 0.0012 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Calcium | 0.13 | U | 0.25 | 0.13 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Selenium | 0.00082 | U | 0.0013 | 0.00082 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 03/24/22 11:49 | 03/24/22 22:38 | 5 |

**Lab Sample ID: LCS 400-571206/2-A ^5**
**Matrix: Water**
**Analysis Batch: 571318**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total Recoverable**
**Prep Batch: 571206**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Antimony | 0.0500 | 0.0529 | | mg/L | | 106 | 80 - 120 |
| Arsenic | 0.0500 | 0.0487 | | mg/L | | 97 | 80 - 120 |
| Barium | 0.0500 | 0.0494 | | mg/L | | 99 | 80 - 120 |
| Beryllium | 0.0500 | 0.0478 | | mg/L | | 96 | 80 - 120 |
| Boron | 0.100 | 0.101 | V | mg/L | | 101 | 80 - 120 |
| Calcium | 5.00 | 4.82 | | mg/L | | 96 | 80 - 120 |
| Chromium | 0.0500 | 0.0508 | | mg/L | | 102 | 80 - 120 |
| Cobalt | 0.0500 | 0.0507 | | mg/L | | 101 | 80 - 120 |
| Lead | 0.0500 | 0.0505 | | mg/L | | 101 | 80 - 120 |
| Molybdenum | 0.0500 | 0.0494 | | mg/L | | 99 | 80 - 120 |
| Selenium | 0.0500 | 0.0512 | | mg/L | | 102 | 80 - 120 |
| Thallium | 0.0100 | 0.0101 | | mg/L | | 101 | 80 - 120 |

**Lab Sample ID: LCS 400-571206/2-A ^5**
**Matrix: Water**
**Analysis Batch: 571562**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total Recoverable**
**Prep Batch: 571206**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Cadmium | 0.0500 | 0.0541 | | mg/L | | 108 | 80 - 120 |
| Lithium | 0.0500 | 0.0520 | | mg/L | | 104 | 80 - 120 |

**Lab Sample ID: 400-217403-D-2-B MS ^5**
**Matrix: Water**
**Analysis Batch: 571318**

**Client Sample ID: Matrix Spike**
**Prep Type: Total Recoverable**
**Prep Batch: 571206**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0500 | 0.0524 | | mg/L | | 105 | 75 - 125 |
| Arsenic | 0.0012 | U | 0.0500 | 0.0478 | | mg/L | | 96 | 75 - 125 |
| Barium | 0.11 | | 0.0500 | 0.158 | | mg/L | | 94 | 75 - 125 |

## Method: 6020 - Metals (ICP/MS) (Continued)

**Lab Sample ID: 400-217403-D-2-B MS ^5**
**Matrix: Water**
**Analysis Batch: 571318**

**Client Sample ID: Matrix Spike**
**Prep Type: Total Recoverable**
**Prep Batch: 571206**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Beryllium | 0.00092 | U | 0.0500 | 0.0470 | | mg/L | | 94 | 75 - 125 |
| Boron | 0.040 | I V | 0.100 | 0.131 | V | mg/L | | 91 | 75 - 125 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0515 | | mg/L | | 103 | 75 - 125 |
| Calcium | 35 | | 5.00 | 40.3 | | mg/L | | 99 | 75 - 125 |
| Chromium | 0.0010 | U | 0.0500 | 0.0506 | | mg/L | | 101 | 75 - 125 |
| Cobalt | 0.00056 | U | 0.0500 | 0.0509 | | mg/L | | 102 | 75 - 125 |
| Lead | 0.00081 | U | 0.0500 | 0.0511 | | mg/L | | 102 | 75 - 125 |
| Lithium | 0.0049 | U | 0.0500 | 0.0491 | | mg/L | | 98 | 75 - 125 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0504 | | mg/L | | 101 | 75 - 125 |
| Selenium | 0.00082 | U | 0.0500 | 0.0495 | | mg/L | | 99 | 75 - 125 |
| Thallium | 0.00046 | U | 0.0100 | 0.0101 | | mg/L | | 101 | 75 - 125 |

**Lab Sample ID: 400-217403-D-2-C MSD ^5**
**Matrix: Water**
**Analysis Batch: 571318**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total Recoverable**
**Prep Batch: 571206**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0500 | 0.0531 | | mg/L | | 106 | 75 - 125 | 1 | 20 |
| Arsenic | 0.0012 | U | 0.0500 | 0.0506 | | mg/L | | 101 | 75 - 125 | 6 | 20 |
| Barium | 0.11 | | 0.0500 | 0.159 | | mg/L | | 95 | 75 - 125 | 0 | 20 |
| Beryllium | 0.00092 | U | 0.0500 | 0.0487 | | mg/L | | 97 | 75 - 125 | 4 | 20 |
| Boron | 0.040 | I V | 0.100 | 0.139 | V | mg/L | | 99 | 75 - 125 | 6 | 20 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0521 | | mg/L | | 104 | 75 - 125 | 1 | 20 |
| Calcium | 35 | | 5.00 | 40.4 | | mg/L | | 101 | 75 - 125 | 0 | 20 |
| Chromium | 0.0010 | U | 0.0500 | 0.0508 | | mg/L | | 102 | 75 - 125 | 0 | 20 |
| Cobalt | 0.00056 | U | 0.0500 | 0.0500 | | mg/L | | 100 | 75 - 125 | 2 | 20 |
| Lead | 0.00081 | U | 0.0500 | 0.0508 | | mg/L | | 102 | 75 - 125 | 0 | 20 |
| Lithium | 0.0049 | U | 0.0500 | 0.0530 | | mg/L | | 106 | 75 - 125 | 8 | 20 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0523 | | mg/L | | 105 | 75 - 125 | 4 | 20 |
| Selenium | 0.00082 | U | 0.0500 | 0.0502 | | mg/L | | 100 | 75 - 125 | 1 | 20 |
| Thallium | 0.00046 | U | 0.0100 | 0.0100 | | mg/L | | 100 | 75 - 125 | 0 | 20 |

## Method: 7470A - Mercury (CVAA)

**Lab Sample ID: MB 400-571377/14-A**
**Matrix: Water**
**Analysis Batch: 572101**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 571377**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 03/25/22 11:38 | 03/30/22 16:38 | 1 |

**Lab Sample ID: LCS 400-571377/15-A**
**Matrix: Water**
**Analysis Batch: 572101**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 571377**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Mercury | 0.00101 | 0.000890 | | mg/L | | 88 | 80 - 120 |

## Method: 7470A - Mercury (CVAA) (Continued)

**Lab Sample ID: 400-217406-I-11-C MS**
**Matrix: Water**
**Analysis Batch: 572101**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**
**Prep Batch: 571377**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00179 | | mg/L | | 89 | 80 - 120 |

**Lab Sample ID: 400-217406-I-11-D MSD**
**Matrix: Water**
**Analysis Batch: 572101**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**
**Prep Batch: 571377**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00206 | | mg/L | | 102 | 80 - 120 | 14 | 20 |

## Method: SM 2540C - Solids, Total Dissolved (TDS)

**Lab Sample ID: MB 400-571426/1**
**Matrix: Water**
**Analysis Batch: 571426**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 5.0 | U | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |

**Lab Sample ID: LCS 400-571426/2**
**Matrix: Water**
**Analysis Batch: 571426**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 293 | 334 | | mg/L | | 114 | 78 - 122 |

**Lab Sample ID: 400-217364-A-1 DU**
**Matrix: Water**
**Analysis Batch: 571426**

**Client Sample ID: Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 90 | | 146 | J3 | mg/L | | 47 | 5 |

## Method: SM 4500 Cl- E - Chloride, Total

**Lab Sample ID: MB 400-572414/7**
**Matrix: Water**
**Analysis Batch: 572414**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 1.4 | U | 2.0 | 1.4 | mg/L | | | 04/03/22 05:13 | 1 |

**Lab Sample ID: LCS 400-572414/8**
**Matrix: Water**
**Analysis Batch: 572414**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Chloride | 30.0 | 30.9 | | mg/L | | 103 | 90 - 110 |

## Method: SM 4500 Cl- E - Chloride, Total (Continued)

**Lab Sample ID: MRL 400-572414/4**
**Matrix: Water**
**Analysis Batch: 572414**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | | | 2.00 | 1.82 | I | mg/L | | 91 | 50 - 150 | | |

**Lab Sample ID: 400-217387-2 MS**
**Matrix: Water**
**Analysis Batch: 572414**

**Client Sample ID: MW-101**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | 4.9 | | 10.0 | 15.6 | | mg/L | | 107 | 73 - 120 | | |

**Lab Sample ID: 400-217387-2 MSD**
**Matrix: Water**
**Analysis Batch: 572414**

**Client Sample ID: MW-101**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | 4.9 | | 10.0 | 15.4 | | mg/L | | 105 | 73 - 120 | 1 | 8 |

## Method: SM 4500 F C - Fluoride

**Lab Sample ID: MB 400-572170/1**
**Matrix: Water**
**Analysis Batch: 572170**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 03/31/22 14:48 | 1 |

**Lab Sample ID: LCS 400-572170/4**
**Matrix: Water**
**Analysis Batch: 572170**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | | | 5.00 | 5.22 | | mg/L | | 104 | 90 - 110 | | |

**Lab Sample ID: 400-217579-K-2 MS**
**Matrix: Water**
**Analysis Batch: 572170**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.84 | | 1.00 | 1.46 | J3 | mg/L | | 62 | 75 - 125 | | |

**Lab Sample ID: 400-217579-K-2 MSD**
**Matrix: Water**
**Analysis Batch: 572170**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.84 | | 1.00 | 1.75 | J3 | mg/L | | 91 | 75 - 125 | 18 | 4 |

## Method: SM 4500 F C - Fluoride (Continued)

**Lab Sample ID: 660-118773-A-5 MS**
**Matrix: Water**
**Analysis Batch: 572170**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 1.4 | | 1.00 | 2.27 | | mg/L | | 86 | 75 - 125 |

**Lab Sample ID: 660-118773-A-5 MSD**
**Matrix: Water**
**Analysis Batch: 572170**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 1.4 | | 1.00 | 2.60 | J3 | mg/L | | 120 | 75 - 125 | 14 | 4 |

## Method: SM 4500 SO4 E - Sulfate, Total

**Lab Sample ID: MB 400-573459/5**
**Matrix: Water**
**Analysis Batch: 573459**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 04:47 | 1 |

**Lab Sample ID: LCS 400-573459/6**
**Matrix: Water**
**Analysis Batch: 573459**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfate | 15.0 | 15.4 | | mg/L | | 103 | 90 - 110 |

**Lab Sample ID: MRL 400-573459/7**
**Matrix: Water**
**Analysis Batch: 573459**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfate | 5.00 | 4.65 | I | mg/L | | 93 | 50 - 150 |

**Lab Sample ID: 400-217387-2 MS**
**Matrix: Water**
**Analysis Batch: 573459**

**Client Sample ID: MW-101**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 10.0 | 5.99 | J3 | mg/L | | 60 | 77 - 128 |

**Lab Sample ID: 400-217387-2 MSD**
**Matrix: Water**
**Analysis Batch: 573459**

**Client Sample ID: MW-101**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 10.0 | 6.29 | J3 | mg/L | | 63 | 77 - 128 | 5 | 5 |

## Method: SM 4500 SO4 E - Sulfate, Total (Continued)

**Lab Sample ID: 400-217387-3 MS**
**Matrix: Water**
**Analysis Batch: 573459**

**Client Sample ID: MW-107**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 10.0 | 6.34 | J3 | mg/L | | 63 | 77 - 128 | | |

**Lab Sample ID: 400-217387-3 MSD**
**Matrix: Water**
**Analysis Batch: 573459**

**Client Sample ID: MW-107**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 10.0 | 6.02 | J3 | mg/L | | 60 | 77 - 128 | 5 | 5 |

**Eurofins Pensacola**
3355 McLemore Drive
Pensacola, FL 32514
Phone: 850-474-1001 Fax: 850-478-2671

# Chain of Custody Record

eurofins | Environment Testing America

| Client Information | Sampler: Philip E. / Brett S. | Lab PM: Whitmire, Cheyenne R | Carrier Tracking No(s): | COC No: 400-109432-23627.1 |
|---|---|---|---|---|
| Client Contact: Barry Evans | Phone: 850-336-0192 | E-Mail: Cheyenne.Whitmire@Eurofinset.com | State of Origin: | Page: Page 1 of 1 |
| Company: Gulf Power Company | PWSID: | | | Job #: |
| Address: BIN 731 One Energy Place | Due Date Requested: | | | |
| City: Pensacola | TAT Requested (days): | | | |
| State, Zip: FL, 32520 | Compliance Project: Δ Yes Δ No | | | |
| Phone: 850-444-6427(Tel) | PO #: 2000393131 | | | |
| Email: Barry.Evans@nexteraenergy.com | WO #: 3000004117 | | | |
| Project Name: CCR GCEC Background A | Project #: 40005424 | | | |
| Site: | SSOW#: | | | |

**Analysis Requested**

400-217387 COC

**Preservation Codes:**

A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Z - other (specify)

Other:

Lot #'s

Special Instructions/Note:

| Sample Identification | Sample Date | Sample Time | Sample Type (C=comp, G=grab) | Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD | 9315_Ra226, 9320_Ra228, Ra226Ra228_GFPC | SM4500_Cl_E, SM4500_SO4_E | FieldSampling - Field Sampling Parameters | 6020, 7470A | 2540C - Total Dissolved Solids | 4500_F_C - Fluoride | Total Number of containers | Special Instructions/Note: |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Preservation Code: | | | | | | | D | N | N | D | N | N | | |
| MW-100 | 3/22/22 | 1400 | G | Water | | | X | X | X | X | X | X | | 1/2gal (HNO3) - 0000280251 |
| MW-101 | | 1240 | | Water | | | | | | | | | | |
| MW-107 | | 1016 | | Water | | | | | | | | | | 500ml (None) - 0422101G |
| MW-108 | | 0817 | | Water | | | | | | | | | | 250ml (HNO3) - 0000280251 |
| MW-306 | | 0910 | | Water | | | | | | | | | | |
| MW-307 | | 1045 | | Water | | | | | | | | | | |
| DUP-01 | 3/22/22 | 0945 | G | Water | | | X | X | X | X | X | X | | |
| | | | | Water | | | | | | | | | | |
| | | | | Water | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

**Possible Hazard Identification**
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

**Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)**
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

| | | | | | |
|---|---|---|---|---|---|
| Empty Kit Relinquished by: | Date: | Time: | Method of Shipment: | | |
| Relinquished by: | Date/Time: 3/23/22 1530 | Company RDH | Received by: | Date/Time: 3.23.22 1530 | Company EETS |
| Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
| Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 4.5°C 3.6°C IR10

Ver: 06/08/2021

# Login Sample Receipt Checklist

Client: Gulf Power Company

Job Number: 400-217387-1
SDG Number: Background A

**Login Number: 217387**
**List Number: 1**
**Creator: Perez, Trina M**

**List Source: Eurofins Pensacola**

| Question | Answer | Comment |
|---|---|---|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 4.5°C, 3.6°C IR-10 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

# Accreditation/Certification Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-1
SDG: Background A

## Laboratory: Eurofins Pensacola

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|---|---|---|---|
| Alabama | State | 40150 | 06-30-22 |
| ANAB | ISO/IEC 17025 | L2471 | 02-23-23 |
| Arkansas DEQ | State | 88-0689 | 09-01-22 |
| California | State | 2510 | 06-30-22 |
| Florida | NELAP | E81010 | 06-30-22 |
| Georgia | State | E81010(FL) | 06-30-22 |
| Illinois | NELAP | 200041 | 10-09-22 |
| Kansas | NELAP | E-10253 | 10-31-22 |
| Kentucky (UST) | State | 53 | 06-30-22 |
| Kentucky (WW) | State | KY98030 | 12-31-22 |
| Louisiana | NELAP | 30976 | 06-30-22 |
| Louisiana (DW) | State | LA017 | 12-31-22 |
| Maryland | State | 233 | 09-30-22 |
| Massachusetts | State | M-FL094 | 06-30-22 |
| Michigan | State | 9912 | 06-30-22 |
| North Carolina (WW/SW) | State | 314 | 12-31-22 |
| Oklahoma | NELAP | 9810 | 08-31-22 |
| Pennsylvania | NELAP | 68-00467 | 01-31-23 |
| South Carolina | State | 96026 | 06-30-22 |
| Tennessee | State | TN02907 | 06-30-22 |
| Texas | NELAP | T104704286 | 09-30-22 |
| US Fish & Wildlife | US Federal Programs | 058448 | 07-31-22 |
| USDA | US Federal Programs | P330-21-00056 | 05-17-24 |
| Virginia | NELAP | 460166 | 06-14-22 |
| West Virginia DEP | State | 136 | 05-31-22 |

eurofins | Environment Testing America



# ANALYTICAL REPORT

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Tel: (850)474-1001

Laboratory Job ID: 400-217387-2
Laboratory Sample Delivery Group: Background A
Client Project/Site: CCR GCEC

For:
Gulf Power Company
BIN 731
One Energy Place
Pensacola, Florida 32520

Attn: Barry Evans

Cheyenne R Whitmire

*Authorized for release by:*
*4/27/2022 5:12:07 PM*

Cheyenne Whitmire, Project Manager II
(850)471-6222
Cheyenne.Whitmire@et.eurofinsus.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

*The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . . 1
Table of Contents . . . . . 2
Case Narrative . . . . . 3
Method Summary . . . . . 4
Sample Summary . . . . . 5
Client Sample Results . . . . . 6
Definitions . . . . . 13
Chronicle . . . . . 14
QC Association . . . . . 16
QC Sample Results . . . . . 17
Chain of Custody . . . . . 19
Receipt Checklists . . . . . 20
Certification Summary . . . . . 21

# Case Narrative

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-2
SDG: Background A

## Job ID: 400-217387-2

### Laboratory: Eurofins Pensacola

**Narrative**

**Job Narrative**
**400-217387-2**

**Receipt**
The samples were received on 3/23/2022 3:30 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.6º C and 4.5º C.

**RAD**
Method 9315: Radium-226 batch 557819. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-100 (400-217387-1), MW-101 (400-217387-2), MW-107 (400-217387-3), MW-108 (400-217387-4), MW-306 (400-217387-5), MW-307 (400-217387-6), DUP-01 (400-217387-7), (LCS 160-557819/1-A), (LCSD 160-557819/2-A) and (MB 160-557819/20-A)

Method 9320: Radium-228 batch 557820. The LCS/LCSD recovered at (131% & 128%). The limits in our LIMS system at 75-125 reflect the requirements of a regulatory agency that represents a large amount of our work. However the samples associated with this LCS/LCSD are not from this agency and are therefore held to our in-house statistical limits of (61-138%) per method requirements. The LCS/LCSD passes, no further action is required. (LCS 160-557820/1-A) and (LCSD 160-557820/2-A)

Method 9320: Radium-228 batch 557820. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-100 (400-217387-1), MW-101 (400-217387-2), MW-107 (400-217387-3), MW-108 (400-217387-4), MW-306 (400-217387-5), MW-307 (400-217387-6), DUP-01 (400-217387-7), (LCS 160-557820/1-A), (LCSD 160-557820/2-A) and (MB 160-557820/20-A)

Method PrecSep_0: Radium-228 Prep Batch 160-557820. The following samples were prepared at a reduced aliquot due to Matrix: MW-107 (400-217387-3). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

Methods PrecSep-21, PrecSep_0: Radium-226 Prep Batch 160-557819. The following samples were prepared at a reduced aliquot due to Matrix: MW-107 (400-217387-3). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

# Method Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-2
SDG: Background A

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| 9315 | Radium-226 (GFPC) | SW846 | TAL SL |
| 9320 | Radium-228 (GFPC) | SW846 | TAL SL |
| Ra226_Ra228 | Combined Radium-226 and Radium-228 | TAL-STL | TAL SL |
| PrecSep_0 | Preparation, Precipitate Separation | None | TAL SL |
| PrecSep-21 | Preparation, Precipitate Separation (21-Day In-Growth) | None | TAL SL |

**Protocol References:**

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

**Laboratory References:**

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Sample Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-2
SDG: Background A

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 400-217387-1 | MW-100 | Water | 03/22/22 14:00 | 03/23/22 15:30 |
| 400-217387-2 | MW-101 | Water | 03/22/22 12:40 | 03/23/22 15:30 |
| 400-217387-3 | MW-107 | Water | 03/22/22 10:16 | 03/23/22 15:30 |
| 400-217387-4 | MW-108 | Water | 03/22/22 08:17 | 03/23/22 15:30 |
| 400-217387-5 | MW-306 | Water | 03/22/22 09:10 | 03/23/22 15:30 |
| 400-217387-6 | MW-307 | Water | 03/22/22 10:45 | 03/23/22 15:30 |
| 400-217387-7 | DUP-01 | Water | 03/22/22 09:45 | 03/23/22 15:30 |

## Client Sample ID: MW-100

**Date Collected: 03/22/22 14:00**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-1

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.464 | | 0.251 | 0.255 | 1.00 | 0.329 | pCi/L | 03/29/22 16:06 | 04/27/22 09:27 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *93.8* | | *40 - 110* | *03/29/22 16:06* | *04/27/22 09:27* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 1.28 | | 0.323 | 0.344 | 1.00 | 0.391 | pCi/L | 03/29/22 16:28 | 04/26/22 20:20 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *93.8* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |
| *Y Carrier* | *83.4* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 1.75 | | 0.409 | 0.428 | 5.00 | 0.391 | pCi/L | | 04/27/22 15:18 | 1 |

## Client Sample ID: MW-101
**Date Collected: 03/22/22 12:40**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-2
**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.306 | U | 0.228 | 0.230 | 1.00 | 0.333 | pCi/L | 03/29/22 16:06 | 04/27/22 09:27 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *93.8* | | *40 - 110* | *03/29/22 16:06* | *04/27/22 09:27* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Radium-228** | **0.795** | | 0.308 | 0.316 | 1.00 | 0.432 | pCi/L | 03/29/22 16:28 | 04/26/22 20:20 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *93.8* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |
| *Y Carrier* | *81.1* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228** | **1.10** | | 0.383 | 0.391 | 5.00 | 0.432 | pCi/L | | 04/27/22 15:18 | 1 |

## Client Sample ID: MW-107

**Date Collected: 03/22/22 10:16**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-3

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.572 | | 0.317 | 0.321 | 1.00 | 0.411 | pCi/L | 03/29/22 16:06 | 04/27/22 09:27 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *95.3* | | *40 - 110* | *03/29/22 16:06* | *04/27/22 09:27* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 1.20 | | 0.364 | 0.381 | 1.00 | 0.463 | pCi/L | 03/29/22 16:28 | 04/26/22 20:20 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *95.3* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |
| *Y Carrier* | *85.6* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 1.78 | | 0.483 | 0.498 | 5.00 | 0.463 | pCi/L | | 04/27/22 15:18 | 1 |

## Client Sample ID: MW-108

**Date Collected: 03/22/22 08:17**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-4

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.549 | | 0.254 | 0.259 | 1.00 | 0.291 | pCi/L | 03/29/22 16:06 | 04/27/22 09:27 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *87.7* | | *40 - 110* | *03/29/22 16:06* | *04/27/22 09:27* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 2.57 | | 0.415 | 0.478 | 1.00 | 0.402 | pCi/L | 03/29/22 16:28 | 04/26/22 20:20 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *87.7* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |
| *Y Carrier* | *83.0* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 3.12 | | 0.487 | 0.544 | 5.00 | 0.402 | pCi/L | | 04/27/22 15:18 | 1 |

## Client Sample ID: MW-306

**Date Collected: 03/22/22 09:10**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-5

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.270 | U | 0.262 | 0.263 | 1.00 | 0.415 | pCi/L | 03/29/22 16:06 | 04/27/22 09:27 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *89.6* | | *40 - 110* | *03/29/22 16:06* | *04/27/22 09:27* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Radium-228** | **1.06** | | 0.293 | 0.308 | 1.00 | 0.355 | pCi/L | 03/29/22 16:28 | 04/26/22 20:20 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *89.6* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |
| *Y Carrier* | *85.2* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:20* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228** | **1.33** | | 0.393 | 0.405 | 5.00 | 0.415 | pCi/L | | 04/27/22 15:18 | 1 |

## Client Sample ID: MW-307

**Date Collected: 03/22/22 10:45**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-6

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.629 | | 0.268 | 0.274 | 1.00 | 0.310 | pCi/L | 03/29/22 16:06 | 04/27/22 09:27 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *90.4* | | *40 - 110* | *03/29/22 16:06* | *04/27/22 09:27* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.686 | | 0.276 | 0.283 | 1.00 | 0.379 | pCi/L | 03/29/22 16:28 | 04/26/22 20:21 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *90.4* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:21* | *1* |
| *Y Carrier* | *81.9* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:21* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 1.32 | | 0.385 | 0.394 | 5.00 | 0.379 | pCi/L | | 04/27/22 15:18 | 1 |

## Client Sample ID: DUP-01

**Date Collected: 03/22/22 09:45**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-7

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.623 | | 0.304 | 0.310 | 1.00 | 0.378 | pCi/L | 03/29/22 16:06 | 04/27/22 09:28 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *82.2* | | *40 - 110* | *03/29/22 16:06* | *04/27/22 09:28* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.549 | | 0.308 | 0.312 | 1.00 | 0.461 | pCi/L | 03/29/22 16:28 | 04/26/22 20:21 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *82.2* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:21* | *1* |
| *Y Carrier* | *80.4* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:21* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 1.17 | | 0.433 | 0.440 | 5.00 | 0.461 | pCi/L | | 04/27/22 15:18 | 1 |

# Definitions/Glossary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-2
SDG: Background A

## Qualifiers

### Rad

| Qualifier | Qualifier Description |
|---|---|
| U | Result is less than the sample detection limit. |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

# Lab Chronicle

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-2
SDG: Background A

## Client Sample ID: MW-100
**Date Collected: 03/22/22 14:00**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-1
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557819 | 03/29/22 16:06 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 09:27 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557820 | 03/29/22 16:28 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562034 | 04/26/22 20:20 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562419 | 04/27/22 15:18 | SCB | TAL SL |

## Client Sample ID: MW-101
**Date Collected: 03/22/22 12:40**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-2
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557819 | 03/29/22 16:06 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 09:27 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557820 | 03/29/22 16:28 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562034 | 04/26/22 20:20 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562419 | 04/27/22 15:18 | SCB | TAL SL |

## Client Sample ID: MW-107
**Date Collected: 03/22/22 10:16**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-3
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557819 | 03/29/22 16:06 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 09:27 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557820 | 03/29/22 16:28 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562034 | 04/26/22 20:20 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562419 | 04/27/22 15:18 | SCB | TAL SL |

## Client Sample ID: MW-108
**Date Collected: 03/22/22 08:17**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-4
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557819 | 03/29/22 16:06 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 09:27 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557820 | 03/29/22 16:28 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562034 | 04/26/22 20:20 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562419 | 04/27/22 15:18 | SCB | TAL SL |

# Lab Chronicle

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-2
SDG: Background A

## Client Sample ID: MW-306
**Date Collected: 03/22/22 09:10**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-5
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557819 | 03/29/22 16:06 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 09:27 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557820 | 03/29/22 16:28 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562034 | 04/26/22 20:20 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562419 | 04/27/22 15:18 | SCB | TAL SL |

## Client Sample ID: MW-307
**Date Collected: 03/22/22 10:45**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-6
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557819 | 03/29/22 16:06 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 09:27 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557820 | 03/29/22 16:28 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562034 | 04/26/22 20:21 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562419 | 04/27/22 15:18 | SCB | TAL SL |

## Client Sample ID: DUP-01
**Date Collected: 03/22/22 09:45**
**Date Received: 03/23/22 15:30**

## Lab Sample ID: 400-217387-7
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557819 | 03/29/22 16:06 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 09:28 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557820 | 03/29/22 16:28 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562034 | 04/26/22 20:21 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562419 | 04/27/22 15:18 | SCB | TAL SL |

**Laboratory References:**

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

## Rad

### Prep Batch: 557819

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | PrecSep-21 | |
| 400-217387-2 | MW-101 | Total/NA | Water | PrecSep-21 | |
| 400-217387-3 | MW-107 | Total/NA | Water | PrecSep-21 | |
| 400-217387-4 | MW-108 | Total/NA | Water | PrecSep-21 | |
| 400-217387-5 | MW-306 | Total/NA | Water | PrecSep-21 | |
| 400-217387-6 | MW-307 | Total/NA | Water | PrecSep-21 | |
| 400-217387-7 | DUP-01 | Total/NA | Water | PrecSep-21 | |
| MB 160-557819/20-A | Method Blank | Total/NA | Water | PrecSep-21 | |
| LCS 160-557819/1-A | Lab Control Sample | Total/NA | Water | PrecSep-21 | |
| LCSD 160-557819/2-A | Lab Control Sample Dup | Total/NA | Water | PrecSep-21 | |

### Prep Batch: 557820

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217387-1 | MW-100 | Total/NA | Water | PrecSep_0 | |
| 400-217387-2 | MW-101 | Total/NA | Water | PrecSep_0 | |
| 400-217387-3 | MW-107 | Total/NA | Water | PrecSep_0 | |
| 400-217387-4 | MW-108 | Total/NA | Water | PrecSep_0 | |
| 400-217387-5 | MW-306 | Total/NA | Water | PrecSep_0 | |
| 400-217387-6 | MW-307 | Total/NA | Water | PrecSep_0 | |
| 400-217387-7 | DUP-01 | Total/NA | Water | PrecSep_0 | |
| MB 160-557820/20-A | Method Blank | Total/NA | Water | PrecSep_0 | |
| LCS 160-557820/1-A | Lab Control Sample | Total/NA | Water | PrecSep_0 | |
| LCSD 160-557820/2-A | Lab Control Sample Dup | Total/NA | Water | PrecSep_0 | |

## Method: 9315 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-557819/20-A**
**Matrix: Water**
**Analysis Batch: 562245**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 557819**

| Analyte | MB Result | MB Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-22. | 0L111. | 5 | 0L194 | 0L194 | 1L00 | 0L337 | pCi/6 | 03/29/22 1. :0. | 04/27/22 10:01 | 1 |

| *Carrier* | *MB %Yield* | *MB Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *99.8* | | *40 - 110* | *03/29/22 16:06* | *04/27/22 10:01* | *1* |

**Lab Sample ID: LCS 160-557819/1-A**
**Matrix: Water**
**Analysis Batch: 562246**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 557819**

| Analyte | | | Spike Added | LCS Result | LCS Qual | Total Uncert. (2σ+/-) | RL | MDC | Unit | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-22. | | | 11L3 | 10L43 | | 1L32 | 1L00 | 0L2s7 | pCi/6 | 92 | 7s - 12s | | |

| *Carrier* | *LCS %Yield* | *LCS Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *91.1* | | *40 - 110* |

**Lab Sample ID: LCSD 160-557819/2-A**
**Matrix: Water**
**Analysis Batch: 562246**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**
**Prep Batch: 557819**

| Analyte | | | Spike Added | LCSD Result | LCSD Qual | Total Uncert. (2σ+/-) | RL | MDC | Unit | %Rec | %Rec Limits | RER | RER Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-22. | | | 11L3 | 10L11 | | 1L30 | 1L00 | 0L2. 8 | pCi/6 | 89 | 7s - 12s | 0L12 | 1 |

| *Carrier* | *LCSD %Yield* | *LCSD Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *90.1* | | *40 - 110* |

## Method: 9320 - Radium-228 (GFPC)

**Lab Sample ID: MB 160-557820/20-A**
**Matrix: Water**
**Analysis Batch: 562035**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 557820**

| Analyte | MB Result | MB Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0L1s8s | 5 | 0L233 | 0L233 | 1L00 | 0L390 | pCi/6 | 03/29/22 1. :28 | 04/2. /22 20:23 | 1 |

| *Carrier* | *MB %Yield* | *MB Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *99.8* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:23* | *1* |
| *Y Carrier* | *83.7* | | *40 - 110* | *03/29/22 16:28* | *04/26/22 20:23* | *1* |

## Method: 9320 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: LCS 160-557820/1-A**
**Matrix: Water**
**Analysis Batch: 562034**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 557820**

| Analyte | | | Spike Added | LCS Result | LCS Qual | Total Uncert. (2σ+/-) | RL | MDC | Unit | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8L 7 | 11L3. | | 1L29 | 1L00 | 0L440 | pCi/6 | 131 | 7s - 12s | | |

| *Carrier* | *LCS %Yield* | *LCS Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *91.1* | | *40 - 110* |
| *Y Carrier* | *84.5* | | *40 - 110* |

**Lab Sample ID: LCSD 160-557820/2-A**
**Matrix: Water**
**Analysis Batch: 562034**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**
**Prep Batch: 557820**

| Analyte | | | Spike Added | LCSD Result | LCSD Qual | Total Uncert. (2σ+/-) | RL | MDC | Unit | %Rec | %Rec Limits | RER | RER Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8L 7 | 11L12 | | 1L27 | 1L00 | 0L419 | pCi/6 | 128 | 7s - 12s | 0L09 | 1 |

| *Carrier* | *LCSD %Yield* | *LCSD Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *90.1* | | *40 - 110* |
| *Y Carrier* | *82.2* | | *40 - 110* |

**Eurofins Pensacola**
3355 McLemore Drive
Pensacola, FL 32514
Phone: 850-474-1001 Fax: 850-478-2671

# Chain of Custody Record

eurofins | Environment Testing America

| Client Information | Sampler: Philip E. / Brett S. | Lab PM: Whitmire, Cheyenne R | Carrier Tracking No(s): | COC No: 400-109432-23627.1 |
|---|---|---|---|---|
| Client Contact: Barry Evans | Phone: 850-336-0192 | E-Mail: Cheyenne.Whitmire@Eurofinset.com | State of Origin: | Page: Page 1 of 1 |
| Company: Gulf Power Company | PWSID: | | | Job #: |
| Address: BIN 731 One Energy Place | Due Date Requested: | | | |
| City: Pensacola | TAT Requested (days): | | | |
| State, Zip: FL, 32520 | Compliance Project: Δ Yes Δ No | | | |
| Phone: 850-444-6427(Tel) | PO #: 2000393131 | | | |
| Email: Barry.Evans@nexteraenergy.com | WO #: 3000004117 | | | |
| Project Name: CCR GCEC Background A | Project #: 40005424 | | | |
| Site: | SSOW#: | | | |

**Analysis Requested**

400-217387 COC

| Sample Identification | Sample Date | Sample Time | Sample Type (C=comp, G=grab) | Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD | 9315_Ra226, 9320_Ra228, Ra226Ra228_GFPC | SM4500_Cl_E, SM4500_SO4_E | FieldSampling - Field Sampling Parameters | 6020, 7470A | 2540C - Total Dissolved Solids | 4500_F_C - Fluoride | Total Number of containers | Special Instructions/Note: |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Preservation Code: | | | | | | | D | N | N | D | N | N | | Lot #'s |
| MW-100 | 3/22/22 | 1400 | G | Water | | | X | X | X | X | X | X | | 1/2gal (HNO3) - 0000280251 |
| MW-101 | | 1240 | | Water | | | | | | | | | | |
| MW-107 | | 1016 | | Water | | | | | | | | | | 500ml (None) - 0422101G |
| MW-108 | | 0817 | | Water | | | | | | | | | | 250ml (HNO3) - 0000280251 |
| MW-306 | | 0910 | | Water | | | | | | | | | | |
| MW-307 | | 1045 | | Water | | | | | | | | | | |
| DUP-01 | 3/22/22 | 0945 | G | Water | | | X | X | X | X | X | X | | |
| | | | | Water | | | | | | | | | | |
| | | | | Water | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

Preservation Codes:

| | |
|---|---|
| A - HCL | M - Hexane |
| B - NaOH | N - None |
| C - Zn Acetate | O - AsNaO2 |
| D - Nitric Acid | P - Na2O4S |
| E - NaHSO4 | Q - Na2SO3 |
| F - MeOH | R - Na2S2O3 |
| G - Amchlor | S - H2SO4 |
| H - Ascorbic Acid | T - TSP Dodecahydrate |
| I - Ice | U - Acetone |
| J - DI Water | V - MCAA |
| K - EDTA | W - pH 4-5 |
| L - EDA | Z - other (specify) |

Other:

**Possible Hazard Identification**
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

**Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)**
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

| | | | |
|---|---|---|---|
| Empty Kit Relinquished by: | Date: | Time: | Method of Shipment: |
| Relinquished by: | Date/Time: 3/23/22 1530 | Company RDH | Received by: Kathy R Avery |
| Relinquished by: | Date/Time: | Company | Received by: |
| Relinquished by: | Date/Time: | Company | Received by: |

Date/Time: 3.23.22 1530 Company EETS

| Custody Seals Intact: Δ Yes Δ No | Custody Seal No.: | Cooler Temperature(s) °C and Other Remarks: 4.5°C 3.6°C IR10 |
|---|---|---|

Ver: 06/08/2021

# Login Sample Receipt Checklist

Client: Gulf Power Company

Job Number: 400-217387-2
SDG Number: Background A

**Login Number: 217387**
**List Number: 1**
**Creator: Perez, Trina M**

**List Source: Eurofins Pensacola**

| Question | Answer | Comment |
|---|---|---|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 4.5°C, 3.6°C IR-10 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

# Accreditation/Certification Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217387-2
SDG: Background A

## Laboratory: Eurofins StPLouis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Autl ority | hrogram | Identification Number | Expiration Date |
|---|---|---|---|
| Alaska (UST) | State | 20-001 | 05-06-25 |
| ANAB | Dept. of Defense ELAP | L2305 | 04-06-25 |
| ANAB | Dept. of Energy | L2305.01 | 04-06-25 |
| ANAB | ISO/IEC 17025 | L2305 | 04-06-25 |
| Arizona | State | AZ0813 | 12-08-22 |
| California | Los Angeles County Sanitation Districts | 10259 | 06-30-22 |
| California | State | 2886 | 07-01-22 |
| Connecticut | State | PH-0241 | 03-31-23 |
| Florida | NELAP | E87689 | 06-30-22 |
| HI - RadChem Recognition | State | n/a | 06-30-22 |
| Illinois | NELAP | 200023 | 11-30-22 |
| Iowa | State | 373 | 12-01-22 |
| Kansas | NELAP | E-10236 | 10-31-22 |
| Kentucky (DW) | State | KY90125 | 12-31-22 |
| Kentucky (WW) | State | KY90125 (Permit KY0004049) | 12-31-22 |
| Louisiana | NELAP | 04080 | 06-30-22 |
| Louisiana (DW) | State | LA011 | 12-31-22 |
| Maryland | State | 310 | 09-30-22 |
| MI - RadChem Recognition | State | 9005 | 06-30-22 |
| Missouri | State | 780 | 06-30-22 |
| Nevada | State | MO000542020-1 | 07-31-22 |
| New Jersey | NELAP | MO002 | 06-30-22 |
| New York | NELAP | 11616 | 04-01-23 |
| North Dakota | State | R-207 | 06-30-22 |
| NRC | NRC | 24-24817-01 | 12-31-22 |
| Oklahoma | NELAP | 9997 | 08-31-22 |
| Oregon | NELAP | 4157 | 09-01-22 |
| Pennsylvania | NELAP | 68-00540 | 02-28-23 |
| South Carolina | State | 85002001 | 06-30-22 |
| Texas | NELAP | T104704193 | 07-31-22 |
| US Fish & Wildlife | US Federal Programs | 058448 | 07-31-22 |
| USDA | US Federal Programs | P330-17-00028 | 03-11-23 |
| Utah | NELAP | MO000542021-14 | 08-01-22 |
| Virginia | NELAP | 10310 | 06-14-22 |
| Washington | State | C592 | 08-30-22 |
| West Virginia DEP | State | 381 | 10-31-22 |

eurofins | Environment Testing America



# ANALYTICAL REPORT

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Tel: (850)474-1001

Laboratory Job ID: 400-217490-1
Laboratory Sample Delivery Group: Downgradient B
Client Project/Site: CCR GCEC

For:
Gulf Power Company
BIN 731
One Energy Place
Pensacola, Florida 32520

Attn: Barry Evans

Cheyenne R Whitmire

*Authorized for release by:*
*4/20/2022 3:44:10 PM*

Cheyenne Whitmire, Project Manager II
(850)471-6222
Cheyenne.Whitmire@et.eurofinsus.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

*The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . . 1
Table of Contents . . . . . 2
Case Narrative . . . . . 3
Detection Summary . . . . . 4
Method Summary . . . . . 8
Sample Summary . . . . . 9
Client Sample Results . . . . . 10
Definitions . . . . . 20
Chronicle . . . . . 21
QC Association . . . . . 25
QC Sample Results . . . . . 29
Chain of Custody . . . . . 36
Receipt Checklists . . . . . 37
Certification Summary . . . . . 38

## Job ID: 400-217490-1

### Laboratory: Eurofins Pensacola

**Narrative**

**Job Narrative**
**400-217490-1**

**Metals**
Method 6020: The sample is unable to be ran at 1x due to high concentration of Boron. Due to this inability, the following samples are able to be reported at 5x dilution. MW-104 (400-217490-3) and MW-110 (400-217490-7)

**General Chemistry**
Method SM 2540C: The sample duplicate (DUP) precision for analytical batch 400-571426 was outside control limits. Sample non-homogeneity is suspected.

Method SM 4500 F C: The matrix spike duplicate (MSD) recoveries and precision for analytical batch 400-573137 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method SM 4500 Cl- E: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-104 (400-217490-3) and MW-110 (400-217490-7). Elevated reporting limits (RLs) are provided.

Method SM 4500 SO4 E: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-104 (400-217490-3) and MW-110 (400-217490-7). Elevated reporting limits (RLs) are provided.

Method SM 4500 SO4 E: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 400-573460 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

# Detection Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-102 — Lab Sample ID: 400-217490-1

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.013 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.017 | V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 2.0 | | 0.25 | 0.13 | mg/L | 5 | | 6020 | Total Recoverable |
| Chromium | 0.0063 | | 0.0025 | 0.0010 | mg/L | 5 | | 6020 | Total Recoverable |
| Cobalt | 0.00088 | | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.00091 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Selenium | 0.00025 | | 0.00025 | 0.00016 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 36 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 6.9 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Sulfate | 1.8 | I | 5.0 | 1.4 | mg/L | 1 | | SM 4500 SO4 E | Total/NA |
| Field pH | 5.02 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-103 — Lab Sample ID: 400-217490-2

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.027 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.20 | | 0.050 | 0.0012 | mg/L | 5 | | 6020 | Total Recoverable |
| Calcium | 3.6 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.0030 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.00026 | I | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Lithium | 0.00099 | I | 0.0010 | 0.00098 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.00092 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Selenium | 0.0014 | | 0.00025 | 0.00016 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 90 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 9.8 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Sulfate | 28 | | 5.0 | 1.4 | mg/L | 1 | | SM 4500 SO4 E | Total/NA |
| Field pH | 5.02 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-104 — Lab Sample ID: 400-217490-3

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Arsenic | 0.0018 | | 0.0013 | 0.0012 | mg/L | 5 | | 6020 | Total Recoverable |
| Barium | 0.030 | | 0.0025 | 0.00070 | mg/L | 5 | | 6020 | Total Recoverable |
| Boron | 8.7 | | 1.0 | 0.024 | mg/L | 100 | | 6020 | Total Recoverable |
| Calcium | 71 | | 5.0 | 2.5 | mg/L | 100 | | 6020 | Total Recoverable |
| Chromium | 0.0010 | I | 0.0025 | 0.0010 | mg/L | 5 | | 6020 | Total Recoverable |

This Detection Summary does not include radiochemical test results.

## Client Sample ID: MW-104 (Continued) — Lab Sample ID: 400-217490-3

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Cobalt | 0.023 | | 0.0025 | 0.00056 | mg/L | 5 | | 6020 | Total Recoverable |
| Lead | 0.0018 | | 0.0013 | 0.00081 | mg/L | 5 | | 6020 | Total Recoverable |
| Lithium | 0.020 | | 0.0050 | 0.0049 | mg/L | 5 | | 6020 | Total Recoverable |
| Selenium | 0.0067 | | 0.0013 | 0.00082 | mg/L | 5 | | 6020 | Total Recoverable |
| Mercury | 0.00032 | | 0.00020 | 0.00015 | mg/L | 1 | | 7470A | Total/NA |
| Total Dissolved Solids | 1300 | | 10 | 10 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 120 | | 10 | 7.0 | mg/L | 5 | | SM 4500 Cl- E | Total/NA |
| Fluoride | 0.30 | | 0.10 | 0.070 | mg/L | 1 | | SM 4500 F C | Total/NA |
| Sulfate | 560 | | 130 | 35 | mg/L | 25 | | SM 4500 SO4 E | Total/NA |
| Field pH | 4.15 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-105 — Lab Sample ID: 400-217490-4

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Arsenic | 0.0073 | | 0.00025 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Barium | 0.027 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.23 | | 0.050 | 0.0012 | mg/L | 5 | | 6020 | Total Recoverable |
| Calcium | 62 | | 1.3 | 0.63 | mg/L | 25 | | 6020 | Total Recoverable |
| Chromium | 0.00073 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.00017 | I | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.0089 | | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Selenium | 0.00023 | I | 0.00025 | 0.00016 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 230 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 10 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Sulfate | 24 | | 5.0 | 1.4 | mg/L | 1 | | SM 4500 SO4 E | Total/NA |
| Field pH | 6.48 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-106 — Lab Sample ID: 400-217490-5

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.012 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.0074 | I V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 0.48 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.0044 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.00099 | | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.00068 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 30 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 4.1 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |

This Detection Summary does not include radiochemical test results.

## Client Sample ID: MW-106 (Continued) — Lab Sample ID: 400-217490-5

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | 4.99 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-109 — Lab Sample ID: 400-217490-6

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.020 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.36 | | 0.050 | 0.0012 | mg/L | 5 | | 6020 | Total Recoverable |
| Calcium | 4.8 | | 0.050 | 0.025 | mg/L | 1 | | 6020 | Total Recoverable |
| Chromium | 0.0061 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.0094 | | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Lithium | 0.0062 | | 0.0010 | 0.00098 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.00090 | I | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Selenium | 0.00035 | | 0.00025 | 0.00016 | mg/L | 1 | | 6020 | Total Recoverable |
| Mercury | 0.00047 | | 0.00020 | 0.00015 | mg/L | 1 | | 7470A | Total/NA |
| Total Dissolved Solids | 90 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 28 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Sulfate | 28 | | 5.0 | 1.4 | mg/L | 1 | | SM 4500 SO4 E | Total/NA |
| Field pH | 5.00 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: MW-110 — Lab Sample ID: 400-217490-7

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.024 | | 0.0025 | 0.00070 | mg/L | 5 | | 6020 | Total Recoverable |
| Boron | 4.5 | | 0.25 | 0.0059 | mg/L | 25 | | 6020 | Total Recoverable |
| Calcium | 28 | | 0.25 | 0.13 | mg/L | 5 | | 6020 | Total Recoverable |
| Chromium | 0.0025 | | 0.0025 | 0.0010 | mg/L | 5 | | 6020 | Total Recoverable |
| Cobalt | 0.013 | | 0.0025 | 0.00056 | mg/L | 5 | | 6020 | Total Recoverable |
| Lithium | 0.011 | | 0.0050 | 0.0049 | mg/L | 5 | | 6020 | Total Recoverable |
| Selenium | 0.0034 | | 0.0013 | 0.00082 | mg/L | 5 | | 6020 | Total Recoverable |
| Mercury | 0.0034 | | 0.00020 | 0.00015 | mg/L | 1 | | 7470A | Total/NA |
| Total Dissolved Solids | 630 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 110 | | 10 | 7.0 | mg/L | 5 | | SM 4500 Cl- E | Total/NA |
| Sulfate | 270 | | 50 | 14 | mg/L | 10 | | SM 4500 SO4 E | Total/NA |
| Field pH | 5.01 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: FB-01 — Lab Sample ID: 400-217490-8

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Boron | 0.017 | V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |

This Detection Summary does not include radiochemical test results.

# Detection Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: DUP-01 — Lab Sample ID: 400-217490-9

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Arsenic | 0.0073 | | 0.00025 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Barium | 0.027 | | 0.00050 | 0.00014 | mg/L | 1 | | 6020 | Total Recoverable |
| Boron | 0.15 | | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |
| Calcium | 63 | | 1.3 | 0.63 | mg/L | 25 | | 6020 | Total Recoverable |
| Chromium | 0.00073 | | 0.00050 | 0.00020 | mg/L | 1 | | 6020 | Total Recoverable |
| Cobalt | 0.00018 | I | 0.00050 | 0.00011 | mg/L | 1 | | 6020 | Total Recoverable |
| Molybdenum | 0.0087 | | 0.0030 | 0.00026 | mg/L | 1 | | 6020 | Total Recoverable |
| Selenium | 0.00016 | I | 0.00025 | 0.00016 | mg/L | 1 | | 6020 | Total Recoverable |
| Total Dissolved Solids | 260 | | 5.0 | 5.0 | mg/L | 1 | | SM 2540C | Total/NA |
| Chloride | 10 | | 2.0 | 1.4 | mg/L | 1 | | SM 4500 Cl- E | Total/NA |
| Sulfate | 22 | | 5.0 | 1.4 | mg/L | 1 | | SM 4500 SO4 E | Total/NA |
| Field pH | 6.48 | | | | SU | 1 | | Field Sampling | Total/NA |

## Client Sample ID: EB-01 — Lab Sample ID: 400-217490-10

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Boron | 0.0026 | I V | 0.010 | 0.00024 | mg/L | 1 | | 6020 | Total Recoverable |

This Detection Summary does not include radiochemical test results.

# Method Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| 6020 | Metals (ICP/MS) | SW846 | TAL PEN |
| 7470A | Mercury (CVAA) | SW846 | TAL PEN |
| SM 2540C | Solids, Total Dissolved (TDS) | SM | TAL PEN |
| SM 4500 Cl- E | Chloride, Total | SM | TAL PEN |
| SM 4500 F C | Fluoride | SM | TAL PEN |
| SM 4500 SO4 E | Sulfate, Total | SM | TAL PEN |
| Field Sampling | Field Sampling | EPA | TAL PEN |
| 3005A | Preparation, Total Recoverable or Dissolved Metals | SW846 | TAL PEN |
| 7470A | Preparation, Mercury | SW846 | TAL PEN |

**Protocol References:**

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

# Sample Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 400-217490-1 | MW-102 | Water | 03/23/22 15:00 | 03/24/22 15:05 |
| 400-217490-2 | MW-103 | Water | 03/24/22 13:50 | 03/24/22 15:05 |
| 400-217490-3 | MW-104 | Water | 03/23/22 12:05 | 03/24/22 15:05 |
| 400-217490-4 | MW-105 | Water | 03/23/22 09:51 | 03/24/22 15:05 |
| 400-217490-5 | MW-106 | Water | 03/23/22 09:20 | 03/24/22 15:05 |
| 400-217490-6 | MW-109 | Water | 03/23/22 12:50 | 03/24/22 15:05 |
| 400-217490-7 | MW-110 | Water | 03/23/22 10:50 | 03/24/22 15:05 |
| 400-217490-8 | FB-01 | Water | 03/23/22 09:25 | 03/24/22 15:05 |
| 400-217490-9 | DUP-01 | Water | 03/23/22 08:51 | 03/24/22 15:05 |
| 400-217490-10 | EB-01 | Water | 03/23/22 12:20 | 03/24/22 15:05 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-102

**Date Collected: 03/23/22 15:00**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-1

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| **Barium** | **0.013** | | 0.00050 | 0.00014 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| **Boron** | **0.017** | **V** | 0.010 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| **Calcium** | **2.0** | | 0.25 | 0.13 | mg/L | | 03/28/22 19:15 | 03/29/22 18:51 | 5 |
| **Chromium** | **0.0063** | | 0.0025 | 0.0010 | mg/L | | 03/28/22 19:15 | 03/29/22 18:51 | 5 |
| **Cobalt** | **0.00088** | | 0.00050 | 0.00011 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| **Molybdenum** | **0.00091** | **I** | 0.0030 | 0.00026 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| **Selenium** | **0.00025** | | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/28/22 19:15 | 03/30/22 17:32 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 17:43 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **36** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **6.9** | | 2.0 | 1.4 | mg/L | | | 04/10/22 04:36 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/08/22 12:39 | 1 |
| **Sulfate** | **1.8** | **I** | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **5.02** | | | | SU | | | 03/23/22 15:00 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-103

**Date Collected: 03/24/22 13:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-2

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| **Barium** | **0.027** | | 0.00050 | 0.00014 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| **Boron** | **0.20** | | 0.050 | 0.0012 | mg/L | | 03/28/22 19:15 | 03/29/22 19:01 | 5 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| **Calcium** | **3.6** | | 0.050 | 0.025 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| **Chromium** | **0.0030** | | 0.00050 | 0.00020 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| **Cobalt** | **0.00026** | **I** | 0.00050 | 0.00011 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| **Lithium** | **0.00099** | **I** | 0.0010 | 0.00098 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| **Molybdenum** | **0.00092** | **I** | 0.0030 | 0.00026 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| **Selenium** | **0.0014** | | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/28/22 19:15 | 03/30/22 17:42 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 17:45 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **90** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **9.8** | | 2.0 | 1.4 | mg/L | | | 04/10/22 04:36 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/12/22 17:02 | 1 |
| **Sulfate** | **28** | | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **5.02** | | | | SU | | | 03/24/22 13:50 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-104

**Date Collected: 03/23/22 12:05**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-3

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| **Arsenic** | **0.0018** | | 0.0013 | 0.0012 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| **Barium** | **0.030** | | 0.0025 | 0.00070 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| **Boron** | **8.7** | | 1.0 | 0.024 | mg/L | | 03/28/22 19:15 | 03/30/22 17:45 | 100 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| **Calcium** | **71** | | 5.0 | 2.5 | mg/L | | 03/28/22 19:15 | 03/30/22 17:45 | 100 |
| **Chromium** | **0.0010** | **I** | 0.0025 | 0.0010 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| **Cobalt** | **0.023** | | 0.0025 | 0.00056 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| **Lead** | **0.0018** | | 0.0013 | 0.00081 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| **Lithium** | **0.020** | | 0.0050 | 0.0049 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| **Selenium** | **0.0067** | | 0.0013 | 0.00082 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 03/28/22 19:15 | 03/29/22 19:04 | 5 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Mercury** | **0.00032** | | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 17:50 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **1300** | | 10 | 10 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **120** | | 10 | 7.0 | mg/L | | | 04/10/22 04:49 | 5 |
| **Fluoride** | **0.30** | | 0.10 | 0.070 | mg/L | | | 04/08/22 12:10 | 1 |
| **Sulfate** | **560** | | 130 | 35 | mg/L | | | 04/12/22 05:48 | 25 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **4.15** | | | | SU | | | 03/23/22 12:05 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-105

**Date Collected: 03/23/22 09:51**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-4

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| **Arsenic** | **0.0073** | | 0.00025 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| **Barium** | **0.027** | | 0.00050 | 0.00014 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| **Boron** | **0.23** | | 0.050 | 0.0012 | mg/L | | 03/28/22 19:15 | 03/29/22 19:08 | 5 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| **Calcium** | **62** | | 1.3 | 0.63 | mg/L | | 03/28/22 19:15 | 03/30/22 17:52 | 25 |
| **Chromium** | **0.00073** | | 0.00050 | 0.00020 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| **Cobalt** | **0.00017** | **I** | 0.00050 | 0.00011 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| **Molybdenum** | **0.0089** | | 0.0030 | 0.00026 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| **Selenium** | **0.00023** | **I** | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/28/22 19:15 | 03/30/22 17:48 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 17:52 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **230** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **10** | | 2.0 | 1.4 | mg/L | | | 04/10/22 04:37 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/08/22 12:13 | 1 |
| **Sulfate** | **24** | | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **6.48** | | | | SU | | | 03/23/22 09:51 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-106

**Date Collected: 03/23/22 09:20**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-5

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| **Barium** | **0.012** | | 0.00050 | 0.00014 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| **Boron** | **0.0074** | **I V** | 0.010 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| **Calcium** | **0.48** | | 0.050 | 0.025 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| **Chromium** | **0.0044** | | 0.00050 | 0.00020 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| **Cobalt** | **0.00099** | | 0.00050 | 0.00011 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| **Molybdenum** | **0.00068** | **I** | 0.0030 | 0.00026 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/28/22 19:15 | 03/30/22 17:55 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 17:54 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **30** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |
| **Chloride** | **4.1** | | 2.0 | 1.4 | mg/L | | | 04/10/22 04:37 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/08/22 11:58 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **4.99** | | | | SU | | | 03/23/22 09:20 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-109

**Date Collected: 03/23/22 12:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-6

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| **Barium** | **0.020** | | 0.00050 | 0.00014 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| **Boron** | **0.36** | | 0.050 | 0.0012 | mg/L | | 03/28/22 19:15 | 03/29/22 19:21 | 5 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| **Calcium** | **4.8** | | 0.050 | 0.025 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| **Chromium** | **0.0061** | | 0.00050 | 0.00020 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| **Cobalt** | **0.0094** | | 0.00050 | 0.00011 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| **Lithium** | **0.0062** | | 0.0010 | 0.00098 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| **Molybdenum** | **0.00090** | **I** | 0.0030 | 0.00026 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| **Selenium** | **0.00035** | | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/28/22 19:15 | 03/30/22 18:05 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Mercury** | **0.00047** | | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 17:56 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **90** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:52 | 1 |
| **Chloride** | **28** | | 2.0 | 1.4 | mg/L | | | 04/10/22 04:37 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/08/22 12:32 | 1 |
| **Sulfate** | **28** | | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **5.00** | | | | SU | | | 03/23/22 12:50 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-110

**Date Collected: 03/23/22 10:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-7

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| **Barium** | **0.024** | | 0.0025 | 0.00070 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| **Boron** | **4.5** | | 0.25 | 0.0059 | mg/L | | 03/28/22 19:15 | 03/30/22 18:08 | 25 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| **Calcium** | **28** | | 0.25 | 0.13 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| **Chromium** | **0.0025** | | 0.0025 | 0.0010 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| **Cobalt** | **0.013** | | 0.0025 | 0.00056 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| **Lithium** | **0.011** | | 0.0050 | 0.0049 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| **Selenium** | **0.0034** | | 0.0013 | 0.00082 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 03/28/22 19:15 | 03/29/22 19:24 | 5 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Mercury** | **0.0034** | | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 17:58 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **630** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:52 | 1 |
| **Chloride** | **110** | | 10 | 7.0 | mg/L | | | 04/10/22 04:49 | 5 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/12/22 17:02 | 1 |
| **Sulfate** | **270** | | 50 | 14 | mg/L | | | 04/12/22 05:48 | 10 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **5.01** | | | | SU | | | 03/23/22 10:50 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: FB-01

**Date Collected: 03/23/22 09:25**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-8

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Barium | 0.00014 | U | 0.00050 | 0.00014 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| **Boron** | **0.017** | **V** | 0.010 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Calcium | 0.025 | U | 0.050 | 0.025 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Chromium | 0.00020 | U | 0.00050 | 0.00020 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Cobalt | 0.00011 | U | 0.00050 | 0.00011 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Molybdenum | 0.00026 | U | 0.0030 | 0.00026 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/28/22 19:15 | 03/30/22 18:11 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 18:00 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 5.0 | U | 5.0 | 5.0 | mg/L | | | 03/25/22 15:52 | 1 |
| Chloride | 1.4 | U | 2.0 | 1.4 | mg/L | | | 04/10/22 04:37 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/08/22 12:25 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: DUP-01

**Date Collected: 03/23/22 08:51**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-9

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| **Arsenic** | **0.0073** | | 0.00025 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| **Barium** | **0.027** | | 0.00050 | 0.00014 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| **Boron** | **0.15** | | 0.010 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| **Calcium** | **63** | | 1.3 | 0.63 | mg/L | | 03/28/22 19:15 | 03/30/22 18:18 | 25 |
| **Chromium** | **0.00073** | | 0.00050 | 0.00020 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| **Cobalt** | **0.00018** | **I** | 0.00050 | 0.00011 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| **Molybdenum** | **0.0087** | | 0.0030 | 0.00026 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| **Selenium** | **0.00016** | **I** | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/28/22 19:15 | 03/30/22 18:14 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 18:02 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Total Dissolved Solids** | **260** | | 5.0 | 5.0 | mg/L | | | 03/25/22 15:52 | 1 |
| **Chloride** | **10** | | 2.0 | 1.4 | mg/L | | | 04/10/22 04:37 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/08/22 12:06 | 1 |
| **Sulfate** | **22** | | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

### Method: Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| **Field pH** | **6.48** | | | | SU | | | 03/23/22 08:51 | 1 |

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: EB-01

**Date Collected: 03/23/22 12:20**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-10

**Matrix: Water**

### Method: 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.00050 | 0.00030 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Arsenic | 0.00024 | U | 0.00025 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Barium | 0.00014 | U | 0.00050 | 0.00014 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Beryllium | 0.00018 | U | 0.00050 | 0.00018 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| **Boron** | **0.0026** | **I V** | 0.010 | 0.00024 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Cadmium | 0.00013 | U | 0.00050 | 0.00013 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Calcium | 0.025 | U | 0.050 | 0.025 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Chromium | 0.00020 | U | 0.00050 | 0.00020 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Cobalt | 0.00011 | U | 0.00050 | 0.00011 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Lead | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Lithium | 0.00098 | U | 0.0010 | 0.00098 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Molybdenum | 0.00026 | U | 0.0030 | 0.00026 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Selenium | 0.00016 | U | 0.00025 | 0.00016 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |
| Thallium | 0.000092 | U | 0.00010 | 0.000092 | mg/L | | 03/28/22 19:15 | 03/30/22 18:21 | 1 |

### Method: 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 18:04 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 5.0 | U | 5.0 | 5.0 | mg/L | | | 03/25/22 15:52 | 1 |
| Chloride | 1.4 | U | 2.0 | 1.4 | mg/L | | | 04/10/22 04:38 | 1 |
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/08/22 12:42 | 1 |
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

## Qualifiers

### Metals

| Qualifier | Qualifier Description |
|---|---|
| I | The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit. |
| J3 | Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria. |
| U | Indicates that the compound was analyzed for but not detected. |
| V | Indicates that the analyte was detected at or above the method detection limit in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value. |

### General Chemistry

| Qualifier | Qualifier Description |
|---|---|
| I | The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit. |
| J3 | Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria. |
| U | Indicates that the compound was analyzed for but not detected. |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

# Lab Chronicle

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-102
**Date Collected: 03/23/22 15:00**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-1
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 5 | 571928 | 03/29/22 18:51 | KIS | TAL PEN |
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 572100 | 03/30/22 17:32 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 17:43 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 573266 | 04/10/22 04:36 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573137 | 04/08/22 12:39 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/23/22 15:00 | EHS | TAL PEN |

## Client Sample ID: MW-103
**Date Collected: 03/24/22 13:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-2
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 5 | 571928 | 03/29/22 19:01 | KIS | TAL PEN |
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 572100 | 03/30/22 17:42 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 17:45 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 573266 | 04/10/22 04:36 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573603 | 04/12/22 17:02 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/24/22 13:50 | EHS | TAL PEN |

## Client Sample ID: MW-104
**Date Collected: 03/23/22 12:05**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-3
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 5 | 571928 | 03/29/22 19:04 | KIS | TAL PEN |
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 100 | 572100 | 03/30/22 17:45 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 17:50 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 5 | 573266 | 04/10/22 04:49 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573137 | 04/08/22 12:10 | KB | TAL PEN |

## Client Sample ID: MW-104
**Date Collected: 03/23/22 12:05**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-3
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | SM 4500 SO4 E | | 25 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/23/22 12:05 | EHS | TAL PEN |

## Client Sample ID: MW-105
**Date Collected: 03/23/22 09:51**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-4
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 5 | 571928 | 03/29/22 19:08 | KIS | TAL PEN |
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 572100 | 03/30/22 17:48 | KIS | TAL PEN |
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 25 | 572100 | 03/30/22 17:52 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 17:52 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 573266 | 04/10/22 04:37 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573137 | 04/08/22 12:13 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/23/22 09:51 | EHS | TAL PEN |

## Client Sample ID: MW-106
**Date Collected: 03/23/22 09:20**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-5
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 572100 | 03/30/22 17:55 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 17:54 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571426 | 03/25/22 15:42 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 573266 | 04/10/22 04:37 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573137 | 04/08/22 11:58 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/23/22 09:20 | EHS | TAL PEN |

## Client Sample ID: MW-109
**Date Collected: 03/23/22 12:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-6
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 5 | 571928 | 03/29/22 19:21 | KIS | TAL PEN |

# Lab Chronicle

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-1
SDG: Downgradient B

## Client Sample ID: MW-109
**Date Collected: 03/23/22 12:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-6
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 572100 | 03/30/22 18:05 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 17:56 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571428 | 03/25/22 15:52 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 573266 | 04/10/22 04:37 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573137 | 04/08/22 12:32 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/23/22 12:50 | EHS | TAL PEN |

## Client Sample ID: MW-110
**Date Collected: 03/23/22 10:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-7
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 5 | 571928 | 03/29/22 19:24 | KIS | TAL PEN |
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 25 | 572100 | 03/30/22 18:08 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 17:58 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571428 | 03/25/22 15:52 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 5 | 573266 | 04/10/22 04:49 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573603 | 04/12/22 17:02 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 10 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/23/22 10:50 | EHS | TAL PEN |

## Client Sample ID: FB-01
**Date Collected: 03/23/22 09:25**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-8
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 572100 | 03/30/22 18:11 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 18:00 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571428 | 03/25/22 15:52 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 573266 | 04/10/22 04:37 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573137 | 04/08/22 12:25 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |

## Client Sample ID: DUP-01

**Date Collected: 03/23/22 08:51**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-9

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 572100 | 03/30/22 18:14 | KIS | TAL PEN |
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 25 | 572100 | 03/30/22 18:18 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 18:02 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571428 | 03/25/22 15:52 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 573266 | 04/10/22 04:37 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573137 | 04/08/22 12:06 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |
| Total/NA | Analysis | Field Sampling | | 1 | 573528 | 03/23/22 08:51 | EHS | TAL PEN |

## Client Sample ID: EB-01

**Date Collected: 03/23/22 12:20**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-10

**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 571722 | 03/28/22 19:15 | KWN | TAL PEN |
| Total Recoverable | Analysis | 6020 | | 1 | 572100 | 03/30/22 18:21 | KIS | TAL PEN |
| Total/NA | Prep | 7470A | | | 572697 | 04/06/22 10:30 | NET | TAL PEN |
| Total/NA | Analysis | 7470A | | 1 | 573009 | 04/06/22 18:04 | NET | TAL PEN |
| Total/NA | Analysis | SM 2540C | | 1 | 571428 | 03/25/22 15:52 | VB | TAL PEN |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 573266 | 04/10/22 04:38 | DN1 | TAL PEN |
| Total/NA | Analysis | SM 4500 F C | | 1 | 573137 | 04/08/22 12:42 | KB | TAL PEN |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 573460 | 04/12/22 05:48 | DN1 | TAL PEN |

**Laboratory References:**

TAL PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

## Metals

### Prep Batch: 571722

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total Recoverable | Water | 3005A | |
| 400-217490-2 | MW-103 | Total Recoverable | Water | 3005A | |
| 400-217490-3 | MW-104 | Total Recoverable | Water | 3005A | |
| 400-217490-4 | MW-105 | Total Recoverable | Water | 3005A | |
| 400-217490-5 | MW-106 | Total Recoverable | Water | 3005A | |
| 400-217490-6 | MW-109 | Total Recoverable | Water | 3005A | |
| 400-217490-7 | MW-110 | Total Recoverable | Water | 3005A | |
| 400-217490-8 | FB-01 | Total Recoverable | Water | 3005A | |
| 400-217490-9 | DUP-01 | Total Recoverable | Water | 3005A | |
| 400-217490-10 | EB-01 | Total Recoverable | Water | 3005A | |
| MB 400-571722/1-A ^5 | Method Blank | Total Recoverable | Water | 3005A | |
| LCS 400-571722/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 3005A | |
| 400-217490-1 MS | MW-102 | Total Recoverable | Water | 3005A | |
| 400-217490-1 MSD | MW-102 | Total Recoverable | Water | 3005A | |

### Analysis Batch: 571x2d

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-2 | MW-103 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-3 | MW-104 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-4 | MW-105 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-6 | MW-109 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-7 | MW-110 | Total Recoverable | Water | 6020 | 571722 |
| MB 400-571722/1-A ^5 | Method Blank | Total Recoverable | Water | 6020 | 571722 |
| LCS 400-571722/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-1 MS | MW-102 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-1 MSD | MW-102 | Total Recoverable | Water | 6020 | 571722 |

### Analysis Batch: 572133

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-2 | MW-103 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-3 | MW-104 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-4 | MW-105 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-4 | MW-105 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-5 | MW-106 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-6 | MW-109 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-7 | MW-110 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-8 | FB-01 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-9 | DUP-01 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-9 | DUP-01 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-10 | EB-01 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-1 MS | MW-102 | Total Recoverable | Water | 6020 | 571722 |
| 400-217490-1 MSD | MW-102 | Total Recoverable | Water | 6020 | 571722 |

### Prep Batch: 5728x7

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | 7470A | |
| 400-217490-2 | MW-103 | Total/NA | Water | 7470A | |
| 400-217490-3 | MW-104 | Total/NA | Water | 7470A | |
| 400-217490-4 | MW-105 | Total/NA | Water | 7470A | |

## Metals (ContinueT)

### Prep Batch: 5728x7 (ContinueT)

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-5 | MW-106 | Total/NA | Water | 7470A | |
| 400-217490-6 | MW-109 | Total/NA | Water | 7470A | |
| 400-217490-7 | MW-110 | Total/NA | Water | 7470A | |
| 400-217490-8 | FB-01 | Total/NA | Water | 7470A | |
| 400-217490-9 | DUP-01 | Total/NA | Water | 7470A | |
| 400-217490-10 | EB-01 | Total/NA | Water | 7470A | |
| MB 400-572697/14-A | Method Blank | Total/NA | Water | 7470A | |
| LCS 400-572697/15-A | Lab Control Sample | Total/NA | Water | 7470A | |
| 400-217921-F-1-B MS | Matrix Spike | Total/NA | Water | 7470A | |
| 400-217921-F-1-C MSD | Matrix Spike Duplicate | Total/NA | Water | 7470A | |

### Analysis Batch: 57G33x

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | 7470A | 572697 |
| 400-217490-2 | MW-103 | Total/NA | Water | 7470A | 572697 |
| 400-217490-3 | MW-104 | Total/NA | Water | 7470A | 572697 |
| 400-217490-4 | MW-105 | Total/NA | Water | 7470A | 572697 |
| 400-217490-5 | MW-106 | Total/NA | Water | 7470A | 572697 |
| 400-217490-6 | MW-109 | Total/NA | Water | 7470A | 572697 |
| 400-217490-7 | MW-110 | Total/NA | Water | 7470A | 572697 |
| 400-217490-8 | FB-01 | Total/NA | Water | 7470A | 572697 |
| 400-217490-9 | DUP-01 | Total/NA | Water | 7470A | 572697 |
| 400-217490-10 | EB-01 | Total/NA | Water | 7470A | 572697 |
| MB 400-572697/14-A | Method Blank | Total/NA | Water | 7470A | 572697 |
| LCS 400-572697/15-A | Lab Control Sample | Total/NA | Water | 7470A | 572697 |
| 400-217921-F-1-B MS | Matrix Spike | Total/NA | Water | 7470A | 572697 |
| 400-217921-F-1-C MSD | Matrix Spike Duplicate | Total/NA | Water | 7470A | 572697 |

## 4 eneral Chemistry

### Analysis Batch: 571928

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | SM 2540C | |
| 400-217490-2 | MW-103 | Total/NA | Water | SM 2540C | |
| 400-217490-3 | MW-104 | Total/NA | Water | SM 2540C | |
| 400-217490-4 | MW-105 | Total/NA | Water | SM 2540C | |
| 400-217490-5 | MW-106 | Total/NA | Water | SM 2540C | |
| MB 400-571426/1 | Method Blank | Total/NA | Water | SM 2540C | |
| LCS 400-571426/2 | Lab Control Sample | Total/NA | Water | SM 2540C | |
| 400-217364-A-1 DU | Duplicate | Total/NA | Water | SM 2540C | |

### Analysis Batch: 57192d

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-6 | MW-109 | Total/NA | Water | SM 2540C | |
| 400-217490-7 | MW-110 | Total/NA | Water | SM 2540C | |
| 400-217490-8 | FB-01 | Total/NA | Water | SM 2540C | |
| 400-217490-9 | DUP-01 | Total/NA | Water | SM 2540C | |
| 400-217490-10 | EB-01 | Total/NA | Water | SM 2540C | |
| MB 400-571428/1 | Method Blank | Total/NA | Water | SM 2540C | |
| LCS 400-571428/2 | Lab Control Sample | Total/NA | Water | SM 2540C | |
| 400-217490-6 DU | MW-109 | Total/NA | Water | SM 2540C | |

## 4 eneral Chemistry

### Analysis Batch: 57G1G7

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | SM 4500 F C | |
| 400-217490-3 | MW-104 | Total/NA | Water | SM 4500 F C | |
| 400-217490-4 | MW-105 | Total/NA | Water | SM 4500 F C | |
| 400-217490-5 | MW-106 | Total/NA | Water | SM 4500 F C | |
| 400-217490-6 | MW-109 | Total/NA | Water | SM 4500 F C | |
| 400-217490-8 | FB-01 | Total/NA | Water | SM 4500 F C | |
| 400-217490-9 | DUP-01 | Total/NA | Water | SM 4500 F C | |
| 400-217490-10 | EB-01 | Total/NA | Water | SM 4500 F C | |
| MB 400-573137/3 | Method Blank | Total/NA | Water | SM 4500 F C | |
| LCS 400-573137/6 | Lab Control Sample | Total/NA | Water | SM 4500 F C | |
| 400-217487-B-6 MS | Matrix Spike | Total/NA | Water | SM 4500 F C | |
| 400-217487-B-6 MSD | Matrix Spike Duplicate | Total/NA | Water | SM 4500 F C | |
| 400-217490-8 MS | FB-01 | Total/NA | Water | SM 4500 F C | |
| 400-217490-8 MSD | FB-01 | Total/NA | Water | SM 4500 F C | |

### Analysis Batch: 57G288

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-2 | MW-103 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-3 | MW-104 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-4 | MW-105 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-5 | MW-106 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-6 | MW-109 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-7 | MW-110 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-8 | FB-01 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-9 | DUP-01 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-10 | EB-01 | Total/NA | Water | SM 4500 Cl- E | |
| MB 400-573266/6 | Method Blank | Total/NA | Water | SM 4500 Cl- E | |
| LCS 400-573266/7 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| MRL 400-573266/3 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-1 MS | MW-102 | Total/NA | Water | SM 4500 Cl- E | |
| 400-217490-1 MSD | MW-102 | Total/NA | Water | SM 4500 Cl- E | |

### Analysis Batch: 57G983

| 0a6 Sample Ib | Client Sample Ib | Prep I ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-2 | MW-103 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-3 | MW-104 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-4 | MW-105 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-5 | MW-106 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-6 | MW-109 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-7 | MW-110 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-8 | FB-01 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-9 | DUP-01 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-10 | EB-01 | Total/NA | Water | SM 4500 SO4 E | |
| MB 400-573460/13 | Method Blank | Total/NA | Water | SM 4500 SO4 E | |
| LCS 400-573460/14 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| MRL 400-573460/15 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-5 MS | MW-106 | Total/NA | Water | SM 4500 SO4 E | |
| 400-217490-5 MSD | MW-106 | Total/NA | Water | SM 4500 SO4 E | |

## 4 eneral Chemistry

### Analysis Batch: 57G83G

| 0a6 Sample lb | Client Sample lb | Prep l ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-2 | MW-103 | Total/NA | Water | SM 4500 F C | |
| 400-217490-7 | MW-110 | Total/NA | Water | SM 4500 F C | |
| MB 400-573603/1 | Method Blank | Total/NA | Water | SM 4500 F C | |
| LCS 400-573603/4 | Lab Control Sample | Total/NA | Water | SM 4500 F C | |
| 400-217541-B-4 MS | Matrix Spike | Total/NA | Water | SM 4500 F C | |
| 400-217541-B-4 MSD | Matrix Spike Duplicate | Total/NA | Water | SM 4500 F C | |
| 400-217669-O-2 MS | Matrix Spike | Total/NA | Water | SM 4500 F C | |
| 400-217669-O-2 MSD | Matrix Spike Duplicate | Total/NA | Water | SM 4500 F C | |

## FielT Service / Mo6ile 0a6

### Analysis Batch: 57G52d

| 0a6 Sample lb | Client Sample lb | Prep l ype | MatriD | MethoT | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | Field Sampling | |
| 400-217490-2 | MW-103 | Total/NA | Water | Field Sampling | |
| 400-217490-3 | MW-104 | Total/NA | Water | Field Sampling | |
| 400-217490-4 | MW-105 | Total/NA | Water | Field Sampling | |
| 400-217490-5 | MW-106 | Total/NA | Water | Field Sampling | |
| 400-217490-6 | MW-109 | Total/NA | Water | Field Sampling | |
| 400-217490-7 | MW-110 | Total/NA | Water | Field Sampling | |
| 400-217490-9 | DUP-01 | Total/NA | Water | Field Sampling | |

## Method: 6020 - Metals (ICP/MS)

**Lab Sample ID: MB 400-571722/1-A ^5**
**Matrix: Water**
**Analysis Batch: 571928**

**Client Sample ID: Method Blank**
**Prep Type: Total Recoverable**
**Prep Batch: 571722**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Barium | 0.00070 | U | 0.0025 | 0.00070 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Boron | 0.00424 | I | 0.050 | 0.0012 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Calcium | 0.13 | U | 0.25 | 0.13 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Selenium | 0.00082 | U | 0.0013 | 0.00082 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 03/28/22 19:15 | 03/29/22 18:29 | 5 |

**Lab Sample ID: LCS 400-571722/2-A ^5**
**Matrix: Water**
**Analysis Batch: 571928**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total Recoverable**
**Prep Batch: 571722**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Antimony | 0.0500 | 0.0535 | | mg/L | | 107 | 80 - 120 |
| Arsenic | 0.0500 | 0.0529 | | mg/L | | 106 | 80 - 120 |
| Barium | 0.0500 | 0.0503 | | mg/L | | 101 | 80 - 120 |
| Beryllium | 0.0500 | 0.0503 | | mg/L | | 101 | 80 - 120 |
| Boron | 0.100 | 0.101 | | mg/L | | 101 | 80 - 120 |
| Cadmium | 0.0500 | 0.0522 | | mg/L | | 104 | 80 - 120 |
| Calcium | 5.00 | 5.06 | | mg/L | | 101 | 80 - 120 |
| Chromium | 0.0500 | 0.0525 | | mg/L | | 105 | 80 - 120 |
| Cobalt | 0.0500 | 0.0518 | | mg/L | | 104 | 80 - 120 |
| Lead | 0.0500 | 0.0521 | | mg/L | | 104 | 80 - 120 |
| Lithium | 0.0500 | 0.0512 | | mg/L | | 102 | 80 - 120 |
| Molybdenum | 0.0500 | 0.0515 | | mg/L | | 103 | 80 - 120 |
| Selenium | 0.0500 | 0.0515 | | mg/L | | 103 | 80 - 120 |
| Thallium | 0.0100 | 0.0101 | | mg/L | | 101 | 80 - 120 |

**Lab Sample ID: 400-217490-1 MS**
**Matrix: Water**
**Analysis Batch: 571928**

**Client Sample ID: MW-102**
**Prep Type: Total Recoverable**
**Prep Batch: 571722**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0500 | 0.0531 | | mg/L | | 106 | 75 - 125 |
| Arsenic | 0.0012 | U | 0.0500 | 0.0522 | | mg/L | | 104 | 75 - 125 |
| Barium | 0.013 | | 0.0500 | 0.0645 | | mg/L | | 102 | 75 - 125 |
| Beryllium | 0.00092 | U | 0.0500 | 0.0509 | | mg/L | | 102 | 75 - 125 |
| Boron | 0.023 | I V | 0.100 | 0.112 | | mg/L | | 89 | 75 - 125 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0493 | | mg/L | | 99 | 75 - 125 |
| Calcium | 2.0 | | 5.00 | 7.20 | | mg/L | | 103 | 75 - 125 |
| Chromium | 0.0063 | | 0.0500 | 0.0571 | | mg/L | | 102 | 75 - 125 |
| Cobalt | 0.00092 | I | 0.0500 | 0.0525 | | mg/L | | 103 | 75 - 125 |

## Method: 6020 - Metals (ICP/MS) (Continued)

**Lab Sample ID: 400-217490-1 MS**
**Matrix: Water**
**Analysis Batch: 571928**

**Client Sample ID: MW-102**
**Prep Type: Total Recoverable**
**Prep Batch: 571722**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Lead | 0.00081 | U | 0.0500 | 0.0516 | | mg/L | | 103 | 75 - 125 |
| Lithium | 0.0049 | U | 0.0500 | 0.0487 | | mg/L | | 97 | 75 - 125 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0520 | | mg/L | | 104 | 75 - 125 |
| Selenium | 0.00084 | I | 0.0500 | 0.0507 | | mg/L | | 100 | 75 - 125 |
| Thallium | 0.00046 | U | 0.0100 | 0.0101 | | mg/L | | 101 | 75 - 125 |

**Lab Sample ID: 400-217490-1 MS**
**Matrix: Water**
**Analysis Batch: 572100**

**Client Sample ID: MW-102**
**Prep Type: Total Recoverable**
**Prep Batch: 571722**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.0500 | 0.0535 | | mg/L | | 107 | 75 - 125 |
| Arsenic | 0.00024 | U | 0.0500 | 0.0516 | | mg/L | | 103 | 75 - 125 |
| Barium | 0.013 | | 0.0500 | 0.0628 | | mg/L | | 101 | 75 - 125 |
| Beryllium | 0.00018 | U | 0.0500 | 0.0504 | | mg/L | | 101 | 75 - 125 |
| Boron | 0.017 | V | 0.100 | 0.113 | | mg/L | | 96 | 75 - 125 |
| Cadmium | 0.00013 | U | 0.0500 | 0.0514 | | mg/L | | 103 | 75 - 125 |
| Cobalt | 0.00088 | | 0.0500 | 0.0512 | | mg/L | | 101 | 75 - 125 |
| Lead | 0.00016 | U | 0.0500 | 0.0513 | | mg/L | | 103 | 75 - 125 |
| Lithium | 0.00098 | U | 0.0500 | 0.0501 | | mg/L | | 100 | 75 - 125 |
| Molybdenum | 0.00091 | I | 0.0500 | 0.0527 | | mg/L | | 104 | 75 - 125 |
| Selenium | 0.00025 | | 0.0500 | 0.0493 | | mg/L | | 98 | 75 - 125 |
| Thallium | 0.000092 | U | 0.0100 | 0.0102 | | mg/L | | 102 | 75 - 125 |

**Lab Sample ID: 400-217490-1 MSD**
**Matrix: Water**
**Analysis Batch: 571928**

**Client Sample ID: MW-102**
**Prep Type: Total Recoverable**
**Prep Batch: 571722**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0500 | 0.0545 | | mg/L | | 109 | 75 - 125 | 3 | 20 |
| Arsenic | 0.0012 | U | 0.0500 | 0.0507 | | mg/L | | 101 | 75 - 125 | 3 | 20 |
| Barium | 0.013 | | 0.0500 | 0.0664 | | mg/L | | 106 | 75 - 125 | 3 | 20 |
| Beryllium | 0.00092 | U | 0.0500 | 0.0509 | | mg/L | | 102 | 75 - 125 | 0 | 20 |
| Boron | 0.023 | I V | 0.100 | 0.112 | | mg/L | | 89 | 75 - 125 | 0 | 20 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0526 | | mg/L | | 105 | 75 - 125 | 7 | 20 |
| Calcium | 2.0 | | 5.00 | 7.35 | | mg/L | | 106 | 75 - 125 | 2 | 20 |
| Chromium | 0.0063 | | 0.0500 | 0.0591 | | mg/L | | 106 | 75 - 125 | 3 | 20 |
| Cobalt | 0.00092 | I | 0.0500 | 0.0523 | | mg/L | | 103 | 75 - 125 | 0 | 20 |
| Lead | 0.00081 | U | 0.0500 | 0.0521 | | mg/L | | 104 | 75 - 125 | 1 | 20 |
| Lithium | 0.0049 | U | 0.0500 | 0.0519 | | mg/L | | 104 | 75 - 125 | 6 | 20 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0528 | | mg/L | | 106 | 75 - 125 | 1 | 20 |
| Selenium | 0.00084 | I | 0.0500 | 0.0501 | | mg/L | | 98 | 75 - 125 | 1 | 20 |
| Thallium | 0.00046 | U | 0.0100 | 0.0102 | | mg/L | | 102 | 75 - 125 | 2 | 20 |

## Method: 6020 - Metals (ICP/MS) (Continued)

**Lab Sample ID: 400-217490-1 MSD**
**Matrix: Water**
**Analysis Batch: 572100**

**Client Sample ID: MW-102**
**Prep Type: Total Recoverable**
**Prep Batch: 571722**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.00030 | U | 0.0500 | 0.0543 | | mg/L | | 109 | 75 - 125 | 1 | 20 |
| Arsenic | 0.00024 | U | 0.0500 | 0.0526 | | mg/L | | 105 | 75 - 125 | 2 | 20 |
| Barium | 0.013 | | 0.0500 | 0.0635 | | mg/L | | 102 | 75 - 125 | 1 | 20 |
| Beryllium | 0.00018 | U | 0.0500 | 0.0514 | | mg/L | | 103 | 75 - 125 | 2 | 20 |
| Boron | 0.017 | V | 0.100 | 0.114 | | mg/L | | 97 | 75 - 125 | 0 | 20 |
| Cadmium | 0.00013 | U | 0.0500 | 0.0522 | | mg/L | | 104 | 75 - 125 | 2 | 20 |
| Cobalt | 0.00088 | | 0.0500 | 0.0517 | | mg/L | | 102 | 75 - 125 | 1 | 20 |
| Lead | 0.00016 | U | 0.0500 | 0.0516 | | mg/L | | 103 | 75 - 125 | 1 | 20 |
| Lithium | 0.00098 | U | 0.0500 | 0.0500 | | mg/L | | 100 | 75 - 125 | 0 | 20 |
| Molybdenum | 0.00091 | I | 0.0500 | 0.0529 | | mg/L | | 104 | 75 - 125 | 0 | 20 |
| Selenium | 0.00025 | | 0.0500 | 0.0501 | | mg/L | | 100 | 75 - 125 | 2 | 20 |
| Thallium | 0.000092 | U | 0.0100 | 0.0102 | | mg/L | | 102 | 75 - 125 | 0 | 20 |

## Method: 7470A - Mercury (CVAA)

**Lab Sample ID: MB 400-572697/14-A**
**Matrix: Water**
**Analysis Batch: 573009**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 572697**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 04/06/22 10:30 | 04/06/22 17:29 | 1 |

**Lab Sample ID: LCS 400-572697/15-A**
**Matrix: Water**
**Analysis Batch: 573009**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 572697**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Mercury | 0.00101 | 0.000872 | | mg/L | | 87 | 80 - 120 |

**Lab Sample ID: 400-217921-F-1-B MS**
**Matrix: Water**
**Analysis Batch: 573009**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**
**Prep Batch: 572697**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00165 | | mg/L | | 82 | 80 - 120 |

**Lab Sample ID: 400-217921-F-1-C MSD**
**Matrix: Water**
**Analysis Batch: 573009**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**
**Prep Batch: 572697**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00156 | J3 | mg/L | | 77 | 80 - 120 | 6 | 20 |

## Method: SM 2540C - Solids, Total Dissolved (TDS)

**Lab Sample ID: MB 400-571426/1**
**Matrix: Water**
**Analysis Batch: 571426**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 5.0 | U | 5.0 | 5.0 | mg/L | | | 03/25/22 15:42 | 1 |

**Lab Sample ID: LCS 400-571426/2**
**Matrix: Water**
**Analysis Batch: 571426**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | | | 293 | 334 | | mg/L | | 114 | 78 - 122 | | |

**Lab Sample ID: 400-217364-A-1 DU**
**Matrix: Water**
**Analysis Batch: 571426**

**Client Sample ID: Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | | DU Result | DU Qualifier | Unit | D | | | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 90 | | | 146 | J3 | mg/L | | | | 47 | 5 |

**Lab Sample ID: MB 400-571428/1**
**Matrix: Water**
**Analysis Batch: 571428**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 5.0 | U | 5.0 | 5.0 | mg/L | | | 03/25/22 15:52 | 1 |

**Lab Sample ID: LCS 400-571428/2**
**Matrix: Water**
**Analysis Batch: 571428**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | | | 293 | 268 | | mg/L | | 91 | 78 - 122 | | |

**Lab Sample ID: 400-217490-6 DU**
**Matrix: Water**
**Analysis Batch: 571428**

**Client Sample ID: MW-109**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | | DU Result | DU Qualifier | Unit | D | | | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 90 | | | 92.0 | | mg/L | | | | 2 | 5 |

## Method: SM 4500 Cl- E - Chloride, Total

**Lab Sample ID: MB 400-573266/6**
**Matrix: Water**
**Analysis Batch: 573266**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 1.4 | U | 2.0 | 1.4 | mg/L | | | 04/10/22 04:36 | 1 |

## Method: SM 4500 Cl- E - Chloride, Total (Continued)

**Lab Sample ID: LCS 400-573266/7**
**Matrix: Water**
**Analysis Batch: 573266**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Chloride | 30.0 | 30.0 | | mg/L | | 100 | 90 - 110 |

**Lab Sample ID: MRL 400-573266/3**
**Matrix: Water**
**Analysis Batch: 573266**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Chloride | 2.00 | 1.79 | I | mg/L | | 89 | 50 - 150 |

**Lab Sample ID: 400-217490-1 MS**
**Matrix: Water**
**Analysis Batch: 573266**

**Client Sample ID: MW-102**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 6.9 | | 10.0 | 17.6 | | mg/L | | 107 | 73 - 120 |

**Lab Sample ID: 400-217490-1 MSD**
**Matrix: Water**
**Analysis Batch: 573266**

**Client Sample ID: MW-102**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | 6.9 | | 10.0 | 17.7 | | mg/L | | 108 | 73 - 120 | 1 | 8 |

## Method: SM 4500 F C - Fluoride

**Lab Sample ID: MB 400-573137/3**
**Matrix: Water**
**Analysis Batch: 573137**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/08/22 11:24 | 1 |

**Lab Sample ID: LCS 400-573137/6**
**Matrix: Water**
**Analysis Batch: 573137**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Fluoride | 5.00 | 4.80 | | mg/L | | 96 | 90 - 110 |

**Lab Sample ID: 400-217487-B-6 MS**
**Matrix: Water**
**Analysis Batch: 573137**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.080 | I | 1.00 | 0.880 | | mg/L | | 80 | 75 - 125 |

## Method: SM 4500 F C - Fluoride (Continued)

**Lab Sample ID: 400-217487-B-6 MSD**
**Matrix: Water**
**Analysis Batch: 573137**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.080 | I | 1.00 | 0.940 | J3 | mg/L | | 86 | 75 - 125 | 7 | 4 |

**Lab Sample ID: 400-217490-8 MS**
**Matrix: Water**
**Analysis Batch: 573137**

**Client Sample ID: FB-01**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.070 | U | 1.00 | 0.850 | | mg/L | | 85 | 75 - 125 |

**Lab Sample ID: 400-217490-8 MSD**
**Matrix: Water**
**Analysis Batch: 573137**

**Client Sample ID: FB-01**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.070 | U | 1.00 | 0.900 | J3 | mg/L | | 90 | 75 - 125 | 6 | 4 |

**Lab Sample ID: MB 400-573603/1**
**Matrix: Water**
**Analysis Batch: 573603**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.070 | U | 0.10 | 0.070 | mg/L | | | 04/12/22 17:02 | 1 |

**Lab Sample ID: LCS 400-573603/4**
**Matrix: Water**
**Analysis Batch: 573603**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Fluoride | 5.00 | 5.43 | | mg/L | | 109 | 90 - 110 |

**Lab Sample ID: 400-217541-B-4 MS**
**Matrix: Water**
**Analysis Batch: 573603**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.070 | U | 1.00 | 0.921 | | mg/L | | 92 | 75 - 125 |

**Lab Sample ID: 400-217541-B-4 MSD**
**Matrix: Water**
**Analysis Batch: 573603**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.070 | U | 1.00 | 0.885 | | mg/L | | 89 | 75 - 125 | 4 | 4 |

**Lab Sample ID: 400-217669-O-2 MS**
**Matrix: Water**
**Analysis Batch: 573603**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.79 | | 1.00 | 1.37 | J3 | mg/L | | 59 | 75 - 125 |

## Method: SM 4500 F C - Fluoride

**Lab Sample ID: 400-217669-O-2 MSD**
**Matrix: Water**
**Analysis Batch: 573603**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.79 | | 1.00 | 1.37 | J3 | mg/L | | 59 | 75 - 125 | 0 | 4 |

## Method: SM 4500 SO4 E - Sulfate, Total

**Lab Sample ID: MB 400-573460/13**
**Matrix: Water**
**Analysis Batch: 573460**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 04/12/22 05:48 | 1 |

**Lab Sample ID: LCS 400-573460/14**
**Matrix: Water**
**Analysis Batch: 573460**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfate | 15.0 | 14.9 | | mg/L | | 99 | 90 - 110 |

**Lab Sample ID: MRL 400-573460/15**
**Matrix: Water**
**Analysis Batch: 573460**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfate | 5.00 | 3.47 | I | mg/L | | 69 | 50 - 150 |

**Lab Sample ID: 400-217490-5 MS**
**Matrix: Water**
**Analysis Batch: 573460**

**Client Sample ID: MW-106**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 10.0 | 5.31 | J3 | mg/L | | 53 | 77 - 128 |

**Lab Sample ID: 400-217490-5 MSD**
**Matrix: Water**
**Analysis Batch: 573460**

**Client Sample ID: MW-106**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 10.0 | 5.36 | J3 | mg/L | | 54 | 77 - 128 | 1 | 5 |

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Phone: 850-474-1001 Fax: 850-478-2671

# Chain of Custody Record

eurofins | Environment Testing America

| Client Information | Sampler: Philip Evans | Lab PM: Whitmire, Cheyenne R | Carrier Tracking No(s): | COC No: 400-109433-23628.1 |
|---|---|---|---|---|
| Client Contact: Barry Evans | Phone: 850-336-0192 | E-Mail: Cheyenne.Whitmire@Eurofinset.com | State of Origin: | Page: Page 1 of 1 |
| Company: Gulf Power Company | PWSID: | | | Job #: |
| Address: BIN 731 One Energy Place | Due Date Requested: | | | |
| City: Pensacola | TAT Requested (days): | | | |
| State, Zip: FL, 32520 | Compliance Project: Δ Yes Δ No | | | |
| Phone: 850-444-6427(Tel) | PO #: 2000393131 | | | |
| Email: Barry.Evans@nexteraenergy.com | WO #: 3000004117 | | | |
| Project Name: CCR GCEC Downgradient B | Project #: 40005424 | | | |
| Site: | SSOW#: | | | |

**Analysis Requested**

| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 9315_Ra226, 9320_Ra228, Ra226Ra228_GFPC | SM4500_Cl_E, SM4500_SO4_E | FieldSampling - Field Sampling Parameters | 6020, 7470A | 2540C - Total Dissolved Solids | 4500_F_C - Fluoride | Total Number of containers |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Preservation Code: | | | | | | | N | N | N | N | N | N | |
| MW-102 | 3/23/22 | 1500 | G | Water | | | X | X | X | X | X | X | |
| MW-103 | 3/24/22 | 1350 | | Water | | | | | | | | | |
| MW-104 | 3/23/22 | 1205 | | Water | | | | | | | | | |
| MW-105 | 3/23/22 | 0951 | | Water | | | | | | | | | |
| MW-106 | 3/23/22 | 0920 | | Water | | | | | | | | | |
| MW-109 | 3/23/22 | 1250 | | Water | | | | | | | | | |
| MW-110 | 3/23/22 | 1050 | | Water | | | | | | | | | |
| FB-01 | 3/23/22 | 0925 | | Water | | | | | | | | | |
| DUP-01 | 3/23/22 | 0851 | | Water | | | | | | | | | |
| EB-01 | 3/23/22 | 1220 | G | Water | | | X | X | X | X | X | X | |

400-217490 COC

**Preservation Codes:**

| | |
|---|---|
| A - HCL | M - Hexane |
| B - NaOH | N - None |
| C - Zn Acetate | O - AsNaO2 |
| D - Nitric Acid | P - Na2O4S |
| E - NaHSO4 | Q - Na2SO3 |
| F - MeOH | R - Na2S2O3 |
| G - Amchlor | S - H2SO4 |
| H - Ascorbic Acid | T - TSP Dodecahydrate |
| I - Ice | U - Acetone |
| J - DI Water | V - MCAA |
| K - EDTA | W - pH 4-5 |
| L - EDA | Z - other (specify) |

Other:

lot #s

**Special Instructions/Note:**

1/2gal ($HNO_3$) - 0000280251
500ml (None) - 04221016
250ml ($HNO_3$) - 0000280251

**Possible Hazard Identification**
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

**Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)**
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

| | | | |
|---|---|---|---|
| Empty Kit Relinquished by: | Date: | Time: | Method of Shipment: |
| Relinquished by: | Date/Time: 3/24/22 1505 | Company: RDH | Received by: Kathy R Avery |
| Relinquished by: | Date/Time: | Company: | Received by: |
| Relinquished by: | Date/Time: | Company: | Received by: |

| | | | |
|---|---|---|---|
| Date/Time: 3-24-22 1505 | Company: EETS | | |
| Date/Time: | Company: | | |
| Date/Time: | Company: | | |

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 1.9°C 4.7°C 5.0°C 5.8°C IR8

Ver: 06/08/2021

# Login Sample Receipt Checklist

Client: Gulf Power Company

Job Number: 400-217490-1
SDG Number: Downgradient B

**Login Number: 217490**
**List Number: 1**
**Creator: Roberts, Alexis J**

**List Source: Eurofins Pensacola**

| Question | Answer | Comment |
|---|---|---|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 1.9°C, 4.7°C, 5.0°C, 5.8°C IR8 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

# Accreditation/Certification Summary

Client: Gulf Power Company
Pro&ej td/ ite: CCS GCRC

Job ID: 400-217430-1
/ DG: DownEraBient k

## Laboratory: Eurofins Pensacola

gll aj j reBitationdg ertifij ationd AelB by tAid laboratory are lidteBs h ot all aj j reBitationdg ertifij ationd are applij able to tAid reports

| Authority | Program | Identification Number | Expiration Date |
|---|---|---|---|
| glabama | / tate | 401. 0 | 0N-50-22 |
| ghgk | I/ 6 dRC 1702. | C2471 | 02-25-25 |
| grLandad DRQ | / tate | 99-0N93 | 03-01-22 |
| California | / tate | 2. 10 | 0N-50-22 |
| FloriBa | h RQgP | R91010 | 0N-50-22 |
| GeorEia | / tate | R91010(FO) | 0N-50-22 |
| Illinoid | h RQgP | 200041 | 10-03-22 |
| Kandad | h RQgP | R-102. 5 | 10-51-22 |
| Kentuj Ly (U/ T) | / tate | . 5 | 0N-50-22 |
| Kentuj Ly (WW) | / tate | KY39050 | 12-51-22 |
| Cbuidiana | h RQgP | 5037N | 0N-50-22 |
| Cbuidiana (DW) | / tate | Cg017 | 12-51-22 |
| MarylanB | / tate | 255 | 03-50-22 |
| Maddaj Audettd | / tate | M-FC034 | 0N-50-22 |
| Mij AiEan | / tate | 3312 | 0N-50-22 |
| h ortA Carolina (WWd/ W) | / tate | 514 | 12-51-22 |
| 6 LlaAoma | h RQgP | 3910 | 09-51-22 |
| Penndylvania | h RQgP | N9-004N7 | 01-51-25 |
| / outA Carolina | / tate | 3N02N | 0N-50-22 |
| Tenneddee | / tate | Th 02307 | 0N-50-22 |
| Texad | h RQgP | T10470429N | 03-50-22 |
| U/ FidA & WilBlife | U/ FeBeral ProEramd | 0. 9449 | 07-51-22 |
| U/ Dg | U/ FeBeral ProEramd | P550-21-000. N | 0. -17-24 |
| VirEinia | h RQgP | 4N01NN | 0N-14-22 |
| Wedt VirEinia DRP | / tate | 15N | 0. -51-22 |

eurofins | Environment Testing America



# ANALYTICAL REPORT

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Tel: (850)474-1001

Laboratory Job ID: 400-217490-2
Laboratory Sample Delivery Group: Downgradient B
Client Project/Site: CCR GCEC

For:
Gulf Power Company
BIN 731
One Energy Place
Pensacola, Florida 32520

Attn: Barry Evans

Cheyenne R Whitmire

*Authorized for release by:*
*4/28/2022 4:31:00 PM*

Cheyenne Whitmire, Project Manager II
(850)471-6222
Cheyenne.Whitmire@et.eurofinsus.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

*The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . . 1
Table of Contents . . . . . 2
Case Narrative . . . . . 3
Method Summary . . . . . 4
Sample Summary . . . . . 5
Client Sample Results . . . . . 6
Definitions . . . . . 16
Chronicle . . . . . 17
QC Association . . . . . 20
QC Sample Results . . . . . 21
Chain of Custody . . . . . 23
Receipt Checklists . . . . . 24
Certification Summary . . . . . 25

## Job ID: 400-217490-2

### Laboratory: Eurofins Pensacola

**Narrative**

**Job Narrative**
**400-217490-2**

**Receipt**
The samples were received on 3/24/2022 3:05 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 1.9º C, 4.7º C, 5.0º C and 5.8º C.

**RAD**
Method 9315: Radium 226 Batch 160-557822. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-102 (400-217490-1), MW-103 (400-217490-2), MW-104 (400-217490-3), MW-105 (400-217490-4), MW-106 (400-217490-5), MW-109 (400-217490-6), MW-110 (400-217490-7), FB-01 (400-217490-8), DUP-01 (400-217490-9), EB-01 (400-217490-10), (LCS 160-557822/1-A), (LCSD 160-557822/2-A) and (MB 160-557822/19-A)

Method 9320: Radium-228 batch 557824. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-102 (400-217490-1), MW-103 (400-217490-2), MW-104 (400-217490-3), MW-105 (400-217490-4), MW-106 (400-217490-5), MW-109 (400-217490-6), MW-110 (400-217490-7), FB-01 (400-217490-8), DUP-01 (400-217490-9), EB-01 (400-217490-10), (LCS 160-557824/1-A), (LCSD 160-557824/2-A) and (MB 160-557824/19-A)

Method PrecSep_0: Radium-228 Prep Batch 160-557824. The following samples were prepared at a reduced aliquot due to Matrix: MW-105 (400-217490-4) and DUP-01 (400-217490-9). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

Method PrecSep-21: Radium-226 Prep Batch 160-557822. The following samples were prepared at a reduced aliquot due to Matrix: MW-105 (400-217490-4) and DUP-01 (400-217490-9). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

# Method Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-2
SDG: Downgradient B

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| 9315 | Radium-226 (GFPC) | SW846 | TAL SL |
| 9320 | Radium-228 (GFPC) | SW846 | TAL SL |
| Ra226_Ra228 | Combined Radium-226 and Radium-228 | TAL-STL | TAL SL |
| PrecSep_0 | Preparation, Precipitate Separation | None | TAL SL |
| PrecSep-21 | Preparation, Precipitate Separation (21-Day In-Growth) | None | TAL SL |

**Protocol References:**

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

**Laboratory References:**

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Sample Summary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-2
SDG: Downgradient B

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 400-217490-1 | MW-102 | Water | 03/23/22 15:00 | 03/24/22 15:05 |
| 400-217490-2 | MW-103 | Water | 03/24/22 13:50 | 03/24/22 15:05 |
| 400-217490-3 | MW-104 | Water | 03/23/22 12:05 | 03/24/22 15:05 |
| 400-217490-4 | MW-105 | Water | 03/23/22 09:51 | 03/24/22 15:05 |
| 400-217490-5 | MW-106 | Water | 03/23/22 09:20 | 03/24/22 15:05 |
| 400-217490-6 | MW-109 | Water | 03/23/22 12:50 | 03/24/22 15:05 |
| 400-217490-7 | MW-110 | Water | 03/23/22 10:50 | 03/24/22 15:05 |
| 400-217490-8 | FB-01 | Water | 03/23/22 09:25 | 03/24/22 15:05 |
| 400-217490-9 | DUP-01 | Water | 03/23/22 08:51 | 03/24/22 15:05 |
| 400-217490-10 | EB-01 | Water | 03/23/22 12:20 | 03/24/22 15:05 |

## Client Sample ID: MW-102

**Date Collected: 03/23/22 15:00**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-1

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.705 | | 0.367 | 0.372 | 1.00 | 0.484 | pCi/L | 03/29/22 16:33 | 04/27/22 17:00 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *76.3* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:00* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 1.48 | | 0.428 | 0.449 | 1.00 | 0.564 | pCi/L | 03/29/22 16:51 | 04/27/22 12:36 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *76.3* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:36* | *1* |
| *Y Carrier* | *54.8* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:36* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 2.18 | | 0.564 | 0.583 | 5.00 | 0.564 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: MW-103

**Date Collected: 03/24/22 13:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-2

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.978 | | 0.352 | 0.363 | 1.00 | 0.385 | pCi/L | 03/29/22 16:33 | 04/27/22 17:00 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *92.6* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:00* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 3.54 | | 0.460 | 0.563 | 1.00 | 0.405 | pCi/L | 03/29/22 16:51 | 04/27/22 12:36 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *92.6* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:36* | *1* |
| *Y Carrier* | *58.2* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:36* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 4.52 | | 0.579 | 0.670 | 5.00 | 0.405 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: MW-104

**Date Collected: 03/23/22 12:05**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-3

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 2.30 | | 0.523 | 0.563 | 1.00 | 0.330 | pCi/L | 03/29/22 16:33 | 04/27/22 17:01 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *72.6* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:01* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 14.2 | | 0.967 | 1.63 | 1.00 | 0.478 | pCi/L | 03/29/22 16:51 | 04/27/22 12:36 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *72.6* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:36* | *1* |
| *Y Carrier* | *51.1* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:36* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 16.5 | | 1.10 | 1.72 | 5.00 | 0.478 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: MW-105

**Date Collected: 03/23/22 09:51**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-4

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.737 | | 0.362 | 0.368 | 1.00 | 0.432 | pCi/L | 03/29/22 16:33 | 04/27/22 17:01 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *91.4* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:01* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 1.05 | | 0.392 | 0.403 | 1.00 | 0.537 | pCi/L | 03/29/22 16:51 | 04/27/22 12:34 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *91.4* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:34* | *1* |
| *Y Carrier* | *54.1* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:34* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 1.79 | | 0.534 | 0.546 | 5.00 | 0.537 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: MW-106

**Date Collected: 03/23/22 09:20**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-5

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.251 | U | 0.203 | 0.205 | 1.00 | 0.293 | pCi/L | 03/29/22 16:33 | 04/27/22 17:02 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *94.1* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:02* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Radium-228** | **0.921** | | 0.286 | 0.298 | 1.00 | 0.363 | pCi/L | 03/29/22 16:51 | 04/27/22 12:34 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *94.1* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:34* | *1* |
| *Y Carrier* | *58.6* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:34* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228** | **1.17** | | 0.351 | 0.362 | 5.00 | 0.363 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: MW-109

**Date Collected: 03/23/22 12:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-6

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 1.17 | | 0.351 | 0.367 | 1.00 | 0.284 | pCi/L | 03/29/22 16:33 | 04/27/22 17:02 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *93.1* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:02* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 2.40 | | 0.371 | 0.432 | 1.00 | 0.322 | pCi/L | 03/29/22 16:51 | 04/27/22 12:34 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *93.1* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:34* | *1* |
| *Y Carrier* | *56.4* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:34* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 3.57 | | 0.511 | 0.567 | 5.00 | 0.322 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: MW-110

**Date Collected: 03/23/22 10:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-7

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 1.29 | | 0.426 | 0.441 | 1.00 | 0.377 | pCi/L | 03/29/22 16:33 | 04/27/22 17:02 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *69.6* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:02* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 5.41 | | 0.677 | 0.840 | 1.00 | 0.618 | pCi/L | 03/29/22 16:51 | 04/27/22 12:34 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *69.6* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:34* | *1* |
| *Y Carrier* | *53.4* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:34* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 6.71 | | 0.800 | 0.949 | 5.00 | 0.618 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: FB-01

**Date Collected: 03/23/22 09:25**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-8

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.377 | U | 0.264 | 0.267 | 1.00 | 0.379 | pCi/L | 03/29/22 16:33 | 04/27/22 17:03 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *94.5* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:03* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.316 | U | 0.246 | 0.248 | 1.00 | 0.386 | pCi/L | 03/29/22 16:51 | 04/27/22 12:35 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *94.5* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:38* | *1* |
| *Y Carrier* | *52.2* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:38* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228** | **0.693** | | 0.361 | 0.364 | 5.00 | 0.386 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: DUP-01

**Date Collected: 03/23/22 08:51**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-9

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.402 | U | 0.335 | 0.336 | 1.00 | 0.504 | pCi/L | 03/29/22 16:33 | 04/27/22 17:03 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *98.5* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:03* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Radium-228** | **1.49** | | 0.435 | 0.457 | 1.00 | 0.569 | pCi/L | 03/29/22 16:51 | 04/27/22 12:35 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *98.5* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:38* | *1* |
| *Y Carrier* | *54.8* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:38* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228** | **1.89** | | 0.549 | 0.567 | 5.00 | 0.569 | pCi/L | | 04/27/22 21:58 | 1 |

## Client Sample ID: EB-01

**Date Collected: 03/23/22 12:20**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-10

**Matrix: Water**

### Method: 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.0998 | U | 0.276 | 0.276 | 1.00 | 0.511 | pCi/L | 03/29/22 16:33 | 04/27/22 17:03 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *62.0* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 17:03* | *1* |

### Method: 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.399 | U | 0.358 | 0.360 | 1.00 | 0.573 | pCi/L | 03/29/22 16:51 | 04/27/22 12:37 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *62.0* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:37* | *1* |
| *Y Carrier* | *51.8* | | *40 - 110* | *03/29/22 16:81* | *04/27/22 12:37* | *1* |

### Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 0.499 | U | 0.452 | 0.454 | 5.00 | 0.573 | pCi/L | | 04/27/22 21:58 | 1 |

# Definitions/Glossary

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-2
SDG: Downgradient B

## Qualifiers

### Rad

| Qualifier | Qualifier Description |
|---|---|
| U | Result is less than the sample detection limit. |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

# Lab Chronicle

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-2
SDG: Downgradient B

## Client Sample ID: MW-102
**Date Collected: 03/23/22 15:00**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-1
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562246 | 04/27/22 17:00 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:36 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

## Client Sample ID: MW-103
**Date Collected: 03/24/22 13:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-2
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562246 | 04/27/22 17:00 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:36 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

## Client Sample ID: MW-104
**Date Collected: 03/23/22 12:05**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-3
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562246 | 04/27/22 17:01 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:36 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

## Client Sample ID: MW-105
**Date Collected: 03/23/22 09:51**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-4
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562246 | 04/27/22 17:01 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:34 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

## Client Sample ID: MW-106
**Date Collected: 03/23/22 09:20**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-5
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562246 | 04/27/22 17:02 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:34 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

## Client Sample ID: MW-109
**Date Collected: 03/23/22 12:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-6
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562246 | 04/27/22 17:02 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:34 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

## Client Sample ID: MW-110
**Date Collected: 03/23/22 10:50**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-7
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562246 | 04/27/22 17:02 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:34 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

## Client Sample ID: FB-01
**Date Collected: 03/23/22 09:25**
**Date Received: 03/24/22 15:05**

## Lab Sample ID: 400-217490-8
**Matrix: Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 17:03 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:35 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

# Lab Chronicle

Client: Gulf Power Company
Project/Site: CCR GCEC

Job ID: 400-217490-2
SDG: Downgradient B

## Client Sample ID: DUP-01

**Lab Sample ID: 400-217490-9**

**Date Collected: 03/23/22 08:51**

**Matrix: Water**

**Date Received: 03/24/22 15:05**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 17:03 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:35 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

## Client Sample ID: EB-01

**Lab Sample ID: 400-217490-10**

**Date Collected: 03/23/22 12:20**

**Matrix: Water**

**Date Received: 03/24/22 15:05**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 557822 | 03/29/22 16:33 | LPS | TAL SL |
| Total/NA | Analysis | 9315 | | 1 | 562410 | 04/27/22 17:03 | FLC | TAL SL |
| Total/NA | Prep | PrecSep_0 | | | 557824 | 03/29/22 16:51 | LPS | TAL SL |
| Total/NA | Analysis | 9320 | | 1 | 562246 | 04/27/22 12:37 | FLC | TAL SL |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 562586 | 04/27/22 21:58 | EMH | TAL SL |

**Laboratory References:**

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

## Rad

### Prep Batch: 557822

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | PrecSep-21 | |
| 400-217490-2 | MW-103 | Total/NA | Water | PrecSep-21 | |
| 400-217490-3 | MW-104 | Total/NA | Water | PrecSep-21 | |
| 400-217490-4 | MW-105 | Total/NA | Water | PrecSep-21 | |
| 400-217490-5 | MW-106 | Total/NA | Water | PrecSep-21 | |
| 400-217490-6 | MW-109 | Total/NA | Water | PrecSep-21 | |
| 400-217490-7 | MW-110 | Total/NA | Water | PrecSep-21 | |
| 400-217490-8 | FB-01 | Total/NA | Water | PrecSep-21 | |
| 400-217490-9 | DUP-01 | Total/NA | Water | PrecSep-21 | |
| 400-217490-10 | EB-01 | Total/NA | Water | PrecSep-21 | |
| MB 160-557822/19-A | Method Blank | Total/NA | Water | PrecSep-21 | |
| LCS 160-557822/1-A | Lab Control Sample | Total/NA | Water | PrecSep-21 | |
| LCSD 160-557822/2-A | Lab Control Sample Dup | Total/NA | Water | PrecSep-21 | |

### Prep Batch: 557824

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-217490-1 | MW-102 | Total/NA | Water | PrecSep_0 | |
| 400-217490-2 | MW-103 | Total/NA | Water | PrecSep_0 | |
| 400-217490-3 | MW-104 | Total/NA | Water | PrecSep_0 | |
| 400-217490-4 | MW-105 | Total/NA | Water | PrecSep_0 | |
| 400-217490-5 | MW-106 | Total/NA | Water | PrecSep_0 | |
| 400-217490-6 | MW-109 | Total/NA | Water | PrecSep_0 | |
| 400-217490-7 | MW-110 | Total/NA | Water | PrecSep_0 | |
| 400-217490-8 | FB-01 | Total/NA | Water | PrecSep_0 | |
| 400-217490-9 | DUP-01 | Total/NA | Water | PrecSep_0 | |
| 400-217490-10 | EB-01 | Total/NA | Water | PrecSep_0 | |
| MB 160-557824/19-A | Method Blank | Total/NA | Water | PrecSep_0 | |
| LCS 160-557824/1-A | Lab Control Sample | Total/NA | Water | PrecSep_0 | |
| LCSD 160-557824/2-A | Lab Control Sample Dup | Total/NA | Water | PrecSep_0 | |

## Method: 9315 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-557822/19-A**
**Matrix: Water**
**Analysis Batch: 562245**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 557822**

| Analyte | MB Result | MB Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.1111 | U | 0.197 | 0.197 | 1.00 | 0.346 | pCi/L | 03/29/22 16:33 | 04/27/22 18:13 | 1 |

| *Carrier* | *MB %Yield* | *MB Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *96.8* | | *40 - 110* | *03/29/22 16:33* | *04/27/22 18:13* | *1* |

**Lab Sample ID: LCS 160-557822/1-A**
**Matrix: Water**
**Analysis Batch: 562245**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 557822**

| Analyte | | | Spike Added | LCS Result | LCS Qual | Total Uncert. (2σ+/-) | RL | MDC | Unit | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | | | 11.3 | 10.71 | | 1.40 | 1.00 | 0.423 | pCi/L | 94 | 75 - 125 | | |

| *Carrier* | *LCS %Yield* | *LCS Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *92.1* | | *40 - 110* |

**Lab Sample ID: LCSD 160-557822/2-A**
**Matrix: Water**
**Analysis Batch: 562245**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**
**Prep Batch: 557822**

| Analyte | | | Spike Added | LCSD Result | LCSD Qual | Total Uncert. (2σ+/-) | RL | MDC | Unit | %Rec | %Rec Limits | RER | RER Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | | | 11.3 | 11.82 | | 1.55 | 1.00 | 0.392 | pCi/L | 104 | 75 - 125 | 0.38 | 1 |

| *Carrier* | *LCSD %Yield* | *LCSD Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *79.5* | | *40 - 110* |

## Method: 9320 - Radium-228 (GFPC)

**Lab Sample ID: MB 160-557824/19-A**
**Matrix: Water**
**Analysis Batch: 562409**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 557824**

| Analyte | MB Result | MB Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.2052 | U | 0.219 | 0.220 | 1.00 | 0.357 | pCi/L | 03/29/22 16:51 | 04/27/22 12:33 | 1 |

| *Carrier* | *MB %Yield* | *MB Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *96.8* | | *40 - 110* | *03/29/22 16:51* | *04/27/22 12:33* | *1* |
| *Y Carrier* | *84.1* | | *40 - 110* | *03/29/22 16:51* | *04/27/22 12:33* | *1* |

## Method: 9320 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: LCS 160-557824/1-A**
**Matrix: Water**
**Analysis Batch: 562246**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 557824**

| Analyte | | | Spike Added | LCS Result | LCS Qual | Total Uncert. (2σ+/-) | RL | MDC | Unit | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8.67 | 9.453 | | 1.10 | 1.00 | 0.356 | pCi/L | 109 | 75 - 125 | | |

| *Carrier* | *LCS %Yield* | *LCS Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *92.1* | | *40 - 110* |
| *Y Carrier* | *89.0* | | *40 - 110* |

**Lab Sample ID: LCSD 160-557824/2-A**
**Matrix: Water**
**Analysis Batch: 562246**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**
**Prep Batch: 557824**

| Analyte | | | Spike Added | LCSD Result | LCSD Qual | Total Uncert. (2σ+/-) | RL | MDC | Unit | %Rec | %Rec Limits | RER | RER Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8.67 | 9.773 | | 1.18 | 1.00 | 0.471 | pCi/L | 113 | 75 - 125 | 0.14 | 1 |

| *Carrier* | *LCSD %Yield* | *LCSD Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *79.5* | | *40 - 110* |
| *Y Carrier* | *86.4* | | *40 - 110* |

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Phone: 850-474-1001 Fax: 850-478-2671

# Chain of Custody Record

eurofins | Environment Testing America

| Client Information | Sampler: Philip Evans | Lab PM: Whitmire, Cheyenne R | Carrier Tracking No(s): | COC No: 400-109433-23628.1 |
|---|---|---|---|---|
| Client Contact: Barry Evans | Phone: 850-336-0192 | E-Mail: Cheyenne.Whitmire@Eurofinset.com | State of Origin: | Page: Page 1 of 1 |
| Company: Gulf Power Company | PWSID: | | | Job #: |
| Address: BIN 731 One Energy Place | Due Date Requested: | | | |
| City: Pensacola | TAT Requested (days): | | | |
| State, Zip: FL, 32520 | Compliance Project: Δ Yes Δ No | | | |
| Phone: 850-444-6427(Tel) | PO #: 2000393131 | | | |
| Email: Barry.Evans@nexteraenergy.com | WO #: 3000004117 | | | |
| Project Name: CCR GCEC Downgradient B | Project #: 40005424 | | | |
| Site: | SSOW#: | | | |

**Analysis Requested**

400-217490 COC

**Preservation Codes:**

A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Z - other (specify)

Other:

lot #s

| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 9315_Ra226, 9320_Ra228, Ra226Ra228_GFPC | SM4500_Cl_E, SM4500_SO4_E | FieldSampling - Field Sampling Parameters | 6020, 7470A | 2540C - Total Dissolved Solids | 4500_F_C - Fluoride | Total Number of containers | Special Instructions/Note: |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Preservation Code: | | | | D | N | N | D | N | N | | |
| MW-102 | 3/23/22 | 1500 | G | Water | | | X | X | X | X | X | X | | 1/2gal(HNO3) - 0000280261 |
| MW-103 | 3/24/22 | 1350 | | Water | | | | | | | | | | 500ml(None) - 04221016 |
| MW-104 | 3/23/22 | 1205 | | Water | | | | | | | | | | 250ml(HNO3) - 0000280251 |
| MW-105 | 3/23/22 | 0951 | | Water | | | | | | | | | | |
| MW-106 | 3/23/22 | 0920 | | Water | | | | | | | | | | |
| MW-109 | 3/23/22 | 1250 | | Water | | | | | | | | | | |
| MW-110 | 3/23/22 | 1050 | | Water | | | | | | | | | | |
| FB-01 | 3/23/22 | 0925 | | Water | | | | | | | | | | |
| DUP-01 | 3/23/22 | 0851 | | Water | | | | | | | | | | |
| EB-01 | 3/23/22 | 1220 | G | Water | | | X | X | X | X | X | X | | |

**Possible Hazard Identification**
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

**Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)**
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

| | | | | | | |
|---|---|---|---|---|---|---|
| Empty Kit Relinquished by: | | Date: | Time: | Method of Shipment: | | |
| Relinquished by: | Date/Time: 3/24/22 1505 | Company RDH | Received by: Kathy Q | Date/Time: 3-24-22 1505 | Company EETS | |
| Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company | |
| Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company | |
| Custody Seals Intact: Δ Yes Δ No | Custody Seal No.: | | Cooler Temperature(s) °C and Other Remarks: | 1.9°C 4.7°C 5.0°C 5.8°C IR8 | | |

Ver: 06/08/2021

# Login Sample Receipt Checklist

Client: Gulf Power Company

Job Number: 400-217490-2
SDG Number: Downgradient B

**Login Number: 217490**
**List Number: 1**
**Creator: Roberts, Alexis J**

**List Source: Eurofins Pensacola**

| Question | Answer | Comment |
|---|---|---|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 1.9°C, 4.7°C, 5.0°C, 5.8°C IR8 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

# Accreditation/Certification Summary

Client: Gulf Power Company
Pro&ej td/ ite: CCS GCRC

Job ID: 400-217430-2
/ DG: DownEraBient k

## Laboratory: Eurofins StPLouis

gll aj j reBitationdg ertifij ationd AelB by tAid laboratory are lidteBs h ot all aj j reBitationdg ertifij ationd are applij able to tAid reports

| Autl ority | hrogram | Identification Number | Expiration Date |
|---|---|---|---|
| glad. a M / UT | / tate | 20-001 | 0) -05-2) |
| gh gk | Deptsof Defende R6gP | 62L0) | 04-05-2) |
| gh gk | Deptsof RnerEy | 62L0) s01 | 04-05-2) |
| gh gk | I/ OdRC 1702) | 62L0) | 04-05-2) |
| grizona | / tate | gZ091L | 12-09-22 |
| California | 6od gnEeled County / anitation Didtrij td | 102) 3 | 05-L0-22 |
| California | / tate | 2995 | 07-01-22 |
| Connej tij ut | / tate | PH-0241 | 0L-L1-2L |
| FloriBa | h R6gP | R97593 | 05-L0-22 |
| HI - SaBCAem Sej oEnition | / tate | nca | 05-L0-22 |
| Illinoid | h R6gP | 20002L | 11-L0-22 |
| Iowa | / tate | L7L | 12-01-22 |
| Kandad | h R6gP | R-102L5 | 10-L1-22 |
| Kentuj . y NDWT | / tate | KY3012) | 12-L1-22 |
| Kentuj . y NWWT | / tate | KY3012) NPermit KY0004043T | 12-L1-22 |
| 6ouidiana | h R6gP | 04090 | 05-L0-22 |
| 6ouidiana NDWT | / tate | 6g011 | 12-L1-22 |
| MarylanB | / tate | L10 | 03-L0-22 |
| MI - SaBCAem Sej oEnition | / tate | 300) | 05-L0-22 |
| Middouri | / tate | 790 | 05-L0-22 |
| h evaBa | / tate | MO000) 42020-1 | 07-L1-22 |
| h ew Jerdey | h R6gP | MO002 | 05-L0-22 |
| h ew Yor. | h R6gP | 11515 | 04-01-2L |
| h ortA Da. ota | / tate | S-207 | 05-L0-22 |
| h SC | h SC | 24-24917-01 | 12-L1-22 |
| O. laAoma | h R6gP | 3337 | 09-L1-22 |
| OreEon | h R6gP | 41) 7 | 03-01-22 |
| Penndylvania | h R6gP | 59-00) 40 | 02-29-2L |
| / outA Carolina | / tate | 9) 002001 | 05-L0-22 |
| Uexad | h R6gP | U10470413L | 07-L1-22 |
| ( / FidA & WilBlife | ( / FeBeral ProEramd | 0) 9449 | 07-L1-22 |
| ( / Dg | ( / FeBeral ProEramd | PLL0-17-00029 | 0L-11-2L |
| ( taA | h R6gP | MO000) 42021-14 | 09-01-22 |
| VirEinia | h R6gP | 10L10 | 05-14-22 |
| WadAinEton | / tate | C) 32 | 09-L0-22 |
| Wedt VirEinia DRP | / tate | L91 | 10-L1-22 |

Rurofind Pendaj ola



4/28/2022

Geosyntec consultants

180A Market Place Boulevard
Knoxville, TN 37922
PH 865.330.0037
www.geosyntec.com

# Memorandum

Date: 25 October 2022

To: Lane Dorman

From: Ashley Wilson

CC: J. Caprio

**Subject: Stage 2A Data Validation - Level II Data Deliverables – Eurofins TestAmerica Job IDs 400-217387-1, 400-217487-1, 400-217490-1, 400-217538-1, 400-217541-1, 400-217541-3 and 400-217651-1**

**SITE: Gulf Clean Energy Center**

## INTRODUCTION

This report summarizes the findings of the Stage 2A data validation of thirty-one aqueous samples, six field duplicates, three field blanks and three equipment blanks, collected 22-29 March 2022, as part of the Gulf Clean Energy Center sampling event.

The samples were analyzed at Eurofins Pensacola, Florida, for the following analytical tests:

- Metals by United States (US) Environmental Protection Agency (EPA) Methods 3005A/6020
- Mercury by US EPA Method 7470A
- Total Dissolved Solids (TDS) by Standard Method (SM) 2540C
- Chloride by SM 4500 CL-E
- Fluoride by SM 4500 F C
- Sulfate by SM 4500 SO4 E

## EXECUTIVE SUMMARY

Overall, based on the Stage 2A data validation covering the quality control (QC) parameters listed below and the information provided, the data as qualified are usable for supporting project objectives. Qualified data should be used within the limitation of the qualification.

The data were reviewed based on the pertinent methods referenced in the laboratory reports, professional and technical judgment and the following documents:

- US EPA Region IV Data Validation Standard Operating Procedures (US EPA Region IV, September 2011) and

- US EPA National Functional Guidelines for Inorganic Superfund Methods Data Review, November 2020 (EPA 540-R-20-006).

The following samples were analyzed and reported in the laboratory report:

| Laboratory ID | Client ID |
|---|---|
| 400-217387-1 | MW-100 |
| 400-217387-2 | MW-101 |
| 400-217387-3 | MW-107 |
| 400-217387-4 | MW-108 |
| 400-217387-5 | MW-306 |
| 400-217387-6 | MW-307 |
| 400-217387-7 | DUP-01 |
| 400-217487-1 | MW-300 |
| 400-217487-2 | MW-303 |
| 400-217487-3 | MW-304 |
| 400-217487-4 | MW-305 |
| 400-217487-5 | MW-308 |
| 400-217487-6 | DUP-03 |
| 400-217487-7 | FB-02 |
| 400-217487-8 | EB-02 |
| 400-217490-1 | MW-102 |
| 400-217490-2 | MW-103 |
| 400-217490-3 | MW-104 |
| 400-217490-4 | MW-105 |
| 400-217490-5 | MW-106 |
| 400-217490-6 | MW-109 |
| 400-217490-7 | MW-110 |

| Laboratory ID | Client ID |
|---|---|
| 400-217490-8 | FB-01 |
| 400-217490-9 | DUP-01 |
| 400-217490-10 | EB-01 |
| 400-217538-1 | MW-202 |
| 400-217538-2 | MW-203 |
| 400-217538-3 | MW-204 |
| 400-217538-4 | MW-205 |
| 400-217538-5 | DUP-04 |
| 400-217541-1 | MW-200 |
| 400-217541-2 | MW-201 |
| 400-217541-3 | MW-206 |
| 400-217541-4 | FB-03 |
| 400-217541-5 | EB-03 |
| 400-217651-1 | PZ-200S |
| 400-217651-2 | PZ-200D |
| 400-217651-3 | GSA-2S |
| 400-217651-4 | PZ-201D |
| 400-217651-5 | PZ-203D |
| 400-217651-6 | MW2032/GE-1D |
| 400-217651-7 | DUP-01 |
| 400-217651-8 | DUP-02 |

The chain of custody (COC) indicates the samples were received within the criteria 0-6ºC. No preservation issues were noted by the laboratory.

Data for samples MW-201 and MW-206 in report 400-217541-1 was not validated in this report. However, the revised data issued in report 400-217541-3, was validated for samples MW-201 and MW-206.

## 1.0 METALS

The samples were analyzed for metals by US EPA methods 3005A/6020. Mercury was assessed separately, in section 2.0, below

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues

were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

- ✓ Overall Assessment
- ✓ Holding Time
- ⊗ Method Blank
- ✓ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Duplicate
- ✓ Laboratory Control Sample
- ✓ Equipment Blank
- ⊗ Field Blank
- ⊗ Field Duplicate
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

## 1.1 Overall Assessment

### 1.1.1 Completeness

The metals data reported in this sample set are considered usable for supporting project objectives. The results are considered valid; the analytical completeness defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this data set is 100%.

### 1.1.2 Analysis Anomaly

400-217387-1: The laboratory noted the recoveries of cadmium and lithium in the contract required detection limit verification standard (CRI) in batch 571318 were high and outside of the method specified acceptance criteria. Since only QC samples were analyzed in batch 571318, no qualifications were applied to the data.

400-217541-1: The laboratory noted the recovery of boron in the CRI in batch 571781 was high and outside of the method specified acceptance criteria. Since the boron concentrations in MW-200 and EB-03 were U qualified due to method blank contamination and based on the concentrations detected in FB-03, and professional and technical judgment, no additional qualifications were applied to the data.

400-217541-1: The laboratory noted the replicate relative standard deviations (RSDs) of the metals in the initial calibration verifications (ICVs) in batches 572626 and 572969 were outside of the method specified acceptance criteria; however, the ICV recoveries were within the method specified acceptance criteria. Since the ICV recoveries were within the method specified

acceptance criteria and based on professional and technical judgement, no qualifications were applied to the data.

400-217541-1: The laboratory noted that boron was detected at a concentration greater than the reporting limit (RL) in the continuing calibration blank (CCB) in batches 572626 and 572781. Since the associated samples were qualified due to method blank contamination, no additional qualifications were applied to the data, based on professional and technical judgment.

400-217651-1: The laboratory noted the replicate RSDs of the metals in the ICV in batch 573081 were outside of the method specified acceptance criteria; however, the ICV recoveries were within the method specified acceptance criteria. Since the ICV recoveries were within the method specified acceptance criteria and based on professional and technical judgement, no qualifications were applied to the data.

## 1.2 Holding Time

The holding time for the metals analysis of a preserved water sample is 180 days from sample collection to analysis. The holding times were met for the sample analyses.

## 1.3 Method Blank

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six method blanks were reported (batches 571206, 571729, 571722, 572424, 573010 and 585627). Metals were not detected in the method blanks at or above the method detection limits (MDLs), with the following exceptions.

400-217387-1, 400-217490-1, 400-217538-1 and 400-217541-1: Boron was detected in the method blanks in batches 571206, 571722 and 572424 at estimated concentrations greater than or equal to the MDLs and less than the RLs. Therefore, the estimated boron concentrations in the samples MW-306, MW-307, DUP-01, MW-200, EB-01, MW-106 and EB-03 were U qualified as not detected at the RL, and the boron concentrations in samples MW-100, MW-101, MW-107, MW-108, MW-102 and FB-01 were J+ qualified as estimated with a high bias.

| Sample ID | Compound | Laboratory Result (mg/L) | Laboratory Flag | Validation Result (mg/L) | Validation Qualifier* | Reason Code** |
|---|---|---|---|---|---|---|
| MW-100 | Boron | 0.013 | V | 0.013 | J+ | 3 |
| MW-101 | Boron | 0.012 | V | 0.012 | J+ | 3 |
| MW-107 | Boron | 0.013 | V | 0.013 | J+ | 3 |
| MW-108 | Boron | 0.017 | V | 0.017 | J+ | 3 |
| MW-306 | Boron | 0.0090 | I V | 0.010 | U | 3 |
| MW-307 | Boron | 0.0063 | I V | 0.010 | U | 3 |
| DUP-01 (400-217387-1) | Boron | 0.0071 | I V | 0.010 | U | 3 |

| Sample ID | Compound | Laboratory Result (mg/L) | Laboratory Flag | Validation Result (mg/L) | Validation Qualifier* | Reason Code** |
|---|---|---|---|---|---|---|
| MW-200 | Boron | 0.0043 | I V J3 | 0.010 | U | 3 |
| EB-01 | Boron | 0.0026 | I V | 0.010 | U | 3 |
| MW-106 | Boron | 0.0074 | I V | 0.010 | U | 3 |
| MW-102 | Boron | 0.017 | V | 0.017 | J+ | 3 |
| FB-01 | Boron | 0.017 | V | 0.017 | J+ | 3 |
| EB-03 | Boron | 0.0062 | I V | 0.010 | U | 3 |

mg/L-milligram per liter
I-laboratory flag indicating estimated concentration greater than or equal to the MDL and less than the RL
V-laboratory flag indicating analyte was detected in both the sample and method blank
J3-estimated value; value may not be accurate. Spike recovery or relative percent difference (RPD) outside of criteria.
* Validation qualifiers are defined in Attachment 1 at the end of this report
**Reason codes are defined in Attachment 2 at the end of this report

### 1.4 Matrix Spike/Matrix Spike Duplicate (MS/MSD)

Two sample set specific MS/MSD pairs were reported, both using sample MW-102. The recovery and RPD results were within the laboratory specified acceptance criteria.

Six batch MS/MSD pairs were reported. Since these were batch QC, the results do not affect the samples in this data set and qualifications were not applied to the data.

### 1.5 Laboratory Duplicate

Two sample set specific laboratory were reported using samples MW-201 and MW-206. The recovery and RPD results were within the laboratory specified acceptance criteria.

### 1.6 Laboratory Control Sample (LCS)

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Five LCSs and one LCS/LCS duplicate (LCSD) pair were reported. The recovery and RPD results were within the laboratory specified acceptance criteria.

### 1.7 Equipment Blank

Three equipment blanks, EB-01, EB-02 and EB-03, were collected with the sample set. Metals were not detected in the equipment blanks at or above the MDLs, with the following exceptions.

Boron was detected in EB-01 and EB-02 at estimated concentrations greater than or equal to the MDL and less than the RL. Since the boron concentrations in EB-01 and EB-02 were U qualified due to field blank contamination and based on professional and technical judgment, no additional qualifications were applied to the data.

Boron and chromium were detected in EB-03 at estimated concentrations greater than or equal to the MDLs and less than the RLs. Since the boron concentration in EB-03 was U qualified due to method blank contamination and based on professional and technical judgment, no additional qualifications were applied to the data.

## 1.8 Field Blank

Three field blanks, FB-01, FB-02 and FB-03, were collected with the sample set. Metals were not detected in the field blanks at or above the MDLs, with the following exceptions.

Boron (0.017 mg/L) was detected in FB-01 at a concentration greater than the RL. Since the boron concentration in the associated samples were qualified due to method blank contamination and based on professional and technical judgment, no additional qualifications were applied to the data.

Boron was detected in FB-02 at an estimated concentration greater than or equal to the MDL and less than the RL. Therefore, the estimated boron concentration in sample EB-02 was U qualified as not detected at the RL.

Barium (0.023 mg/L), boron (1.8 mg/L), calcium (58 mg/L) and selenium (0.0033 mg/L) were detected in FB-03 at concentrations greater than the RLs and cobalt was detected at an estimated concentration greater than or equal to the MDL and less than the RL. Therefore, the barium, boron and calcium concentrations in samples MW-202, MW-203, MW-204, MW-205 and DUP-04 were J+ qualified as estimated with a high bias.

| Sample | Analyte | Laboratory Result (mg/L) | Laboratory Flag | Validation Result (mg/L) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|
| EB-02 | Boron | 0.0016 | I V | 0.010 | U | 3 |
| MW-202 | Barium | 0.022 | NA | 0.022 | J+ | 3 |
| MW-203 | Barium | 0.016 | NA | 0.016 | J+ | 3 |
| MW-204 | Barium | 0.026 | NA | 0.026 | J+ | 3 |
| MW-205 | Barium | 0.081 | NA | 0.081 | J+ | 3 |
| DUP-04 | Barium | 0.015 | NA | 0.015 | J+ | 3 |
| MW-202 | Boron | 0.046 | NA | 0.046 | J+ | 3 |
| MW-203 | Boron | 0.56 | NA | 0.56 | J+ | 3 |
| MW-204 | Boron | 4.9 | NA | 4.9 | J+ | 3 |
| MW-205 | Boron | 2.0 | NA | 2.0 | J+ | 3 |
| DUP-04 | Boron | 0.61 | NA | 0.61 | J+ | 3 |
| MW-202 | Calcium | 4.5 | NA | 4.5 | J+ | 3 |
| MW-203 | Calcium | 35 | NA | 35 | J+ | 3 |
| MW-204 | Calcium | 64 | NA | 64 | J+ | 3 |
| MW-205 | Calcium | 33 | NA | 33 | J+ | 3 |

| Sample | Analyte | Laboratory Result (mg/L) | Laboratory Flag | Validation Result (mg/L) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|
| DUP-04 | Calcium | 36 | NA | 36 | J+ | 3 |

mg/L-milligram per liter
I-laboratory flag indicating estimated concentration greater than or equal to the MDL and less than the RL
V-laboratory flag indicating analyte was detected in both the sample and method blank
NA-not applicable

## 1.9 Field Duplicate

Six field duplicates were collected with the sample set, DUP-01 (400-217387), DUP-01 (400-217490), DUP-01 (400-217651), DUP-02, DUP-03 and DUP-04. Acceptable precision (RPD≤ 30%) was demonstrated between the field duplicates and the original samples, MW-307, MW-105, PZ-201D, MW-2032/GE-1D, MW-305 and MW-203, respectively, with the following exceptions.

Lithium was detected in DUP-01 (400-217387) at a concentration greater than the RL and not detected in sample MW-307, resulting in noncalculable RPD. Therefore, the lithium concentration in DUP-01 (400-217387) was J qualified as estimated, and the non-detect lithium result in MW-307 was UJ qualified as estimated less than the MDL.

The boron RPD for field duplicate pair DUP-01 (400-217490) /MW-105 was greater than 30%. Therefore, the boron concentrations in this field duplicate pair were J qualified as estimated.

Selenium was detected in sample MW-203 at a concentration greater than the RL and detected in sample DUP-04 at an estimated concentration greater than or equal to the MDL and less than the RL, resulting in a noncalculable RPD. Therefore, the selenium concentrations in samples MW-203 and DUP-04 were J qualified as estimated.

Chromium was detected in sample DUP-04 at a concentration greater than the RL and detected in sample MW-203 at an estimated concentration greater than or equal to the MDL and less than the RL, resulting in a noncalculable RPD. Therefore, the chromium concentrations in samples MW-203 and DUP-04 were J qualified as estimated.

Arsenic was not detected in DUP-01 (400-217651) and detected in PZ-201D at an estimated concentration greater than or equal to the MDL and less than the RL, resulting in a noncalculable RPD. Therefore, the non-detect cadmium result in DUP-01 (400-217651) was UJ qualified as estimated less than the MDL, and the cadmium concentration in PZ-201D was J qualified as estimated.

The chromium and lead RPDs for field duplicate pair DUP-02/ MW2032/GE-1D were greater than 30%. Therefore, the chromium and lead concentrations in this field duplicate pair were J qualified as estimated.

| Sample | Analyte | Laboratory Result (mg/l) | Laboratory Flag | RPD | Validation Result (mg/l) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|---|
| MW-307 | Lithium | 0.00098 | U | NC | 0.00098 | UJ | 7 |
| DUP-01 (400-217387) | Lithium | 0.0010 | NA | | 0.0010 | J | 7 |
| MW-105 | Boron | 0.23 | NA | 42 | 0.23 | J | 7 |
| DUP-01 (400-217490) | Boron | 0.15 | NA | | 0.15 | J | 7 |
| MW-203 | Chromium | 0.0021 | I | NC | 0.0021 | J | 7 |
| DUP-04 | Chromium | 0.0027 | NA | | 0.0027 | J | 7 |
| MW-203 | Selenium | 0.0018 | NA | NC | 0.0018 | J | 7 |
| DUP-04 | Selenium | 0.0012 | I | | 0.0012 | J | 7 |
| PZ-201D | Arsenic | 0.00041 | NA | NC | 0.00041 | J | 7 |
| DUP-01 (400-217651) | Arsenic | 0.00024 | U | | 0.00024 | UJ | 7 |
| PZ-201D | Chromium | 0.0030 | NA | 33 | 0.0030 | J | 7 |
| DUP-01 (400-217651) | Chromium | 0.0042 | NA | | 0.0042 | J | 7 |
| MW2032/GE-1D | Lead | 0.0065 | NA | 185 | 0.0065 | J | 7 |
| DUP-02 | Lead | 0.00025 | NA | | 0.00025 | J | 7 |

mg/L-milligrams per liter
I-laboratory flag indicating estimated concentration greater than or equal to the MDL and less than the RL
U-not detected at or above the MDL
NA-not applicable
NC-not calculable

### 1.10 Sensitivity

The samples were reported to the MDLs. Elevated non-detect results were reported due to the dilutions analyzed.

### 1.11 Electronic Data Deliverables (EDDs) Review

The results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20% as part of the data validation process. No discrepancies were identified between the level II reports and the EDDs.

## 2.0 MERCURY

The samples were analyzed for mercury by US EPA method 7470A.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

- ✓ Overall Assessment
- ✓ Holding Time
- ✓ Method Blank
- ✓ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Control Sample
- ✓ Equipment Blank
- ✓ Field Blank
- ✓ Field Duplicate
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

## 2.1 Overall Assessment

The mercury data reported in this sample set are considered usable for supporting project objectives. The results are considered valid; the analytical completeness defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this dataset is 100%.

## 2.2 Holding Time

The holding time for the mercury analysis of a water sample is 28 days from sample collection to analysis. The holding times were met for the sample analyses.

## 2.3 Method Blank

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six method blanks were reported (batches 571377, 572703, 572697, 572827, 572960 and 572837). Mercury was not detected in the method blanks at or above the MDL.

## 2.4 Matrix Spike/Matrix Spike Duplicate

MS/MSDs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). One sample set specific MS/MSD pair was reported using sample DUP-02. The recovery and RPD results were within the laboratory specified acceptance criteria.

Five batch MS/MSD pairs were also reported. Since these were batch QC, the results do not affect the samples in this data set and qualifications were not applied to the data.

### 2.5 Laboratory Control Sample

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Six LCSs were reported. The recovery results were within the laboratory specified acceptance criteria.

### 2.6 Equipment Blank

Three equipment blanks, EB-01, EB-02 and EB-03, were collected with the sample set. Mercury was not detected in the equipment blanks at or above the MDL.

### 2.7 Field Blank

Three field blanks, FB-01, FB-02 and FB-03, were collected with the sample set. Mercury was not detected in the field blanks at or above the MDL.

### 2.8 Field Duplicate

Six field duplicates were collected with the sample set, DUP-01 (400-217387), DUP-01 (400-217490), DUP-01 (400-217651), DUP-02, DUP-03 and DUP-04. Acceptable precision (RPD≤ 30%) was demonstrated between the field duplicates and the original samples, MW-307, MW-105, PZ-201D, MW-2032/GE-1D, MW-305 and MW-203, respectively.

### 2.9 Sensitivity

The samples were reported to the MDL. Elevated non-detect results were not reported.

### 2.10 Electronic Data Deliverables Review

The results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20% as part of the data validation process. No discrepancies were identified between the level II reports and the EDDs.

## 3.0 WET CHEMISTRY

The samples were analyzed for chloride by SM 4500 Cl-E, fluoride by SM 4500 F C, sulfate by SM 4500 SO4 E and TDS by SM 2540C.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues

were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

- ✓ Overall Assessment
- ✓ Holding Times
- ✓ Method Blank
- ⊗ Matrix Spike/Matrix Spike Duplicate
- ✓ Laboratory Control Sample
- ⊗ Laboratory Duplicate
- ✓ Equipment Blank
- ✓ Field Blank
- ⊗ Field Duplicate
- ✓ Sensitivity
- ✓ Electronic Data Deliverable Review

## 3.1 Overall Assessment

The wet chemistry data reported in this sample set are considered usable for supporting project objectives. The results are considered valid; the analytical completeness defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for these analyses, for this dataset is 100%.

## 3.2 Holding Times

The holding time for the fluoride, chloride and sulfate analysis of a water sample is 28 days from sample collection to analysis. The holding time for the TDS analysis of a water sample is 7 days from sample collection to analysis. The holding times were met for the sample analyses.

## 3.3 Method Blank

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Method blanks were reported for each analysis and batch TDS (batches 571426, 571428, 571860, 571994 and 571997), chloride (batches 572414, 573266, 573294, 573782 and 573861), sulfate (batches 573459, 573460 and 573877) and fluoride (batches 572170, 573137, 573603 and 573948) The wet chemistry parameters were not detected in the method blanks at or above the MDLs.

## 3.4 Matrix Spike/Matrix Spike Duplicate

MS/MSDs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Sample set specific MS/MSD pairs were reported for chloride using samples MW-101, MW-102, MW-202, PZ-200S and PZ-203D, sulfate using samples MW-101,

MW-107, MW-300, MW-106, MW-202 and PZ-201D and fluoride using samples DUP-03, FB-01, FB-03 and PZ-200D. The recovery and RPD results were within the laboratory specified acceptance criteria, with the following exceptions.

400-217387-1: The recoveries of sulfate in the MS/MSD pairs using samples MW-101 and MW-107 were low and outside of the laboratory specified acceptance criteria. Therefore, the non-detect results of sulfate in samples MW-101 and MW-107 were UJ qualified as estimated less than the MDL.

400-217487-1: The recoveries of sulfate in the MS/MSD pair using sample MW-300 were low and outside of the laboratory specified acceptance criteria. Therefore, the non-detect result of sulfate in sample MW-300 was UJ qualified as estimated less than the MDL.

400-217490-1: The RPD of fluoride in the MS/MSD pair using sample FB-01 was high and outside of the laboratory specified acceptance criteria. Since fluoride was not detected in sample FB-01, no qualifications were applied to the data.

400-217490-1: The recoveries of sulfate in the MS/MSD pair using sample MW-106 were low and outside of the laboratory specified acceptance criteria. Therefore, the non-detect result of sulfate in sample MW-106 was UJ qualified as estimated less than the MDL.

400-217538-1 Rev 1: The recoveries of sulfate in the MS/MSD pair using sample MW-202 were low and outside of the laboratory specified acceptance criteria. Therefore, the sulfate concentration in sample MW-202 was J- qualified as estimated with a low bias.

400-217651-1: The MS recovery of chloride in the MS/MSD pair using sample PZ-200S was low and outside of the laboratory specified acceptance criteria. Therefore, the sulfate concentration in sample PZ-200S was J- qualified as estimated with a low bias.

400-217651-1: The RPD and MS recovery of chloride in the MS/MSD pair using sample PZ-203D were high and outside of the laboratory specified acceptance criteria. Therefore, the sulfate concentration in sample PZ-203D was J qualified as estimated.

400-217651-1: The recoveries of sulfate in the MS/MSD pair using sample PZ-201D were low and outside of the laboratory specified acceptance criteria. Therefore, the estimated sulfate concentration in sample PZ-201D was J qualified as estimated.

Batch MS/MSD pairs were also reported for chloride, sulfate and fluoride. Since these were batch QC, the results do not affect the samples in this data set and qualifications were not applied to the data.

| Sample ID | Compound | Laboratory Result (mg/L) | Laboratory Flag | Validation Result (mg/L) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|
| MW-101 | Sulfate | 1.4 | U | 1.4 | UJ | 4 |
| MW-107 | Sulfate | 1.4 | U | 1.4 | UJ | 4 |
| MW-300 | Sulfate | 1.4 | U | 1.4 | UJ | 4 |
| MW-106 | Sulfate | 1.4 | U | 1.4 | UJ | 4 |
| MW-202 | Sulfate | 17 | NA | 17 | J- | 4 |
| PZ-200S | Chloride | 340 | NA | 340 | J- | 4 |
| PZ-203D | Chloride | 3.1 | NA | 3.1 | J | 4 |
| PZ-201D | Sulfate | 4.6 | I | 4.6 | J | 4 |

mg/L-milligram per liter
I- laboratory flag indicating an estimated concentration greater than or equal to the MDL and less than the RL
U-not detected at or above the MRL
NA-not applicable

## 3.5 Laboratory Control Sample

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). LCSs were reported for each analysis and batch. The laboratory also analyzed method reporting limit (MRL) standards for chloride and sulfate. The recovery results were within the laboratory specified acceptance criteria.

## 3.6 Laboratory Duplicate

Two sample set specific laboratory duplicates were reported for TDS using samples MW-109, DUP-04 and MW2032/GE-1D.

The RPDs of TDS in the laboratory duplicates using samples DUP-04 and MW2032/GE-1D were high and outside of the laboratory specified acceptance criteria. Therefore, the TDS concentrations in samples DUP-04 and MW2032/GE-1D were J qualified as estimated.

Batch laboratory duplicates were also reported for TDS. Since these were batch QC, the results do not affect the samples in this data set and qualifications were not applied to the data.

| Sample | Analyte | Laboratory Result (mg/l) | Laboratory Flag | Validation Result (mg/l) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|
| MW2032/GE-1D | TDS | 120 | NA | 120 | J | 12 |
| DUP-04 | TDS | 170 | NA | 170 | J | 12 |

mg/L-milligrams per liter
NA-not applicable

### 3.7 Equipment Blank

Four equipment blanks, EB-01, EB-02 and EB-03, were collected with the sample set. The wet chemistry parameters were not detected in the equipment blanks at or above the MDLs.

### 3.8 Field Blank

Four field blanks, FB-01, FB-02 and FB-03 were collected with the sample set. The wet chemistry parameters were not detected in the field blanks at or above the MDLs, with the following exception.

400-217487-1: TDS (8.0 mg/L) was detected in FB-02 at a concentration greater than the RL. Therefore, the TDS concentrations in sample MW-300 and MW-305 were J+ qualified as estimated with high biases.

| Sample | Analyte | Laboratory Result (mg/l) | Laboratory Flag | Validation Result (mg/l) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|
| MW-300 | TDS | 16 | NA | 16 | J+ | 3 |
| MW-305 | TDS | 62 | NA | 62 | J+ | 3 |

mg/L-milligrams per liter
NA-not applicable

### 3.9 Field Duplicate

Six field duplicates were collected with the sample set, DUP-01 (400-217387), DUP-01 (400-217490), DUP-01 (400-217651), DUP-02, DUP-03 and DUP-04. Acceptable precision (RPD≤ 30%) was demonstrated between the field duplicates and the original samples, MW-307, MW-105, PZ-201D, MW-2032/GE-1D, MW-305 and MW-203, respectively, with the following exceptions.

The RPD of TDS in field duplicate pairs MW-307/DUP-01 (400-217387), MW-305/DUP-03, PZ-201-D/DUP-01 (400-217651) and MW2032/GE-1D/DUP-02 were greater than 30%; therefore, the TDS concentrations in field duplicate pairs MW-/DUP-01 (400-217387), MW-305/DUP-03, PZ-201-D/DUP-01 (400-217651) and MW2032/GE-1D/DUP-02 were J qualified as estimated.

Fluoride was detected in DUP-03 at an estimated concentration greater than or equal to the MDL and less than the RL and not detected in sample MW-305, resulting in a noncalculable RPD. Therefore, the fluoride concentration in DUP-03 was J qualified as estimated and the non-detect result of fluoride in MW-305 was UJ qualified as estimated less than the MDL.

| Sample | Analyte | Laboratory Result (mg/l) | Laboratory Flag | RPD | Validation Result (mg/l) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|---|
| MW-305 | Fluoride | 0.070 | U | NC | 0.070 | UJ | 7 |
| DUP-03 | Fluoride | 0.080 | I | | 0.080 | J | 7 |
| MW-307 | TDS | 22 | NA | 71 | 22 | J | 7 |
| DUP-01 (400-217387) | TDS | 46 | NA | | 46 | J | 7 |
| MW-305 | TDS | 62 | NA | 45 | 62 | J | 7 |
| DUP-03 | TDS | 98 | NA | | 98 | J | 7 |
| PZ-201D | TDS | 42 | NA | 35 | 42 | J | 7 |
| DUP-01 (400-217651) | TDS | 60 | NA | | 60 | J | 7 |
| MW2032/GE-1D | TDS | 120 | NA | 53 | 120 | J | 7 |
| DUP-02 | TDS | 70 | NA | | 70 | J | 7 |

mg/L-milligrams per liter
U- laboratory flag indicating not detected at or above the MDL
I-the reported value is between the laboratory MDL and the laboratory practical quantitation limit
NA-not applicable
NC-not calculable

### 3.10 Sensitivity

The samples were reported to the MDLs. Elevated non-detect results were not reported.

### 3.11 Electronic Data Deliverables Review

The results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20% as part of the data validation process. No discrepancies were identified between the level II reports and the EDDs.

---

* * * * *

**ATTACHMENT 1**
**DATA VALIDATION QUALIFIER DEFINITIONS**
**AND INTERPRETATION KEY**
**Assigned by Geosyntec's Data Validation Team**

## DATA QUALIFIER DEFINITIONS

U The analyte was analyzed for but was not detected at or above the reported sample quantitation limit. Upon application of the U qualifier to a reported result, the definition changes to "not detected at or above the reported result".

J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

J+ The analyte was positively identified; however, the associated numerical value is likely to be higher than the concentration of the analyte in the sample due to positive bias of associated QC or calibration data or attributable to matrix interference.

J- The analyte was positively identified; however, the associated numerical value is likely to be lower than the concentration of the analyte in the sample due to negative bias of associated QC or calibration data or attributable to matrix interference.

UJ The analyte was not detected at or above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.

R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

**ATTACHMENT 2**
**DATA VALIDATION REASON CODES**
**Assigned by Geosyntec's Data Validation Team**

| Valid Value | Description |
|---|---|
| 1 | Preservation requirement not met |
| 2 | Extraction or analysis holding time exceeded |
| 3 | Blank contamination (i.e., method, trip, equipment, etc.) |
| 4 | Matrix spike/matrix spike duplicate recovery or RPD outside limits |
| 5 | LCS recovery outside limits or RPD outside limits (LCS/LCSD) |
| 6 | Surrogate recovery outside limits |
| 7 | Field Duplicate RPD exceeded |
| 8 | Serial dilution percent difference exceeded |
| 9 | Calibration criteria not met |
| 10 | Linear range exceeded |
| 11 | Internal standard criteria not met |
| 12 | Lab duplicates RPD exceeded |
| 13 | Other |
| 14 | Lab flag removed: no validation qualification required |

LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample duplicate
RPD - Relative percent difference

Geosyntec consultants

180A Market Place Boulevard
Knoxville, TN 37922
PH 865.330.0037
www.geosyntec.com

# Memorandum

| | |
|---|---|
| Date: | 21 September 2022 |
| To: | Lane Dorman |
| From: | Matthew Richardson |
| CC: | J. Caprio |
| **Subject:** | **Stage 2A Data Validation - Level II Data Deliverables – Eurofins Job IDs 400-217387-2, 400-217487-2, 400-217490-2, 400-217538-2, 400-217541-2 and 400-217651-2** |

**SITE: Gulf Clean Energy Center**

## INTRODUCTION

This report summarizes the findings of the Stage 2A data validation of thirty-one aqueous samples, six field duplicates, three field blanks and three equipment blanks, collected 22-25 March 2022 and 28-29 March 2022, as part of the Gulf Clean Energy Center sampling event.

The samples were analyzed at Eurofins St Louis, MO, for the following analytical tests:

- Radium-226 by United States (US) Environmental Protection Agency (EPA) Method 9315
- Radium-228 by US EPA Method 9320
- Combined Radium 226 + 228 by Calculation

## EXECUTIVE SUMMARY

Based on the Stage 2A data validation covering the quality control (QC) parameters listed below and the information provided, the data as qualified are usable for supporting project objectives. Qualified data should be used within the limitation of the qualification.

The data were reviewed based on the pertinent methods referenced in the laboratory reports, professional and technical judgment and the following documents:

- United States Environmental Protection Agency (US EPA) Region IV Data Validation Standard Operating Procedures (US EPA Region IV, September 2011) and
- American Nuclear Society Verification and Validation of Radiological Data for Use in Management and Environmental Remediation, ANSI/ANS-41.5-2012, February 15, 2012.

The following samples were analyzed and reported in the laboratory reports:

| Laboratory ID | Client ID |
|---|---|
| 400-217387-1 | MW-100 |
| 400-217387-2 | MW-101 |
| 400-217387-3 | MW-107 |
| 400-217387-4 | MW-108 |
| 400-217387-5 | MW-306 |
| 400-217387-6 | MW-307 |
| 400-217387-7 | DUP-01 |
| 400-217487-1 | MW-300 |
| 400-217487-2 | MW-303 |
| 400-217487-3 | MW-304 |
| 400-217487-4 | MW-305 |
| 400-217487-5 | MW-308 |
| 400-217487-6 | DUP-03 |
| 400-217487-7 | FB-02 |
| 400-217487-8 | EB-02 |
| 400-217490-1 | MW-102 |
| 400-217490-2 | MW-103 |
| 400-217490-3 | MW-104 |
| 400-217490-4 | MW-105 |
| 400-217490-5 | MW-106 |
| 400-217490-6 | MW-109 |
| 400-217490-7 | MW-110 |

| Laboratory ID | Client ID |
|---|---|
| 400-217490-8 | FB-01 |
| 400-217490-9 | DUP-01 |
| 400-217490-10 | EB-01 |
| 400-217538-1 | MW-202 |
| 400-217538-2 | MW-203 |
| 400-217538-3 | MW-204 |
| 400-217538-4 | MW-205 |
| 400-217538-5 | DUP-04 |
| 400-217541-1 | MW-200 |
| 400-217541-2 | MW-201 |
| 400-217541-3 | MW-206 |
| 400-217541-4 | FB-03 |
| 400-217541-5 | EB-03 |
| 400-217651-1 | PZ-200S |
| 400-217651-2 | PZ-200D |
| 400-217651-3 | GSA-2S |
| 400-217651-4 | PZ-201D |
| 400-217651-5 | PZ-203D |
| 400-217651-6 | MW2032/GE-1D |
| 400-217651-7 | DUP-01 |
| 400-217651-8 | DUP-02 |

No preservation issues were noted by the laboratory.

400-217538-2 - Incorrect error corrections were observed on the chain of custody (COC), instead of the proper procedure of a single strike through, correction, and initials and date of person making the corrections.

## 1.0 RADIOCHEMISTRY

The samples were analyzed for radium-226 by US EPA method 9315, radium-228 by US EPA method 9320 and combined radium 226+228 by calculation.

The areas of data review are listed below. A leading check mark (✓) indicates an area of review in which the data were acceptable. A preceding crossed circle (⊗) signifies areas where issues were raised during the course of the validation review and should be considered to determine any impact on data quality and usability.

⊗ Overall Assessment
✓ Holding Times
✓ Method Blank

✓ Matrix Spike/Matrix Spike Duplicate
⊗ Laboratory Control Sample
✓ Tracers and Carriers
✓ Equipment Blank
✓ Field Blank
✓ Field Duplicate
✓ Sensitivity
✓ Electronic Data Deliverable Review

## 1.1 Overall Assessment

### 1.1.1 Completeness

The radium-226 and radium-228 data reported in this sample set are considered usable for meeting project objectives. The results are considered valid; the analytical completeness defined as the ratio of the number of valid analytical results (valid analytical results include values qualified as estimated) to the total number of analytical results requested on samples submitted for this analysis, for this sample set is 100%.

### 1.1.2 Analysis Anomaly

400-217490-2 and 400-217651-2: Radium-226 and radium-228 were detected at concentrations less than the minimum detectable concentrations (MDCs)in samples FB-01 and PZ-201D; however, the combined radium 226 + 228 concentrations were indicated as being greater than the MDCs. Since both radium-226 and radium-228 were less than the MDCs, radium 226 + 228 was calculated form the radium-226 and radium-228 concentrations and based on professional and technical judgment, the combined radium 226 + 228 concentration in samples FB-01 and PZ-201D were U qualified as not detected at or above the MDCs.

| Sample | Analyte | Laboratory Result (pCi/L) | Laboratory Flag | Validation Result (pCi/L) | Validation Qualifier* | Reason Code** |
|---|---|---|---|---|---|---|
| FB-01 | Combined Radium 226 + 228 | 0.693 | NA | 0.693 | U | 13 |
| MW-100 | Combined Radium 226 + 228 | 0.673 | NA | 0.673 | U | 13 |

pCi/L-picocuries per liter
NA-not applicable
* Validation qualifiers are defined in Attachment 1 at the end of this report
**Reason codes are defined in Attachment 2 at the end of this report

## 1.2 Holding Times

The holding time for the radium-226 and radium-228 analyses of a water sample is 180 days from sample collection to analysis. The holding times were met for the sample analyses.

### 1.3 Method Blank

Method blanks were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Four method blanks were reported for radium-226 (batches 557819, 557822, 557866 and 558514 ) and four method blanks were reported for radium-228 (batches 557820, 557824, 558008 and 558519). The radiochemistry parameters were not detected in the method blanks above the MDCs.

### 1.4 Matrix Spike/Matrix Spike Duplicate (MS/MSD)

MS/MSD pairs were not reported.

### 1.5 Laboratory Control Sample (LCS)

LCSs were analyzed at the proper frequency for the number and types of samples analyzed (one per batch of 20 samples). Four LCS/laboratory control sample duplicate (LCSD) pairs were reported for radium-226 and four LCS/LCSD pair were reported for radium-228. The recovery and replicate error ratio (RER) results were within the laboratory specified acceptance criteria, with the following exceptions.

**400-217387-2 and 400-217487-2:** The recoveries of radium-228 in the LCS/LCSD pair in batch 557820 were high and outside of the laboratory specified acceptance criteria. Therefore, the concentrations of radium-228 and combined radium 226 and 228 in the associated samples were J qualified as estimated.

| Sample | Analyte | Laboratory Result (pCi/L) | Laboratory Flag | Validation Result (pCi/L) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|
| MW-100 | Radium-228 | 1.28 | NA | 1.28 | J | 5 |
| MW-100 | Combined Radium 226 + 228 | 1.75 | NA | 1.75 | J | 5 |
| MW-101 | Radium-228 | 0.795 | NA | 0.795 | J | 5 |
| MW-101 | Combined Radium 226 + 228 | 1.10 | NA | 1.10 | J | 5 |
| MW-107 | Radium-228 | 1.20 | NA | 1.20 | J | 5 |
| MW-107 | Combined Radium 226 + 228 | 1.78 | NA | 1.78 | J | 5 |
| MW-108 | Radium-228 | 2.57 | NA | 2.57 | J | 5 |
| MW-108 | Combined Radium 226 + 228 | 3.12 | NA | 3.12 | J | 5 |
| MW-306 | Radium-228 | 1.06 | NA | 1.06 | J | 5 |
| MW-306 | Combined Radium 226 + 228 | 1.33 | NA | 1.33 | J | 5 |
| MW-307 | Radium-228 | 0.686 | NA | 0.686 | J | 5 |
| MW-307 | Combined Radium 226 + 228 | 1.32 | NA | 1.32 | J | 5 |
| DUP-01 | Radium-228 | 0.549 | NA | 0.549 | J | 5 |
| DUP-01 | Combined Radium 226 + 228 | 1.17 | NA | 1.17 | J | 5 |

| Sample | Analyte | Laboratory Result (pCi/L) | Laboratory Flag | Validation Result (pCi/L) | Validation Qualifier | Reason Code |
|---|---|---|---|---|---|---|
| MW-300 | Radium-228 | 4.48 | NA | 4.48 | J | 5 |
| MW-300 | Combined Radium 226 + 228 | 5.39 | NA | 5.39 | J | 5 |
| MW-303 | Radium-228 | 4.69 | NA | 4.69 | J | 5 |
| MW-303 | Combined Radium 226 + 228 | 5.28 | NA | 5.28 | J | 5 |
| MW-304 | Radium-228 | 4.23 | NA | 4.23 | J | 5 |
| MW-304 | Combined Radium 226 + 228 | 6.01 | NA | 6.01 | J | 5 |
| MW-305 | Radium-228 | 2.06 | NA | 2.06 | J | 5 |
| MW-305 | Combined Radium 226 + 228 | 3.00 | NA | 3.00 | J | 5 |
| MW-308 | Radium-228 | 2.21 | NA | 2.21 | J | 5 |
| MW-308 | Combined Radium 226 + 228 | 3.16 | NA | 3.16 | J | 5 |
| DUP-03 | Radium-228 | 1.46 | NA | 1.46 | J | 5 |
| DUP-03 | Combined Radium 226 + 228 | 2.76 | NA | 2.76 | J | 5 |

pCi/L-picocuries per liter
NA-not applicable

## 1.6 Tracers and Carriers

Carriers were reported for the radium-226 and radium-228 analyses. The recovery results were within the laboratory specified acceptance criteria.

## 1.7 Equipment Blank

Three equipment blanks were collected with the sample set, EB-01, EB-02 and EB-03. The radiochemistry parameters were not detected in the equipment blanks above the MDCs.

## 1.8 Field Blank

Three field blanks were collected with the sample set, FB-01, FB-02 and FB-03. The radiochemistry parameters were not detected in the field blanks above the MDCs, with the following exception.

**400-217490-2 –** Combined Radium-226 and 228 was reported in FB-01 at a concentration greater than the MDC. Since the Radium 226 and Radium 228 were not detected at concentrations greater than the MDCs and based on professional and technical judgment, no qualifications were applied to the data.

## 1.9 Field Duplicate

Six field duplicates were collected with the sample set, DUP-01 (400-217387-2), DUP-01 (400-217490-2), DUP-01 (400-217651-2), DUP-02, DUP-03 and DUP-04. Acceptable precision (RER≤

3) was demonstrated between the field duplicates and the original samples, MW-307, MW-105, PZ-201D, MW-2032/GE-1D, MW-305 and MW-203, respectively.

### 1.10 Sensitivity

The samples were reported to the MDCs. Elevated non-detect results were not reported.

### 1.11 Electronic Data Deliverables (EDDs) Review

The results and sample IDs in the EDDs were reviewed against the information provided by the associated level II reports at a minimum of 20% as part of the data validation process. No discrepancies were identified between the level II reports and the EDDs.

**ATTACHMENT 1**
**DATA VALIDATION QUALIFIER DEFINITIONS**
**Assigned by Geosyntec's Data Validation Team**

## DATA QUALIFIER DEFINITIONS

U The analyte was analyzed for but was not detected at or above the reported sample quantitation limit. Upon application of the U qualifier to a reported result, the definition changes to "not detected at or above the reported result".

J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.

J+ The analyte was positively identified; however, the associated numerical value is likely to be higher than the concentration of the analyte in the sample due to positive bias of associated QC or calibration data or attributable to matrix interference.

J- The analyte was positively identified; however, the associated numerical value is likely to be lower than the concentration of the analyte in the sample due to negative bias of associated QC or calibration data or attributable to matrix interference.

N There is presumptive evidence that the analyte is present; the analyte is reported as a tentative identification.

UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.

R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.

**ATTACHMENT 2**
**DATA VALIDATION REASON CODES**
**Assigned by Geosyntec's Data Validation Team**

| Valid Value | Description |
|---|---|
| 1 | Preservation requirement not met |
| 2 | Extraction or analysis holding time exceeded |
| 3 | Blank contamination (i.e., method, trip, equipment, etc.) |
| 4 | Matrix spike/matrix spike duplicate recovery or RPD outside limits |
| 5 | LCS recovery outside limits or RPD outside limits (LCS/LCSD) |
| 6 | Surrogate recovery outside limits |
| 7 | Field Duplicate RPD exceeded |
| 8 | Serial dilution percent difference exceeded |
| 9 | Calibration criteria not met |
| 10 | Linear range exceeded |
| 11 | Internal standard criteria not met |
| 12 | Lab duplicates RPD exceeded |
| 13 | Other |
| 14 | Lab flag removed: no validation qualification required |

LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample duplicate
RPD - Relative percent difference

# Low-Flow Test Report:

**Test Date / Time:** 9/7/2022 8:44:34 AM
**Project:** Crist CCR MW-100 9-7-22
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist MW-100 9-7-22**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 109 ft**<br>**Total Depth: 119 ft**<br>**Initial Depth to Water: 88.45 ft** | **Pump Type: Pp**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 114 ft**<br>**Estimated Total Volume Pumped: 34000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.13 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Cloudy 75

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/7/2022 8:44 AM | 00:00 | 4.74 pH | 16.72 °C | 38.95 µS/cm | 8.90 mg/L | 27.50 NTU | 93.5 mV | 88.45 ft | 400.00 ml/min |
| 9/7/2022 8:49 AM | 05:00 | 4.70 pH | 14.19 °C | 40.11 µS/cm | 9.57 mg/L | 22.20 NTU | 100.4 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 8:54 AM | 10:00 | 4.69 pH | 14.22 °C | 39.68 µS/cm | 9.42 mg/L | 26.20 NTU | 111.0 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 8:59 AM | 15:00 | 4.68 pH | 14.62 °C | 39.24 µS/cm | 9.24 mg/L | 21.80 NTU | 119.3 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:04 AM | 20:00 | 4.71 pH | 14.50 °C | 38.99 µS/cm | 9.28 mg/L | 16.80 NTU | 128.2 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:09 AM | 25:00 | 4.72 pH | 14.39 °C | 39.00 µS/cm | 9.34 mg/L | 13.00 NTU | 138.4 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:14 AM | 30:00 | 4.71 pH | 13.98 °C | 39.09 µS/cm | 9.42 mg/L | 11.20 NTU | 161.0 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:19 AM | 35:00 | 4.69 pH | 14.17 °C | 39.25 µS/cm | 9.37 mg/L | 8.65 NTU | 173.7 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:24 AM | 40:00 | 4.68 pH | 14.04 °C | 38.91 µS/cm | 9.34 mg/L | 5.73 NTU | 185.4 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:29 AM | 45:00 | 4.71 pH | 14.10 °C | 38.79 µS/cm | 9.38 mg/L | 4.89 NTU | 189.2 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:34 AM | 50:00 | 4.73 pH | 14.53 °C | 38.46 µS/cm | 9.29 mg/L | 4.02 NTU | 169.0 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:39 AM | 55:00 | 4.72 pH | 14.26 °C | 38.44 µS/cm | 9.32 mg/L | 3.02 NTU | 198.1 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:44 AM | 01:00:00 | 4.70 pH | 14.39 °C | 38.34 µS/cm | 9.25 mg/L | 2.87 NTU | 204.8 mV | 88.58 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 9/7/2022 9:49 AM | 01:05:00 | 4.71 pH | 14.76 °C | 37.96 µS/cm | 9.12 mg/L | 2.42 NTU | 177.9 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:54 AM | 01:10:00 | 4.74 pH | 14.44 °C | 38.15 µS/cm | 9.25 mg/L | 2.12 NTU | 208.9 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 9:59 AM | 01:15:00 | 4.74 pH | 14.97 °C | 37.63 µS/cm | 9.09 mg/L | 1.95 NTU | 179.8 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 10:04 AM | 01:20:00 | 4.74 pH | 15.01 °C | 37.61 µS/cm | 9.09 mg/L | 1.71 NTU | 180.1 mV | 88.58 ft | 400.00 ml/min |
| 9/7/2022 10:09 AM | 01:25:00 | 4.72 pH | 15.07 °C | 37.48 µS/cm | 9.05 mg/L | 1.51 NTU | 182.1 mV | 88.58 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|
| MW-100 | Sample time 1011 |
| Dup-1 | Fake Sample time 0911 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/7/2022 11:21:54 AM
**Project:** Crist CCR MW-101 9-7-22
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist ccr MW-101 9-7-22**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 108 ft**<br>**Total Depth: 118 ft**<br>**Initial Depth to Water: 93.49 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 113 ft**<br>**Estimated Total Volume Pumped: 10000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.09 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Cloudy 80

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/7/2022 11:21 AM | 00:00 | 4.99 pH | 19.26 °C | 19.81 µS/cm | 8.92 mg/L | 2.64 NTU | 179.8 mV | 93.49 ft | 400.00 ml/min |
| 9/7/2022 11:26 AM | 05:00 | 4.87 pH | 15.69 °C | 20.95 µS/cm | 9.74 mg/L | 1.82 NTU | 207.5 mV | 93.58 ft | 400.00 ml/min |
| 9/7/2022 11:31 AM | 10:00 | 4.87 pH | 15.93 °C | 20.96 µS/cm | 9.60 mg/L | 1.25 NTU | 176.3 mV | 93.58 ft | 400.00 ml/min |
| 9/7/2022 11:36 AM | 15:00 | 4.86 pH | 15.66 °C | 21.16 µS/cm | 9.65 mg/L | 1.23 NTU | 175.8 mV | 93.58 ft | 400.00 ml/min |
| 9/7/2022 11:41 AM | 20:00 | 4.87 pH | 15.53 °C | 21.19 µS/cm | 9.59 mg/L | 0.91 NTU | 175.1 mV | 93.58 ft | 400.00 ml/min |
| 9/7/2022 11:46 AM | 25:00 | 4.89 pH | 15.54 °C | 21.16 µS/cm | 9.59 mg/L | 0.89 NTU | 175.0 mV | 93.58 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| Mw-101 | Sample time 1150 |

# Low-Flow Test Report:

**Test Date / Time:** 9/7/2022 1:02:04 PM
**Project:** Crist CCR MW-107 9-7-22
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist ccr mw-107 9-7-22**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 114 ft**<br>**Total Depth: 124 ft**<br>**Initial Depth to Water: 99.42 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 119 ft**<br>**Estimated Total Volume Pumped: 28000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.14 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Cloudy 86

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/7/2022 1:02 PM | 00:00 | 5.03 pH | 22.03 °C | 20.95 µS/cm | 8.75 mg/L | 21.20 NTU | 195.4 mV | 99.42 ft | 400.00 ml/min |
| 9/7/2022 1:07 PM | 05:00 | 4.91 pH | 16.87 °C | 22.34 µS/cm | 9.66 mg/L | 65.70 NTU | 223.8 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:12 PM | 10:00 | 4.91 pH | 16.80 °C | 22.19 µS/cm | 9.51 mg/L | 35.00 NTU | 183.3 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:17 PM | 15:00 | 4.92 pH | 16.27 °C | 22.39 µS/cm | 9.59 mg/L | 22.70 NTU | 179.7 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:22 PM | 20:00 | 4.92 pH | 16.25 °C | 22.37 µS/cm | 9.53 mg/L | 13.60 NTU | 178.0 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:27 PM | 25:00 | 4.90 pH | 15.96 °C | 22.46 µS/cm | 9.61 mg/L | 7.55 NTU | 177.1 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:32 PM | 30:00 | 4.90 pH | 15.71 °C | 22.56 µS/cm | 9.62 mg/L | 4.63 NTU | 213.1 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:37 PM | 35:00 | 4.88 pH | 15.75 °C | 22.56 µS/cm | 9.63 mg/L | 3.62 NTU | 217.3 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:42 PM | 40:00 | 4.91 pH | 15.75 °C | 22.55 µS/cm | 9.66 mg/L | 3.12 NTU | 217.5 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:47 PM | 45:00 | 4.91 pH | 15.82 °C | 22.50 µS/cm | 9.70 mg/L | 2.32 NTU | 218.0 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:52 PM | 50:00 | 4.90 pH | 15.76 °C | 22.38 µS/cm | 9.63 mg/L | 2.16 NTU | 179.5 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 1:57 PM | 55:00 | 4.90 pH | 15.68 °C | 22.44 µS/cm | 9.70 mg/L | 2.02 NTU | 216.4 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 2:02 PM | 01:00:00 | 4.92 pH | 16.12 °C | 22.26 µS/cm | 9.62 mg/L | 1.49 NTU | 179.8 mV | 99.56 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 9/7/2022 2:07 PM | 01:05:00 | 4.92 pH | 16.04 °C | 22.20 µS/cm | 9.62 mg/L | 1.32 NTU | 178.1 mV | 99.56 ft | 400.00 ml/min |
| 9/7/2022 2:12 PM | 01:10:00 | 4.92 pH | 15.97 °C | 22.19 µS/cm | 9.70 mg/L | 1.27 NTU | 177.4 mV | 99.56 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|
| Mw-107 | Sample time 1412 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/8/2022 7:40:37 AM
**Project:** Crist CCR MW-108 9-8-22
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist ccr mw-108**<br>**9-8-~~33~~ 22 AL**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 88 ft**<br>**Total Depth: 98 ft**<br>**Initial Depth to Water: 67.32 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 93 ft**<br>**Estimated Total Volume Pumped: 14000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.09 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Sunny 70

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/8/2022 7:40 AM | 00:00 | 5.13 pH | 17.11 °C | 34.56 µS/cm | 8.22 mg/L | 1.76 NTU | 140.5 mV | 67.32 ft | 400.00 ml/min |
| 9/8/2022 7:45 AM | 05:00 | 4.72 pH | 15.19 °C | 33.84 µS/cm | 8.86 mg/L | 1.01 NTU | 120.8 mV | 67.41 ft | 400.00 ml/min |
| 9/8/2022 7:50 AM | 10:00 | 4.75 pH | 15.15 °C | 36.56 µS/cm | 9.13 mg/L | 1.04 NTU | 113.1 mV | 67.41 ft | 400.00 ml/min |
| 9/8/2022 7:55 AM | 15:00 | 4.76 pH | 15.12 °C | 37.96 µS/cm | 9.19 mg/L | 1.18 NTU | 119.2 mV | 67.41 ft | 400.00 ml/min |
| 9/8/2022 8:00 AM | 20:00 | 4.75 pH | 14.98 °C | 39.11 µS/cm | 9.24 mg/L | 1.05 NTU | 126.4 mV | 67.41 ft | 400.00 ml/min |
| 9/8/2022 8:05 AM | 25:00 | 4.75 pH | 14.92 °C | 39.58 µS/cm | 9.27 mg/L | 1.16 NTU | 129.9 mV | 67.41 ft | 400.00 ml/min |
| 9/8/2022 8:10 AM | 30:00 | 4.81 pH | 14.90 °C | 39.77 µS/cm | 9.27 mg/L | 1.39 NTU | 131.5 mV | 67.41 ft | 400.00 ml/min |
| 9/8/2022 8:15 AM | 35:00 | 4.78 pH | 14.81 °C | 39.74 µS/cm | 9.29 mg/L | 0.88 NTU | 136.2 mV | 67.41 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-108 | Sample time 0817 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/8/2022 9:25:01 AM
**Project:** Crist CCR MW-306 9-8-22
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist ccr MW-306 9-8-22**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 83 ft**<br>**Total Depth: 93 ft**<br>**Initial Depth to Water: 54.26 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 88 ft**<br>**Estimated Total Volume Pumped: 18000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.19 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Sunny 71

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/8/2022 9:25 AM | 00:00 | 5.13 pH | 17.63 °C | 28.91 µS/cm | 8.72 mg/L | 19.30 NTU | 174.2 mV | 54.26 ft | 400.00 ml/min |
| 9/8/2022 9:30 AM | 05:00 | 4.91 pH | 14.88 °C | 29.94 µS/cm | 9.39 mg/L | 9.90 NTU | 189.5 mV | 54.45 ft | 400.00 ml/min |
| 9/8/2022 9:35 AM | 10:00 | 4.93 pH | 14.99 °C | 29.37 µS/cm | 9.29 mg/L | 5.68 NTU | 156.5 mV | 54.45 ft | 400.00 ml/min |
| 9/8/2022 9:40 AM | 15:00 | 4.87 pH | 14.45 °C | 29.32 µS/cm | 9.44 mg/L | 4.69 NTU | 182.5 mV | 54.45 ft | 400.00 ml/min |
| 9/8/2022 9:45 AM | 20:00 | 4.88 pH | 14.80 °C | 29.02 µS/cm | 9.34 mg/L | 3.23 NTU | 156.1 mV | 54.45 ft | 400.00 ml/min |
| 9/8/2022 9:50 AM | 25:00 | 4.90 pH | 14.52 °C | 29.13 µS/cm | 9.42 mg/L | 2.33 NTU | 154.9 mV | 54.45 ft | 400.00 ml/min |
| 9/8/2022 9:55 AM | 30:00 | 4.92 pH | 14.34 °C | 29.24 µS/cm | 9.46 mg/L | 1.82 NTU | 173.9 mV | 54.45 ft | 400.00 ml/min |
| 9/8/2022 10:00 AM | 35:00 | 4.88 pH | 14.68 °C | 29.00 µS/cm | 9.36 mg/L | 2.12 NTU | 155.3 mV | 54.45 ft | 400.00 ml/min |
| 9/8/2022 10:05 AM | 40:00 | 4.89 pH | 14.71 °C | 28.94 µS/cm | 9.34 mg/L | 1.41 NTU | 151.0 mV | 54.45 ft | 400.00 ml/min |
| 9/8/2022 10:10 AM | 45:00 | 4.87 pH | 14.78 °C | 28.96 µS/cm | 9.33 mg/L | 1.23 NTU | 152.5 mV | 54.45 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|

| | |
|---|---|
| MW-306 | Sample time 1013 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/8/2022 12:16:04 PM
**Project:** Crist CCR MW-307 9-8-22.
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist ccr mw-307**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 113 ft**<br>**Total Depth: 123 ft**<br>**Initial Depth to Water: 88.63 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 118 ft**<br>**Estimated Total Volume Pumped: 12000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.92 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Sunny 80

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/8/2022 12:16 PM | 00:00 | 5.17 pH | 18.12 °C | 28.86 µS/cm | 7.17 mg/L | 1.05 NTU | 181.7 mV | 88.63 ft | 400.00 ml/min |
| 9/8/2022 12:21 PM | 05:00 | 5.18 pH | 16.92 °C | 29.82 µS/cm | 7.51 mg/L | 0.92 NTU | 194.0 mV | 89.55 ft | 400.00 ml/min |
| 9/8/2022 12:26 PM | 10:00 | 5.11 pH | 16.83 °C | 29.56 µS/cm | 7.52 mg/L | 0.83 NTU | 177.1 mV | 89.55 ft | 400.00 ml/min |
| 9/8/2022 12:31 PM | 15:00 | 5.11 pH | 16.50 °C | 29.71 µS/cm | 7.58 mg/L | 0.84 NTU | 174.5 mV | 89.55 ft | 400.00 ml/min |
| 9/8/2022 12:36 PM | 20:00 | 5.13 pH | 16.20 °C | 29.75 µS/cm | 7.62 mg/L | 0.65 NTU | 171.7 mV | 89.55 ft | 400.00 ml/min |
| 9/8/2022 12:41 PM | 25:00 | 5.12 pH | 16.09 °C | 29.64 µS/cm | 7.78 mg/L | 0.72 NTU | 170.1 mV | 89.55 ft | 400.00 ml/min |
| 9/8/2022 12:46 PM | 30:00 | 5.13 pH | 16.10 °C | 29.91 µS/cm | 7.78 mg/L | 0.76 NTU | 169.2 mV | 89.55 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| Mw-307 | Sample time. 1247 |
| EB-1 | Sample time 1202 |
| FB-1 | Sample time 1258 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/9/2022 12:20:12 PM
**Project:** GCEC CCR MW-102
**Operator Name:** Rick Hagendorfer

| | | |
|---|---|---|
| **Location Name: GCEC CCR MW-102**<br>**Well Diameter: 2 in**<br>**Casing Type: PVC**<br>**Screen Length: 10 ft**<br>**Top of Screen: 110 ft**<br>**Total Depth: 120 ft**<br>**Initial Depth to Water: 98.64 ft** | **Pump Type: PP**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 115 ft**<br>**Estimated Total Volume Pumped: 84000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.05 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 852546** |

**Test Notes:**

**Weather Conditions:**
Cloudy 76

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.3 | |
| 9/9/2022 12:20 PM | 00:00 | 5.33 pH | 24.83 °C | 122.24 µS/cm | 10.16 mg/L | | 120.3 mV | 98.64 ft | 400.00 ml/min |
| 9/9/2022 12:25 PM | 05:00 | 5.19 pH | 23.03 °C | 123.25 µS/cm | 10.40 mg/L | 65.00 NTU | 138.9 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 12:30 PM | 10:00 | 5.16 pH | 22.70 °C | 125.19 µS/cm | 10.36 mg/L | 49.60 NTU | 139.1 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 12:35 PM | 15:00 | 5.11 pH | 22.74 °C | 126.14 µS/cm | 10.31 mg/L | 20.50 NTU | 118.6 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 12:40 PM | 20:00 | 5.08 pH | 22.71 °C | 126.91 µS/cm | 10.22 mg/L | 15.70 NTU | 138.7 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 12:45 PM | 25:00 | 5.07 pH | 22.98 °C | 126.32 µS/cm | 10.26 mg/L | 12.80 NTU | 139.3 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 12:50 PM | 30:00 | 5.08 pH | 23.30 °C | 123.92 µS/cm | 10.17 mg/L | 14.00 NTU | 119.2 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 12:55 PM | 35:00 | 5.06 pH | 22.94 °C | 125.45 µS/cm | 10.11 mg/L | 14.40 NTU | 139.6 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:00 PM | 40:00 | 5.05 pH | 22.87 °C | 124.81 µS/cm | 10.06 mg/L | 11.70 NTU | 119.0 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:05 PM | 45:00 | 5.02 pH | 22.89 °C | 123.04 µS/cm | 10.05 mg/L | 7.73 NTU | 140.4 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:10 PM | 50:00 | 5.03 pH | 22.89 °C | 124.13 µS/cm | 9.98 mg/L | 7.51 NTU | 119.4 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:15 PM | 55:00 | 5.01 pH | 22.86 °C | 123.02 µS/cm | 9.90 mg/L | 7.30 NTU | 139.9 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:20 PM | 01:00:00 | 5.00 pH | 22.84 °C | 121.93 µS/cm | 9.93 mg/L | 6.89 NTU | 119.3 mV | 98.69 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 9/9/2022 1:25 PM | 01:05:00 | 5.00 pH | 22.85 °C | 122.61 µS/cm | 9.93 mg/L | 8.59 NTU | 139.8 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:30 PM | 01:10:00 | 4.99 pH | 22.89 °C | 121.77 µS/cm | 9.86 mg/L | 5.44 NTU | 119.4 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:35 PM | 01:15:00 | 4.99 pH | 22.85 °C | 120.91 µS/cm | 9.80 mg/L | 5.62 NTU | 139.7 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:40 PM | 01:20:00 | 4.99 pH | 22.89 °C | 121.22 µS/cm | 9.84 mg/L | 6.51 NTU | 119.0 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:45 PM | 01:25:00 | 4.98 pH | 22.81 °C | 123.73 µS/cm | 9.80 mg/L | 6.24 NTU | 139.9 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:50 PM | 01:30:00 | 4.98 pH | 22.82 °C | 123.01 µS/cm | 9.81 mg/L | 5.96 NTU | 140.5 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 1:55 PM | 01:35:00 | 4.98 pH | 23.07 °C | 123.46 µS/cm | 9.77 mg/L | 9.81 NTU | 119.2 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:00 PM | 01:40:00 | 4.98 pH | 23.04 °C | 130.40 µS/cm | 9.79 mg/L | 7.45 NTU | 138.5 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:05 PM | 01:45:00 | 4.96 pH | 22.98 °C | 130.38 µS/cm | 9.71 mg/L | 7.21 NTU | 119.0 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:10 PM | 01:50:00 | 4.96 pH | 23.25 °C | 130.19 µS/cm | 9.70 mg/L | 7.04 NTU | 139.0 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:15 PM | 01:55:00 | 4.97 pH | 23.36 °C | 128.64 µS/cm | 9.60 mg/L | 6.78 NTU | 118.4 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:20 PM | 02:00:00 | 4.97 pH | 23.52 °C | 127.34 µS/cm | 9.79 mg/L | 7.21 NTU | 118.5 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:25 PM | 02:05:00 | 4.97 pH | 24.93 °C | 130.48 µS/cm | 10.04 mg/L | 7.13 NTU | 119.6 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:30 PM | 02:10:00 | 4.97 pH | 25.78 °C | 133.00 µS/cm | 9.85 mg/L | 7.32 NTU | 139.1 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:35 PM | 02:15:00 | 4.97 pH | 24.87 °C | 130.84 µS/cm | 9.04 mg/L | 7.09 NTU | 141.0 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:40 PM | 02:20:00 | 4.99 pH | 23.52 °C | 129.69 µS/cm | 9.67 mg/L | 7.43 NTU | 119.3 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:45 PM | 02:25:00 | 4.99 pH | 23.43 °C | 130.14 µS/cm | 9.64 mg/L | 7.59 NTU | 139.4 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:50 PM | 02:30:00 | 4.96 pH | 23.35 °C | 129.90 µS/cm | 9.67 mg/L | 8.01 NTU | 119.4 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 2:55 PM | 02:35:00 | 4.96 pH | 23.23 °C | 129.63 µS/cm | 9.62 mg/L | 8.32 NTU | 118.6 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:00 PM | 02:40:00 | 4.96 pH | 23.34 °C | 129.80 µS/cm | 9.72 mg/L | 6.58 NTU | 138.7 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:05 PM | 02:45:00 | 4.96 pH | 23.21 °C | 129.02 µS/cm | 9.57 mg/L | 7.02 NTU | 118.4 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:10 PM | 02:50:00 | 4.94 pH | 23.21 °C | 129.62 µS/cm | 9.64 mg/L | 6.48 NTU | 139.0 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:15 PM | 02:55:00 | 4.95 pH | 23.47 °C | 129.25 µS/cm | 9.72 mg/L | 6.02 NTU | 119.1 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:20 PM | 03:00:00 | 4.97 pH | 23.60 °C | 127.89 µS/cm | 9.68 mg/L | 5.56 NTU | 138.6 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:25 PM | 03:05:00 | 4.97 pH | 23.52 °C | 126.40 µS/cm | 9.67 mg/L | 5.50 NTU | 139.1 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:30 PM | 03:10:00 | 4.96 pH | 23.59 °C | 126.52 µS/cm | 9.62 mg/L | 4.91 NTU | 118.9 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:35 PM | 03:15:00 | 4.96 pH | 23.61 °C | 126.29 µS/cm | 9.63 mg/L | 5.02 NTU | 139.2 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:40 PM | 03:20:00 | 4.96 pH | 23.48 °C | 125.65 µS/cm | 9.58 mg/L | 5.35 NTU | 118.8 mV | 98.69 ft | 400.00 ml/min |
| 9/9/2022 3:45 PM | 03:25:00 | 4.95 pH | 23.35 °C | 125.90 µS/cm | 9.58 mg/L | 3.29 NTU | 139.0 mV | 98.69 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 9/9/2022 3:50 PM | 03:30:00 | 4.96 pH | 23.36 °C | 126.78 µS/cm | 9.60 mg/L | 3.81 NTU | 119.0 mV | 98.69 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|
| MW-102 | Sample time 1553 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/9/2022 10:56:27 AM
**Project:** GCEC CCR MW-103
**Operator Name:** Rick Hagendorfer

| | | |
|---|---|---|
| **Location Name: GCEC CCR MW-103**<br>**Well Diameter: 2 in**<br>**Casing Type: PVC**<br>**Screen Length: 10 ft**<br>**Top of Screen: 110 ft**<br>**Total Depth: 120 ft**<br>**Initial Depth to Water: 109.57 ft** | **Pump Type: PP**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 115 ft**<br>**Estimated Total Volume Pumped: 11200 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 320 ml/min**<br>**Final Draw Down: 0.05 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 852546** |

**Test Notes:**

**Weather Conditions:**
Cloudy 74

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.3 | |
| 9/9/2022 10:56 AM | 00:00 | 5.37 pH | 24.74 °C | 81.66 µS/cm | 7.79 mg/L | | 147.6 mV | 109.57 ft | 320.00 ml/min |
| 9/9/2022 11:01 AM | 05:00 | 5.19 pH | 22.98 °C | 82.84 µS/cm | 7.46 mg/L | 4.20 NTU | 141.6 mV | 109.62 ft | 320.00 ml/min |
| 9/9/2022 11:06 AM | 10:00 | 5.22 pH | 22.76 °C | 87.70 µS/cm | 7.52 mg/L | 3.56 NTU | 165.0 mV | 109.62 ft | 320.00 ml/min |
| 9/9/2022 11:11 AM | 15:00 | 5.23 pH | 22.71 °C | 91.48 µS/cm | 7.55 mg/L | 2.45 NTU | 164.4 mV | 109.62 ft | 320.00 ml/min |
| 9/9/2022 11:16 AM | 20:00 | 5.22 pH | 22.69 °C | 93.96 µS/cm | 7.57 mg/L | 1.53 NTU | 137.5 mV | 109.62 ft | 320.00 ml/min |
| 9/9/2022 11:21 AM | 25:00 | 5.21 pH | 22.62 °C | 96.32 µS/cm | 7.58 mg/L | 1.67 NTU | 159.3 mV | 109.62 ft | 320.00 ml/min |
| 9/9/2022 11:26 AM | 30:00 | 5.20 pH | 22.66 °C | 95.97 µS/cm | 7.58 mg/L | 1.48 NTU | 158.2 mV | 109.62 ft | 320.00 ml/min |
| 9/9/2022 11:31 AM | 35:00 | 5.19 pH | 22.62 °C | 95.45 µS/cm | 7.60 mg/L | 1.11 NTU | 157.4 mV | 109.62 ft | 320.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-103 | Sample time 1134. |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/9/2022 10:17:53 AM
**Project:** Crist CCR MW-104 9-9-22
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist ccr mw-104**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 73 ft**<br>**Total Depth: 83 ft**<br>**Initial Depth to Water: 57.14 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 78 ft**<br>**Estimated Total Volume Pumped: 26000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.09 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Rain 73

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/9/2022 10:17 AM | 00:00 | 5.16 pH | 18.71 °C | 1,188.0 µS/cm | 8.41 mg/L | 26.10 NTU | 254.5 mV | 57.14 ft | 400.00 ml/min |
| 9/9/2022 10:22 AM | 05:00 | 4.08 pH | 17.08 °C | 2,386.4 µS/cm | 4.66 mg/L | 32.90 NTU | 526.3 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 10:27 AM | 10:00 | 4.08 pH | 17.26 °C | 2,307.7 µS/cm | 4.50 mg/L | 22.80 NTU | 531.6 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 10:32 AM | 15:00 | 4.09 pH | 17.11 °C | 2,268.8 µS/cm | 4.49 mg/L | 16.10 NTU | 543.6 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 10:37 AM | 20:00 | 4.10 pH | 16.98 °C | 2,256.3 µS/cm | 4.53 mg/L | 10.30 NTU | 540.4 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 10:42 AM | 25:00 | 4.09 pH | 16.77 °C | 2,252.0 µS/cm | 4.54 mg/L | 6.53 NTU | 535.8 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 10:47 AM | 30:00 | 4.09 pH | 16.85 °C | 2,250.9 µS/cm | 4.51 mg/L | 5.36 NTU | 531.7 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 10:52 AM | 35:00 | 4.09 pH | 16.84 °C | 2,251.2 µS/cm | 4.49 mg/L | 3.08 NTU | 530.2 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 10:57 AM | 40:00 | 4.09 pH | 16.77 °C | 2,245.3 µS/cm | 4.49 mg/L | 2.93 NTU | 541.0 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 11:02 AM | 45:00 | 4.09 pH | 16.60 °C | 2,246.3 µS/cm | 4.50 mg/L | 2.62 NTU | 535.6 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 11:07 AM | 50:00 | 4.09 pH | 16.66 °C | 2,243.8 µS/cm | 4.48 mg/L | 2.25 NTU | 535.3 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 11:12 AM | 55:00 | 4.08 pH | 16.59 °C | 2,253.1 µS/cm | 4.50 mg/L | 1.92 NTU | 530.5 mV | 57.23 ft | 400.00 ml/min |
| 9/9/2022 11:17 AM | 01:00:00 | 4.08 pH | 16.53 °C | 2,249.0 µS/cm | 4.50 mg/L | 1.32 NTU | 530.9 mV | 57.23 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 9/9/2022 11:22 AM | 01:05:00 | 4.08 pH | 16.57 °C | 2,252.6 µS/cm | 4.48 mg/L | 1.24 NTU | 539.2 mV | 57.23 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|
| MW-104 | Sample time 1124 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/9/2022 12:14:10 PM
**Project:** Crist CCR MW-105 9-9-22
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist ccr mw-105**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 33 ft**<br>**Total Depth: 43 ft**<br>**Initial Depth to Water: 19.62 ft** | **Pump Type: PP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 38 ft**<br>**Estimated Total Volume Pumped: 20000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.09 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Cloudy 73

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/9/2022 12:14 PM | 00:00 | 6.29 pH | 17.85 °C | 348.30 µS/cm | 0.38 mg/L | 29.30 NTU | 56.7 mV | 19.62 ft | 400.00 ml/min |
| 9/9/2022 12:19 PM | 05:00 | 6.46 pH | 17.70 °C | 320.03 µS/cm | 0.20 mg/L | 20.50 NTU | 29.7 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 12:24 PM | 10:00 | 6.44 pH | 17.71 °C | 352.43 µS/cm | 0.18 mg/L | 19.78 NTU | 21.5 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 12:29 PM | 15:00 | 6.43 pH | 17.46 °C | 365.36 µS/cm | 0.20 mg/L | 22.71 NTU | 10.6 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 12:34 PM | 20:00 | 6.45 pH | 17.25 °C | 362.58 µS/cm | 0.16 mg/L | 13.80 NTU | 9.3 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 12:39 PM | 25:00 | 6.46 pH | 17.17 °C | 361.37 µS/cm | 0.15 mg/L | 7.60 NTU | 8.7 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 12:44 PM | 30:00 | 6.45 pH | 17.14 °C | 363.36 µS/cm | 0.15 mg/L | 5.73 NTU | 8.3 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 12:49 PM | 35:00 | 6.46 pH | 17.08 °C | 363.51 µS/cm | 0.14 mg/L | 4.15 NTU | 7.1 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 12:54 PM | 40:00 | 6.47 pH | 17.03 °C | 363.85 µS/cm | 0.14 mg/L | 2.75 NTU | 6.2 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 12:59 PM | 45:00 | 6.47 pH | 17.02 °C | 362.47 µS/cm | 0.14 mg/L | 2.69 NTU | 4.7 mV | 19.71 ft | 400.00 ml/min |
| 9/9/2022 1:04 PM | 50:00 | 6.47 pH | 17.01 °C | 361.13 µS/cm | 0.14 mg/L | 2.71 NTU | 3.4 mV | 19.71 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-105 | Sample time 1305 |
| Dup-03 | Fake sample time 1205 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/8/2022 2:37:15 PM
**Project:** Crist CCR MW-106 9-8-22
**Operator Name:** Trevor Braddock

| | | |
|---|---|---|
| **Location Name: Crist ccr mw-106**<br>**Well Diameter: 2 in**<br>**Screen Length: 10 ft**<br>**Top of Screen: 83 ft**<br>**Total Depth: 93 ft**<br>**Initial Depth to Water: 64.61 ft** | **Pump Type: BP**<br>**Tubing Type: Pe**<br>**Pump Intake From TOC: 88 ft**<br>**Estimated Total Volume Pumped: 28000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.15 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 736137** |

**Test Notes:**

**Weather Conditions:**
Sunny 88

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 20 | +/- 0.3 | |
| 9/8/2022 2:37 PM | 00:00 | 5.34 pH | 25.20 °C | 24.65 µS/cm | 7.69 mg/L | 2.22 NTU | 191.2 mV | 64.61 ft | 400.00 ml/min |
| 9/8/2022 2:42 PM | 05:00 | 5.14 pH | 18.08 °C | 26.37 µS/cm | 8.95 mg/L | 1.37 NTU | 207.9 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 2:47 PM | 10:00 | 5.07 pH | 17.80 °C | 26.31 µS/cm | 8.93 mg/L | 1.12 NTU | 177.1 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 2:52 PM | 15:00 | 5.02 pH | 16.93 °C | 26.27 µS/cm | 8.96 mg/L | 0.84 NTU | 172.2 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 2:57 PM | 20:00 | 5.04 pH | 16.74 °C | 26.46 µS/cm | 9.05 mg/L | 0.87 NTU | 165.6 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:02 PM | 25:00 | 5.04 pH | 16.53 °C | 26.36 µS/cm | 9.11 mg/L | 0.61 NTU | 163.6 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:07 PM | 30:00 | 5.04 pH | 16.22 °C | 26.63 µS/cm | 9.17 mg/L | 0.77 NTU | 160.7 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:12 PM | 35:00 | 4.95 pH | 16.15 °C | 26.47 µS/cm | 9.10 mg/L | 0.60 NTU | 162.1 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:17 PM | 40:00 | 4.96 pH | 16.00 °C | 26.50 µS/cm | 9.11 mg/L | 0.63 NTU | 161.6 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:22 PM | 45:00 | 5.00 pH | 15.93 °C | 26.53 µS/cm | 9.17 mg/L | 0.57 NTU | 157.2 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:27 PM | 50:00 | 5.02 pH | 15.57 °C | 26.61 µS/cm | 9.28 mg/L | 0.61 NTU | 180.2 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:32 PM | 55:00 | 5.03 pH | 15.50 °C | 26.52 µS/cm | 9.26 mg/L | 0.86 NTU | 155.1 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:37 PM | 01:00:00 | 4.96 pH | 15.71 °C | 26.44 µS/cm | 9.21 mg/L | 0.89 NTU | 158.7 mV | 64.76 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 9/8/2022 3:42 PM | 01:05:00 | 4.96 pH | 15.68 °C | 26.42 µS/cm | 9.15 mg/L | 0.58 NTU | 156.7 mV | 64.76 ft | 400.00 ml/min |
| 9/8/2022 3:47 PM | 01:10:00 | 5.00 pH | 15.62 °C | 26.45 µS/cm | 9.19 mg/L | 0.67 NTU | 154.8 mV | 64.76 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|
| MW-106 | Sample time 1549 |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/8/2022 3:32:33 PM
**Project:** GCEC CCR MW-109
**Operator Name:** Rick Hagendorfer

| | | |
|---|---|---|
| **Location Name: GCEC CCR MW-109**<br>**Well Diameter: 2 in**<br>**Casing Type: PVC**<br>**Screen Length: 10 ft**<br>**Top of Screen: 123 ft**<br>**Total Depth: 133 ft**<br>**Initial Depth to Water: 108.87 ft** | **Pump Type: PP**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 128 ft**<br>**Estimated Total Volume Pumped: 8000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.07 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 852546** |

**Test Notes:**

**Weather Conditions:**
Cloudy 85

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.3 | |
| 9/8/2022 3:32 PM | 00:00 | 4.72 pH | 24.33 °C | 172.25 µS/cm | 8.57 mg/L | | 134.3 mV | 108.87 ft | 400.00 ml/min |
| 9/8/2022 3:37 PM | 05:00 | 4.77 pH | 23.38 °C | 177.27 µS/cm | 8.59 mg/L | 1.62 NTU | 160.2 mV | 108.94 ft | 400.00 ml/min |
| 9/8/2022 3:42 PM | 10:00 | 4.79 pH | 23.03 °C | 177.92 µS/cm | 8.69 mg/L | 0.32 NTU | 141.7 mV | 108.94 ft | 400.00 ml/min |
| 9/8/2022 3:47 PM | 15:00 | 4.81 pH | 22.90 °C | 176.71 µS/cm | 8.69 mg/L | 0.44 NTU | 147.6 mV | 108.94 ft | 400.00 ml/min |
| 9/8/2022 3:52 PM | 20:00 | 4.82 pH | 22.86 °C | 174.44 µS/cm | 8.72 mg/L | 0.35 NTU | 150.8 mV | 108.94 ft | 400.00 ml/min |

**Samples**

| Sample ID: | Description: |
|---|---|
| MW-109 | Sample time 1556. Dup-02 fake sample time 1456. |

Created using VuSitu from In-Situ, Inc.

# Low-Flow Test Report:

**Test Date / Time:** 9/9/2022 7:44:53 AM
**Project:** GCEC CCR MW-110
**Operator Name:** Rick Hagendorfer

| | | |
|---|---|---|
| **Location Name: GCEC CCR MW-110**<br>**Well Diameter: 2 in**<br>**Casing Type: PVC**<br>**Screen Length: 10 ft**<br>**Top of Screen: 109 ft**<br>**Total Depth: 119 ft**<br>**Initial Depth to Water: 79.36 ft** | **Pump Type: PP**<br>**Tubing Type: PE**<br>**Pump Intake From TOC: 114 ft**<br>**Estimated Total Volume Pumped: 50000 ml**<br>**Flow Cell Volume: 90 ml**<br>**Final Flow Rate: 400 ml/min**<br>**Final Draw Down: 0.16 ft** | **Instrument Used: Aqua TROLL 400**<br>**Serial Number: 852546** |

**Test Notes:**

**Weather Conditions:**
Rain 73

**Low-Flow Readings:**

| Date Time | Elapsed Time | pH | Temperature | Specific Conductivity | RDO Concentration | Turbidity | ORP | Depth to Water | Flow |
|---|---|---|---|---|---|---|---|---|---|
| | | +/- 0.2 | +/- 0.2 | +/- 5 % | +/- 0.2 | +/- 10 | +/- 10 | +/- 0.3 | |
| 9/9/2022 7:44 AM | 00:00 | 5.15 pH | 22.62 °C | 945.59 µS/cm | 4.30 mg/L | | 118.2 mV | 79.36 ft | 400.00 ml/min |
| 9/9/2022 7:49 AM | 05:00 | 4.48 pH | 22.10 °C | 977.16 µS/cm | 2.17 mg/L | 16.60 NTU | 111.4 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 7:54 AM | 10:00 | 4.49 pH | 22.09 °C | 976.97 µS/cm | 2.01 mg/L | 10.20 NTU | 110.6 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 7:59 AM | 15:00 | 4.52 pH | 22.05 °C | 973.63 µS/cm | 2.06 mg/L | 5.88 NTU | 110.5 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:04 AM | 20:00 | 4.54 pH | 22.13 °C | 966.00 µS/cm | 2.20 mg/L | 4.01 NTU | 111.9 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:09 AM | 25:00 | 4.55 pH | 22.11 °C | 958.34 µS/cm | 2.28 mg/L | 3.22 NTU | 113.1 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:14 AM | 30:00 | 4.57 pH | 22.12 °C | 952.60 µS/cm | 2.35 mg/L | 2.35 NTU | 114.5 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:19 AM | 35:00 | 4.59 pH | 22.09 °C | 946.61 µS/cm | 2.46 mg/L | 1.99 NTU | 116.6 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:24 AM | 40:00 | 4.60 pH | 22.11 °C | 942.90 µS/cm | 2.56 mg/L | 1.65 NTU | 121.7 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:29 AM | 45:00 | 4.60 pH | 22.08 °C | 941.74 µS/cm | 2.55 mg/L | 1.46 NTU | 125.7 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:34 AM | 50:00 | 4.61 pH | 22.08 °C | 939.44 µS/cm | 2.61 mg/L | 1.42 NTU | 129.4 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:39 AM | 55:00 | 4.62 pH | 22.08 °C | 936.39 µS/cm | 2.65 mg/L | 1.19 NTU | 135.0 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:44 AM | 01:00:00 | 4.62 pH | 22.08 °C | 934.88 µS/cm | 2.71 mg/L | 1.12 NTU | 144.0 mV | 79.52 ft | 400.00 ml/min |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 9/9/2022 8:49 AM | 01:05:00 | 4.63 pH | 22.09 °C | 933.88 µS/cm | 2.71 mg/L | 1.02 NTU | 155.3 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:54 AM | 01:10:00 | 4.63 pH | 22.09 °C | 933.45 µS/cm | 2.73 mg/L | 0.85 NTU | 164.4 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 8:59 AM | 01:15:00 | 4.64 pH | 22.09 °C | 928.90 µS/cm | 2.81 mg/L | 0.84 NTU | 170.2 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:04 AM | 01:20:00 | 4.65 pH | 22.12 °C | 928.03 µS/cm | 2.83 mg/L | 0.95 NTU | 180.8 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:09 AM | 01:25:00 | 4.65 pH | 22.13 °C | 928.99 µS/cm | 2.84 mg/L | 0.88 NTU | 200.6 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:14 AM | 01:30:00 | 4.65 pH | 22.18 °C | 926.77 µS/cm | 2.87 mg/L | 1.00 NTU | 212.3 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:19 AM | 01:35:00 | 4.65 pH | 22.18 °C | 928.87 µS/cm | 2.85 mg/L | 0.69 NTU | 221.7 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:24 AM | 01:40:00 | 4.66 pH | 22.22 °C | 926.33 µS/cm | 2.90 mg/L | 0.72 NTU | 231.9 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:29 AM | 01:45:00 | 4.67 pH | 22.26 °C | 926.33 µS/cm | 2.94 mg/L | 0.86 NTU | 246.6 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:34 AM | 01:50:00 | 4.66 pH | 22.26 °C | 928.03 µS/cm | 2.89 mg/L | 0.66 NTU | 266.9 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:39 AM | 01:55:00 | 4.67 pH | 22.35 °C | 928.78 µS/cm | 2.90 mg/L | 0.53 NTU | 268.7 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:44 AM | 02:00:00 | 4.68 pH | 22.31 °C | 926.04 µS/cm | 2.95 mg/L | 0.48 NTU | 277.0 mV | 79.52 ft | 400.00 ml/min |
| 9/9/2022 9:49 AM | 02:05:00 | 4.68 pH | 22.35 °C | 926.73 µS/cm | 2.93 mg/L | 0.48 NTU | 275.4 mV | 79.52 ft | 400.00 ml/min |

## Samples

| Sample ID: | Description: |
|---|---|
| MW-110 | Sample time 0956. |

eurofins | Environment Testing America



# ANALYTICAL REPORT

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Tel: (850)474-1001

Laboratory Job ID: 400-225667-1
Laboratory Sample Delivery Group: Background A
Client Project/Site: CCR Gulf Clean Energy Center

For:
Florida Power and Light
BIN 731
One Energy Place
Pensacola, Florida 32520

Attn: Barry Evans

Cheyenne R Whitmire

*Authorized for release by:*
*10/18/2022 4:37:18 PM*

Cheyenne Whitmire, Project Manager II
(850)471-6222
Cheyenne.Whitmire@et.eurofinsus.com

LINKS

Review your project results through my EOL

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

# Table of Contents

Cover Page . . . . . 1
Table of Contents . . . . . 2
Case Narrative . . . . . 3
Detection Summary . . . . . 4
Method Summary . . . . . 7
Sample Summary . . . . . 8
Client Sample Results . . . . . 9
Definitions . . . . . 18
Chronicle . . . . . 19
QC Association . . . . . 24
QC Sample Results . . . . . 28
Chain of Custody . . . . . 35
Receipt Checklists . . . . . 36
Certification Summary . . . . . 37

## Job ID: 400-225667-1

### Laboratory: Eurofins Pensacola

**Narrative**

**Job Narrative**
**400-225667-1**

**Comments**
Due to supply chain issues, Fluoride had to be run by method 300 instead of 4500. This may cause a deviation from the historic results.

**Receipt**
The samples were received on 9/8/2022 4:38 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.1º C and 0.3º C.

**Metals**
Method 6020: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 400-592467 and analytical batch 400-593289 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 6020: The matrix spike / matrix spike duplicate (MS/MSD) precision for preparation batch 400-592467 and analytical batch 400-593289 was outside control limits. Sample matrix interference is suspected.

Method 6020: The ICV for batch 400-593462 passed recovery/accuracy criteria which serves the ICV purpose of verifying the calibration standards. The replicate RPDs for the elements were outside of the criteria for standards but within the criteria for field samples. Data has therefore been reported and narrated accordingly.

Method 7470A: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 400-593355 and analytical batch 400-594213 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 6020: The continuing calibration verification (CCV) associated with batch 400-593804 recovered below the lower control limit for Boron. The laboratory control spike associated with this CCV was within the acceptable limit for the affected analytes; therefore, the data have been reported.

Method 6020: The method blank for preparation batch 400-592467 and analytical batch 400-593804 contained Boron above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

**General Chemistry**
Method SM 2540C: The analysis volume selected for the following samples produced a base result greater than 200mg before calculation of the final result: (400-225433-B-14) and (400-225433-B-14 DU). Reanalysis could not be performed due to holding time exceedance, or due to the matrix, 5ml was used for the method. The sample aliquot was over the method accepted range. Using a smaller amount will prevent the ability to obtain a representative aliquot for the method. As such, 5ml is being reported or annotated. The reference method specifies that no more than 200mg of weight be recovered for a chosen sample analysis volume in order to produce the best data precision. As such, these data have been qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Detection Summary

Client: Glouif P wor euPnf mipat
wuoAectjy ite: CC/ SglRClePn Eneup. Centeu

Job ID: 400-221773-8
y DS: BPckpuognf d

## Client Sample ID: MW-100 — Lab Sample ID: 400-225667-1

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| BPuig5 | 0L089 | | 0L0021 | 0L00030 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| Bouon | 0L068 | I | 0L010 | 0L0082 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CPlcig5 | 8L0 | V | 0L21 | 0L86 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| TotPl Dihholvef yolif h | 67 | | 1L0 | 1L0 | 5 pjm | 8 | | ys 2140C | TotPljMd |
| Calouif e | 4L4 | | 2L0 | 8L4 | 5 pjm | 8 | | ys 4100 Cl- E | TotPljMd |
| yglRRte | 8L3 | I | 1L0 | 8L4 | 5 pjm | 8 | | ys 4100 yN4 E | TotPljMd |
| Glelf FH | 4L32 | | | | yU | 8 | | Glelf yP5 Flinp | TotPljMd |

## Client Sample ID: MW-101 — Lab Sample ID: 400-225667-2

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| BPuig5 | 0L00C9 | | 0L0021 | 0L00030 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| Bouon | 0L029 | I | 0L010 | 0L0082 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CPlcig5 | 0L70 | V | 0L21 | 0L86 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| TotPl Dihholvef yolif h | 84 | | 1L0 | 1L0 | 5 pjm | 8 | | ys 2140C | TotPljMd |
| Calouif e | 6L4 | | 2L0 | 8L4 | 5 pjm | 8 | | ys 4100 Cl- E | TotPljMd |
| yglRRte | 8L1 | I | 1L0 | 8L4 | 5 pjm | 8 | | ys 4100 yN4 E | TotPljMd |
| Glelf FH | 4LC9 | | | | yU | 8 | | Glelf yP5 Flinp | TotPljMd |

## Client Sample ID: MW-107 — Lab Sample ID: 400-225667-3

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| BPuig5 | 0L082 | | 0L0021 | 0L00030 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| Bouon | 0L068 | I | 0L010 | 0L0082 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CPlcig5 | 0L78 | | 0L21 | 0L86 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| TotPl Dihholvef yolif h | 22 | | 1L0 | 1L0 | 5 pjm | 8 | | ys 2140C | TotPljMd |
| Calouif e | 6L7 | | 2L0 | 8L4 | 5 pjm | 8 | | ys 4100 Cl- E | TotPljMd |
| yglRRte | 8L4 | I | 1L0 | 8L4 | 5 pjm | 8 | | ys 4100 yN4 E | TotPljMd |
| Glelf FH | 4L92 | | | | yU | 8 | | Glelf yP5 Flinp | TotPljMd |

## Client Sample ID: MW-108 — Lab Sample ID: 400-225667-4

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| BPuig5 | 0L082 | | 0L0021 | 0L00030 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| Bouon | 0L011 | V | 0L010 | 0L0082 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CPlcig5 | 2L8 | | 0L21 | 0L86 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| TotPl Dihholvef yolif h | 44 | | 1L0 | 1L0 | 5 pjm | 8 | | ys 2140C | TotPljMd |
| Calouif e | 6L4 | | 2L0 | 8L4 | 5 pjm | 8 | | ys 4100 Cl- E | TotPljMd |
| yglRRte | 1L1 | | 1L0 | 8L4 | 5 pjm | 8 | | ys 4100 yN4 E | TotPljMd |
| Glelf FH | 4L3O | | | | yU | 8 | | Glelf yP5 Flinp | TotPljMd |

Taih Detection yg5 5 Pu f oeh not inclgf e uPf iocae5 icPl teht uehglthL

EguoRnh wenhPcolP

# Detection Summary

Client: Glouif P wor euPnf mipat
wuoAectjy ite: CC/ SglRClePn Eneup. Centeu

Job ID: 400-221773-8
y DS: BPckpuognf d

## Client Sample ID: MW-306 — Lab Sample ID: 400-225667-5

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| BPuig5 | 0L082 | | 0L0021 | 0L00030 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| Bouon | 0L023 | I | 0L010 | 0L0082 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CPlcig5 | 0L79 | | 0L21 | 0L86 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| TotPl Dihholvef yolif h | 24 | | 1L0 | 1L0 | 5 pjm | 8 | | ys 2140C | TotPljMd |
| Calouif e | 4L6 | | 2L0 | 8L4 | 5 pjm | 8 | | ys 4100 Cl- E | TotPljMd |
| Glelf FH | 4LC8 | | | | yU | 8 | | Glelf yP5 Flinp | TotPljMd |

## Client Sample ID: MW-307 — Lab Sample ID: 400-225667-6

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| BPuig5 | 0L083 | | 0L0021 | 0L00030 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| Bouon | 0L021 | I | 0L010 | 0L0082 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CPlcig5 | 0LC2 | | 0L21 | 0L86 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CobPlt | 0L00074 | I | 0L0021 | 0L00017 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| yelenig5 | 0L0064 | | 0L0086 | 0L000C2 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| TotPl Dihholvef yolif h | 4O | | 1L0 | 1L0 | 5 pjm | 8 | | ys 2140C | TotPljMd |
| Calouif e | 1L6 | | 2L0 | 8L4 | 5 pjm | 8 | | ys 4100 Cl- E | TotPljMd |
| Glelf FH | 1L86 | | | | yU | 8 | | Glelf yP5 Flinp | TotPljMd |

## Client Sample ID: DUP-01 — Lab Sample ID: 400-225667-7

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| BPuig5 | 0L083 | | 0L0021 | 0L00030 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| Bouon | 0L047 | I | 0L010 | 0L0082 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CPlcig5 | 0LC9 | | 0L21 | 0L86 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| CobPlt | 0L00019 | I | 0L0021 | 0L00017 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| yelenig5 | 0L0026 | | 0L0086 | 0L000C2 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| TotPl Dihholvef yolif h | 6O | | 1L0 | 1L0 | 5 pjm | 8 | | ys 2140C | TotPljMd |
| Calouif e | 4L6 | | 2L0 | 8L4 | 5 pjm | 8 | | ys 4100 Cl- E | TotPljMd |
| yglRPte | 8L1 | I | 1L0 | 8L4 | 5 pjm | 8 | | ys 4100 yN4 E | TotPljMd |
| Glelf FH | 4L32 | | | | yU | 8 | | Glelf yP5 Flinp | TotPljMd |

## Client Sample ID: EB-01 — Lab Sample ID: 400-225667-8

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Bouon | 0L049 | I V J6 | 0L010 | 0L0082 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |
| yelenig5 | 0L082 | | 0L0086 | 0L000C2 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |

Taih Detection yg5 5 Pu f oeh not inclgf e uPf iocae5 icPl teht uehglthL

EguoRnh wenhPcolP

# Detection Summary

Client: Glouif P wor euPnf mipat
wuoAectjy ite: CC/ SglRClePn Eneup. Centeu

Job ID: 400-221773-8
y DS: BPckpuognf d

## Client Sample ID: FB-01

## Lab Sample ID: 400-225667-9

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| y elenig5 | 0L0063 | | 0L0086 | 0L000O2 | 5 pjm | 1 | | 7020 | TotPl / ecoveuPble |

Taih Detection y g5 5 Pu f oeh not inclgf e uPf iocae5 icPl teht uehglthL

EguoRnh wenhPcolP

# Method Summary

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| 300.0 | Anions, Ion Chromatography | MCAWW | EET PEN |
| 6020 | Metals (ICP/MS) | SW846 | EET PEN |
| 7470A | Mercury (CVAA) | SW846 | EET PEN |
| SM 2540C | Solids, Total Dissolved (TDS) | SM | EET PEN |
| SM 4500 Cl- E | Chloride, Total | SM | EET PEN |
| SM 4500 SO4 E | Sulfate, Total | SM | EET PEN |
| Field Sampling | Field Sampling | EPA | EET PEN |
| 3005A | Preparation, Total Recoverable or Dissolved Metals | SW846 | EET PEN |
| 7470A | Preparation, Mercury | SW846 | EET PEN |

**Protocol References:**

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

EET PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

# Sample Summary

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 400-225667-1 | MW-100 | Water | 09/07/22 10:11 | 09/08/22 16:38 |
| 400-225667-2 | MW-101 | Water | 09/07/22 11:50 | 09/08/22 16:38 |
| 400-225667-3 | MW-107 | Water | 09/07/22 14:12 | 09/08/22 16:38 |
| 400-225667-4 | MW-108 | Water | 09/08/22 08:17 | 09/08/22 16:38 |
| 400-225667-5 | MW-306 | Water | 09/08/22 10:13 | 09/08/22 16:38 |
| 400-225667-6 | MW-307 | Water | 09/08/22 12:47 | 09/08/22 16:38 |
| 400-225667-7 | DUP-01 | Water | 09/07/22 09:11 | 09/08/22 16:38 |
| 400-225667-8 | EB-01 | Water | 09/08/22 12:02 | 09/08/22 16:38 |
| 400-225667-9 | FB-01 | Water | 09/08/22 12:58 | 09/08/22 16:38 |

# Client Sample Results

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

## Client Sample ID: MW-100

**Date Collected: 09/07/22 10:11**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-1

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 14:54 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Barium | 0.019 | | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Boron | 0.031 | I | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/22/22 19:18 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Calcium | 1.0 | V | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:14 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |
| Selenium | 0.00082 | U | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 14:24 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 16:41 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 13:48 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | 36 | | 5.0 | 5.0 | mg/L | | | 09/12/22 14:47 | 1 |
| Chloride (SM 4500 Cl- E) | 4.4 | | 2.0 | 1.4 | mg/L | | | 09/11/22 23:10 | 1 |
| Sulfate (SM 4500 SO4 E) | 1.7 | I | 5.0 | 1.4 | mg/L | | | 09/11/22 23:37 | 1 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | 4.72 | | | | SU | | | 09/07/22 10:11 | 1 |

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

## Client Sample ID: MW-101

**Date Collected: 09/07/22 11:50**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-2

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 15:56 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Barium | **0.0089** | | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Boron | **0.029** | **I** | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/22/22 19:21 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Calcium | **0.60** | **V** | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:17 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |
| Selenium | 0.00082 | U | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 14:27 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 16:44 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 13:50 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | **14** | | 5.0 | 5.0 | mg/L | | | 09/12/22 14:47 | 1 |
| Chloride (SM 4500 Cl- E) | **3.4** | | 2.0 | 1.4 | mg/L | | | 09/11/22 23:11 | 1 |
| Sulfate (SM 4500 SO4 E) | **1.5** | **I** | 5.0 | 1.4 | mg/L | | | 09/11/22 23:38 | 1 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | **4.89** | | | | SU | | | 09/07/22 11:50 | 1 |

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

## Client Sample ID: MW-107

**Date Collected: 09/07/22 14:12**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-3

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 16:17 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Barium | **0.012** | | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Boron | **0.031** | **I** | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/22/22 19:24 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Calcium | **0.61** | | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:20 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |
| Selenium | 0.00082 | U | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 14:30 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 17:28 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 13:53 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | **22** | | 5.0 | 5.0 | mg/L | | | 09/12/22 14:47 | 1 |
| Chloride (SM 4500 Cl- E) | **3.6** | | 2.0 | 1.4 | mg/L | | | 09/11/22 23:11 | 1 |
| Sulfate (SM 4500 SO4 E) | **1.4** | **I** | 5.0 | 1.4 | mg/L | | | 09/11/22 23:38 | 1 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | **4.92** | | | | SU | | | 09/07/22 14:12 | 1 |

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

## Client Sample ID: MW-108

**Date Collected: 09/08/22 08:17**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-4

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 16:38 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Barium | **0.012** | | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Boron | **0.055** | **V** | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Calcium | **2.1** | | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:23 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |
| Selenium | 0.00082 | U | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 14:34 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 17:31 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 13:55 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | **44** | | 5.0 | 5.0 | mg/L | | | 09/12/22 14:47 | 1 |
| Chloride (SM 4500 Cl- E) | **3.4** | | 2.0 | 1.4 | mg/L | | | 09/12/22 21:05 | 1 |
| Sulfate (SM 4500 SO4 E) | **5.5** | | 5.0 | 1.4 | mg/L | | | 09/11/22 23:30 | 1 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | **4.78** | | | | SU | | | 09/08/22 08:17 | 1 |

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

## Client Sample ID: MW-306

**Date Collected: 09/08/22 10:13**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-5

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 16:59 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Barium | **0.012** | | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Boron | **0.027** | **I** | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/22/22 19:51 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Calcium | **0.69** | | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:26 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |
| Selenium | 0.00082 | U | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 14:37 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 17:34 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 14:03 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | **24** | | 5.0 | 5.0 | mg/L | | | 09/12/22 14:38 | 1 |
| Chloride (SM 4500 Cl- E) | **4.3** | | 2.0 | 1.4 | mg/L | | | 09/12/22 21:05 | 1 |
| Sulfate (SM 4500 SO4 E) | 1.4 | U | 5.0 | 1.4 | mg/L | | | 09/11/22 23:31 | 1 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | **4.87** | | | | SU | | | 09/08/22 10:13 | 1 |

## Client Sample ID: MW-307

**Date Collected: 09/08/22 12:47**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-6

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 17:20 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Barium | **0.017** | | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Boron | **0.025** | **I** | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/22/22 19:55 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Calcium | **0.82** | | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Cobalt | **0.00064** | **I** | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:29 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |
| Selenium | **0.0034** | | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 15:01 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 17:37 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 14:05 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | **48** | | 5.0 | 5.0 | mg/L | | | 09/12/22 14:47 | 1 |
| Chloride (SM 4500 Cl- E) | **5.3** | | 2.0 | 1.4 | mg/L | | | 09/12/22 21:07 | 1 |
| Sulfate (SM 4500 SO4 E) | 1.4 | U | 5.0 | 1.4 | mg/L | | | 09/11/22 23:31 | 1 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | **5.13** | | | | SU | | | 09/08/22 12:47 | 1 |

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

## Client Sample ID: DUP-01
**Date Collected: 09/07/22 09:11**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-7
**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 18:22 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Barium | **0.017** | | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Boron | **0.046** | I | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/21/22 15:04 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Calcium | **0.89** | | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Cobalt | **0.00059** | I | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:54 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |
| Selenium | **0.0023** | | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 15:04 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 17:40 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 14:07 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | **38** | | 5.0 | 5.0 | mg/L | | | 09/12/22 14:47 | 1 |
| Chloride (SM 4500 Cl- E) | **4.3** | | 2.0 | 1.4 | mg/L | | | 09/11/22 23:12 | 1 |
| Sulfate (SM 4500 SO4 E) | **1.5** | I | 5.0 | 1.4 | mg/L | | | 09/11/22 23:39 | 1 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Field pH | **4.72** | | | | SU | | | 09/07/22 09:11 | 1 |

## Client Sample ID: EB-01

**Date Collected: 09/08/22 12:02**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-8

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 17:40 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Barium | 0.00070 | U | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Boron | **0.049** | **I V J3** | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/21/22 15:30 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Calcium | 0.13 | U | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:57 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |
| Selenium | **0.012** | | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 15:30 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 17:44 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 14:10 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | 5.0 | U | 5.0 | 5.0 | mg/L | | | 09/12/22 14:47 | 1 |
| Chloride (SM 4500 Cl- E) | 1.4 | U | 2.0 | 1.4 | mg/L | | | 09/12/22 21:08 | 1 |
| Sulfate (SM 4500 SO4 E) | 1.4 | U | 5.0 | 1.4 | mg/L | | | 09/11/22 23:32 | 1 |

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-1
SDG: Background A

## Client Sample ID: FB-01

**Date Collected: 09/08/22 12:58**
**Date Received: 09/08/22 16:38**

## Lab Sample ID: 400-225667-9

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 18:43 | 1 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Barium | 0.00070 | U | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Boron | 0.0012 | U | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/21/22 15:33 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Calcium | 0.13 | U | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 19:00 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |
| Selenium | **0.0037** | | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 15:33 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/20/22 17:47 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 14:16 | 1 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids (SM 2540C) | 5.0 | U | 5.0 | 5.0 | mg/L | | | 09/12/22 14:38 | 1 |
| Chloride (SM 4500 Cl- E) | 1.4 | U | 2.0 | 1.4 | mg/L | | | 09/12/22 21:08 | 1 |
| Sulfate (SM 4500 SO4 E) | 1.4 | U | 5.0 | 1.4 | mg/L | | | 09/11/22 23:33 | 1 |

## Qualifiers

### HPLC/IC

| Qualifier | Qualifier Description |
|---|---|
| U | Indicates that the compound was analyzed for but not detected. |

### Metals

| Qualifier | Qualifier Description |
|---|---|
| I | The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit. |
| J3 | Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria. |
| U | Indicates that the compound was analyzed for but not detected. |
| V | Indicates that the analyte was detected at or above the method detection limit in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value. |

### General Chemistry

| Qualifier | Qualifier Description |
|---|---|
| I | The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit. |
| L | Off-scale high. Actual value is known to be greater than the value given. |
| U | Indicates that the compound was analyzed for but not detected. |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

## Client Sample ID: MW-100

**Date Collecte3: 0/ 50x544 10:11**
**Date Receive3: 0/ 50T544 19:yT**

## Lab Sample ID: 200-44799x-1

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 14:54 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593289 | NTH | EET PEN | 09/20/22 16:41 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 14:24 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593654 | NTH | EET PEN | 09/22/22 19:18 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 18:14 |
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 ¹ |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 13:48 |
| Total/NA | Analysis | SM 2540C | | 1 | 592212 | VB | EET PEN | 09/12/22 14:47 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592118 | DN1 | EET PEN | 09/11/22 23:10 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:37 |
| Total/NA | Analysis | Field Sampling | | 1 | 594497 | S1K | EET PEN | 09/07/22 10:11 |

## Client Sample ID: MW-101

**Date Collecte3: 0/ 50x544 11:70**
**Date Receive3: 0/ 50T544 19:yT**

## Lab Sample ID: 200-44799x-4

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 15:56 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593289 | NTH | EET PEN | 09/20/22 16:44 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 14:27 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593654 | NTH | EET PEN | 09/22/22 19:21 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 18:17 |
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 ¹ |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 13:50 |
| Total/NA | Analysis | SM 2540C | | 1 | 592212 | VB | EET PEN | 09/12/22 14:47 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592118 | DN1 | EET PEN | 09/11/22 23:11 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:38 |
| Total/NA | Analysis | Field Sampling | | 1 | 594497 | S1K | EET PEN | 09/07/22 11:50 |

## Client Sample ID: MW-10x

**Date Collecte3: 0/ 50x544 12:14**
**Date Receive3: 0/ 50T544 19:yT**

## Lab Sample ID: 200-44799x-y

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 16:17 |

## Client Sample ID: MW-10x
**Date Collecte3: 0/ 5 0x544 12:14**
**Date Receive3: 0/ 5 0T544 19:yT**

**Lab Sample ID: 200-44799x-y**
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593338 | NTH | EET PEN | 09/20/22 17:28 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 14:30 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593654 | NTH | EET PEN | 09/22/22 19:24 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 18:20 |
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 ¹ |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 13:53 |
| Total/NA | Analysis | SM 2540C | | 1 | 592212 | VB | EET PEN | 09/12/22 14:47 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592118 | DN1 | EET PEN | 09/11/22 23:11 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:38 |
| Total/NA | Analysis | Field Sampling | | 1 | 594497 | S1K | EET PEN | 09/07/22 14:12 |

## Client Sample ID: MW-10T
**Date Collecte3: 0/ 5 0T544 0T:1x**
**Date Receive3: 0/ 5 0T544 19:yT**

**Lab Sample ID: 200-44799x-2**
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 16:38 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593338 | NTH | EET PEN | 09/20/22 17:31 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 14:34 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 18:23 |
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 ¹ |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 13:55 |
| Total/NA | Analysis | SM 2540C | | 1 | 592212 | VB | EET PEN | 09/12/22 14:47 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592268 | DN1 | EET PEN | 09/12/22 21:05 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:30 |
| Total/NA | Analysis | Field Sampling | | 1 | 594497 | S1K | EET PEN | 09/08/22 08:17 |

## Client Sample ID: MW-y09
**Date Collecte3: 0/ 5 0T544 10:1y**
**Date Receive3: 0/ 5 0T544 19:yT**

**Lab Sample ID: 200-44799x-7**
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 16:59 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593338 | NTH | EET PEN | 09/20/22 17:34 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 14:37 |

## Client Sample ID: MW-y09
**Date Collecte3: 0/ 5 0T544 10:1y**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-7
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593654 | NTH | EET PEN | 09/22/22 19:51 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 18:26 |
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 ¹ |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 14:03 |
| Total/NA | Analysis | SM 2540C | | 1 | 592210 | VB | EET PEN | 09/12/22 14:38 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592268 | DN1 | EET PEN | 09/12/22 21:05 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:31 |
| Total/NA | Analysis | Field Sampling | | 1 | 594497 | S1K | EET PEN | 09/08/22 10:13 |

## Client Sample ID: MW-y0x
**Date Collecte3: 0/ 5 0T544 14:2x**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-9
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 17:20 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593338 | NTH | EET PEN | 09/20/22 17:37 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 15:01 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593654 | NTH | EET PEN | 09/22/22 19:55 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 18:29 |
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 ¹ |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 14:05 |
| Total/NA | Analysis | SM 2540C | | 1 | 592212 | VB | EET PEN | 09/12/22 14:47 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592268 | DN1 | EET PEN | 09/12/22 21:07 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:31 |
| Total/NA | Analysis | Field Sampling | | 1 | 594497 | S1K | EET PEN | 09/08/22 12:47 |

## Client Sample ID: DUs-01
**Date Collecte3: 0/ 5 0x544 0/ :11**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-x
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 18:22 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593338 | NTH | EET PEN | 09/20/22 17:40 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 15:04 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 ¹ |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 18:54 |

## Client Sample ID: DUs-01

**Date Collecte3: 0/ 5 0x544 0/ :11**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-x

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 [1] |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 14:07 |
| Total/NA | Analysis | SM 2540C | | 1 | 592212 | VB | EET PEN | 09/12/22 14:47 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592118 | DN1 | EET PEN | 09/11/22 23:12 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:39 |
| Total/NA | Analysis | Field Sampling | | 1 | 594497 | S1K | EET PEN | 09/07/22 09:11 |

## Client Sample ID: EA-01

**Date Collecte3: 0/ 5 0T544 14:04**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-T

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 17:40 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 [1] |
| Total Recoverable | Analysis | 6020 | | 5 | 593338 | NTH | EET PEN | 09/20/22 17:44 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 [1] |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 15:30 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 [1] |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 18:57 |
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 [1] |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 14:10 |
| Total/NA | Analysis | SM 2540C | | 1 | 592212 | VB | EET PEN | 09/12/22 14:47 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592268 | DN1 | EET PEN | 09/12/22 21:08 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:32 |

## Client Sample ID: 8A-01

**Date Collecte3: 0/ 5 0T544 14:7T**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-/

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Analysis | 300.0 | | 1 | 591951 | JAS | EET PEN | 09/09/22 18:43 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 [1] |
| Total Recoverable | Analysis | 6020 | | 5 | 593338 | NTH | EET PEN | 09/20/22 17:47 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 [1] |
| Total Recoverable | Analysis | 6020 | | 5 | 593462 | NTH | EET PEN | 09/21/22 15:33 |
| Total Recoverable | Prep | 3005A | | | 592467 | KWN | EET PEN | 09/14/22 11:40 - 09/14/22 15:54 [1] |
| Total Recoverable | Analysis | 6020 | | 5 | 593804 | NTH | EET PEN | 09/23/22 19:00 |
| Total/NA | Prep | 7470A | | | 593355 | NET | EET PEN | 09/26/22 11:29 - 09/26/22 14:00 [1] |
| Total/NA | Analysis | 7470A | | 1 | 594213 | NET | EET PEN | 09/27/22 14:16 |
| Total/NA | Analysis | SM 2540C | | 1 | 592210 | VB | EET PEN | 09/12/22 14:38 |
| Total/NA | Analysis | SM 4500 Cl- E | | 1 | 592268 | DN1 | EET PEN | 09/12/22 21:08 |
| Total/NA | Analysis | SM 4500 SO4 E | | 1 | 592119 | DN1 | EET PEN | 09/11/22 23:33 |

[1] Completion dates and times are reported or not reported per method requirements or individual lab discretion.

**LaboratorP Referencez:**

EET PEN = Eurofins Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001

## HPLC/IC

### Analysis Batch: 591951

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total/NA | Water | 300.0 | |
| 400-225667-2 | MW-101 | Total/NA | Water | 300.0 | |
| 400-225667-3 | MW-107 | Total/NA | Water | 300.0 | |
| 400-225667-4 | MW-108 | Total/NA | Water | 300.0 | |
| 400-225667-5 | MW-306 | Total/NA | Water | 300.0 | |
| 400-225667-6 | MW-307 | Total/NA | Water | 300.0 | |
| 400-225667-7 | DUP-01 | Total/NA | Water | 300.0 | |
| 400-225667-8 | EB-01 | Total/NA | Water | 300.0 | |
| 400-225667-9 | FB-01 | Total/NA | Water | 300.0 | |
| MB 400-591951/5 | Method Blank | Total/NA | Water | 300.0 | |
| LCS 400-591951/6 | Lab Control Sample | Total/NA | Water | 300.0 | |
| LCSD 400-591951/7 | Lab Control Sample Dup | Total/NA | Water | 300.0 | |
| 400-225661-H-1 MS | Matrix Spike | Total/NA | Water | 300.0 | |
| 400-225661-H-1 MSD | Matrix Spike Duplicate | Total/NA | Water | 300.0 | |

## Metals

### Prep Batch: 592467

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total Recoverable | Water | 3005A | |
| 400-225667-2 | MW-101 | Total Recoverable | Water | 3005A | |
| 400-225667-3 | MW-107 | Total Recoverable | Water | 3005A | |
| 400-225667-4 | MW-108 | Total Recoverable | Water | 3005A | |
| 400-225667-5 | MW-306 | Total Recoverable | Water | 3005A | |
| 400-225667-6 | MW-307 | Total Recoverable | Water | 3005A | |
| 400-225667-7 | DUP-01 | Total Recoverable | Water | 3005A | |
| 400-225667-8 | EB-01 | Total Recoverable | Water | 3005A | |
| 400-225667-9 | FB-01 | Total Recoverable | Water | 3005A | |
| MB 400-592467/1-A ^5 | Method Blank | Total Recoverable | Water | 3005A | |
| LCS 400-592467/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 3005A | |
| 400-225667-2 MS | MW-101 | Total Recoverable | Water | 3005A | |
| 400-225667-2 MSD | MW-101 | Total Recoverable | Water | 3005A | |

### Analysis Batch: 593289

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-2 | MW-101 | Total Recoverable | Water | 6020 | 592467 |
| LCS 400-592467/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-2 MS | MW-101 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-2 MSD | MW-101 | Total Recoverable | Water | 6020 | 592467 |

### Analysis Batch: 593338

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-3 | MW-107 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-4 | MW-108 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-5 | MW-306 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-6 | MW-307 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-7 | DUP-01 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-8 | EB-01 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-9 | FB-01 | Total Recoverable | Water | 6020 | 592467 |
| MB 400-592467/1-A ^5 | Method Blank | Total Recoverable | Water | 6020 | 592467 |

## Metals (Continued)

### Analysis Batch: 593338 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-2 MS | MW-101 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-2 MSD | MW-101 | Total Recoverable | Water | 6020 | 592467 |

### Prep Batch: 593355

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total/NA | Water | 7470A | |
| 400-225667-2 | MW-101 | Total/NA | Water | 7470A | |
| 400-225667-3 | MW-107 | Total/NA | Water | 7470A | |
| 400-225667-4 | MW-108 | Total/NA | Water | 7470A | |
| 400-225667-5 | MW-306 | Total/NA | Water | 7470A | |
| 400-225667-6 | MW-307 | Total/NA | Water | 7470A | |
| 400-225667-7 | DUP-01 | Total/NA | Water | 7470A | |
| 400-225667-8 | EB-01 | Total/NA | Water | 7470A | |
| 400-225667-9 | FB-01 | Total/NA | Water | 7470A | |
| MB 400-593355/14-A | Method Blank | Total/NA | Water | 7470A | |
| LCS 400-593355/15-A | Lab Control Sample | Total/NA | Water | 7470A | |
| 400-225703-K-3-C MS | Matrix Spike | Total/NA | Water | 7470A | |
| 400-225703-K-3-D MSD | Matrix Spike Duplicate | Total/NA | Water | 7470A | |

### Analysis Batch: 593462

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-2 | MW-101 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-3 | MW-107 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-4 | MW-108 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-5 | MW-306 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-6 | MW-307 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-7 | DUP-01 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-8 | EB-01 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-9 | FB-01 | Total Recoverable | Water | 6020 | 592467 |
| MB 400-592467/1-A ^5 | Method Blank | Total Recoverable | Water | 6020 | 592467 |

### Analysis Batch: 593654

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-2 | MW-101 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-3 | MW-107 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-5 | MW-306 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-6 | MW-307 | Total Recoverable | Water | 6020 | 592467 |

### Analysis Batch: 593804

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-2 | MW-101 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-3 | MW-107 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-4 | MW-108 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-5 | MW-306 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-6 | MW-307 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-7 | DUP-01 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-8 | EB-01 | Total Recoverable | Water | 6020 | 592467 |
| 400-225667-9 | FB-01 | Total Recoverable | Water | 6020 | 592467 |

## Metals (Continued)

### Analysis Batch: 593804 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| MB 400-592467/1-A ^5 | Method Blank | Total Recoverable | Water | 6020 | 592467 |
| LCS 400-592467/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 6020 | 592467 |

### Analysis Batch: 594213

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total/NA | Water | 7470A | 593355 |
| 400-225667-2 | MW-101 | Total/NA | Water | 7470A | 593355 |
| 400-225667-3 | MW-107 | Total/NA | Water | 7470A | 593355 |
| 400-225667-4 | MW-108 | Total/NA | Water | 7470A | 593355 |
| 400-225667-5 | MW-306 | Total/NA | Water | 7470A | 593355 |
| 400-225667-6 | MW-307 | Total/NA | Water | 7470A | 593355 |
| 400-225667-7 | DUP-01 | Total/NA | Water | 7470A | 593355 |
| 400-225667-8 | EB-01 | Total/NA | Water | 7470A | 593355 |
| 400-225667-9 | FB-01 | Total/NA | Water | 7470A | 593355 |
| MB 400-593355/14-A | Method Blank | Total/NA | Water | 7470A | 593355 |
| LCS 400-593355/15-A | Lab Control Sample | Total/NA | Water | 7470A | 593355 |
| 400-225703-K-3-C MS | Matrix Spike | Total/NA | Water | 7470A | 593355 |
| 400-225703-K-3-D MSD | Matrix Spike Duplicate | Total/NA | Water | 7470A | 593355 |

## General Chemistry

### Analysis Batch: 592118

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-2 | MW-101 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-3 | MW-107 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-7 | DUP-01 | Total/NA | Water | SM 4500 Cl- E | |
| MB 400-592118/13 | Method Blank | Total/NA | Water | SM 4500 Cl- E | |
| LCS 400-592118/14 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| MRL 400-592118/15 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| 400-225660-A-2 MS | Matrix Spike | Total/NA | Water | SM 4500 Cl- E | |
| 400-225660-A-2 MSD | Matrix Spike Duplicate | Total/NA | Water | SM 4500 Cl- E | |

### Analysis Batch: 592119

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-2 | MW-101 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-3 | MW-107 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-4 | MW-108 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-5 | MW-306 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-6 | MW-307 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-7 | DUP-01 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-8 | EB-01 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-9 | FB-01 | Total/NA | Water | SM 4500 SO4 E | |
| MB 400-592119/12 | Method Blank | Total/NA | Water | SM 4500 SO4 E | |
| LCS 400-592119/13 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| MRL 400-592119/14 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-9 MS | FB-01 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225667-9 MSD | FB-01 | Total/NA | Water | SM 4500 SO4 E | |

## General Chemistry

### Analysis Batch: 592210

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-5 | MW-306 | Total/NA | Water | SM 2540C | |
| 400-225667-9 | FB-01 | Total/NA | Water | SM 2540C | |
| MB 400-592210/1 | Method Blank | Total/NA | Water | SM 2540C | |
| LCS 400-592210/2 | Lab Control Sample | Total/NA | Water | SM 2540C | |
| 400-225722-A-8 DU | Duplicate | Total/NA | Water | SM 2540C | |

### Analysis Batch: 592212

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total/NA | Water | SM 2540C | |
| 400-225667-2 | MW-101 | Total/NA | Water | SM 2540C | |
| 400-225667-3 | MW-107 | Total/NA | Water | SM 2540C | |
| 400-225667-4 | MW-108 | Total/NA | Water | SM 2540C | |
| 400-225667-6 | MW-307 | Total/NA | Water | SM 2540C | |
| 400-225667-7 | DUP-01 | Total/NA | Water | SM 2540C | |
| 400-225667-8 | EB-01 | Total/NA | Water | SM 2540C | |
| MB 400-592212/1 | Method Blank | Total/NA | Water | SM 2540C | |
| LCS 400-592212/2 | Lab Control Sample | Total/NA | Water | SM 2540C | |
| 400-225433-B-14 DU | Duplicate | Total/NA | Water | SM 2540C | |

### Analysis Batch: 592268

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-4 | MW-108 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-5 | MW-306 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-6 | MW-307 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-8 | EB-01 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-9 | FB-01 | Total/NA | Water | SM 4500 Cl- E | |
| MB 400-592268/13 | Method Blank | Total/NA | Water | SM 4500 Cl- E | |
| LCS 400-592268/14 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| MRL 400-592268/15 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-5 MS | MW-306 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225667-5 MSD | MW-306 | Total/NA | Water | SM 4500 Cl- E | |

## Field Service / Mobile Lab

### Analysis Batch: 594497

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225667-1 | MW-100 | Total/NA | Water | Field Sampling | |
| 400-225667-2 | MW-101 | Total/NA | Water | Field Sampling | |
| 400-225667-3 | MW-107 | Total/NA | Water | Field Sampling | |
| 400-225667-4 | MW-108 | Total/NA | Water | Field Sampling | |
| 400-225667-5 | MW-306 | Total/NA | Water | Field Sampling | |
| 400-225667-6 | MW-307 | Total/NA | Water | Field Sampling | |
| 400-225667-7 | DUP-01 | Total/NA | Water | Field Sampling | |

## Method: 300.0 - Anions, Ion Chromatography

**Lab Sample ID: MB 400-591951/5**
**Matrix: Water**
**Analysis Batch: 591951**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/09/22 11:46 | 1 |

**Lab Sample ID: LCS 400-591951/6**
**Matrix: Water**
**Analysis Batch: 591951**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Fluoride | 10.0 | 11.0 | | mg/L | | 110 | 90 - 110 |

**Lab Sample ID: LCSD 400-591951/7**
**Matrix: Water**
**Analysis Batch: 591951**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 10.0 | 11.0 | | mg/L | | 110 | 90 - 110 | 0 | 15 |

**Lab Sample ID: 400-225661-H-1 MS**
**Matrix: Water**
**Analysis Batch: 591951**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 1.9 | | 10.0 | 13.3 | | mg/L | | 114 | 80 - 120 |

**Lab Sample ID: 400-225661-H-1 MSD**
**Matrix: Water**
**Analysis Batch: 591951**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 1.9 | | 10.0 | 13.0 | | mg/L | | 111 | 80 - 120 | 2 | 20 |

## Method: 6020 - Metals (ICP/MS)

**Lab Sample ID: MB 400-592467/1-A ^5**
**Matrix: Water**
**Analysis Batch: 593338**

**Client Sample ID: Method Blank**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/14/22 11:40 | 09/20/22 16:04 | 5 |

**Lab Sample ID: MB 400-592467/1-A ^5**
**Matrix: Water**
**Analysis Batch: 593462**

**Client Sample ID: Method Blank**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/21/22 14:18 | 5 |
| Barium | 0.00070 | U | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/21/22 14:18 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/21/22 14:18 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/21/22 14:18 | 5 |
| Selenium | 0.00082 | U | 0.0013 | 0.00082 | mg/L | | 09/14/22 11:40 | 09/21/22 14:18 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/21/22 14:18 | 5 |

## Method: 6020 - Metals (ICP/MS) (Continued)

**Lab Sample ID: MB 400-592467/1-A ^5**
**Matrix: Water**
**Analysis Batch: 593804**

**Client Sample ID: Method Blank**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Barium | 0.00070 | U | 0.0025 | 0.00070 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Boron | 0.00190 | I | 0.050 | 0.0012 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Calcium | 0.13 | U | 0.25 | 0.13 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/14/22 11:40 | 09/23/22 18:08 | 5 |

**Lab Sample ID: LCS 400-592467/2-A ^5**
**Matrix: Water**
**Analysis Batch: 593289**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Selenium | 0.0500 | 0.0447 | | mg/L | | 89 | 80 - 120 |

**Lab Sample ID: LCS 400-592467/2-A ^5**
**Matrix: Water**
**Analysis Batch: 593804**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Antimony | 0.0500 | 0.0512 | | mg/L | | 102 | 80 - 120 |
| Arsenic | 0.0500 | 0.0517 | | mg/L | | 103 | 80 - 120 |
| Barium | 0.0500 | 0.0500 | | mg/L | | 100 | 80 - 120 |
| Beryllium | 0.0500 | 0.0511 | | mg/L | | 102 | 80 - 120 |
| Boron | 0.100 | 0.0871 | | mg/L | | 87 | 80 - 120 |
| Cadmium | 0.0500 | 0.0502 | | mg/L | | 100 | 80 - 120 |
| Calcium | 5.00 | 5.17 | | mg/L | | 103 | 80 - 120 |
| Chromium | 0.0500 | 0.0533 | | mg/L | | 107 | 80 - 120 |
| Cobalt | 0.0500 | 0.0517 | | mg/L | | 103 | 80 - 120 |
| Lead | 0.0500 | 0.0505 | | mg/L | | 101 | 80 - 120 |
| Lithium | 0.0500 | 0.0500 | | mg/L | | 100 | 80 - 120 |
| Molybdenum | 0.0500 | 0.0515 | | mg/L | | 103 | 80 - 120 |
| Thallium | 0.0100 | 0.0101 | | mg/L | | 101 | 80 - 120 |

**Lab Sample ID: 400-225667-2 MS**
**Matrix: Water**
**Analysis Batch: 593289**

**Client Sample ID: MW-101**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0500 | 0.0534 | | mg/L | | 107 | 75 - 125 |
| Antimony | 0.0015 | U | 0.0500 | 0.0534 | | mg/L | | 107 | 75 - 125 |
| Arsenic | 0.0012 | U | 0.0500 | 0.0499 | | mg/L | | 100 | 75 - 125 |
| Arsenic | 0.0012 | U | 0.0500 | 0.0499 | | mg/L | | 100 | 75 - 125 |
| Barium | 0.0089 | | 0.0500 | 0.0602 | | mg/L | | 103 | 75 - 125 |

## Method: 6020 - Metals (ICP/MS) (Continued)

**Lab Sample ID: 400-225667-2 MS**
**Matrix: Water**
**Analysis Batch: 593338**

**Client Sample ID: MW-101**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Barium | 0.0089 | | 0.0500 | 0.0602 | | mg/L | | 103 | 75 - 125 |
| Beryllium | 0.00092 | U | 0.0500 | 0.0478 | | mg/L | | 96 | 75 - 125 |
| Beryllium | 0.00092 | U | 0.0500 | 0.0478 | | mg/L | | 96 | 75 - 125 |
| Boron | 0.094 | V J3 | 0.100 | 0.223 | V J3 | mg/L | | 128 | 75 - 125 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0523 | | mg/L | | 105 | 75 - 125 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0523 | | mg/L | | 105 | 75 - 125 |
| Calcium | 0.60 | V | 5.00 | 5.80 | | mg/L | | 104 | 75 - 125 |
| Calcium | 0.60 | V | 5.00 | 5.80 | | mg/L | | 104 | 75 - 125 |
| Chromium | 0.0010 | U | 0.0500 | 0.0535 | | mg/L | | 107 | 75 - 125 |
| Chromium | 0.0010 | U | 0.0500 | 0.0535 | | mg/L | | 107 | 75 - 125 |
| Cobalt | 0.00056 | U | 0.0500 | 0.0510 | | mg/L | | 102 | 75 - 125 |
| Cobalt | 0.00056 | U | 0.0500 | 0.0510 | | mg/L | | 102 | 75 - 125 |
| Lead | 0.00081 | U | 0.0500 | 0.0496 | | mg/L | | 99 | 75 - 125 |
| Lead | 0.00081 | U | 0.0500 | 0.0496 | | mg/L | | 99 | 75 - 125 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0512 | | mg/L | | 102 | 75 - 125 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0512 | | mg/L | | 102 | 75 - 125 |
| Selenium | 0.0035 | V | 0.0500 | 0.0466 | | mg/L | | 86 | 75 - 125 |
| Selenium | 0.0035 | V | 0.0500 | 0.0466 | | mg/L | | 86 | 75 - 125 |
| Thallium | 0.00046 | U | 0.0100 | 0.00998 | | mg/L | | 100 | 75 - 125 |
| Thallium | 0.00046 | U | 0.0100 | 0.00998 | | mg/L | | 100 | 75 - 125 |

**Lab Sample ID: 400-225667-2 MSD**
**Matrix: Water**
**Analysis Batch: 593289**

**Client Sample ID: MW-101**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0500 | 0.0571 | | mg/L | | 114 | 75 - 125 | 7 | 20 |
| Antimony | 0.0015 | U | 0.0500 | 0.0571 | | mg/L | | 114 | 75 - 125 | 7 | 20 |
| Arsenic | 0.0012 | U | 0.0500 | 0.0528 | | mg/L | | 106 | 75 - 125 | 6 | 20 |
| Arsenic | 0.0012 | U | 0.0500 | 0.0528 | | mg/L | | 106 | 75 - 125 | 6 | 20 |
| Barium | 0.0089 | | 0.0500 | 0.0601 | | mg/L | | 102 | 75 - 125 | 0 | 20 |
| Barium | 0.0089 | | 0.0500 | 0.0601 | | mg/L | | 102 | 75 - 125 | 0 | 20 |
| Beryllium | 0.00092 | U | 0.0500 | 0.0527 | | mg/L | | 105 | 75 - 125 | 10 | 20 |
| Beryllium | 0.00092 | U | 0.0500 | 0.0527 | | mg/L | | 105 | 75 - 125 | 10 | 20 |
| Boron | 0.094 | V J3 | 0.100 | 0.209 | V | mg/L | | 115 | 75 - 125 | 6 | 20 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0543 | | mg/L | | 109 | 75 - 125 | 4 | 20 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0543 | | mg/L | | 109 | 75 - 125 | 4 | 20 |
| Calcium | 0.60 | V | 5.00 | 5.85 | | mg/L | | 105 | 75 - 125 | 1 | 20 |
| Calcium | 0.60 | V | 5.00 | 5.85 | | mg/L | | 105 | 75 - 125 | 1 | 20 |
| Chromium | 0.0010 | U | 0.0500 | 0.0567 | | mg/L | | 113 | 75 - 125 | 6 | 20 |
| Chromium | 0.0010 | U | 0.0500 | 0.0567 | | mg/L | | 113 | 75 - 125 | 6 | 20 |
| Cobalt | 0.00056 | U | 0.0500 | 0.0536 | | mg/L | | 107 | 75 - 125 | 5 | 20 |
| Cobalt | 0.00056 | U | 0.0500 | 0.0536 | | mg/L | | 107 | 75 - 125 | 5 | 20 |
| Lead | 0.00081 | U | 0.0500 | 0.0526 | | mg/L | | 105 | 75 - 125 | 6 | 20 |
| Lead | 0.00081 | U | 0.0500 | 0.0526 | | mg/L | | 105 | 75 - 125 | 6 | 20 |
| Lithium | 0.0049 | U | 0.0500 | 0.0501 | | mg/L | | 100 | 75 - 125 | 6 | 20 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0551 | | mg/L | | 110 | 75 - 125 | 7 | 20 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0551 | | mg/L | | 110 | 75 - 125 | 7 | 20 |
| Selenium | 0.0035 | V | 0.0500 | 0.0601 | J3 | mg/L | | 113 | 75 - 125 | 25 | 20 |

## Method: 6020 - Metals (ICP/MS) (Continued)

**Lab Sample ID: 400-225667-2 MSD**
**Matrix: Water**
**Analysis Batch: 593338**

**Client Sample ID: MW-101**
**Prep Type: Total Recoverable**
**Prep Batch: 592467**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Selenium | 0.0035 | V | 0.0500 | 0.0601 | J3 | mg/L | | 113 | 75 - 125 | 25 | 20 |
| Thallium | 0.00046 | U | 0.0100 | 0.0103 | | mg/L | | 103 | 75 - 125 | 3 | 20 |
| Thallium | 0.00046 | U | 0.0100 | 0.0103 | | mg/L | | 103 | 75 - 125 | 3 | 20 |

## Method: 7470A - Mercury (CVAA)

**Lab Sample ID: MB 400-593355/14-A**
**Matrix: Water**
**Analysis Batch: 594213**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 593355**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/26/22 11:29 | 09/27/22 12:48 | 1 |

**Lab Sample ID: LCS 400-593355/15-A**
**Matrix: Water**
**Analysis Batch: 594213**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 593355**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Mercury | 0.00101 | 0.00107 | | mg/L | | 107 | 80 - 120 |

**Lab Sample ID: 400-225703-K-3-C MS**
**Matrix: Water**
**Analysis Batch: 594213**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**
**Prep Batch: 593355**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00314 | J3 | mg/L | | 156 | 80 - 120 |

**Lab Sample ID: 400-225703-K-3-D MSD**
**Matrix: Water**
**Analysis Batch: 594213**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**
**Prep Batch: 593355**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00281 | J3 | mg/L | | 140 | 80 - 120 | 11 | 20 |

## Method: SM 2540C - Solids, Total Dissolved (TDS)

**Lab Sample ID: MB 400-592210/1**
**Matrix: Water**
**Analysis Batch: 592210**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 5.0 | U | 5.0 | 5.0 | mg/L | | | 09/12/22 14:38 | 1 |

**Lab Sample ID: LCS 400-592210/2**
**Matrix: Water**
**Analysis Batch: 592210**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 293 | 284 | | mg/L | | 97 | 78 - 122 |

## Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

**Lab Sample ID: 400-225722-A-8 DU**
**Matrix: Water**
**Analysis Batch: 592210**

**Client Sample ID: Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | | DU Result | DU Qualifier | Unit | D | | | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 210 | | | 208 | | mg/L | | | | 1 | 5 |

**Lab Sample ID: MB 400-592212/1**
**Matrix: Water**
**Analysis Batch: 592212**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 5.0 | U | 5.0 | 5.0 | mg/L | | | 09/12/22 14:47 | 1 |

**Lab Sample ID: LCS 400-592212/2**
**Matrix: Water**
**Analysis Batch: 592212**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | | | 293 | 278 | | mg/L | | 95 | 78 - 122 | | |

**Lab Sample ID: 400-225433-B-14 DU**
**Matrix: Water**
**Analysis Batch: 592212**

**Client Sample ID: Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | | DU Result | DU Qualifier | Unit | D | | | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 43000 | L | | 42900 | L | mg/L | | | | 0.2 | 5 |

## Method: SM 4500 Cl- E - Chloride, Total

**Lab Sample ID: MB 400-592118/13**
**Matrix: Water**
**Analysis Batch: 592118**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 1.4 | U | 2.0 | 1.4 | mg/L | | | 09/11/22 22:59 | 1 |

**Lab Sample ID: LCS 400-592118/14**
**Matrix: Water**
**Analysis Batch: 592118**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | | | 50.0 | 48.3 | | mg/L | | 97 | 90 - 110 | | |

**Lab Sample ID: MRL 400-592118/15**
**Matrix: Water**
**Analysis Batch: 592118**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | | | 2.00 | 1.56 | I | mg/L | | 78 | 50 - 150 | | |

## Method: SM 4500 Cl- E - Chloride, Total (Continued)

**Lab Sample ID: 400-225660-A-2 MS**
**Matrix: Water**
**Analysis Batch: 592118**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 2.9 | | 10.0 | 11.9 | | mg/L | | 90 | 73 - 120 |

**Lab Sample ID: 400-225660-A-2 MSD**
**Matrix: Water**
**Analysis Batch: 592118**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | 2.9 | | 10.0 | 12.1 | | mg/L | | 92 | 73 - 120 | 2 | 8 |

**Lab Sample ID: MB 400-592268/13**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 1.4 | U | 2.0 | 1.4 | mg/L | | | 09/12/22 20:55 | 1 |

**Lab Sample ID: LCS 400-592268/14**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Chloride | 50.0 | 53.7 | | mg/L | | 107 | 90 - 110 |

**Lab Sample ID: MRL 400-592268/15**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Chloride | 2.00 | 1.73 | I | mg/L | | 87 | 50 - 150 |

**Lab Sample ID: 400-225667-5 MS**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: MW-306**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 4.3 | | 10.0 | 13.5 | | mg/L | | 93 | 73 - 120 |

**Lab Sample ID: 400-225667-5 MSD**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: MW-306**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | 4.3 | | 10.0 | 13.4 | | mg/L | | 91 | 73 - 120 | 1 | 8 |

## Method: SM 4500 SO4 E - Sulfate, Total

**Lab Sample ID: MB 400-592119/12**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 09/11/22 23:25 | 1 |

**Lab Sample ID: LCS 400-592119/13**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 15.0 | 14.8 | | mg/L | | 99 | 90 - 110 | | |

**Lab Sample ID: MRL 400-592119/14**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 5.00 | 4.40 | I | mg/L | | 88 | 50 - 150 | | |

**Lab Sample ID: 400-225667-9 MS**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: FB-01**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 10.0 | 8.86 | | mg/L | | 89 | 77 - 128 | | |

**Lab Sample ID: 400-225667-9 MSD**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: FB-01**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 10.0 | 9.20 | | mg/L | | 92 | 77 - 128 | 4 | 5 |

**Eurofins Pensacola**
3355 McLemore Drive
Pensacola, FL 32514
Phone: 850-474-1001 Fax: 850-478-2671

# Chain of Custody Record

eurofins Environment Testing America

| Client Information | Sampler: Trevor Braddock | Lab PM: Whitmire, Cheyenne R | Carrier Tracking No(s): | COC No: 400-113838-23627.1 |
|---|---|---|---|---|
| Client Contact: Barry Evans | Phone: 850-336-0192 | E-Mail: Cheyenne.Whitmire@et.eurofinsus.com | State of Origin: | Page: Page 1 of 1 |
| Company: Florida Power and Light | PWSID: | | | Job #: |
| Address: BIN 731 One Energy Place | Due Date Requested: | | | |
| City: Pensacola | TAT Requested (days): | | | |
| State, Zip: FL, 32520 | Compliance Project: Δ Yes Δ No | | | |
| Phone: 850-444-6427(Tel) | PO #: 2000403482 | | | |
| Email: Barry.Evans@nexteraenergy.com | WO #: 3000004117 | | | |
| Project Name: CCR GCEC Background A | Project #: 40005424 | | | |
| Site: | SSOW#: | | | |

**Analysis Requested**

**Preservation Codes:**
A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Y - Trizma, Z - other (specify)
Other:

| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 9315_Ra226, 9320_Ra228, Ra226Ra228_GFPC | SM4500_Cl_E, SM4500_SO4_E | FieldSampling - Field Sampling Parameters | 6020, 7470A | 2540C - Total Dissolved Solids | 4500_F_C - Fluoride | Total Number of containers | Special Instructions/Note: |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Preservation Code: | | | | D | N | N | D | N | N | | |
| MW-100 | 9-7-22 | 1011 | G | Water | N | | X | X | X | X | X | X | 4 | |
| MW-101 | 9-7-22 | 1150 | G | Water | | | X | X | X | X | X | X | 4 | |
| MW-107 | 9-7-22 | 1412 | G | Water | | | X | X | X | X | X | X | 4 | |
| MW-108 | 9-8-22 | 0817 | G | Water | | | X | X | X | X | X | X | 4 | |
| MW-306 | 9-8-22 | 1013 | G | Water | | | X | X | X | X | X | X | 4 | |
| MW-307 | 9-8-22 | 1247 | G | Water | | | X | X | X | X | X | X | 4 | |
| DUP-01 | 9-7-22 | 0911 | G | Water | | | X | X | | X | X | X | 4 | |
| EB-01 | 9-8-22 | 1202 | G | Water | | | X | X | | X | X | X | 4 | |
| FB-01 | 9-8-22 | 1258 | G | Water | | | X | X | | X | X | X | 4 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

400-225667 COC

***Possible Hazard Identification***
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

***Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)***
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

| Empty Kit Relinquished by: | Date: | Time: | Method of Shipment: |
|---|---|---|---|

| | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
|---|---|---|---|---|---|---|
| 1 | | 9-8-22 1638 | RAH ENV. | MD | 9/8/22 1638 | ~~EESE~~ |
| 2 | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
| 3 | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 0.1, 0.3, IR8

Ver: 06/08/2021

# Login Sample Receipt Checklist

Client: Florida Power and Light

Job Number: 400-225667-1
SDG Number: Background A

**Login Number: 225667**
**List Number: 1**
**Creator: Whitley, Adrian**

**List Source: Eurofins Pensacola**

| Question | Answer | Comment |
|---|---|---|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 0.1, 0.3°C IR8 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

# Accreditation/Certification Summary

Client: GlufiPo wur ef onP mipat
wfu&ej td ite: CCS REIBCleon k nefpg Centef

yuJ bl : D440 - 211703
/ I R: d oj ApfuEnP s

## Laboratory: Eurofins Pensacola

s ll oj j fePitotiunhq eftiBj otiunh aelP Jg taih loJufotufg ofe lihteP. Nut oll oj j fePitotiunhq eftiBj otiunh ofe o55lij oJle tu taih fe5uft.

| Authority | Program | Identification Number | Expiration Date |
|---|---|---|---|
| s loJo6 o | / tote | D4324 | 410040 O |
| s Nsd | b/ L dk C 374- 2 | m- D73 | 4- 0- 00- O |
| s fAonhoh I k Q | / tote | 990419F | 4F0430 O |
| ColiBafnio | / tote | - 234 | 410040 O |
| GlufiPo | Nk ms w | k 93434 | 410040 O |
| Reufpio | / tote | k 93434(Gm) | 410040 O |
| blinuih | Nk ms w | - 444D3 | 3404F0 - |
| Konhoh | Nk ms w | k 034- 2O | 340080 - |
| KentEj Ag (U/ T) | / tote | 2O | 410040 O |
| KentEj Ag (WW) | / tote | KYF94O4 | 3- 0080 - |
| muEihiono (s ll) | Nk ms w | O4F71 | 410040 O |
| muEihiono (I W) | / tote | ms 437 | 3- 0080 - |
| MofglonP | / tote | - OO | 4F0040 - |
| Mij aipon | / tote | FF3- | 410040 O |
| Nufta Cofulino (WWd W) | / tote | O8D | 3- 0080 - |
| L Aloau6 o | Nk ms w | F934 | 490080 O |
| wennhglvonio | Nk ms w | 19044D17 | 430080 O |
| / uEta Cofulino | / tote | F14- 1 | 410040 O |
| Tennehhee | / tote | TN4- F47 | 410040 O |
| Texoh | Nk ms w | T34D74D- 91 | 4F0040 - |
| U/ Giha & WilPliBe | U/ GePefol wfupfo6 h | s - - OD4 | 410040 O |
| U/ I s | U/ GePefol wfupfo6 h | wOO40- 3044421 | 420370 D |
| Vifpinio | Nk ms w | D14311 | 4103D0 O |
| Weht Vifpinio I k w | / tote | 3O1 | 4O0080 O |

k EfuBnh wenhoj ulo

eurofins | Environment Testing America



# ANALYTICAL REPORT

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Tel: (850)474-1001

Laboratory Job ID: 400-225667-2
Laboratory Sample Delivery Group: Background A
Client Project/Site: CCR Gulf Clean Energy Center

For:
Florida Power and Light
BIN 731
One Energy Place
Pensacola, Florida 32520

Attn: Barry Evans

Cheyenne Whitmire

*Authorized for release by:*
*10/18/2022 4:46:09 PM*

Cheyenne Whitmire, Project Manager II
(850)471-6222
Cheyenne.Whitmire@et.eurofinsus.com

LINKS

Review your project results through my EOL

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

# Table of Contents

Cover Page . . . . . 1
Table of Contents . . . . . 2
Case Narrative . . . . . 3
Method Summary . . . . . 4
Sample Summary . . . . . 5
Client Sample Results . . . . . 6
Definitions . . . . . 15
Chronicle . . . . . 16
QC Association . . . . . 19
QC Sample Results . . . . . 20
Chain of Custody . . . . . 23
Receipt Checklists . . . . . 24
Certification Summary . . . . . 26

## Job ID: 400-225667-2

### Laboratory: Eurofins Pensacola

**Narrative**

**Job Narrative**
**400-225667-2**

**Receipt**

The samples were received on 9/8/2022 4:38 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.1º C and 0.3º C.

**RAD**

Method 9315: Radium-226 batch 582040. The method blank (MB) z-score is within limits and is stored in the level IV raw data. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-100 (400-225667-1), (LCS 160-582040/2-A), (MB 160-582040/1-A), (280-166284-A-2-A) and (280-166284-A-2-B DU)

Method 9315: Radium-226 batch 581883. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-101 (400-225667-2), MW-107 (400-225667-3), MW-108 (400-225667-4), MW-306 (400-225667-5), MW-307 (400-225667-6), DUP-01 (400-225667-7), EB-01 (400-225667-8), FB-01 (400-225667-9), (LCS 160-581883/2-A), (LCSD 160-581883/3-A) and (MB 160-581883/1-A)

Method 9320: Radium-228 batch 582045. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-100 (400-225667-1), (LCS 160-582045/2-A), (MB 160-582045/1-A), (280-166284-A-2-C) and (280-166284-A-2-D DU)

Method 9320: Radium-228 batch 582045. The bracketing daily (check), run the day after the sample was run, was slightly outsic the established QC criteria. The efficiency is set at 3% and the bracketing check achieved 3.2%.The daily (check) run the day th sample was run, passed. Additionally the affected sample achieved its detection goal and was the sample chosen as the batch duplicate. The precision was within acceptable QC limits demonstrating acceptable method and instrument performance. Origin results will be reported. (280-166284-A-2-C)

Method 9320: Radium-228 batch 581888. The LCSD recovered at (128%). The limits in our LIMS system at 75-125 reflect the requirements of a regulatory agency that represents a large amount of our work. However the samples associated with this LCS are not from this agency and are therefore held to our in-house statistical limits of (62-148%) per method requirements. The LCS passes, no further action is required. (LCSD 160-581888/3-A)

Method 9320: Radium-228 batch 581888. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-101 (400-225667-2), MW-107 (400-225667-3), MW-108 (400-225667-4), MW-306 (400-225667-5), MW-307 (400-225667-6), DUP-01 (400-225667-7), EB-01 (400-225667-8), FB-01 (400-225667-9), (LCS 160-581888/2-A), (LCSD 160-581888/3-A) and (MB 160-581888/1-A)

Method PrecSep_0: Radium 228 Batch 160-581888. Insufficient sample volume was available to perform a sample duplicate for following samples: MW-101 (400-225667-2), MW-107 (400-225667-3), MW-108 (400-225667-4), MW-306 (400-225667-5), MW- (400-225667-6), DUP-01 (400-225667-7), EB-01 (400-225667-8) and FB-01 (400-225667-9). A laboratory control sample/ labora control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

Method PrecSep-21: Radium 226 Batch 160-581883. Insufficient sample volume was available to perform a sample duplicate fo the following samples: MW-101 (400-225667-2), MW-107 (400-225667-3), MW-108 (400-225667-4), MW-306 (400-225667-5), MW-307 (400-225667-6), DUP-01 (400-225667-7), EB-01 (400-225667-8) and FB-01 (400-225667-9). A laboratory control samp laboratory control sample duplicate (LCS/LCSD) were prepared instead to demonstrate batch precision.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

8 Ct en t GoCuf Powi Gf eu r lmpn
PGodl BmAaln : 8 8j y kC8 Cf e Rei GrE 8 i eni G

Job ID: 400-221773-2
aDy : Sf Bcm Gokeu g

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| 95( 1 | j f ulkF -227 )y t P8 T | aW647 | RRL ar |
| 9520 | j f ulkF -226 )y t P8 T | aW647 | RRL ar |
| j f 227_j f 226 | 8 oF blei u j f ulkF -227 f eu j f ulkF -226 | Lgr -aLr | RRL ar |
| PGBai , _0 | PG, f GrnloehPGBl, lnf ni ai , f Grnloe | Noei | RRL ar |
| PGBai , -2( | PG, f GrnloehPGBl, lnf ni ai , f Grnloe )2( -Df E le-y GswrpT | Noei | RRL ar |

**Protocol References:**

Noei = Noei

aW647 = "Li snMi rpous t oGRvf Gf nlemaoCu Wf sni hPpEslBf GS pi F lBf COMi rpous"hLplGi RulnloehNovi F bi G( 967 geu lns U, uf ni s.

Lgr -aLr = Li srngF i GBf r f boGrnoGi shan r oklsht f BlGE anf euf Gi O, i GrnlemPGBi ukG.

**Laboratory References:**

RRL ar = RkGs/les an r oklsh( 53( 1 j lui GLGlCNoGpphRf Gp 8 lnEnMO 75041hLRr )5( 4T296-6177

RkGs/les Pi esf BoC

# Sample Summary

Client: Florida Power and Light
ProAeBtj1ite: CC/ SkIRClean f nergE Center

Job ID: 400-225667-2
1DS: GaBcgroknd u

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 400-225667-y | MW-y00 | Water | 09j07j22 y0:yy | 09j08j22 y6:38 |
| 400-225667-2 | MW-y0y | Water | 09j07j22 yy:50 | 09j08j22 y6:38 |
| 400-225667-3 | MW-y07 | Water | 09j07j22 y4:y2 | 09j08j22 y6:38 |
| 400-225667-4 | MW-y08 | Water | 09j08j22 08:y7 | 09j08j22 y6:38 |
| 400-225667-5 | MW-306 | Water | 09j08j22 y0:y3 | 09j08j22 y6:38 |
| 400-225667-6 | MW-307 | Water | 09j08j22 y2:47 | 09j08j22 y6:38 |
| 400-225667-7 | DUP-0y | Water | 09j07j22 09:yy | 09j08j22 y6:38 |
| 400-225667-8 | f G-0y | Water | 09j08j22 y2:02 | 09j08j22 y6:38 |
| 400-225667-9 | FG-0y | Water | 09j08j22 y2:58 | 09j08j22 y6:38 |

**Client Sample ID: Wr -M00**
**Date Cclledte3: 0/ 5095 22 M0:MM**
**Date Redeive3: 0/ 50h5 22 M7:6h**

**Lab Sample ID: 400-221779-M**
**Watxio: r atex**

## Wet( c3: Sr h47 / 6M1 - Ra3ium-227 (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-227 | 0.671 | | 0.224 | 0.227 | 1.00 | 0.278 | pCi/L | 09/14/22 10:39 | 10/06/22 16:24 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3273* | | *40 - 110* | *03/14/22 1095 3* | *10/0: /22 1: 924* | *1* |

## Wet( c3: Sr h47 / 620 - Ra3ium-22h (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-22h | M576 | | 0.433 | 0.458 | 1.00 | 0.456 | pCi/L | 09/14/22 11:17 | 10/06/22 12:48 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3273* | | *40 - 110* | *03/14/22 1191.* | *10/0: /22 12948* | *1* |
| *Y Carrier* | *317.* | | *40 - 110* | *03/14/22 1191.* | *10/0: /22 12948* | *1* |

## Wet( c3: 8y L-S8L Ra227_Ra22h - Ccmbine3 Ra3ium-227 an3 Ra3ium-22h

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ccmbine3 Ra3ium 227 z 22h | 2d00 | | 0.488 | 0.511 | 5.00 | 0.456 | pCi/L | | 10/07/22 14:38 | 1 |

**Client Sample ID: Wr -M0M**
**Date Cclledte3: 0/ 5095 22 MM10**
**Date Redeive3: 0/ 50h5 22 M7:6h**

**Lab Sample ID: 400-221779-2**
**Watxio: r atex**

## Wet( c3: Sr h47 / 6M1 - Ra3ium-227 (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.218 | U | 0.158 | 0.160 | 1.00 | 0.222 | pCi/L | 09/13/22 10:54 | 10/11/22 13:13 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *101* | | *40 - 110* | *03/16/22 10954* | *10/11/22 16916* | *1* |

## Wet( c3: Sr h47 / 620 - Ra3ium-22h (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| **Ra3ium-22h** | **M0M0** | | 0.368 | 0.382 | 1.00 | 0.427 | pCi/L | 09/13/22 11:14 | 10/10/22 12:31 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *101* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12961* | *1* |
| *Y Carrier* | *8475* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12961* | *1* |

## Wet( c3: 8y L-S8L Ra227_Ra22h - Ccmbine3 Ra3ium-227 an3 Ra3ium-22h

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| **Ccmbine3 Ra3ium 227 z 22h** | **M662** | | 0.400 | 0.414 | 5.00 | 0.427 | pCi/L | | 10/13/22 16:15 | 1 |

# Client Sample Results

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-2
SDG: Background A

## Client Sample ID: Wr -M09

**Date Cclledte3: 0/ 5095 22 M4:M2**
**Date Redeive3: 0/ 50h5 22 M7:6h**

## Lab Sample ID: 400-221779-6

**Watxio: r atex**

### Wet( c3: Sr h47 / 6M1 - Ra3ium-227 (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-227 | 0c2h2 | | 0.164 | 0.166 | 1.00 | 0.204 | pCi/L | 09/13/22 10:54 | 10/11/22 13:13 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3375* | | *40 - 110* | *03/16/22 10954* | *10/11/22 16916* | *1* |

### Wet( c3: Sr h47 / 620 - Ra3ium-22h (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-22h | M0Mh | | 0.435 | 0.448 | 1.00 | 0.529 | pCi/L | 09/13/22 11:14 | 10/10/22 12:32 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3375* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12962* | *1* |
| *Y Carrier* | *. 271* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12962* | *1* |

### Wet( c3: 8y L-S8L Ra227_Ra22h - Ccmbine3 Ra3ium-227 an3 Ra3ium-22h

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ccmbine3 Ra3ium 227 z 22h | M647 | | 0.465 | 0.478 | 5.00 | 0.529 | pCi/L | | 10/13/22 16:15 | 1 |

**Client Sample ID: Wr -M0h**
**Date Cclledte3: 0/ 5 0h522 0h:M9**
**Date Redeive3: 0/ 5 0h522 M7:6h**

**Lab Sample ID: 400-221779-4**
**Watxio: r atex**

## Wet( c3: Sr h47 / 6M1 - Ra3ium-227 (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A | 8ctal Qndextσ (2+z5A | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-227 | 0c76h | | 0.225 | 0.233 | 1.00 | 0.219 | pCi/L | 09/13/22 10:54 | 10/11/22 13:14 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3870* | | *40 - 110* | *03/16/22 10954* | *10/11/22 16914* | *1* |

## Wet( c3: Sr h47 / 620 - Ra3ium-22h (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A | 8ctal Qndextσ (2+z5A | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-22h | 2c7/ | | 0.519 | 0.575 | 1.00 | 0.461 | pCi/L | 09/13/22 11:14 | 10/10/22 12:32 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3870* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12962* | *1* |
| *Y Carrier* | *887.* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12962* | *1* |

## Wet( c3: 8y L-S8L Ra227_Ra22h - Ccmbine3 Ra3ium-227 an3 Ra3ium-22h

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A | 8ctal Qndextσ (2+z5A | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ccmbine3 Ra3ium 227 z 22h | 6c62 | | 0.566 | 0.620 | 5.00 | 0.461 | pCi/L | | 10/13/22 16:15 | 1 |

**Client Sample ID: Wr -607**
**Date Cclledte3: 0/ 5 0h522 M0:M6**
**Date Redeive3: 0/ 5 0h522 M7:6h**

**Lab Sample ID: 400-221779-1**
**Watxio: r atex**

## Wet( c3: Sr h47 / 6M1 - Ra3ium-227 (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-227 | 0c221 | | 0.165 | 0.167 | 1.00 | 0.220 | pCi/L | 09/13/22 10:54 | 10/11/22 13:14 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3671* | | *40 - 110* | *03/16/22 10954* | *10/11/22 16914* | *1* |

## Wet( c3: Sr h47 / 620 - Ra3ium-22h (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-22h | 0c9MM | | 0.376 | 0.382 | 1.00 | 0.519 | pCi/L | 09/13/22 11:14 | 10/10/22 12:32 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3671* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12962* | *1* |
| *Y Carrier* | *. 575* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12962* | *1* |

## Wet( c3: 8y L-S8L Ra227_Ra22h - Ccmbine3 Ra3ium-227 an3 Ra3ium-22h

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ccmbine3 Ra3ium 227 z 22h | 0c67 | | 0.411 | 0.417 | 5.00 | 0.519 | pCi/L | | 10/13/22 16:15 | 1 |

**Client Sample ID: Wr -609**
**Date Cclledte3: 0/ 5 0h522 M2:49**
**Date Redeive3: 0/ 5 0h522 M7:6h**

**Lab Sample ID: 400-221779-7**
**Watxio: r atex**

## Wet( c3: Sr h47 / 6M1 - Ra3ium-227 (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-227 | 0c276 | | 0.159 | 0.161 | 1.00 | 0.207 | pCi/L | 09/13/22 10:54 | 10/11/22 15:30 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *102* | | *40 - 110* | *03/16/22 10954* | *10/11/22 15960* | *1* |

## Wet( c3: Sr h47 / 620 - Ra3ium-22h (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-22h | M00/ | | 0.384 | 0.397 | 1.00 | 0.459 | pCi/L | 09/13/22 11:14 | 10/10/22 12:33 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *102* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12966* | *1* |
| *Y Carrier* | *807.* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12966* | *1* |

## Wet( c3: 8y L-S8L Ra227_Ra22h - Ccmbine3 Ra3ium-227 an3 Ra3ium-22h

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A) | 8ctal Qndextσ (2+z5A) | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ccmbine3 Ra3ium 227 z 22h | M667 | | 0.416 | 0.428 | 5.00 | 0.459 | pCi/L | | 10/13/22 16:15 | 1 |

## Client Sample ID: DQ) -0M

**Date Cclledte3: 0/ 5095 22 0/ :MM**
**Date Redeive3: 0/ 50h522 M7:6h**

## Lab Sample ID: 400-221779-9

**Watxio: r atex**

### Wet( c3: Sr h47 / 6M1 - Ra3ium-227 (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A | 8ctal Qndextσ (2+z5A | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-227 | 0c2/ 0 | | 0.168 | 0.170 | 1.00 | 0.197 | pCi/L | 09/13/22 10:54 | 10/11/22 15:31 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *104* | | *40 - 110* | *03/16/22 10954* | *10/11/22 15961* | *1* |

### Wet( c3: Sr h47 / 620 - Ra3ium-22h (F P) CA

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A | 8ctal Qndextσ (2+z5A | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ra3ium-22h | M009 | | 0.386 | 0.398 | 1.00 | 0.491 | pCi/L | 09/13/22 11:14 | 10/10/22 12:33 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *104* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12966* | *1* |
| *Y Carrier* | *8: 7.* | | *40 - 110* | *03/16/22 11914* | *10/10/22 12966* | *1* |

### Wet( c3: 8y L-S8L Ra227_Ra22h - Ccmbine3 Ra3ium-227 an3 Ra3ium-22h

| y nal. te | Result | f ualiTiex | Ccunt Qndextσ (2+z5A | 8ctal Qndextσ (2+z5A | RL | WDC | Qnit | ) xepaxe3 | y nal. Ue3 | Dil Pad |
|---|---|---|---|---|---|---|---|---|---|---|
| Ccmbine3 Ra3ium 227 z 22h | M067 | | 0.421 | 0.433 | 5.00 | 0.491 | pCi/L | | 10/13/22 16:15 | 1 |

## Client Sample ID: BE-0M

**Date Collected: 10/05/22 12:02**
**Date Received: 10/05/22 17:16**

## Lab Sample ID: 400-221779-h

**Matrix: Water**

### Method: SW846 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncertainty (2σ+/-) | Total Uncertainty (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.0121 | U | 0.105 | 0.105 | 1.00 | 0.212 | pCi/L | 09/13/22 10:54 | 10/11/22 15:38 | 1 |

| Carrier | %Yield | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 106 | | 40 - 110 | 03/16/22 10954 | 10/11/22 15958 | 1 |

### Method: SW846 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncertainty (2σ+/-) | Total Uncertainty (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.0806 | U | 0.350 | 0.350 | 1.00 | 0.621 | pCi/L | 09/13/22 11:14 | 10/10/22 12:33 | 1 |

| Carrier | %Yield | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 106 | | 40 - 110 | 03/16/22 11914 | 10/10/22 12956 | 1 |
| Y Carrier | 807 | | 40 - 110 | 03/16/22 11914 | 10/10/22 12956 | 1 |

### Method: Calculation - Combine Ra227_Ra228 and Ra228

| Analyte | Result | Qualifier | Count Uncertainty (2σ+/-) | Total Uncertainty (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 0.0927 | U | 0.365 | 0.365 | 5.00 | 0.621 | pCi/L | | 10/13/22 16:15 | 1 |

## Client Sample ID: PE-0M

**Date Collected: 10/05/22 12:10**
**Date Received: 10/05/22 17:06**

## Lab Sample ID: 400-221779-1

**Matrix: Water**

### Method: SW846 9315 - Radium-226 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | -0.00296 | U | 0.0879 | 0.0879 | 1.00 | 0.191 | pCi/L | 09/13/22 10:54 | 10/11/22 15:38 | 1 |

| Carrier | %Yield | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 104 | | 40 - 110 | 03/16/22 10:54 | 10/11/22 15:38 | 1 |

### Method: SW846 9320 - Radium-228 (GFPC)

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.236 | U | 0.299 | 0.300 | 1.00 | 0.497 | pCi/L | 09/13/22 11:14 | 10/10/22 12:33 | 1 |

| Carrier | %Yield | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 104 | | 40 - 110 | 03/16/22 11:14 | 10/10/22 12:56 | 1 |
| Y Carrier | 88.7 | | 40 - 110 | 03/16/22 11:14 | 10/10/22 12:56 | 1 |

### Method: Total Radium Calculation - Combine Ra226 and Ra228

| Analyte | Result | Qualifier | Count Uncert. (2σ+/-) | Total Uncert. (2σ+/-) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Combined Radium 226 + 228 | 0.233 | U | 0.312 | 0.313 | 5.00 | 0.497 | pCi/L | | 10/13/22 16:15 | 1 |

## Qualifiers

### Rad

| Qualifier | Qualifier Description |
|---|---|
| U | Result is less than the sample detection limit. |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

# Lab Chronicle

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-2
SDG: Background A

## Client Sample ID: MW-100
**Date Collecte3: 0/ 5 0x544 10:11**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-1
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 582040 | TJ | EET SL | 09/14/22 10:39 |
| Total/NA | Analysis | 9315 | | 1 | 584889 | FLC | EET SL | 10/06/22 16:24 |
| Total/NA | Prep | PrecSep_0 | | | 582045 | TJ | EET SL | 09/14/22 11:17 |
| Total/NA | Analysis | 9320 | | 1 | 584889 | FLC | EET SL | 10/06/22 12:48 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585035 | EMH | EET SL | 10/07/22 14:38 |

## Client Sample ID: MW-101
**Date Collecte3: 0/ 5 0x544 11:70**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-4
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 581883 | TJ | EET SL | 09/13/22 10:54 |
| Total/NA | Analysis | 9315 | | 1 | 585419 | FLC | EET SL | 10/11/22 13:13 |
| Total/NA | Prep | PrecSep_0 | | | 581888 | TJ | EET SL | 09/13/22 11:14 |
| Total/NA | Analysis | 9320 | | 1 | 585375 | SCB | EET SL | 10/10/22 12:31 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585880 | CLP | EET SL | 10/13/22 16:15 |

## Client Sample ID: MW-10x
**Date Collecte3: 0/ 5 0x544 12:14**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-y
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 581883 | TJ | EET SL | 09/13/22 10:54 |
| Total/NA | Analysis | 9315 | | 1 | 585419 | FLC | EET SL | 10/11/22 13:13 |
| Total/NA | Prep | PrecSep_0 | | | 581888 | TJ | EET SL | 09/13/22 11:14 |
| Total/NA | Analysis | 9320 | | 1 | 585375 | SCB | EET SL | 10/10/22 12:32 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585880 | CLP | EET SL | 10/13/22 16:15 |

## Client Sample ID: MW-10T
**Date Collecte3: 0/ 5 0T544 0T:1x**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-2
**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 581883 | TJ | EET SL | 09/13/22 10:54 |
| Total/NA | Analysis | 9315 | | 1 | 585417 | FLC | EET SL | 10/11/22 13:14 |
| Total/NA | Prep | PrecSep_0 | | | 581888 | TJ | EET SL | 09/13/22 11:14 |
| Total/NA | Analysis | 9320 | | 1 | 585375 | SCB | EET SL | 10/10/22 12:32 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585880 | CLP | EET SL | 10/13/22 16:15 |

# Lab Chronicle

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-2
SDG: Background A

## Client Sample ID: MW-y09

**Date Collecte3: 0/ 5 0T544 10:1y**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-7

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 581883 | TJ | EET SL | 09/13/22 10:54 |
| Total/NA | Analysis | 9315 | | 1 | 585417 | FLC | EET SL | 10/11/22 13:14 |
| Total/NA | Prep | PrecSep_0 | | | 581888 | TJ | EET SL | 09/13/22 11:14 |
| Total/NA | Analysis | 9320 | | 1 | 585375 | SCB | EET SL | 10/10/22 12:32 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585880 | CLP | EET SL | 10/13/22 16:15 |

## Client Sample ID: MW-y0x

**Date Collecte3: 0/ 5 0T544 14:2x**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-9

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 581883 | TJ | EET SL | 09/13/22 10:54 |
| Total/NA | Analysis | 9315 | | 1 | 585417 | FLC | EET SL | 10/11/22 15:30 |
| Total/NA | Prep | PrecSep_0 | | | 581888 | TJ | EET SL | 09/13/22 11:14 |
| Total/NA | Analysis | 9320 | | 1 | 585373 | SCB | EET SL | 10/10/22 12:33 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585880 | CLP | EET SL | 10/13/22 16:15 |

## Client Sample ID: DUs-01

**Date Collecte3: 0/ 5 0x544 0/ :11**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-x

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 581883 | TJ | EET SL | 09/13/22 10:54 |
| Total/NA | Analysis | 9315 | | 1 | 585417 | FLC | EET SL | 10/11/22 15:31 |
| Total/NA | Prep | PrecSep_0 | | | 581888 | TJ | EET SL | 09/13/22 11:14 |
| Total/NA | Analysis | 9320 | | 1 | 585373 | SCB | EET SL | 10/10/22 12:33 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585880 | CLP | EET SL | 10/13/22 16:15 |

## Client Sample ID: EA-01

**Date Collecte3: 0/ 5 0T544 14:04**
**Date Receive3: 0/ 5 0T544 19:yT**

## Lab Sample ID: 200-44799x-T

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6 Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 581883 | TJ | EET SL | 09/13/22 10:54 |
| Total/NA | Analysis | 9315 | | 1 | 585419 | FLC | EET SL | 10/11/22 15:38 |
| Total/NA | Prep | PrecSep_0 | | | 581888 | TJ | EET SL | 09/13/22 11:14 |
| Total/NA | Analysis | 9320 | | 1 | 585373 | SCB | EET SL | 10/10/22 12:33 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585880 | CLP | EET SL | 10/13/22 16:15 |

# Lab Chronicle

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-2
SDG: Background A

## Client Sample ID: 8A-01

**Date Collecte3: 0/ 5 0T54 14 14:7T**
**Date Receive3: 0/ 5 0T54 14 19:yT**

## Lab Sample ID: 200-44799x-/

**Matrid: Water**

| srep BPpe | Aatch BPpe | Aatch Metho3 | RNn | DilNtion 8actor | Aatch 6Nmber | unalPzt | Lab | srepare3 or unalPFe3 |
|---|---|---|---|---|---|---|---|---|
| Total/NA | Prep | PrecSep-21 | | | 581883 | TJ | EET SL | 09/13/22 10:54 |
| Total/NA | Analysis | 9315 | | 1 | 585419 | FLC | EET SL | 10/11/22 15:38 |
| Total/NA | Prep | PrecSep_0 | | | 581888 | TJ | EET SL | 09/13/22 11:14 |
| Total/NA | Analysis | 9320 | | 1 | 585373 | SCB | EET SL | 10/10/22 12:33 |
| Total/NA | Analysis | Ra226_Ra228 | | 1 | 585880 | CLP | EET SL | 10/13/22 16:15 |

**LaboratorP Referencez:**
EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# QC Association Summary

Client: Glouif P wor eu Pnf mipat
wuo/edtRy ite: CCE Sj IWClePn MneupT Centeu

Job ID: 400-221779-2
y DS: g PdBpuoj nf c

## Rad

### Prep Batch: 581883

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-221779-2 | 5 N -303 | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 400-221779-F | 5 N -309 | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 400-221779-4 | 5 N -30U | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 400-221779-1 | 5 N -F07 | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 400-221779-7 | 5 N -F09 | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 400-221779-9 | Dh w-03 | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 400-221779-U | Mg -03 | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 400-221779-k | Gg -03 | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 5 g 370-1U3UUFR3-c | 5 etaof g lPnB | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| mCy 370-1U3UUFR2-c | mPb Contuol y PL Ale | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| mCy D 370-1U3UUFRF-c | mPb Contuol y PL Ale Dj A | 6otPIR8 c | N Pteu | wuedy eA-23 | |

### Prep Batch: 581888

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-221779-2 | 5 N -303 | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 400-221779-F | 5 N -309 | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 400-221779-4 | 5 N -30U | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 400-221779-1 | 5 N -F07 | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 400-221779-7 | 5 N -F09 | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 400-221779-9 | Dh w-03 | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 400-221779-U | Mg -03 | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 400-221779-k | Gg -03 | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 5 g 370-1U3UUUR3-c | 5 etaof g lPnB | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| mCy 370-1U3UUUR2-c | mPb Contuol y PL Ale | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| mCy D 370-1U3UUURF-c | mPb Contuol y PL Ale Dj A | 6otPIR8 c | N Pteu | wuedy eA_0 | |

### Prep Batch: 582040

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-221779-3 | 5 N -300 | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 5 g 370-1U2040R3-c | 5 etaof g lPnB | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| mCy 370-1U2040R2-c | mPb Contuol y PL Ale | 6otPIR8 c | N Pteu | wuedy eA-23 | |
| 2U0-3772U4-c -2-g Dh | Dj AlidPte | 6otPIR8 c | N Pteu | wuedy eA-23 | |

### Prep Batch: 582045

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-221779-3 | 5 N -300 | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 5 g 370-1U2041R3-c | 5 etaof g lPnB | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| mCy 370-1U2041R2-c | mPb Contuol y PL Ale | 6otPIR8 c | N Pteu | wuedy eA_0 | |
| 2U0-3772U4-c -2-D Dh | Dj AlidPte | 6otPIR8 c | N Pteu | wuedy eA_0 | |

## Method: 9315 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-571773[illegible]/**
**Matrix: Solid**
**Analysis Batch: 575c19**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 571773**

| Analyte | MB Result | MB Qualifier | Count Uncertainty (2 sigma) | Total Uncertainty (2 sigma) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.1326 | U | 0.139 | 0.140 | 1.00 | 0.219 | pCi/L | 09/13/22 10:54 | 10/11/22 09:41 | 1 |

| Carrier | MB %Yield | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 378[illegible] | | 40 - 110 | 03/12/99 106[illegible]4 | 10/11/99 036[illegible]1 | 1 |

**Lab Sample ID: LCS 160-571773[illegible]/**
**Matrix: Solid**
**Analysis Batch: 575c19**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 571773**

| Analyte | | | Spike Added | LCS Result | LCS Qual | Total Uncertainty (2 sigma) | RL | MDC | Unit | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | | | 11.3 | 9.057 | | 1.14 | 1.00 | 0.289 | pCi/L | 80 | 75 - 125 | | |

| Carrier | LCS %Yield | LCS Qualifier | Limits |
|---|---|---|---|
| Ba Carrier | 378[illegible] | | 40 - 110 |

**Lab Sample ID: LCSD 160-571773[illegible]/**
**Matrix: Solid**
**Analysis Batch: 575c19**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**
**Prep Batch: 571773**

| Analyte | | | Spike Added | LCSD Result | LCSD Qual | Total Uncertainty (2 sigma) | RL | MDC | Unit | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | | | 11.3 | 9.688 | | 1.21 | 1.00 | 0.330 | pCi/L | 85 | 75 - 125 | 0.27 | 1 |

| Carrier | LCSD %Yield | LCSD Qualifier | Limits |
|---|---|---|---|
| Ba Carrier | 101 | | 40 - 110 |

**Lab Sample ID: MB 160-5720c08[illegible]/**
**Matrix: Solid**
**Analysis Batch: 57c779**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 5720c0**

| Analyte | MB Result | MB Qualifier | Count Uncertainty (2 sigma) | Total Uncertainty (2 sigma) | RL | MDC | Unit | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.2027 | U | 0.206 | 0.207 | 1.00 | 0.323 | pCi/L | 09/14/22 10:39 | 10/06/22 15:37 | 1 |

| Carrier | MB %Yield | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 328[illegible] | | 40 - 110 | 03/14/99 106[illegible]3 | 10/07/99 1:[illegible]2. | 1 |

**Lab Sample ID: LCS 160-5720c08[illegible]/**
**Matrix: Solid**
**Analysis Batch: 57c790**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 5720c0**

| Analyte | | | Spike Added | LCS Result | LCS Qual | Total Uncertainty (2 sigma) | RL | MDC | Unit | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | | | 11.3 | 9.529 | | 1.27 | 1.00 | 0.378 | pCi/L | 84 | 75 - 125 | | |

## Method: 9315 - Radium-226 (GFPC) (Continued)

**Lab Sample ID: LCS 160-5720c082-/**
**MatAir: x ateA**
**/ nalTsis BatNh: 57c790**

**Client Sample ID: Lab ContAol Sample**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 5720c0**

| Carrier | LCS %Yield | LCS Qualifier | Limits |
|---|---|---|---|
| Ba Carrier | 109 | | 40 - 110 |

**Lab Sample ID: 270-16627c-/ -2-B Dz**
**MatAir: x ateA**
**/ nalTsis BatNh: 57c790**

**Client Sample ID: DupliNate**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 5720c0**

| / nalTte | Sample Result | Sample Qual | | Dz Result | Dz Qual | Wotal z nNeAf (24σ8) | RL | MDC | z nit | | | R%R | R%R Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 3.45 | | | 3.361 | | 0.723 | 1.00 | 0.372 | pCi/L | | | 0.06 | 1 |

| Carrier | DU %Yield | DU Qualifier | Limits |
|---|---|---|---|
| Ba Carrier | 3. 85 | | 40 - 110 |

## Method: 9320 - Radium-227 (GFPC)

**Lab Sample ID: MB 160-57177781-/**
**MatAir: x ateA**
**/ nalTsis BatNh: 5753E5**

**Client Sample ID: Method Blank**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 571777**

| / nalTte | MB Result | MB QualiUeA | Count z nNeAf (24σ8) | Wotal z nNeAf (24σ8) | RL | MDC | z nit | PAepaAed | / nalT+ed | Dil FaN |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.3782 | U | 0.327 | 0.329 | 1.00 | 0.515 | pCi/L | 09/13/22 11:14 | 10/10/22 12:31 | 1 |

| Carrier | MB %Yield | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 3780 | | 40 - 110 | 03/12/99 11614 | 10/10/99 19621 | 1 |
| Y Carrier | 5: 87 | | 40 - 110 | 03/12/99 11614 | 10/10/99 19621 | 1 |

**Lab Sample ID: LCS 160-5717778 2-/**
**MatAir: x ateA**
**/ nalTsis BatNh: 5753E5**

**Client Sample ID: Lab ContAol Sample**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 571777**

| / nalTte | | | Spike / dded | LCS Result | LCS Qual | Wotal z nNeAf (24σ8) | RL | MDC | z nit | . ReN | . ReN Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8.21 | 8.153 | | 1.14 | 1.00 | 0.509 | pCi/L | 99 | 75 - 125 | | |

| Carrier | LCS %Yield | LCS Qualifier | Limits |
|---|---|---|---|
| Ba Carrier | 3780 | | 40 - 110 |
| Y Carrier | 5784 | | 40 - 110 |

**Lab Sample ID: LCSD 160-5717778 3-/**
**MatAir: x ateA**
**/ nalTsis BatNh: 5753E5**

**Client Sample ID: Lab ContAol Sample Dup**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 571777**

| / nalTte | | | Spike / dded | LCSD Result | LCSD Qual | Wotal z nNeAf (24σ8) | RL | MDC | z nit | . ReN | . ReN Limits | R%R | R%R Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8.21 | 10.47 | | 1.35 | 1.00 | 0.458 | pCi/L | 128 | 75 - 125 | 0.93 | 1 |

## Method: 9320 - Radium-227 (GFPC) (Continued)

**Lab Sample ID: LCSD 160-571777[illegible]8-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 5753E5**

**Client Sample ID: Lab ContAol Sample Dup**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 571777**

| Carrier | LCSD %Yield | LCSD Qualifier | Limits |
|---|---|---|---|
| Ba Carrier | 101 | | 40 - 110 |
| Y Carrier | 548[illegible] | | 40 - 110 |

**Lab Sample ID: MB 160-5720c58[illegible]-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 57c790**

**Client Sample ID: Method Blank**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 5720c5**

| / nalTte | MB Result | MB QualiUeA | Count z nNeAtf (24 c8) | Wotal z nNeAtf (24 c8) | RL | MDC | z nit | PAepaAed | / nalT+ed | Dil FaN |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.7606 | | 0.370 | 0.377 | 1.00 | 0.517 | pCi/L | 09/14/22 11:16 | 10/06/22 12:45 | 1 |

| Carrier | MB %Yield | MB Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 328[illegible] | | 40 - 110 | 03/14/99 116[illegible]7 | 10/07/99 196[illegible]: | 1 |
| Y Carrier | 398 | | 40 - 110 | 03/14/99 116[illegible]7 | 10/07/99 196[illegible]: | 1 |

**Lab Sample ID: LCS 160-5720c58[illegible]-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 57c790**

**Client Sample ID: Lab ContAol Sample**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 5720c5**

| / nalTte | | | Spike / dded | LCS Result | LCS Qual | Wotal z nNeAtf (24 c8) | RL | MDC | z nit | . ReN | . ReN Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8.22 | 8.028 | | 1.08 | 1.00 | 0.427 | pCi/L | 98 | 75 - 125 | | |

| Carrier | LCS %Yield | LCS Qualifier | Limits |
|---|---|---|---|
| Ba Carrier | 109 | | 40 - 110 |
| Y Carrier | 398 | | 40 - 110 |

**Lab Sample ID: 270-16627c-/ -2-D Dz**
**MatAr: x ateA**
**/ nalTsis BatNh: 57c790**

**Client Sample ID: DupliNate**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 5720c5**

| / nalTte | Sample Result | Sample Qual | | Dz Result | Dz Qual | Wotal z nNeAtf (24 c8) | RL | MDC | z nit | | | R%R | R%R Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 4.71 | | | 6.651 | | 1.07 | 1.00 | 0.628 | pCi/L | | | 1.00 | 1 |

| Carrier | DU %Yield | DU Qualifier | Limits |
|---|---|---|---|
| Ba Carrier | 3. [illegible]5 | | 40 - 110 |
| Y Carrier | 308[illegible]5 | | 40 - 110 |

**Eurofins Pensacola**
3355 McLemore Drive
Pensacola, FL 32514
Phone: 850-474-1001 Fax: 850-478-2671

# Chain of Custody Record

eurofins Environment Testing America

| Client Information | Sampler: Trevor Braddock | Lab PM: Whitmire, Cheyenne R | Carrier Tracking No(s): | COC No: 400-113838-23627.1 |
|---|---|---|---|---|
| Client Contact: Barry Evans | Phone: 850-336-0192 | E-Mail: Cheyenne.Whitmire@et.eurofinsus.com | State of Origin: | Page: Page 1 of 1 |
| Company: Florida Power and Light | PWSID: | | | Job #: |
| Address: BIN 731 One Energy Place | Due Date Requested: | | | |
| City: Pensacola | TAT Requested (days): | | | |
| State, Zip: FL, 32520 | Compliance Project: Δ Yes Δ No | | | |
| Phone: 850-444-6427(Tel) | PO #: 2000403482 | | | |
| Email: Barry.Evans@nexteraenergy.com | WO #: 3000004117 | | | |
| Project Name: CCR GCEC Background A | Project #: 40005424 | | | |
| Site: | SSOW#: | | | |

**Analysis Requested**

**Preservation Codes:**
A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Y - Trizma, Z - other (specify)
Other:

| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 9315_Ra226, 9320_Ra228, Ra226Ra228_GFPC | SM4500_Cl_E, SM4500_SO4_E | FieldSampling - Field Sampling Parameters | 6020, 7470A | 2540C - Total Dissolved Solids | 4500_F_C - Fluoride | Total Number of containers | Special Instructions/Note: |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Preservation Code: | | | | D | N | N | D | N | N | | |
| MW-100 | 9-7-22 | 1011 | G | Water | N | | X | X | X | X | X | X | 4 | |
| MW-101 | 9-7-22 | 1150 | G | Water | | | X | X | X | X | X | X | 4 | |
| MW-107 | 9-7-22 | 1412 | G | Water | | | X | X | X | X | X | X | 4 | |
| MW-108 | 9-8-22 | 0817 | G | Water | | | X | X | X | X | X | X | 4 | |
| MW-306 | 9-8-22 | 1013 | G | Water | | | X | X | X | X | X | X | 4 | |
| MW-307 | 9-8-22 | 1247 | G | Water | | | X | X | X | X | X | X | 4 | |
| DUP-01 | 9-7-22 | 0911 | G | Water | | | X | X | | X | X | X | 4 | |
| EB-01 | 9-8-22 | 1202 | G | Water | | | X | X | | X | X | X | 4 | |
| FB-01 | 9-8-22 | 1258 | G | Water | | | X | X | | X | X | X | 4 | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

400-225667 COC

***Possible Hazard Identification***
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

***Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)***
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

| Empty Kit Relinquished by: | Date: | Time: | Method of Shipment: |
|---|---|---|---|

| | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
|---|---|---|---|---|---|---|
| 1 | | 9-8-22 1638 | RAH ENV. | MD | 9/8/22 1638 | ~~EERS~~ |
| 2 | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
| 3 | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 0.1, 0.3, IR8

Ver: 06/08/2021

# Login Sample Receipt Checklist

Client: Florida Power and Light

Job Number: 400-225667-2
1SD Number: GaBcground k

**Login Number: 225667**
**List Number: 1**
**Creator: Whitley, Adrian**

**List Source: Eurofins Pensacola**

| Question | Answer | Comment |
|---|---|---|
| / adioaBtiRtv waynst BheBced or iy ' A< baBcground ay meayured bv a yurRev meter= | NAk | |
| . he Boolersy Buytodv yealTi, f reyentTiy intaBt= | NAk | |
| 1amf le Buytodv yealyTi, f reyentTare intaBt= | NAk | |
| . he Booler or yamf ley do not af f ear to haRe been Bomf romiyed or tamf ered with= | . rue | |
| 1amf ley were reBeiRed on iBe= | . rue | |
| Cooler . emf erature iy aBBef table= | . rue | |
| Cooler . emf erature iy reBorded= | . rue | 0=pT0=3°C I/ 8 |
| COC iy f reyent= | . rue | |
| COC iy ,illed out in inc and legible= | . rue | |
| COC iy ,illed out with all f ertinent in,ormation= | . rue | |
| Iy the Field 1amf lersy name f reyent on COC? | . rue | |
| . here are no diyBref anBiey between the Bontainery reBeiRed and the COC= | . rue | |
| 1amf ley are reBeiRed within Holding . ime (exBluding teyty with immediate H. y) | . rue | |
| 1amf le Bontainery haRe legible labely= | . rue | |
| Containery are not brocen or leacing= | . rue | |
| 1amf le BolleBtion dateAimey are f roRded= | . rue | |
| k f f rof riate yamf le Bontainery are uyed= | . rue | |
| 1amf le bottley are Bomf letelv ,illed= | . rue | |
| 1amf le PreyerRation Veri,ied= | . rue | |
| . here iy yu,,iBient Rol=,or all requeyted analvyeyTinBl=anv requeyted M1AM1Sy | . rue | |
| Containery requiring zero headyf aBe haRe no headyf aBe or bubble iy ' 6mm (pA4")= | . rue | |
| Multif hayiB yamf ley are not f reyent= | . rue | |
| 1amf ley do not require yf litting or Bomf oyiting= | . rue | |
| / eyidual Chlorine CheBced= | NAk | |

# Login Sample Receipt Checklist

Client: Florida Power and Light

Job Number: 400-225667-2
1SD Number: GaBcground k

**Login Number: 225667**
**List Number: 2**
**Creator: Bohlmann, Jessica M**

**List Source: Eurofins St. Louis**
**List Creation: 09/12/22 12:55 PM**

| Question | Answer | Comment |
|---|---|---|
| / adioaBtiRtv waynst BheBced or iy ' A< baBcground ay meayured bv a yurRev meter= | . rue | |
| . he Boolersy Buytodv yealTi, f reyentTiy intaBt= | . rue | |
| 1amf le Buytodv yealyTi, f reyentTare intaBt= | . rue | |
| . he Booler or yamf ley do not af f ear to haRe been Bomf romiyed or tamf ered with= | . rue | |
| 1amf ley were reBeiRed on iBe= | NAk | |
| Cooler . emf erature iy aBBef table= | . rue | |
| Cooler . emf erature iy reBorded= | . rue | |
| COC iy f reyent= | . rue | |
| COC iy ,illed out in inc and legible= | . rue | |
| COC iy ,illed out with all f ertinent in,ormation= | . rue | |
| Iy the Field 1amf lersy name f reyent on COC? | . rue | |
| . here are no diyBref anBiey between the Bontainery reBeiRed and the COC= | . rue | |
| 1amf ley are reBeiRed within Holding . ime (exBluding teyty with immediate H. y) | . rue | |
| 1amf le Bontainery haRe legible labely= | . rue | |
| Containery are not brocen or leacing= | . rue | |
| 1amf le BolleBtion dateAimey are f roRded= | . rue | |
| k f f rof riate yamf le Bontainery are uyed= | . rue | |
| 1amf le bottley are Bomf letelv ,illed= | . rue | |
| 1amf le PreyerRation Veri,ied= | . rue | |
| . here iy yu,,iBient Rol=,or all requeyted analvyeyTinBl=anv requeyted M1AM1Sy | . rue | |
| Containery requiring zero headyf aBe haRe no headyf aBe or bubble iy ' 6mm (pA4")= | . rue | |
| Multif hayiB yamf ley are not f reyent= | . rue | |
| 1amf ley do not require yf litting or Bomf oyiting= | . rue | |
| / eyidual Chlorine CheBced= | NAk | |

# Accreditation/Certification Summary

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225667-2
SDG: Background A

## Laboratory: Eurofins StPLouis

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Autl ority | hrogram | Identification Number | Expiration Date |
|---|---|---|---|
| Alaska (UST) | State | 20-001 | 05-06-25 |
| ANAB | Dept. of Defense ELAP | L2305 | 04-06-25 |
| ANAB | Dept. of Energy | L2305.01 | 04-06-25 |
| ANAB | ISO/IEC 17025 | L2305 | 04-06-25 |
| Arizona | State | AZ0813 | 12-08-22 |
| California | Los Angeles County Sanitation Districts | 10259 | 06-30-22 * |
| California | State | 2886 | 07-01-22 * |
| Connecticut | State | PH-0241 | 03-31-23 |
| Florida | NELAP | E87689 | 06-30-23 |
| HI - RadChem Recognition | State | n/a | 06-30-23 |
| Illinois | NELAP | 200023 | 11-30-23 |
| Iowa | State | 373 | 12-01-22 |
| Kansas | NELAP | E-10236 | 10-31-22 |
| Kentucky (DW) | State | KY90125 | 12-31-22 |
| Kentucky (WW) | State | KY90125 (Permit KY0004049) | 12-31-22 |
| Louisiana (All) | NELAP | 04080 | 06-30-23 |
| Louisiana (DW) | State | LA011 | 12-31-22 |
| Maryland | State | 310 | 09-30-23 |
| MI - RadChem Recognition | State | 9005 | 06-30-23 |
| Missouri | State | 780 | 06-30-25 |
| Nevada | State | MO000542020-1 | 07-31-23 |
| New Jersey | NELAP | MO002 | 06-30-23 |
| New York | NELAP | 11616 | 04-01-23 |
| North Dakota | State | R-207 | 06-30-23 |
| NRC | NRC | 24-24817-01 | 12-31-22 |
| Oklahoma | NELAP | 9997 | 08-31-23 |
| Oregon | NELAP | 4157 | 09-01-23 |
| Pennsylvania | NELAP | 68-00540 | 02-28-23 |
| South Carolina | State | 85002001 | 06-30-22 * |
| Texas | NELAP | T104704193 | 07-31-23 |
| US Fish & Wildlife | US Federal Programs | 058448 | 07-31-23 |
| USDA | US Federal Programs | P330-17-00028 | 03-11-23 |
| Utah | NELAP | MO000542021-14 | 07-31-23 |
| Virginia | NELAP | 10310 | 06-14-23 |
| Washington | State | C592 | 08-30-23 |
| West Virginia DEP | State | 381 | 10-31-22 |

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

eurofins | Environment Testing America



# ANALYTICAL REPORT

Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Tel: (850)474-1001

Laboratory Job ID: 400-225722-1
Laboratory Sample Delivery Group: Background B
Client Project/Site: CCR Gulf Clean Energy Center

For:
Florida Power and Light
BIN 731
One Energy Place
Pensacola, Florida 32520

Attn: Barry Evans

Cheyenne Whitmire

*Authorized for release by:*
*10/18/2022 4:39:02 PM*

Cheyenne Whitmire, Project Manager II
(850)471-6222
Cheyenne.Whitmire@et.eurofinsus.com

LINKS

Review your project results through my EOL

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

# Table of Contents

Cover Page . . . . . 1
Table of Contents . . . . . 2
Case Narrative . . . . . 3
Detection Summary . . . . . 4
Method Summary . . . . . 8
Sample Summary . . . . . 9
Client Sample Results . . . . . 10
Definitions . . . . . 19
Chronicle . . . . . 20
QC Association . . . . . 24
QC Sample Results . . . . . 28
Chain of Custody . . . . . 35
Receipt Checklists . . . . . 36
Certification Summary . . . . . 37

## Job ID: 400-225722-1

### Laboratory: Eurofins Pensacola

**Narrative**

**Job Narrative**
**400-225722-1**

**Comments**
Due to supply chain issues, Fluoride had to be run by method 300 instead of 4500. This may cause a deviation from the historic results.

**Receipt**
The samples were received on 9/9/2022 4:40 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.2º C and 5.5º C.

**HPLC/IC**
Method 300.0: The matrix spike duplicate (MSD) recoveries for analytical batch 400-592382 were outside control limits. Non-homogeneity is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 300.0: The continuing calibration verification (CCV) associated with batch 400-592382 recovered above the upper control limit for Fluoride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method 300.0: The following sample was diluted due to the abundance of non-target analytes: MW-104 (400-225722-3). Elevated reporting limits (RLs) are provided.

**Metals**
Method 6020: The continuing calibration blank (CCB) for analytical batch 400-592944 contained Calcium above the reporting limit (RL). All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

Method 6020: The ICV for batch 400-593289 passed recovery/accuracy criteria which serves the ICV purpose of verifying the calibration standards. The replicate RPDs for the elements were outside of the criteria for standards but within the criteria for field samples. Data has therefore been reported and narrated accordingly.

**General Chemistry**
Method SM 4500 SO4 E: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-104 (400-225722-3) and MW-110 (400-225722-7). Elevated reporting limits (RLs) are provided.

Method SM 4500 Cl- E: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-104 (400-225722-3). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

## Client Sample ID: MW-102 — Lab Sample ID: 400-225722-1

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Sf CkE | 0.0T0 | | 0.0021 | 0.00070 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGae | 0.3T | | 0.010 | 0.0032 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GkE | 32 | | 0.21 | 0.3T | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.0044 | | 0.003T | 0.00092 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 5orf CDl66oCi u aoCu6 | v2 | | 1.0 | 1.0 | E md | 3 | | aM 21408 | 5orf GV/h |
| 8 pGGui | 33 | | 2.0 | 3.4 | E md | 3 | | aM 4100 8G/ | 5orf GV/h |
| akQf ri | 27 | | 1.0 | 3.4 | E md | 3 | | aM 4100 as 4 / | 5orf GV/h |
| t li G NF | 4.Uv | | | | aH | 3 | | t li G af ENCem | 5orf GV/h |

## Client Sample ID: MW-103 — Lab Sample ID: 400-225722-2

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Sf CkE | 0.039 | | 0.0021 | 0.00070 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGae | 0.22 | | 0.010 | 0.0032 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GkE | T.T | | 0.21 | 0.3T | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.0032 | I | 0.003T | 0.00092 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 5orf CDl66oCi u aoCu6 | 49 | | 1.0 | 1.0 | E md | 3 | | aM 21408 | 5orf GV/h |
| 8 pGGui | v.U | | 2.0 | 3.4 | E md | 3 | | aM 4100 8G/ | 5orf GV/h |
| akQf ri | 20 | | 1.0 | 3.4 | E md | 3 | | aM 4100 as 4 / | 5orf GV/h |
| t li G NF | 1.3U | | | | aH | 3 | | t li G af ENCem | 5orf GV/h |

## Client Sample ID: MW-104 — Lab Sample ID: 400-225722-3

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| hG6i elB | 0.030 | | 0.003T | 0.0032 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| Sf CkE | 0.0T1 | | 0.0021 | 0.00070 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGae | 34 | | 0.010 | 0.0032 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GkE | 330 | | 0.21 | 0.3T | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8obf G | 0.0T2 | | 0.0021 | 0.0001v | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| ri f u | 0.0023 | | 0.003T | 0.00093 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| rlnplkE | 0.031 | | 0.0010 | 0.004U | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.020 | | 0.003T | 0.00092 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 5pf CkE | 0.00013 | | 0.00010 | 0.0004v | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| Mi GkGR | 0.00092 | | 0.00020 | 0.00031 | E md | 3 | | 7470h | 5orf GV/h |
| 5orf CDl66oCi u aoCu6 | 3400 | | 30 | 30 | E md | 3 | | aM 21408 | 5orf GV/h |
| 8 pGGui | 340 | | 20 | 34 | E md | 30 | | aM 4100 8G/ | 5orf GV/h |
| akQf ri | 970 | | 3T0 | T1 | E md | 21 | | aM 4100 as 4 / | 5orf GV/h |
| t li G NF | 4.09 | | | | aH | 3 | | t li G af ENCem | 5orf GV/h |

5pl6 Di ni Bnoe akE Ef GRuoi 6 eonleBGui GuloBpi E lBf Gi 6nG6kG6.

/ kGajle6 Pi e6f BoC

## Client Sample ID: MW-105 — Lab Sample ID: 400-225722-4

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| hGi elB | 0.0049 | | 0.003T | 0.0032 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| Sf GkE | 0.024 | | 0.0021 | 0.00070 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGee | 0.10 | | 0.010 | 0.0032 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GBkE | 17 | | 0.21 | 0.3T | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8pGeE lkE | 0.0020 | I | 0.0021 | 0.0030 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| MoGBbui ekE | 0.0044 | I | 0.031 | 0.003T | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.0034 | | 0.003T | 0.00092 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| 5orf CDl66oCi u aoCu6 | 200 | | 1.0 | 1.0 | Emd | 3 | | aM 21408 | 5orf GV/h |
| 8pGGui | v.2 | | 2.0 | 3.4 | Emd | 3 | | aM 4100 8G/ | 5orf GV/h |
| akQf ri | 37 | | 1.0 | 3.4 | Emd | 3 | | aM 4100 as 4 / | 5orf GV/h |
| t li Q NF | v.47 | | | | aH | 3 | | t li Q af E NCem | 5orf GV/h |

## Client Sample ID: MW-106 — Lab Sample ID: 400-225722-5

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Sf GkE | 0.032 | | 0.0021 | 0.00070 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGee | 0.0U7 | | 0.010 | 0.0032 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GBkE | 3.v | | 0.21 | 0.3T | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.003v | | 0.003T | 0.00092 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| 5orf CDl66oCi u aoCu6 | 39 | | 1.0 | 1.0 | Emd | 3 | | aM 21408 | 5orf GV/h |
| 8pGGui | T.T | | 2.0 | 3.4 | Emd | 3 | | aM 4100 8G/ | 5orf GV/h |
| t li Q NF | 1.00 | | | | aH | 3 | | t li Q af E NCem | 5orf GV/h |

## Client Sample ID: MW-109 — Lab Sample ID: 400-225722-6

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Sf GkE | 0.037 | | 0.0021 | 0.00070 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGee | 0.41 | | 0.010 | 0.0032 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GBkE | v.0 | | 0.21 | 0.3T | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8obf G | 0.0077 | | 0.0021 | 0.0001v | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.0020 | | 0.003T | 0.00092 | Emd | 1 | | v020 | 5orf C Ai BoLi GbC |
| Mi GkGR | 0.00043 | | 0.00020 | 0.00031 | Emd | 3 | | 7470h | 5orf GV/h |
| 5orf CDl66oCi u aoCu6 | 90 | | 1.0 | 1.0 | Emd | 3 | | aM 21408 | 5orf GV/h |
| 8pGGui | 37 | | 2.0 | 3.4 | Emd | 3 | | aM 4100 8G/ | 5orf GV/h |
| akQf ri | T4 | | 1.0 | 3.4 | Emd | 3 | | aM 4100 as 4 / | 5orf GV/h |
| t li Q NF | 4.92 | | | | aH | 3 | | t li Q af E NCem | 5orf GV/h |

5pl6 Di ri Bnoe akE Ef GRuoi 6 eonleBGkui GuloBpi E lBf Gi 6nG6kG6.

/ kGajle6 Pi e6f BoC

## Client Sample ID: MW-110 — Lab Sample ID: 400-225722-7

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Sf CkE | 0.02T | | 0.0021 | 0.00070 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGae | 4.4 | | 0.010 | 0.0032 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GlkE | 2v | | 0.21 | 0.3T | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8obf Ga | 0.03U | | 0.0021 | 0.0001v | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| r lnplkE | 0.00v0 | | 0.0010 | 0.004U | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.0041 | | 0.003T | 0.00092 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| Mi GkGR | 0.00Tv | | 0.00020 | 0.00031 | E md | 3 | | 7470h | 5orf GV/h |
| 5orf CDl66oCi u aoCu6 | 1v0 | | 1.0 | 1.0 | E md | 3 | | aM 21408 | 5orf GV/h |
| 8 pGGui | 94 | | 2.0 | 3.4 | E md | 3 | | aM 4100 8G/ | 5orf GV/h |
| akQf ri | 270 | | 3T0 | T1 | E md | 21 | | aM 4100 as 4 / | 5orf GV/h |
| t li Ga NF | 4.v9 | | | | aH | 3 | | t li Ga af ENCem | 5orf GV/h |

## Client Sample ID: DUP-03 — Lab Sample ID: 400-225722-8

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| h Gi elB | 0.0017 | | 0.003T | 0.0032 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| Sf CkE | 0.024 | | 0.0021 | 0.00070 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGae | 0.T2 | | 0.010 | 0.0032 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GlkE | 1v | | 0.21 | 0.3T | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8 pGaE lkE | 0.003U | I | 0.0021 | 0.0030 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| MoGRbui ekE | 0.0043 | I | 0.031 | 0.003T | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.0021 | | 0.003T | 0.00092 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 5orf CDl66oCi u aoCu6 | 230 | | 1.0 | 1.0 | E md | 3 | | aM 21408 | 5orf GV/h |
| 8 pGGui | v.T | | 2.0 | 3.4 | E md | 3 | | aM 4100 8G/ | 5orf GV/h |
| akQf ri | 39 | | 1.0 | 3.4 | E md | 3 | | aM 4100 as 4 / | 5orf GV/h |
| t li Ga NF | v.47 | | | | aH | 3 | | t li Ga af ENCem | 5orf GV/h |

## Client Sample ID: DUP-02 — Lab Sample ID: 400-225722-9

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| Sf CkE | 0.037 | | 0.0021 | 0.00070 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| SoGae | 0.4U | | 0.010 | 0.0032 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8f GlkE | 1.T | | 0.21 | 0.3T | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| 8obf Ga | 0.0079 | | 0.0021 | 0.0001v | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| ai CelkE | 0.0034 | O | 0.003T | 0.00092 | E md | 1 | | v020 | 5orf C Ai BoLi GbC |
| Mi GkGR | 0.000TU | | 0.00020 | 0.00031 | E md | 3 | | 7470h | 5orf GV/h |
| 5orf CDl66oCi u aoCu6 | 99 | | 1.0 | 1.0 | E md | 3 | | aM 21408 | 5orf GV/h |
| 8 pGGui | 37 | | 2.0 | 3.4 | E md | 3 | | aM 4100 8G/ | 5orf GV/h |

5pl6 Di ni Bnoe akE Ef GRuoi 6 eonleBGui GuloBpi ElBf Oi 6nG6kG6.

/ kGajle6 Pi e6f BoG

## Client Sample ID: DUP-02 (Continued)

## Lab Sample ID: 400-225722-9

| Analyte | Result | Qualifier | PQL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---|---|---|---|---|---|---|---|---|---|
| akQf ri | T4 | | 1.0 | 3.4 | E mdr | 3 | | aM 4100 as 4 / | 5orf GV h |
| t li Q NF | 4.92 | | | | aH | 3 | | t li Q af E NCem | 5orf GV h |

5pl6 Di ni Bnoe akE E f GRuoi 6 eonleBKui GuloBpi E lBf Oi 6nG 6k66.

/ kGajle6 Pi e6f BoC

# Method Summary

1Ct en t GoFr d aoPi Fder wLgn
aFouiBmAlni : 1 1j SkC1Cde Rei FLf 1 i eni F

Job ID: 400-225622-7
hDS: GdBcLFoker G

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| W003 0 | y eloe. sloe 1 gFo, dnoLFdmgf | E 1 yMM | RRp aRT |
| 8020 | E i ndC (I1 aÆ h) | hMN48 | RRp aRT |
| 6460y | E i FBkFf (1 Vyy) | hMN48 | RRp aRT |
| hE 25401 | hoCr. spondCDl. . oQi r (pDh) | hE | RRp aRT |
| hE 4500 1 GR | 1 gGoFr i spondC | hE | RRp aRT |
| hE 4500 hO4 R | hkQdni spondC | hE | RRp aRT |
| t li C hd, mCeL | t li C hd, mCeL | Ray | RRp aRT |
| W005y | aFi mdFdnloespondCj i Bovi FdbC oFDl. . oQi r E i ndC | hMN48 | RRp aRT |
| 6460y | aFi mdFdnloesE i FBkFf | hMN48 | RRp aRT |

**Protocol References:**

Ray = Uh RevlFoe, i endCaFoni Bnloe y Li eBf

E 1 yMM = "E i ngor . t oF1 gi , lBdCyedC. l. O/ Mdni Fy er Md. ni . "sRay-800A4-69-020sE dFBg 79NWy er hkb. i qki enj i vl. loe. 3

hE = "hnder dFr E i ngor . t oFpgi Rxd, ledn loe O/ Mdni Fy er Md. ni Pdni F"

hMN48 = "pi . nE i ngor . t oFRvdQdnleL hoCr Md. ni sagf . lBdQAl gi , lBdCE i ngor . "spglFr Rr lnloesTovi , bi F79N8 y er In Umr dni . 3

**Laboratory References:**

RRp aRT = RkFo/le. ai e. dBoQdsWW55 E Bwi , oFi DFfvi sai e. dBoQdst wW2574spRw(N50)464-7007

RkFo/le. ai e. dBoQ

# Sample Summary

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225722-1
SDG: Background B

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 400-225722-1 | MW-102 | Water | 09/09/22 15:53 | 09/09/22 16:40 |
| 400-225722-2 | MW-103 | Water | 09/09/22 11:34 | 09/09/22 16:40 |
| 400-225722-3 | MW-104 | Water | 09/09/22 11:24 | 09/09/22 16:40 |
| 400-225722-4 | MW-105 | Water | 09/09/22 13:05 | 09/09/22 16:40 |
| 400-225722-5 | MW-106 | Water | 09/08/22 15:45 | 09/09/22 16:40 |
| 400-225722-6 | MW-109 | Water | 09/08/22 15:56 | 09/09/22 16:40 |
| 400-225722-7 | MW-110 | Water | 09/09/22 09:56 | 09/09/22 16:40 |
| 400-225722-8 | DUP-03 | Water | 09/09/22 12:05 | 09/09/22 16:40 |
| 400-225722-9 | DUP-02 | Water | 09/08/22 14:56 | 09/09/22 16:40 |

## Client Sample ID: MW-102

**Date Collected: 09/09/22 15:53**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-1

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 0E74 | y | 7ED | 0E74 | . LAv | | | 0UA74A22 07:75 | 7 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eni. oef | 0ED075 | y | 0ED025 | 0ED075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| 3FBi elB | 0ED072 | y | 0ED07s | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| GdFlk. | **0.030** | | 0ED025 | 0ED0060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| Gi Ff CCk. | 0ED00U2 | y | 0ED025 | 0ED00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| GoFoe | **0.13** | | 0ED50 | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| 1dr. lk. | 0ED0095 | y | 0ED025 | 0ED0095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| 1dCBlk. | **12** | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| 1gFo. lk. | 0ED070 | y | 0ED025 | 0ED070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| 1obdCa | 0ED0059 | y | 0ED025 | 0ED0059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| wi dr | 0ED00m7 | y | 0ED07s | 0ED00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| wlrglk. | 0ED04U | y | 0ED050 | 0ED04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| MoCbri ek. | 0ED07s | y | 0ED75 | 0ED07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| hi Celk. | **0.0044** | | 0ED07s | 0ED00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |
| TgdCk. | 0ED0049 | y | 0ED0050 | 0ED0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:25 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | 0ED0075 | y | 0ED0020 | 0ED0075 | . LAv | | 0UA2mA22 77:s7 | 70A0sA22 0U:07 | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TomdCDl88oCi r hoCt 8 (hM 25401 ) | **62** | | 5ED | 5ED | . LAv | | | 0UA72A22 74:sm | 7 |
| 1gCFri (hM 4500 1CR) | **11** | | 2ED | 7E4 | . LAv | | | 0UA72A22 27:72 | 7 |
| hkCdni (hM 4500 hO4 R) | **27** | | 5ED | 7E4 | . LAv | | | 0UA72A22 07:s2 | 7 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | **4.96** | | | | hy | | | 0UA0UA22 75:5s | 7 |

## Client Sample ID: MW-103

**Date Collected: 09/09/22 11:34**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-2

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 0E74 | y | 7ED | 0E74 | . LAv | | | 0UA74A22 07:s9 | 7 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eni. oef | 0ED075 | y | 0ED025 | 0ED075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| 3FBi elB | 0ED072 | y | 0ED07s | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| GdFlk. | **0.018** | | 0ED025 | 0ED0060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| Gi FfCCk. | 0ED00U2 | y | 0ED025 | 0ED00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| GoFoe | **0.22** | | 0ED50 | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| 1dr. lk. | 0ED0095 | y | 0ED025 | 0ED0095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| 1dCBlk. | **3.3** | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| 1gFo. lk. | 0ED070 | y | 0ED025 | 0ED070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| 1obdCa | 0ED0059 | y | 0ED025 | 0ED0059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| wi dr | 0ED00m7 | y | 0ED07s | 0ED00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| wlrglk. | 0ED04U | y | 0ED050 | 0ED04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| MoCbri ek. | 0ED07s | y | 0ED75 | 0ED07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| hi Celk. | **0.0012** | **I** | 0ED07s | 0ED00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |
| TgdCk. | 0ED0049 | y | 0ED0050 | 0ED0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:2m | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | 0ED0075 | y | 0ED0020 | 0ED0075 | . LAv | | 0UA2mA22 77:s7 | 70A0sA22 0U:0s | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TomdCDl88oCi r hoCr 8 (hM 25401) | **48** | | 5ED | 5ED | . LAv | | | 0UA72A22 74:sm | 7 |
| 1gCFri (hM 4500 1CR) | **6.9** | | 2ED | 7E4 | . LAv | | | 0UA72A22 27:7s | 7 |
| hkCdni (hM 4500 hO4 R) | **20** | | 5ED | 7E4 | . LAv | | | 0UA72A22 07:ss | 7 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | **5.19** | | | | hy | | | 0UA0UA22 77:s4 | 7 |

## Client Sample ID: MW-104

**Date Collected: 09/09/22 11:24**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-3

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 2Em | y | 20 | 2Em | . LAv | | | 0UA74A22 02:sU | 20 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eri. oef | 0E0075 | y | 0E0025 | 0E0075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| 3FBi elB | **0.010** | | 0E07s | 0E0072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| GdFlk. | **0.035** | | 0E0025 | 0E00060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| Gi Ff CCk. | 0E00U2 | y | 0E0025 | 0E00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| GoFoe | **14** | | 0E50 | 0E072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| 1dr . lk. | 0E00095 | y | 0E0025 | 0E00095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| 1dCBlk. | **110** | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA20A22 74:50 | 5 |
| 1gFo. lk. | 0E070 | y | 0E0025 | 0E070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| 1obdCa | **0.032** | | 0E0025 | 0E00059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| wi dr | **0.0021** | | 0E07s | 0E00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| wlrglk. | **0.015** | | 0E050 | 0E04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| MoCbri ek. | 0E07s | y | 0E75 | 0E07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| hi Celk. | **0.020** | | 0E07s | 0E00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |
| TgdCk. | **0.00051** | | 0E0050 | 0E0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s7 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | **0.00082** | | 0E0020 | 0E0075 | . LAv | | 0UA2mA22 77:s7 | 70A0sA22 0U:79 | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TondCDl88oCi r hoCr 8 (hM 25401) | **1400** | | 70 | 70 | . LAv | | | 0UA72A22 74:sm | 7 |
| 1gCoFri (hM 4500 1CR) | **140** | | 20 | 74 | . LAv | | | 0UA72A22 27:74 | 70 |
| hkCdni (hM 4500 hO4 R) | **870** | | 7s0 | s5 | . LAv | | | 0UA72A22 07:57 | 25 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | **4.08** | | | | hy | | | 0UA0UA22 77:24 | 7 |

RkFo/le8 ai e8dBoCl

## Client Sample ID: MW-105

**Date Collected: 09/09/22 13:05**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-4

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 0E74 | y | 7ED | 0E74 | . LAv | | | 0UA74A22 0s:00 | 7 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eri. oef | 0ED075 | y | 0ED025 | 0ED075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| 3FBi elB | 0.0048 | | 0ED07s | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| GdFlk. | 0.024 | | 0ED025 | 0ED0060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| Gi FfCCk. | 0ED00U2 | y | 0ED025 | 0ED00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| GoFoe | 0.50 | | 0ED50 | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| 1dr . lk. | 0ED0095 | y | 0ED025 | 0ED0095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| 1dCBlk. | 57 | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA20A22 74:5s | 5 |
| 1gFo. lk. | 0.0020 | I | 0ED025 | 0ED070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| 1obdCa | 0ED0059 | y | 0ED025 | 0ED0059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| wi dr | 0ED00m7 | y | 0ED07s | 0ED00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| wlrglk. | 0ED04U | y | 0ED050 | 0ED04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| MoCbri ek. | 0.0044 | I | 0ED75 | 0ED07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| hi Celk. | 0.0014 | | 0ED07s | 0ED00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |
| TgdCk. | 0ED0049 | y | 0ED0050 | 0ED0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s4 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | 0ED0075 | y | 0ED0020 | 0ED0075 | . LAv | | 0UA2mA22 77:s7 | 70A0sA22 0U:7U | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TondCDl88oCi r hoCt 8 (hM 25401 ) | 200 | | 5ED | 5ED | . LAv | | | 0UA72A22 74:sm | 7 |
| 1gCFri (hM 4500 1CR) | 6.2 | | 2ED | 7E4 | . LAv | | | 0UA72A22 27:74 | 7 |
| hkCdri (hM 4500 hO4 R) | 17 | | 5ED | 7E4 | . LAv | | | 0UA72A22 07:s4 | 7 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | 6.47 | | | | hy | | | 0UA0UA22 7s:05 | 7 |

## Client Sample ID: MW-106

**Date Collected: 09/08/22 15:45**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-5

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 0E74 | y | 7ED | 0E74 | . LAv | | | 0UA74A22 0s:20 | 7 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eni. oef | 0ED075 | y | 0ED025 | 0ED075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| 3F8i elB | 0ED072 | y | 0ED07s | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| GdFlk. | **0.012** | | 0ED025 | 0ED0060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| Gi FfCCk. | 0ED00U2 | y | 0ED025 | 0ED00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| GoFoe | **0.097** | | 0ED50 | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| 1dr. lk. | 0ED0095 | y | 0ED025 | 0ED0095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| 1dGBlk. | **1.6** | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| 1gFo. lk. | 0ED070 | y | 0ED025 | 0ED070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| 1obdCa | 0ED0059 | y | 0ED025 | 0ED0059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| wi dr | 0ED00m7 | y | 0ED07s | 0ED00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| wlrglk. | 0ED04U | y | 0ED050 | 0ED04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| MoCbri ek. | 0ED07s | y | 0ED75 | 0ED07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| hi Celk. | **0.0016** | | 0ED07s | 0ED00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |
| TgdCk. | 0ED0049 | y | 0ED0050 | 0ED0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:s6 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | 0ED0075 | y | 0ED0020 | 0ED0075 | . LAv | | 0UA2mA22 70:44 | 70A02A22 76:7s | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TomdCDl88oCi r hoCt 8 (hM 25401) | **18** | | 5ED | 5ED | . LAv | | | 0UA72A22 74:sm | 7 |
| 1gCFri (hM 4500 1CR) | **3.3** | | 2ED | 7E4 | . LAv | | | 0UA72A22 27:0U | 7 |
| hkCdni (hM 4500 hO4 R) | 7E4 | y | 5ED | 7E4 | . LAv | | | 0UA77A22 2s:2U | 7 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | **5.00** | | | | hy | | | 0UA0mA22 75:45 | 7 |

## Client Sample ID: MW-109

**Date Collected: 09/08/22 15:56**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-6

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 0E74 | y | 7ED | 0E74 | . LAv | | | 0UA74A22 07:s7 | 7 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eni. oef | 0ED075 | y | 0ED025 | 0ED075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| 3FBi elB | 0ED072 | y | 0ED07s | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| GdFlk. | **0.017** | | 0ED025 | 0ED0060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| Gi FfCCk. | 0ED00U2 | y | 0ED025 | 0ED00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| GoFoe | **0.45** | | 0ED50 | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| 1dr. lk. | 0ED0095 | y | 0ED025 | 0ED0095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| 1dCBlk. | **6.0** | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| 1gFo. lk. | 0ED070 | y | 0ED025 | 0ED070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| 1obdCa | **0.0077** | | 0ED025 | 0ED0059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| wi dr | 0ED00m7 | y | 0ED07s | 0ED00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| wlrglk. | 0ED04U | y | 0ED050 | 0ED04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| MoCbri ek. | 0ED07s | y | 0ED75 | 0ED07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| hi Celk. | **0.0020** | | 0ED07s | 0ED00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |
| TgdCCk. | 0ED0049 | y | 0ED0050 | 0ED0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:40 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | **0.00041** | | 0ED0020 | 0ED0075 | . LAv | | 0UA2mA22 70:44 | 70A02A22 76:27 | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TomdCDl88oCi r hoCt 8 (hM 25401) | **80** | | 5ED | 5ED | . LAv | | | 0UA72A22 74:sm | 7 |
| 1gCFri (hM 4500 1CR) | **17** | | 2ED | 7E4 | . LAv | | | 0UA72A22 27:77 | 7 |
| hkCdni (hM 4500 hO4 R) | **34** | | 5ED | 7E4 | . LAv | | | 0UA77A22 2s:2U | 7 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | **4.82** | | | | hy | | | 0UA0mA22 75:59 | 7 |

## Client Sample ID: MW-110

**Date Collected: 09/09/22 09:56**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-7

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 0E74 | y | 7ED | 0E74 | . LAv | | | 0UA74A22 02:sU | 7 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eni. oef | 0ED075 | y | 0ED025 | 0ED075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| 3FBi elB | 0ED072 | y | 0ED07s | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| GdFlk. | **0.023** | | 0ED025 | 0ED0060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| Gi Ff CCk. | 0ED00U2 | y | 0ED025 | 0ED00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| GoFoe | **4.4** | | 0ED50 | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| 1dr. lk. | 0ED0095 | y | 0ED025 | 0ED0095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| 1dCBlk. | **26** | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| 1gFo. lk. | 0ED070 | y | 0ED025 | 0ED070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| 1obdCl | **0.019** | | 0ED025 | 0ED0059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| wi dr | 0ED00m7 | y | 0ED07s | 0ED00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| wlrglk. | **0.0060** | | 0ED050 | 0ED04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| MoCbri ek. | 0ED07s | y | 0ED75 | 0ED07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| hi Celk. | **0.0045** | | 0ED07s | 0ED00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |
| TgdCk. | 0ED0049 | y | 0ED0050 | 0ED0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:44 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | **0.0036** | | 0ED0020 | 0ED0075 | . LAv | | 0UA2mA22 77:s7 | 70A0sA22 0U:27 | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TondCDl88oCi r hoCr 8 (hM 25401) | **560** | | 5ED | 5ED | . LAv | | | 0UA72A22 74:sm | 7 |
| 1gCFri (hM 4500 1CR) | **84** | | 2ED | 7E4 | . LAv | | | 0UA72A22 27:75 | 7 |
| hkCdni (hM 4500 hO4 R) | **270** | | 7s0 | s5 | . LAv | | | 0UA72A22 07:57 | 25 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | **4.68** | | | | hy | | | 0UA0UA22 0U:59 | 7 |

## Client Sample ID: DUP-03

**Date Collected: 09/09/22 12:05**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-8

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 0E74 | y | 7ED | 0E74 | . LAv | | | 0UA74A22 0s:02 | 7 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eri. oef | 0ED075 | y | 0ED025 | 0ED075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| 3FBi elB | **0.0057** | | 0ED07s | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| GdFlk. | **0.024** | | 0ED025 | 0ED0060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| Gi FfCCk. | 0ED00U2 | y | 0ED025 | 0ED00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| GoFoe | **0.32** | | 0ED50 | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| 1dr . lk. | 0ED0095 | y | 0ED025 | 0ED0095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| 1dCBlk. | **56** | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA20A22 74:59 | 5 |
| 1gFo. lk. | **0.0019** | I | 0ED025 | 0ED070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| 1obdCa | 0ED0059 | y | 0ED025 | 0ED0059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| wi dr | 0ED00m7 | y | 0ED07s | 0ED00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| wlrglk. | 0ED04U | y | 0ED050 | 0ED04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| MoCbri ek. | **0.0041** | I | 0ED75 | 0ED07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| hi Celk. | **0.0025** | | 0ED07s | 0ED00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |
| TgdCk. | 0ED0049 | y | 0ED0050 | 0ED0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 27:46 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | 0ED0075 | y | 0ED0020 | 0ED0075 | . LAv | | 0UA2mA22 77:s7 | 70A0sA22 0U:2s | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TondCDl88oCi r hoCt 8 (hM 25401 ) | **210** | | 5ED | 5ED | . LAv | | | 0UA72A22 74:sm | 7 |
| 1gCFri (hM 4500 1CR) | **6.3** | | 2ED | 7E4 | . LAv | | | 0UA72A22 27:75 | 7 |
| hkCdni (hM 4500 hO4 R) | **18** | | 5ED | 7E4 | . LAv | | | 0UA72A22 07:s5 | 7 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | **6.47** | | | | hy | | | 0UA0UA22 72:05 | 7 |

## Client Sample ID: DUP-02

**Date Collected: 09/08/22 14:56**
**Date Received: 09/09/22 16:40**

## Lab Sample ID: 400-225722-9

**Matrix: Water**

### Method: MCAWW 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t CkoFri | 0E74 | y | 7ED | 0E74 | . LAv | | | 0UA74A22 0s:25 | 7 |

### Method: SW846 6020 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| 3eni. oef | 0ED075 | y | 0ED025 | 0ED075 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| 3FBi elB | 0ED072 | y | 0ED07s | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| GdFlk. | 0.017 | | 0ED025 | 0ED0060 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| Gi FfCCk. | 0ED00U2 | y | 0ED025 | 0ED00U2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| GoFoe | 0.49 | | 0ED50 | 0ED072 | . LAv | | 0UA75A22 77:4m | 0UA20A22 74:5U | 5 |
| 1dr . lk. | 0ED0095 | y | 0ED025 | 0ED0095 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| 1dCBlk. | 5.3 | | 0E25 | 0E7s | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| 1gFo. lk. | 0ED070 | y | 0ED025 | 0ED070 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| 1obdCa | 0.0078 | | 0ED025 | 0ED0059 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| wi dr | 0ED00m7 | y | 0ED07s | 0ED00m7 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| wlrglk. | 0ED04U | y | 0ED050 | 0ED04U | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| MoCbri ek. | 0ED07s | y | 0ED75 | 0ED07s | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| hi Celk. | 0.0014 | V | 0ED07s | 0ED00m2 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |
| TgdCCk. | 0ED0049 | y | 0ED0050 | 0ED0049 | . LAv | | 0UA75A22 77:4m | 0UA79A22 22:77 | 5 |

### Method: SW846 7470A - Mercury (CVAA)

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mi FEkFf | 0.00039 | | 0ED0020 | 0ED0075 | . LAv | | 0UA2mA22 70:44 | 70A02A22 76:24 | 7 |

### General Chemistry

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| TondCDl88oCi r hoCr 8 (hM 25401 ) | 88 | | 5ED | 5ED | . LAv | | | 0UA72A22 74:sm | 7 |
| 1 gCFri (hM 4500 1 CR) | 17 | | 2ED | 7E4 | . LAv | | | 0UA72A22 27:72 | 7 |
| hkCdri (hM 4500 hO4 R) | 34 | | 5ED | 7E4 | . LAv | | | 0UA77A22 2s:s0 | 7 |

### Method: EPA Field Sampling - Field Sampling

| Analyte | Result | Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| t li C pH | 4.82 | | | | hy | | | 0UA0mA22 74:59 | 7 |

## Qualifiers

### HPLC/IC

| Qualifier | Qualifier Description |
|---|---|
| Jv | Tstiq Ptef . Plj e3. Plj e q Ph not be Pddj uPte; y kiBe uedo. euh ouRwD oj tsif e oEduteuiP; |
| U | Inf idPtes taPt tae doq koj nf r Ps PnPlhzef Eoubj t not f etedtef ; |

### Metals

| Qualifier | Qualifier Description |
|---|---|
| I | Vae uekoutef . Plj e is betr een tae lPbouPtouh q etaof f etedtion liq it Pnf tae lPbouPtouh kuPdtidPl ¤j PntitPtion liq it; |
| U | Inf idPtes taPt tae doq koj nf r Ps PnPlhzef Eoubj t not f etedtef ; |
| L | Inf idPtes taPt tae PnPlhte r Ps f etedtef Pt ouPbo. e tae q etaof f etedtion liq it in bota tae sPq kle Pnf tae PssodiPtef q etaof blPnB Pnf tae . Plj e oE90 tiq es tae blPnB. Plj e r Ps e¤j Pl to oupuePteutaPn tae PssodiPtef sPq kle . Plj e; |

### General Chemistry

| Qualifier | Qualifier Description |
|---|---|
| I | Vae uekoutef . Plj e is betr een tae lPbouPtouh q etaof f etedtion liq it Pnf tae lPbouPtouh kuPdtidPl ¤j PntitPtion liq it; |
| U | Inf idPtes taPt tae doq koj nf r Ps PnPlhzef Eoubj t not f etedtef ; |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| " | mistef j nf eutae %D%dolj q n to f esipnPte taPt tae uesj lt is uekoutef on P f uh r eipat bPsis |
| F R | weudent Redo. euh |
| CGm | ContPins Guee mi¤j if |
| CGU | Colonh Gouq inp Unit |
| CNG | ContPins No Guee mi¤j if |
| DTR | Dj klidPte TuuouRPtio (nouq Plizef Pbsolj te f iEEeuende) |
| Dil GPd | Dilj tion GPdtou |
| Dm | Detedtion miq it (DoD/DOT) |
| Dm RA, RT, IN | Inf idPtes P Dilj tion, Re-PnPlhsis, Re-extuPdtion, ouPf f itionPl InitiPl q etPls/Pnion PnPlhsis oEtae sPq kle |
| DmC | Dedision me. el CondentuPtion (RPf iodaeq istuh) |
| TDm | Tstiq Ptef Detedtion miq it (Dioxin) |
| mOD | miq it oEDetedtion (DoD/DOT) |
| mOQ | miq it oEQj PntitPtion (DoD/DOT) |
| MCm | TwA uedoq q enf ef %MPxiq j q ContPq inPnt me. el% |
| MDA | Miniq j q DetedtPble Adti. ith (RPf iodaeq istuh) |
| MDC | Miniq j q DetedtPble CondentuPtion (RPf iodaeq istuh) |
| MDm | Metaof Detedtion miq it |
| Mm | Miniq j q me. el (Dioxin) |
| MwN | Most wuobPble Nj q beu |
| MQm | Metaof Qj PntitPtion miq it |
| NC | Not CPldj lPtef |
| ND | Not Detedtef Pt tae uekoutinp liq it (ouMDmouTDmiEsaor n) |
| NTS | NepPti. e / Absent |
| wOy | wositi. e / wuesent |
| wQm | wuPdtidPl Qj PntitPtion miq it |
| wRTy | wuesj q kti. e |
| QC | Qj Plith Contuol |
| RTR | RelPti. e TuuouRPtio (RPf iodaeq istuh) |
| Rm | Rekoutinp miq it ouRe¤j estef miq it (RPf iodaeq istuh) |
| RwD | RelPti. e weudent DiEEeuende, P q ePsj ue oEtae uelPti. e f iEEeuende betr een tr o koints |
| VTG | Voxidith T¤j i. Plent GPdtou(Dioxin) |
| VTQ | Voxidith T¤j i. Plent Qj otient (Dioxin) |
| VNVC | Voo Nj q euoj s Vo Coj nt |

## Client Sample ID: MW-104
**Date Collectex: 0d/0d/44 17:7R**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-1
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 7 | 5. 2s92 | Jk/ | f f T Pf N | 0. c74c22 07:75 |
| Total Sej o¹erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 27:25 |
| TotaldNk | Prep | 6460k | | | 5. 4225 | Nf T | f f T Pf N | 0. c29c22 77:s7 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c0sc22 0. :07 |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 7 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:72 |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 7 | 5. 2727 | DN7 | f f T Pf N | 0. c72c22 07:s2 |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c0. c22 75:5s |

## Client Sample ID: MW-10R
**Date Collectex: 0d/0d/44 11:R2**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-4
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 7 | 5. 2s92 | Jk/ | f f T Pf N | 0. c74c22 07:sK |
| Total Sej o¹erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 27:29 |
| TotaldNk | Prep | 6460k | | | 5. 4225 | Nf T | f f T Pf N | 0. c29c22 77:s7 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c0sc22 0. :0s |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 7 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:7s |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 7 | 5. 2727 | DN7 | f f T Pf N | 0. c72c22 07:ss |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c0. c22 77:s4 |

## Client Sample ID: MW-102
**Date Collectex: 0d/0d/44 11:42**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-R
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 20 | 5. 2s92 | Jk/ | f f T Pf N | 0. c74c22 02:s. |
| Total Sej o¹erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 27:s7 |
| Total Sej o¹erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹erable | knalEAiA | K020 | | 5 | 5. s29. | NTH | f f T Pf N | 0. c20c22 74:50 |
| TotaldNk | Prep | 6460k | | | 5. 4225 | Nf T | f f T Pf N | 0. c29c22 77:s7 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c0sc22 0. :7K |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 70 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:74 |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 25 | 5. 2727 | DN7 | f f T Pf N | 0. c72c22 07:57 |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c0. c22 77:24 |

## Client Sample ID: MW-107
**Date Collectex: 0d/0d/44 1R:07**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-2
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 7 | 5. 2s92 | Jk/ | f f T Pf N | 0. c74c22 0s:00 |
| Total Sej o¹erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 27:s4 |
| Total Sej o¹erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹erable | knalEAiA | K020 | | 5 | 5. s29. | NTH | f f T Pf N | 0. c20c22 74:5s |
| TotaldNk | Prep | 6460k | | | 5. 4225 | Nf T | f f T Pf N | 0. c29c22 77:s7 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c0sc22 0. :7. |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 7 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:74 |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 7 | 5. 2727 | DN7 | f f T Pf N | 0. c72c22 07:s4 |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c0. c22 7s:05 |

## Client Sample ID: MW-10T
**Date Collectex: 0d/09/44 17:27**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-7
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 7 | 5. 2s92 | Jk/ | f f T Pf N | 0. c74c22 0s:20 |
| Total Sej o¹erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 27:s6 |
| TotaldNk | Prep | 6460k | | | 5. 4205 | Nf T | f f T Pf N | 0. c29c22 70:44 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c02c22 76:7s |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 7 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:0. |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 7 | 5. 277. | DN7 | f f T Pf N | 0. c77c22 2s:2. |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c09c22 75:45 |

## Client Sample ID: MW-10d
**Date Collectex: 0d/09/44 17:7T**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-T
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 7 | 5. 2409 | Jk/ | f f T Pf N | 0. c74c22 07:s7 |
| Total Sej o¹erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 27:40 |
| TotaldNk | Prep | 6460k | | | 5. 4205 | Nf T | f f T Pf N | 0. c29c22 70:44 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c02c22 76:27 |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 7 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:77 |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 7 | 5. 277. | DN7 | f f T Pf N | 0. c77c22 2s:2. |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c09c22 75:5K |

f GrouinA PenAaj ola

## Client Sample ID: MW-110

**Date Collectex: 0d/0d/44 0d:7T**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-3

**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 7 | 5. 2409 | Jk/ | f f T Pf N | 0. c74c22 02:s. |
| Total Sej o¹ erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹ erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 27:44 |
| TotaldNk | Prep | 6460k | | | 5. 4225 | Nf T | f f T Pf N | 0. c29c22 77:s7 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c0sc22 0. :27 |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 7 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:75 |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 25 | 5. 2727 | DN7 | f f T Pf N | 0. c72c22 07:57 |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c0. c22 0. :5K |

## Client Sample ID: DUA-0R

**Date Collectex: 0d/0d/44 14:07**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-9

**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 7 | 5. 2409 | Jk/ | f f T Pf N | 0. c74c22 0s:02 |
| Total Sej o¹ erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹ erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 27:46 |
| Total Sej o¹ erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹ erable | knalEAiA | K020 | | 5 | 5. s29. | NTH | f f T Pf N | 0. c20c22 74:5K |
| TotaldNk | Prep | 6460k | | | 5. 4225 | Nf T | f f T Pf N | 0. c29c22 77:s7 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c0sc22 0. :2s |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 7 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:75 |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 7 | 5. 2727 | DN7 | f f T Pf N | 0. c72c22 07:s5 |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c0. c22 72:05 |

## Client Sample ID: DUA-04

**Date Collectex: 0d/09/44 12:7T**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-d

**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| TotaldNk | knalEAiA | s003) | | 7 | 5. 2409 | Jk/ | f f T Pf N | 0. c74c22 0s:25 |
| Total Sej o¹ erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹ erable | knalEAiA | K020 | | 5 | 5. 2. 44 | NTH | f f T Pf N | 0. c7Kc22 22:77 |
| Total Sej o¹ erable | Prep | s005k | | | 5. 2K49 | Ww N | f f T Pf N | 0. c75c22 77:49 - 0. c75c22 75:40 8 |
| Total Sej o¹ erable | knalEAiA | K020 | | 5 | 5. s29. | NTH | f f T Pf N | 0. c20c22 74:5. |
| TotaldNk | Prep | 6460k | | | 5. 4205 | Nf T | f f T Pf N | 0. c29c22 70:44 - 0. c29c22 75:s7 8 |
| TotaldNk | knalEAiA | 6460k | | 7 | 5. 4972 | Nf T | f f T Pf N | 70c02c22 76:24 |
| TotaldNk | knalEAiA | / M 2540C | | 7 | 5. 2270 | Vy | f f T Pf N | 0. c72c22 74:s9 |
| TotaldNk | knalEAiA | / M 4500 Cl- f | | 7 | 5. 22K9 | DN7 | f f T Pf N | 0. c72c22 27:72 |
| TotaldNk | knalEAiA | / M 4500 / O4 f | | 7 | 5. 277. | DN7 | f f T Pf N | 0. c77c22 2s:s0 |
| TotaldNk | knalEAiA | Field / ampling | | 7 | 5. 44. 6 | / 7W | f f T Pf N | 0. c09c22 74:5K |

8Completion dateA and timeA are reported or not reported per method reqGrementA or indi¹ idGal lab diAj retion3

f GrouinA PenAaj ola

**LaboratorB v eferenceu:**

f f T Pf N = f GrouinA PenAaj ola, ss55 Mj Lemore Dri1 e, PenAaj ola, FL s2574, Tf L (950)464-7007

## HPLC/IC

### Analysis Batch: 592382

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total/NA | Water | 300.0 | |
| 400-225722-2 | MW-103 | Total/NA | Water | 300.0 | |
| 400-225722-3 | MW-104 | Total/NA | Water | 300.0 | |
| 400-225722-4 | MW-105 | Total/NA | Water | 300.0 | |
| 400-225722-5 | MW-106 | Total/NA | Water | 300.0 | |
| MB 400-592382/25 | Method Blank | Total/NA | Water | 300.0 | |
| LCS 400-592382/26 | Lab Control Sample | Total/NA | Water | 300.0 | |
| LCSD 400-592382/27 | Lab Control Sample Dup | Total/NA | Water | 300.0 | |
| 400-225739-B-14 MS | Matrix Spike | Total/NA | Water | 300.0 | |
| 400-225739-B-14 MSD | Matrix Spike Duplicate | Total/NA | Water | 300.0 | |

### Analysis Batch: 592408

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-6 | MW-109 | Total/NA | Water | 300.0 | |
| 400-225722-7 | MW-110 | Total/NA | Water | 300.0 | |
| 400-225722-8 | DUP-03 | Total/NA | Water | 300.0 | |
| 400-225722-9 | DUP-02 | Total/NA | Water | 300.0 | |
| MB 400-592408/41 | Method Blank | Total/NA | Water | 300.0 | |
| LCS 400-592408/42 | Lab Control Sample | Total/NA | Water | 300.0 | |
| LCSD 400-592408/43 | Lab Control Sample Dup | Total/NA | Water | 300.0 | |
| 400-225722-6 MS | MW-109 | Total/NA | Water | 300.0 | |
| 400-225722-6 MSD | MW-109 | Total/NA | Water | 300.0 | |

## Metals

### Prep Batch: 592648

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total Recoverable | Water | 3005A | |
| 400-225722-2 | MW-103 | Total Recoverable | Water | 3005A | |
| 400-225722-3 | MW-104 | Total Recoverable | Water | 3005A | |
| 400-225722-4 | MW-105 | Total Recoverable | Water | 3005A | |
| 400-225722-5 | MW-106 | Total Recoverable | Water | 3005A | |
| 400-225722-6 | MW-109 | Total Recoverable | Water | 3005A | |
| 400-225722-7 | MW-110 | Total Recoverable | Water | 3005A | |
| 400-225722-8 | DUP-03 | Total Recoverable | Water | 3005A | |
| 400-225722-9 | DUP-02 | Total Recoverable | Water | 3005A | |
| MB 400-592648/1-A ^5 | Method Blank | Total Recoverable | Water | 3005A | |
| LCS 400-592648/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 3005A | |
| 400-225912-A-2-B MS ^5 | Matrix Spike | Total Recoverable | Water | 3005A | |
| 400-225912-A-2-C MSD ^5 | Matrix Spike Duplicate | Total Recoverable | Water | 3005A | |

### Analysis Batch: 592944

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-2 | MW-103 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-3 | MW-104 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-4 | MW-105 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-5 | MW-106 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-6 | MW-109 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-7 | MW-110 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-8 | DUP-03 | Total Recoverable | Water | 6020 | 592648 |

## Metals (Continued)

### Analysis Batch: 592944 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-9 | DUP-02 | Total Recoverable | Water | 6020 | 592648 |
| MB 400-592648/1-A ^5 | Method Blank | Total Recoverable | Water | 6020 | 592648 |
| LCS 400-592648/2-A ^5 | Lab Control Sample | Total Recoverable | Water | 6020 | 592648 |
| 400-225912-A-2-B MS ^5 | Matrix Spike | Total Recoverable | Water | 6020 | 592648 |
| 400-225912-A-2-C MSD ^5 | Matrix Spike Duplicate | Total Recoverable | Water | 6020 | 592648 |

### Analysis Batch: 593289

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-3 | MW-104 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-4 | MW-105 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-8 | DUP-03 | Total Recoverable | Water | 6020 | 592648 |
| 400-225722-9 | DUP-02 | Total Recoverable | Water | 6020 | 592648 |

### Prep Batch: 594205

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-5 | MW-106 | Total/NA | Water | 7470A | |
| 400-225722-6 | MW-109 | Total/NA | Water | 7470A | |
| 400-225722-9 | DUP-02 | Total/NA | Water | 7470A | |
| MB 400-594205/14-A | Method Blank | Total/NA | Water | 7470A | |
| LCS 400-594205/15-A | Lab Control Sample | Total/NA | Water | 7470A | |
| 400-225704-C-1-B MS | Matrix Spike | Total/NA | Water | 7470A | |
| 400-225704-C-1-C MSD | Matrix Spike Duplicate | Total/NA | Water | 7470A | |

### Prep Batch: 594225

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total/NA | Water | 7470A | |
| 400-225722-2 | MW-103 | Total/NA | Water | 7470A | |
| 400-225722-3 | MW-104 | Total/NA | Water | 7470A | |
| 400-225722-4 | MW-105 | Total/NA | Water | 7470A | |
| 400-225722-7 | MW-110 | Total/NA | Water | 7470A | |
| 400-225722-8 | DUP-03 | Total/NA | Water | 7470A | |
| MB 400-594225/14-A | Method Blank | Total/NA | Water | 7470A | |
| LCS 400-594225/15-A | Lab Control Sample | Total/NA | Water | 7470A | |
| 400-225722-2 MS | MW-103 | Total/NA | Water | 7470A | |
| 400-225722-2 MSD | MW-103 | Total/NA | Water | 7470A | |

### Analysis Batch: 594812

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total/NA | Water | 7470A | 594225 |
| 400-225722-2 | MW-103 | Total/NA | Water | 7470A | 594225 |
| 400-225722-3 | MW-104 | Total/NA | Water | 7470A | 594225 |
| 400-225722-4 | MW-105 | Total/NA | Water | 7470A | 594225 |
| 400-225722-5 | MW-106 | Total/NA | Water | 7470A | 594205 |
| 400-225722-6 | MW-109 | Total/NA | Water | 7470A | 594205 |
| 400-225722-7 | MW-110 | Total/NA | Water | 7470A | 594225 |
| 400-225722-8 | DUP-03 | Total/NA | Water | 7470A | 594225 |
| 400-225722-9 | DUP-02 | Total/NA | Water | 7470A | 594205 |
| MB 400-594205/14-A | Method Blank | Total/NA | Water | 7470A | 594205 |
| MB 400-594225/14-A | Method Blank | Total/NA | Water | 7470A | 594225 |
| LCS 400-594205/15-A | Lab Control Sample | Total/NA | Water | 7470A | 594205 |
| LCS 400-594225/15-A | Lab Control Sample | Total/NA | Water | 7470A | 594225 |

## Metals (Continued)

### Analysis Batch: 594812 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225704-C-1-B MS | Matrix Spike | Total/NA | Water | 7470A | 594205 |
| 400-225704-C-1-C MSD | Matrix Spike Duplicate | Total/NA | Water | 7470A | 594205 |
| 400-225722-2 MS | MW-103 | Total/NA | Water | 7470A | 594225 |
| 400-225722-2 MSD | MW-103 | Total/NA | Water | 7470A | 594225 |

## General Chemistry

### Analysis Batch: 592119

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-5 | MW-106 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-6 | MW-109 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-9 | DUP-02 | Total/NA | Water | SM 4500 SO4 E | |
| MB 400-592119/12 | Method Blank | Total/NA | Water | SM 4500 SO4 E | |
| LCS 400-592119/13 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| MRL 400-592119/14 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| 400-225660-B-1 MS | Matrix Spike | Total/NA | Water | SM 4500 SO4 E | |
| 400-225660-B-1 MSD | Matrix Spike Duplicate | Total/NA | Water | SM 4500 SO4 E | |

### Analysis Batch: 592121

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-2 | MW-103 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-3 | MW-104 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-4 | MW-105 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-7 | MW-110 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-8 | DUP-03 | Total/NA | Water | SM 4500 SO4 E | |
| MB 400-592121/5 | Method Blank | Total/NA | Water | SM 4500 SO4 E | |
| LCS 400-592121/6 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| MRL 400-592121/7 | Lab Control Sample | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-1 MS | MW-102 | Total/NA | Water | SM 4500 SO4 E | |
| 400-225722-1 MSD | MW-102 | Total/NA | Water | SM 4500 SO4 E | |

### Analysis Batch: 592210

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total/NA | Water | SM 2540C | |
| 400-225722-2 | MW-103 | Total/NA | Water | SM 2540C | |
| 400-225722-3 | MW-104 | Total/NA | Water | SM 2540C | |
| 400-225722-4 | MW-105 | Total/NA | Water | SM 2540C | |
| 400-225722-5 | MW-106 | Total/NA | Water | SM 2540C | |
| 400-225722-6 | MW-109 | Total/NA | Water | SM 2540C | |
| 400-225722-7 | MW-110 | Total/NA | Water | SM 2540C | |
| 400-225722-8 | DUP-03 | Total/NA | Water | SM 2540C | |
| 400-225722-9 | DUP-02 | Total/NA | Water | SM 2540C | |
| MB 400-592210/1 | Method Blank | Total/NA | Water | SM 2540C | |
| LCS 400-592210/2 | Lab Control Sample | Total/NA | Water | SM 2540C | |
| 400-225722-8 DU | DUP-03 | Total/NA | Water | SM 2540C | |

### Analysis Batch: 592268

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-2 | MW-103 | Total/NA | Water | SM 4500 Cl- E | |

## General Chemistry (Continued)

### Analysis Batch: 592268 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-3 | MW-104 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-4 | MW-105 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-5 | MW-106 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-6 | MW-109 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-7 | MW-110 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-8 | DUP-03 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-9 | DUP-02 | Total/NA | Water | SM 4500 Cl- E | |
| MB 400-592268/13 | Method Blank | Total/NA | Water | SM 4500 Cl- E | |
| MB 400-592268/42 | Method Blank | Total/NA | Water | SM 4500 Cl- E | |
| LCS 400-592268/14 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| LCS 400-592268/43 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| MRL 400-592268/15 | Lab Control Sample | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-2 MS | MW-103 | Total/NA | Water | SM 4500 Cl- E | |
| 400-225722-2 MSD | MW-103 | Total/NA | Water | SM 4500 Cl- E | |

## Field Service / Mobile Lab

### Analysis Batch: 594497

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-225722-1 | MW-102 | Total/NA | Water | Field Sampling | |
| 400-225722-2 | MW-103 | Total/NA | Water | Field Sampling | |
| 400-225722-3 | MW-104 | Total/NA | Water | Field Sampling | |
| 400-225722-4 | MW-105 | Total/NA | Water | Field Sampling | |
| 400-225722-5 | MW-106 | Total/NA | Water | Field Sampling | |
| 400-225722-6 | MW-109 | Total/NA | Water | Field Sampling | |
| 400-225722-7 | MW-110 | Total/NA | Water | Field Sampling | |
| 400-225722-8 | DUP-03 | Total/NA | Water | Field Sampling | |
| 400-225722-9 | DUP-02 | Total/NA | Water | Field Sampling | |

## Method: 300.0 - Anions, Ion Chromatography

### Lab Sample ID: MB 400-592382/25
**Matrix: Water**
**Analysis Batch: 592382**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/13/22 18:19 | 1 |

### Lab Sample ID: LCS 400-592382/26
**Matrix: Water**
**Analysis Batch: 592382**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Fluoride | 10.0 | 10.6 | | mg/L | | 106 | 90 - 110 |

### Lab Sample ID: LCSD 400-592382/27
**Matrix: Water**
**Analysis Batch: 592382**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 10.0 | 10.7 | | mg/L | | 107 | 90 - 110 | 1 | 15 |

### Lab Sample ID: 400-225739-B-14 MS
**Matrix: Water**
**Analysis Batch: 592382**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 10.0 | 11.8 | | mg/L | | 118 | 80 - 120 |

### Lab Sample ID: 400-225739-B-14 MSD
**Matrix: Water**
**Analysis Batch: 592382**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 10.0 | 12.2 | J3 | mg/L | | 122 | 80 - 120 | 3 | 20 |

### Lab Sample ID: MB 400-592408/41
**Matrix: Water**
**Analysis Batch: 592408**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 1.0 | 0.14 | mg/L | | | 09/14/22 00:22 | 1 |

### Lab Sample ID: LCS 400-592408/42
**Matrix: Water**
**Analysis Batch: 592408**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Fluoride | 10.0 | 10.2 | | mg/L | | 102 | 90 - 110 |

### Lab Sample ID: LCSD 400-592408/43
**Matrix: Water**
**Analysis Batch: 592408**

**Client Sample ID: Lab Control Sample Dup**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 10.0 | 10.4 | | mg/L | | 104 | 90 - 110 | 1 | 15 |

## Method: 300.0 - Anions, Ion Chromatography

**Lab Sample ID: 400-225722-6 MS**
**Matrix: Water**
**Analysis Batch: 592408**

**Client Sample ID: MW-109**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 10.0 | 10.3 | | mg/L | | 103 | 80 - 120 |

**Lab Sample ID: 400-225722-6 MSD**
**Matrix: Water**
**Analysis Batch: 592408**

**Client Sample ID: MW-109**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Fluoride | 0.14 | U | 10.0 | 10.3 | | mg/L | | 103 | 80 - 120 | 0 | 20 |

## Method: 6020 - Metals (ICP/MS)

**Lab Sample ID: MB 400-592648/1-A ^5**
**Matrix: Water**
**Analysis Batch: 592944**

**Client Sample ID: Method Blank**
**Prep Type: Total Recoverable**
**Prep Batch: 592648**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0025 | 0.0015 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Arsenic | 0.0012 | U | 0.0013 | 0.0012 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Barium | 0.00070 | U | 0.0025 | 0.00070 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Beryllium | 0.00092 | U | 0.0025 | 0.00092 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Cadmium | 0.00065 | U | 0.0025 | 0.00065 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Chromium | 0.0010 | U | 0.0025 | 0.0010 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Cobalt | 0.00056 | U | 0.0025 | 0.00056 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Lead | 0.00081 | U | 0.0013 | 0.00081 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Lithium | 0.0049 | U | 0.0050 | 0.0049 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Molybdenum | 0.0013 | U | 0.015 | 0.0013 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Selenium | 0.00128 | I | 0.0013 | 0.00082 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |
| Thallium | 0.00046 | U | 0.00050 | 0.00046 | mg/L | | 09/15/22 11:48 | 09/16/22 20:39 | 5 |

**Lab Sample ID: LCS 400-592648/2-A ^5**
**Matrix: Water**
**Analysis Batch: 592944**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total Recoverable**
**Prep Batch: 592648**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Antimony | 0.0500 | 0.0540 | | mg/L | | 108 | 80 - 120 |
| Arsenic | 0.0500 | 0.0508 | | mg/L | | 102 | 80 - 120 |
| Barium | 0.0500 | 0.0529 | | mg/L | | 106 | 80 - 120 |
| Beryllium | 0.0500 | 0.0497 | | mg/L | | 99 | 80 - 120 |
| Cadmium | 0.0500 | 0.0518 | | mg/L | | 104 | 80 - 120 |
| Chromium | 0.0500 | 0.0520 | | mg/L | | 104 | 80 - 120 |
| Cobalt | 0.0500 | 0.0519 | | mg/L | | 104 | 80 - 120 |
| Lead | 0.0500 | 0.0495 | | mg/L | | 99 | 80 - 120 |
| Lithium | 0.0500 | 0.0481 | | mg/L | | 96 | 80 - 120 |
| Molybdenum | 0.0500 | 0.0548 | | mg/L | | 110 | 80 - 120 |
| Selenium | 0.0500 | 0.0510 | | mg/L | | 102 | 80 - 120 |
| Thallium | 0.0100 | 0.0100 | | mg/L | | 100 | 80 - 120 |

## Method: 6020 - Metals (ICP/MS) (Continued)

**Lab Sample ID: 400-225912-A-2-B MS ^5**
**Matrix: Water**
**Analysis Batch: 592944**

**Client Sample ID: Matrix Spike**
**Prep Type: Total Recoverable**
**Prep Batch: 592648**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0500 | 0.0547 | | mg/L | | 109 | 75 - 125 |
| Boron | 0.59 | J3 | 0.100 | 0.708 | | mg/L | | 116 | 75 - 125 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0512 | | mg/L | | 102 | 75 - 125 |
| Calcium | 130 | J3 | 5.00 | 134 | | mg/L | | 121 | 75 - 125 |
| Chromium | 0.0010 | U | 0.0500 | 0.0503 | | mg/L | | 101 | 75 - 125 |
| Cobalt | 0.00056 | U | 0.0500 | 0.0498 | | mg/L | | 100 | 75 - 125 |
| Lead | 0.00081 | U | 0.0500 | 0.0503 | | mg/L | | 101 | 75 - 125 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0522 | | mg/L | | 104 | 75 - 125 |

**Lab Sample ID: 400-225912-A-2-C MSD ^5**
**Matrix: Water**
**Analysis Batch: 592944**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total Recoverable**
**Prep Batch: 592648**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony | 0.0015 | U | 0.0500 | 0.0539 | | mg/L | | 108 | 75 - 125 | 1 | 20 |
| Boron | 0.59 | J3 | 0.100 | 0.675 | | mg/L | | 84 | 75 - 125 | 5 | 20 |
| Cadmium | 0.00065 | U | 0.0500 | 0.0515 | | mg/L | | 103 | 75 - 125 | 0 | 20 |
| Calcium | 130 | J3 | 5.00 | 133 | | mg/L | | 85 | 75 - 125 | 1 | 20 |
| Chromium | 0.0010 | U | 0.0500 | 0.0514 | | mg/L | | 103 | 75 - 125 | 2 | 20 |
| Cobalt | 0.00056 | U | 0.0500 | 0.0501 | | mg/L | | 100 | 75 - 125 | 0 | 20 |
| Lead | 0.00081 | U | 0.0500 | 0.0489 | | mg/L | | 98 | 75 - 125 | 3 | 20 |
| Molybdenum | 0.0013 | U | 0.0500 | 0.0510 | | mg/L | | 102 | 75 - 125 | 2 | 20 |

## Method: 7470A - Mercury (CVAA)

**Lab Sample ID: MB 400-594205/14-A**
**Matrix: Water**
**Analysis Batch: 594812**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 594205**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/28/22 10:44 | 10/02/22 16:40 | 1 |

**Lab Sample ID: LCS 400-594205/15-A**
**Matrix: Water**
**Analysis Batch: 594812**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 594205**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Mercury | 0.00101 | 0.000930 | | mg/L | | 92 | 80 - 120 |

**Lab Sample ID: 400-225704-C-1-B MS**
**Matrix: Water**
**Analysis Batch: 594812**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**
**Prep Batch: 594205**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00221 | | mg/L | | 110 | 80 - 120 |

## Method: 7470A - Mercury (CVAA) (Continued)

**Lab Sample ID: 400-225704-C-1-C MSD**
**Matrix: Water**
**Analysis Batch: 594812**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**
**Prep Batch: 594205**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00215 | | mg/L | | 107 | 80 - 120 | 3 | 20 |

**Lab Sample ID: MB 400-594225/14-A**
**Matrix: Water**
**Analysis Batch: 594812**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**
**Prep Batch: 594225**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00020 | 0.00015 | mg/L | | 09/28/22 11:31 | 10/03/22 08:56 | 1 |

**Lab Sample ID: LCS 400-594225/15-A**
**Matrix: Water**
**Analysis Batch: 594812**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**
**Prep Batch: 594225**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Mercury | 0.00101 | 0.00102 | | mg/L | | 102 | 80 - 120 |

**Lab Sample ID: 400-225722-2 MS**
**Matrix: Water**
**Analysis Batch: 594812**

**Client Sample ID: MW-103**
**Prep Type: Total/NA**
**Prep Batch: 594225**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00233 | | mg/L | | 116 | 80 - 120 |

**Lab Sample ID: 400-225722-2 MSD**
**Matrix: Water**
**Analysis Batch: 594812**

**Client Sample ID: MW-103**
**Prep Type: Total/NA**
**Prep Batch: 594225**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Mercury | 0.00015 | U | 0.00201 | 0.00225 | | mg/L | | 112 | 80 - 120 | 4 | 20 |

## Method: SM 2540C - Solids, Total Dissolved (TDS)

**Lab Sample ID: MB 400-592210/1**
**Matrix: Water**
**Analysis Batch: 592210**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 5.0 | U | 5.0 | 5.0 | mg/L | | | 09/12/22 14:38 | 1 |

**Lab Sample ID: LCS 400-592210/2**
**Matrix: Water**
**Analysis Batch: 592210**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 293 | 284 | | mg/L | | 97 | 78 - 122 |

## Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

**Lab Sample ID: 400-225722-8 DU**
**Matrix: Water**
**Analysis Batch: 592210**

**Client Sample ID: DUP-03**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | | DU Result | DU Qualifier | Unit | D | | | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Total Dissolved Solids | 210 | | | 208 | | mg/L | | | | 1 | 5 |

## Method: SM 4500 Cl- E - Chloride, Total

**Lab Sample ID: MB 400-592268/13**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 1.4 | U | 2.0 | 1.4 | mg/L | | | 09/12/22 20:55 | 1 |

**Lab Sample ID: MB 400-592268/42**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Chloride | 1.4 | U | 2.0 | 1.4 | mg/L | | | 09/12/22 21:10 | 1 |

**Lab Sample ID: LCS 400-592268/14**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | | | 50.0 | 53.7 | | mg/L | | 107 | 90 - 110 | | |

**Lab Sample ID: LCS 400-592268/43**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | | | 50.0 | 48.0 | | mg/L | | 96 | 90 - 110 | | |

**Lab Sample ID: MRL 400-592268/15**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | | | 2.00 | 1.73 | I | mg/L | | 87 | 50 - 150 | | |

**Lab Sample ID: 400-225722-2 MS**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: MW-103**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | 6.9 | | 10.0 | 16.3 | | mg/L | | 94 | 73 - 120 | | |

## Method: SM 4500 Cl- E - Chloride, Total (Continued)

**Lab Sample ID: 400-225722-2 MSD**
**Matrix: Water**
**Analysis Batch: 592268**

**Client Sample ID: MW-103**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Chloride | 6.9 | | 10.0 | 16.5 | | mg/L | | 96 | 73 - 120 | 1 | 8 |

## Method: SM 4500 SO4 E - Sulfate, Total

**Lab Sample ID: MB 400-592119/12**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 09/11/22 23:25 | 1 |

**Lab Sample ID: LCS 400-592119/13**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfate | 15.0 | 14.8 | | mg/L | | 99 | 90 - 110 |

**Lab Sample ID: MRL 400-592119/14**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|
| Sulfate | 5.00 | 4.40 | I | mg/L | | 88 | 50 - 150 |

**Lab Sample ID: 400-225660-B-1 MS**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: Matrix Spike**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 9.8 | | 10.0 | 21.1 | | mg/L | | 113 | 77 - 128 |

**Lab Sample ID: 400-225660-B-1 MSD**
**Matrix: Water**
**Analysis Batch: 592119**

**Client Sample ID: Matrix Spike Duplicate**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 9.8 | | 10.0 | 21.4 | | mg/L | | 116 | 77 - 128 | 2 | 5 |

**Lab Sample ID: MB 400-592121/5**
**Matrix: Water**
**Analysis Batch: 592121**

**Client Sample ID: Method Blank**
**Prep Type: Total/NA**

| Analyte | MB Result | MB Qualifier | PQL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 1.4 | U | 5.0 | 1.4 | mg/L | | | 09/12/22 01:31 | 1 |

## Method: SM 4500 SO4 E - Sulfate, Total (Continued)

**Lab Sample ID: LCS 400-592121/6**
**Matrix: Water**
**Analysis Batch: 592121**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 15.0 | 14.6 | | mg/L | | 98 | 90 - 110 | | |

**Lab Sample ID: MRL 400-592121/7**
**Matrix: Water**
**Analysis Batch: 592121**

**Client Sample ID: Lab Control Sample**
**Prep Type: Total/NA**

| Analyte | | | Spike Added | MRL Result | MRL Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | | | 5.00 | 4.38 | I | mg/L | | 88 | 50 - 150 | | |

**Lab Sample ID: 400-225722-1 MS**
**Matrix: Water**
**Analysis Batch: 592121**

**Client Sample ID: MW-102**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 27 | | 10.0 | 36.3 | | mg/L | | 96 | 77 - 128 | | |

**Lab Sample ID: 400-225722-1 MSD**
**Matrix: Water**
**Analysis Batch: 592121**

**Client Sample ID: MW-102**
**Prep Type: Total/NA**

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Sulfate | 27 | | 10.0 | 36.5 | | mg/L | | 98 | 77 - 128 | 1 | 5 |

**Eurofins Pensacola**
3355 McLemore Drive
Pensacola, FL 32514
Phone: 850-474-1001 Fax: 850-478-2671

# Chain of Custody Record

eurofins Environment Testing America

| Client Information | Sampler: Rick Hegendorfer / Trevor Braddock | Lab PM: Whitmire, Cheyenne R | Carrier Tracking No(s): | COC No: 400-113839-23628.1 |
|---|---|---|---|---|
| Client Contact: Barry Evans | Phone: 850-336-5192 | E-Mail: Cheyenne.Whitmire@et.eurofinsus.com | State of Origin: | Page: Page 1 of 1 |
| Company: Florida Power and Light | PWSID: | | | Job #: |
| Address: BIN 731 One Energy Place | Due Date Requested: | | | |
| City: Pensacola | TAT Requested (days): | | | |
| State, Zip: FL, 32520 | Compliance Project: Δ Yes Δ No | | | |
| Phone: 850-444-6427(Tel) | PO #: 2000403482 | | | |
| Email: Barry.Evans@nexteraenergy.com | WO #: 3000004117 | | | |
| Project Name: CCR GCEC Downgradient B | Project #: 40005424 | | | |
| Site: | SSOW#: | | | |

**Analysis Requested**

400-225722 COC

**Preservation Codes:**
A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Y - Trizma, Z - other (specify)
Other:

| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 9315_Ra226, 9320_Ra228, Ra226Ra228_GFPC | SM4500_Cl_E, SM4500_SO4_E | FieldSampling - Field Sampling Parameters | 6020, 7470A | 2540C - Total Dissolved Solids | 4500_F_C - Fluoride | Total Number of containers | Special Instructions/Note: |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Preservation Code: | | | | D | N | N | D | N | N | | |
| MW-102 | 9-9-22 | 1553 | G | Water | ND | | X | X | X | X | X | X | | |
| MW-103 | 9-9-22 | 1134 | G | Water | ND | | X | X | X | X | X | X | 4 | |
| MW-104 | 9-9-22 | 1124 | G | Water | ND | | X | X | X | X | X | X | 4 | |
| MW-105 | 9-9-22 | 1305 | G | Water | ND | | X | X | X | X | X | X | | |
| MW-106 | 9-8-22 | 1545 | G | Water | ND | | X | X | X | X | X | X | 4 | |
| MW-109 | 9-8-22 | 1556 | G | Water | ND | | X | X | X | X | X | X | | |
| MW-110 | 9-9-22 | 0956 | G | Water | ND | | X | X | X | X | X | X | 4 | |
| DUP-03 | 9-9-22 | 1205 | G | Water | ND | | X | X | | X | X | X | 4 | |
| DUP-02 | 9-8-22 | 1456 | G | Water | ND | | X | X | | X | X | X | 4 | |
| | | | | Water | | | | | | | | | | |
| | | | | | | | | | | | | | | |

***Possible Hazard Identification***
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

***Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)***
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

| Empty Kit Relinquished by: | Date: | Time: | Method of Shipment: |
|---|---|---|---|

| | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
|---|---|---|---|---|---|---|
| 1 | Trevor Braddock | 9-9-22 1640 | RDH ENV. | | | |
| 2 | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
| 3 | Relinquished by: | Date/Time: | Company | Received by: | Date/Time: 9/9/22 - 1640 | Company |

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 0.2, 5.5 °C IR9

Ver: 06/08/2021

# Login Sample Receipt Checklist

Client: Florida Power and Light

Job Number: 400-225722-1
SDG Number: Background B

**Login Number: 225722**
**List Number: 1**
**Creator: Whitley, Adrian**

**List Source: Eurofins Pensacola**

| Question | Answer | Comment |
|---|---|---|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | 0.2, 5.5°C IR9 |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

# Accreditation/Certification Summary

Client: GlufiPo wur ef onP mipat
wfu3e8tjc ite: CC/ SRIECleon Bnefpk Centef

yuJ b : D440 - 21 - - 07
c l S : go8dpfuRnP g

## Laboratory: Eurofins Pensacola

All o88fePitotiunsj8eftiE8otiuns aelP Jk tais loJufotufk ofe listePh . ut oll o88fePitotiunsj8eftiE8otiuns ofe oNNi8oJle tu tais feNufth

| Authority | Program | Identification Number | Expiration Date |
|---|---|---|---|
| AloJo5 o | c tote | D4724 | 460O40 O |
| A. Ag | bc L jbBC 714 2 | m D17 | 4 0 O0 O |
| Afdonsos l BQ | c tote | 990469F | 4F0470 O |
| ColiEufnio | c tote | - 274 | 460O40 O |
| GlufiPo | . BmAw | B97474 | 460O40 O |
| Seufpio | c tote | B97474(Gm) | 460O40 O |
| blinuis | . BmAw | - 444D7 | 7404F0 - |
| Konsos | . BmAw | B074 2O | 740O70 - |
| KentR8dk (Uc T) | c tote | 2O | 460O40 O |
| KentR8dk (WW) | c tote | KYF94O4 | 7 0O70 - |
| muRisiono (All) | . BmAw | O4F16 | 460O40 O |
| muRisiono (I W) | c tote | mA471 | 7 0O70 - |
| MofklonP | c tote | - OO | 4F0O40 O |
| Mi8aipon | c tote | FF7 | 460O40 O |
| . ufta Cofulino (WWjc W) | c tote | O7D | 7 0O70 - |
| L dloau5 o | . BmAw | F974 | 490O70 O |
| wennsklvonio | . BmAw | 69044D61 | 470O70 O |
| cuRta Cofulino | c tote | F64 6 | 460O40 O |
| Tennessee | c tote | T. 4 F41 | 460O40 O |
| Texos | . BmAw | T74D14D 96 | 4F0O40 O |
| Uc Gisa & WilPliEe | Uc GePefol wfupfo5 s | A - OD4 | 460O40 O |
| Uc l A | Uc GePefol wfupfo5 s | wOO40 7044426 | 420710 D |
| Vifpinio | . BmAw | D64766 | 4607D0 O |
| West Vifpinio l Bw | c tote | 7O6 | 4O0O70 O |

BRfuEns wenso8ulo



10/18/2022

eurofins | Environment Testing America

# ANALYTICAL REPORT



Eurofins Pensacola
3355 McLemore Drive
Pensacola, FL 32514
Tel: (850)474-1001

Laboratory Job ID: 400-225722-2
Laboratory Sample Delivery Group: Background B
Client Project/Site: CCR Gulf Clean Energy Center

For:
Florida Power and Light
BIN 731
One Energy Place
Pensacola, Florida 32520

Attn: Barry Evans

*Authorized for release by:*
*10/18/2022 5:00:43 PM*

Cheyenne Whitmire, Project Manager II
(850)471-6222
Cheyenne.Whitmire@et.eurofinsus.com

LINKS

Review your project results through my EOL

Have a Question? Ask The Expert

Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

# Table of Contents

Cover Page . . . . . 1
Table of Contents . . . . . 2
Case Narrative . . . . . 3
Method Summary . . . . . 4
Sample Summary . . . . . 5
Client Sample Results . . . . . 6
Definitions . . . . . 15
Chronicle . . . . . 16
QC Association . . . . . 19
QC Sample Results . . . . . 20
Chain of Custody . . . . . 22
Receipt Checklists . . . . . 23
Certification Summary . . . . . 25

## Job ID: 400-225722-2

### Laboratory: Eurofins Pensacola

**Narrative**

**Job Narrative**
**400-225722-2**

**Receipt**
The samples were received on 9/9/2022 4:40 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.2º C and 5.5º C.

**RAD**
Method 9315: Radium-226 batch 582139. The bracketing daily (check), run the day after the sample was run, was slightly outsic the established QC criteria. The efficiency is set at 3% and the bracketing check achieved 3.7%.The daily (check) run the day th sample was run, passed. Additionally the affected sample is the Method Blank which achieved its detection goal and had activity well below the MDC demonstrating no adverse affect from the potential bias. (MB 160-582139/1-A)

Method 9315: Radium-226 batch 582139. The method blank (MB) z-score is within limits and is stored in the level IV raw data. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-102 (400-225722-1), MW-103 (400-225722-2), MW-104 (400-225722-3), MW-105 (400-225722-4), MW-106 (400-225722-5), MW-109 (400-225722-6), MW-110 (400-225722-7), DUP-03 (400-225722-8 DUP-02 (400-225722-9), (LCS 160-582139/2-A), (LCSD 160-582139/3-A) and (MB 160-582139/1-A)

Method 9320: Radium-228 batch 582166. The method blank (MB) z-score is within limits and is stored in the level IV raw data. Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-102 (400-225722-1), MW-103 (400-225722-2), MW-104 (400-225722-3), MW-105 (400-225722-4), MW-106 (400-225722-5), MW-109 (400-225722-6), MW-110 (400-225722-7), DUP-03 (400-225722-8 DUP-02 (400-225722-9), (LCS 160-582166/2-A), (LCSD 160-582166/3-A) and (MB 160-582166/1-A)

Method PrecSep_0: Radium-228 Prep batch 160-582166. The following sample was prepared at a reduced aliquot due to Matri DUP-03 (400-225722-8). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead o sample duplicate (DUP) to demonstrate batch precision.

Method PrecSep-21: Radium-226 Prep Batch 160-582139. The following samples were prepared at a reduced aliquot due to Matrix: MW-104 (400-225722-3) and DUP-03 (400-225722-8). A laboratory control sample/ laboratory control sample duplicate (LCS/LCSD) were prepared instead of a sample duplicate (DUP) to demonstrate batch precision.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Method Summary

3 8Ci e n&tCGu f oPl t ui GwCme
f tok Sgp Ge : 3 3 d a c8A3 8 ui j i l tr / 3 l i e t

Job ID: 400-221722-2
pDa : yuSBr toci Gy

| Method | Method Description | Protocol | Laboratory |
|---|---|---|---|
| 6951 | duGCC( -22WFa nf 3) | pR E4W | j j T pw |
| 6920 | duGCC( -22E Fa nf 3) | pR E4W | j j T pw |
| du22W_du22E | 3 o( bCl GduGCC( -22Wui GduGCC( -22E | TLw-pTw | j j T pw |
| f tl Spl , _0 | f tl , utueGi hf tl SC,Gue- pl , utueGi | Noi l | j j T pw |
| f tl Spl , -25 | f tl , utueGi hf tl SC,Gue- pl , utueGi F25-Du/ li -a toPem) | Noi l | j j T pw |

**Protocol References:**

Noi l = Noi l

pR E4W= "Tl seMl emoGs not j vu&cueCr po8CGRuse- hf m/ sGSu8g8 ml ( GSu8Ml emoGs"hTmCGj GaGi hNovl ( bl t 56EWLi Gles U, Gue- s.

TLw-pTw= Tl se-L( l tGSu wubotueotCshpe wocGhnuS8&/ peui GutGO, l tueCr f toSl Gctl .

**Laboratory References:**

j j T pw= j ctoACs pe wocGh59751 dCGl t Ttu8Notemhj utem3 G/ hMO W9041hTj wF954)26E-E1WW

# Sample Summary

Client: Florida Power and Light
ProueBtj1ite: CC/ SkIRClean f nergE Center

Job ID: 400-225722-2
1DS: GaBcgroknd G

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---|---|---|---|---|
| 400-225722-y | MW-y02 | Water | 09j09j22 y5:53 | 09j09j22 y6:40 |
| 400-225722-2 | MW-y03 | Water | 09j09j22 yy:34 | 09j09j22 y6:40 |
| 400-225722-3 | MW-y04 | Water | 09j09j22 yy:24 | 09j09j22 y6:40 |
| 400-225722-4 | MW-y05 | Water | 09j09j22 y3:05 | 09j09j22 y6:40 |
| 400-225722-5 | MW-y06 | Water | 09j08j22 y5:45 | 09j09j22 y6:40 |
| 400-225722-6 | MW-y09 | Water | 09j08j22 y5:56 | 09j09j22 y6:40 |
| 400-225722-7 | MW-yy0 | Water | 09j09j22 09:56 | 09j09j22 y6:40 |
| 400-225722-8 | DUP-03 | Water | 09j09j22 y2:05 | 09j09j22 y6:40 |
| 400-225722-9 | DUP-02 | Water | 09j08j22 y4:56 | 09j09j22 y6:40 |

## Client Sample ID: 8 M-302

**Date Cxlleotec: 0d/0d/22 31:1v**
**Date Reoei5ec: 0d/0d/22 3h:40**

## Lab Sample ID: 400-221722-3

**8 atW r : MateW**

### 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 3.31 | | 0.254 | 0.274 | 1.00 | 0.197 | pCi/L | 09/14/22 13:57 | 10/10/22 10:41 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3. 8* | | *40 - 110* | *03/14/22 196 7* | *10/10/22 106 41* | *1* |

### 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 4.7h | | 0.642 | 0.778 | 1.00 | 0.425 | pCi/L | 09/14/22 14:40 | 10/07/22 11:37 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3. 8* | | *40 - 110* | *03/14/22 146 40* | *10/07/22 116 97* | *1* |
| *Y Carrier* | *5. 87* | | *40 - 110* | *03/14/22 146 40* | *10/07/22 116 97* | *1* |

### 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | 1.d2 | | 0.690 | 0.825 | 5.00 | 0.425 | pCi/L | | 10/12/22 18:46 | 1 |

# Client Sample Results

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225722-2
SDG: Background B

**Client Sample ID: 8 M-30v**
**Date Cxlleotec: 0d/0d/22 33:v4**
**Date Reoei5ec: 0d/0d/22 3h:40**

**Lab Sample ID: 400-221722-2**
**8 atWr: MateW**

## 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 3.02 | | 0.220 | 0.239 | 1.00 | 0.139 | pCi/L | 09/14/22 13:57 | 10/10/22 10:41 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *378* | | *40 - 110* | *03/14/22 196 7* | *10/10/22 106 41* | *1* |

## 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 2.34 | | 0.442 | 0.483 | 1.00 | 0.384 | pCi/L | 09/14/22 14:40 | 10/07/22 11:37 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *378* | | *40 - 110* | *03/14/22 146 40* | *10/07/22 116 97* | *1* |
| *Y Carrier* | *538* | | *40 - 110* | *03/14/22 146 40* | *10/07/22 116 97* | *1* |

## 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | v.3h | | 0.494 | 0.539 | 5.00 | 0.384 | pCi/L | | 10/12/22 18:46 | 1 |

# Client Sample Results

Client: Florida Power and Light
Project/Site: CCR Gulf Clean Energy Center

Job ID: 400-225722-2
SDG: Background B

**Client Sample ID: 8 M-304**
**Date Cxlleotec: 0d/0d/22 33:24**
**Date Reoei5ec: 0d/0d/22 3h:40**

**Lab Sample ID: 400-221722-v**
**8 atWr: MateW**

## 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 3.d3 | | 0.303 | 0.348 | 1.00 | 0.185 | pCi/L | 09/14/22 13:57 | 10/10/22 10:41 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3. 85* | | *40 - 110* | *03/14/22 196 7* | *10/10/22 1064 1* | *1* |

## 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 3d.v | | 1.23 | 2.16 | 1.00 | 0.429 | pCi/L | 09/14/22 14:40 | 10/07/22 11:37 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3. 85* | | *40 - 110* | *03/14/22 1464 0* | *10/07/22 1169 7* | *1* |
| *Y Carrier* | *578* | | *40 - 110* | *03/14/22 1464 0* | *10/07/22 1169 7* | *1* |

## 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | 23.2 | | 1.27 | 2.19 | 5.00 | 0.429 | pCi/L | | 10/12/22 18:46 | 1 |

## Client Sample ID: 8 M-301

**Date Cxlleotec: 0d/0d/22 3v:01**
**Date Reoei5ec: 0d/0d/22 3h:40**

## Lab Sample ID: 400-221722-4

**8 atWr: MateW**

### 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 0.6v4 | | 0.268 | 0.278 | 1.00 | 0.285 | pCi/L | 09/14/22 13:57 | 10/10/22 10:42 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *338* | | *40 - 110* | *03/14/22 196 7* | *10/10/22 106:42* | *1* |

### 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 3.23 | | 0.458 | 0.471 | 1.00 | 0.577 | pCi/L | 09/14/22 14:40 | 10/07/22 11:39 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *338* | | *40 - 110* | *03/14/22 1464:0* | *10/07/22 116:03* | *1* |
| *Y Carrier* | *538* | | *40 - 110* | *03/14/22 1464:0* | *10/07/22 116:03* | *1* |

### 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | 2.04 | | 0.531 | 0.547 | 5.00 | 0.577 | pCi/L | | 10/12/22 18:46 | 1 |

## Client Sample ID: 8 M-30h

**Date Cxlleotec: 0d/06/22 31:41**
**Date Reoei5ec: 0d/0d/22 3h:40**

## Lab Sample ID: 400-221722-1

**8 atWr: MateW**

### 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 0.43h | | 0.144 | 0.149 | 1.00 | 0.125 | pCi/L | 09/14/22 13:57 | 10/10/22 10:43 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3785* | | *40 - 110* | *03/14/22 196 7* | *10/10/22 1069* | *1* |

### 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 3.07 | | 0.365 | 0.378 | 1.00 | 0.433 | pCi/L | 09/14/22 14:40 | 10/07/22 11:39 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3785* | | *40 - 110* | *03/14/22 1464* | *10/07/22 1163* | *1* |
| *Y Carrier* | *578* | | *40 - 110* | *03/14/22 1464* | *10/07/22 1163* | *1* |

### 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | 3.4d | | 0.392 | 0.406 | 5.00 | 0.433 | pCi/L | | 10/12/22 18:46 | 1 |

**Client Sample ID: 8 M-30d**
**Date Cxlleotec: 0d/06/22 31:1h**
**Date Reoei5ec: 0d/0d/22 3h:40**

**Lab Sample ID: 400-221722-h**
**8 atW: MateW**

## 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeW (2σ+/-) | Txtal UnoeW (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 0.6h0 | | 0.197 | 0.212 | 1.00 | 0.128 | pCi/L | 09/14/22 13:57 | 10/10/22 10:43 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *358* | | *40 - 110* | *03/14/22 196 7* | *10/10/22 1064* | *1* |

## 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeW (2σ+/-) | Txtal UnoeW (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 3.d2 | | 0.453 | 0.486 | 1.00 | 0.482 | pCi/L | 09/14/22 14:40 | 10/07/22 11:40 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *358* | | *40 - 110* | *03/14/22 1464* | *10/07/22 1164* | *1* |
| *Y Carrier* | *308* | | *40 - 110* | *03/14/22 1464* | *10/07/22 1164* | *1* |

## 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeW (2σ+/-) | Txtal UnoeW (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | 2.76 | | 0.494 | 0.530 | 5.00 | 0.482 | pCi/L | | 10/12/22 18:46 | 1 |

## Client Sample ID: 8 M-330

**Date Cxlleotec: 0d/0d/22 0d:1h**
**Date Reoei5ec: 0d/0d/22 3h:40**

## Lab Sample ID: 400-221722-7

**8 atWr: MateW**

### 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 3.3v | | 0.224 | 0.246 | 1.00 | 0.127 | pCi/L | 09/14/22 13:57 | 10/10/22 10:43 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *338* | | *40 - 110* | *03/14/22 196 7* | *10/10/22 1064* | *1* |

### 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 1.20 | | 0.668 | 0.822 | 1.00 | 0.474 | pCi/L | 09/14/22 14:40 | 10/07/22 11:40 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *338* | | *40 - 110* | *03/14/22 1464* | *10/07/22 1164* | *1* |
| *Y Carrier* | *578* | | *40 - 110* | *03/14/22 1464* | *10/07/22 1164* | *1* |

### 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | h.vv | | 0.705 | 0.858 | 5.00 | 0.474 | pCi/L | | 10/12/22 18:46 | 1 |

## Client Sample ID: DUP-0v

**Date Cxlleotec: 0d/0d/22 32:01**
**Date Reoei5ec: 0d/0d/22 3h:40**

## Lab Sample ID: 400-221722-6

**8 atW r : MateW**

### 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 0.137 | | 0.198 | 0.203 | 1.00 | 0.202 | pCi/L | 09/14/22 13:57 | 10/10/22 10:44 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3: 8l* | | *40 - 110* | *03/14/22 196 7* | *10/10/22 1064 4* | *1* |

### 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 3.1v | | 0.531 | 0.550 | 1.00 | 0.664 | pCi/L | 09/14/22 14:40 | 10/07/22 11:40 | 1 |

| *Carrier* | *%Yield* | *Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *3: 8l* | | *40 - 110* | *03/14/22 1464 0* | *10/07/22 1164 0* | *1* |
| *Y Carrier* | *3085* | | *40 - 110* | *03/14/22 1464 0* | *10/07/22 1164 0* | *1* |

### 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | 2.01 | | 0.567 | 0.586 | 5.00 | 0.664 | pCi/L | | 10/12/22 18:46 | 1 |

## Client Sample ID: DUP-02

**Date Cxlleotec: 0d/06/22 34:1h**
**Date Reoei5ec: 0d/0d/22 3h:40**

## Lab Sample ID: 400-221722-d

**8 atWr : MateW**

### 8 et9xc: SM64h dv31 - Racium-22h (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-22h | 0.h1d | | 0.184 | 0.193 | 1.00 | 0.151 | pCi/L | 09/14/22 13:57 | 10/10/22 10:44 | 1 |

| Carrier | %Yield | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 3: 85 | | 40 - 110 | 03/14/22 196 7 | 10/10/22 1064 | 1 |

### 8 et9xc: SM64h dv20 - Racium-226 (GFPC)

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Racium-226 | 3.70 | | 0.424 | 0.452 | 1.00 | 0.444 | pCi/L | 09/14/22 14:40 | 10/07/22 11:40 | 1 |

| Carrier | %Yield | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|---|---|---|---|---|---|---|
| Ba Carrier | 3: 85 | | 40 - 110 | 03/14/22 1464 0 | 10/07/22 1164 0 | 1 |
| Y Carrier | 318 | | 40 - 110 | 03/14/22 1464 0 | 10/07/22 1164 0 | 1 |

### 8 et9xc: TAL-STL Ra22h_Ra226 - Cxmbinec Racium-22h anc Racium-226

| Analyte | Result | QualifieW | Cxunt UnoeWt (2σ+/-) | Txtal UnoeWt (2σ+/-) | RL | 8 DC | Unit | PWpaWc | Analyzec | Dil Fao |
|---|---|---|---|---|---|---|---|---|---|---|
| Cxmbinec Racium 22h + 226 | 2.vh | | 0.462 | 0.491 | 5.00 | 0.444 | pCi/L | | 10/12/22 18:46 | 1 |

## Qualifiers

### Rad

| Qualifier | Qualifier Description |
|---|---|
| U | Result is less than the sample detection limit. |

## Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|---|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

# Lab Chronicle

Client: Florida Power and Light
Pro7ej td ite: CCS RGuClean f nergE Center

Job ID: 400-225622-2
/ DR: y aj BgroGnd y

## Client Sample ID: MW-104
**Date Collectex: 0d/0d/44 17:7R**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-1
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9nalE3i3 | 8TA5 | | A | 515T65 | / Cy | f f p / L | A0oA0c22 A0:4A |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9nalE3i3 | 8T20 | | A | 5150T4 | FLC | f f p / L | A0o06c22 AA:T6 |
| potaldN9 | 9nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

## Client Sample ID: MW-10R
**Date Collectex: 0d/0d/44 11:R2**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-4
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9nalE3i3 | 8TA5 | | A | 515T65 | / Cy | f f p / L | A0oA0c22 A0:4A |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9nalE3i3 | 8T20 | | A | 5150T4 | FLC | f f p / L | A0o06c22 AA:T6 |
| potaldN9 | 9nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

## Client Sample ID: MW-102
**Date Collectex: 0d/0d/44 11:42**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-R
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9nalE3i3 | 8TA5 | | A | 515T65 | / Cy | f f p / L | A0oA0c22 A0:4A |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9nalE3i3 | 8T20 | | A | 5150T4 | FLC | f f p / L | A0o06c22 AA:T6 |
| potaldN9 | 9nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

## Client Sample ID: MW-107
**Date Collectex: 0d/0d/44 1R:07**
**Date v ecei5ex: 0d/0d/44 1T:20**

## Lab Sample ID: 200-447344-2
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9nalE3i3 | 8TA5 | | A | 515T65 | / Cy | f f p / L | A0oA0c22 A0:42 |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9nalE3i3 | 8T20 | | A | 5148T1 | / Cy | f f p / L | A0o06c22 AA:T8 |
| potaldN9 | 9nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

f Grouin3 Pen3aj ola

## Client Sample ID: MW-10T
**Lab Sample ID: 200-447344-7**

**Date Collectex: 0d/09/44 17:27**
**Matri8: Water**
**Date v ecei5ex: 0d/0d/44 1T:20**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9nalE3i3 | 8TA5 | | A | 515T6T | / Cy | f f p / L | A0oA0c22 A0:4T |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9nalE3i3 | 8T20 | | A | 5148T1 | / Cy | f f p / L | A0c06c22 AA:T8 |
| potaldN9 | 9nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

## Client Sample ID: MW-10d
**Lab Sample ID: 200-447344-T**

**Date Collectex: 0d/09/44 17:7T**
**Matri8: Water**
**Date v ecei5ex: 0d/0d/44 1T:20**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9nalE3i3 | 8TA5 | | A | 515T6T | / Cy | f f p / L | A0oA0c22 A0:4T |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9nalE3i3 | 8T20 | | A | 5148T1 | / Cy | f f p / L | A0c06c22 AA:40 |
| potaldN9 | 9nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

## Client Sample ID: MW-110
**Lab Sample ID: 200-447344-3**

**Date Collectex: 0d/0d/44 0d:7T**
**Matri8: Water**
**Date v ecei5ex: 0d/0d/44 1T:20**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9nalE3i3 | 8TA5 | | A | 515T6T | / Cy | f f p / L | A0oA0c22 A0:4T |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9nalE3i3 | 8T20 | | A | 5148T1 | / Cy | f f p / L | A0c06c22 AA:40 |
| potaldN9 | 9nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

## Client Sample ID: DUA-0R
**Lab Sample ID: 200-447344-9**

**Date Collectex: 0d/0d/44 14:07**
**Matri8: Water**
**Date v ecei5ex: 0d/0d/44 1T:20**

| Arep yBpe | Patch yBpe | Patch Methox | vzn | Dilztion 6actor | Patch Fzmber | snalBut | Lab | Areparex or snalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9nalE3i3 | 8TA5 | | A | 515T6T | / Cy | f f p / L | A0oA0c22 A0:44 |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9nalE3i3 | 8T20 | | A | 5148T1 | / Cy | f f p / L | A0c06c22 AA:40 |
| potaldN9 | 9nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

Client: Florida Power and Light
Pro7ej td ite: CCS RGuClean f nergE Center

Job ID: 400-225622-2
/ DR: y aj BgroGnd y

**Client Sample ID: DUA-04**
**Date Collectex: 0d/09/44 12:7T**
**Date v ecei5ex: 0d/0d/44 1T:20**

**Lab Sample ID: 200-447344-d**
**Matri8: Water**

| Arep yBpe | Patch yBpe | Patch Methox | v z n | Dilztion 6actor | Patch Fzmber | s nalBut | Lab | Areparex or s nalBNex |
|---|---|---|---|---|---|---|---|---|
| potaldN9 | Prek | Prej / ek-2A | | | 512AT8 | pJ | f f p / L | 08oA4c22 AT:56 |
| potaldN9 | 9 nalE3i3 | 8TA5 | | A | 515T6T | / Cy | f f p / L | A0oA0c22 A0:44 |
| potaldN9 | Prek | Prej / eks0 | | | 512A__ | pJ | f f p / L | 08oA4c22 A4:40 |
| potaldN9 | 9 nalE3i3 | 8T20 | | A | 5148T1 | / Cy | f f p / L | A0c06c22 AA:40 |
| potaldN9 | 9 nalE3i3 | Sa22_sSa221 | | A | 515642 | f MH | f f p / L | A0oA2c22 A1:4_ |

**LaboratorB v eferenceu:**
f f p / L = f Grouin3 / t. LoG3, AT6A5 Sider prail North, f arth CitE, MO _T045, pf L (TA4)281-15__

## Rad

### Prep Batch: 582139

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-221722-N | AM-N02 | 3orf G56 | Mf ri G | PGgai T-2N | |
| 400-221722-2 | AM-N08 | 3orf G56 | Mf ri G | PGgai T-2N | |
| 400-221722-8 | AM-N04 | 3orf G56 | Mf ri G | PGgai T-2N | |
| 400-221722-4 | AM-N01 | 3orf G56 | Mf ri G | PGgai T-2N | |
| 400-221722-1 | AM-N0F | 3orf G56 | Mf ri G | PGgai T-2N | |
| 400-221722-F | AM-N0U | 3orf G56 | Mf ri G | PGgai T-2N | |
| 400-221722-7 | AM-NN0 | 3orf G56 | Mf ri G | PGgai T-2N | |
| 400-221722-h | Dk P-08 | 3orf G56 | Mf ri G | PGgai T-2N | |
| 400-221722-U | Dk P-02 | 3orf G56 | Mf ri G | PGgai T-2N | |
| AS NF0-1h2N8UdN-6 | Ai rpou SCed | 3orf G56 | Mf ri G | PGgai T-2N | |
| r9a NF0-1h2N8Ud2-6 | rfb 9oerGaCaf L TC | 3orf G56 | Mf ri G | PGgai T-2N | |
| r9aD NF0-1h2N8Ud8-6 | rfb 9oerGaCaf L TC DBT | 3orf G56 | Mf ri G | PGgai T-2N | |

### Prep Batch: 582166

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---|---|---|---|---|---|
| 400-221722-N | AM-N02 | 3orf G56 | Mf ri G | PGgai T_0 | |
| 400-221722-2 | AM-N08 | 3orf G56 | Mf ri G | PGgai T_0 | |
| 400-221722-8 | AM-N04 | 3orf G56 | Mf ri G | PGgai T_0 | |
| 400-221722-4 | AM-N01 | 3orf G56 | Mf ri G | PGgai T_0 | |
| 400-221722-1 | AM-N0F | 3orf G56 | Mf ri G | PGgai T_0 | |
| 400-221722-F | AM-N0U | 3orf G56 | Mf ri G | PGgai T_0 | |
| 400-221722-7 | AM-NN0 | 3orf G56 | Mf ri G | PGgai T_0 | |
| 400-221722-h | Dk P-08 | 3orf G56 | Mf ri G | PGgai T_0 | |
| 400-221722-U | Dk P-02 | 3orf G56 | Mf ri G | PGgai T_0 | |
| AS NF0-1h2NFFdN-6 | Ai rpou SCed | 3orf G56 | Mf ri G | PGgai T_0 | |
| r9a NF0-1h2NFFc2-6 | rfb 9oerGaCaf L TC | 3orf G56 | Mf ri G | PGgai T_0 | |
| r9aD NF0-1h2NFFc8-6 | rfb 9oerGaCaf L TC DBT | 3orf G56 | Mf ri G | PGgai T_0 | |

## Method: 9315 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-572139[illegible]/-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 5753c5**

**Client Sample ID: Method Blank**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 572139**

| / nalTte | MB Result | MB QualiUeA | Count z nNeAf (24 σ8) | Wotal z nNeAf (24 σ8) | RL | MDC | z nit | PAepaAed | / nalT+ed | Dil FaN |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | 0.1078 | U | 0.105 | 0.105 | 1.00 | 0.162 | pCi/L | 09/14/22 13:57 | 10/10/22 10:39 | 1 |

| *Carrier* | *MB %Yield* | *MB Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *95.1* | | *40 - 110* | *09/14/22 13:57* | *10/10/22 10:39* | *1* |

**Lab Sample ID: LCS 160-572139[illegible]-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 5753c5**

**Client Sample ID: Lab ContAol Sample**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 572139**

| / nalTte | | | Spike / dded | LCS Result | LCS Qual | Wotal z nNeAf (24 σ8) | RL | MDC | z nit | . ReN | . ReN Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | | | 11.3 | 11.01 | | 1.22 | 1.00 | 0.177 | pCi/L | 97 | 75 - 125 | | |

| *Carrier* | *LCS %Yield* | *LCS Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *93.9* | | *40 - 110* |

**Lab Sample ID: LCSD 160-572139[illegible]-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 5753c5**

**Client Sample ID: Lab ContAol Sample Dup**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 572139**

| / nalTte | | | Spike / dded | LCSD Result | LCSD Qual | Wotal z nNeAf (24 σ8) | RL | MDC | z nit | . ReN | . ReN Limits | R%R | R%R Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-226 | | | 11.3 | 10.47 | | 1.17 | 1.00 | 0.193 | pCi/L | 92 | 75 - 125 | 0.23 | 1 |

| *Carrier* | *LCSD %Yield* | *LCSD Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *93.9* | | *40 - 110* |

## Method: 9320 - Radium-227 (GFPC)

**Lab Sample ID: MB 160-572166[illegible]-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 57503E**

**Client Sample ID: Method Blank**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 572166**

| / nalTte | MB Result | MB QualiUeA | Count z nNeAf (24 σ8) | Wotal z nNeAf (24 σ8) | RL | MDC | z nit | PAepaAed | / nalT+ed | Dil FaN |
|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | 0.1162 | U | 0.264 | 0.264 | 1.00 | 0.461 | pCi/L | 09/14/22 14:40 | 10/07/22 11:35 | 1 |

| *Carrier* | *MB %Yield* | *MB Qualifier* | *Limits* | *Prepared* | *Analyzed* | *Dil Fac* |
|---|---|---|---|---|---|---|
| *Ba Carrier* | *95.1* | | *40 - 110* | *09/14/22 14:40* | *10/07/22 11:35* | *1* |
| *Y Carrier* | *89.0* | | *40 - 110* | *09/14/22 14:40* | *10/07/22 11:35* | *1* |

## Method: 9320 - Radium-227 (GFPC) (Continued)

**Lab Sample ID: LCS 160-572166[illegible]2-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 57503E**

**Client Sample ID: Lab ContAol Sample**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 572166**

| / nalTte | | | Spike / dded | LCS Result | LCS Qual | Wotal z nNeAf (24o8) | RL | MDC | z nit | . ReN | . ReN Limits | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8.22 | 8.792 | | 1.18 | 1.00 | 0.460 | pCi/L | 107 | 75 - 125 | | |

| *Carrier* | *LCS %Yield* | *LCS Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *93.9* | | *40 - 110* |
| *Y Carrier* | *87.1* | | *40 - 110* |

**Lab Sample ID: LCSD 160-572166[illegible]8-/**
**MatAr: x ateA**
**/ nalTsis BatNh: 57503E**

**Client Sample ID: Lab ContAol Sample Dup**
**PAep WTpe: Wotal8y /**
**PAep BatNh: 572166**

| / nalTte | | | Spike / dded | LCSD Result | LCSD Qual | Wotal z nNeAf (24o8) | RL | MDC | z nit | . ReN | . ReN Limits | R%R | R%R Limit |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Radium-228 | | | 8.22 | 9.077 | | 1.21 | 1.00 | 0.490 | pCi/L | 110 | 75 - 125 | 0.12 | 1 |

| *Carrier* | *LCSD %Yield* | *LCSD Qualifier* | *Limits* |
|---|---|---|---|
| *Ba Carrier* | *93.9* | | *40 - 110* |
| *Y Carrier* | *87.5* | | *40 - 110* |

**Eurofins Pensacola**
3355 McLemore Drive
Pensacola, FL 32514
Phone: 850-474-1001 Fax: 850-478-2671

# Chain of Custody Record

eurofins Environment Testing America

| Client Information | Sampler: Rick Hegendorfer / Trevor Braddock | Lab PM: Whitmire, Cheyenne R | Carrier Tracking No(s): | COC No: 400-113839-23628.1 |
|---|---|---|---|---|
| Client Contact: Barry Evans | Phone: 850-336-5192 | E-Mail: Cheyenne.Whitmire@et.eurofinsus.com | State of Origin: | Page: Page 1 of 1 |
| Company: Florida Power and Light | PWSID: | | | Job #: |
| Address: BIN 731 One Energy Place | Due Date Requested: | | | |
| City: Pensacola | TAT Requested (days): | | | |
| State, Zip: FL, 32520 | Compliance Project: Δ Yes Δ No | | | |
| Phone: 850-444-6427(Tel) | PO #: 2000403482 | | | |
| Email: Barry.Evans@nexteraenergy.com | WO #: 3000004117 | | | |
| Project Name: CCR GCEC Downgradient B | Project #: 40005424 | | | |
| Site: | SSOW#: | | | |

**Analysis Requested**

400-225722 COC

**Preservation Codes:**
A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Y - Trizma, Z - other (specify)
Other:

| Sample Identification | Sample Date | Sample Time | Sample Type (C=Comp, G=grab) | Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) | Field Filtered Sample (Yes or No) | Perform MS/MSD (Yes or No) | 9315_Ra226, 9320_Ra228, Ra226Ra228_GFPC | SM4500_Cl_E, SM4500_SO4_E | FieldSampling - Field Sampling Parameters | 6020, 7470A | 2540C - Total Dissolved Solids | 4500_F_C - Fluoride | Total Number of containers | Special Instructions/Note: |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Preservation Code: | | | | D | N | N | D | N | N | | |
| MW-102 | 9-9-22 | 1553 | G | Water | ND | | X | X | X | X | X | X | | |
| MW-103 | 9-9-22 | 1134 | G | Water | ND | | X | X | X | X | X | X | 4 | |
| MW-104 | 9-9-22 | 1124 | G | Water | ND | | X | X | X | X | X | X | 4 | |
| MW-105 | 9-9-22 | 1305 | G | Water | ND | | X | X | X | X | X | X | | |
| MW-106 | 9-8-22 | 1545 | G | Water | ND | | X | X | X | X | X | X | 4 | |
| MW-109 | 9-8-22 | 1556 | G | Water | ND | | X | X | X | X | X | X | | |
| MW-110 | 9-9-22 | 0956 | G | Water | ND | | X | X | X | X | X | X | 4 | |
| DUP-03 | 9-9-22 | 1205 | G | Water | ND | | X | X | | X | X | X | 4 | |
| DUP-02 | 9-8-22 | 1456 | G | Water | ND | | X | X | | X | X | X | 4 | |
| | | | | Water | | | | | | | | | | |
| | | | | | | | | | | | | | | |

***Possible Hazard Identification***
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

***Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)***
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

| Empty Kit Relinquished by: | Date: | Time: | Method of Shipment: |
|---|---|---|---|

| Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
|---|---|---|---|---|---|
| Trevor Braddock | 9-9-22 1640 | RDH ENV. | | | |
| Relinquished by: | Date/Time: | Company | Received by: | Date/Time: | Company |
| Relinquished by: | Date/Time: | Company | Received by: | Date/Time: 9/9/22 - 1640 | Company |

| Custody Seals Intact: Δ Yes Δ No | Custody Seal No.: | Cooler Temperature(s) °C and Other Remarks: 0.2/5.5 °C IR9 |
|---|---|---|

Ver: 06/08/2021

# Login Sample Receipt Checklist

Client: Florida Power and Light

Job Number: 400-225722-2
1SD Number: GaBcground G

**Login Number: 225722**
**List Number: 1**
**Creator: Whitley, Adrian**

**List Source: Eurofins Pensacola**

| Question | Answer | Comment |
|---|---|---|
| AadioaBtiRtv waynst BheBced or iy ' k< baBcground ay meayured bv a yurRev meter= | Nk/ | |
| . he Boolersy Buytodv yealTi, f reyentTiy intaBt= | Nk/ | |
| 1amf le Buytodv yealyTi, f reyentTare intaBt= | Nk/ | |
| . he Booler or yamf ley do not af f ear to haRe been Bomf romiyed or tamf ered with= | . rue | |
| 1amf ley were reBeiRed on iBe= | . rue | |
| Cooler . emf erature iy aBBef table= | . rue | |
| Cooler . emf erature iy reBorded= | . rue | 0=2T5=5pC °AI |
| C9 C iy f reyent= | . rue | |
| C9 C iy ,illed out in inc and legible= | . rue | |
| C9 C iy ,illed out with all f ertinent in,ormation= | . rue | |
| °y the Field 1amf lersy name f reyent on C9 CO | . rue | |
| . here are no diyBref anBiey between the Bontainery reBeiRed and the C9 C= | . rue | |
| 1amf ley are reBeiRed within ? olding . ime He( Bluding teyty with immediate ? . yx | . rue | |
| 1amf le Bontainery haRe legible labely= | . rue | |
| Containery are not brocen or leacing= | . rue | |
| 1amf le BolleBtion datektimey are f roRded= | . rue | |
| / f f rof riate yamf le Bontainery are uyed= | . rue | |
| 1amf le bottley are Bomf letelv ,illed= | . rue | |
| 1amf le PreyerRation ) eri,ied= | . rue | |
| . here iy yu,,iBient Rol=,or all reVueyted analvyeyTinBl=anv reVueyted q 1kq 1Sy | . rue | |
| Containery reVuiring Mero headyf aBe haRe no headyf aBe or bubble iy ' zmm H6k4"x= | Nk/ | |
| q ultif hayiB yamf ley are not f reyent= | . rue | |
| 1amf ley do not reVuire yf litting or Bomf oyiting= | . rue | |
| Aeyidual Chlorine CheBced= | Nk/ | |

# Login Sample Receipt Checklist

Client: Florida Power and Light

Job Number: 400-225722-2
1SD Number: GaBcground G

**Login Number: 225722**
**List Number: 2**
**Creator: Booker, Autumn R**

**List Source: Eurofins St. Louis**
**List Creation: 09/13/22 11:22 AM**

| Question | Answer | Comment |
|---|---|---|
| AadioaBtiRtv waynst BheBced or iy ' k< baBcground ay meayured bv a yurRev meter= | . rue | |
| . he Boolersy Buytodv yealTi, f reyentTiy intaBt= | . rue | |
| 1amf le Buytodv yealyTi, f reyentTare intaBt= | . rue | |
| . he Booler or yamf ley do not af f ear to haRe been Bomf romiyed or tamf ered with= | . rue | |
| 1amf ley were reBeiRed on iBe= | NK | |
| Cooler . emf erature iy aBBef table= | . rue | |
| Cooler . emf erature iy reBorded= | . rue | |
| C9 C iy f reyent= | . rue | |
| C9 C iy ,illed out in inc and legible= | . rue | |
| C9 C iy ,illed out with all f ertinent in,ormation= | . rue | |
| °y the Field 1amf lersy name f reyent on C9 CO | . rue | |
| . here are no diyBref anBiey between the Bontainery reBeiRed and the C9 C= | . rue | |
| 1amf ley are reBeiRed within ? olding . ime He( Bluding teyty with immediate ? . yx | . rue | |
| 1amf le Bontainery haRe legible labely= | . rue | |
| Containery are not brocen or leacing= | . rue | |
| 1amf le BolleBtion datektimey are f roRded= | . rue | |
| / f f rof riate yamf le Bontainery are uyed= | . rue | |
| 1amf le bottley are Bomf letelv ,illed= | . rue | |
| 1amf le PreyerRation ) eri,ied= | . rue | |
| . here iy yu,,iBient Rol=,or all reVueyted analvyeyTinBl=anv reVueyted q 1kq 1Sy | . rue | |
| Containery reVuiring Mero headyf aBe haRe no headyf aBe or bubble iy ' zmm H6k4"x= | . rue | |
| q ultif hayiB yamf ley are not f reyent= | . rue | |
| 1amf ley do not reVuire yf litting or Bomf oyiting= | . rue | |
| Aeyidual Chlorine CheBced= | NK | |

# Accreditation/Certification Summary

Client: Florida Power and Light
ProZej td ite: CCS RGuClean f nergE Center

Job ID: 400-225622-2
/ DR: y aj BgroGnd y

## Laboratory: Eurofins StPLouis

k ll aj j reditationAg ertiuj ationA held bE thiA laboratorE are liAteds . ot all aj j reditationAg ertiuj ationA are aNNij able to thiA reNorts

| Autl ority | hrogram | Identification Number | Expiration Date |
|---|---|---|---|
| k laABa p( / UT | / tate | 20-00) | 05-01-25 |
| k . k y | DeNtsouDeuenAe f Lk P | L2305 | 04-01-25 |
| k . k y | DeNtsouf nergE | L2305s0) | 04-01-25 |
| k . k y | l/ Odf C ) 6025 | L2305 | 04-01-25 |
| k rizona | / tate | k Z08) 3 | ) 2-08-22 |
| Caliuornia | LoAk ngeleA CoGntE / anitation DiAtrij tA | ) 0259 | 01-30-22 * |
| Caliuornia | / tate | 2881 | 06-0) -22 * |
| Connej tij Gt | / tate | PH-024) | 03-3) -23 |
| Florida | . f Lk P | f 86189 | 01-30-23 |
| HI - SadChem Sej ognition | / tate | nca | 01-30-23 |
| IllinoiA | . f Lk P | 200023 | )) -30-23 |
| Iowa | / tate | 363 | ) 2-0) -22 |
| KanAaA | . f Lk P | f -) 0231 | ) 0-3) -22 |
| KentGj BE pDWT | / tate | KY90) 25 | ) 2-3) -22 |
| KentGj BE pWWT | / tate | KY90) 25 pPermit KY0004049T | ) 2-3) -22 |
| LoGiAiana pk llT | . f Lk P | 04080 | 01-30-23 |
| LoGiAiana pDWT | / tate | Lk 0) ) | ) 2-3) -22 |
| MarEland | / tate | 3) 0 | 09-30-23 |
| MI - SadChem Sej ognition | / tate | 9005 | 01-30-23 |
| MiAAoGri | / tate | 680 | 01-30-25 |
| . evada | / tate | MO000542020-) | 06-3) -23 |
| . ew JerAeE | . f Lk P | MO002 | 01-30-23 |
| . ew YorB | . f Lk P | )) 1) 1 | 04-0) -23 |
| . orth DaBota | / tate | S-206 | 01-30-23 |
| . SC | . SC | 24-248) 6-0) | ) 2-3) -22 |
| OBlahoma | . f Lk P | 9996 | 08-3) -23 |
| Oregon | . f Lk P | 4) 56 | 09-0) -23 |
| PennAElvania | . f Lk P | 18-00540 | 02-28-23 |
| / oGth Carolina | / tate | 8500200) | 01-30-22 * |
| UexaA | . f Lk P | U) 04604) 93 | 06-3) -23 |
| ( / FiAh & Wildliue | ( / Federal ProgramA | 058448 | 06-3) -23 |
| ( / Dk | ( / Federal ProgramA | P330-) 6-00028 | 03-)) -23 |
| ( tah | . f Lk P | MO00054202) -) 4 | 06-3) -23 |
| Virginia | . f Lk P | ) 03) 0 | 01-) 4-23 |
| WaAhington | / tate | C592 | 08-30-23 |
| WeAt Virginia Df P | / tate | 38) | ) 0-3) -22 |

* k j j reditationcCertiuj ation renewal Nending - aj j reditationj ertiuj ation j onAidered valids

f GrouinA PenAaj ola

# APPENDIX B

# Statistical Analyses – March 2022
# Semi-Annual Monitoring

# SPRING 2022

# GROUNDWATER STATISTICAL ANALYSIS

# FOR

# GULF CLEAN ENERGY CENTER

Prepared by:

Groundwater Stats Consulting LLC

# *TABLE OF CONTENTS*


***Narrative*** ***3-14***

**Summary Tables** **15-42**

100% Non-Detects 15-17
Date Ranges 18
Outlier Summary 19-21
Prediction Limits – 100 Series Wells 22-23
Prediction Limits – 200 Series Wells 24-27
Prediction Limits – 300 Series Wells 28-30
Trend Tests – 100 Series Wells 31-32
Trend Tests – 200 Series Wells 33-34
Trend Tests – 300 Series Wells 35-36
Upper Tolerance Limits 37
Groundwater Protection Standard Table 38
Confidence Intervals – 100 Series Wells 39-41
Confidence Intervals – 200 Series Wells 42-43
Confidence Intervals – 300 Series Wells 44-45

**Prediction Limits – 100, 200 & 300 Series Wells** **46-154**

**Trend Tests – 100, 200 & 300 Series Wells** **155-212**

**Upper Tolerance Limits** **213-214**

**Groundwater Protection Standards** **215-216**

**Confidence Intervals – 100, 200 & 300 Series Wells** **217-282**

**Time Series – 100, 200 & 300 Series Wells** **283-459**

**Box Plots – 100, 200 & 300 Series Wells** **460-496**

GROUNDWATER STATS CONSULTING

July 27, 2022

Geosyntec Consultants
Attn: Mr. Benjamin K. Amos, Ph.D., P.E.
1255 Roberts Boulevard, Suite 200
Kennesaw, GA 30144

Re: Gulf Clean Energy Center
Statistical Analysis – March 2022 Sample Event

Dear Mr. Amos,

Groundwater Stats Consulting (GSC), formerly the statistical consulting division of Sanitas Technologies, is pleased to provide the statistical analysis of the groundwater data for the March 2022 sample event at Gulf Clean Energy Center. The analysis complies with the federal rule for the Disposal of Coal Combustion Residuals from Electric Utilities (CCR Rule, 2015) as well as with the United States Environmental Protection Agency (USEPA) Unified Guidance (2009).

Sampling began at Gulf Clean Energy Center for the CCR program in 2016 at each of the groundwater monitoring wells. The monitoring well network for the Gypsum Storage Area originally included wells MW-202, MW-203, MW-204 and MW-205. However, further research conducted by Geosyntec Consultants, reportedly, concluded that the location of these compliance wells did not represent the zone of groundwater quality downgradient of the site; therefore, these wells would not identify whether groundwater was affected from practices at the site. As a result, these wells are not included in the statistical analysis provided in this report. The monitoring well network, as provided by Geosyntec Consultants, consists of the following wells:

- **Upgradient wells:** MW-100, MW-101, MW-107, MW-108, MW-306, and MW-307
- **Ash Landfill No. 1 (100 Series):** MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, and MW-110
- **Gypsum Storage Area (200 Series):** MW-200, MW-201, and MW-206

- **Ash Landfill No. 2 (300 Series):** MW-300, MW-303, MW-304, MW-305, and MW-308

Data were sent electronically to Groundwater Stats Consulting, and the statistical analysis was reviewed by Andrew Collins, Project Manager of Groundwater Stats Consulting. The analysis is prepared according to the recommended statistical methodology provided in the Fall 2017 by Dr. Kirk Cameron, PhD Statistician with MacStat Consulting, primary author of the USEPA Unified Guidance.

The CCR program consists of the following constituents listed below. The terms "constituent" and "parameter" are interchangeable.

- **Appendix III** (Detection Monitoring) **-** boron, calcium, chloride, fluoride, pH, sulfate, and TDS
- **Appendix IV** (Assessment Monitoring) **–** antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, combined radium 226 + 228, fluoride, lead, lithium, mercury, molybdenum, selenium, and thallium

Time series graphs and box plots for Appendix III and IV parameters at the 100, 200, and 300 series wells are provided for these wells for the above constituents. The time series plots are used to initially screen for suspected outliers and trends, while the box plots provide visual representation of variation within individual wells and between all wells. For each of the well series, the time series and box plots include the upgradient wells for comparison to naturally occurring groundwater quality in the region.

Proposed background data at all wells were initially evaluated in October 2017 for the following: 1) outliers; 2) trends; 3) most appropriate statistical method for Appendix III parameters based on site characteristics of groundwater data upgradient of the facility; and 4) eligibility of downgradient wells when intrawell statistical methods are recommended. A summary of those findings, along with the summary of the background update that was performed in March 2020, is provided below.

Power curves were provided during the initial screening to demonstrate that the selected statistical methods for Appendix III parameters comply with the USEPA Unified Guidance. The EPA suggests the selected statistical method should provide at least 55% power at 3 standard deviations or at least 80% power at 4 standard deviations. Power curves were based on the following:

**CCR Appendix III Constituents:**

Ash Landfill No. 1 (100 Series Wells)

- Semi-Annual Sampling
- Interwell Prediction Limits with 1-of-2 resample plan – (boron, calcium, chloride, fluoride, pH, sulfate, and TDS)
- # Constituents: 7
- # Downgradient wells: 7

Gypsum Storage Area (200 Series Wells)

- Semi-Annual Sampling
- Interwell Prediction Limits with 1-of-2 resample plan – (boron, calcium, chloride, fluoride, sulfate, and TDS)
- Intrawell Prediction Limits with 1-of-2 resample plan – (pH)
- # Constituents: 7
- # Downgradient wells: 3

Ash Landfill No. 2 (300 Series Wells)

- Semi-Annual Sampling
- Interwell Prediction Limits with 1-of-2 resample plan – (boron, calcium, chloride, fluoride, sulfate, and TDS)
- Intrawell Prediction Limits with 1-of-2 resample plan – (pH)
- # Constituents: 7
- # Downgradient wells: 5

The number of constituents and downgradient wells affects both the power curves and the table value (kappa) that enter into the computation of parametric prediction limits whenever a resampling scheme is used. Thus, parametric interwell limits, which are constructed using pooled upgradient well data, for a given constituent may differ slightly across the well series, even though the background data are the same.

Parametric prediction limits are utilized when the screened historical data follow a normal or transformed-normal distribution. When data cannot be normalized or the majority of data are non-detects, a nonparametric test is utilized. While the false positive rate associated with the parametric limits is based on an annual 10% (5% for each semi-annual sample event) as recommended by the EPA Unified Guidance (2009), the false positive rate associated with the nonparametric limits is dependent upon the available background sample size, number of future comparisons, and verification resample plan. The distribution of data is tested using the Shapiro-Wilk/Shapiro-Francia test for normality. After testing for normality and performing any adjustments as discussed below

(US EPA, 2009), data are analyzed using either parametric or non-parametric prediction limits as appropriate. Non-detects are handled as follows:

- No statistical analyses are required on wells and analytes containing 100% non-detects (USEPA Unified Guidance, 2009, Chapter 6).
- When data contain <15% non-detects in background, simple substitution of one-half the reporting limit is utilized in the statistical analysis. The reporting limit utilized for non-detects is the most recent practical quantification limit (PQL) as reported by the laboratory.
- When data contain between 15-50% non-detects, the Kaplan-Meier non-detect adjustment is applied to the background data. This technique adjusts the mean and standard deviation of the historical concentrations to account for concentrations below the reporting limit.
- Nonparametric prediction limits are used on data containing greater than 50% non-detects.

To account for varying detection limits in background data sets due to improved laboratory practices, a substitution of the most recent reporting limit is used for all non-detects. This is done on an individual well basis for intrawell prediction limits and confidence intervals; therefore, the reporting limit for a given constituent may vary from well to well. In the time series plots, a single reporting limit substitution is used across all wells for a given parameter since the wells are plotted as a group.

Natural systems continuously evolve due to physical changes made to the environment. Examples include capping a landfill, paving areas near a well, or lining a drainage channel to prevent erosion. Periodic updating of background statistical limits is necessary to accommodate these types of changes. In the intrawell case, data for all wells and constituents may re-evaluated when a minimum of 4 new data points are available to determine whether earlier concentrations are representative of present-day groundwater quality. In the interwell case, prediction limits are updated with upgradient well data following each sampling event after careful screening for any new outliers. In some cases, deselecting the earlier portion of data may be necessary prior to construction of limits so that resulting statistical limits are conservative (lower) from a regulatory perspective and capable of rapidly detecting changes in groundwater quality. Even though the data are excluded from the calculation, the values will continue to be reported and shown in tables and graphs. Background data were initially screened for outliers, trends, and appropriate statistical methodology in October of 2017, and prediction limits were updated in March of 2020. Summaries of those results are presented below.

**Summary of October 2017 Background Screening**

Outlier Analysis

Time series plots were used to identify suspected outliers, or extreme values that would result in limits that are not conservative from a regulatory perspective, in proposed background data. Suspected outliers at all wells for Appendix III and Appendix IV parameters were formally tested using Tukey's box plot method and, when identified, flagged in the computer database with "o" and deselected prior to construction of statistical limits. The results of those findings were submitted with the October 2017 report. These values maybe also be seen on the time series graphs as disconnected points and on the data pages in a lighter font.

Seasonality

No seasonal patterns were observed on the time series plots for any of the detected data; therefore, no deseasonalizing adjustments were made to the data. When seasonal patterns are observed, data may be deseasonalized so that the resulting limits will correctly account for the seasonality as a predictable pattern rather than random variation or a release.

Trend Test Evaluation

While trends may be visually identified, a quantification of the trend and its significance is needed. The Sen's Slope/Mann Kendall trend test was used to evaluate all data at each well to identify statistically significant increasing or decreasing trends. In the absence of suspected contamination, significant trending data are typically not included as part of the background data used for construction of prediction limits. This step serves to eliminate the trend and, thus, reduce variation in background. When statistically significant decreasing trends are present, earlier data are evaluated to determine whether earlier concentration levels are significantly different than current reported concentrations and will be deselected as necessary. When the historical records of data are truncated for the reasons above, a summary report will be provided to show the date ranges used in construction of the statistical limits.

The results of the trend analyses, which were presented with the screening report, showed a few statistically significant trends. All trends noted were relatively low in magnitude when compared to average concentrations. Therefore, no adjustments were necessary at that time.

Appendix III – Determination of Spatial Variation

The Analysis of Variance (ANOVA) was used to statistically evaluate differences in average concentrations among upgradient wells, which assists in identifying the most appropriate statistical approach. Interwell tests, which compare downgradient well data to statistical limits constructed from pooled upgradient well data, are appropriate when average concentrations are similar across upgradient wells. Intrawell tests, which compare compliance data from a single well to screened historical data within the same well, are appropriate when upgradient wells exhibit spatial variation; when statistical limits constructed from upgradient wells would not be conservative from a regulatory perspective; and when downgradient water quality is unimpacted compared to upgradient water quality for the same parameter.

The ANOVA identified variation among upgradient well data at Gulf Clean Energy Center for the following Appendix III parameters: calcium, chloride, pH, and sulfate. No statistically significant variation was noted for boron, fluoride, or TDS, making these constituents eligible for interwell analyses. All other constituents were further evaluated as described below for the appropriateness of intrawell testing to accommodate the groundwater quality.

Appendix III – Intrawell Method Eligibility Screening

Intrawell limits constructed from carefully screened background data from within each well serve to provide statistical limits that are conservative (i.e., lower) from a regulatory perspective, and that will rapidly identify a change in more recent compliance data from within a given well. This statistical method removes the element of variation from across wells and eliminates the chance of mistaking natural spatial variation for a release from the facility. Prior to performing intrawell prediction limits, several steps are required to reasonably demonstrate that downgradient water quality does not have existing impacts from the practices of the facility.

Exploratory data analysis was used as a general comparison of concentrations in downgradient wells for all Appendix III parameters recommended for intrawell analyses to concentrations reported in upgradient wells. Upper tolerance limits were used in conjunction with confidence intervals to determine whether the estimated averages in downgradient wells are higher than observed levels upgradient of the facility. The upper tolerance limits were constructed to represent the extreme upper range of potential background levels at the site.

Either parametric or nonparametric tolerance limits were calculated based on the data characteristics that were described above for prediction limits. Parametric tolerance limits (for normal or transformed-normally distributed data) were constructed with a target of 99% confidence and 95% coverage using pooled upgradient well data for each of the Appendix III parameters recommended for intrawell analyses. For data sets with non-normal distributions, nonparametric tolerance limits were used. The confidence and coverage levels for nonparametric tolerance limits are dependent upon the number of background samples. As more data are collected, the background population is better represented, and the confidence and coverage levels increase.

Confidence intervals were constructed on downgradient wells for each of the Appendix III parameters exhibiting spatial variation, using the tolerance limits discussed above, to determine intrawell eligibility. Either parametric or nonparametric confidence intervals were constructed as appropriate. When the entire confidence interval is above the background limit for a given parameter, interwell methods are initially recommended as the statistical method. Note that this screening identifies whether confidence intervals are above a background limit but does not identify the reason for this occurrence. Therefore, only the wells/parameters with confidence intervals which did not exceed background limits are eligible for intrawell prediction limits.

Confidence intervals for Appendix III parameters were found to be above the background standards in at least one well for each parameter at Ash Landfill No. 1; therefore, interwell prediction limits were recommended for all Appendix III parameters at this unit. Confidence intervals were above background standards for all parameters except pH at the Gypsum Storage Area and Ash Landfill No. 2. Therefore, intrawell methods were recommended for pH and interwell methods were recommended for all other Appendix III parameters at these two units. The results of the upper tolerance limits calculations and confidence interval comparisons were presented in the background screening report.

If further evaluation confirms natural variation in groundwater at these downgradient wells, intrawell methods will be considered for these parameters. In cases where downgradient average concentrations are higher than observed upgradient concentrations for a given constituent, an independent study and hydrogeological investigation would be required to identify local geochemical conditions and expected groundwater quality for the region to justify an intrawell approach. Such an assessment is beyond the scope of services provided by Groundwater Stats Consulting. When there is not an obvious explanation for observed concentration differences in downgradient wells relative to reported concentrations in upgradient wells, interwell prediction limits are initially selected for the statistical method until further evidence shows that the higher

downgradient concentrations are due to natural variation rather than a result of the facility.

**Summary of Appendix III Background Update Summary – Conducted in March 2020**

Outlier Analysis

Prior to performing prediction limits, proposed background data through March 2019 were reviewed to identify any newly suspected outliers at all wells for pH for intrawell testing, and through June 2019 at upgradient wells for boron, calcium, chloride, fluoride, sulfate, and TDS for interwell testing. Visual screening was used to identify potential outliers using time series graphs. When necessary, Tukey's outlier test is used to formally test suspected outliers. No additional outlier testing was required during the background update. Previously flagged values remained excluded from statistical limits to reduce variation, better represent background conditions, and provide limits that are conservative from a regulatory perspective. As mentioned above, flagged data are displayed in a lighter font and as a disconnected symbol on the time series reports, as well as in a lighter font on the accompanying data pages. A complete list of flagged values follows this letter.

Mann-Whitney Evaluation - Intrawell

For pH, which is analyzed using intrawell prediction limits at each of the 200 and 300 series wells, the Mann-Whitney (Wilcoxon Rank Sum) test was used to compare the medians of historical data through May 2017 to more recent compliance samples through March 2019 to evaluate whether the groups are statistically similar at the 99% confidence level. If no statistically significant difference is found, background data may be updated with compliance data. No statistically significant differences were found between the two groups for pH except at the Gypsum Storage Area for well MW-201. However, the measurements ranged from 5.62 s.u. to 4.71 s.u., which is in line with concentrations in neighboring wells and showed only a slight decrease in more recent data. Therefore, all background data sets were updated through March 2019, and will be re-evaluated during the next background update.

In the future, if the test concludes that the medians of the two groups are significantly different, particularly in the downgradient wells, the background data may not be updated to include the newer data but will be reconsidered in the future. A summary of these results was submitted with the March 2020 report.

Trend Test Evaluation - Interwell

The Sen's Slope/Mann Kendall trend test was used to evaluate the entire record of data from upgradient wells for parameters utilizing interwell prediction limits. When statistically significant trends are identified in upgradient wells, the earlier portion of data is deselected prior to construction of interwell statistical limits if the trending data would result in statistical limits that are not conservative from a regulatory perspective. No statistically significant increasing trends were noted in upgradient wells. Statistically significant decreasing trends were identified; however, the magnitudes of the trends were low relative to average concentrations, and no adjustment of the records was required. Complete graphical results of the trend test were submitted with the background update report.

**Statistical Analysis of Appendix III Parameters – March 2022**

Prediction Limits

Intrawell prediction limits, combined with a 1-of-2 resample plan, using background data through March 2019, are used to evaluate the March 2022 sample for pH at the Gypsum Storage Area and at Landfill No. 2 due to natural spatial variation for this parameter. However, only the 200 and 300 series wells were eligible for intrawell testing for pH, as discussed earlier. The 100 series wells are evaluated using interwell prediction limits for pH.

Interwell prediction limits, which compare the most recent sample from each downgradient well to statistical limits constructed from pooled upgradient well data, are updated during each sample event after screening for new outliers. Data from upgradient wells are periodically also re-screened for newly developing trends, which may require adjustment of the background period to eliminate the trend. No new outliers were identified during this analysis. All available upgradient well data through March 2022 were used to establish interwell prediction limits, based on a 1-of-2 resample plan, for all Appendix III parameters except for pH at the 200 and 300 series wells which is tested using intrawell prediction limits.

Complete tabular and graphical results for both intrawell and interwell prediction limits are presented following this letter. Exceedances were noted for each of the units and are listed in summary tables for intrawell and interwell prediction limits. It was noted that the reported observation for sulfate at well MW-308 is significantly higher than remaining measurements within this record which may be a result of laboratory or sampling procedures.

Trend Test Evaluation – Appendix III

In the event of an initial exceedance of compliance well data, the 1-of-2 resample plan allows for collection of an additional sample to determine whether the initial exceedance is confirmed. When the resample confirms the initial exceedance, a statistically significant increase (SSI) is identified, and further research would be required to identify the cause of the exceedance (i.e., impact from the site, natural variation, or an off-site source). If the resample falls within the statistical limit, the initial exceedance is considered to be a false positive result; therefore, no further action is necessary.

When prediction limit exceedances are identified in downgradient wells, data are further evaluated using the Sen's Slope/Mann Kendall trend test to determine whether concentrations are statistically increasing, decreasing, or stable. Upgradient wells are included in the trend analyses for all parameters found to exceed their prediction limit in downgradient wells to identify whether similar patterns exist upgradient of the site. Upgradient trends are an indication of natural variability in groundwater unrelated to practices at the site. Several statistically increasing and decreasing trends were noted among upgradient and downgradient wells. Complete tabular and graphical results of the trend tests follow this letter.

**Evaluation of Appendix IV Parameters – March 2022**

Prior to evaluating Appendix IV parameters, background data are screened through visual screening for potential outliers and extreme trending patterns that would lead to artificially elevated statistical limits. High outliers are also 'cautiously' flagged in the downgradient wells when they are distinctly different from the rest of the data. This is intended to be a regulatory conservative approach in that it will reduce the variance and thus reduce the width of parametric confidence intervals, although it will also reduce the mean and thus lower the entire interval. The intent is to better represent the actual downgradient mean. Flagging high outliers should have no effect on the lower limit of nonparametric confidence intervals. No new outliers were flagged during this analysis. A complete list of outliers follows this report.

Interwell Upper Tolerance Limits

Interwell upper tolerance limits, as appropriate, were used to calculate background limits from pooled upgradient well data for Appendix IV parameters, with a target of 95% confidence and 95% coverage for parametric limits. Parametric tolerance limits are used when data follow a normal or transformed-normal distribution as does combined radium

226 + 228. When data contained greater than 50% non-detects or did not follow a normal or transformed-normal distribution, non-parametric tolerance limits were used.

Groundwater Protection Standards

Interwell upper tolerance limits were compared to the Maximum Contaminant Levels (MCLs) and CCR rule-specified levels to determine the highest limit for use as the groundwater protection standards (GWPS) in the Confidence Interval comparisons, as described below. A table of the GWPS follows this report.

Confidence Intervals

Confidence intervals were then constructed on downgradient wells, using all historical data within a given well, for each of the Appendix IV parameters and compared to the highest limit of either the MCL or rule-specified level as discussed above. As mentioned above, well/constituent pairs containing 100% non-detect values do not require statistical analysis and a list of Appendix IV downgradient wells containing 100% non-detects follows this report. For cobalt in well MW-304, samples prior to June 2018 have been deselected to use, at a minimum, the most recent 8 samples in constructing the confidence interval rather than the entire data set in order to reflect present-day concentrations. The historical data for this constituent had higher concentrations due to a broken pipe that influenced groundwater quality at this well. Concentrations, as expected, have continued to decrease since the pipe was fixed.

Only when the entire confidence interval is above a GWPS is the well/constituent pair considered to exceed its respective standard. Tables of the upper tolerance limits, GWPS, and confidence intervals, along with graphical comparisons against standards, and significant results (exceedances) follow this letter. The following confidence interval exceedances were noted:

100 Series Wells:
- Cobalt: MW-104
- Combined Radium 226 + 228: MW-104 and MW-110
- Mercury: MW-110

200 Series Wells:
- Combined Radium 226 + 228: MW-200, MW-201, and MW-206

300 Series Wells:
- Combined Radium 226 + 228: MW-303
- Molybdenum: MW-303

Thank you for the opportunity to assist you in the statistical analysis of groundwater quality for Gulf Clean Energy Center. If you have any questions or comments, please feel free to contact us.

For Groundwater Stats Consulting,



Abdul Diane
Groundwater Analyst



Andrew Collins
Project Manager

# 100% Non-Detects: 100 Series

Analysis Run 1/12/2023 11:03 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Antimony (mg/L)
MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, MW-110

Arsenic (mg/L)
MW-106

Beryllium (mg/L)
MW-103, MW-105, MW-106

Cadmium (mg/L)
MW-102, MW-103, MW-105, MW-106

Fluoride (mg/L)
MW-102, MW-106

Mercury (mg/L)
MW-105

Molybdenum (mg/L)
MW-104, MW-110

Selenium (mg/L)
MW-106

Thallium (mg/L)
MW-106

# 100% Non-Detects: 200 Series

Analysis Run 1/12/2023 12:36 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Antimony (mg/L)
MW-200

Chromium (mg/L)
MW-200

# 100% Non-Detects: 300 Series

Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Antimony (mg/L)
MW-300, MW-303, MW-304, MW-305, MW-308

Arsenic (mg/L)
MW-300

Beryllium (mg/L)
MW-300, MW-304, MW-305, MW-308

Lead (mg/L)
MW-305, MW-308

Mercury (mg/L)
MW-303

Molybdenum (mg/L)
MW-300

Selenium (mg/L)
MW-300

Thallium (mg/L)
MW-300, MW-305

# Date Ranges

Date: 1/12/2023 9:35 AM

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Cobalt (mg/L)

MW-304 overall:6/7/2018-3/25/2022

# 100 Series Outlier Summary

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:10 AM

| | MW-107 Chromium (mg/L) | MW-108 Field pH (SU) | MW-307 Lithium (mg/L) | MW-100 Sulfate (mg/L) |
|---|---|---|---|---|
| 5/2/2016 | | | | 15 (o) |
| 7/5/2016 | | 7.11 (o) | | |
| 11/7/2016 | | | 0.0097 (o) | |
| 1/9/2017 | 0.017 (o) | | | |

# 200 Series - Outlier Summary

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:34 AM

| | MW-200 Cadmium (mg/L) | MW-206 Chloride (mg/L) | MW-107 Chromium (mg/L) | MW-108 Field pH (SU) | MW-307 Lithium (mg/L) | MW-100 Sulfate (mg/L) | MW-206 Total Dissolved Solids (mg/L) |
|---|---|---|---|---|---|---|---|
| 3/2/2016 | 0.022 (o) | | | | | | 32000 (o) |
| 5/2/2016 | | | | | | 15 (o) | |
| 7/5/2016 | | 360 (o) | | 7.11 (o) | | | |
| 11/7/2016 | | | | | 0.0097 (o) | | |
| 1/9/2017 | | | 0.017 (o) | | | | |

# 300 Series - Outlier Summary

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant  Printed 1/12/2023, 1:49 PM

| | MW-304 Arsenic (mg/L) | MW-107 Chromium (mg/L) | MW-108 Field pH (SU) | MW-307 Lithium (mg/L) | MW-304 Selenium (mg/L) | MW-100 Sulfate (mg/L) |
|---|---|---|---|---|---|---|
| 3/3/2016 | 0.009 (o) | | | | | |
| 5/2/2016 | | | | | | 15 (o) |
| 5/4/2016 | 0.019 (o) | | | | | |
| 7/5/2016 | | | 7.11 (o) | | | |
| 7/6/2016 | 0.014 (o) | | | | | |
| 11/7/2016 | | | | 0.0097 (o) | | |
| 1/9/2017 | | 0.017 (o) | | | | |
| 10/17/2018 | | | | | 0.05 (o) | |

# Appendix III - Interwell Prediction Limits - 100 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:14 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-103 | 0.081 | n/a | 3/24/2022 | 0.2 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-104 | 0.081 | n/a | 3/23/2022 | 8.7 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-105 | 0.081 | n/a | 3/23/2022 | 0.23 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-109 | 0.081 | n/a | 3/23/2022 | 0.36 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-110 | 0.081 | n/a | 3/23/2022 | 4.5 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-102 | 1.533 | n/a | 3/23/2022 | 2 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-103 | 1.533 | n/a | 3/24/2022 | 3.6 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-104 | 1.533 | n/a | 3/23/2022 | 71 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-105 | 1.533 | n/a | 3/23/2022 | 62 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-109 | 1.533 | n/a | 3/23/2022 | 4.8 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-110 | 1.533 | n/a | 3/23/2022 | 28 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-103 | 7.118 | n/a | 3/24/2022 | 9.8 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-104 | 7.118 | n/a | 3/23/2022 | 120 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-105 | 7.118 | n/a | 3/23/2022 | 10 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-109 | 7.118 | n/a | 3/23/2022 | 28 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-110 | 7.118 | n/a | 3/23/2022 | 110 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Field pH (SU) | MW-104 | 6.42 | 4.5 | 3/23/2022 | 4.15 | Yes | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-105 | 6.42 | 4.5 | 3/23/2022 | 6.48 | Yes | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Fluoride (mg/L) | MW-104 | 0.12 | n/a | 3/23/2022 | 0.3 | Yes | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-103 | 5 | n/a | 3/24/2022 | 28 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-104 | 5 | n/a | 3/23/2022 | 560 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-105 | 5 | n/a | 3/23/2022 | 24 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-109 | 5 | n/a | 3/23/2022 | 28 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-110 | 5 | n/a | 3/23/2022 | 270 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-104 | 110 | n/a | 3/23/2022 | 1300 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-105 | 110 | n/a | 3/23/2022 | 230 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-110 | 110 | n/a | 3/23/2022 | 630 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 100 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:15 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-102 | 0.081 | n/a | 3/23/2022 | 0.017 | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-103** | **0.081** | **n/a** | **3/24/2022** | **0.2** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-104** | **0.081** | **n/a** | **3/23/2022** | **8.7** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-105** | **0.081** | **n/a** | **3/23/2022** | **0.23** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| Boron (mg/L) | MW-106 | 0.081 | n/a | 3/23/2022 | 0.0074J | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-109** | **0.081** | **n/a** | **3/23/2022** | **0.36** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-110** | **0.081** | **n/a** | **3/23/2022** | **4.5** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| **Calcium (mg/L)** | **MW-102** | **1.533** | **n/a** | **3/23/2022** | **2** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-103** | **1.533** | **n/a** | **3/24/2022** | **3.6** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-104** | **1.533** | **n/a** | **3/23/2022** | **71** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-105** | **1.533** | **n/a** | **3/23/2022** | **62** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| Calcium (mg/L) | MW-106 | 1.533 | n/a | 3/23/2022 | 0.48 | No | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| **Calcium (mg/L)** | **MW-109** | **1.533** | **n/a** | **3/23/2022** | **4.8** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-110** | **1.533** | **n/a** | **3/23/2022** | **28** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| Chloride (mg/L) | MW-102 | 7.118 | n/a | 3/23/2022 | 6.9 | No | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| **Chloride (mg/L)** | **MW-103** | **7.118** | **n/a** | **3/24/2022** | **9.8** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-104** | **7.118** | **n/a** | **3/23/2022** | **120** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-105** | **7.118** | **n/a** | **3/23/2022** | **10** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| Chloride (mg/L) | MW-106 | 7.118 | n/a | 3/23/2022 | 4.1 | No | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| **Chloride (mg/L)** | **MW-109** | **7.118** | **n/a** | **3/23/2022** | **28** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-110** | **7.118** | **n/a** | **3/23/2022** | **110** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| Field pH (SU) | MW-102 | 6.42 | 4.5 | 3/23/2022 | 5.02 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-103 | 6.42 | 4.5 | 3/24/2022 | 5.02 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| **Field pH (SU)** | **MW-104** | **6.42** | **4.5** | **3/23/2022** | **4.15** | **Yes** | **119** | **n/a** | **n/a** | **0** | **n/a** | **n/a** | **0.0002756** | **NP Inter (normality) 1 of 2** |
| **Field pH (SU)** | **MW-105** | **6.42** | **4.5** | **3/23/2022** | **6.48** | **Yes** | **119** | **n/a** | **n/a** | **0** | **n/a** | **n/a** | **0.0002756** | **NP Inter (normality) 1 of 2** |
| Field pH (SU) | MW-106 | 6.42 | 4.5 | 3/23/2022 | 4.99 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-109 | 6.42 | 4.5 | 3/23/2022 | 5 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-110 | 6.42 | 4.5 | 3/23/2022 | 5.01 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Fluoride (mg/L) | MW-102 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-103 | 0.12 | n/a | 3/24/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-104** | **0.12** | **n/a** | **3/23/2022** | **0.3** | **Yes** | **120** | **n/a** | **n/a** | **94.17** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| Fluoride (mg/L) | MW-105 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-106 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-109 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-110 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-102 | 5 | n/a | 3/23/2022 | 1.8J | No | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-103** | **5** | **n/a** | **3/24/2022** | **28** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-104** | **5** | **n/a** | **3/23/2022** | **560** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-105** | **5** | **n/a** | **3/23/2022** | **24** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| Sulfate (mg/L) | MW-106 | 5 | n/a | 3/23/2022 | 5ND | No | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-109** | **5** | **n/a** | **3/23/2022** | **28** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-110** | **5** | **n/a** | **3/23/2022** | **270** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-102 | 110 | n/a | 3/23/2022 | 36 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-103 | 110 | n/a | 3/24/2022 | 90 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-104** | **110** | **n/a** | **3/23/2022** | **1300** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001349** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-105** | **110** | **n/a** | **3/23/2022** | **230** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001349** | **NP Inter (normality) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-106 | 110 | n/a | 3/23/2022 | 30 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-109 | 110 | n/a | 3/23/2022 | 90 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-110** | **110** | **n/a** | **3/23/2022** | **630** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001349** | **NP Inter (normality) 1 of 2** |

# Appendix III - Interwell Prediction Limits - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:55 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-201 | 0.081 | n/a | 3/25/2022 | 3.4 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-206 | 0.081 | n/a | 3/25/2022 | 10 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-201 | 1.406 | n/a | 3/25/2022 | 73 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.002505 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-206 | 1.406 | n/a | 3/25/2022 | 170 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.002505 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-200 | 6.907 | n/a | 3/25/2022 | 76 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.002505 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-201 | 6.907 | n/a | 3/25/2022 | 160 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.002505 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-206 | 6.907 | n/a | 3/25/2022 | 340 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.002505 | Param Inter 1 of 2 |
| Fluoride (mg/L) | MW-201 | 0.12 | n/a | 3/25/2022 | 0.25 | Yes | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-200 | 5 | n/a | 3/25/2022 | 71 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001382 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-201 | 5 | n/a | 3/25/2022 | 120 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001382 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-206 | 5 | n/a | 3/25/2022 | 160 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001382 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-200 | 110 | n/a | 3/25/2022 | 380 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001353 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-201 | 110 | n/a | 3/25/2022 | 610 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001353 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-206 | 110 | n/a | 3/25/2022 | 630 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001353 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:55 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-200 | 0.081 | n/a | 3/25/2022 | 0.0043J | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-201** | **0.081** | **n/a** | **3/25/2022** | **3.4** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001353** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-206** | **0.081** | **n/a** | **3/25/2022** | **10** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001353** | **NP Inter (NDs) 1 of 2** |
| Calcium (mg/L) | MW-200 | 1.406 | n/a | 3/25/2022 | 0.025ND | No | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.002505 | Param Inter 1 of 2 |
| **Calcium (mg/L)** | **MW-201** | **1.406** | **n/a** | **3/25/2022** | **73** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-206** | **1.406** | **n/a** | **3/25/2022** | **170** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-200** | **6.907** | **n/a** | **3/25/2022** | **76** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-201** | **6.907** | **n/a** | **3/25/2022** | **160** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-206** | **6.907** | **n/a** | **3/25/2022** | **340** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.002505** | **Param Inter 1 of 2** |
| Fluoride (mg/L) | MW-200 | 0.12 | n/a | 3/25/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-201** | **0.12** | **n/a** | **3/25/2022** | **0.25** | **Yes** | **120** | **n/a** | **n/a** | **94.17** | **n/a** | **n/a** | **0.0001353** | **NP Inter (NDs) 1 of 2** |
| Fluoride (mg/L) | MW-206 | 0.12 | n/a | 3/25/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-200** | **5** | **n/a** | **3/25/2022** | **71** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001382** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-201** | **5** | **n/a** | **3/25/2022** | **120** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001382** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-206** | **5** | **n/a** | **3/25/2022** | **160** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001382** | **NP Inter (NDs) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **110** | **n/a** | **3/25/2022** | **380** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001353** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **110** | **n/a** | **3/25/2022** | **610** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001353** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **110** | **n/a** | **3/25/2022** | **630** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001353** | **NP Inter (normality) 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:28 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Field pH (SU)** | **MW-200** | **5.263** | **4.716** | **3/25/2022** | **5.34** | **Yes** | **14** | **4.989** | **0.134** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |
| **Field pH (SU)** | **MW-206** | **4.64** | **3.998** | **3/25/2022** | **5.21** | **Yes** | **14** | **4.319** | **0.1573** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:28 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field pH (SU) | MW-100 | 5.257 | 4.453 | 3/22/2022 | 4.9 | No | 13 | 4.855 | 0.1936 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-101 | 5.491 | 4.42 | 3/22/2022 | 5.02 | No | 13 | 4.955 | 0.258 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-107 | 5.412 | 4.406 | 3/22/2022 | 4.91 | No | 13 | 4.909 | 0.2421 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-108 | 5.178 | 4.369 | 3/22/2022 | 4.89 | No | 12 | 4.773 | 0.1917 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| **Field pH (SU)** | **MW-200** | **5.263** | **4.716** | **3/25/2022** | **5.34** | **Yes** | **14** | **4.989** | **0.134** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |
| Field pH (SU) | MW-201 | 5.704 | 4.463 | 3/25/2022 | 4.95 | No | 14 | 5.084 | 0.304 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| **Field pH (SU)** | **MW-206** | **4.64** | **3.998** | **3/25/2022** | **5.21** | **Yes** | **14** | **4.319** | **0.1573** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |
| Field pH (SU) | MW-306 | 5.438 | 4.624 | 3/22/2022 | 5.1 | No | 13 | 5.031 | 0.1961 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-307 | 6.537 | 5.063 | 3/22/2022 | 5.18 | No | 13 | 5.8 | 0.3549 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |

# Appendix III - Interwell Prediction Limits - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:52 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-303 | 0.081 | n/a | 3/24/2022 | 3.2 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-304 | 0.081 | n/a | 3/24/2022 | 3.4 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-308 | 0.081 | n/a | 3/24/2022 | 3.2 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-303 | 1.485 | n/a | 3/24/2022 | 75 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-304 | 1.485 | n/a | 3/24/2022 | 200 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-305 | 1.485 | n/a | 3/24/2022 | 3.9 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-308 | 1.485 | n/a | 3/24/2022 | 68 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-300 | 7.041 | n/a | 3/24/2022 | 9.2 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-303 | 7.041 | n/a | 3/24/2022 | 36 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-304 | 7.041 | n/a | 3/24/2022 | 140 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-305 | 7.041 | n/a | 3/24/2022 | 9.2 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-308 | 7.041 | n/a | 3/24/2022 | 64 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Fluoride (mg/L) | MW-303 | 0.12 | n/a | 3/24/2022 | 0.22 | Yes | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-308 | 0.12 | n/a | 3/24/2022 | 0.14 | Yes | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-303 | 5 | n/a | 3/24/2022 | 180 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-304 | 5 | n/a | 3/24/2022 | 680 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-305 | 5 | n/a | 3/24/2022 | 18 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-308 | 5 | n/a | 3/24/2022 | 1700 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-303 | 110 | n/a | 3/24/2022 | 440 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-304 | 110 | n/a | 3/24/2022 | 1400 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-308 | 110 | n/a | 3/24/2022 | 470 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 300 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:52 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-300 | 0.081 | n/a | 3/24/2022 | 0.035 | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-303** | **0.081** | **n/a** | **3/24/2022** | **3.2** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-304** | **0.081** | **n/a** | **3/24/2022** | **3.4** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| Boron (mg/L) | MW-305 | 0.081 | n/a | 3/24/2022 | 0.028 | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-308** | **0.081** | **n/a** | **3/24/2022** | **3.2** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| Calcium (mg/L) | MW-300 | 1.485 | n/a | 3/24/2022 | 0.59 | No | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| **Calcium (mg/L)** | **MW-303** | **1.485** | **n/a** | **3/24/2022** | **75** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-304** | **1.485** | **n/a** | **3/24/2022** | **200** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-305** | **1.485** | **n/a** | **3/24/2022** | **3.9** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-308** | **1.485** | **n/a** | **3/24/2022** | **68** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-300** | **7.041** | **n/a** | **3/24/2022** | **9.2** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-303** | **7.041** | **n/a** | **3/24/2022** | **36** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-304** | **7.041** | **n/a** | **3/24/2022** | **140** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-305** | **7.041** | **n/a** | **3/24/2022** | **9.2** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-308** | **7.041** | **n/a** | **3/24/2022** | **64** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| Fluoride (mg/L) | MW-300 | 0.12 | n/a | 3/24/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-303** | **0.12** | **n/a** | **3/24/2022** | **0.22** | **Yes** | **120** | **n/a** | **n/a** | **94.17** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| Fluoride (mg/L) | MW-304 | 0.12 | n/a | 3/24/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-305 | 0.12 | n/a | 3/24/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-308** | **0.12** | **n/a** | **3/24/2022** | **0.14** | **Yes** | **120** | **n/a** | **n/a** | **94.17** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| Sulfate (mg/L) | MW-300 | 5 | n/a | 3/24/2022 | 5ND | No | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-303** | **5** | **n/a** | **3/24/2022** | **180** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.000138** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-304** | **5** | **n/a** | **3/24/2022** | **680** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.000138** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-305** | **5** | **n/a** | **3/24/2022** | **18** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.000138** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-308** | **5** | **n/a** | **3/24/2022** | **1700** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.000138** | **NP Inter (NDs) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-300 | 110 | n/a | 3/24/2022 | 16 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-303** | **110** | **n/a** | **3/24/2022** | **440** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001351** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-304** | **110** | **n/a** | **3/24/2022** | **1400** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001351** | **NP Inter (normality) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-305 | 110 | n/a | 3/24/2022 | 62 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-308** | **110** | **n/a** | **3/24/2022** | **470** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001351** | **NP Inter (normality) 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 300 Series Wells - All Results (No Significant)

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:55 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field pH (SU) | MW-100 | 5.296 | 4.413 | 3/22/2022 | 4.9 | No | 13 | 4.855 | 0.1936 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-101 | 5.543 | 4.367 | 3/22/2022 | 5.02 | No | 13 | 4.955 | 0.258 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-107 | 5.461 | 4.357 | 3/22/2022 | 4.91 | No | 13 | 4.909 | 0.2421 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-108 | 5.218 | 4.328 | 3/22/2022 | 4.89 | No | 12 | 4.773 | 0.1917 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-300 | 5.229 | 4.305 | 3/24/2022 | 4.68 | No | 14 | 4.767 | 0.2067 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-303 | 7.152 | 5.968 | 3/24/2022 | 6.9 | No | 14 | 6.56 | 0.2649 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-304 | 6.401 | 4.549 | 3/24/2022 | 5.83 | No | 14 | 5.475 | 0.4141 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-305 | 5.367 | 4.441 | 3/24/2022 | 4.84 | No | 14 | 4.904 | 0.2071 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-306 | 5.478 | 4.584 | 3/22/2022 | 5.1 | No | 13 | 5.031 | 0.1961 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-307 | 6.609 | 4.991 | 3/22/2022 | 5.18 | No | 13 | 5.8 | 0.3549 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-308 | 6.805 | 5.551 | 3/24/2022 | 6.68 | No | 14 | 6.178 | 0.2805 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |

# Appendix III Trend Test Summary - 100 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:30 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-109** | **0.06335** | **101** | **81** | **Yes** | **20** | **20** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-104** | **3.541** | **98** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-109** | **0.4374** | **132** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-103** | **1.481** | **125** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-109** | **2.725** | **129** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-105** | **0.0546** | **95** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1243** | **-127** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 100 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:30 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 0 | 81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -36 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-103 | -0.02768 | -55 | -87 | No | 21 | 14.29 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-104 | 0 | -1 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-105 | -0.02027 | -15 | -87 | No | 21 | 9.524 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -41 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | -9 | -81 | No | 20 | 70 | n/a | n/a | 0.01 | NP |
| **Boron (mg/L)** | **MW-109** | **0.06335** | **101** | **81** | **Yes** | **20** | **20** | **n/a** | **n/a** | **0.01** | **NP** |
| Boron (mg/L) | MW-110 | 0.207 | 64 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-306 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.006981 | -32 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-102 | -0.07445 | -76 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-103 | -0.1449 | -81 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-104** | **3.541** | **98** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-105 | 0.3649 | 15 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.02101 | -64 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-109** | **0.4374** | **132** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-110 | 0.7328 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-306 (bg) | 0.00887 | 31 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.1123 | 46 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-103** | **1.481** | **125** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-104 | 0 | -4 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-105 | -1.878 | -39 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.1151 | -61 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2076 | -60 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-109** | **2.725** | **129** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-110 | 2.398 | 12 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-100 (bg) | -0.0144 | -21 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.007234 | -7 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-104 | 0.01826 | 44 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-105** | **0.0546** | **95** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-107 (bg) | -0.006427 | -6 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0.007081 | 6 | 74 | No | 19 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-306 (bg) | -0.008985 | -14 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1243** | **-127** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Fluoride (mg/L) | MW-100 (bg) | 0 | -31 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-101 (bg) | 0 | -17 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-104 | -0.00781 | -25 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-107 (bg) | 0 | 0 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-108 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-306 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-307 (bg) | 0 | 3 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-100 (bg) | 0 | 8 | 74 | No | 19 | 94.74 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -5 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-103 | -1.528 | -71 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-104 | 20.5 | 25 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-105 | -0.2915 | -9 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | 9 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-109 | 0.8411 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-110 | 7.946 | 53 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 3 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 15 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 5.564 | 73 | 81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9099 | 20 | 81 | No | 20 | 15 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-104 | 2.554 | 9 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-105 | -5.5 | -15 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 0.9834 | 41 | 81 | No | 20 | 35 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 0.8773 | 48 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-110 | 28.03 | 47 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 3.558 | 68 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0 | -1 | -81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |

# Appendix III Trend Test Summary - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:34 PM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-201** | **-5.181** | **-142** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Boron (mg/L)** | **MW-206** | **-16.33** | **-182** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-201** | **-134.6** | **-140** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-206** | **-482** | **-198** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-200** | **-279.6** | **-146** | **-87** | **Yes** | **21** | **4.762** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-201** | **-254.7** | **-105** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-206** | **-969** | **-176** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-206** | **0.1138** | **110** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1243** | **-127** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-200** | **-60.75** | **-137** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-201** | **-78.57** | **-149** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-206** | **-111.5** | **-169** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **-899.7** | **-175** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **-744.8** | **-117** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **-2235** | **-155** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:34 PM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 0 | 81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -36 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -41 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | -9 | -81 | No | 20 | 70 | n/a | n/a | 0.01 | NP |
| **Boron (mg/L)** | **MW-201** | **-5.181** | **-142** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Boron (mg/L)** | **MW-206** | **-16.33** | **-182** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Boron (mg/L) | MW-306 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.006981 | -32 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.02101 | -64 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-201** | **-134.6** | **-140** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-206** | **-482** | **-198** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-306 (bg) | 0.00887 | 31 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.1123 | 46 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.1151 | -61 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2076 | -60 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-200** | **-279.6** | **-146** | **-87** | **Yes** | **21** | **4.762** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-201** | **-254.7** | **-105** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-206** | **-969** | **-176** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-100 (bg) | -0.0144 | -21 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.007234 | -7 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-107 (bg) | -0.006427 | -6 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0.007081 | 6 | 74 | No | 19 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-200 | 0.04883 | 84 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-206** | **0.1138** | **110** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-306 (bg) | -0.008985 | -14 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1243** | **-127** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Fluoride (mg/L) | MW-100 (bg) | 0 | -31 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-101 (bg) | 0 | -17 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-107 (bg) | 0 | 0 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-108 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-201 | -0.05554 | -53 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-306 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-307 (bg) | 0 | 3 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-100 (bg) | 0 | 8 | 74 | No | 19 | 94.74 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -5 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | 9 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-200** | **-60.75** | **-137** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-201** | **-78.57** | **-149** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-206** | **-111.5** | **-169** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 3 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 15 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 5.564 | 73 | 81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9099 | 20 | 81 | No | 20 | 15 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 0.9834 | 41 | 81 | No | 20 | 35 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 0.8773 | 48 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **-899.7** | **-175** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **-744.8** | **-117** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **-2235** | **-155** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 3.558 | 68 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0 | -1 | -81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |

# Appendix III Trend Test Summary - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:58 PM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Fluoride (mg/L)** | **MW-308** | **0.02** | **112** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-308** | **-21.42** | **-96** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 300 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:58 PM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 0 | 81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -36 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -41 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | -9 | -81 | No | 20 | 70 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-303 | 0 | 4 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-304 | 0.2803 | 65 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-306 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-308 | -0.4381 | -60 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.006981 | -32 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.02101 | -64 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-303 | 3.615 | 56 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-304 | 2.693 | 25 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-305 | -0.01299 | -8 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-306 (bg) | 0.00887 | 31 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-308 | -2.581 | -46 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.1123 | 46 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.1151 | -61 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2076 | -60 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-300 | 0.03615 | 28 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-303 | 0.4639 | 7 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-304 | -3.927 | -20 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-305 | 0.08985 | 33 | 87 | No | 21 | 4.762 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-308 | 4.726 | 31 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-100 (bg) | 0 | -31 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-101 (bg) | 0 | -17 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-107 (bg) | 0 | 0 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-108 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-303 | 0.02967 | 85 | 87 | No | 21 | 4.762 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-306 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-307 (bg) | 0 | 3 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| **Fluoride (mg/L)** | **MW-308** | **0.02** | **112** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-100 (bg) | 0 | 8 | 74 | No | 19 | 94.74 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -5 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | 9 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-303 | 0 | 7 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-304 | 12.65 | 13 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-305 | 0 | 13 | 81 | No | 20 | 70 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 3 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 15 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-308** | **-21.42** | **-96** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 5.564 | 73 | 81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9099 | 20 | 81 | No | 20 | 15 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 0.9834 | 41 | 81 | No | 20 | 35 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 0.8773 | 48 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-303 | 15.13 | 19 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-304 | 7.783 | 10 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 3.558 | 68 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0 | -1 | -81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-308 | -20.26 | -48 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |

# Upper Tolerance Limit Summary Table

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant  Printed 1/12/2023, 2:06 PM

| Constituent | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony (mg/L) | 0.0005 | n/a | n/a | n/a | n/a | 102 | n/a | n/a | 100 | n/a | n/a | 0.005343 | NP Inter(NDs) |
| Arsenic (mg/L) | 0.0013 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 81.58 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Barium (mg/L) | 0.023 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 0 | n/a | n/a | 0.002887 | NP Inter(normality) |
| Beryllium (mg/L) | 0.0015 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 89.47 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Cadmium (mg/L) | 0.0005 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 100 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Chromium (mg/L) | 0.0088 | n/a | n/a | n/a | n/a | 113 | n/a | n/a | 81.42 | n/a | n/a | 0.003039 | NP Inter(NDs) |
| Cobalt (mg/L) | 0.0032 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 36.84 | n/a | n/a | 0.002887 | NP Inter(normality) |
| Combined Radium 226 + 228 (pCi/L) | 2.328 | n/a | n/a | n/a | n/a | 114 | 1.031 | 0.2598 | 2.632 | None | sqrt(x) | 0.05 | Inter |
| Fluoride (mg/L) | 0.12 | n/a | n/a | n/a | n/a | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.002122 | NP Inter(NDs) |
| Lead (mg/L) | 0.001 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 93.86 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Lithium (mg/L) | 0.0054 | n/a | n/a | n/a | n/a | 113 | n/a | n/a | 68.14 | n/a | n/a | 0.003039 | NP Inter(NDs) |
| Mercury (mg/L) | 0.00025 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 94.74 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Molybdenum (mg/L) | 0.0042 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 93.86 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Selenium (mg/L) | 0.0025 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 82.46 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Thallium (mg/L) | 0.00015 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 99.12 | n/a | n/a | 0.002887 | NP Inter(NDs) |

| GULF CLEAN ENERGY CENTER GWPS | | | | |
|---|---|---|---|---|
| **Constituent Name** | **MCL** | **CCR Rule Specified** | **Background** | **GWPS** |
| Antimony, Total (mg/L) | 0.006 | | 0.0005 | 0.006 |
| Arsenic, Total (mg/L) | 0.01 | | 0.0013 | 0.01 |
| Barium, Total (mg/L) | 2 | | 0.023 | 2 |
| Beryllium, Total (mg/L) | 0.004 | | 0.0015 | 0.004 |
| Cadmium, Total (mg/L) | 0.005 | | 0.0005 | 0.005 |
| Chromium, Total (mg/L) | 0.1 | | 0.0088 | 0.1 |
| Cobalt, Total (mg/L) | n/a | 0.006 | 0.0032 | 0.006 |
| Combined Radium, Total (pCi/L) | 5 | | 2.33 | 5 |
| Fluoride, Total (mg/L) | 4 | | 0.12 | 4 |
| Lead, Total (mg/L) | n/a | 0.015 | 0.001 | 0.015 |
| Lithium, Total (mg/L) | n/a | 0.04 | 0.0054 | 0.04 |
| Mercury, Total (mg/L) | 0.002 | | 0.00025 | 0.002 |
| Molybdenum, Total (mg/L) | n/a | 0.1 | 0.0042 | 0.1 |
| Selenium, Total (mg/L) | 0.05 | | 0.0025 | 0.05 |
| Thallium, Total (mg/L) | 0.002 | | 0.00015 | 0.002 |

*MCL = Maximum Contaminant Level*

*GWPS = Groundwater Protection Standard*

*CCR = Coal Combustion Residuals*

# Confidence Interval Summary Table - 100 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:13 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Cobalt (mg/L)** | **MW-104** | **0.02097** | **0.01503** | **0.006** | **Yes** | **19** | **0.018** | **0.005066** | **0** | **None** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-104** | **18.2** | **13.43** | **5** | **Yes** | **19** | **15.81** | **4.075** | **0** | **None** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-110** | **7.08** | **5.535** | **5** | **Yes** | **19** | **6.307** | **1.32** | **0** | **None** | **No** | **0.01** | **Param.** |
| **Mercury (mg/L)** | **MW-110** | **0.005726** | **0.003468** | **0.002** | **Yes** | **19** | **0.004597** | **0.001928** | **0** | **None** | **No** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 100 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:13 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arsenic (mg/L) | MW-102 | 0.0005 | 0.00025 | 0.01 | No | 19 | 0.0002632 | 0.00005735 | 94.74 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-103 | 0.00051 | 0.00019 | 0.01 | No | 19 | 0.0003579 | 0.0004264 | 84.21 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-104 | 0.006592 | 0.002349 | 0.01 | No | 19 | 0.00447 | 0.003623 | 5.263 | None | No | 0.01 | Param. |
| Arsenic (mg/L) | MW-105 | 0.0054 | 0.0036 | 0.01 | No | 19 | 0.004721 | 0.001751 | 0 | None | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-109 | 0.00048 | 0.00025 | 0.01 | No | 19 | 0.0003068 | 0.0001992 | 84.21 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-110 | 0.00051 | 0.0002 | 0.01 | No | 19 | 0.0003342 | 0.0001551 | 57.89 | None | No | 0.01 | NP (NDs) |
| Barium (mg/L) | MW-102 | 0.01098 | 0.00918 | 2 | No | 19 | 0.01008 | 0.001535 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-103 | 0.05765 | 0.03929 | 2 | No | 19 | 0.04847 | 0.01568 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-104 | 0.02552 | 0.02048 | 2 | No | 19 | 0.023 | 0.004308 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-105 | 0.04588 | 0.03465 | 2 | No | 19 | 0.04026 | 0.009591 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-106 | 0.012 | 0.0097 | 2 | No | 19 | 0.011 | 0.00187 | 0 | None | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-109 | 0.02312 | 0.01858 | 2 | No | 19 | 0.021 | 0.004123 | 0 | None | x^(1/3) | 0.01 | Param. |
| Barium (mg/L) | MW-110 | 0.04461 | 0.03328 | 2 | No | 19 | 0.03895 | 0.009675 | 0 | None | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-102 | 0.0005 | 0.00011 | 0.004 | No | 19 | 0.0004795 | 0.00008947 | 94.74 | None | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-104 | 0.001126 | 0.0007178 | 0.004 | No | 19 | 0.0009221 | 0.000349 | 5.263 | None | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-109 | 0.0005 | 0.000044 | 0.004 | No | 19 | 0.000476 | 0.0001046 | 94.74 | None | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-110 | 0.0005 | 0.00013 | 0.004 | No | 19 | 0.0004586 | 0.0001242 | 89.47 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-104 | 0.00056 | 0.00049 | 0.005 | No | 19 | 0.0005111 | 0.00008212 | 47.37 | None | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-109 | 0.0005 | 0.000078 | 0.005 | No | 19 | 0.0004778 | 0.00009681 | 94.74 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-110 | 0.0005 | 0.00032 | 0.005 | No | 19 | 0.00047 | 0.00009644 | 89.47 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-102 | 0.0028 | 0.0012 | 0.1 | No | 19 | 0.002535 | 0.001073 | 78.95 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-103 | 0.003 | 0.0011 | 0.1 | No | 19 | 0.002692 | 0.001802 | 68.42 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-104 | 0.002086 | 0.001389 | 0.1 | No | 19 | 0.002095 | 0.0005349 | 21.05 | Kaplan-Meier | No | 0.01 | Param. |
| Chromium (mg/L) | MW-105 | 0.002502 | 0.00177 | 0.1 | No | 19 | 0.002136 | 0.0006247 | 5.263 | None | No | 0.01 | Param. |
| Chromium (mg/L) | MW-106 | 0.0044 | 0.0019 | 0.1 | No | 19 | 0.002568 | 0.0004643 | 89.47 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-109 | 0.0061 | 0.0025 | 0.1 | No | 19 | 0.0034 | 0.003161 | 89.47 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-110 | 0.0025 | 0.0016 | 0.1 | No | 19 | 0.002233 | 0.0006745 | 78.95 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-102 | 0.0025 | 0.00088 | 0.006 | No | 19 | 0.002172 | 0.0007892 | 84.21 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-103 | 0.0025 | 0.00041 | 0.006 | No | 19 | 0.001743 | 0.001033 | 63.16 | None | No | 0.01 | NP (NDs) |
| **Cobalt (mg/L)** | **MW-104** | **0.02097** | **0.01503** | **0.006** | **Yes** | **19** | **0.018** | **0.005066** | **0** | **None** | **No** | **0.01** | **Param.** |
| Cobalt (mg/L) | MW-105 | 0.0025 | 0.00087 | 0.006 | No | 19 | 0.002179 | 0.0007699 | 84.21 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-106 | 0.0025 | 0.00044 | 0.006 | No | 19 | 0.00119 | 0.0009302 | 31.58 | None | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-109 | 0.007109 | 0.003643 | 0.006 | No | 19 | 0.005629 | 0.003174 | 0 | None | sqrt(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-110 | 0.0125 | 0.005814 | 0.006 | No | 19 | 0.009716 | 0.006339 | 0 | None | sqrt(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-102 | 1.821 | 1.254 | 5 | No | 19 | 1.56 | 0.5182 | 0 | None | sqrt(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-103 | 6.636 | 4.848 | 5 | No | 19 | 5.742 | 1.527 | 0 | None | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-104** | **18.2** | **13.43** | **5** | **Yes** | **19** | **15.81** | **4.075** | **0** | **None** | **No** | **0.01** | **Param.** |
| Combined Radium 226 + 228 (pCi/L) | MW-105 | 4.024 | 2.534 | 5 | No | 19 | 3.354 | 1.345 | 0 | None | sqrt(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-106 | 1.288 | 0.778 | 5 | No | 19 | 1.061 | 0.4765 | 5.263 | None | sqrt(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-109 | 3.074 | 1.751 | 5 | No | 19 | 2.412 | 1.13 | 0 | None | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-110** | **7.08** | **5.535** | **5** | **Yes** | **19** | **6.307** | **1.32** | **0** | **None** | **No** | **0.01** | **Param.** |
| Fluoride (mg/L) | MW-103 | 0.24 | 0.037 | 4 | No | 20 | 0.1039 | 0.035 | 90 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-104 | 0.3551 | 0.2572 | 4 | No | 21 | 0.3062 | 0.08874 | 0 | None | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-105 | 0.1 | 0.041 | 4 | No | 20 | 0.08055 | 0.02792 | 65 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-109 | 0.1 | 0.05 | 4 | No | 20 | 0.0975 | 0.01118 | 95 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-110 | 0.1 | 0.04 | 4 | No | 20 | 0.07745 | 0.02907 | 60 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-102 | 0.00025 | 0.00018 | 0.015 | No | 19 | 0.0002405 | 0.00002915 | 89.47 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-103 | 0.00025 | 0.00011 | 0.015 | No | 19 | 0.0002426 | 0.00003212 | 94.74 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-104 | 0.002336 | 0.001854 | 0.015 | No | 19 | 0.002095 | 0.0004116 | 0 | None | No | 0.01 | Param. |
| Lead (mg/L) | MW-105 | 0.00091 | 0.00012 | 0.015 | No | 19 | 0.0002779 | 0.0001559 | 89.47 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-106 | 0.00039 | 0.00025 | 0.015 | No | 19 | 0.0002574 | 0.00003212 | 94.74 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-109 | 0.00067 | 0.00011 | 0.015 | No | 19 | 0.0003065 | 0.0002429 | 78.95 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-110 | 0.0003 | 0.00025 | 0.015 | No | 19 | 0.0002737 | 0.00004573 | 73.68 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-102 | 0.0012 | 0.0009 | 0.04 | No | 19 | 0.001026 | 0.0001046 | 84.21 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-103 | 0.0021 | 0.001 | 0.04 | No | 19 | 0.001545 | 0.000792 | 42.11 | None | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-104 | 0.03197 | 0.01998 | 0.04 | No | 19 | 0.02684 | 0.01143 | 0 | None | x^(1/3) | 0.01 | Param. |
| Lithium (mg/L) | MW-105 | 0.001 | 0.00039 | 0.04 | No | 19 | 0.0009679 | 0.0001399 | 94.74 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-106 | 0.0012 | 0.00068 | 0.04 | No | 19 | 0.001437 | 0.001542 | 68.42 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-109 | 0.006557 | 0.005241 | 0.04 | No | 19 | 0.005932 | 0.001183 | 0 | None | sqrt(x) | 0.01 | Param. |
| Lithium (mg/L) | MW-110 | 0.012 | 0.0073 | 0.04 | No | 19 | 0.01399 | 0.0191 | 0 | None | No | 0.01 | NP (normality) |

# Confidence Interval Summary Table - 100 Series - All Results



Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:13 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mercury (mg/L) | MW-102 | 0.0002 | 0.000094 | 0.002 | No | 19 | 0.0001888 | 0.00003342 | 89.47 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-103 | 0.00062 | 0.00016 | 0.002 | No | 19 | 0.0002158 | 0.00009991 | 84.21 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-104 | 0.00122 | 0.0006608 | 0.002 | No | 19 | 0.0009779 | 0.0005263 | 0 | None | sqrt(x) | 0.01 | Param. |
| Mercury (mg/L) | MW-106 | 0.0002 | 0.00008 | 0.002 | No | 19 | 0.0001937 | 0.00002753 | 94.74 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-109 | 0.00047 | 0.0002 | 0.002 | No | 19 | 0.000543 | 0.0007568 | 63.16 | None | No | 0.01 | NP (NDs) |
| **Mercury (mg/L)** | **MW-110** | **0.005726** | **0.003468** | **0.002** | **Yes** | **19** | **0.004597** | **0.001928** | **0** | **None** | **No** | **0.01** | **Param.** |
| Molybdenum (mg/L) | MW-102 | 0.015 | 0.00091 | 0.1 | No | 19 | 0.01426 | 0.003232 | 94.74 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-103 | 0.015 | 0.00092 | 0.1 | No | 19 | 0.01426 | 0.00323 | 94.74 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-105 | 0.005757 | 0.003722 | 0.1 | No | 19 | 0.004837 | 0.001887 | 5.263 | None | sqrt(x) | 0.01 | Param. |
| Molybdenum (mg/L) | MW-106 | 0.015 | 0.00068 | 0.1 | No | 19 | 0.01425 | 0.003285 | 94.74 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-109 | 0.015 | 0.0009 | 0.1 | No | 19 | 0.01426 | 0.003235 | 94.74 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-102 | 0.00028 | 0.00025 | 0.05 | No | 19 | 0.00029 | 0.0001729 | 73.68 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-103 | 0.002742 | 0.001734 | 0.05 | No | 19 | 0.002238 | 0.0008602 | 5.263 | None | No | 0.01 | Param. |
| Selenium (mg/L) | MW-104 | 0.01092 | 0.005381 | 0.05 | No | 19 | 0.008579 | 0.005251 | 0 | None | sqrt(x) | 0.01 | Param. |
| Selenium (mg/L) | MW-105 | 0.0004 | 0.00025 | 0.05 | No | 19 | 0.0003032 | 0.00009696 | 57.89 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-109 | 0.00035 | 0.00024 | 0.05 | No | 19 | 0.0002521 | 0.00002637 | 84.21 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-110 | 0.003697 | 0.003209 | 0.05 | No | 19 | 0.003453 | 0.0004168 | 0 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-102 | 0.00021 | 0.0001 | 0.002 | No | 19 | 0.0001058 | 0.00002524 | 94.74 | None | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-103 | 0.00015 | 0.000026 | 0.002 | No | 19 | 0.00009874 | 0.00002101 | 89.47 | None | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-104 | 0.000335 | 0.000225 | 0.002 | No | 19 | 0.00028 | 0.00009399 | 5.263 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-105 | 0.00012 | 0.0001 | 0.002 | No | 19 | 0.0001084 | 0.00003219 | 89.47 | None | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-109 | 0.00012 | 0.0001 | 0.002 | No | 19 | 0.0001011 | 0.000004588 | 94.74 | None | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-110 | 0.0002927 | 0.0002252 | 0.002 | No | 19 | 0.0002526 | 0.00006789 | 5.263 | None | x^2 | 0.01 | Param. |

# Confidence Interval Summary Table - 200 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:37 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228 (pCi/L)** | **MW-200** | **14.61** | **6.823** | **5** | **Yes** | **19** | **11.37** | **7.023** | **0** | **None** | **sqrt(x)** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-201** | **22.1** | **6.95** | **5** | **Yes** | **19** | **12.62** | **7.574** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-206** | **35.4** | **7.14** | **5** | **Yes** | **19** | **19.23** | **12.32** | **0** | **None** | **No** | **0.01** | **NP (normality)** |

# Confidence Interval Summary Table - 200 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:37 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony (mg/L) | MW-201 | 0.0025 | 0.001 | 0.006 | No | 17 | 0.002324 | 0.0004982 | 88.24 | None | No | 0.01 | NP (NDs) |
| Antimony (mg/L) | MW-206 | 0.0025 | 0.0011 | 0.006 | No | 17 | 0.002418 | 0.0003395 | 94.12 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-200 | 0.001701 | 0.0004671 | 0.01 | No | 19 | 0.001692 | 0.001803 | 26.32 | Kaplan-Meier | ln(x) | 0.01 | Param. |
| Arsenic (mg/L) | MW-201 | 0.0043 | 0.00025 | 0.01 | No | 19 | 0.002305 | 0.003164 | 47.37 | None | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-206 | 0.008016 | 0.001701 | 0.01 | No | 19 | 0.005886 | 0.006388 | 10.53 | None | sqrt(x) | 0.01 | Param. |
| Barium (mg/L) | MW-200 | 0.05948 | 0.03171 | 2 | No | 19 | 0.0456 | 0.02371 | 5.263 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-201 | 0.06439 | 0.03793 | 2 | No | 19 | 0.05116 | 0.0226 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-206 | 0.1003 | 0.05627 | 2 | No | 19 | 0.07827 | 0.03757 | 0 | None | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-200 | 0.0025 | 0.000045 | 0.004 | No | 19 | 0.002371 | 0.0005632 | 94.74 | None | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-201 | 0.0025 | 0.000069 | 0.004 | No | 19 | 0.002372 | 0.0005577 | 94.74 | None | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-206 | 0.0025 | 0.00055 | 0.004 | No | 19 | 0.002052 | 0.0008958 | 78.95 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-200 | 0.0025 | 0.00091 | 0.005 | No | 18 | 0.002012 | 0.0008246 | 72.22 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-201 | 0.013 | 0.0015 | 0.005 | No | 19 | 0.005592 | 0.005545 | 5.263 | None | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-206 | 0.002114 | 0.0008688 | 0.005 | No | 19 | 0.001648 | 0.001055 | 10.53 | None | x^(1/3) | 0.01 | Param. |
| Chromium (mg/L) | MW-201 | 0.0011 | 0.0005 | 0.1 | No | 16 | 0.0007125 | 0.0004884 | 81.25 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-206 | 0.0026 | 0.0005 | 0.1 | No | 16 | 0.0006313 | 0.000525 | 93.75 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-200 | 0.0019 | 0.0005 | 0.006 | No | 19 | 0.001203 | 0.0007407 | 26.32 | None | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-201 | 0.00262 | 0.00119 | 0.006 | No | 19 | 0.002028 | 0.001355 | 5.263 | None | sqrt(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-206 | 0.004306 | 0.002112 | 0.006 | No | 19 | 0.003209 | 0.001874 | 0 | None | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-200** | **14.61** | **6.823** | **5** | **Yes** | **19** | **11.37** | **7.023** | **0** | **None** | **sqrt(x)** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-201** | **22.1** | **6.95** | **5** | **Yes** | **19** | **12.62** | **7.574** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-206** | **35.4** | **7.14** | **5** | **Yes** | **19** | **19.23** | **12.32** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| Fluoride (mg/L) | MW-200 | 0.1 | 0.06 | 4 | No | 20 | 0.08995 | 0.05439 | 25 | None | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-201 | 0.7106 | 0.4599 | 4 | No | 21 | 0.5852 | 0.2272 | 0 | None | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-206 | 0.07724 | 0.05102 | 4 | No | 21 | 0.06557 | 0.02511 | 9.524 | None | sqrt(x) | 0.01 | Param. |
| Lead (mg/L) | MW-200 | 0.001053 | 0.0004504 | 0.015 | No | 19 | 0.0008474 | 0.0005669 | 21.05 | Kaplan-Meier | sqrt(x) | 0.01 | Param. |
| Lead (mg/L) | MW-201 | 0.0005 | 0.00025 | 0.015 | No | 19 | 0.0003442 | 0.0001435 | 63.16 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-206 | 0.0092 | 0.00076 | 0.015 | No | 19 | 0.004816 | 0.004153 | 5.263 | None | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-200 | 0.01 | 0.0025 | 0.04 | No | 19 | 0.004795 | 0.001694 | 78.95 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-201 | 0.0069 | 0.0033 | 0.04 | No | 19 | 0.006474 | 0.007101 | 15.79 | None | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-206 | 0.005 | 0.0029 | 0.04 | No | 19 | 0.0045 | 0.001226 | 84.21 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-200 | 0.002022 | 0.000791 | 0.002 | No | 19 | 0.001406 | 0.001051 | 10.53 | None | No | 0.01 | Param. |
| Mercury (mg/L) | MW-201 | 0.0026 | 0.00016 | 0.002 | No | 19 | 0.001174 | 0.001059 | 10.53 | None | No | 0.01 | NP (normality) |
| Mercury (mg/L) | MW-206 | 0.00064 | 0.00016 | 0.002 | No | 19 | 0.0003384 | 0.0002529 | 36.84 | None | No | 0.01 | NP (normality) |
| Molybdenum (mg/L) | MW-200 | 0.0078 | 0.003 | 0.1 | No | 17 | 0.003282 | 0.001164 | 94.12 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-201 | 0.003 | 0.0015 | 0.1 | No | 17 | 0.002912 | 0.0003638 | 94.12 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-206 | 0.003 | 0.00092 | 0.1 | No | 17 | 0.002878 | 0.0005045 | 94.12 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-200 | 0.01089 | 0.004113 | 0.05 | No | 19 | 0.008217 | 0.005884 | 5.263 | None | sqrt(x) | 0.01 | Param. |
| Selenium (mg/L) | MW-201 | 0.01004 | 0.00398 | 0.05 | No | 19 | 0.007832 | 0.005536 | 0 | None | x^(1/3) | 0.01 | Param. |
| Selenium (mg/L) | MW-206 | 0.01748 | 0.01109 | 0.05 | No | 19 | 0.01428 | 0.005454 | 0 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-200 | 0.0004 | 0.0001 | 0.002 | No | 19 | 0.000202 | 0.0001508 | 36.84 | None | No | 0.01 | NP (normality) |
| Thallium (mg/L) | MW-201 | 0.0003803 | 0.0001744 | 0.002 | No | 19 | 0.0002774 | 0.0001758 | 10.53 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-206 | 0.0006725 | 0.0002658 | 0.002 | No | 19 | 0.00051 | 0.0003354 | 10.53 | None | sqrt(x) | 0.01 | Param. |

# Confidence Interval Summary Table - 300 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 2:03 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228 (pCi/L)** | **MW-303** | **6.34** | **5.28** | **5** | **Yes** | **19** | **6.106** | **1.921** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| **Molybdenum (mg/L)** | **MW-303** | **1.426** | **0.7566** | **0.1** | **Yes** | **19** | **1.137** | **0.6132** | **0** | **None** | **sqrt(x)** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 300 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 2:03 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arsenic (mg/L) | MW-303 | 0.0012 | 0.00025 | 0.01 | No | 17 | 0.0006976 | 0.0006551 | 52.94 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-304 | 0.00177 | 0.0004221 | 0.01 | No | 14 | 0.001494 | 0.001734 | 21.43 | Kaplan-Meier | ln(x) | 0.01 | Param. |
| Arsenic (mg/L) | MW-305 | 0.00042 | 0.00025 | 0.01 | No | 17 | 0.0002924 | 0.00009801 | 82.35 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-308 | 0.00046 | 0.00025 | 0.01 | No | 17 | 0.0004329 | 0.0005244 | 82.35 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| Barium (mg/L) | MW-300 | 0.012 | 0.011 | 2 | No | 19 | 0.01137 | 0.0007609 | 0 | None | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-303 | 0.04677 | 0.03047 | 2 | No | 19 | 0.04037 | 0.01612 | 0 | None | ln(x) | 0.01 | Param. |
| Barium (mg/L) | MW-304 | 0.04289 | 0.02943 | 2 | No | 19 | 0.03616 | 0.0115 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-305 | 0.02 | 0.016 | 2 | No | 19 | 0.01932 | 0.005518 | 0 | None | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-308 | 0.02753 | 0.02205 | 2 | No | 19 | 0.02479 | 0.004685 | 0 | None | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-303 | 0.0025 | 0.000074 | 0.004 | No | 16 | 0.002348 | 0.0006065 | 93.75 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-300 | 0.0025 | 0.000075 | 0.005 | No | 19 | 0.002372 | 0.0005563 | 94.74 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-303 | 0.0025 | 0.00039 | 0.005 | No | 19 | 0.001219 | 0.001011 | 36.84 | None | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-304 | 0.0042 | 0.001 | 0.005 | No | 19 | 0.002417 | 0.0006726 | 84.21 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-305 | 0.0025 | 0.000076 | 0.005 | No | 19 | 0.002372 | 0.0005561 | 94.74 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-308 | 0.0025 | 0.000089 | 0.005 | No | 19 | 0.002373 | 0.0005531 | 94.74 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-300 | 0.0037 | 0.0012 | 0.1 | No | 16 | 0.002494 | 0.0004568 | 87.5 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-303 | 0.0025 | 0.0014 | 0.1 | No | 16 | 0.00235 | 0.0004115 | 87.5 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-304 | 0.0025 | 0.0021 | 0.1 | No | 16 | 0.002337 | 0.0003862 | 75 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-305 | 0.0025 | 0.002 | 0.1 | No | 16 | 0.002331 | 0.0003911 | 75 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-308 | 0.0025 | 0.0022 | 0.1 | No | 16 | 0.002376 | 0.0004217 | 87.5 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-300 | 0.0025 | 0.00093 | 0.006 | No | 19 | 0.00206 | 0.0008868 | 78.95 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-303 | 0.0025 | 0.00056 | 0.006 | No | 19 | 0.001504 | 0.0009754 | 47.37 | None | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-304 | 0.05045 | 0.005293 | 0.006 | No | 10 | 0.04298 | 0.09059 | 0 | None | ln(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-305 | 0.0025 | 0.00045 | 0.006 | No | 19 | 0.001326 | 0.0009623 | 36.84 | None | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-308 | 0.0025 | 0.00063 | 0.006 | No | 19 | 0.002299 | 0.0006008 | 89.47 | None | No | 0.01 | NP (NDs) |
| Combined Radium 226 + 228 (pCi/L) | MW-300 | 5.5 | 4.795 | 5 | No | 19 | 5.147 | 0.6016 | 0 | None | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-303** | **6.34** | **5.28** | **5** | **Yes** | **19** | **6.106** | **1.921** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| Combined Radium 226 + 228 (pCi/L) | MW-304 | 7.009 | 4.193 | 5 | No | 19 | 5.601 | 2.405 | 0 | None | No | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-305 | 1.694 | 1.233 | 5 | No | 19 | 1.5 | 0.4681 | 0 | None | ln(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-308 | 3.016 | 2.302 | 5 | No | 19 | 2.659 | 0.6097 | 0 | None | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-300 | 0.1 | 0.041 | 4 | No | 20 | 0.09705 | 0.01319 | 95 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-303 | 0.249 | 0.1672 | 4 | No | 21 | 0.2081 | 0.0742 | 4.762 | None | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-304 | 0.12 | 0.06 | 4 | No | 20 | 0.123 | 0.1406 | 45 | None | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-305 | 0.1 | 0.035 | 4 | No | 20 | 0.09335 | 0.02047 | 90 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-308 | 0.1424 | 0.089 | 4 | No | 21 | 0.1157 | 0.04843 | 0 | None | No | 0.01 | Param. |
| Lead (mg/L) | MW-300 | 0.0013 | 0.00039 | 0.015 | No | 16 | 0.001167 | 0.0003676 | 87.5 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-303 | 0.0013 | 0.00011 | 0.015 | No | 16 | 0.001226 | 0.0002975 | 93.75 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-304 | 0.0014 | 0.00047 | 0.015 | No | 16 | 0.001006 | 0.0004235 | 56.25 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-300 | 0.005 | 0.0036 | 0.04 | No | 19 | 0.004276 | 0.001551 | 78.95 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-303 | 0.029 | 0.022 | 0.04 | No | 19 | 0.02516 | 0.004072 | 0 | None | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-304 | 0.005 | 0.0027 | 0.04 | No | 19 | 0.004463 | 0.001827 | 63.16 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-305 | 0.005 | 0.0025 | 0.04 | No | 19 | 0.004206 | 0.001627 | 78.95 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-308 | 0.005 | 0.0021 | 0.04 | No | 19 | 0.004242 | 0.00152 | 78.95 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-300 | 0.0002 | 0.00019 | 0.002 | No | 19 | 0.0001995 | 0.000002294 | 94.74 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-304 | 0.0005246 | 0.0001801 | 0.002 | No | 19 | 0.0004319 | 0.0003161 | 26.32 | Kaplan-Meier | sqrt(x) | 0.01 | Param. |
| Mercury (mg/L) | MW-305 | 0.0018 | 0.00014 | 0.002 | No | 19 | 0.0002811 | 0.0003681 | 89.47 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-308 | 0.00042 | 0.000087 | 0.002 | No | 19 | 0.0002056 | 0.00005801 | 89.47 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| **Molybdenum (mg/L)** | **MW-303** | **1.426** | **0.7566** | **0.1** | **Yes** | **19** | **1.137** | **0.6132** | **0** | **None** | **sqrt(x)** | **0.01** | **Param.** |
| Molybdenum (mg/L) | MW-304 | 0.015 | 0.0033 | 0.1 | No | 19 | 0.01091 | 0.005592 | 63.16 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-305 | 0.015 | 0.0016 | 0.1 | No | 19 | 0.01352 | 0.00443 | 89.47 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-308 | 0.015 | 0.002 | 0.1 | No | 19 | 0.01358 | 0.004263 | 89.47 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-303 | 0.0058 | 0.003611 | 0.05 | No | 19 | 0.004705 | 0.001869 | 0 | None | No | 0.01 | Param. |
| Selenium (mg/L) | MW-304 | 0.006396 | 0.004048 | 0.05 | No | 18 | 0.005222 | 0.001941 | 0 | None | No | 0.01 | Param. |
| Selenium (mg/L) | MW-305 | 0.00027 | 0.00025 | 0.05 | No | 19 | 0.0002784 | 0.0001191 | 89.47 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-308 | 0.005478 | 0.003543 | 0.05 | No | 19 | 0.004511 | 0.001653 | 0 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-303 | 0.0002444 | 0.0001858 | 0.002 | No | 19 | 0.0002168 | 0.00005292 | 10.53 | None | sqrt(x) | 0.01 | Param. |
| Thallium (mg/L) | MW-304 | 0.00029 | 0.00014 | 0.002 | No | 19 | 0.0002397 | 0.0001465 | 21.05 | None | No | 0.01 | NP (normality) |
| Thallium (mg/L) | MW-308 | 0.0002911 | 0.0002257 | 0.002 | No | 19 | 0.0002584 | 0.0000558 | 10.53 | None | No | 0.01 | Param. |

# Prediction Limits - 100, 200 & 300 Series

# 100 Series

# Appendix III - Interwell Prediction Limits - 100 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:14 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-103 | 0.081 | n/a | 3/24/2022 | 0.2 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-104 | 0.081 | n/a | 3/23/2022 | 8.7 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-105 | 0.081 | n/a | 3/23/2022 | 0.23 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-109 | 0.081 | n/a | 3/23/2022 | 0.36 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-110 | 0.081 | n/a | 3/23/2022 | 4.5 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-102 | 1.533 | n/a | 3/23/2022 | 2 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-103 | 1.533 | n/a | 3/24/2022 | 3.6 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-104 | 1.533 | n/a | 3/23/2022 | 71 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-105 | 1.533 | n/a | 3/23/2022 | 62 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-109 | 1.533 | n/a | 3/23/2022 | 4.8 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-110 | 1.533 | n/a | 3/23/2022 | 28 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-103 | 7.118 | n/a | 3/24/2022 | 9.8 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-104 | 7.118 | n/a | 3/23/2022 | 120 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-105 | 7.118 | n/a | 3/23/2022 | 10 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-109 | 7.118 | n/a | 3/23/2022 | 28 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-110 | 7.118 | n/a | 3/23/2022 | 110 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| Field pH (SU) | MW-104 | 6.42 | 4.5 | 3/23/2022 | 4.15 | Yes | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-105 | 6.42 | 4.5 | 3/23/2022 | 6.48 | Yes | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Fluoride (mg/L) | MW-104 | 0.12 | n/a | 3/23/2022 | 0.3 | Yes | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-103 | 5 | n/a | 3/24/2022 | 28 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-104 | 5 | n/a | 3/23/2022 | 560 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-105 | 5 | n/a | 3/23/2022 | 24 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-109 | 5 | n/a | 3/23/2022 | 28 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-110 | 5 | n/a | 3/23/2022 | 270 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-104 | 110 | n/a | 3/23/2022 | 1300 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-105 | 110 | n/a | 3/23/2022 | 230 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-110 | 110 | n/a | 3/23/2022 | 630 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 100 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:15 AM


| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-102 | 0.081 | n/a | 3/23/2022 | 0.017 | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-103** | **0.081** | **n/a** | **3/24/2022** | **0.2** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-104** | **0.081** | **n/a** | **3/23/2022** | **8.7** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-105** | **0.081** | **n/a** | **3/23/2022** | **0.23** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| Boron (mg/L) | MW-106 | 0.081 | n/a | 3/23/2022 | 0.0074J | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-109** | **0.081** | **n/a** | **3/23/2022** | **0.36** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-110** | **0.081** | **n/a** | **3/23/2022** | **4.5** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| **Calcium (mg/L)** | **MW-102** | **1.533** | **n/a** | **3/23/2022** | **2** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-103** | **1.533** | **n/a** | **3/24/2022** | **3.6** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-104** | **1.533** | **n/a** | **3/23/2022** | **71** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-105** | **1.533** | **n/a** | **3/23/2022** | **62** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| Calcium (mg/L) | MW-106 | 1.533 | n/a | 3/23/2022 | 0.48 | No | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001075 | Param Inter 1 of 2 |
| **Calcium (mg/L)** | **MW-109** | **1.533** | **n/a** | **3/23/2022** | **4.8** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-110** | **1.533** | **n/a** | **3/23/2022** | **28** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001075** | **Param Inter 1 of 2** |
| Chloride (mg/L) | MW-102 | 7.118 | n/a | 3/23/2022 | 6.9 | No | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| **Chloride (mg/L)** | **MW-103** | **7.118** | **n/a** | **3/24/2022** | **9.8** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-104** | **7.118** | **n/a** | **3/23/2022** | **120** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-105** | **7.118** | **n/a** | **3/23/2022** | **10** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| Chloride (mg/L) | MW-106 | 7.118 | n/a | 3/23/2022 | 4.1 | No | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001075 | Param Inter 1 of 2 |
| **Chloride (mg/L)** | **MW-109** | **7.118** | **n/a** | **3/23/2022** | **28** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-110** | **7.118** | **n/a** | **3/23/2022** | **110** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001075** | **Param Inter 1 of 2** |
| Field pH (SU) | MW-102 | 6.42 | 4.5 | 3/23/2022 | 5.02 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-103 | 6.42 | 4.5 | 3/24/2022 | 5.02 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| **Field pH (SU)** | **MW-104** | **6.42** | **4.5** | **3/23/2022** | **4.15** | **Yes** | **119** | **n/a** | **n/a** | **0** | **n/a** | **n/a** | **0.0002756** | **NP Inter (normality) 1 of 2** |
| **Field pH (SU)** | **MW-105** | **6.42** | **4.5** | **3/23/2022** | **6.48** | **Yes** | **119** | **n/a** | **n/a** | **0** | **n/a** | **n/a** | **0.0002756** | **NP Inter (normality) 1 of 2** |
| Field pH (SU) | MW-106 | 6.42 | 4.5 | 3/23/2022 | 4.99 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-109 | 6.42 | 4.5 | 3/23/2022 | 5 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-110 | 6.42 | 4.5 | 3/23/2022 | 5.01 | No | 119 | n/a | n/a | 0 | n/a | n/a | 0.0002756 | NP Inter (normality) 1 of 2 |
| Fluoride (mg/L) | MW-102 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-103 | 0.12 | n/a | 3/24/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-104** | **0.12** | **n/a** | **3/23/2022** | **0.3** | **Yes** | **120** | **n/a** | **n/a** | **94.17** | **n/a** | **n/a** | **0.0001349** | **NP Inter (NDs) 1 of 2** |
| Fluoride (mg/L) | MW-105 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-106 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-109 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-110 | 0.12 | n/a | 3/23/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001349 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-102 | 5 | n/a | 3/23/2022 | 1.8J | No | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-103** | **5** | **n/a** | **3/24/2022** | **28** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-104** | **5** | **n/a** | **3/23/2022** | **560** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-105** | **5** | **n/a** | **3/23/2022** | **24** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| Sulfate (mg/L) | MW-106 | 5 | n/a | 3/23/2022 | 5ND | No | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001378 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-109** | **5** | **n/a** | **3/23/2022** | **28** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-110** | **5** | **n/a** | **3/23/2022** | **270** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001378** | **NP Inter (NDs) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-102 | 110 | n/a | 3/23/2022 | 36 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-103 | 110 | n/a | 3/24/2022 | 90 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-104** | **110** | **n/a** | **3/23/2022** | **1300** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001349** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-105** | **110** | **n/a** | **3/23/2022** | **230** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001349** | **NP Inter (normality) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-106 | 110 | n/a | 3/23/2022 | 30 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-109 | 110 | n/a | 3/23/2022 | 90 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001349 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-110** | **110** | **n/a** | **3/23/2022** | **630** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001349** | **NP Inter (normality) 1 of 2** |

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-103, MW-104, MW-105, MW-109, MW-110

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 120 background values. 80% NDs. Annual per-constituent alpha = 0.001887. Individual comparison alpha = 0.0001349 (1 of 2). Comparing 7 points to limit.


Constituent: Boron Analysis Run 1/12/2023 10:12 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Exceeds Limit: MW-102, MW-103, MW-104, MW-105, MW-109, MW-110

## Prediction Limit

Interwell Parametric




Background Data Summary (based on natural log transformation): Mean=-0.3719, Std. Dev.=0.4272, n=120. Normality test: Chi Squared @alpha = 0.01, calculated = 13.33, critical = 14.07. Kappa = 1.87 (c=7, w=7, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001075. Comparing 7 points to limit.


Constituent: Calcium Analysis Run 1/12/2023 10:12 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Exceeds Limit: MW-103, MW-104, MW-105, MW-109, MW-110

## Prediction Limit

Interwell Parametric




Background Data Summary (based on square root transformation): Mean=2.298, Std. Dev.=0.1978, n=120. Normality test: Chi Squared @alpha = 0.01, calculated = 12.5, critical = 14.07. Kappa = 1.87 (c=7, w=7, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001075. Comparing 7 points to limit.


Constituent: Chloride Analysis Run 1/12/2023 10:12 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Exceeds Limits: MW-104, MW-105

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 119 background values. Annual per-constituent alpha = 0.003855. Individual comparison alpha = 0.0002756 (1 of 2). Comparing 7 points to limit.


Constituent: Field pH Analysis Run 1/12/2023 10:12 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-104

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 120 background values. 94.17% NDs. Annual per-constituent alpha = 0.001887. Individual comparison alpha = 0.0001349 (1 of 2). Comparing 7 points to limit.


Constituent: Fluoride Analysis Run 1/12/2023 10:12 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-103, MW-104, MW-105, MW-109, MW-110

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 119 background values. 77.31% NDs. Annual per-constituent alpha = 0.001928. Individual comparison alpha = 0.0001378 (1 of 2). Comparing 7 points to limit.


Constituent: Sulfate Analysis Run 1/12/2023 10:12 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-104, MW-105, MW-110

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 120 background values. 23.33% NDs. Annual per-constituent alpha = 0.001887. Individual comparison alpha = 0.0001349 (1 of 2). Comparing 7 points to limit.

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:12 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-106 | MW-306 (bg) | MW-103 | MW-105 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.05 | <0.05 | <0.05 | <0.05 | | | | | |
| 3/1/2016 | | | | | <0.05 | <0.05 | <0.05 (*) | <0.05 (*) | 8.7 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | <0.05 | <0.05 | | <0.05 | | | | | |
| 5/3/2016 | | | | | | <0.05 | | | |
| 5/4/2016 | | | <0.05 | | <0.05 (*) | | | | |
| 5/5/2016 | | | | | | | <0.05 (*) | <0.05 (*) | 7.8 |
| 7/5/2016 | <0.05 | <0.05 | | <0.05 | | <0.05 | | | |
| 7/7/2016 | | | | | | | 0.33 | 1 | 7 |
| 7/8/2016 | | | <0.05 | | <0.05 | | | | |
| 9/6/2016 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | | | |
| 9/7/2016 | | | | | 0.022 (J) | | 0.37 | 0.53 | 12 |
| 11/7/2016 | <0.05 | <0.05 | | <0.05 | | <0.05 | | | |
| 11/9/2016 | | | | | <0.05 | | | 1.6 | 9.6 |
| 11/10/2016 | | | <0.05 | | | | 0.43 | | |
| 1/9/2017 | <0.05 | <0.05 | | <0.05 | | <0.05 | | | |
| 1/11/2017 | | | <0.05 | | <0.05 | | | 0.9 | 11 |
| 1/12/2017 | | | | | | | 0.44 | | |
| 3/13/2017 | <0.05 | 0.022 (J) | | <0.05 | | <0.05 | | | |
| 3/14/2017 | | | <0.05 | | 0.071 | | | 0.63 | 10 |
| 3/15/2017 | | | | | | | 0.46 | | |
| 5/15/2017 | <0.05 | <0.05 | | <0.05 | | <0.05 | | | |
| 5/18/2017 | | | <0.05 | | <0.05 (*) | | 0.44 | 1.5 | 15 |
| 10/2/2017 | <0.05 | 0.023 (J) | | <0.05 | | <0.05 | | | |
| 10/5/2017 | | | <0.05 | | <0.05 | | | 0.32 | 12 |
| 10/6/2017 | | | | | | | 0.37 | | |
| 12/19/2017 | | | | | | | 0.35 (R) | 1.6 (R) | 11 (R) |
| 3/12/2018 | <0.05 | <0.05 | | <0.05 | | <0.05 | | | |
| 3/14/2018 | | | <0.05 | | <0.05 | | 0.32 | 0.7 | 11 |
| 6/5/2018 | <0.05 | <0.05 | | <0.05 | | | | | |
| 6/6/2018 | | | | | | <0.05 | | | |
| 6/10/2018 | | | <0.05 | | 0.066 | | | 2.4 | 12 |
| 6/11/2018 | | | | | | | 0.26 | | |
| 10/16/2018 | <0.05 | <0.05 | | <0.05 | | | | | |
| 10/17/2018 | | | | | | <0.05 | | | |
| 10/18/2018 | | | 0.081 | | 0.067 | | 0.25 | 0.43 | 9.6 |
| 10/19/2018 | | | | | | | | | |
| 2/27/2019 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | | | |
| 3/1/2019 | | | | | 0.048 (J) | | | 0.4 | 6.5 |
| 3/2/2019 | | | | | | | <0.05 | | |
| 5/31/2019 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | | | |
| 6/3/2019 | | | | | <0.05 | | | 1.7 | 11 |
| 6/11/2019 | | | | | | | 0.39 | | |
| 11/6/2019 | 0.017 (V) | 0.022 (V) | 0.016 (V) | 0.016 (V) | | 0.011 (V) | | | |
| 11/7/2019 | | | | | | | 0.19 | | 11 |
| 11/9/2019 | | | | | 0.097 (V) | | | 1.8 | |
| 4/16/2020 | 0.02 | 0.017 | 0.013 | 0.013 | | 0.0075 (J) | | | |
| 4/17/2020 | | | | | 0.07 | | 0.31 | | |
| 4/18/2020 | | | | | | | | 1.7 | 11 |
| 10/7/2020 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | | | |
| 10/8/2020 | | | | | 0.031 (J) | | 0.31 | 0.37 | 12 |
| 10/9/2020 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-106 | MW-306 (bg) | MW-103 | MW-105 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | <0.05 | <0.05 | <0.05 | <0.05 | | <0.05 | | | |
| 3/30/2021 | | | | | <0.05 | | 0.23 | 0.22 | |
| 3/31/2021 | | | | | | | | | 8.9 |
| 9/2/2021 | 0.021 (J) | 0.022 (J) | <0.05 | 0.018 (J) | | <0.05 | | | |
| 9/3/2021 | | | | | 0.021 (J) | | | 0.2 | 8.7 |
| 9/7/2021 | | | | | | | 0.19 | | |
| 3/22/2022 | 0.013 | 0.017 | 0.012 | 0.013 | | 0.009 (J) | | | |
| 3/23/2022 | | | | | 0.0074 (J) | | | 0.23 | 8.7 |
| 3/24/2022 | | | | | | | 0.2 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-307 (bg) | MW-109 | MW-110 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | <0.05 | <0.05 | | |
| 3/2/2016 | | | <0.05 (*) | 3 |
| 5/2/2016 | | <0.05 | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | | | |
| 5/5/2016 | <0.05 | | <0.05 (*) | 2.9 |
| 7/5/2016 | | <0.05 | | |
| 7/7/2016 | <0.05 | | 0.1 | 3 |
| 7/8/2016 | | | | |
| 9/6/2016 | <0.05 | <0.05 | | |
| 9/7/2016 | | | 0.073 | 3.8 |
| 11/7/2016 | | <0.05 | | |
| 11/9/2016 | | | | |
| 11/10/2016 | <0.05 | | 0.073 | 2.1 |
| 1/9/2017 | | <0.05 | | |
| 1/11/2017 | | | | |
| 1/12/2017 | <0.05 | | 0.059 | 4 |
| 3/13/2017 | | <0.05 | | |
| 3/14/2017 | | | 0.044 (J) | |
| 3/15/2017 | <0.05 | | | 4.2 |
| 5/15/2017 | | <0.05 | | |
| 5/18/2017 | <0.05 | | <0.05 (*) | 4.4 |
| 10/2/2017 | | <0.05 | | |
| 10/5/2017 | | | 0.047 (J) | |
| 10/6/2017 | <0.05 | | | 2.3 |
| 12/19/2017 | | | | 5.3 (R) |
| 3/12/2018 | | <0.05 | | |
| 3/14/2018 | <0.05 | | <0.05 | 4.6 |
| 6/5/2018 | | | | |
| 6/6/2018 | | <0.05 | | |
| 6/10/2018 | | | | |
| 6/11/2018 | <0.05 | | 0.11 | 4.2 |
| 10/16/2018 | | | | |
| 10/17/2018 | | <0.05 | | |
| 10/18/2018 | | | 0.15 | 4.3 |
| 10/19/2018 | 0.34 | | | |
| 2/27/2019 | | <0.05 | | |
| 3/1/2019 | | | 0.23 | 3.8 |
| 3/2/2019 | <0.05 | | | |
| 5/31/2019 | | <0.05 | | |
| 6/3/2019 | 0.17 | | 0.45 | 3 |
| 6/11/2019 | | | | |
| 11/6/2019 | | 0.0099 (J) | | |
| 11/7/2019 | | | 0.42 | 4.2 |
| 11/9/2019 | 0.023 (J) | | | |
| 4/16/2020 | | 0.0055 (J) | | |
| 4/17/2020 | | | 0.83 | 4.6 |
| 4/18/2020 | 0.012 | | | |
| 10/7/2020 | | <0.05 | | |
| 10/8/2020 | 0.033 (J) | | | |
| 10/9/2020 | | | 0.37 | 4.8 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-307 (bg) | MW-109 | MW-110 |
|---|---|---|---|---|
| 3/29/2021 | | <0.05 | | |
| 3/30/2021 | <0.05 | | | |
| 3/31/2021 | | | 0.2 | 3.8 |
| 9/2/2021 | | <0.05 | | |
| 9/3/2021 | | | 0.77 | 3.3 |
| 9/7/2021 | <0.05 | | | |
| 3/22/2022 | | 0.0063 (J) | | |
| 3/23/2022 | 0.017 | | 0.36 | 4.5 |
| 3/24/2022 | | | | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-104 | MW-102 | MW-306 (bg) | MW-105 | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1.4 | 1 (J) | 0.67 | | | | | |
| 3/1/2016 | | | | | 46 | 0.99 (J) | 0.6 | 63 | 1.5 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | 0.78 | 1.1 | | 0.58 | | | | | 0.83 |
| 5/3/2016 | | | | | | | 0.55 | | |
| 5/4/2016 | | | 0.62 | | | | | | |
| 5/5/2016 | | | | | 37 | 1.2 | | 58 | |
| 7/5/2016 | 0.65 | 0.94 | | 0.43 | | | 0.53 | | 1.6 |
| 7/7/2016 | | | | | 38 | 1.1 | | 55 | |
| 7/8/2016 | | | 0.4 | | | | | | |
| 9/6/2016 | 0.7 | 1 | 0.45 | 0.48 | | 1 | 0.5 | | 1.6 |
| 9/7/2016 | | | | | 55 | | | 59 | |
| 11/7/2016 | 0.8 | 1.2 | | 0.56 | | | 0.68 | | 1.5 |
| 11/9/2016 | | | | | 52 | | | 61 | |
| 11/10/2016 | | | 0.44 | | | 0.73 | | | |
| 1/9/2017 | 0.74 | 1.2 | | 0.43 | | | 0.56 | | 0.98 |
| 1/11/2017 | | | 0.42 | | 56 | | | 66 | |
| 1/12/2017 | | | | | | 0.63 | | | |
| 3/13/2017 | 0.78 | 1.3 | | 0.48 | | | 0.62 | | 0.75 |
| 3/14/2017 | | | 0.42 | | 55 | | | 63 | |
| 3/15/2017 | | | | | | 0.72 | | | |
| 5/15/2017 | 0.76 | 1 | | 0.37 | | | 0.58 | | 0.83 |
| 5/18/2017 | | | 0.38 | | 61 | 0.71 | | 68 | |
| 10/2/2017 | 0.78 | 1.2 | | 0.47 | | | 0.62 | | 0.83 |
| 10/5/2017 | | | 0.39 | | 55 | | | 58 | |
| 10/6/2017 | | | | | | 0.56 | | | |
| 12/19/2017 | | | | | 47 (R) | | | 69 (R) | |
| 3/12/2018 | 0.88 | 1.4 | | 0.49 | | | 0.59 | | 0.71 |
| 3/14/2018 | | | 0.49 | | 55 | 0.63 | | 62 | |
| 6/5/2018 | 0.9 | 1.2 | | 0.49 | | | | | |
| 6/6/2018 | | | | | | | 0.59 | | 0.68 |
| 6/10/2018 | | | 0.39 | | 67 | | | 86 | |
| 6/11/2018 | | | | | | 0.55 | | | |
| 10/16/2018 | 0.86 | 1.4 | | 0.42 | | | | | |
| 10/17/2018 | | | | | | | 0.54 | | 0.66 |
| 10/18/2018 | | | 0.41 | | 52 | | | 63 | |
| 10/19/2018 | | | | | | 0.37 | | | |
| 2/27/2019 | 0.96 | 1.3 | 0.44 | 0.56 | | | 0.63 | | 0.7 |
| 3/1/2019 | | | | | 28 | | | 51 | |
| 3/2/2019 | | | | | | 0.57 | | | |
| 5/31/2019 | 0.76 | 1.1 | 0.28 | 0.33 | | | 0.45 | | 0.52 |
| 6/3/2019 | | | | | 49 | 2 | | 65 | |
| 6/11/2019 | | | | | | | | | |
| 11/6/2019 | 0.88 | 1.2 | 0.46 | 0.49 | | | 0.55 | | 0.74 |
| 11/7/2019 | | | | | 62 | | | | |
| 11/9/2019 | | | | | | 0.61 (V) | | 84 | |
| 4/16/2020 | 0.84 | 1.3 | 0.38 | 0.36 | | | 0.53 | | 0.59 |
| 4/17/2020 | | | | | | | | | |
| 4/18/2020 | | | | | 62 | 0.45 | | 58 | |
| 10/7/2020 | 0.93 | 1.6 | 0.47 | 0.43 | | | 0.63 | | 0.67 |
| 10/8/2020 | | | | | 59 | 0.67 | | 50 | |
| 10/9/2020 | | | | | | | | | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-104 | MW-102 | MW-306 (bg) | MW-105 | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 1 | 1.6 | 0.43 | 0.46 | | | 0.68 | | 0.75 |
| 3/30/2021 | | | | | | 0.47 | | 68 | |
| 3/31/2021 | | | | | 74 | | | | |
| 9/2/2021 | 1.1 | 1.5 | 0.63 | 0.47 | | | 0.56 | | 0.73 |
| 9/3/2021 | | | | | 63 | | | 59 | |
| 9/7/2021 | | | | | | 0.39 | | | |
| 3/22/2022 | 0.9 | 1.6 | 0.38 | 0.33 | | | 0.81 | | 0.7 |
| 3/23/2022 | | | | | 71 | 2 | | 62 | |
| 3/24/2022 | | | | | | | | | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 5.6 | 1.8 | | |
| 3/2/2016 | | | 23 | 2 |
| 5/2/2016 | | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | 1.1 | | |
| 5/5/2016 | 5.4 | | 21 | 2.6 |
| 7/5/2016 | | | | |
| 7/7/2016 | 3.9 | | 20 | 2.9 |
| 7/8/2016 | | 0.82 | | |
| 9/6/2016 | | | | |
| 9/7/2016 | 4.2 | 0.57 | 20 | 3.1 |
| 11/7/2016 | | | | |
| 11/9/2016 | | 0.62 | | |
| 11/10/2016 | 3.5 | | 8.7 | 2.7 |
| 1/9/2017 | | | | |
| 1/11/2017 | | 0.44 | | |
| 1/12/2017 | 3.3 | | 27 | 2.9 |
| 3/13/2017 | | | | |
| 3/14/2017 | | 0.46 | | 3.1 |
| 3/15/2017 | 4.1 | | 32 | |
| 5/15/2017 | | | | |
| 5/18/2017 | 3.9 | 0.41 | 30 | 3 |
| 10/2/2017 | | | | |
| 10/5/2017 | | 0.39 | | 3.7 |
| 10/6/2017 | 4.3 | | 15 | |
| 12/19/2017 | 3.7 (R) | | 41 (R) | 3.1 (R) |
| 3/12/2018 | | | | |
| 3/14/2018 | 3.9 | 0.47 | 35 | 3.1 |
| 6/5/2018 | | | | |
| 6/6/2018 | | | | |
| 6/10/2018 | | 0.39 | | |
| 6/11/2018 | 3.5 | | 30 | 2.6 |
| 10/16/2018 | | | | |
| 10/17/2018 | | | | |
| 10/18/2018 | 3.1 | 0.47 | 38 | 2.8 |
| 10/19/2018 | | | | |
| 2/27/2019 | | | | |
| 3/1/2019 | | 0.46 | 28 | 3.1 |
| 3/2/2019 | 0.56 | | | |
| 5/31/2019 | | | | |
| 6/3/2019 | | 0.38 | 13 | 3.9 |
| 6/11/2019 | 3.5 | | | |
| 11/6/2019 | | | | |
| 11/7/2019 | 3.4 | | 32 | 4.3 |
| 11/9/2019 | | 0.56 (V) | | |
| 4/16/2020 | | | | |
| 4/17/2020 | 3.5 | 0.42 | 29 | 5.2 |
| 4/18/2020 | | | | |
| 10/7/2020 | | | | |
| 10/8/2020 | 3.7 | 0.51 | | |
| 10/9/2020 | | | 31 | 5.9 |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 3/29/2021 | | | | |
| 3/30/2021 | 3.6 | 0.49 | | |
| 3/31/2021 | | | 23 | 3.3 |
| 9/2/2021 | | | | |
| 9/3/2021 | | 0.51 | 21 | 8.4 |
| 9/7/2021 | 3.5 | | | |
| 3/22/2022 | | | | |
| 3/23/2022 | | 0.48 | 28 | 4.8 |
| 3/24/2022 | 3.6 | | | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-106 | MW-306 (bg) | MW-103 | MW-105 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 7.4 | 5.4 | 8.1 | | | | | |
| 3/1/2016 | | | | | 4.4 | 5.6 | 6.6 | 36 | 90 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | 4.4 | 6.3 | | 6 | | | | | |
| 5/3/2016 | | | | | | 5.1 | | | |
| 5/4/2016 | | | 4.5 | | 3 | | | | |
| 5/5/2016 | | | | | | | 6.5 | 34 | 63 |
| 7/5/2016 | 4.2 | 4.8 | | 5.2 | | 4.7 | | | |
| 7/7/2016 | | | | | | | 7.3 | 34 | 75 |
| 7/8/2016 | | | 4.9 | | 3.5 | | | | |
| 9/6/2016 | 4.3 | 6 | 4.3 | 5.5 | | 4.4 | | | |
| 9/7/2016 | | | | | 3.3 | | 7.4 | 33 | 140 |
| 11/7/2016 | 4.2 | 5.7 | | 5.4 | | 4.6 | | | |
| 11/9/2016 | | | | | 3.9 | | | 38 | 180 |
| 11/10/2016 | | | 4.5 | | | | 8.4 | | |
| 1/9/2017 | 5.3 | 6.8 | | 6.1 | | 5.3 | | | |
| 1/11/2017 | | | 5.3 | | 4.1 | | | 34 | 200 |
| 1/12/2017 | | | | | | | 9.2 | | |
| 3/13/2017 | 5.2 | 6.8 | | 5.5 | | 5.6 | | | |
| 3/14/2017 | | | 5.5 | | 4 | | | 35 | 150 |
| 3/15/2017 | | | | | | | 9.5 | | |
| 5/15/2017 | 4.8 | 6.1 | | 4.7 | | 5.2 | | | |
| 5/18/2017 | | | 5 | | 4 | | 9.9 | 60 | 190 |
| 10/2/2017 | 5.5 | 6 | | 6.1 | | 5.5 | | | |
| 10/5/2017 | | | 5.6 | | 4.5 | | | 33 | 120 |
| 10/6/2017 | | | | | | | 10 | | |
| 12/19/2017 | | | | | | | 9.3 (R) | 120 (R) | 84 (R) |
| 3/12/2018 | 5.3 | 5.9 | | 6.1 | | 5.6 | | | |
| 3/14/2018 | | | 5.2 | | 3.7 | | 7.7 | 45 | 160 |
| 6/5/2018 | 5.3 | 6.5 | | 5.5 | | | | | |
| 6/6/2018 | | | | | | 5.6 | | | |
| 6/10/2018 | | | 5.2 | | 3.6 | | | 140 | 190 |
| 6/11/2018 | | | | | | | 8 | | |
| 10/16/2018 | 5.5 | 5.9 | | 5.1 | | | | | |
| 10/17/2018 | | | | | | 5.5 | | | |
| 10/18/2018 | | | 5.2 | | 5 | | 12 | 32 | 100 |
| 10/19/2018 | | | | | | | | | |
| 2/27/2019 | 4.6 | 4.3 | 5.1 | 5 | | 5.1 | | | |
| 3/1/2019 | | | | | 1.7 (J) | | | 30 | 42 |
| 3/2/2019 | | | | | | | 8.5 | | |
| 5/31/2019 | 5.1 | 4.5 | 5 | 5.4 | | 5.4 | | | |
| 6/3/2019 | | | | | 3.3 | | | 86 | 110 |
| 6/11/2019 | | | | | | | 17 | | |
| 11/6/2019 | 5.8 | 5.7 | 6 | 6.1 | | 5.9 | | | |
| 11/7/2019 | | | | | | | 15 | | 120 |
| 11/9/2019 | | | | | 4.7 | | | 200 | |
| 4/16/2020 | 6.1 | 5.6 | 5.8 | 5.3 | | 6.2 | | | |
| 4/17/2020 | | | | | 4.8 | | 20 | | |
| 4/18/2020 | | | | | | | | 73 | 130 |
| 10/7/2020 | 6.6 | 5.1 | 5.9 | 5.7 | | 6.1 | | | |
| 10/8/2020 | | | | | 5 | | 18 | 26 | 95 |
| 10/9/2020 | | | | | | | | | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-106 | MW-306 (bg) | MW-103 | MW-105 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 10 | 5 | 5.8 | 5.2 | | 6.2 | | | |
| 3/30/2021 | | | | | 5 | | 12 | 18 | |
| 3/31/2021 | | | | | | | | | 120 |
| 9/2/2021 | 5.8 | 5.2 | 5.1 | 5.1 | | 5.9 | | | |
| 9/3/2021 | | | | | 4.4 | | | 10 | 110 |
| 9/7/2021 | | | | | | | 12 | | |
| 3/22/2022 | 5.9 | 8.8 | 4.9 | 4.7 | | 5.6 | | | |
| 3/23/2022 | | | | | 4.1 | | | 10 | 120 |
| 3/24/2022 | | | | | | | 9.8 | | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-307 (bg) | MW-109 | MW-110 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 4.8 | 4 | | |
| 3/2/2016 | | | 5 | 87 |
| 5/2/2016 | | 3.6 | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | | | |
| 5/5/2016 | 5.6 | | 6.8 | 87 |
| 7/5/2016 | | 3.6 | | |
| 7/7/2016 | 5 | | 6.7 | 83 |
| 7/8/2016 | | | | |
| 9/6/2016 | 4.8 | 4 | | |
| 9/7/2016 | | | 4.8 | 80 |
| 11/7/2016 | | 4.4 | | |
| 11/9/2016 | | | | |
| 11/10/2016 | 4.7 | | 4.2 | 35 |
| 1/9/2017 | | 4.4 | | |
| 1/11/2017 | | | | |
| 1/12/2017 | 5.6 | | 4.4 | 130 |
| 3/13/2017 | | 4.1 | | |
| 3/14/2017 | | | 4.4 | |
| 3/15/2017 | 5.9 | | | 150 |
| 5/15/2017 | | 3.7 | | |
| 5/18/2017 | 5.7 | | 5 | 140 |
| 10/2/2017 | | 4.8 | | |
| 10/5/2017 | | | 5.8 | |
| 10/6/2017 | 6 | | | 62 |
| 12/19/2017 | | | | 180 (R) |
| 3/12/2018 | | 4 | | |
| 3/14/2018 | 5.2 | | 6.9 | 140 |
| 6/5/2018 | | | | |
| 6/6/2018 | | 4.1 | | |
| 6/10/2018 | | | | |
| 6/11/2018 | 4.9 | | 6 | 140 |
| 10/16/2018 | | | | |
| 10/17/2018 | | 3.7 | | |
| 10/18/2018 | | | 7.5 | 160 |
| 10/19/2018 | 6.7 | | | |
| 2/27/2019 | | 4 | | |
| 3/1/2019 | | | 7.2 | 140 |
| 3/2/2019 | 4.4 | | | |
| 5/31/2019 | | 3.7 | | |
| 6/3/2019 | 13 | | 8.5 | 79 |
| 6/11/2019 | | | | |
| 11/6/2019 | | 4.7 | | |
| 11/7/2019 | | | 18 | 120 |
| 11/9/2019 | 6.1 | | | |
| 4/16/2020 | | 4.9 | | |
| 4/17/2020 | | | 29 | 120 |
| 4/18/2020 | 6.3 | | | |
| 10/7/2020 | | 4.7 | | |
| 10/8/2020 | 6.4 | | | |
| 10/9/2020 | | | 22 | 100 |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-307 (bg) | MW-109 | MW-110 |
|---|---|---|---|---|
| 3/29/2021 | | 5.4 | | |
| 3/30/2021 | 6.4 | | | |
| 3/31/2021 | | | 18 | 110 |
| 9/2/2021 | | 5.1 | | |
| 9/3/2021 | | | 57 | 100 |
| 9/7/2021 | 6.1 | | | |
| 3/22/2022 | | 4.8 | | |
| 3/23/2022 | 6.9 | | 28 | 110 |
| 3/24/2022 | | | | |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-306 (bg) | MW-102 | MW-105 | MW-106 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 4.9 | 5.26 | 5.11 | | | | | |
| 3/1/2016 | | | | | 5.08 | 5.03 | 6.12 | 5.84 | 4.09 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | 4.76 | 4.69 | | 4.77 | | | | | |
| 5/3/2016 | | | | | 5.14 | | | | |
| 5/4/2016 | | | 5.1 | | | | | 5.69 | |
| 5/5/2016 | | | | | | 5.03 | 6.25 | | 4.12 |
| 7/5/2016 | 5.12 | 7.11 (o) | | 5.48 | 5.38 | | | | |
| 7/7/2016 | | | | | | 4.85 | 5.99 | | 3.99 |
| 7/8/2016 | | | 4.96 | | | | | 5.49 | |
| 9/6/2016 | 5.11 | 5.19 | 5.43 | 5.12 | 5.37 | 4.84 | | | |
| 9/7/2016 | | | | | | | 6.03 | 5.22 | 4.06 |
| 11/7/2016 | 4.76 | 4.64 | | 4.73 | 4.92 | | | | |
| 11/9/2016 | | | | | | | 6.01 | 5.39 | 4.05 |
| 11/10/2016 | | | 4.89 | | | 4.72 | | | |
| 1/9/2017 | 4.99 | 4.94 | | 5 | 5.05 | | | | |
| 1/11/2017 | | | 4.87 | | | | 6.04 | 5.12 | 4.01 |
| 1/12/2017 | | | | | | 4.79 | | | |
| 3/13/2017 | 4.57 | 4.63 | | 4.74 | 4.87 | | | | |
| 3/14/2017 | | | 4.71 | | | | 6.11 | 5.05 | 4.06 |
| 3/15/2017 | | | | | | 4.81 | | | |
| 5/15/2017 | 4.6 | 4.52 | | 4.63 | 4.69 | | | | |
| 5/18/2017 | | | 4.5 | | | 4.5 | 5.88 | 4.68 | 3.65 |
| 10/2/2017 | 4.64 | 4.54 | | 4.63 | 4.88 | | | | |
| 10/5/2017 | | | 4.63 | | | | 6.07 | 4.77 | 3.79 |
| 10/6/2017 | | | | | | 4.56 | | | |
| 12/19/2017 | | | | | | | 6.11 (R) | | 4.1 (R) |
| 3/12/2018 | 4.85 | 4.81 | | 4.81 | 5.07 | | | | |
| 3/14/2018 | | | 5.14 | | | 5.08 | 6.29 | 5.28 | 4.2 |
| 6/5/2018 | 4.92 | 4.9 | | 5.04 | | | | | |
| 6/6/2018 | | | | | 5.09 | | | | |
| 6/10/2018 | | | 5.12 | | | | 5.96 | 4.99 | 3.97 |
| 6/11/2018 | | | | | | 4.81 | | | |
| 10/16/2018 | 4.93 | 4.81 | | 4.98 | | | | | |
| 10/17/2018 | | | | | 4.99 | | | | |
| 10/18/2018 | | | 4.97 | | | | 6.19 | 5.07 | 4.12 |
| 10/19/2018 | | | | | | 5.15 | | | |
| 2/27/2019 | 4.75 | 4.71 | 4.84 | 4.78 | 4.87 | | | | |
| 3/1/2019 | | | | | | | 6.27 | 5.13 | 4.19 |
| 3/2/2019 | | | | | | 4.81 | | | |
| 5/31/2019 | 4.9 | 4.84 | 4.92 | 4.92 | 4.89 | | | | |
| 6/3/2019 | | | | | | 4.7 | 6.23 | 5.12 | 4.17 |
| 6/11/2019 | | | | | | | | | |
| 11/6/2019 | 4.82 | 4.78 | 4.94 | 4.88 | 5.04 | | | | |
| 11/7/2019 | | | | | | | | | 4.03 |
| 11/9/2019 | | | | | | 4.78 | 6.19 | 5.06 | |
| 4/16/2020 | 5.03 | 4.96 | 5.17 | 5.15 | 5.13 | | | | |
| 4/17/2020 | | | | | | | | 5.23 | |
| 4/18/2020 | | | | | | 4.96 | 6.21 | | 4.08 |
| 10/7/2020 | 4.74 | 4.8 | 5.08 | 4.91 | 5.13 | | | | |
| 10/8/2020 | | | | | | 4.87 | 6.29 | 5.34 | 4.13 |
| 10/9/2020 | | | | | | | | | |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-306 (bg) | MW-102 | MW-105 | MW-106 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 4.79 | 4.8 | 4.92 | 4.89 | 4.93 | | | | |
| 3/30/2021 | | | | | | 4.82 | 6.31 | 4.98 | |
| 3/31/2021 | | | | | | | | | 3.7 |
| 9/2/2021 | 4.81 | 4.77 | 5.07 | 4.87 | 4.94 | | | | |
| 9/3/2021 | | | | | | | 6.17 | 4.85 | 4.32 |
| 9/7/2021 | | | | | | 4.62 | | | |
| 3/22/2022 | 4.9 | 4.89 | 5.02 | 4.91 | 5.1 | | | | |
| 3/23/2022 | | | | | | 5.02 | 6.48 | 4.99 | 4.15 |
| 3/24/2022 | | | | | | | | | |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-307 (bg) | MW-109 | MW-110 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 5.86 | 6.37 | | |
| 3/2/2016 | | | 5.015 (D) | 5.015 (D) |
| 5/2/2016 | | 5.605 (D) | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | | | |
| 5/5/2016 | 5.77 | | 4.87 | 5.04 |
| 7/5/2016 | | 6.29 | | |
| 7/7/2016 | 5.45 | | 4.86 | 5.55 |
| 7/8/2016 | | | | |
| 9/6/2016 | | 6.42 | | |
| 9/7/2016 | 5.01 | | 4.72 | 4.86 |
| 11/7/2016 | | 5.75 | | |
| 11/9/2016 | | | | |
| 11/10/2016 | 4.99 | | 4.72 | 5.19 |
| 1/9/2017 | | 5.98 | | |
| 1/11/2017 | | | | |
| 1/12/2017 | 4.95 | | 4.67 | 4.84 |
| 3/13/2017 | | 5.81 | | |
| 3/14/2017 | | | 4.77 | |
| 3/15/2017 | 5.03 | | | 4.86 |
| 5/15/2017 | | 5.42 | | |
| 5/18/2017 | 4.75 | | 4.43 | 4.59 |
| 10/2/2017 | | 5.63 | | |
| 10/5/2017 | | | 4.52 | |
| 10/6/2017 | 5.07 | | | 5.73 |
| 12/19/2017 | 5.1 (R) | | 4.76 (R) | 4.84 (R) |
| 3/12/2018 | | 5.6 | | |
| 3/14/2018 | 4.89 | | 4.71 | 4.75 |
| 6/5/2018 | | | | |
| 6/6/2018 | | 5.58 | | |
| 6/10/2018 | | | | |
| 6/11/2018 | 5.02 | | 4.78 | 4.77 |
| 10/16/2018 | | | | |
| 10/17/2018 | | 5.54 | | |
| 10/18/2018 | 4.93 | | 4.76 | 4.73 |
| 10/19/2018 | | | | |
| 2/27/2019 | | 5.4 | | |
| 3/1/2019 | | | 4.85 | 4.76 |
| 3/2/2019 | 5.58 | | | |
| 5/31/2019 | | 5.45 | | |
| 6/3/2019 | | | 4.75 | 5.56 |
| 6/11/2019 | 4.97 | | | |
| 11/6/2019 | | 5.52 | | |
| 11/7/2019 | 4.99 | | 4.78 | 4.74 |
| 11/9/2019 | | | | |
| 4/16/2020 | | 5.58 | | |
| 4/17/2020 | 5.07 | | 4.75 | 4.7 |
| 4/18/2020 | | | | |
| 10/7/2020 | | 5.5 | | |
| 10/8/2020 | 4.98 | | | |
| 10/9/2020 | | | 4.77 | 4.9 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-307 (bg) | MW-109 | MW-110 |
|---|---|---|---|---|
| 3/29/2021 | | 5.46 | | |
| 3/30/2021 | 5.04 | | | |
| 3/31/2021 | | | 4.64 | 4.85 |
| 9/2/2021 | | 5.16 | | |
| 9/3/2021 | | | 4.72 | 6.28 |
| 9/7/2021 | 5.11 | | | |
| 3/22/2022 | | 5.18 | | |
| 3/23/2022 | | | 5 | 5.01 |
| 3/24/2022 | 5.02 | | | |

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-306 (bg) | MW-106 | MW-307 (bg) | MW-102 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | |
| 3/1/2016 | | | | | <0.1 | <0.1 | 0.033 (J) | <0.1 | 0.46 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | <0.1 | | <0.1 | <0.1 | | | <0.1 | | |
| 5/3/2016 | | | | | <0.1 | | | | |
| 5/4/2016 | | <0.1 | | | | <0.1 | | | |
| 5/5/2016 | | | | | | | | <0.1 | 0.27 |
| 7/5/2016 | <0.1 | | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 7/7/2016 | | | | | | | | <0.1 | 0.29 |
| 7/8/2016 | | <0.1 | | | | <0.1 | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | |
| 9/7/2016 | | | | | | <0.1 | | | 0.33 |
| 11/7/2016 | <0.1 | | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 11/9/2016 | | | | | | <0.1 | | | 0.29 |
| 11/10/2016 | | <0.1 | | | | | | <0.1 | |
| 1/9/2017 | <0.1 | | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 1/11/2017 | | <0.1 | | | | <0.1 | | | 0.42 |
| 1/12/2017 | | | | | | | | <0.1 | |
| 3/13/2017 | <0.1 | | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 3/14/2017 | | <0.1 | | | | <0.1 | | | 0.34 |
| 3/15/2017 | | | | | | | | <0.1 | |
| 5/15/2017 | <0.1 | | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 5/18/2017 | | <0.1 | | | | <0.1 | | <0.1 | 0.47 |
| 10/2/2017 | <0.1 | | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 10/5/2017 | | <0.1 | | | | <0.1 | | | 0.22 |
| 10/6/2017 | | | | | | | | <0.1 | |
| 12/19/2017 | | | | | | | | | 0.26 (R) |
| 3/12/2018 | <0.1 | | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 3/14/2018 | | 0.12 | | | | <0.1 | | <0.1 | 0.3 |
| 6/5/2018 | <0.1 | | <0.1 | <0.1 | | | | | |
| 6/6/2018 | | | | | <0.1 | | <0.1 | | |
| 6/10/2018 | | <0.1 | | | | <0.1 | | | 0.38 |
| 6/11/2018 | | | | | | | | <0.1 | |
| 10/16/2018 | <0.1 | | <0.1 | <0.1 | | | | | |
| 10/17/2018 | | | | | <0.1 | | <0.1 | | |
| 10/18/2018 | | <0.1 | | | | <0.1 | | | 0.26 |
| 10/19/2018 | | | | | | | | <0.1 | |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 3/1/2019 | | | | | | <0.1 | | | 0.1 |
| 3/2/2019 | | | | | | | | <0.1 | |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 6/3/2019 | | | | | | <0.1 | | <0.1 | 0.22 |
| 6/11/2019 | | | | | | | | | |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 11/7/2019 | | | | | | | | | 0.21 |
| 11/9/2019 | | | | | | <0.1 | | <0.1 | |
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 4/17/2020 | | | | | | <0.1 | | | |
| 4/18/2020 | | | | | | | | <0.1 | 0.3 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 10/8/2020 | | | | | | <0.1 | | <0.1 | 0.26 |
| 10/9/2020 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-306 (bg) | MW-106 | MW-307 (bg) | MW-102 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 3/30/2021 | | | | | | <0.1 | | <0.1 | |
| 3/31/2021 | | | | | | | | | 0.34 |
| 9/2/2021 | 0.08 (J) | 0.04 (J) | 0.1 | <0.1 | <0.1 | | 0.04 (J) | | |
| 9/3/2021 | | | | | | <0.1 | | | 0.41 |
| 9/7/2021 | | | | | | | | <0.1 | |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | <0.1 | | |
| 3/23/2022 | | | | | | <0.1 | | <0.1 | 0.3 |
| 3/24/2022 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-105 | MW-103 | MW-109 | MW-110 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 0.041 (J) | 0.037 (J) | | |
| 3/2/2016 | | | <0.1 | 0.039 (J) |
| 5/2/2016 | | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | | | |
| 5/5/2016 | <0.1 | <0.1 | <0.1 | <0.1 |
| 7/5/2016 | | | | |
| 7/7/2016 | <0.1 | <0.1 | <0.1 | <0.1 |
| 7/8/2016 | | | | |
| 9/6/2016 | | | | |
| 9/7/2016 | <0.1 | <0.1 | <0.1 | <0.1 |
| 11/7/2016 | | | | |
| 11/9/2016 | <0.1 | | | |
| 11/10/2016 | | <0.1 | <0.1 | <0.1 |
| 1/9/2017 | | | | |
| 1/11/2017 | <0.1 | | | |
| 1/12/2017 | | <0.1 | <0.1 | <0.1 |
| 3/13/2017 | | | | |
| 3/14/2017 | <0.1 | | <0.1 | |
| 3/15/2017 | | <0.1 | | <0.1 |
| 5/15/2017 | | | | |
| 5/18/2017 | <0.1 | <0.1 | <0.1 | <0.1 |
| 10/2/2017 | | | | |
| 10/5/2017 | <0.1 | | <0.1 | |
| 10/6/2017 | | <0.1 | | <0.1 |
| 12/19/2017 | | | | |
| 3/12/2018 | | | | |
| 3/14/2018 | <0.1 | <0.1 | <0.1 | <0.1 |
| 6/5/2018 | | | | |
| 6/6/2018 | | | | |
| 6/10/2018 | <0.1 | | | |
| 6/11/2018 | | <0.1 | <0.1 | 0.04 (J) |
| 10/16/2018 | | | | |
| 10/17/2018 | | | | |
| 10/18/2018 | 0.04 (J) | <0.1 | <0.1 | 0.04 (J) |
| 10/19/2018 | | | | |
| 2/27/2019 | | | | |
| 3/1/2019 | <0.1 | | <0.1 | <0.1 |
| 3/2/2019 | | <0.1 | | |
| 5/31/2019 | | | | |
| 6/3/2019 | 0.04 (J) | | <0.1 | 0.04 (J) |
| 6/11/2019 | | <0.1 | | |
| 11/6/2019 | | | | |
| 11/7/2019 | | <0.1 | <0.1 | 0.04 (J) |
| 11/9/2019 | <0.1 | | | |
| 4/16/2020 | | | | |
| 4/17/2020 | | <0.1 | <0.1 | 0.04 (J) |
| 4/18/2020 | 0.04 (J) | | | |
| 10/7/2020 | | | | |
| 10/8/2020 | 0.04 (J) | 0.24 | | |
| 10/9/2020 | | | <0.1 | <0.1 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-105 | MW-103 | MW-109 | MW-110 |
|---|---|---|---|---|
| 3/29/2021 | | | | |
| 3/30/2021 | 0.04 | <0.1 | | |
| 3/31/2021 | | | <0.1 | 0.04 |
| 9/2/2021 | | | | |
| 9/3/2021 | 0.07 (J) | | 0.05 (J) | 0.07 (J) |
| 9/7/2021 | | <0.1 | | |
| 3/22/2022 | | | | |
| 3/23/2022 | <0.1 | | <0.1 | <0.1 |
| 3/24/2022 | | <0.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-104 | MW-102 | MW-306 (bg) | MW-105 | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | 1.6 (J) | <5 | <5 | | | | | |
| 3/1/2016 | | | | | 380 | <5 | <5 | 17 | <5 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | 15 (o) | 2.1 (J) | | <5 | | | | | <5 |
| 5/3/2016 | | | | | | | <5 | | |
| 5/4/2016 | | | <5 | | | | | | |
| 5/5/2016 | | | | | 280 | <5 | | 11 | |
| 7/5/2016 | <5 | 2 (J) | | <5 | | | <5 | | <5 |
| 7/7/2016 | | | | | 330 | <5 | | 33 | |
| 7/8/2016 | | | <5 | | | | | | |
| 9/6/2016 | <5 | 1.8 (J) | <5 | <5 | | <5 | <5 | | 3.7 (J) |
| 9/7/2016 | | | | | 550 | | | 18 | |
| 11/7/2016 | <5 | 1.7 (J) | | <5 | | | <5 | | <5 |
| 11/9/2016 | | | | | 700 | | | 52 | |
| 11/10/2016 | | | <5 | | | <5 | | | |
| 1/9/2017 | <5 | 1.5 (J) | | 2.6 (J) | | | <5 | | <5 |
| 1/11/2017 | | | <5 | | 670 | | | 31 | |
| 1/12/2017 | | | | | | <5 | | | |
| 3/13/2017 | 2.5 (J) | 2.2 (J) | | <5 | | | <5 | | <5 |
| 3/14/2017 | | | <5 | | 670 | | | 20 | |
| 3/15/2017 | | | | | | <5 (*) | | | |
| 5/15/2017 | <5 | 1.9 (J) | | <5 | | | <5 | | <5 |
| 5/18/2017 | | | <5 (X) | | 790 | <5 (X) | | 35 | |
| 10/2/2017 | <5 | 3.4 (J) | | <5 | | | 1.5 (J) | | 1.7 (J) |
| 10/5/2017 | | | <5 | | 500 | | | 7.7 | |
| 10/6/2017 | | | | | | <5 | | | |
| 12/19/2017 | | | | | 400 (R) | | | 51 (R) | |
| 3/12/2018 | <5 | 2.6 (J) | | <5 | | | <5 | | <5 |
| 3/14/2018 | | | <5 | | 540 | <5 | | 22 | |
| 6/5/2018 | <5 | 2.6 (J) | | <5 | | | | | |
| 6/6/2018 | | | | | | | <5 | | <5 |
| 6/10/2018 | | | 1.5 (J) | | 760 | | | 96 | |
| 6/11/2018 | | | | | | 1.7 (J) | | | |
| 10/16/2018 | <5 | 2.8 (J) | | <5 | | | | | |
| 10/17/2018 | | | | | | | <5 | | <5 |
| 10/18/2018 | | | <5 | | 460 | | | 6.6 | |
| 10/19/2018 | | | | | | 3.4 (J) | | | |
| 2/27/2019 | <5 | 2.4 (J) | 1.9 (J) | <5 | | | <5 | | <5 |
| 3/1/2019 | | | | | 240 | | | 9.6 | |
| 3/2/2019 | | | | | | <5 | | | |
| 5/31/2019 | <5 | 3.3 (J) | <5 | <5 | | | <5 | | <5 |
| 6/3/2019 | | | | | 480 | 3.5 (J) | | 58 | |
| 6/11/2019 | | | | | | | | | |
| 11/6/2019 | <5 | 3.7 (J) | <5 | <5 | | | <5 | | <5 |
| 11/7/2019 | | | | | 610 | | | | |
| 11/9/2019 | | | | | | <5 | | 120 | |
| 4/16/2020 | <5 | 1.7 (J) | <5 | <5 | | | <5 | | <5 |
| 4/17/2020 | | | | | | | | | |
| 4/18/2020 | | | | | 670 | <5 | | 32 | |
| 10/7/2020 | <5 | 4 (J) | <5 | <5 | | | <5 | | <5 |
| 10/8/2020 | | | | | 590 | <5 | | 9.3 | |
| 10/9/2020 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-104 | MW-102 | MW-306 (bg) | MW-105 | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | <5 | 2.3 | <5 | <5 | | | <5 | | <5 |
| 3/30/2021 | | | | | | <5 | | 7.6 | |
| 3/31/2021 | | | | | 670 | | | | |
| 9/2/2021 | <5 | 4.7 (J) | <5 | <5 | | | <5 | | <5 |
| 9/3/2021 | | | | | 480 | | | 9.3 | |
| 9/7/2021 | | | | | | <5 | | | |
| 3/22/2022 | <5 | 4.5 (J) | <5 | <5 | | | <5 | | <5 |
| 3/23/2022 | | | | | 560 | 1.8 (J) | | 24 | |
| 3/24/2022 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 26 | <5 | | |
| 3/2/2016 | | | 150 | 13 |
| 5/2/2016 | | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | <5 | | |
| 5/5/2016 | 31 | | 200 | 15 |
| 7/5/2016 | | | | |
| 7/7/2016 | 31 | | 200 | 14 |
| 7/8/2016 | | <5 | | |
| 9/6/2016 | | | | |
| 9/7/2016 | 41 | <5 | 200 | 15 |
| 11/7/2016 | | | | |
| 11/9/2016 | | <5 | | |
| 11/10/2016 | 39 | | 130 | 13 |
| 1/9/2017 | | | | |
| 1/11/2017 | | <5 | | |
| 1/12/2017 | 35 | | 240 | 12 |
| 3/13/2017 | | | | |
| 3/14/2017 | | <5 | | 10 (V) |
| 3/15/2017 | 43 | | 300 | |
| 5/15/2017 | | | | |
| 5/18/2017 | 35 | <5 (X) | 270 | 8.7 |
| 10/2/2017 | | | | |
| 10/5/2017 | | <5 | | 9.8 |
| 10/6/2017 | 39 | | 140 | |
| 12/19/2017 | 36 (R) | | 280 (R) | 8.4 (R) |
| 3/12/2018 | | | | |
| 3/14/2018 | 38 | <5 | 270 | 9.7 |
| 6/5/2018 | | | | |
| 6/6/2018 | | | | |
| 6/10/2018 | | 1.4 (J) | | |
| 6/11/2018 | 34 | | 270 | 10 |
| 10/16/2018 | | | | |
| 10/17/2018 | | | | |
| 10/18/2018 | 31 | <5 | 280 | 8.1 |
| 10/19/2018 | | | | |
| 2/27/2019 | | | | |
| 3/1/2019 | | <5 | 250 | 7.4 |
| 3/2/2019 | 35 | | | |
| 5/31/2019 | | | | |
| 6/3/2019 | | <5 | 150 | 21 |
| 6/11/2019 | 32 | | | |
| 11/6/2019 | | | | |
| 11/7/2019 | 27 | | 290 | 16 |
| 11/9/2019 | | <5 | | |
| 4/16/2020 | | | | |
| 4/17/2020 | 31 | <5 | 280 | 12 |
| 4/18/2020 | | | | |
| 10/7/2020 | | | | |
| 10/8/2020 | 30 | <5 | | |
| 10/9/2020 | | | 280 | 25 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 3/29/2021 | | | | |
| 3/30/2021 | 32 | <5 | | |
| 3/31/2021 | | | 250 | 15 |
| 9/2/2021 | | | | |
| 9/3/2021 | | <5 | 160 | 32 |
| 9/7/2021 | 22 | | | |
| 3/22/2022 | | | | |
| 3/23/2022 | | <5 | 270 | 28 |
| 3/24/2022 | 28 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-106 | MW-306 (bg) | MW-103 | MW-105 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | 12 | 20 | <5 | | | | | |
| 3/1/2016 | | | | | <5 | 10 | 84 | 290 | 760 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | <5 | 6 | | <5 | | | | | |
| 5/3/2016 | | | | | | <5 | | | |
| 5/4/2016 | | | 6 | | 12 | | | | |
| 5/5/2016 | | | | | | | 76 | 250 | 620 |
| 7/5/2016 | 12 | <5 | | 14 | | <5 | | | |
| 7/7/2016 | | | | | | | 54 | 270 | 640 |
| 7/8/2016 | | | 6 | | 10 | | | | |
| 9/6/2016 | 36 | 38 | 36 | 30 | | 36 | | | |
| 9/7/2016 | | | | | 10 | | 82 | 270 | 1100 |
| 11/7/2016 | 18 | <5 | | 8 | | <5 | | | |
| 11/9/2016 | | | | | 26 | | | 330 | 1300 |
| 11/10/2016 | | | 16 | | | | 80 | | |
| 1/9/2017 | 4 (J) | 14 | | <5 | | <5 | | | |
| 1/11/2017 | | | 38 | | 28 | | | 330 | 1600 |
| 1/12/2017 | | | | | | | 110 | | |
| 3/13/2017 | 6 | 8 | | <5 | | 22 | | | |
| 3/14/2017 | | | <5 | | <5 | | | 260 | 1200 |
| 3/15/2017 | | | | | | | 82 | | |
| 5/15/2017 | <5 | <5 | | <5 | | 6 | | | |
| 5/18/2017 | | | 10 | | 26 | | 100 | 360 | 1500 |
| 10/2/2017 | <5 | 6 | | <5 | | 16 | | | |
| 10/5/2017 | | | <5 | | <5 | | | 240 | 980 |
| 10/6/2017 | | | | | | | 110 | | |
| 12/19/2017 | | | | | | | 72 (R) | 460 (R) | 900 (R) |
| 3/12/2018 | 18 | <5 | | 14 | | <5 | | | |
| 3/14/2018 | | | 8 | | <5 | | 66 | 300 | 1100 |
| 6/5/2018 | 10 | 14 | | <5 | | | | | |
| 6/6/2018 | | | | | | 20 | | | |
| 6/10/2018 | | | 8 | | 6 | | | 560 | 1500 |
| 6/11/2018 | | | | | | | 96 | | |
| 10/16/2018 | 32 | 6 | | 12 | | | | | |
| 10/17/2018 | | | | | | 44 | | | |
| 10/18/2018 | | | 28 | | 68 | | 64 | 250 | 860 |
| 10/19/2018 | | | | | | | | | |
| 2/27/2019 | 110 | 110 | 68 | 54 | | 20 | | | |
| 3/1/2019 | | | | | 28 | | | 210 | 440 |
| 3/2/2019 | | | | | | | 210 | | |
| 5/31/2019 | 46 | 26 | <5 | 8 | | 32 | | | |
| 6/3/2019 | | | | | 28 | | | 500 | 950 |
| 6/11/2019 | | | | | | | 110 | | |
| 11/6/2019 | <5 | <5 | 10 | 4 (J) | | 24 | | | |
| 11/7/2019 | | | | | | | 50 | | 980 |
| 11/9/2019 | | | | | 42 | | | 720 | |
| 4/16/2020 | 28 | 8 | 44 | 18 | | 6 | | | |
| 4/17/2020 | | | | | 48 | | 70 | | |
| 4/18/2020 | | | | | | | | 180 | 1100 |
| 10/7/2020 | 30 | 26 | 24 | 20 | | 16 | | | |
| 10/8/2020 | | | | | 100 | | 120 | 260 | 500 |
| 10/9/2020 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-106 | MW-306 (bg) | MW-103 | MW-105 | MW-104 |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 38 | 28 | 26 | 12 | | 42 | | | |
| 3/30/2021 | | | | | 12 | | 170 | 340 | |
| 3/31/2021 | | | | | | | | | 1100 |
| 9/2/2021 | 40 | 8 | 8 | 10 | | 10 | | | |
| 9/3/2021 | | | | | <5 | | | 210 | 1000 |
| 9/7/2021 | | | | | | | 62 | | |
| 3/22/2022 | 58 | 46 | 14 | 18 | | 84 | | | |
| 3/23/2022 | | | | | 30 | | | 230 | 1300 |
| 3/24/2022 | | | | | | | 90 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-307 (bg) | MW-109 | MW-110 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | <5 | <5 | | |
| 3/2/2016 | | | 30 | 440 |
| 5/2/2016 | | 36 | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | | | |
| 5/5/2016 | <5 | | 38 | 480 |
| 7/5/2016 | | <5 | | |
| 7/7/2016 | 24 | | 22 | 470 |
| 7/8/2016 | | | | |
| 9/6/2016 | 40 | 44 | | |
| 9/7/2016 | | | 38 | 440 |
| 11/7/2016 | | 30 | | |
| 11/9/2016 | | | | |
| 11/10/2016 | 20 | | 38 | 260 |
| 1/9/2017 | | 12 | | |
| 1/11/2017 | | | | |
| 1/12/2017 | 54 | | 40 | 630 |
| 3/13/2017 | | 20 | | |
| 3/14/2017 | | | 22 | |
| 3/15/2017 | 14 | | | 620 |
| 5/15/2017 | | 4 (J) | | |
| 5/18/2017 | 38 | | 24 | 640 |
| 10/2/2017 | | 24 | | |
| 10/5/2017 | | | <5 | |
| 10/6/2017 | 22 | | | 360 |
| 12/19/2017 | | | | 840 (R) |
| 3/12/2018 | | <5 | | |
| 3/14/2018 | 14 | | 12 | 660 |
| 6/5/2018 | | | | |
| 6/6/2018 | | 16 | | |
| 6/10/2018 | | | | |
| 6/11/2018 | 8 | | 26 | 670 |
| 10/16/2018 | | | | |
| 10/17/2018 | | 44 | | |
| 10/18/2018 | | | 34 | 750 |
| 10/19/2018 | 54 | | | |
| 2/27/2019 | | 28 | | |
| 3/1/2019 | | | 42 | 640 |
| 3/2/2019 | 28 | | | |
| 5/31/2019 | | 18 | | |
| 6/3/2019 | 54 | | 54 | 420 |
| 6/11/2019 | | | | |
| 11/6/2019 | | 20 | | |
| 11/7/2019 | | | 24 | 540 |
| 11/9/2019 | 24 | | | |
| 4/16/2020 | | 8 | | |
| 4/17/2020 | | | 28 | 600 |
| 4/18/2020 | 54 | | | |
| 10/7/2020 | | 12 | | |
| 10/8/2020 | 32 | | | |
| 10/9/2020 | | | 86 | 660 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:15 AM View: 100 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-307 (bg) | MW-109 | MW-110 |
|---|---|---|---|---|
| 3/29/2021 | | 40 | | |
| 3/30/2021 | 32 | | | |
| 3/31/2021 | | | 66 | 620 |
| 9/2/2021 | | <5 | | |
| 9/3/2021 | | | 170 | 580 |
| 9/7/2021 | 10 | | | |
| 3/22/2022 | | 22 | | |
| 3/23/2022 | 36 | | 90 | 630 |
| 3/24/2022 | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# 200 Series

# Appendix III - Interwell Prediction Limits - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:55 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-201 | 0.081 | n/a | 3/25/2022 | 3.4 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-206 | 0.081 | n/a | 3/25/2022 | 10 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-201 | 1.406 | n/a | 3/25/2022 | 73 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.002505 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-206 | 1.406 | n/a | 3/25/2022 | 170 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.002505 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-200 | 6.907 | n/a | 3/25/2022 | 76 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.002505 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-201 | 6.907 | n/a | 3/25/2022 | 160 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.002505 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-206 | 6.907 | n/a | 3/25/2022 | 340 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.002505 | Param Inter 1 of 2 |
| Fluoride (mg/L) | MW-201 | 0.12 | n/a | 3/25/2022 | 0.25 | Yes | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-200 | 5 | n/a | 3/25/2022 | 71 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001382 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-201 | 5 | n/a | 3/25/2022 | 120 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001382 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-206 | 5 | n/a | 3/25/2022 | 160 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.0001382 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-200 | 110 | n/a | 3/25/2022 | 380 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001353 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-201 | 110 | n/a | 3/25/2022 | 610 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001353 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-206 | 110 | n/a | 3/25/2022 | 630 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001353 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:55 AM


| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-200 | 0.081 | n/a | 3/25/2022 | 0.0043J | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-201** | **0.081** | **n/a** | **3/25/2022** | **3.4** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001353** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-206** | **0.081** | **n/a** | **3/25/2022** | **10** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001353** | **NP Inter (NDs) 1 of 2** |
| Calcium (mg/L) | MW-200 | 1.406 | n/a | 3/25/2022 | 0.025ND | No | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.002505 | Param Inter 1 of 2 |
| **Calcium (mg/L)** | **MW-201** | **1.406** | **n/a** | **3/25/2022** | **73** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-206** | **1.406** | **n/a** | **3/25/2022** | **170** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-200** | **6.907** | **n/a** | **3/25/2022** | **76** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-201** | **6.907** | **n/a** | **3/25/2022** | **160** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-206** | **6.907** | **n/a** | **3/25/2022** | **340** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.002505** | **Param Inter 1 of 2** |
| Fluoride (mg/L) | MW-200 | 0.12 | n/a | 3/25/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-201** | **0.12** | **n/a** | **3/25/2022** | **0.25** | **Yes** | **120** | **n/a** | **n/a** | **94.17** | **n/a** | **n/a** | **0.0001353** | **NP Inter (NDs) 1 of 2** |
| Fluoride (mg/L) | MW-206 | 0.12 | n/a | 3/25/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001353 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-200** | **5** | **n/a** | **3/25/2022** | **71** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001382** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-201** | **5** | **n/a** | **3/25/2022** | **120** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001382** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-206** | **5** | **n/a** | **3/25/2022** | **160** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.0001382** | **NP Inter (NDs) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **110** | **n/a** | **3/25/2022** | **380** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001353** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **110** | **n/a** | **3/25/2022** | **610** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001353** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **110** | **n/a** | **3/25/2022** | **630** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001353** | **NP Inter (normality) 1 of 2** |

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Exceeds Limit: MW-201, MW-206

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 120 background values. 80% NDs. Annual per-constituent alpha = 0.0008113. Individual comparison alpha = 0.0001353 (1 of 2). Comparing 3 points to limit.

Constituent: Boron Analysis Run 1/12/2023 11:54 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

Exceeds Limit: MW-201, MW-206

## Prediction Limit

Interwell Parametric




Background Data Summary (based on natural log transformation): Mean=-0.3719, Std. Dev.=0.4272, n=120. Normality test: Chi Squared @alpha = 0.01, calculated = 13.33, critical = 14.07. Kappa = 1.669 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.002505. Comparing 3 points to limit.

Constituent: Calcium Analysis Run 1/12/2023 11:54 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

Exceeds Limit: MW-200, MW-201, MW-206

## Prediction Limit

Interwell Parametric




Background Data Summary (based on square root transformation): Mean=2.298, Std. Dev.=0.1978, n=120. Normality test: Chi Squared @alpha = 0.01, calculated = 12.5, critical = 14.07. Kappa = 1.669 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.002505. Comparing 3 points to limit.

Constituent: Chloride Analysis Run 1/12/2023 11:54 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

Exceeds Limit: MW-201

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 120 background values. 94.17% NDs. Annual per-constituent alpha = 0.0008113. Individual comparison alpha = 0.0001353 (1 of 2). Comparing 3 points to limit.


Constituent: Fluoride Analysis Run 1/12/2023 11:54 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Exceeds Limit: MW-200, MW-201, MW-206

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 119 background values. 77.31% NDs. Annual per-constituent alpha = 0.0008288. Individual comparison alpha = 0.0001382 (1 of 2). Comparing 3 points to limit.

Constituent: Sulfate Analysis Run 1/12/2023 11:54 AM View: 200 Series - Interwell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Exceeds Limit: MW-200, MW-201, MW-206

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 120 background values. 23.33% NDs. Annual per-constituent alpha = 0.0008113. Individual comparison alpha = 0.0001353 (1 of 2). Comparing 3 points to limit.

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.05 | <0.05 | <0.05 | <0.05 | | | | | |
| 3/1/2016 | | | | | <0.05 | <0.05 | | | |
| 3/2/2016 | | | | | | | 32 | 82 | 33 |
| 5/2/2016 | <0.05 | <0.05 | <0.05 | | | <0.05 | | | |
| 5/3/2016 | | | | | <0.05 | | 38 | 100 | |
| 5/4/2016 | | | | <0.05 | | | | | 30 |
| 7/5/2016 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | 42 | 150 | |
| 7/6/2016 | | | | | | | | | 35 |
| 7/8/2016 | | | | <0.05 | | | | | |
| 9/6/2016 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 9/8/2016 | | | | | | | 36 | 66 | 38 |
| 11/7/2016 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 11/8/2016 | | | | | | | | | 39 |
| 11/9/2016 | | | | | | | 25 | 81 | |
| 11/10/2016 | | | | <0.05 | | | | | |
| 1/9/2017 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 1/11/2017 | | | | <0.05 | | | | | |
| 1/12/2017 | | | | | | | 9.1 | 68 | |
| 1/13/2017 | | | | | | | | | 34 |
| 3/13/2017 | <0.05 | 0.022 (J) | <0.05 | | <0.05 | <0.05 | | | |
| 3/14/2017 | | | | <0.05 | | | | | |
| 3/16/2017 | | | | | | | | | 21 |
| 3/17/2017 | | | | | | | 28 | 72 | |
| 5/15/2017 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 5/16/2017 | | | | | | | 21 | | |
| 5/17/2017 | | | | | | | | 67 | 10 |
| 5/18/2017 | | | | <0.05 | | | | | |
| 10/2/2017 | <0.05 | 0.023 (J) | <0.05 | | <0.05 | <0.05 | | | |
| 10/3/2017 | | | | | | | | 52 | |
| 10/4/2017 | | | | | | | 18 | | 6 |
| 10/5/2017 | | | | <0.05 | | | | | |
| 12/20/2017 | | | | | | | 16 (R) | 51 | 4.9 (R) |
| 3/12/2018 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 3/13/2018 | | | | | | | 10 | | |
| 3/14/2018 | | | | <0.05 | | | | 48 | 4.4 |
| 6/5/2018 | <0.05 | <0.05 | <0.05 | | | | | | |
| 6/6/2018 | | | | | <0.05 | <0.05 | | | |
| 6/8/2018 | | | | | | | 12 | 40 | |
| 6/9/2018 | | | | | | | | | 4.1 |
| 6/10/2018 | | | | <0.05 | | | | | |
| 10/16/2018 | <0.05 | <0.05 | <0.05 | | | | | | |
| 10/17/2018 | | | | | <0.05 | <0.05 | | 25 | |
| 10/18/2018 | | | | 0.081 | | | | | |
| 11/13/2018 | | | | | | | 9.1 | | |
| 11/14/2018 | | | | | | | | | 2.3 |
| 2/27/2019 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 2/28/2019 | | | | | | | 8.5 | 20 | |
| 3/5/2019 | | | | | | | | | 2.1 |
| 5/31/2019 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 6/4/2019 | | | | | | | 11 | 19 | 5.2 |
| 11/6/2019 | 0.017 (V) | 0.022 (V) | 0.016 (V) | 0.016 (V) | 0.011 (V) | 0.0099 (J) | | | |
| 11/12/2019 | | | | | | | 5.3 | 14 | 4.5 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | 0.02 | 0.017 | 0.013 | 0.013 | 0.0075 (J) | 0.0055 (J) | | | |
| 4/18/2020 | | | | | | | 1.6 | 17 | |
| 4/22/2020 | | | | | | | | | 4.2 |
| 10/7/2020 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 10/12/2020 | | | | | | | 3 | 17 | 3.3 |
| 3/29/2021 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 4/1/2021 | | | | | | | 2.9 | 19 | 4 |
| 9/2/2021 | 0.021 (J) | 0.022 (J) | 0.018 (J) | <0.05 | <0.05 | <0.05 | | | |
| 9/8/2021 | | | | | | | 2.1 | 13 | 3.8 |
| 3/22/2022 | 0.013 | 0.017 | 0.013 | 0.012 | 0.009 (J) | 0.0063 (J) | | | |
| 3/25/2022 | | | | | | | 0.0043 (J) | 10 | 3.4 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1.4 | 0.67 | 1 (J) | | | | | |
| 3/1/2016 | | | | | 0.6 | 1.5 | | | |
| 3/2/2016 | | | | | | | 900 | 2400 | 890 |
| 5/2/2016 | 0.78 | 1.1 | 0.58 | | | 0.83 | | | |
| 5/3/2016 | | | | | 0.55 | | 1200 | 2100 | |
| 5/4/2016 | | | | 0.62 | | | | | 830 |
| 7/5/2016 | 0.65 | 0.94 | 0.43 | | 0.53 | 1.6 | 920 | 2200 | |
| 7/6/2016 | | | | | | | | | 780 |
| 7/8/2016 | | | | 0.4 | | | | | |
| 9/6/2016 | 0.7 | 1 | 0.48 | 0.45 | 0.5 | 1.6 | | | |
| 9/8/2016 | | | | | | | 870 | 2000 | 820 |
| 11/7/2016 | 0.8 | 1.2 | 0.56 | | 0.68 | 1.5 | | | |
| 11/8/2016 | | | | | | | | | 760 |
| 11/9/2016 | | | | | | | 570 | 2000 | |
| 11/10/2016 | | | | 0.44 | | | | | |
| 1/9/2017 | 0.74 | 1.2 | 0.43 | | 0.56 | 0.98 | | | |
| 1/11/2017 | | | | 0.42 | | | | | |
| 1/12/2017 | | | | | | | 220 | 1800 | |
| 1/13/2017 | | | | | | | | | 660 |
| 3/13/2017 | 0.78 | 1.3 | 0.48 | | 0.62 | 0.75 | | | |
| 3/14/2017 | | | | 0.42 | | | | | |
| 3/16/2017 | | | | | | | | | 400 |
| 3/17/2017 | | | | | | | 570 | 1800 | |
| 5/15/2017 | 0.76 | 1 | 0.37 | | 0.58 | 0.83 | | | |
| 5/16/2017 | | | | | | | 500 | | |
| 5/17/2017 | | | | | | | | 1500 | 160 |
| 5/18/2017 | | | | 0.38 | | | | | |
| 10/2/2017 | 0.78 | 1.2 | 0.47 | | 0.62 | 0.83 | | | |
| 10/3/2017 | | | | | | | | 1300 | |
| 10/4/2017 | | | | | | | 490 | | 100 |
| 10/5/2017 | | | | 0.39 | | | | | |
| 12/20/2017 | | | | | | | 420 (R) | 1200 | 82 (R) |
| 3/12/2018 | 0.88 | 1.4 | 0.49 | | 0.59 | 0.71 | | | |
| 3/13/2018 | | | | | | | 290 | | |
| 3/14/2018 | | | | 0.49 | | | | 1100 | 75 |
| 6/5/2018 | 0.9 | 1.2 | 0.49 | | | | | | |
| 6/6/2018 | | | | | 0.59 | 0.68 | | | |
| 6/8/2018 | | | | | | | 320 | 800 | |
| 6/9/2018 | | | | | | | | | 64 |
| 6/10/2018 | | | | 0.39 | | | | | |
| 10/16/2018 | 0.86 | 1.4 | 0.42 | | | | | | |
| 10/17/2018 | | | | | 0.54 | 0.66 | | 530 | |
| 10/18/2018 | | | | 0.41 | | | | | |
| 11/13/2018 | | | | | | | 220 | | |
| 11/14/2018 | | | | | | | | | 38 |
| 2/27/2019 | 0.96 | 1.3 | 0.56 | 0.44 | 0.63 | 0.7 | | | |
| 2/28/2019 | | | | | | | 230 | 350 | |
| 3/5/2019 | | | | | | | | | 43 |
| 5/31/2019 | 0.76 | 1.1 | 0.33 | 0.28 | 0.45 | 0.52 | | | |
| 6/4/2019 | | | | | | | 170 | 380 (D) | 54 |
| 11/6/2019 | 0.88 | 1.2 | 0.49 | 0.46 | 0.55 | 0.74 | | | |
| 11/12/2019 | | | | | | | 130 | 240 | 82 |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | 0.84 | 1.3 | 0.36 | 0.38 | 0.53 | 0.59 | | | |
| 4/18/2020 | | | | | | | 40 | 320 | |
| 4/22/2020 | | | | | | | | | 61 |
| 10/7/2020 | 0.93 | 1.6 | 0.43 | 0.47 | 0.63 | 0.67 | | | |
| 10/12/2020 | | | | | | | 74 | 300 | 58 |
| 3/29/2021 | 1 | 1.6 | 0.46 | 0.43 | 0.68 | 0.75 | | | |
| 4/1/2021 | | | | | | | 75 | 290 | 75 |
| 9/2/2021 | 1.1 | 1.5 | 0.47 | 0.63 | 0.56 | 0.73 | | | |
| 9/8/2021 | | | | | | | 74 | 200 | 72 |
| 3/22/2022 | 0.9 | 1.6 | 0.33 | 0.38 | 0.81 | 0.7 | | | |
| 3/25/2022 | | | | | | | <0.05 | 170 | 73 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-206 | MW-200 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 8.1 | 5.4 | 7.4 | | | | | |
| 3/1/2016 | | | | | 5.6 | 4 | | | |
| 3/2/2016 | | | | | | | 4700 | 1700 | 1700 |
| 5/2/2016 | 4.4 | 6 | | 6.3 | | 3.6 | | | |
| 5/3/2016 | | | | | 5.1 | | 4900 | 2500 | |
| 5/4/2016 | | | 4.5 | | | | | | 1600 |
| 7/5/2016 | 4.2 | 5.2 | | 4.8 | 4.7 | 3.6 | 360 (o) | <140 (*) | |
| 7/6/2016 | | | | | | | | | 2000 |
| 7/8/2016 | | | 4.9 | | | | | | |
| 9/6/2016 | 4.3 | 5.5 | 4.3 | 6 | 4.4 | 4 | | | |
| 9/8/2016 | | | | | | | 4400 | 1900 | 1800 |
| 11/7/2016 | 4.2 | 5.4 | | 5.7 | 4.6 | 4.4 | | | |
| 11/8/2016 | | | | | | | | | 1800 |
| 11/9/2016 | | | | | | | 4800 | 1200 | |
| 11/10/2016 | | | 4.5 | | | | | | |
| 1/9/2017 | 5.3 | 6.1 | | 6.8 | 5.3 | 4.4 | | | |
| 1/11/2017 | | | 5.3 | | | | | | |
| 1/12/2017 | | | | | | | 3900 | 470 | |
| 1/13/2017 | | | | | | | | | 1500 |
| 3/13/2017 | 5.2 | 5.5 | | 6.8 | 5.6 | 4.1 | | | |
| 3/14/2017 | | | 5.5 | | | | | | |
| 3/16/2017 | | | | | | | | | 870 |
| 3/17/2017 | | | | | | | 3700 | 1100 | |
| 5/15/2017 | 4.8 | 4.7 | | 6.1 | 5.2 | 3.7 | | | |
| 5/16/2017 | | | | | | | | 1000 | |
| 5/17/2017 | | | | | | | 3500 | | 310 |
| 5/18/2017 | | | 5 | | | | | | |
| 10/2/2017 | 5.5 | 6.1 | | 6 | 5.5 | 4.8 | | | |
| 10/3/2017 | | | | | | | 2300 | | |
| 10/4/2017 | | | | | | | | 910 | 160 |
| 10/5/2017 | | | 5.6 | | | | | | |
| 12/20/2017 | | | | | | | 2400 | 810 (R) | 110 (R) |
| 3/12/2018 | 5.3 | 6.1 | | 5.9 | 5.6 | 4 | | | |
| 3/13/2018 | | | | | | | | 530 | |
| 3/14/2018 | | | 5.2 | | | | 2100 | | 110 |
| 6/5/2018 | 5.3 | 5.5 | | 6.5 | | | | | |
| 6/6/2018 | | | | | 5.6 | 4.1 | | | |
| 6/8/2018 | | | | | | | 1800 | 680 | |
| 6/9/2018 | | | | | | | | | 86 |
| 6/10/2018 | | | 5.2 | | | | | | |
| 10/16/2018 | 5.5 | 5.1 | | 5.9 | | | | | |
| 10/17/2018 | | | | | 5.5 | 3.7 | 1200 | | |
| 10/18/2018 | | | 5.2 | | | | | | |
| 11/13/2018 | | | | | | | | 450 | |
| 11/14/2018 | | | | | | | | | 41 |
| 2/27/2019 | 4.6 | 5 | 5.1 | 4.3 | 5.1 | 4 | | | |
| 2/28/2019 | | | | | | | 720 | 470 | |
| 3/5/2019 | | | | | | | | | 75 |
| 5/31/2019 | 5.1 | 5.4 | 5 | 4.5 | 5.4 | 3.7 | | | |
| 6/4/2019 | | | | | | | 690 | 310 | 98 |
| 11/6/2019 | 5.8 | 6.1 | 6 | 5.7 | 5.9 | 4.7 | | | |
| 11/12/2019 | | | | | | | 490 | 280 | 190 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-206 | MW-200 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | 6.1 | 5.3 | 5.8 | 5.6 | 6.2 | 4.9 | | | |
| 4/18/2020 | | | | | | | 660 | 59 | |
| 4/22/2020 | | | | | | | | | 120 |
| 10/7/2020 | 6.6 | 5.7 | 5.9 | 5.1 | 6.1 | 4.7 | | | |
| 10/12/2020 | | | | | | | 610 | 130 | 82 |
| 3/29/2021 | 10 | 5.2 | 5.8 | 5 | 6.2 | 5.4 | | | |
| 4/1/2021 | | | | | | | 510 | 130 | 140 |
| 9/2/2021 | 5.8 | 5.1 | 5.1 | 5.2 | 5.9 | 5.1 | | | |
| 9/8/2021 | | | | | | | 440 | 100 | 130 |
| 3/22/2022 | 5.9 | 4.7 | 4.9 | 8.8 | 5.6 | 4.8 | | | |
| 3/25/2022 | | | | | | | 340 | 76 | 160 |

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | |
| 3/1/2016 | | | | | <0.1 | 0.033 (J) | | | |
| 3/2/2016 | | | | | | | 0.088 (J) | 0.074 (J) | 0.54 |
| 5/2/2016 | <0.1 | <0.1 | <0.1 | | | <0.1 | | | |
| 5/3/2016 | | | | | <0.1 | | 0.05 (J) | 0.05 (J) | |
| 5/4/2016 | | | | <0.1 | | | | | 0.41 |
| 7/5/2016 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | 0.07 (J) | 0.05 (J) | |
| 7/6/2016 | | | | | | | | | 0.49 |
| 7/8/2016 | | | | <0.1 | | | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 9/8/2016 | | | | | | | 0.07 (J) | 0.05 (J) | 0.57 |
| 11/7/2016 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 11/8/2016 | | | | | | | | | 0.47 |
| 11/9/2016 | | | | | | | 0.06 (J) | 0.04 (J) | |
| 11/10/2016 | | | | <0.1 | | | | | |
| 1/9/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 1/11/2017 | | | | <0.1 | | | | | |
| 1/12/2017 | | | | | | | <0.1 | 0.04 (J) | |
| 1/13/2017 | | | | | | | | | 0.73 |
| 3/13/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 3/14/2017 | | | | <0.1 | | | | | |
| 3/16/2017 | | | | | | | | | 0.92 |
| 3/17/2017 | | | | | | | 0.05 (J) | 0.04 (J) | |
| 5/15/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 5/16/2017 | | | | | | | 0.06 (J) | | |
| 5/17/2017 | | | | | | | | 0.06 (J) | 0.77 |
| 5/18/2017 | | | | <0.1 | | | | | |
| 10/2/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 10/3/2017 | | | | | | | | 0.11 | |
| 10/4/2017 | | | | | | | 0.08 (J) | | 0.96 |
| 10/5/2017 | | | | <0.1 | | | | | |
| 12/20/2017 | | | | | | | | 0.08 (I) | 0.88 (R) |
| 3/12/2018 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 3/13/2018 | | | | | | | 0.05 (J) | | |
| 3/14/2018 | | | | 0.12 | | | | 0.08 (J) | 0.84 |
| 6/5/2018 | <0.1 | <0.1 | <0.1 | | | | | | |
| 6/6/2018 | | | | | <0.1 | <0.1 | | | |
| 6/8/2018 | | | | | | | 0.13 | 0.1 | |
| 6/9/2018 | | | | | | | | | 0.78 |
| 6/10/2018 | | | | <0.1 | | | | | |
| 10/16/2018 | <0.1 | <0.1 | <0.1 | | | | | | |
| 10/17/2018 | | | | | <0.1 | <0.1 | | 0.12 | |
| 10/18/2018 | | | | <0.1 | | | | | |
| 11/13/2018 | | | | | | | 0.1 | | |
| 11/14/2018 | | | | | | | | | 0.67 |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 2/28/2019 | | | | | | | 0.3 | 0.1 | |
| 3/5/2019 | | | | | | | | | 0.64 |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 6/4/2019 | | | | | | | <0.1 | 0.08 (J) | 0.09 (J) |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 11/12/2019 | | | | | | | 0.072 (J) | 0.045 (J) | 0.57 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 4/18/2020 | | | | | | | <0.1 | <0.1 | |
| 4/22/2020 | | | | | | | | | 0.39 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 10/12/2020 | | | | | | | <0.1 | 0.04 (J) | 0.46 |
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 4/1/2021 | | | | | | | 0.07 | 0.07 | 0.5 |
| 9/2/2021 | 0.08 (J) | <0.1 | 0.1 | 0.04 (J) | <0.1 | 0.04 (J) | | | |
| 9/8/2021 | | | | | | | 0.049 (J) | 0.048 (J) | 0.36 |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 3/25/2022 | | | | | | | <0.1 | <0.1 | 0.25 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | 1.6 (J) | <5 | <5 | | | | | |
| 3/1/2016 | | | | | <5 | <5 | | | |
| 3/2/2016 | | | | | | | 400 | 460 | 450 |
| 5/2/2016 | 15 (o) | 2.1 (J) | <5 | | | <5 | | | |
| 5/3/2016 | | | | | <5 | | 2.2 (J) | 740 | |
| 5/4/2016 | | | | <5 | | | | | 500 |
| 7/5/2016 | <5 | 2 (J) | <5 | | <5 | <5 | 450 (J) | 750 | |
| 7/6/2016 | | | | | | | | | 370 |
| 7/8/2016 | | | | <5 | | | | | |
| 9/6/2016 | <5 | 1.8 (J) | <5 | <5 | <5 | 3.7 (J) | | | |
| 9/8/2016 | | | | | | | 450 | 710 | 450 |
| 11/7/2016 | <5 | 1.7 (J) | <5 | | <5 | <5 | | | |
| 11/8/2016 | | | | | | | | | 450 |
| 11/9/2016 | | | | | | | 430 | 810 | |
| 11/10/2016 | | | | <5 | | | | | |
| 1/9/2017 | <5 | 1.5 (J) | 2.6 (J) | | <5 | <5 | | | |
| 1/11/2017 | | | | <5 | | | | | |
| 1/12/2017 | | | | | | | 130 | 600 | |
| 1/13/2017 | | | | | | | | | 390 |
| 3/13/2017 | 2.5 (J) | 2.2 (J) | <5 | | <5 | <5 | | | |
| 3/14/2017 | | | | <5 | | | | | |
| 3/16/2017 | | | | | | | | | 290 |
| 3/17/2017 | | | | | | | 290 | 640 | |
| 5/15/2017 | <5 | 1.9 (J) | <5 | | <5 | <5 | | | |
| 5/16/2017 | | | | | | | 280 | | |
| 5/17/2017 | | | | | | | | 590 | 270 |
| 5/18/2017 | | | | <5 (X) | | | | | |
| 10/2/2017 | <5 | 3.4 (J) | <5 | | 1.5 (J) | 1.7 (J) | | | |
| 10/3/2017 | | | | | | | | 480 | |
| 10/4/2017 | | | | | | | 250 | | 240 |
| 10/5/2017 | | | | <5 | | | | | |
| 12/20/2017 | | | | | | | 230 (R) | 470 | 210 (R) |
| 3/12/2018 | <5 | 2.6 (J) | <5 | | <5 | <5 | | | |
| 3/13/2018 | | | | | | | 160 | | |
| 3/14/2018 | | | | <5 | | | | 470 | 190 |
| 6/5/2018 | <5 | 2.6 (J) | <5 | | | | | | |
| 6/6/2018 | | | | | <5 | <5 | | | |
| 6/8/2018 | | | | | | | 160 | 440 | |
| 6/9/2018 | | | | | | | | | 170 |
| 6/10/2018 | | | | 1.5 (J) | | | | | |
| 10/16/2018 | <5 | 2.8 (J) | <5 | | | | | | |
| 10/17/2018 | | | | | <5 | <5 | | 270 | |
| 10/18/2018 | | | | <5 | | | | | |
| 11/13/2018 | | | | | | | 130 | | |
| 11/14/2018 | | | | | | | | | 110 |
| 2/27/2019 | <5 | 2.4 (J) | <5 | 1.9 (J) | <5 | <5 | | | |
| 2/28/2019 | | | | | | | 130 | 240 | |
| 3/5/2019 | | | | | | | | | 86 |
| 5/31/2019 | <5 | 3.3 (J) | <5 | <5 | <5 | <5 | | | |
| 6/4/2019 | | | | | | | 100 | 280 | 100 |
| 11/6/2019 | <5 | 3.7 (J) | <5 | <5 | <5 | <5 | | | |
| 11/12/2019 | | | | | | | 100 | 260 | 93 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | <5 | 1.7 (J) | <5 | <5 | <5 | <5 | | | |
| 4/18/2020 | | | | | | | 64 | 250 | |
| 4/22/2020 | | | | | | | | | 130 |
| 10/7/2020 | <5 | 4 (J) | <5 | <5 | <5 | <5 | | | |
| 10/12/2020 | | | | | | | 64 | 230 | 110 |
| 3/29/2021 | <5 | 2.3 | <5 | <5 | <5 | <5 | | | |
| 4/1/2021 | | | | | | | 84 | 200 | 110 |
| 9/2/2021 | <5 | 4.7 (J) | <5 | <5 | <5 | <5 | | | |
| 9/8/2021 | | | | | | | 60 | 140 | 110 |
| 3/22/2022 | <5 | 4.5 (J) | <5 | <5 | <5 | <5 | | | |
| 3/25/2022 | | | | | | | 71 | 160 | 120 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-201 | MW-206 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | <5 | 20 | 12 | | | | | |
| 3/1/2016 | | | | | 10 | <5 | | | |
| 3/2/2016 | | | | | | | 7200 | 7200 | 32000 (o) |
| 5/2/2016 | <5 | <5 | | 6 | | 36 | | | |
| 5/3/2016 | | | | | <5 | | 6400 | | 13000 |
| 5/4/2016 | | | 6 | | | | | 4500 | |
| 7/5/2016 | 12 | 14 | | <5 | <5 | <5 | 7000 | | 8700 |
| 7/6/2016 | | | | | | | | 4900 | |
| 7/8/2016 | | | 6 | | | | | | |
| 9/6/2016 | 36 | 30 | 36 | 38 | 36 | 44 | | | |
| 9/8/2016 | | | | | | | 6000 | 4400 | 11000 (Q) |
| 11/7/2016 | 18 | 8 | | <5 | <5 | 30 | | | |
| 11/8/2016 | | | | | | | | 6200 | |
| 11/9/2016 | | | | | | | 3500 | | 13000 |
| 11/10/2016 | | | 16 | | | | | | |
| 1/9/2017 | 4 (J) | <5 | | 14 | <5 | 12 | | | |
| 1/11/2017 | | | 38 | | | | | | |
| 1/12/2017 | | | | | | | 1500 | | 12000 |
| 1/13/2017 | | | | | | | | 4400 | |
| 3/13/2017 | 6 | <5 | | 8 | 22 | 20 | | | |
| 3/14/2017 | | | <5 | | | | | | |
| 3/16/2017 | | | | | | | | 2800 | |
| 3/17/2017 | | | | | | | 2900 | | 10000 |
| 5/15/2017 | <5 | <5 | | <5 | 6 | 4 (J) | | | |
| 5/16/2017 | | | | | | | 3100 | | |
| 5/17/2017 | | | | | | | | 1100 | 8300 |
| 5/18/2017 | | | 10 | | | | | | |
| 10/2/2017 | <5 | <5 | | 6 | 16 | 24 | | | |
| 10/3/2017 | | | | | | | | | 7100 |
| 10/4/2017 | | | | | | | 3400 | 700 | |
| 10/5/2017 | | | <5 | | | | | | |
| 12/20/2017 | | | | | | | 1900 (R) | 590 (R) | 7000 |
| 3/12/2018 | 18 | 14 | | <5 | <5 | <5 | | | |
| 3/13/2018 | | | | | | | 1600 | | |
| 3/14/2018 | | | 8 | | | | | 490 | 6300 |
| 6/5/2018 | 10 | <5 | | 14 | | | | | |
| 6/6/2018 | | | | | 20 | 16 | | | |
| 6/8/2018 | | | | | | | 2000 | | 5200 |
| 6/9/2018 | | | | | | | | 430 | |
| 6/10/2018 | | | 8 | | | | | | |
| 10/16/2018 | 32 | 12 | | 6 | | | | | |
| 10/17/2018 | | | | | 44 | 44 | | | 3800 |
| 10/18/2018 | | | 28 | | | | | | |
| 11/13/2018 | | | | | | | 1400 | | |
| 11/14/2018 | | | | | | | | 230 | |
| 2/27/2019 | 110 | 54 | 68 | 110 | 20 | 28 | | | |
| 2/28/2019 | | | | | | | 1400 | | 1700 |
| 3/5/2019 | | | | | | | | 300 | |
| 5/31/2019 | 46 | 8 | <5 | 26 | 32 | 18 | | | |
| 6/4/2019 | | | | | | | 1200 | 400 | 2300 |
| 11/6/2019 | <5 | 4 (J) | 10 | <5 | 24 | 20 | | | |
| 11/12/2019 | | | | | | | 1000 | 670 | 1900 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 11:55 AM View: 200 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-201 | MW-206 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | 28 | 18 | 44 | 8 | 6 | 8 | | | |
| 4/18/2020 | | | | | | | 240 | | 1700 |
| 4/22/2020 | | | | | | | | 600 | |
| 10/7/2020 | 30 | 20 | 24 | 26 | 16 | 12 | | | |
| 10/12/2020 | | | | | | | 600 | 460 | 2200 |
| 3/29/2021 | 38 | 12 | 26 | 28 | 42 | 40 | | | |
| 4/1/2021 | | | | | | | 640 | 650 | 2300 |
| 9/2/2021 | 40 | 10 | 8 | 8 | 10 | <5 | | | |
| 9/8/2021 | | | | | | | 480 | 550 | 1700 |
| 3/22/2022 | 58 | 18 | 14 | 46 | 84 | 22 | | | |
| 3/25/2022 | | | | | | | 380 | 610 | 630 |

ND substitution: RL or RL/2 if <15% NDs.

# Appendix III - Intrawell Prediction Limits - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:28 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Field pH (SU)** | **MW-200** | **5.263** | **4.716** | **3/25/2022** | **5.34** | **Yes** | **14** | **4.989** | **0.134** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |
| **Field pH (SU)** | **MW-206** | **4.64** | **3.998** | **3/25/2022** | **5.21** | **Yes** | **14** | **4.319** | **0.1573** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 200 Series Wells - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:28 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field pH (SU) | MW-100 | 5.257 | 4.453 | 3/22/2022 | 4.9 | No | 13 | 4.855 | 0.1936 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-101 | 5.491 | 4.42 | 3/22/2022 | 5.02 | No | 13 | 4.955 | 0.258 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-107 | 5.412 | 4.406 | 3/22/2022 | 4.91 | No | 13 | 4.909 | 0.2421 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-108 | 5.178 | 4.369 | 3/22/2022 | 4.89 | No | 12 | 4.773 | 0.1917 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| **Field pH (SU)** | **MW-200** | **5.263** | **4.716** | **3/25/2022** | **5.34** | **Yes** | **14** | **4.989** | **0.134** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |
| Field pH (SU) | MW-201 | 5.704 | 4.463 | 3/25/2022 | 4.95 | No | 14 | 5.084 | 0.304 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| **Field pH (SU)** | **MW-206** | **4.64** | **3.998** | **3/25/2022** | **5.21** | **Yes** | **14** | **4.319** | **0.1573** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |
| Field pH (SU) | MW-306 | 5.438 | 4.624 | 3/22/2022 | 5.1 | No | 13 | 5.031 | 0.1961 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-307 | 6.537 | 5.063 | 3/22/2022 | 5.18 | No | 13 | 5.8 | 0.3549 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.855, Std. Dev.=0.1936, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9274, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.955, Std. Dev.=0.258, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9894, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.909, Std. Dev.=0.2421, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9038, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.773, Std. Dev.=0.1917, n=12. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9468, critical = 0.805. Kappa = 2.112 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.


Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Exceeds Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.989, Std. Dev.=0.134, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9622, critical = 0.825. Kappa = 2.041 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.084, Std. Dev.=0.304, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8864, critical = 0.825. Kappa = 2.041 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Exceeds Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.319, Std. Dev.=0.1573, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9338, critical = 0.825. Kappa = 2.041 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.031, Std. Dev.=0.1961, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9411, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.


Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.8, Std. Dev.=0.3549, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8636, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/12/2023 12:26 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 | MW-100 |
|---|---|---|
| 2/29/2016 | 5.11 | |
| 5/2/2016 | 4.76 | |
| 7/5/2016 | 5.12 | |
| 9/6/2016 | 5.11 | |
| 11/7/2016 | 4.76 | |
| 1/9/2017 | 4.99 | |
| 3/13/2017 | 4.57 | |
| 5/15/2017 | 4.6 | |
| 10/2/2017 | 4.64 | |
| 3/12/2018 | 4.85 | |
| 6/5/2018 | 4.92 | |
| 10/16/2018 | 4.93 | |
| 2/27/2019 | 4.75 | |
| 5/31/2019 | | 4.9 |
| 11/6/2019 | | 4.82 |
| 4/16/2020 | | 5.03 |
| 10/7/2020 | | 4.74 |
| 3/29/2021 | | 4.79 |
| 9/2/2021 | | 4.81 |
| 3/22/2022 | | 4.9 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-101 | MW-101 |
|---|---|---|
| 2/29/2016 | 5.26 | |
| 5/4/2016 | 5.1 | |
| 7/8/2016 | 4.96 | |
| 9/6/2016 | 5.43 | |
| 11/10/2016 | 4.89 | |
| 1/11/2017 | 4.87 | |
| 3/14/2017 | 4.71 | |
| 5/18/2017 | 4.5 | |
| 10/5/2017 | 4.63 | |
| 3/14/2018 | 5.14 | |
| 6/10/2018 | 5.12 | |
| 10/18/2018 | 4.97 | |
| 2/27/2019 | 4.84 | |
| 5/31/2019 | | 4.92 |
| 11/6/2019 | | 4.94 |
| 4/16/2020 | | 5.17 |
| 10/7/2020 | | 5.08 |
| 3/29/2021 | | 4.92 |
| 9/2/2021 | | 5.07 |
| 3/22/2022 | | 5.02 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 | MW-107 |
|---|---|---|
| 2/29/2016 | 5.11 | |
| 5/2/2016 | 4.77 | |
| 7/5/2016 | 5.48 | |
| 9/6/2016 | 5.12 | |
| 11/7/2016 | 4.73 | |
| 1/9/2017 | 5 | |
| 3/13/2017 | 4.74 | |
| 5/15/2017 | 4.63 | |
| 10/2/2017 | 4.63 | |
| 3/12/2018 | 4.81 | |
| 6/5/2018 | 5.04 | |
| 10/16/2018 | 4.98 | |
| 2/27/2019 | 4.78 | |
| 5/31/2019 | | 4.92 |
| 11/6/2019 | | 4.88 |
| 4/16/2020 | | 5.15 |
| 10/7/2020 | | 4.91 |
| 3/29/2021 | | 4.89 |
| 9/2/2021 | | 4.87 |
| 3/22/2022 | | 4.91 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-108 | MW-108 |
|---|---|---|
| 2/29/2016 | 4.9 | |
| 5/2/2016 | 4.69 | |
| 7/5/2016 | 7.11 (o) | |
| 9/6/2016 | 5.19 | |
| 11/7/2016 | 4.64 | |
| 1/9/2017 | 4.94 | |
| 3/13/2017 | 4.63 | |
| 5/15/2017 | 4.52 | |
| 10/2/2017 | 4.54 | |
| 3/12/2018 | 4.81 | |
| 6/5/2018 | 4.9 | |
| 10/16/2018 | 4.81 | |
| 2/27/2019 | 4.71 | |
| 5/31/2019 | | 4.84 |
| 11/6/2019 | | 4.78 |
| 4/16/2020 | | 4.96 |
| 10/7/2020 | | 4.8 |
| 3/29/2021 | | 4.8 |
| 9/2/2021 | | 4.77 |
| 3/22/2022 | | 4.89 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-200 |
|---|---|---|
| 3/2/2016 | 5.16 (D) | |
| 5/3/2016 | 5.1 | |
| 7/5/2016 | 4.86 | |
| 9/8/2016 | 4.76 | |
| 11/9/2016 | 4.99 | |
| 1/12/2017 | 5.04 | |
| 3/17/2017 | 5.02 | |
| 5/16/2017 | 4.77 | |
| 10/4/2017 | 4.89 | |
| 12/20/2017 | 4.94 (R) | |
| 3/13/2018 | 5.19 | |
| 6/8/2018 | 5.05 | |
| 11/13/2018 | 5.11 | |
| 2/28/2019 | 4.97 | |
| 6/4/2019 | | 5.27 |
| 11/12/2019 | | 4.92 |
| 4/18/2020 | | 5.2 |
| 10/12/2020 | | 5.3 |
| 4/1/2021 | | 5.06 |
| 9/8/2021 | | 5.21 |
| 3/25/2022 | | 5.34 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-201 |
|---|---|---|
| 3/2/2016 | 5.57 | |
| 5/4/2016 | 5.62 | |
| 7/6/2016 | 5.52 | |
| 9/8/2016 | 5.26 | |
| 11/8/2016 | 5.09 | |
| 1/13/2017 | 5.14 | |
| 3/16/2017 | 5.1 | |
| 5/17/2017 | 4.9 | |
| 10/4/2017 | 4.84 | |
| 12/20/2017 | 4.94 (R) | |
| 3/14/2018 | 4.82 | |
| 6/9/2018 | 4.81 | |
| 11/14/2018 | 4.85 | |
| 3/5/2019 | 4.71 | |
| 6/4/2019 | | 4.85 |
| 11/12/2019 | | 4.67 |
| 4/22/2020 | | 4.69 |
| 10/12/2020 | | 4.56 |
| 4/1/2021 | | 4.52 |
| 9/8/2021 | | 4.63 |
| 3/25/2022 | | 4.95 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-206 | MW-206 |
|---|---|---|
| 3/2/2016 | 4.62 | |
| 5/3/2016 | 4.26 | |
| 7/5/2016 | 4.15 | |
| 9/8/2016 | 4.6 | |
| 11/9/2016 | 4.12 | |
| 1/12/2017 | 4.24 | |
| 3/17/2017 | 4.22 | |
| 5/17/2017 | 4.35 | |
| 10/3/2017 | 4.11 | |
| 12/20/2017 | 4.31 | |
| 3/14/2018 | 4.35 | |
| 6/8/2018 | 4.31 | |
| 10/17/2018 | 4.41 | |
| 2/28/2019 | 4.42 | |
| 6/4/2019 | | 4.69 |
| 11/12/2019 | | 4.56 |
| 4/18/2020 | | 5 |
| 10/12/2020 | | 4.82 |
| 4/1/2021 | | 4.59 |
| 9/8/2021 | | 4.77 |
| 3/25/2022 | | 5.21 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-306 | MW-306 |
|---|---|---|
| 3/1/2016 | 5.08 | |
| 5/3/2016 | 5.14 | |
| 7/5/2016 | 5.38 | |
| 9/6/2016 | 5.37 | |
| 11/7/2016 | 4.92 | |
| 1/9/2017 | 5.05 | |
| 3/13/2017 | 4.87 | |
| 5/15/2017 | 4.69 | |
| 10/2/2017 | 4.88 | |
| 3/12/2018 | 5.07 | |
| 6/6/2018 | 5.09 | |
| 10/17/2018 | 4.99 | |
| 2/27/2019 | 4.87 | |
| 5/31/2019 | | 4.89 |
| 11/6/2019 | | 5.04 |
| 4/16/2020 | | 5.13 |
| 10/7/2020 | | 5.13 |
| 3/29/2021 | | 4.93 |
| 9/2/2021 | | 4.94 |
| 3/22/2022 | | 5.1 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 12:28 PM View: 200 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 | MW-307 |
|---|---|---|
| 3/1/2016 | 6.37 | |
| 5/2/2016 | 5.605 (D) | |
| 7/5/2016 | 6.29 | |
| 9/6/2016 | 6.42 | |
| 11/7/2016 | 5.75 | |
| 1/9/2017 | 5.98 | |
| 3/13/2017 | 5.81 | |
| 5/15/2017 | 5.42 | |
| 10/2/2017 | 5.63 | |
| 3/12/2018 | 5.6 | |
| 6/6/2018 | 5.58 | |
| 10/17/2018 | 5.54 | |
| 2/27/2019 | 5.4 | |
| 5/31/2019 | | 5.45 |
| 11/6/2019 | | 5.52 |
| 4/16/2020 | | 5.58 |
| 10/7/2020 | | 5.5 |
| 3/29/2021 | | 5.46 |
| 9/2/2021 | | 5.16 |
| 3/22/2022 | | 5.18 |

# 300 Series

# Appendix III - Interwell Prediction Limits - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:52 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-303 | 0.081 | n/a | 3/24/2022 | 3.2 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-304 | 0.081 | n/a | 3/24/2022 | 3.4 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-308 | 0.081 | n/a | 3/24/2022 | 3.2 | Yes | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-303 | 1.485 | n/a | 3/24/2022 | 75 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-304 | 1.485 | n/a | 3/24/2022 | 200 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-305 | 1.485 | n/a | 3/24/2022 | 3.9 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-308 | 1.485 | n/a | 3/24/2022 | 68 | Yes | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-300 | 7.041 | n/a | 3/24/2022 | 9.2 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-303 | 7.041 | n/a | 3/24/2022 | 36 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-304 | 7.041 | n/a | 3/24/2022 | 140 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-305 | 7.041 | n/a | 3/24/2022 | 9.2 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-308 | 7.041 | n/a | 3/24/2022 | 64 | Yes | 120 | 2.298 | 0.1978 | 0 | None | sqrt(x) | 0.001504 | Param Inter 1 of 2 |
| Fluoride (mg/L) | MW-303 | 0.12 | n/a | 3/24/2022 | 0.22 | Yes | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-308 | 0.12 | n/a | 3/24/2022 | 0.14 | Yes | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-303 | 5 | n/a | 3/24/2022 | 180 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-304 | 5 | n/a | 3/24/2022 | 680 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-305 | 5 | n/a | 3/24/2022 | 18 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-308 | 5 | n/a | 3/24/2022 | 1700 | Yes | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-303 | 110 | n/a | 3/24/2022 | 440 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-304 | 110 | n/a | 3/24/2022 | 1400 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-308 | 110 | n/a | 3/24/2022 | 470 | Yes | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 300 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:52 PM


| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-300 | 0.081 | n/a | 3/24/2022 | 0.035 | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-303** | **0.081** | **n/a** | **3/24/2022** | **3.2** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-304** | **0.081** | **n/a** | **3/24/2022** | **3.4** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| Boron (mg/L) | MW-305 | 0.081 | n/a | 3/24/2022 | 0.028 | No | 120 | n/a | n/a | 80 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-308** | **0.081** | **n/a** | **3/24/2022** | **3.2** | **Yes** | **120** | **n/a** | **n/a** | **80** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| Calcium (mg/L) | MW-300 | 1.485 | n/a | 3/24/2022 | 0.59 | No | 120 | -0.3719 | 0.4272 | 0 | None | ln(x) | 0.001504 | Param Inter 1 of 2 |
| **Calcium (mg/L)** | **MW-303** | **1.485** | **n/a** | **3/24/2022** | **75** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-304** | **1.485** | **n/a** | **3/24/2022** | **200** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-305** | **1.485** | **n/a** | **3/24/2022** | **3.9** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-308** | **1.485** | **n/a** | **3/24/2022** | **68** | **Yes** | **120** | **-0.3719** | **0.4272** | **0** | **None** | **ln(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-300** | **7.041** | **n/a** | **3/24/2022** | **9.2** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-303** | **7.041** | **n/a** | **3/24/2022** | **36** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-304** | **7.041** | **n/a** | **3/24/2022** | **140** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-305** | **7.041** | **n/a** | **3/24/2022** | **9.2** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-308** | **7.041** | **n/a** | **3/24/2022** | **64** | **Yes** | **120** | **2.298** | **0.1978** | **0** | **None** | **sqrt(x)** | **0.001504** | **Param Inter 1 of 2** |
| Fluoride (mg/L) | MW-300 | 0.12 | n/a | 3/24/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-303** | **0.12** | **n/a** | **3/24/2022** | **0.22** | **Yes** | **120** | **n/a** | **n/a** | **94.17** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| Fluoride (mg/L) | MW-304 | 0.12 | n/a | 3/24/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-305 | 0.12 | n/a | 3/24/2022 | 0.1ND | No | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.0001351 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-308** | **0.12** | **n/a** | **3/24/2022** | **0.14** | **Yes** | **120** | **n/a** | **n/a** | **94.17** | **n/a** | **n/a** | **0.0001351** | **NP Inter (NDs) 1 of 2** |
| Sulfate (mg/L) | MW-300 | 5 | n/a | 3/24/2022 | 5ND | No | 119 | n/a | n/a | 77.31 | n/a | n/a | 0.000138 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-303** | **5** | **n/a** | **3/24/2022** | **180** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.000138** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-304** | **5** | **n/a** | **3/24/2022** | **680** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.000138** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-305** | **5** | **n/a** | **3/24/2022** | **18** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.000138** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-308** | **5** | **n/a** | **3/24/2022** | **1700** | **Yes** | **119** | **n/a** | **n/a** | **77.31** | **n/a** | **n/a** | **0.000138** | **NP Inter (NDs) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-300 | 110 | n/a | 3/24/2022 | 16 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-303** | **110** | **n/a** | **3/24/2022** | **440** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001351** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-304** | **110** | **n/a** | **3/24/2022** | **1400** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001351** | **NP Inter (normality) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-305 | 110 | n/a | 3/24/2022 | 62 | No | 120 | n/a | n/a | 23.33 | n/a | n/a | 0.0001351 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-308** | **110** | **n/a** | **3/24/2022** | **470** | **Yes** | **120** | **n/a** | **n/a** | **23.33** | **n/a** | **n/a** | **0.0001351** | **NP Inter (normality) 1 of 2** |

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-303, MW-304, MW-308

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 120 background values. 80% NDs. Annual per-constituent alpha = 0.00135. Individual comparison alpha = 0.0001351 (1 of 2). Comparing 5 points to limit.


Constituent: Boron Analysis Run 1/12/2023 1:51 PM View: 300 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Exceeds Limit: MW-303, MW-304, MW-305, MW-308

## Prediction Limit

Interwell Parametric




Background Data Summary (based on natural log transformation): Mean=-0.3719, Std. Dev.=0.4272, n=120. Normality test: Chi Squared @alpha = 0.01, calculated = 13.33, critical = 14.07. Kappa = 1.797 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001504. Comparing 5 points to limit.


Constituent: Calcium Analysis Run 1/12/2023 1:51 PM View: 300 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-300, MW-303, MW-304, MW-305, MW-308

## Prediction Limit

Interwell Parametric




Background Data Summary (based on square root transformation): Mean=2.298, Std. Dev.=0.1978, n=120. Normality test: Chi Squared @alpha = 0.01, calculated = 12.5, critical = 14.07. Kappa = 1.797 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001504. Comparing 5 points to limit.


Constituent: Chloride Analysis Run 1/12/2023 1:51 PM View: 300 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-303, MW-308

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 120 background values. 94.17% NDs. Annual per-constituent alpha = 0.00135. Individual comparison alpha = 0.0001351 (1 of 2). Comparing 5 points to limit.


Constituent: Fluoride Analysis Run 1/12/2023 1:51 PM View: 300 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-303, MW-304, MW-305, MW-308

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 119 background values. 77.31% NDs. Annual per-constituent alpha = 0.001379. Individual comparison alpha = 0.000138 (1 of 2). Comparing 5 points to limit.


Constituent: Sulfate Analysis Run 1/12/2023 1:51 PM View: 300 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-303, MW-304, MW-308

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 120 background values. 23.33% NDs. Annual per-constituent alpha = 0.00135. Individual comparison alpha = 0.0001351 (1 of 2). Comparing 5 points to limit.

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:51 PM View: 300 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-304 | MW-303 | MW-305 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.05 | <0.05 | <0.05 | <0.05 | | | | | |
| 3/1/2016 | | | | | <0.05 | <0.05 | | | |
| 3/3/2016 | | | | | | | 1.6 | 3.2 | <0.05 |
| 5/2/2016 | <0.05 | <0.05 | | <0.05 | | <0.05 | | | |
| 5/3/2016 | | | | | <0.05 | | | | |
| 5/4/2016 | | | <0.05 | | | | 2.3 | 4 | <0.05 (*) |
| 7/5/2016 | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | | | |
| 7/6/2016 | | | | | | | 1.9 | 2.6 | |
| 7/7/2016 | | | | | | | | | 0.034 (J) |
| 7/8/2016 | | | <0.05 | | | | | | |
| 9/6/2016 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 9/7/2016 | | | | | | | 0.95 | | <0.05 |
| 9/8/2016 | | | | | | | | 3.6 | |
| 11/7/2016 | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | | | 0.045 (J) |
| 11/8/2016 | | | | | | | 1.8 | 5 | |
| 11/10/2016 | | | <0.05 | | | | | | |
| 1/9/2017 | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | | | |
| 1/10/2017 | | | | | | | 1.9 | 4.2 | <0.05 (*) |
| 1/11/2017 | | | <0.05 | | | | | | |
| 3/13/2017 | <0.05 | <0.05 | | 0.022 (J) | <0.05 | <0.05 | | | |
| 3/14/2017 | | | <0.05 | | | | | | |
| 3/15/2017 | | | | | | | 0.38 | | <0.05 |
| 3/16/2017 | | | | | | | | 3.5 | |
| 5/15/2017 | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | | 3.2 | |
| 5/16/2017 | | | | | | | 2 | | 0.043 (J) |
| 5/18/2017 | | | <0.05 | | | | | | |
| 10/2/2017 | <0.05 | <0.05 | | 0.023 (J) | <0.05 | <0.05 | | | |
| 10/3/2017 | | | | | | | 0.67 | 2.9 | 0.026 (J) |
| 10/5/2017 | | | <0.05 | | | | | | |
| 12/20/2017 | | | | | | | 3 | 2 | |
| 3/12/2018 | <0.05 | <0.05 | | <0.05 | <0.05 | <0.05 | | | |
| 3/13/2018 | | | | | | | 2.9 | 3.4 | 0.07 |
| 3/14/2018 | | | <0.05 | | | | | | |
| 6/5/2018 | <0.05 | <0.05 | | <0.05 | | | | | |
| 6/6/2018 | | | | | <0.05 | <0.05 | | | |
| 6/7/2018 | | | | | | | 2.9 | 5.6 | 0.1 |
| 6/10/2018 | | | <0.05 | | | | | | |
| 10/16/2018 | <0.05 | <0.05 | | <0.05 | | | | | |
| 10/17/2018 | | | | | <0.05 | <0.05 | 1.6 | 7.3 | 0.074 |
| 10/18/2018 | | | 0.081 | | | | | | |
| 2/27/2019 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 2/28/2019 | | | | | | | 2.5 | 3.1 | 0.027 (J) |
| 5/31/2019 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | 3.1 | 2.7 | <0.05 |
| 11/6/2019 | 0.017 (V) | 0.016 (V) | 0.016 (V) | 0.022 (V) | 0.011 (V) | 0.0099 (J) | | | |
| 11/11/2019 | | | | | | | 10 | 9.7 | 0.036 (V) |
| 4/16/2020 | 0.02 | 0.013 | 0.013 | 0.017 | 0.0075 (J) | 0.0055 (J) | | | |
| 4/18/2020 | | | | | | | 2.8 | 5.7 | 0.016 |
| 10/7/2020 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 10/8/2020 | | | | | | | | 3.6 | |
| 10/9/2020 | | | | | | | 0.68 | | 0.018 (J) |
| 3/29/2021 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 3/31/2021 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-304 | MW-303 | MW-305 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 3.2 | 3.5 | 0.035 |
| 9/2/2021 | 0.021 (J) | 0.018 (J) | <0.05 | 0.022 (J) | <0.05 | <0.05 | | | |
| 9/7/2021 | | | | | | | 1.4 | 3.1 | <0.05 |
| 3/22/2022 | 0.013 | 0.013 | 0.012 | 0.017 | 0.009 (J) | 0.0063 (J) | | | |
| 3/24/2022 | | | | | | | 3.4 | 3.2 | 0.028 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-308 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 0.11 (J) | 2.6 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | <0.05 | 5.9 |
| 7/5/2016 | | |
| 7/6/2016 | | 4.9 |
| 7/7/2016 | <0.05 | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 0.028 (J) | 6.4 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 0.025 (J) | 6 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | <0.05 (*) | 5.4 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | <0.05 | |
| 3/16/2017 | | 4.5 |
| 5/15/2017 | | |
| 5/16/2017 | <0.05 | 3.9 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 0.03 (J) | 0.93 |
| 10/5/2017 | | |
| 12/20/2017 | | 3 |
| 3/12/2018 | | |
| 3/13/2018 | <0.05 | 3.6 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | 0.024 (J) | |
| 6/7/2018 | | 3.4 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | | 2.8 |
| 10/18/2018 | 0.022 (J) | |
| 2/27/2019 | | 2.8 |
| 2/28/2019 | <0.05 | |
| 5/31/2019 | <0.05 | 4.4 |
| 11/6/2019 | | |
| 11/11/2019 | 0.035 (V) | 16 |
| 4/16/2020 | | |
| 4/18/2020 | 0.027 | 3 |
| 10/7/2020 | | |
| 10/8/2020 | | 2.4 |
| 10/9/2020 | 0.025 (J) | |
| 3/29/2021 | | |
| 3/31/2021 | 0.046 | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-308 |
|---|---|---|
| 4/1/2021 | | 5.1 |
| 9/2/2021 | | |
| 9/7/2021 | 0.022 (J) | 1.7 |
| 3/22/2022 | | |
| 3/24/2022 | 0.035 | 3.2 |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-304 | MW-303 | MW-305 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 0.67 | 1 (J) | 1.4 | | | | | |
| 3/1/2016 | | | | | 0.6 | 1.5 | | | |
| 3/3/2016 | | | | | | | 160 | 57 | 2.5 |
| 5/2/2016 | 0.78 | 0.58 | | 1.1 | | 0.83 | | | |
| 5/3/2016 | | | | | 0.55 | | | | |
| 5/4/2016 | | | 0.62 | | | | 140 | 60 | 1.1 |
| 7/5/2016 | 0.65 | 0.43 | | 0.94 | 0.53 | 1.6 | | | |
| 7/6/2016 | | | | | | | 120 | 54 | |
| 7/7/2016 | | | | | | | | | 0.71 |
| 7/8/2016 | | | 0.4 | | | | | | |
| 9/6/2016 | 0.7 | 0.48 | 0.45 | 1 | 0.5 | 1.6 | | | |
| 9/7/2016 | | | | | | | 94 | | 0.78 |
| 9/8/2016 | | | | | | | | 68 | |
| 11/7/2016 | 0.8 | 0.56 | | 1.2 | 0.68 | 1.5 | | | 0.82 |
| 11/8/2016 | | | | | | | 160 | 84 | |
| 11/10/2016 | | | 0.44 | | | | | | |
| 1/9/2017 | 0.74 | 0.43 | | 1.2 | 0.56 | 0.98 | | | |
| 1/10/2017 | | | | | | | 150 | 64 | 0.58 |
| 1/11/2017 | | | 0.42 | | | | | | |
| 3/13/2017 | 0.78 | 0.48 | | 1.3 | 0.62 | 0.75 | | | |
| 3/14/2017 | | | 0.42 | | | | | | |
| 3/15/2017 | | | | | | | 78 | | 0.69 |
| 3/16/2017 | | | | | | | | 78 | |
| 5/15/2017 | 0.76 | 0.37 | | 1 | 0.58 | 0.83 | | 63 | |
| 5/16/2017 | | | | | | | 120 | | 0.66 |
| 5/18/2017 | | | 0.38 | | | | | | |
| 10/2/2017 | 0.78 | 0.47 | | 1.2 | 0.62 | 0.83 | | | |
| 10/3/2017 | | | | | | | 160 | 43 | 0.68 |
| 10/5/2017 | | | 0.39 | | | | | | |
| 12/20/2017 | | | | | | | 120 | 44 | |
| 3/12/2018 | 0.88 | 0.49 | | 1.4 | 0.59 | 0.71 | | | |
| 3/13/2018 | | | | | | | 110 | 68 | 0.65 |
| 3/14/2018 | | | 0.49 | | | | | | |
| 6/5/2018 | 0.9 | 0.49 | | 1.2 | | | | | |
| 6/6/2018 | | | | | 0.59 | 0.68 | | | |
| 6/7/2018 | | | | | | | 97 | 89 | 0.6 |
| 6/10/2018 | | | 0.39 | | | | | | |
| 10/16/2018 | 0.86 | 0.42 | | 1.4 | | | | | |
| 10/17/2018 | | | | | 0.54 | 0.66 | 130 | 93 | 0.73 |
| 10/18/2018 | | | 0.41 | | | | | | |
| 2/27/2019 | 0.96 | 0.56 | 0.44 | 1.3 | 0.63 | 0.7 | | | |
| 2/28/2019 | | | | | | | 120 | 48 | 0.84 |
| 5/31/2019 | 0.76 | 0.33 | 0.28 | 1.1 | 0.45 | 0.52 | 110 | 47 | 2.6 |
| 11/6/2019 | 0.88 | 0.49 | 0.46 | 1.2 | 0.55 | 0.74 | | | |
| 11/11/2019 | | | | | | | 82 | 73 | 1.6 (V) |
| 4/16/2020 | 0.84 | 0.36 | 0.38 | 1.3 | 0.53 | 0.59 | | | |
| 4/18/2020 | | | | | | | 150 | 93 | 0.9 |
| 10/7/2020 | 0.93 | 0.43 | 0.47 | 1.6 | 0.63 | 0.67 | | | |
| 10/8/2020 | | | | | | | | 100 | |
| 10/9/2020 | | | | | | | 120 | | 0.76 |
| 3/29/2021 | 1 | 0.46 | 0.43 | 1.6 | 0.68 | 0.75 | | | |
| 3/31/2021 | | | | | | | | | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-304 | MW-303 | MW-305 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 170 | 97 | 0.61 |
| 9/2/2021 | 1.1 | 0.47 | 0.63 | 1.5 | 0.56 | 0.73 | | | |
| 9/7/2021 | | | | | | | 190 | 56 | 0.53 |
| 3/22/2022 | 0.9 | 0.33 | 0.38 | 1.6 | 0.81 | 0.7 | | | |
| 3/24/2022 | | | | | | | 200 | 75 | 3.9 |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-308 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 1 (J) | 84 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 1 | 90 |
| 7/5/2016 | | |
| 7/6/2016 | | 72 |
| 7/7/2016 | 0.62 | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 0.6 | 75 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 0.53 | 79 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 0.51 | 61 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | 0.53 | |
| 3/16/2017 | | 62 |
| 5/15/2017 | | |
| 5/16/2017 | 0.48 | 64 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 0.46 | 59 |
| 10/5/2017 | | |
| 12/20/2017 | | 65 |
| 3/12/2018 | | |
| 3/13/2018 | 0.46 | 77 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | 0.45 | |
| 6/7/2018 | | 78 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | | 60 |
| 10/18/2018 | 0.48 | |
| 2/27/2019 | | 65 |
| 2/28/2019 | 0.44 | |
| 5/31/2019 | 0.55 | 84 |
| 11/6/2019 | | |
| 11/11/2019 | 0.56 (V) | 63 |
| 4/16/2020 | | |
| 4/18/2020 | 0.48 | 48 |
| 10/7/2020 | | |
| 10/8/2020 | | 55 |
| 10/9/2020 | 0.58 | |
| 3/29/2021 | | |
| 3/31/2021 | 0.3 | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-308 |
|---|---|---|
| 4/1/2021 | | 73 |
| 9/2/2021 | | |
| 9/7/2021 | 0.46 | 66 |
| 3/22/2022 | | |
| 3/24/2022 | 0.59 | 68 |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 7.4 | 8.1 | 5.4 | | | | | |
| 3/1/2016 | | | | | 5.6 | 4 | | | |
| 3/3/2016 | | | | | | | 36 | 7.9 | 8.2 |
| 5/2/2016 | 4.4 | 6.3 | 6 | | | 3.6 | | | |
| 5/3/2016 | | | | | 5.1 | | | | |
| 5/4/2016 | | | | 4.5 | | | 47 | 7 | 8.2 |
| 7/5/2016 | 4.2 | 4.8 | 5.2 | | 4.7 | 3.6 | | | |
| 7/6/2016 | | | | | | | 28 | | |
| 7/7/2016 | | | | | | | | 7.1 | 8.3 |
| 7/8/2016 | | | | 4.9 | | | | | |
| 9/6/2016 | 4.3 | 6 | 5.5 | 4.3 | 4.4 | 4 | | | |
| 9/7/2016 | | | | | | | | 6.9 | 8.1 |
| 9/8/2016 | | | | | | | 47 | | |
| 11/7/2016 | 4.2 | 5.7 | 5.4 | | 4.6 | 4.4 | | 8 | |
| 11/8/2016 | | | | | | | 150 | | 8.5 |
| 11/10/2016 | | | | 4.5 | | | | | |
| 1/9/2017 | 5.3 | 6.8 | 6.1 | | 5.3 | 4.4 | | | |
| 1/10/2017 | | | | | | | 110 | <7.4 (*) | 9.1 |
| 1/11/2017 | | | | 5.3 | | | | | |
| 3/13/2017 | 5.2 | 6.8 | 5.5 | | 5.6 | 4.1 | | | |
| 3/14/2017 | | | | 5.5 | | | | | |
| 3/15/2017 | | | | | | | | 8.1 | 48 |
| 3/16/2017 | | | | | | | 200 | | |
| 5/15/2017 | 4.8 | 6.1 | 4.7 | | 5.2 | 3.7 | 120 | | |
| 5/16/2017 | | | | | | | | 7.8 | 8.9 |
| 5/18/2017 | | | | 5 | | | | | |
| 10/2/2017 | 5.5 | 6 | 6.1 | | 5.5 | 4.8 | | | |
| 10/3/2017 | | | | | | | 38 | 7.1 | 8.9 |
| 10/5/2017 | | | | 5.6 | | | | | |
| 12/20/2017 | | | | | | | 22 | 7.6 | 8.8 |
| 3/12/2018 | 5.3 | 5.9 | 6.1 | | 5.6 | 4 | | | |
| 3/13/2018 | | | | | | | 82 | 6.9 | 8.3 |
| 3/14/2018 | | | | 5.2 | | | | | |
| 6/5/2018 | 5.3 | 6.5 | 5.5 | | | | | | |
| 6/6/2018 | | | | | 5.6 | 4.1 | | | 8 |
| 6/7/2018 | | | | | | | 170 | 7.3 | |
| 6/10/2018 | | | | 5.2 | | | | | |
| 10/16/2018 | 5.5 | 5.9 | 5.1 | | | | | | |
| 10/17/2018 | | | | | 5.5 | 3.7 | 110 | 6.8 | |
| 10/18/2018 | | | | 5.2 | | | | | 8.1 |
| 2/27/2019 | 4.6 | 4.3 | 5 | 5.1 | 5.1 | 4 | | | |
| 2/28/2019 | | | | | | | 49 | 7.1 | 9.1 |
| 5/31/2019 | 5.1 | 4.5 | 5.4 | 5 | 5.4 | 3.7 | 50 | 9.8 | 8.2 |
| 11/6/2019 | 5.8 | 5.7 | 6.1 | 6 | 5.9 | 4.7 | | | |
| 11/11/2019 | | | | | | | 63 | 12 | 8.4 |
| 4/16/2020 | 6.1 | 5.6 | 5.3 | 5.8 | 6.2 | 4.9 | | | |
| 4/18/2020 | | | | | | | 96 | 8.2 | 8.7 |
| 10/7/2020 | 6.6 | 5.1 | 5.7 | 5.9 | 6.1 | 4.7 | | | |
| 10/8/2020 | | | | | | | 230 | | |
| 10/9/2020 | | | | | | | | 7.5 | 8.9 |
| 3/29/2021 | 10 | 5 | 5.2 | 5.8 | 6.2 | 5.4 | | | |
| 3/31/2021 | | | | | | | | | 8.4 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 48 | 7.4 | |
| 9/2/2021 | 5.8 | 5.2 | 5.1 | 5.1 | 5.9 | 5.1 | | | |
| 9/7/2021 | | | | | | | 46 | 7 | 8.3 |
| 3/22/2022 | 5.9 | 8.8 | 4.7 | 4.9 | 5.6 | 4.8 | | | |
| 3/24/2022 | | | | | | | 36 | 9.2 | 9.2 |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-308 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 110 | 43 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 120 | 63 |
| 7/5/2016 | | |
| 7/6/2016 | 130 | 51 |
| 7/7/2016 | | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 43 | 57 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 98 | 47 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 150 | 45 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | 65 | |
| 3/16/2017 | | 40 |
| 5/15/2017 | | |
| 5/16/2017 | 120 | 39 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 21 | 20 |
| 10/5/2017 | | |
| 12/20/2017 | 79 | 63 |
| 3/12/2018 | | |
| 3/13/2018 | 84 | 130 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | 86 | 120 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 45 | 70 |
| 10/18/2018 | | |
| 2/27/2019 | | 94 |
| 2/28/2019 | 110 | |
| 5/31/2019 | 130 | 110 |
| 11/6/2019 | | |
| 11/11/2019 | 81 | 62 |
| 4/16/2020 | | |
| 4/18/2020 | 140 | 33 |
| 10/7/2020 | | |
| 10/8/2020 | | 36 |
| 10/9/2020 | 14 | |
| 3/29/2021 | | |
| 3/31/2021 | | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-308 |
|---|---|---|
| 4/1/2021 | 71 | 96 |
| 9/2/2021 | | |
| 9/7/2021 | 25 | 88 |
| 3/22/2022 | | |
| 3/24/2022 | 140 | 64 |

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-300 | MW-308 | MW-305 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | |
| 3/1/2016 | | | | | <0.1 | 0.033 (J) | | | |
| 3/3/2016 | | | | | | | 0.041 (J) | 0.11 | 0.035 (J) |
| 5/2/2016 | <0.1 | <0.1 | <0.1 | | | <0.1 | | | |
| 5/3/2016 | | | | | <0.1 | | | | |
| 5/4/2016 | | | | <0.1 | | | <0.1 | 0.07 (J) | <0.1 |
| 7/5/2016 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 7/6/2016 | | | | | | | | 0.07 (J) | |
| 7/7/2016 | | | | | | | <0.1 | | <0.1 |
| 7/8/2016 | | | | <0.1 | | | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 9/7/2016 | | | | | | | <0.1 | 0.06 (J) | <0.1 |
| 9/8/2016 | | | | | | | | | |
| 11/7/2016 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | <0.1 |
| 11/8/2016 | | | | | | | <0.1 | 0.06 (J) | |
| 11/10/2016 | | | | <0.1 | | | | | |
| 1/9/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 1/10/2017 | | | | | | | <0.1 | 0.04 (J) | <0.1 |
| 1/11/2017 | | | | <0.1 | | | | | |
| 3/13/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 3/14/2017 | | | | <0.1 | | | | | |
| 3/15/2017 | | | | | | | <0.1 | | <0.1 |
| 3/16/2017 | | | | | | | | 0.06 (J) | |
| 5/15/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 5/16/2017 | | | | | | | <0.1 | 0.09 (J) | <0.1 |
| 5/18/2017 | | | | <0.1 | | | | | |
| 10/2/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 10/3/2017 | | | | | | | <0.1 | 0.13 | <0.1 |
| 10/5/2017 | | | | <0.1 | | | | | |
| 12/20/2017 | | | | | | | | 0.1 | |
| 3/12/2018 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 3/13/2018 | | | | | | | <0.1 | 0.1 | <0.1 |
| 3/14/2018 | | | | 0.12 | | | | | |
| 6/5/2018 | <0.1 | <0.1 | <0.1 | | | | | | |
| 6/6/2018 | | | | | <0.1 | <0.1 | <0.1 | | |
| 6/7/2018 | | | | | | | | 0.14 | <0.1 |
| 6/10/2018 | | | | <0.1 | | | | | |
| 10/16/2018 | <0.1 | <0.1 | <0.1 | | | | | | |
| 10/17/2018 | | | | | <0.1 | <0.1 | | 0.14 | <0.1 |
| 10/18/2018 | | | | <0.1 | | | <0.1 | | |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | 0.16 | |
| 2/28/2019 | | | | | | | <0.1 | | <0.1 |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.2 | <0.1 |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 11/11/2019 | | | | | | | <0.1 | 0.16 | <0.1 |
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 4/18/2020 | | | | | | | <0.1 | 0.17 | <0.1 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 10/8/2020 | | | | | | | | 0.07 (J) | |
| 10/9/2020 | | | | | | | <0.1 | | <0.1 |
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 3/31/2021 | | | | | | | <0.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-300 | MW-308 | MW-305 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | | 0.19 | 0.032 |
| 9/2/2021 | 0.08 (J) | <0.1 | 0.1 | 0.04 (J) | <0.1 | 0.04 (J) | | | |
| 9/7/2021 | | | | | | | <0.1 | 0.17 | <0.1 |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 3/24/2022 | | | | | | | <0.1 | 0.14 | <0.1 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-303 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 0.12 | 0.15 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 0.19 | 0.11 |
| 7/5/2016 | | |
| 7/6/2016 | 0.15 | 0.13 |
| 7/7/2016 | | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 0.06 (J) | |
| 9/8/2016 | | 0.12 |
| 11/7/2016 | | |
| 11/8/2016 | 0.09 (J) | 0.13 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | <0.1 | 0.15 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | <0.1 | |
| 3/16/2017 | | 0.16 |
| 5/15/2017 | | 0.2 |
| 5/16/2017 | 0.04 (J) | |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 0.07 (J) | 0.25 |
| 10/5/2017 | | |
| 12/20/2017 | | 0.25 |
| 3/12/2018 | | |
| 3/13/2018 | <0.1 | 0.26 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | <0.1 | 0.28 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 0.06 (J) | 0.29 |
| 10/18/2018 | | |
| 2/27/2019 | | |
| 2/28/2019 | <0.1 | 0.28 |
| 5/31/2019 | <0.1 | 0.33 |
| 11/6/2019 | | |
| 11/11/2019 | <0.1 | 0.26 |
| 4/16/2020 | | |
| 4/18/2020 | <0.1 | 0.25 |
| 10/7/2020 | | |
| 10/8/2020 | | <0.1 |
| 10/9/2020 | 0.04 (J) | |
| 3/29/2021 | | |
| 3/31/2021 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-303 |
|---|---|---|
| 4/1/2021 | 0.04 | 0.26 |
| 9/2/2021 | | |
| 9/7/2021 | 0.7 | 0.24 |
| 3/22/2022 | | |
| 3/24/2022 | <0.1 | 0.22 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | 1.6 (J) | <5 | <5 | | | | | |
| 3/1/2016 | | | | | <5 | <5 | | | |
| 3/3/2016 | | | | | | | 180 | <5 | <5 |
| 5/2/2016 | 15 (o) | 2.1 (J) | <5 | | | <5 | | | |
| 5/3/2016 | | | | | <5 | | | | |
| 5/4/2016 | | | | <5 | | | 200 | <5 | <5 |
| 7/5/2016 | <5 | 2 (J) | <5 | | <5 | <5 | | | |
| 7/6/2016 | | | | | | | 150 | | |
| 7/7/2016 | | | | | | | | <5 | <5 |
| 7/8/2016 | | | | <5 | | | | | |
| 9/6/2016 | <5 | 1.8 (J) | <5 | <5 | <5 | 3.7 (J) | | | |
| 9/7/2016 | | | | | | | | <5 | <5 |
| 9/8/2016 | | | | | | | 160 | | |
| 11/7/2016 | <5 | 1.7 (J) | <5 | | <5 | <5 | | <5 | |
| 11/8/2016 | | | | | | | 230 | | <5 |
| 11/10/2016 | | | | <5 | | | | | |
| 1/9/2017 | <5 | 1.5 (J) | 2.6 (J) | | <5 | <5 | | | |
| 1/10/2017 | | | | | | | 190 | <5 | <5 |
| 1/11/2017 | | | | <5 | | | | | |
| 3/13/2017 | 2.5 (J) | 2.2 (J) | <5 | | <5 | <5 | | | |
| 3/14/2017 | | | | <5 | | | | | |
| 3/15/2017 | | | | | | | | <5 (*) | <5 (*) |
| 3/16/2017 | | | | | | | 190 | | |
| 5/15/2017 | <5 | 1.9 (J) | <5 | | <5 | <5 | 190 | | |
| 5/16/2017 | | | | | | | | <5 | <5 |
| 5/18/2017 | | | | <5 (X) | | | | | |
| 10/2/2017 | <5 | 3.4 (J) | <5 | | 1.5 (J) | 1.7 (J) | | | |
| 10/3/2017 | | | | | | | 130 | <5 | <5 |
| 10/5/2017 | | | | <5 | | | | | |
| 12/20/2017 | | | | | | | 85 | | |
| 3/12/2018 | <5 | 2.6 (J) | <5 | | <5 | <5 | | | |
| 3/13/2018 | | | | | | | 160 | 1.5 (J) | <5 |
| 3/14/2018 | | | | <5 | | | | | |
| 6/5/2018 | <5 | 2.6 (J) | <5 | | | | | | |
| 6/6/2018 | | | | | <5 | <5 | | | <5 |
| 6/7/2018 | | | | | | | 280 | <5 | |
| 6/10/2018 | | | | 1.5 (J) | | | | | |
| 10/16/2018 | <5 | 2.8 (J) | <5 | | | | | | |
| 10/17/2018 | | | | | <5 | <5 | 250 | <5 | |
| 10/18/2018 | | | | <5 | | | | | <5 |
| 2/27/2019 | <5 | 2.4 (J) | <5 | 1.9 (J) | <5 | <5 | | | |
| 2/28/2019 | | | | | | | 140 | 2.6 (J) | <5 |
| 5/31/2019 | <5 | 3.3 (J) | <5 | <5 | <5 | <5 | 140 | 12 | <5 |
| 11/6/2019 | <5 | 3.7 (J) | <5 | <5 | <5 | <5 | | | |
| 11/11/2019 | | | | | | | 230 | 5.5 | <5 |
| 4/16/2020 | <5 | 1.7 (J) | <5 | <5 | <5 | <5 | | | |
| 4/18/2020 | | | | | | | 260 | <5 | <5 |
| 10/7/2020 | <5 | 4 (J) | <5 | <5 | <5 | <5 | | | |
| 10/8/2020 | | | | | | | 160 | | |
| 10/9/2020 | | | | | | | | <5 | <5 |
| 3/29/2021 | <5 | 2.3 | <5 | <5 | <5 | <5 | | | |
| 3/31/2021 | | | | | | | | | 18 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 320 | 1.9 | |
| 9/2/2021 | <5 | 4.7 (J) | <5 | <5 | <5 | <5 | | | |
| 9/7/2021 | | | | | | | 120 | <5 | <5 |
| 3/22/2022 | <5 | 4.5 (J) | <5 | <5 | <5 | <5 | | | |
| 3/24/2022 | | | | | | | 180 | 18 | <5 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 230 | 550 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 280 | 520 |
| 7/5/2016 | | |
| 7/6/2016 | 270 | 510 |
| 7/7/2016 | | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 280 | 340 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 280 | 630 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 240 | 580 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | | 250 |
| 3/16/2017 | 220 | |
| 5/15/2017 | | |
| 5/16/2017 | 200 | 410 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 180 | 440 |
| 10/5/2017 | | |
| 12/20/2017 | 170 | 400 |
| 3/12/2018 | | |
| 3/13/2018 | 210 | 460 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | 210 | 420 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 140 | 320 |
| 10/18/2018 | | |
| 2/27/2019 | 150 | |
| 2/28/2019 | | 490 |
| 5/31/2019 | 210 | 500 |
| 11/6/2019 | | |
| 11/11/2019 | 170 | 340 |
| 4/16/2020 | | |
| 4/18/2020 | 120 | 600 |
| 10/7/2020 | | |
| 10/8/2020 | 170 | |
| 10/9/2020 | | 300 |
| 3/29/2021 | | |
| 3/31/2021 | | |

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 4/1/2021 | 190 | 750 |
| 9/2/2021 | | |
| 9/7/2021 | 140 | 530 |
| 3/22/2022 | | |
| 3/24/2022 | 1700 | 680 |

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-304 | MW-303 | MW-305 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | <5 | 20 | 12 | | | | | |
| 3/1/2016 | | | | | 10 | <5 | | | |
| 3/3/2016 | | | | | | | 1100 | 420 | 18 |
| 5/2/2016 | <5 | <5 | | 6 | | 36 | | | |
| 5/3/2016 | | | | | <5 | | | | |
| 5/4/2016 | | | 6 | | | | 1200 | 450 | 38 |
| 7/5/2016 | 12 | 14 | | <5 | <5 | <5 | | | |
| 7/6/2016 | | | | | | | 870 | 280 | |
| 7/7/2016 | | | | | | | | | <5 |
| 7/8/2016 | | | 6 | | | | | | |
| 9/6/2016 | 36 | 30 | 36 | 38 | 36 | 44 | | | |
| 9/7/2016 | | | | | | | 650 | | 14 |
| 9/8/2016 | | | | | | | | 410 | |
| 11/7/2016 | 18 | 8 | | <5 | <5 | 30 | | | 32 |
| 11/8/2016 | | | | | | | 1100 | 580 | |
| 11/10/2016 | | | 16 | | | | | | |
| 1/9/2017 | 4 (J) | <5 | | 14 | <5 | 12 | | | |
| 1/10/2017 | | | | | | | 1300 | 530 | 32 |
| 1/11/2017 | | | 38 | | | | | | |
| 3/13/2017 | 6 | <5 | | 8 | 22 | 20 | | | |
| 3/14/2017 | | | <5 | | | | | | |
| 3/15/2017 | | | | | | | 500 | | 20 |
| 3/16/2017 | | | | | | | | 650 | |
| 5/15/2017 | <5 | <5 | | <5 | 6 | 4 (J) | | 500 | |
| 5/16/2017 | | | | | | | 850 | | 18 |
| 5/18/2017 | | | 10 | | | | | | |
| 10/2/2017 | <5 | <5 | | 6 | 16 | 24 | | | |
| 10/3/2017 | | | | | | | 760 | 310 | 36 |
| 10/5/2017 | | | <5 | | | | | | |
| 12/20/2017 | | | | | | | 830 | 150 | |
| 3/12/2018 | 18 | 14 | | <5 | <5 | <5 | | | |
| 3/13/2018 | | | | | | | 880 | 450 | 12 |
| 3/14/2018 | | | 8 | | | | | | |
| 6/5/2018 | 10 | <5 | | 14 | | | | | |
| 6/6/2018 | | | | | 20 | 16 | | | |
| 6/7/2018 | | | | | | | 670 | 620 | <5 |
| 6/10/2018 | | | 8 | | | | | | |
| 10/16/2018 | 32 | 12 | | 6 | | | | | |
| 10/17/2018 | | | | | 44 | 44 | 770 | 700 | 68 |
| 10/18/2018 | | | 28 | | | | | | |
| 2/27/2019 | 110 | 54 | 68 | 110 | 20 | 28 | | | |
| 2/28/2019 | | | | | | | 880 | 330 | 28 |
| 5/31/2019 | 46 | 8 | <5 | 26 | 32 | 18 | 1200 | 300 | 50 |
| 11/6/2019 | <5 | 4 (J) | 10 | <5 | 24 | 20 | | | |
| 11/11/2019 | | | | | | | 370 | 390 | 38 |
| 4/16/2020 | 28 | 18 | 44 | 8 | 6 | 8 | | | |
| 4/18/2020 | | | | | | | 1000 | 520 | 36 |
| 10/7/2020 | 30 | 20 | 24 | 26 | 16 | 12 | | | |
| 10/8/2020 | | | | | | | | 850 | |
| 10/9/2020 | | | | | | | 580 | | 42 |
| 3/29/2021 | 38 | 12 | 26 | 28 | 42 | 40 | | | |
| 3/31/2021 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-101 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-304 | MW-303 | MW-305 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 1200 | 600 | 52 |
| 9/2/2021 | 40 | 10 | 8 | 8 | 10 | <5 | | | |
| 9/7/2021 | | | | | | | 1000 | 360 | 24 |
| 3/22/2022 | 58 | 18 | 14 | 46 | 84 | 22 | | | |
| 3/24/2022 | | | | | | | 1400 | 440 | 62 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-308 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 18 | 490 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 28 | 690 |
| 7/5/2016 | | |
| 7/6/2016 | | 500 |
| 7/7/2016 | <5 | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 8 | 590 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 24 | 530 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 30 | 510 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | 32 | |
| 3/16/2017 | | 420 |
| 5/15/2017 | | |
| 5/16/2017 | <5 | 430 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 34 | 320 |
| 10/5/2017 | | |
| 12/20/2017 | | 410 |
| 3/12/2018 | | |
| 3/13/2018 | 26 | 590 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | 64 | |
| 6/7/2018 | | 530 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | | 390 |
| 10/18/2018 | 12 | |
| 2/27/2019 | | 420 |
| 2/28/2019 | 20 | |
| 5/31/2019 | 36 | 620 |
| 11/6/2019 | | |
| 11/11/2019 | 66 | 410 |
| 4/16/2020 | | |
| 4/18/2020 | 62 | 280 |
| 10/7/2020 | | |
| 10/8/2020 | | 380 |
| 10/9/2020 | 52 | |
| 3/29/2021 | | |
| 3/31/2021 | 48 | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 1:52 PM View: 300 Series - Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-308 |
|---|---|---|
| 4/1/2021 | | 560 |
| 9/2/2021 | | |
| 9/7/2021 | 54 | 450 |
| 3/22/2022 | | |
| 3/24/2022 | 16 | 470 |

# Appendix III - Intrawell Prediction Limits - 300 Series Wells - All Results (No Significant)


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:55 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field pH (SU) | MW-100 | 5.296 | 4.413 | 3/22/2022 | 4.9 | No | 13 | 4.855 | 0.1936 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-101 | 5.543 | 4.367 | 3/22/2022 | 5.02 | No | 13 | 4.955 | 0.258 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-107 | 5.461 | 4.357 | 3/22/2022 | 4.91 | No | 13 | 4.909 | 0.2421 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-108 | 5.218 | 4.328 | 3/22/2022 | 4.89 | No | 12 | 4.773 | 0.1917 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-300 | 5.229 | 4.305 | 3/24/2022 | 4.68 | No | 14 | 4.767 | 0.2067 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-303 | 7.152 | 5.968 | 3/24/2022 | 6.9 | No | 14 | 6.56 | 0.2649 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-304 | 6.401 | 4.549 | 3/24/2022 | 5.83 | No | 14 | 5.475 | 0.4141 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-305 | 5.367 | 4.441 | 3/24/2022 | 4.84 | No | 14 | 4.904 | 0.2071 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-306 | 5.478 | 4.584 | 3/22/2022 | 5.1 | No | 13 | 5.031 | 0.1961 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-307 | 6.609 | 4.991 | 3/22/2022 | 5.18 | No | 13 | 5.8 | 0.3549 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-308 | 6.805 | 5.551 | 3/24/2022 | 6.68 | No | 14 | 6.178 | 0.2805 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.855, Std. Dev.=0.1936, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9274, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.955, Std. Dev.=0.258, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9894, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.909, Std. Dev.=0.2421, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9038, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.773, Std. Dev.=0.1917, n=12. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9468, critical = 0.805. Kappa = 2.322 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.767, Std. Dev.=0.2067, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.966, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=6.56, Std. Dev.=0.2649, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.943, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.475, Std. Dev.=0.4141, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9337, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.904, Std. Dev.=0.2071, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.946, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.


Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.031, Std. Dev.=0.1961, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9411, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.8, Std. Dev.=0.3549, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8636, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=6.178, Std. Dev.=0.2805, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9279, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/12/2023 1:54 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 | MW-100 |
|---|---|---|
| 2/29/2016 | 5.11 | |
| 5/2/2016 | 4.76 | |
| 7/5/2016 | 5.12 | |
| 9/6/2016 | 5.11 | |
| 11/7/2016 | 4.76 | |
| 1/9/2017 | 4.99 | |
| 3/13/2017 | 4.57 | |
| 5/15/2017 | 4.6 | |
| 10/2/2017 | 4.64 | |
| 3/12/2018 | 4.85 | |
| 6/5/2018 | 4.92 | |
| 10/16/2018 | 4.93 | |
| 2/27/2019 | 4.75 | |
| 5/31/2019 | | 4.9 |
| 11/6/2019 | | 4.82 |
| 4/16/2020 | | 5.03 |
| 10/7/2020 | | 4.74 |
| 3/29/2021 | | 4.79 |
| 9/2/2021 | | 4.81 |
| 3/22/2022 | | 4.9 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-101 | MW-101 |
|---|---|---|
| 2/29/2016 | 5.26 | |
| 5/4/2016 | 5.1 | |
| 7/8/2016 | 4.96 | |
| 9/6/2016 | 5.43 | |
| 11/10/2016 | 4.89 | |
| 1/11/2017 | 4.87 | |
| 3/14/2017 | 4.71 | |
| 5/18/2017 | 4.5 | |
| 10/5/2017 | 4.63 | |
| 3/14/2018 | 5.14 | |
| 6/10/2018 | 5.12 | |
| 10/18/2018 | 4.97 | |
| 2/27/2019 | 4.84 | |
| 5/31/2019 | | 4.92 |
| 11/6/2019 | | 4.94 |
| 4/16/2020 | | 5.17 |
| 10/7/2020 | | 5.08 |
| 3/29/2021 | | 4.92 |
| 9/2/2021 | | 5.07 |
| 3/22/2022 | | 5.02 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 | MW-107 |
|---|---|---|
| 2/29/2016 | 5.11 | |
| 5/2/2016 | 4.77 | |
| 7/5/2016 | 5.48 | |
| 9/6/2016 | 5.12 | |
| 11/7/2016 | 4.73 | |
| 1/9/2017 | 5 | |
| 3/13/2017 | 4.74 | |
| 5/15/2017 | 4.63 | |
| 10/2/2017 | 4.63 | |
| 3/12/2018 | 4.81 | |
| 6/5/2018 | 5.04 | |
| 10/16/2018 | 4.98 | |
| 2/27/2019 | 4.78 | |
| 5/31/2019 | | 4.92 |
| 11/6/2019 | | 4.88 |
| 4/16/2020 | | 5.15 |
| 10/7/2020 | | 4.91 |
| 3/29/2021 | | 4.89 |
| 9/2/2021 | | 4.87 |
| 3/22/2022 | | 4.91 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-108 | MW-108 |
|---|---|---|
| 2/29/2016 | 4.9 | |
| 5/2/2016 | 4.69 | |
| 7/5/2016 | 7.11 (o) | |
| 9/6/2016 | 5.19 | |
| 11/7/2016 | 4.64 | |
| 1/9/2017 | 4.94 | |
| 3/13/2017 | 4.63 | |
| 5/15/2017 | 4.52 | |
| 10/2/2017 | 4.54 | |
| 3/12/2018 | 4.81 | |
| 6/5/2018 | 4.9 | |
| 10/16/2018 | 4.81 | |
| 2/27/2019 | 4.71 | |
| 5/31/2019 | | 4.84 |
| 11/6/2019 | | 4.78 |
| 4/16/2020 | | 4.96 |
| 10/7/2020 | | 4.8 |
| 3/29/2021 | | 4.8 |
| 9/2/2021 | | 4.77 |
| 3/22/2022 | | 4.89 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-300 |
|---|---|---|
| 3/3/2016 | 5.11 | |
| 5/4/2016 | 5.13 | |
| 7/7/2016 | 4.96 | |
| 9/7/2016 | 4.88 | |
| 11/8/2016 | 4.54 | |
| 1/10/2017 | 4.83 | |
| 3/15/2017 | 4.82 | |
| 5/16/2017 | 4.53 | |
| 10/3/2017 | 4.44 | |
| 12/20/2017 | 4.63 | |
| 3/13/2018 | 4.78 | |
| 6/6/2018 | 4.67 | |
| 10/18/2018 | 4.71 | |
| 2/28/2019 | 4.71 | |
| 5/31/2019 | | 4.62 |
| 11/11/2019 | | 4.77 |
| 4/18/2020 | | 4.69 |
| 10/9/2020 | | 4.6 |
| 3/31/2021 | | 4.69 |
| 9/7/2021 | | 4.52 |
| 3/24/2022 | | 4.68 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-303 |
|---|---|---|
| 3/3/2016 | 6.16 | |
| 5/4/2016 | 6.3 | |
| 7/6/2016 | 7.07 | |
| 9/8/2016 | 6.72 | |
| 11/8/2016 | 6.55 | |
| 1/10/2017 | 6.72 | |
| 3/16/2017 | 6.5 | |
| 5/15/2017 | 6.15 | |
| 10/3/2017 | 6.48 | |
| 12/20/2017 | 6.99 (R) | |
| 3/13/2018 | 6.61 | |
| 6/7/2018 | 6.48 | |
| 10/17/2018 | 6.58 | |
| 2/28/2019 | 6.53 | |
| 5/31/2019 | | 6.25 |
| 11/11/2019 | | 6.68 |
| 4/18/2020 | | 6.61 |
| 10/8/2020 | | 6.68 |
| 4/1/2021 | | 6.46 |
| 9/7/2021 | | 6.56 |
| 3/24/2022 | | 6.9 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-304 |
|---|---|---|
| 3/3/2016 | 5.185 (D) | |
| 5/4/2016 | 5.02 (D) | |
| 7/6/2016 | 4.93 | |
| 9/7/2016 | 5.36 | |
| 11/8/2016 | 5.26 | |
| 1/10/2017 | 5.04 | |
| 3/15/2017 | 5.91 | |
| 5/16/2017 | 5.36 | |
| 10/3/2017 | 6.36 | |
| 12/20/2017 | 5.86 | |
| 3/13/2018 | 5.41 | |
| 6/7/2018 | 5.37 | |
| 10/17/2018 | 5.94 | |
| 2/28/2019 | 5.64 | |
| 5/31/2019 | | 5.41 |
| 11/11/2019 | | 5.18 |
| 4/18/2020 | | 5.2 |
| 10/9/2020 | | 6.49 |
| 4/1/2021 | | 5.81 |
| 9/7/2021 | | 5.1 |
| 3/24/2022 | | 5.83 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-305 | MW-305 |
|---|---|---|
| 3/3/2016 | 5.33 | |
| 5/4/2016 | 5.13 | |
| 7/7/2016 | 5.19 | |
| 9/7/2016 | 4.9 | |
| 11/7/2016 | 4.78 | |
| 1/10/2017 | 4.96 | |
| 3/15/2017 | 4.89 | |
| 5/16/2017 | 4.53 | |
| 10/3/2017 | 4.64 | |
| 12/20/2017 | 4.87 | |
| 3/13/2018 | 4.91 | |
| 6/7/2018 | 4.8 | |
| 10/17/2018 | 4.87 | |
| 2/28/2019 | 4.86 | |
| 5/31/2019 | | 4.84 |
| 11/11/2019 | | 4.9 |
| 4/18/2020 | | 4.91 |
| 10/9/2020 | | 4.93 |
| 4/1/2021 | | 4.83 |
| 9/7/2021 | | 4.68 |
| 3/24/2022 | | 4.84 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-306 | MW-306 |
|---|---|---|
| 3/1/2016 | 5.08 | |
| 5/3/2016 | 5.14 | |
| 7/5/2016 | 5.38 | |
| 9/6/2016 | 5.37 | |
| 11/7/2016 | 4.92 | |
| 1/9/2017 | 5.05 | |
| 3/13/2017 | 4.87 | |
| 5/15/2017 | 4.69 | |
| 10/2/2017 | 4.88 | |
| 3/12/2018 | 5.07 | |
| 6/6/2018 | 5.09 | |
| 10/17/2018 | 4.99 | |
| 2/27/2019 | 4.87 | |
| 5/31/2019 | | 4.89 |
| 11/6/2019 | | 5.04 |
| 4/16/2020 | | 5.13 |
| 10/7/2020 | | 5.13 |
| 3/29/2021 | | 4.93 |
| 9/2/2021 | | 4.94 |
| 3/22/2022 | | 5.1 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 | MW-307 |
|---|---|---|
| 3/1/2016 | 6.37 | |
| 5/2/2016 | 5.605 (D) | |
| 7/5/2016 | 6.29 | |
| 9/6/2016 | 6.42 | |
| 11/7/2016 | 5.75 | |
| 1/9/2017 | 5.98 | |
| 3/13/2017 | 5.81 | |
| 5/15/2017 | 5.42 | |
| 10/2/2017 | 5.63 | |
| 3/12/2018 | 5.6 | |
| 6/6/2018 | 5.58 | |
| 10/17/2018 | 5.54 | |
| 2/27/2019 | 5.4 | |
| 5/31/2019 | | 5.45 |
| 11/6/2019 | | 5.52 |
| 4/16/2020 | | 5.58 |
| 10/7/2020 | | 5.5 |
| 3/29/2021 | | 5.46 |
| 9/2/2021 | | 5.16 |
| 3/22/2022 | | 5.18 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:55 PM View: 300 Series - Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-308 |
|---|---|---|
| 3/3/2016 | 6.62 (D) | |
| 5/4/2016 | 6.345 (D) | |
| 7/6/2016 | 6.42 | |
| 9/7/2016 | 6.01 | |
| 11/8/2016 | 6.02 | |
| 1/10/2017 | 6 | |
| 3/16/2017 | 6.12 | |
| 5/16/2017 | 6.13 | |
| 10/3/2017 | 5.47 | |
| 12/20/2017 | 6.07 (R) | |
| 3/13/2018 | 6.26 | |
| 6/7/2018 | 6.36 | |
| 10/17/2018 | 6.18 | |
| 2/27/2019 | 6.49 | |
| 5/31/2019 | | 6.65 |
| 11/11/2019 | | 6.75 |
| 4/18/2020 | | 6.97 |
| 10/8/2020 | | 5.78 |
| 4/1/2021 | | 6.55 |
| 9/7/2021 | | 6.13 |
| 3/24/2022 | | 6.68 |

# Trend Tests - 100, 200 & 300 Series

# 100 Series

# Appendix III Trend Test Summary - 100 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:30 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-109** | **0.06335** | **101** | **81** | **Yes** | **20** | **20** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-104** | **3.541** | **98** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-109** | **0.4374** | **132** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-103** | **1.481** | **125** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-109** | **2.725** | **129** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-105** | **0.0546** | **95** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1243** | **-127** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 100 Series Wells - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 10:30 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 0 | 81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -36 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-103 | -0.02768 | -55 | -87 | No | 21 | 14.29 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-104 | 0 | -1 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-105 | -0.02027 | -15 | -87 | No | 21 | 9.524 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -41 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | -9 | -81 | No | 20 | 70 | n/a | n/a | 0.01 | NP |
| **Boron (mg/L)** | **MW-109** | **0.06335** | **101** | **81** | **Yes** | **20** | **20** | **n/a** | **n/a** | **0.01** | **NP** |
| Boron (mg/L) | MW-110 | 0.207 | 64 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-306 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.006981 | -32 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-102 | -0.07445 | -76 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-103 | -0.1449 | -81 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-104** | **3.541** | **98** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-105 | 0.3649 | 15 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.02101 | -64 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-109** | **0.4374** | **132** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-110 | 0.7328 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-306 (bg) | 0.00887 | 31 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.1123 | 46 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-103** | **1.481** | **125** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-104 | 0 | -4 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-105 | -1.878 | -39 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.1151 | -61 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2076 | -60 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-109** | **2.725** | **129** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-110 | 2.398 | 12 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-100 (bg) | -0.0144 | -21 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.007234 | -7 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-104 | 0.01826 | 44 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-105** | **0.0546** | **95** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-107 (bg) | -0.006427 | -6 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0.007081 | 6 | 74 | No | 19 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-306 (bg) | -0.008985 | -14 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1243** | **-127** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Fluoride (mg/L) | MW-100 (bg) | 0 | -31 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-101 (bg) | 0 | -17 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-104 | -0.00781 | -25 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-107 (bg) | 0 | 0 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-108 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-306 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-307 (bg) | 0 | 3 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-100 (bg) | 0 | 8 | 74 | No | 19 | 94.74 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -5 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-103 | -1.528 | -71 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-104 | 20.5 | 25 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-105 | -0.2915 | -9 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | 9 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-109 | 0.8411 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-110 | 7.946 | 53 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 3 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 15 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 5.564 | 73 | 81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9099 | 20 | 81 | No | 20 | 15 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-104 | 2.554 | 9 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-105 | -5.5 | -15 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 0.9834 | 41 | 81 | No | 20 | 35 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 0.8773 | 48 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-110 | 28.03 | 47 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 3.558 | 68 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0 | -1 | -81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -36
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-103




n = 21

Slope = -0.02768 units per year.

Mann-Kendall statistic = -55
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-104




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -1
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-105




n = 21

Slope = -0.02027 units per year.

Mann-Kendall statistic = -15
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -41
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -9
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-109




n = 20

Slope = 0.06335 units per year.

Mann-Kendall statistic = 101
critical = 81


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-110




n = 21

Slope = 0.207 units per year.

Mann-Kendall statistic = 64 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -40 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -40 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0.04517 units per year.

Mann-Kendall statistic = 87 critical = 81


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = -0.006981 units per year.

Mann-Kendall statistic = -32
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-102




n = 20

Slope = -0.07445 units per year.

Mann-Kendall statistic = -76
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-103




n = 21

Slope = -0.1449 units per year.

Mann-Kendall statistic = -81
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-104




n = 21

Slope = 3.541 units per year.

Mann-Kendall statistic = 98
critical = 87


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-105




n = 21

Slope = 0.3649 units per year.

Mann-Kendall statistic = 15 critical = 87

Trend not sig-nificant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = -0.02101 units per year.

Mann-Kendall statistic = -64 critical = -81

Trend not sig-nificant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.07572 units per year.

Mann-Kendall statistic = 89 critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-109




n = 21

Slope = 0.4374 units per year.

Mann-Kendall statistic = 132 critical = 87


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-110




n = 21

Slope = 0.7328 units per year.

Mann-Kendall statistic = 26
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0.00887 units per year.

Mann-Kendall statistic = 31
critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = -0.08244 units per year.

Mann-Kendall statistic = -105
critical = -81

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0.3098 units per year.

Mann-Kendall statistic = 109
critical = 81


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0.1123 units per year.

Mann-Kendall statistic = 46 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-103




n = 21

Slope = 1.481 units per year.

Mann-Kendall statistic = 125 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-104




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -4 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-105




n = 21

Slope = -1.878 units per year.

Mann-Kendall statistic = -39 critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = -0.1151 units per year.

Mann-Kendall statistic = -61
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = -0.2076 units per year.

Mann-Kendall statistic = -60
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-109




n = 20

Slope = 2.725 units per year.

Mann-Kendall statistic = 129
critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-110




n = 21

Slope = 2.398 units per year.

Mann-Kendall statistic = 12
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0.1997 units per year.

Mann-Kendall statistic = 92
critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0.1921 units per year.

Mann-Kendall statistic = 86
critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = -0.0144 units per year.

Mann-Kendall statistic = -21
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = -0.007234 units per year.

Mann-Kendall statistic = -7
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-104




n = 21

Slope = 0.01826 units per year.

Mann-Kendall statistic = 44
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-105




n = 21

Slope = 0.0546 units per year.

Mann-Kendall statistic = 95
critical = 87


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = -0.006427 units per year.

Mann-Kendall statistic = -6
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 19

Slope = 0.007081 units per year.


Mann-Kendall statistic = 6
critical = 74

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = -0.008985 units per year.

Mann-Kendall statistic = -14
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH  Analysis Run 1/12/2023 10:27 AM  View: 100 Series - Trend Tests
Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = -0.1243 units per year.

Mann-Kendall statistic = -127
critical = -81


Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH  Analysis Run 1/12/2023 10:27 AM  View: 100 Series - Trend Tests
Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -31
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride  Analysis Run 1/12/2023 10:27 AM  View: 100 Series - Trend Tests
Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -17
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride  Analysis Run 1/12/2023 10:27 AM  View: 100 Series - Trend Tests
Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-104




n = 21

Slope = -0.00781 units per year.

Mann-Kendall statistic = -25 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 3
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 19

Slope = 0 units per year.

Mann-Kendall statistic = 8
critical = 74


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 10:27 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -5
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-103




n = 21

Slope = -1.528 units per year.

Mann-Kendall statistic = -71
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-104




n = 21

Slope = 20.5 units per year.

Mann-Kendall statistic = 25 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-105




n = 21

Slope = -0.2915 units per year.

Mann-Kendall statistic = -9 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 9 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.4557 units per year.

Mann-Kendall statistic = 102 critical = 81


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-109





Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-110




Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)





Constituent: Sulfate Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 5.564 units per year.

Mann-Kendall statistic = 73
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0.9099 units per year.

Mann-Kendall statistic = 20
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-104




n = 21

Slope = 2.554 units per year.

Mann-Kendall statistic = 9
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-105




n = 21

Slope = -5.5 units per year.

Mann-Kendall statistic = -15
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0.9834 units per year.

Mann-Kendall statistic = 41
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.8773 units per year.

Mann-Kendall statistic = 48
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-110




n = 21

Slope = 28.03 units per year.

Mann-Kendall statistic = 47
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 3.558 units per year.

Mann-Kendall statistic = 68
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:28 AM View: 100 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -1
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids  Analysis Run 1/12/2023 10:28 AM  View: 100 Series - Trend Tests

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

# 200 Series

# Appendix III Trend Test Summary - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:34 PM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-201** | **-5.181** | **-142** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Boron (mg/L)** | **MW-206** | **-16.33** | **-182** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-201** | **-134.6** | **-140** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-206** | **-482** | **-198** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-200** | **-279.6** | **-146** | **-87** | **Yes** | **21** | **4.762** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-201** | **-254.7** | **-105** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-206** | **-969** | **-176** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-206** | **0.1138** | **110** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1243** | **-127** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-200** | **-60.75** | **-137** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-201** | **-78.57** | **-149** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-206** | **-111.5** | **-169** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **-899.7** | **-175** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **-744.8** | **-117** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **-2235** | **-155** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 200 Series Wells - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:34 PM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 0 | 81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -36 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -41 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | -9 | -81 | No | 20 | 70 | n/a | n/a | 0.01 | NP |
| **Boron (mg/L)** | **MW-201** | **-5.181** | **-142** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Boron (mg/L)** | **MW-206** | **-16.33** | **-182** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Boron (mg/L) | MW-306 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.006981 | -32 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.02101 | -64 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-201** | **-134.6** | **-140** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-206** | **-482** | **-198** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-306 (bg) | 0.00887 | 31 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.1123 | 46 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.1151 | -61 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2076 | -60 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-200** | **-279.6** | **-146** | **-87** | **Yes** | **21** | **4.762** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-201** | **-254.7** | **-105** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-206** | **-969** | **-176** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-100 (bg) | -0.0144 | -21 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.007234 | -7 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-107 (bg) | -0.006427 | -6 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0.007081 | 6 | 74 | No | 19 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-200 | 0.04883 | 84 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-206** | **0.1138** | **110** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-306 (bg) | -0.008985 | -14 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1243** | **-127** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Fluoride (mg/L) | MW-100 (bg) | 0 | -31 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-101 (bg) | 0 | -17 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-107 (bg) | 0 | 0 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-108 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-201 | -0.05554 | -53 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-306 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-307 (bg) | 0 | 3 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-100 (bg) | 0 | 8 | 74 | No | 19 | 94.74 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -5 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | 9 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-200** | **-60.75** | **-137** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-201** | **-78.57** | **-149** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-206** | **-111.5** | **-169** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 3 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 15 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 5.564 | 73 | 81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9099 | 20 | 81 | No | 20 | 15 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 0.9834 | 41 | 81 | No | 20 | 35 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 0.8773 | 48 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **-899.7** | **-175** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **-744.8** | **-117** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **-2235** | **-155** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 3.558 | 68 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0 | -1 | -81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -36 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -41 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -9 critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-201




n = 21

Slope = -5.181 units per year.

Mann-Kendall statistic = -142 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-206




n = 21

Slope = -16.33 units per year.

Mann-Kendall statistic = -182 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -40 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -40 critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0.04517 units per year.

Mann-Kendall statistic = 87
critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = -0.006981 units per year.

Mann-Kendall statistic = -32
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = -0.02101 units per year.

Mann-Kendall statistic = -64
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.07572 units per year.

Mann-Kendall statistic = 89
critical = 81


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-201




n = 21

Slope = -134.6 units per year.

Mann-Kendall statistic = -140 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-206




n = 21

Slope = -482 units per year.

Mann-Kendall statistic = -198 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0.00887 units per year.

Mann-Kendall statistic = 31 critical = 81

Trend not sig-nificant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = -0.08244 units per year.

Mann-Kendall statistic = -105 critical = -81


Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0.3098 units per year.

Mann-Kendall statistic = 109
critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0.1123 units per year.

Mann-Kendall statistic = 46
critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = -0.1151 units per year.

Mann-Kendall statistic = -61
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = -0.2076 units per year.

Mann-Kendall statistic = -60
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-200




n = 21

Slope = -279.6 units per year.

Mann-Kendall statistic = -146
critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-201




n = 21

Slope = -254.7 units per year.

Mann-Kendall statistic = -105
critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-206




n = 20

Slope = -969 units per year.

Mann-Kendall statistic = -176
critical = -81

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0.1997 units per year.

Mann-Kendall statistic = 92
critical = 81


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0.1921 units per year.

Mann-Kendall statistic = 86
critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = -0.0144 units per year.

Mann-Kendall statistic = -21
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = -0.007234 units per year.

Mann-Kendall statistic = -7
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = -0.006427 units per year.

Mann-Kendall statistic = -6
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-108 (bg)




n = 19

Slope = 0.007081 units per year.

Mann-Kendall statistic = 6
critical = 74

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-200




n = 21

Slope = 0.04883 units per year.

Mann-Kendall statistic = 84
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-206




n = 21

Slope = 0.1138 units per year.

Mann-Kendall statistic = 110
critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = -0.008985 units per year.

Mann-Kendall statistic = -14
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 12:31 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-307 (bg)




Constituent: Field pH  Analysis Run 1/12/2023 12:31 PM  View: 200 Series - Trend Tests


Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




Constituent: Fluoride  Analysis Run 1/12/2023 12:31 PM  View: 200 Series - Trend Tests


Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




Constituent: Fluoride  Analysis Run 1/12/2023 12:31 PM  View: 200 Series - Trend Tests


Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)





Constituent: Fluoride  Analysis Run 1/12/2023 12:31 PM  View: 200 Series - Trend Tests

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-201




n = 21

Slope = -0.05554 units per year.

Mann-Kendall statistic = -53 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 3 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 19

Slope = 0
units per year.

Mann-Kendall
statistic = 8
critical = 74


Trend not sig-
nificant at 99%
confidence level
(α = 0.005 per
tail).

Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0
units per year.

Mann-Kendall
statistic = -5
critical = -81


Trend not sig-
nificant at 99%
confidence level
(α = 0.005 per
tail).

Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0
units per year.

Mann-Kendall
statistic = 9
critical = 81


Trend not sig-
nificant at 99%
confidence level
(α = 0.005 per
tail).

Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.4557
units per year.


Mann-Kendall
statistic = 102
critical = 81

Increasing trend
significant at 99%
confidence level
(α = 0.005 per
tail).

Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-200




n = 21

Slope = -60.75 units per year.

Mann-Kendall statistic = -137 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-201




n = 21

Slope = -78.57 units per year.

Mann-Kendall statistic = -149 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-206




n = 21

Slope = -111.5 units per year.

Mann-Kendall statistic = -169 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 3 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 15
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 5.564 units per year.

Mann-Kendall statistic = 73
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0.9099 units per year.

Mann-Kendall statistic = 20
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0.9834 units per year.

Mann-Kendall statistic = 41
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.8773 units per year.

Mann-Kendall statistic = 48
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-200




n = 21

Slope = -899.7 units per year.

Mann-Kendall statistic = -175
critical = -87


Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-201




n = 21

Slope = -744.8 units per year.

Mann-Kendall statistic = -117
critical = -87


Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-206




n = 20

Slope = -2235 units per year.

Mann-Kendall statistic = -155
critical = -81


Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 3.558 units per year.

Mann-Kendall statistic = 68
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -1
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 12:32 PM View: 200 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# 300 Series

# Appendix III Trend Test Summary - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:58 PM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Fluoride (mg/L)** | **MW-308** | **0.02** | **112** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-308** | **-21.42** | **-96** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 300 Series Wells - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 1:58 PM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 0 | 81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -36 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -41 | -81 | No | 20 | 80 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | -9 | -81 | No | 20 | 70 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-303 | 0 | 4 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-304 | 0.2803 | 65 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-306 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -40 | -81 | No | 20 | 85 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-308 | -0.4381 | -60 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04517** | **87** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.006981 | -32 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.02101 | -64 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.07572** | **89** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-303 | 3.615 | 56 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-304 | 2.693 | 25 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-305 | -0.01299 | -8 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-306 (bg) | 0.00887 | 31 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.08244** | **-105** | **-81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-308 | -2.581 | -46 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.3098** | **109** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.1123 | 46 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.1151 | -61 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2076 | -60 | -81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-300 | 0.03615 | 28 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-303 | 0.4639 | 7 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-304 | -3.927 | -20 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-305 | 0.08985 | 33 | 87 | No | 21 | 4.762 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-306 (bg)** | **0.1997** | **92** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.1921** | **86** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-308 | 4.726 | 31 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-100 (bg) | 0 | -31 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-101 (bg) | 0 | -17 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-107 (bg) | 0 | 0 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-108 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-303 | 0.02967 | 85 | 87 | No | 21 | 4.762 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-306 (bg) | 0 | 0 | 81 | No | 20 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-307 (bg) | 0 | 3 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| **Fluoride (mg/L)** | **MW-308** | **0.02** | **112** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-100 (bg) | 0 | 8 | 74 | No | 19 | 94.74 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -5 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | 9 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4557** | **102** | **81** | **Yes** | **20** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-303 | 0 | 7 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-304 | 12.65 | 13 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-305 | 0 | 13 | 81 | No | 20 | 70 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 3 | 81 | No | 20 | 95 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 15 | 81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-308** | **-21.42** | **-96** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 5.564 | 73 | 81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9099 | 20 | 81 | No | 20 | 15 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 0.9834 | 41 | 81 | No | 20 | 35 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 0.8773 | 48 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-303 | 15.13 | 19 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-304 | 7.783 | 10 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 3.558 | 68 | 81 | No | 20 | 25 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0 | -1 | -81 | No | 20 | 20 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-308 | -20.26 | -48 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)





Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)





Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)





Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)





Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-303




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 4 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-304




n = 21

Slope = 0.2803 units per year.

Mann-Kendall statistic = 65 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -40 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -40 critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-308




n = 21

Slope = -0.4381 units per year.

Mann-Kendall statistic = -60
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0.04517 units per year.

Mann-Kendall statistic = 87
critical = 81


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = -0.006981 units per year.

Mann-Kendall statistic = -32
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = -0.02101 units per year.


Mann-Kendall statistic = -64
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.07572 units per year.

Mann-Kendall statistic = 89
critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-303




n = 21

Slope = 3.615 units per year.

Mann-Kendall statistic = 56
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-304




n = 21

Slope = 2.693 units per year.

Mann-Kendall statistic = 25
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-305




n = 20

Slope = -0.01299 units per year.

Mann-Kendall statistic = -8
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0.00887 units per year.

Mann-Kendall statistic = 31 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = -0.08244 units per year.

Mann-Kendall statistic = -105 critical = -81

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-308




n = 21

Slope = -2.581 units per year.

Mann-Kendall statistic = -46 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0.3098 units per year.

Mann-Kendall statistic = 109 critical = 81


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0.1123 units per year.

Mann-Kendall statistic = 46 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = -0.1151 units per year.

Mann-Kendall statistic = -61 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = -0.2076 units per year.

Mann-Kendall statistic = -60 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-300




n = 21

Slope = 0.03615 units per year.

Mann-Kendall statistic = 28 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-303




n = 21

Slope = 0.4639 units per year.

Mann-Kendall statistic = 7 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-304




n = 21

Slope = -3.927 units per year.

Mann-Kendall statistic = -20 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-305




n = 21

Slope = 0.08985 units per year.

Mann-Kendall statistic = 33 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0.1997 units per year.

Mann-Kendall statistic = 92 critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0.1921 units per year.

Mann-Kendall statistic = 86 critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-308




n = 21

Slope = 4.726 units per year.

Mann-Kendall statistic = 31 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -31 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -17 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-303




n = 21

Slope = 0.02967 units per year.

Mann-Kendall statistic = 85
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 0
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 3
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-308




n = 21

Slope = 0.02 units per year.

Mann-Kendall statistic = 112
critical = 87


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 19

Slope = 0 units per year.

Mann-Kendall statistic = 8
critical = 74


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -5
critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 9
critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.4557 units per year.

Mann-Kendall statistic = 102
critical = 81

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-303




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 7
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-304




n = 21

Slope = 12.65 units per year.

Mann-Kendall statistic = 13
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-305





Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)





Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)





Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-308





Constituent: Sulfate Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 5.564 units per year.

Mann-Kendall statistic = 73
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 20

Slope = 0.9099 units per year.

Mann-Kendall statistic = 20
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 20

Slope = 0.9834 units per year.

Mann-Kendall statistic = 41
critical = 81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0.8773 units per year.


Mann-Kendall statistic = 48
critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-303





Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Sen's Slope Estimator

MW-304




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)





Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:56 PM View: 300 Series - Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-308




n = 21

Slope = -20.26 units per year.

Mann-Kendall statistic = -48
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids  Analysis Run 1/12/2023 1:56 PM  View: 300 Series - Trend Tests

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

# Tolerance Limits

# Upper Tolerance Limit Summary Table

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant  Printed 1/12/2023, 2:06 PM

| Constituent | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony (mg/L) | 0.0005 | n/a | n/a | n/a | n/a | 102 | n/a | n/a | 100 | n/a | n/a | 0.005343 | NP Inter(NDs) |
| Arsenic (mg/L) | 0.0013 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 81.58 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Barium (mg/L) | 0.023 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 0 | n/a | n/a | 0.002887 | NP Inter(normality) |
| Beryllium (mg/L) | 0.0015 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 89.47 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Cadmium (mg/L) | 0.0005 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 100 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Chromium (mg/L) | 0.0088 | n/a | n/a | n/a | n/a | 113 | n/a | n/a | 81.42 | n/a | n/a | 0.003039 | NP Inter(NDs) |
| Cobalt (mg/L) | 0.0032 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 36.84 | n/a | n/a | 0.002887 | NP Inter(normality) |
| Combined Radium 226 + 228 (pCi/L) | 2.328 | n/a | n/a | n/a | n/a | 114 | 1.031 | 0.2598 | 2.632 | None | sqrt(x) | 0.05 | Inter |
| Fluoride (mg/L) | 0.12 | n/a | n/a | n/a | n/a | 120 | n/a | n/a | 94.17 | n/a | n/a | 0.002122 | NP Inter(NDs) |
| Lead (mg/L) | 0.001 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 93.86 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Lithium (mg/L) | 0.0054 | n/a | n/a | n/a | n/a | 113 | n/a | n/a | 68.14 | n/a | n/a | 0.003039 | NP Inter(NDs) |
| Mercury (mg/L) | 0.00025 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 94.74 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Molybdenum (mg/L) | 0.0042 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 93.86 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Selenium (mg/L) | 0.0025 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 82.46 | n/a | n/a | 0.002887 | NP Inter(NDs) |
| Thallium (mg/L) | 0.00015 | n/a | n/a | n/a | n/a | 114 | n/a | n/a | 99.12 | n/a | n/a | 0.002887 | NP Inter(NDs) |

# Groundwater Protection Standards

| GULF CLEAN ENERGY CENTER GWPS | | | | |
|---|---|---|---|---|
| **Constituent Name** | **MCL** | **CCR Rule Specified** | **Background** | **GWPS** |
| Antimony, Total (mg/L) | 0.006 | | 0.0005 | 0.006 |
| Arsenic, Total (mg/L) | 0.01 | | 0.0013 | 0.01 |
| Barium, Total (mg/L) | 2 | | 0.023 | 2 |
| Beryllium, Total (mg/L) | 0.004 | | 0.0015 | 0.004 |
| Cadmium, Total (mg/L) | 0.005 | | 0.0005 | 0.005 |
| Chromium, Total (mg/L) | 0.1 | | 0.0088 | 0.1 |
| Cobalt, Total (mg/L) | n/a | 0.006 | 0.0032 | 0.006 |
| Combined Radium, Total (pCi/L) | 5 | | 2.33 | 5 |
| Fluoride, Total (mg/L) | 4 | | 0.12 | 4 |
| Lead, Total (mg/L) | n/a | 0.015 | 0.001 | 0.015 |
| Lithium, Total (mg/L) | n/a | 0.04 | 0.0054 | 0.04 |
| Mercury, Total (mg/L) | 0.002 | | 0.00025 | 0.002 |
| Molybdenum, Total (mg/L) | n/a | 0.1 | 0.0042 | 0.1 |
| Selenium, Total (mg/L) | 0.05 | | 0.0025 | 0.05 |
| Thallium, Total (mg/L) | 0.002 | | 0.00015 | 0.002 |

*MCL = Maximum Contaminant Level*

*GWPS = Groundwater Protection Standard*

*CCR = Coal Combustion Residuals*

# Confidence Intervals - 100, 200 & 300 Series

# 100 Series

# Confidence Interval Summary Table - 100 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:13 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Cobalt (mg/L)** | **MW-104** | **0.02097** | **0.01503** | **0.006** | **Yes** | **19** | **0.018** | **0.005066** | **0** | **None** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-104** | **18.2** | **13.43** | **5** | **Yes** | **19** | **15.81** | **4.075** | **0** | **None** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-110** | **7.08** | **5.535** | **5** | **Yes** | **19** | **6.307** | **1.32** | **0** | **None** | **No** | **0.01** | **Param.** |
| **Mercury (mg/L)** | **MW-110** | **0.005726** | **0.003468** | **0.002** | **Yes** | **19** | **0.004597** | **0.001928** | **0** | **None** | **No** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 100 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:13 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arsenic (mg/L) | MW-102 | 0.0005 | 0.00025 | 0.01 | No | 19 | 0.0002632 | 0.00005735 | 94.74 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-103 | 0.00051 | 0.00019 | 0.01 | No | 19 | 0.0003579 | 0.0004264 | 84.21 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-104 | 0.006592 | 0.002349 | 0.01 | No | 19 | 0.00447 | 0.003623 | 5.263 | None | No | 0.01 | Param. |
| Arsenic (mg/L) | MW-105 | 0.0054 | 0.0036 | 0.01 | No | 19 | 0.004721 | 0.001751 | 0 | None | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-109 | 0.00048 | 0.00025 | 0.01 | No | 19 | 0.0003068 | 0.0001992 | 84.21 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-110 | 0.00051 | 0.0002 | 0.01 | No | 19 | 0.0003342 | 0.0001551 | 57.89 | None | No | 0.01 | NP (NDs) |
| Barium (mg/L) | MW-102 | 0.01098 | 0.00918 | 2 | No | 19 | 0.01008 | 0.001535 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-103 | 0.05765 | 0.03929 | 2 | No | 19 | 0.04847 | 0.01568 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-104 | 0.02552 | 0.02048 | 2 | No | 19 | 0.023 | 0.004308 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-105 | 0.04588 | 0.03465 | 2 | No | 19 | 0.04026 | 0.009591 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-106 | 0.012 | 0.0097 | 2 | No | 19 | 0.011 | 0.00187 | 0 | None | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-109 | 0.02312 | 0.01858 | 2 | No | 19 | 0.021 | 0.004123 | 0 | None | x^(1/3) | 0.01 | Param. |
| Barium (mg/L) | MW-110 | 0.04461 | 0.03328 | 2 | No | 19 | 0.03895 | 0.009675 | 0 | None | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-102 | 0.0005 | 0.00011 | 0.004 | No | 19 | 0.0004795 | 0.00008947 | 94.74 | None | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-104 | 0.001126 | 0.0007178 | 0.004 | No | 19 | 0.0009221 | 0.000349 | 5.263 | None | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-109 | 0.0005 | 0.000044 | 0.004 | No | 19 | 0.000476 | 0.0001046 | 94.74 | None | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-110 | 0.0005 | 0.00013 | 0.004 | No | 19 | 0.0004586 | 0.0001242 | 89.47 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-104 | 0.00056 | 0.00049 | 0.005 | No | 19 | 0.0005111 | 0.00008212 | 47.37 | None | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-109 | 0.0005 | 0.000078 | 0.005 | No | 19 | 0.0004778 | 0.00009681 | 94.74 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-110 | 0.0005 | 0.00032 | 0.005 | No | 19 | 0.00047 | 0.00009644 | 89.47 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-102 | 0.0028 | 0.0012 | 0.1 | No | 19 | 0.002535 | 0.001073 | 78.95 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-103 | 0.003 | 0.0011 | 0.1 | No | 19 | 0.002692 | 0.001802 | 68.42 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-104 | 0.002086 | 0.001389 | 0.1 | No | 19 | 0.002095 | 0.0005349 | 21.05 | Kaplan-Meier | No | 0.01 | Param. |
| Chromium (mg/L) | MW-105 | 0.002502 | 0.00177 | 0.1 | No | 19 | 0.002136 | 0.0006247 | 5.263 | None | No | 0.01 | Param. |
| Chromium (mg/L) | MW-106 | 0.0044 | 0.0019 | 0.1 | No | 19 | 0.002568 | 0.0004643 | 89.47 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-109 | 0.0061 | 0.0025 | 0.1 | No | 19 | 0.0034 | 0.003161 | 89.47 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-110 | 0.0025 | 0.0016 | 0.1 | No | 19 | 0.002233 | 0.0006745 | 78.95 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-102 | 0.0025 | 0.00088 | 0.006 | No | 19 | 0.002172 | 0.0007892 | 84.21 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-103 | 0.0025 | 0.00041 | 0.006 | No | 19 | 0.001743 | 0.001033 | 63.16 | None | No | 0.01 | NP (NDs) |
| **Cobalt (mg/L)** | **MW-104** | **0.02097** | **0.01503** | **0.006** | **Yes** | **19** | **0.018** | **0.005066** | **0** | **None** | **No** | **0.01** | **Param.** |
| Cobalt (mg/L) | MW-105 | 0.0025 | 0.00087 | 0.006 | No | 19 | 0.002179 | 0.0007699 | 84.21 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-106 | 0.0025 | 0.00044 | 0.006 | No | 19 | 0.00119 | 0.0009302 | 31.58 | None | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-109 | 0.007109 | 0.003643 | 0.006 | No | 19 | 0.005629 | 0.003174 | 0 | None | sqrt(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-110 | 0.0125 | 0.005814 | 0.006 | No | 19 | 0.009716 | 0.006339 | 0 | None | sqrt(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-102 | 1.821 | 1.254 | 5 | No | 19 | 1.56 | 0.5182 | 0 | None | sqrt(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-103 | 6.636 | 4.848 | 5 | No | 19 | 5.742 | 1.527 | 0 | None | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-104** | **18.2** | **13.43** | **5** | **Yes** | **19** | **15.81** | **4.075** | **0** | **None** | **No** | **0.01** | **Param.** |
| Combined Radium 226 + 228 (pCi/L) | MW-105 | 4.024 | 2.534 | 5 | No | 19 | 3.354 | 1.345 | 0 | None | sqrt(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-106 | 1.288 | 0.778 | 5 | No | 19 | 1.061 | 0.4765 | 5.263 | None | sqrt(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-109 | 3.074 | 1.751 | 5 | No | 19 | 2.412 | 1.13 | 0 | None | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-110** | **7.08** | **5.535** | **5** | **Yes** | **19** | **6.307** | **1.32** | **0** | **None** | **No** | **0.01** | **Param.** |
| Fluoride (mg/L) | MW-103 | 0.24 | 0.037 | 4 | No | 20 | 0.1039 | 0.035 | 90 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-104 | 0.3551 | 0.2572 | 4 | No | 21 | 0.3062 | 0.08874 | 0 | None | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-105 | 0.1 | 0.041 | 4 | No | 20 | 0.08055 | 0.02792 | 65 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-109 | 0.1 | 0.05 | 4 | No | 20 | 0.0975 | 0.01118 | 95 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-110 | 0.1 | 0.04 | 4 | No | 20 | 0.07745 | 0.02907 | 60 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-102 | 0.00025 | 0.00018 | 0.015 | No | 19 | 0.0002405 | 0.00002915 | 89.47 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-103 | 0.00025 | 0.00011 | 0.015 | No | 19 | 0.0002426 | 0.00003212 | 94.74 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-104 | 0.002336 | 0.001854 | 0.015 | No | 19 | 0.002095 | 0.0004116 | 0 | None | No | 0.01 | Param. |
| Lead (mg/L) | MW-105 | 0.00091 | 0.00012 | 0.015 | No | 19 | 0.0002779 | 0.0001559 | 89.47 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-106 | 0.00039 | 0.00025 | 0.015 | No | 19 | 0.0002574 | 0.00003212 | 94.74 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-109 | 0.00067 | 0.00011 | 0.015 | No | 19 | 0.0003065 | 0.0002429 | 78.95 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-110 | 0.0003 | 0.00025 | 0.015 | No | 19 | 0.0002737 | 0.00004573 | 73.68 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-102 | 0.0012 | 0.0009 | 0.04 | No | 19 | 0.001026 | 0.0001046 | 84.21 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-103 | 0.0021 | 0.001 | 0.04 | No | 19 | 0.001545 | 0.000792 | 42.11 | None | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-104 | 0.03197 | 0.01998 | 0.04 | No | 19 | 0.02684 | 0.01143 | 0 | None | x^(1/3) | 0.01 | Param. |
| Lithium (mg/L) | MW-105 | 0.001 | 0.00039 | 0.04 | No | 19 | 0.0009679 | 0.0001399 | 94.74 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-106 | 0.0012 | 0.00068 | 0.04 | No | 19 | 0.001437 | 0.001542 | 68.42 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-109 | 0.006557 | 0.005241 | 0.04 | No | 19 | 0.005932 | 0.001183 | 0 | None | sqrt(x) | 0.01 | Param. |
| Lithium (mg/L) | MW-110 | 0.012 | 0.0073 | 0.04 | No | 19 | 0.01399 | 0.0191 | 0 | None | No | 0.01 | NP (normality) |

# Confidence Interval Summary Table - 100 Series - All Results




Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 11:13 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mercury (mg/L) | MW-102 | 0.0002 | 0.000094 | 0.002 | No | 19 | 0.0001888 | 0.00003342 | 89.47 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-103 | 0.00062 | 0.00016 | 0.002 | No | 19 | 0.0002158 | 0.00009991 | 84.21 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-104 | 0.00122 | 0.0006608 | 0.002 | No | 19 | 0.0009779 | 0.0005263 | 0 | None | sqrt(x) | 0.01 | Param. |
| Mercury (mg/L) | MW-106 | 0.0002 | 0.00008 | 0.002 | No | 19 | 0.0001937 | 0.00002753 | 94.74 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-109 | 0.00047 | 0.0002 | 0.002 | No | 19 | 0.000543 | 0.0007568 | 63.16 | None | No | 0.01 | NP (NDs) |
| **Mercury (mg/L)** | **MW-110** | **0.005726** | **0.003468** | **0.002** | **Yes** | **19** | **0.004597** | **0.001928** | **0** | **None** | **No** | **0.01** | **Param.** |
| Molybdenum (mg/L) | MW-102 | 0.015 | 0.00091 | 0.1 | No | 19 | 0.01426 | 0.003232 | 94.74 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-103 | 0.015 | 0.00092 | 0.1 | No | 19 | 0.01426 | 0.00323 | 94.74 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-105 | 0.005757 | 0.003722 | 0.1 | No | 19 | 0.004837 | 0.001887 | 5.263 | None | sqrt(x) | 0.01 | Param. |
| Molybdenum (mg/L) | MW-106 | 0.015 | 0.00068 | 0.1 | No | 19 | 0.01425 | 0.003285 | 94.74 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-109 | 0.015 | 0.0009 | 0.1 | No | 19 | 0.01426 | 0.003235 | 94.74 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-102 | 0.00028 | 0.00025 | 0.05 | No | 19 | 0.00029 | 0.0001729 | 73.68 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-103 | 0.002742 | 0.001734 | 0.05 | No | 19 | 0.002238 | 0.0008602 | 5.263 | None | No | 0.01 | Param. |
| Selenium (mg/L) | MW-104 | 0.01092 | 0.005381 | 0.05 | No | 19 | 0.008579 | 0.005251 | 0 | None | sqrt(x) | 0.01 | Param. |
| Selenium (mg/L) | MW-105 | 0.0004 | 0.00025 | 0.05 | No | 19 | 0.0003032 | 0.00009696 | 57.89 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-109 | 0.00035 | 0.00024 | 0.05 | No | 19 | 0.0002521 | 0.00002637 | 84.21 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-110 | 0.003697 | 0.003209 | 0.05 | No | 19 | 0.003453 | 0.0004168 | 0 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-102 | 0.00021 | 0.0001 | 0.002 | No | 19 | 0.0001058 | 0.00002524 | 94.74 | None | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-103 | 0.00015 | 0.000026 | 0.002 | No | 19 | 0.00009874 | 0.00002101 | 89.47 | None | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-104 | 0.000335 | 0.000225 | 0.002 | No | 19 | 0.00028 | 0.00009399 | 5.263 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-105 | 0.00012 | 0.0001 | 0.002 | No | 19 | 0.0001084 | 0.00003219 | 89.47 | None | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-109 | 0.00012 | 0.0001 | 0.002 | No | 19 | 0.0001011 | 0.000004588 | 94.74 | None | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-110 | 0.0002927 | 0.0002252 | 0.002 | No | 19 | 0.0002526 | 0.00006789 | 5.263 | None | x^2 | 0.01 | Param. |

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Arsenic Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Barium Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Beryllium Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Non-Parametric Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01.




Constituent: Cadmium Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Chromium Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Cobalt Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confiden
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Fluoride Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Lead Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Lithium Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Mercury Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Molybdenum Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Selenium Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Thallium Analysis Run 1/12/2023 11:11 AM View: 100 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|
| 3/1/2016 | <0.00025 | <0.00025 | 0.0085 | 0.0039 (J) | | |
| 3/2/2016 | | | | | <0.00025 | <0.00025 |
| 5/5/2016 | <0.00025 | <0.00025 | 0.0077 | 0.0039 | <0.00025 | 0.00061 (J) |
| 7/7/2016 | <0.00025 | <0.00025 | 0.0082 | 0.0037 | <0.00025 | <0.00025 |
| 9/6/2016 | <0.00025 | | | | | |
| 9/7/2016 | | <0.00025 | 0.012 | 0.0032 | <0.00025 | <0.00025 |
| 11/9/2016 | | | 0.0071 | 0.0038 | | |
| 11/10/2016 | 0.0005 (J) | 0.00051 (J) | | | <0.00025 | 0.00047 (J) |
| 1/11/2017 | | | 0.0071 | 0.0035 | | |
| 1/12/2017 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/14/2017 | | | 0.0067 | 0.0036 | <0.00025 | |
| 3/15/2017 | <0.00025 | <0.00025 | | | | <0.00025 |
| 5/18/2017 | <0.00025 | <0.00025 | 0.0087 | 0.0036 | <0.00025 | 0.00051 (J) |
| 3/14/2018 | <0.00025 | <0.00025 | 0.0027 | 0.0039 | <0.00025 | 0.00056 (J) |
| 6/10/2018 | | | 0.0047 | 0.0034 | | |
| 6/11/2018 | <0.00025 | <0.00025 | | | <0.00025 | 0.0005 (J) |
| 10/18/2018 | | <0.00025 | 0.0019 | 0.0044 | <0.00025 | <0.00025 |
| 10/19/2018 | <0.00025 | | | | | |
| 3/1/2019 | | | <0.00025 | 0.0047 | <0.00025 | <0.00025 |
| 3/2/2019 | <0.00025 | <0.00025 | | | | |
| 6/3/2019 | <0.00025 | | 0.003 | 0.0045 | <0.00025 | <0.00025 |
| 6/11/2019 | | <0.00025 | | | | |
| 11/7/2019 | | 0.00019 (J) | 8.9E-05 (J) | | 0.00025 (V) | 0.0002 (J) |
| 11/9/2019 | <0.00025 | | | 0.0045 | | |
| 4/17/2020 | | <0.00025 | | | <0.00025 | 0.00012 (J) |
| 4/18/2020 | <0.00025 | | 0.0014 | 0.0054 | | |
| 10/8/2020 | <0.00025 | 0.0021 | 0.0019 | 0.0046 | | |
| 10/9/2020 | | | | | <0.00025 | <0.00025 |
| 3/30/2021 | <0.00025 | <0.00025 | | 0.0082 | | |
| 3/31/2021 | | | 0.00048 | | 0.0011 | <0.00025 |
| 9/3/2021 | | | 0.00084 (J) | 0.0096 | 0.00048 (J) | 0.00063 (J) |
| 9/7/2021 | <0.00025 | <0.00025 | | | | |
| 3/23/2022 | <0.00025 | | 0.0018 | 0.0073 | <0.00025 | <0.00025 |
| 3/24/2022 | | <0.00025 | | | | |
| Mean | 0.0002632 | 0.0003579 | 0.00447 | 0.004721 | 0.0003068 | 0.0003342 |
| Std. Dev. | 5.735E-05 | 0.0004264 | 0.003623 | 0.001751 | 0.0001992 | 0.0001551 |
| Upper Lim. | 0.0005 | 0.00051 | 0.006592 | 0.0054 | 0.00048 | 0.00051 |
| Lower Lim. | 0.00025 | 0.00019 | 0.002349 | 0.0036 | 0.00025 | 0.0002 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Barium (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | 0.0081 (J) | 0.055 | 0.017 | 0.043 | 0.016 | | |
| 3/2/2016 | | | | | | 0.022 | 0.058 |
| 5/4/2016 | | | | | 0.012 | | |
| 5/5/2016 | 0.011 | 0.056 | 0.018 | 0.033 | | 0.02 | 0.05 |
| 7/7/2016 | 0.012 | 0.055 | 0.02 | 0.042 | | 0.021 | 0.044 |
| 7/8/2016 | | | | | 0.015 | | |
| 9/6/2016 | 0.012 | | | | | | |
| 9/7/2016 | | 0.07 | 0.027 | 0.043 | 0.012 | 0.023 | 0.051 |
| 11/9/2016 | | | 0.022 | 0.046 | 0.01 | | |
| 11/10/2016 | 0.0099 | 0.061 | | | | 0.019 | 0.046 |
| 1/11/2017 | | | 0.03 | 0.042 | 0.01 | | |
| 1/12/2017 | 0.0085 | 0.058 | | | | 0.018 | 0.047 |
| 3/14/2017 | | | 0.02 | 0.038 | 0.0097 | 0.02 | |
| 3/15/2017 | 0.009 | 0.07 | | | | | 0.046 |
| 5/18/2017 | 0.0095 | 0.068 | 0.027 | 0.051 | 0.01 | 0.019 | 0.045 |
| 3/14/2018 | 0.0084 | 0.052 | 0.025 | 0.038 | 0.0096 | 0.017 | 0.036 |
| 6/10/2018 | | | 0.025 | 0.055 | 0.0089 | | |
| 6/11/2018 | 0.0089 | 0.053 | | | | 0.016 | 0.036 |
| 10/18/2018 | | 0.052 | 0.021 | 0.035 | 0.0096 | 0.019 | 0.035 |
| 10/19/2018 | 0.0085 | | | | | | |
| 3/1/2019 | | | 0.018 | 0.032 | 0.0095 | 0.018 | 0.036 |
| 3/2/2019 | 0.01 | 0.011 | | | | | |
| 6/3/2019 | 0.012 | | 0.031 | 0.05 | 0.0098 | 0.017 | 0.04 |
| 6/11/2019 | | 0.043 | | | | | |
| 11/7/2019 | | 0.04 | 0.02 | | | 0.019 | 0.027 |
| 11/9/2019 | 0.011 | | | 0.06 | 0.011 | | |
| 4/17/2020 | | 0.05 | | | 0.012 | 0.026 | 0.032 |
| 4/18/2020 | 0.012 | | 0.021 | 0.045 | | | |
| 10/8/2020 | 0.0086 | 0.037 | 0.022 | 0.028 | 0.0099 | | |
| 10/9/2020 | | | | | | 0.026 | 0.026 |
| 3/30/2021 | 0.0096 | 0.033 | | 0.028 | 0.011 | | |
| 3/31/2021 | | | 0.023 | | | 0.027 | 0.025 |
| 9/3/2021 | | | 0.02 | 0.029 | 0.011 | 0.032 | 0.036 |
| 9/7/2021 | 0.0095 | 0.03 | | | | | |
| 3/23/2022 | 0.013 | | 0.03 | 0.027 | 0.012 | 0.02 | 0.024 |
| 3/24/2022 | | 0.027 | | | | | |
| Mean | 0.01008 | 0.04847 | 0.023 | 0.04026 | 0.011 | 0.021 | 0.03895 |
| Std. Dev. | 0.001535 | 0.01568 | 0.004308 | 0.009591 | 0.00187 | 0.004123 | 0.009675 |
| Upper Lim. | 0.01098 | 0.05765 | 0.02552 | 0.04588 | 0.012 | 0.02312 | 0.04461 |
| Lower Lim. | 0.00918 | 0.03929 | 0.02048 | 0.03465 | 0.0097 | 0.01858 | 0.03328 |

# Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-104 | MW-109 | MW-110 |
|---|---|---|---|---|
| 3/1/2016 | <0.0005 | 0.0013 (J) | | |
| 3/2/2016 | | | <0.0005 | <0.0005 |
| 5/5/2016 | <0.0005 | 0.00088 (J) | <0.0005 | <0.0005 |
| 7/7/2016 | <0.0005 | 0.001 (J) | <0.0005 | <0.0005 |
| 9/6/2016 | <0.0005 | | | |
| 9/7/2016 | | 0.00078 (J) | <0.0005 | <0.0005 |
| 11/9/2016 | | 0.0012 (J) | | |
| 11/10/2016 | <0.0005 | | <0.0005 | <0.0005 |
| 1/11/2017 | | 0.0014 (J) | | |
| 1/12/2017 | <0.0005 | | <0.0005 | <0.0005 |
| 3/14/2017 | | 0.0013 (J) | <0.0005 | |
| 3/15/2017 | <0.0005 | | | <0.0005 |
| 5/18/2017 | <0.0005 | 0.0016 (J) | <0.0005 | <0.0005 |
| 3/14/2018 | <0.0005 | 0.0011 (J) | <0.0005 | <0.0005 |
| 6/10/2018 | | 0.0011 (J) | | |
| 6/11/2018 | <0.0005 | | <0.0005 | <0.0005 |
| 10/18/2018 | | 0.00084 (J) | <0.0005 | <0.0005 |
| 10/19/2018 | <0.0005 | | | |
| 3/1/2019 | | 0.00057 (J) | <0.0005 | <0.0005 |
| 3/2/2019 | <0.0005 | | | |
| 6/3/2019 | <0.0005 | 0.00074 (J) | <0.0005 | <0.0005 |
| 11/7/2019 | | 0.00065 | <0.0005 | 8.4E-05 (J) |
| 11/9/2019 | <0.0005 | | | |
| 4/17/2020 | | | 4.4E-05 (J) | 0.00013 (J) |
| 4/18/2020 | 0.00011 (J) | 0.00096 | | |
| 10/8/2020 | <0.0005 | 0.00039 (J) | | |
| 10/9/2020 | | | <0.0005 | <0.0005 |
| 3/30/2021 | <0.0005 | | | |
| 3/31/2021 | | 0.0007 | <0.0005 | <0.0005 |
| 9/3/2021 | | 0.00076 (J) | <0.0005 | <0.0005 |
| 9/7/2021 | <0.0005 | | | |
| 3/23/2022 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| Mean | 0.0004795 | 0.0009221 | 0.000476 | 0.0004586 |
| Std. Dev. | 8.947E-05 | 0.000349 | 0.0001046 | 0.0001242 |
| Upper Lim. | 0.0005 | 0.001126 | 0.0005 | 0.0005 |
| Lower Lim. | 0.00011 | 0.0007178 | 4.4E-05 | 0.00013 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-104 | MW-109 | MW-110 |
|---|---|---|---|
| 3/1/2016 | <0.0005 | | |
| 3/2/2016 | | <0.0005 | <0.0005 |
| 5/5/2016 | <0.0005 | <0.0005 | <0.0005 |
| 7/7/2016 | <0.0005 | <0.0005 | <0.0005 |
| 9/7/2016 | <0.0005 | <0.0005 | <0.0005 |
| 11/9/2016 | <0.0005 | | |
| 11/10/2016 | | <0.0005 | <0.0005 |
| 1/11/2017 | 0.00049 (J) | | |
| 1/12/2017 | | <0.0005 | <0.0005 |
| 3/14/2017 | <0.0005 | <0.0005 | |
| 3/15/2017 | | | <0.0005 |
| 5/18/2017 | <0.0005 | <0.0005 | <0.0005 |
| 3/14/2018 | 0.00052 (J) | <0.0005 | <0.0005 |
| 6/10/2018 | 0.00049 (J) | | |
| 6/11/2018 | | <0.0005 | <0.0005 |
| 10/18/2018 | 0.00044 (J) | <0.0005 | <0.0005 |
| 3/1/2019 | 0.00038 (J) | <0.0005 | <0.0005 |
| 6/3/2019 | 0.0006 (J) | <0.0005 | <0.0005 |
| 11/7/2019 | 0.00075 | 7.8E-05 (J) | 0.00032 (J) |
| 4/17/2020 | | <0.0005 | 0.00011 (J) |
| 4/18/2020 | 0.00037 (J) | | |
| 10/8/2020 | <0.0005 | | |
| 10/9/2020 | | <0.0005 | <0.0005 |
| 3/31/2021 | 0.00056 | <0.0005 | <0.0005 |
| 9/3/2021 | 0.00061 (J) | <0.0005 | <0.0005 |
| 3/23/2022 | <0.0005 | <0.0005 | <0.0005 |
| Mean | 0.0005111 | 0.0004778 | 0.00047 |
| Std. Dev. | 8.212E-05 | 9.681E-05 | 9.644E-05 |
| Upper Lim. | 0.00056 | 0.0005 | 0.0005 |
| Lower Lim. | 0.00049 | 7.8E-05 | 0.00032 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0025 | <0.0025 | <0.0025 | 0.0023 (J) | <0.0025 | | |
| 3/2/2016 | | | | | | <0.0025 | <0.0025 |
| 5/4/2016 | | | | | <0.0025 | | |
| 5/5/2016 | <0.0025 | <0.0025 | 0.0014 (J) | <0.0025 | | <0.0025 | <0.0025 |
| 7/7/2016 | <0.0025 | <0.0025 | 0.0014 (J) | 0.002 (J) | | <0.0025 | <0.0025 |
| 7/8/2016 | | | | | <0.0025 | | |
| 9/6/2016 | <0.0025 | | | | | | |
| 9/7/2016 | | <0.0025 | 0.0019 (J) | 0.0029 | <0.0025 | <0.0025 | <0.0025 |
| 11/9/2016 | | | 0.0023 (J) | 0.0025 | <0.0025 | | |
| 11/10/2016 | <0.0025 | <0.0025 | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | | 0.0024 (J) | 0.002 (J) | <0.0025 | | |
| 1/12/2017 | <0.0025 | <0.0025 | | | | <0.0025 | <0.0025 |
| 3/14/2017 | | | 0.0023 (J) | 0.0025 | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | | | <0.0025 |
| 5/18/2017 | <0.0025 | <0.0025 | 0.0023 (J) | 0.002 (J) | <0.0025 | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | <0.0025 | 0.0023 (J) | 0.0022 (J) | <0.0025 | <0.0025 | <0.0025 |
| 6/10/2018 | | | 0.0022 (J) | 0.002 (J) | <0.0025 | | |
| 6/11/2018 | <0.0025 | <0.0025 | | | | <0.0025 | <0.0025 |
| 10/18/2018 | | <0.0025 | 0.0016 (J) | 0.0029 | <0.0025 | <0.0025 | <0.0025 |
| 10/19/2018 | <0.0025 | | | | | | |
| 3/1/2019 | | | <0.0025 | 0.0026 | <0.0025 | <0.0025 | <0.0025 |
| 3/2/2019 | 0.0028 | 0.0052 | | | | | |
| 6/3/2019 | <0.0025 | | 0.0015 (J) | 0.0022 (J) | <0.0025 | <0.0025 | <0.0025 |
| 6/11/2019 | | 0.0011 (J) | | | | | |
| 11/7/2019 | | 0.00028 (J) | <0.0025 | | | <0.0025 | 0.00042 (J) |
| 11/9/2019 | 0.00037 (J) | | | 0.0022 (J) | <0.0025 | | |
| 4/17/2020 | | 0.00026 (J) | | | <0.0025 | <0.0025 | 0.0004 (J) |
| 4/18/2020 | <0.0025 | | 0.0016 | 0.0029 | | | |
| 10/8/2020 | <0.0025 | <0.0025 | 0.0031 | 0.0028 | 0.0019 (J) | | |
| 10/9/2020 | | | | | | <0.0025 | 0.0016 (J) |
| 3/30/2021 | <0.0025 | <0.0025 | | 0.0015 | <0.0025 | | |
| 3/31/2021 | | | <0.0025 | | | 0.016 | <0.0025 |
| 9/3/2021 | | | 0.0025 | 0.0011 (J) | <0.0025 | <0.0025 | <0.0025 |
| 9/7/2021 | 0.0012 (J) | 0.0088 | | | | | |
| 3/23/2022 | 0.0063 | | 0.001 (J) | 0.00073 | 0.0044 | 0.0061 | 0.0025 |
| 3/24/2022 | | 0.003 | | | | | |
| Mean | 0.002535 | 0.002692 | 0.002095 | 0.002136 | 0.002568 | 0.0034 | 0.002233 |
| Std. Dev. | 0.001073 | 0.001802 | 0.0005349 | 0.0006247 | 0.0004643 | 0.003161 | 0.0006745 |
| Upper Lim. | 0.0028 | 0.003 | 0.002086 | 0.002502 | 0.0044 | 0.0061 | 0.0025 |
| Lower Lim. | 0.0012 | 0.0011 | 0.001389 | 0.00177 | 0.0019 | 0.0025 | 0.0016 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0025 | 0.001 (J) | 0.017 | <0.0025 | 0.0007 (J) | | |
| 3/2/2016 | | | | | | 0.00075 (J) | 0.0047 (J) |
| 5/4/2016 | | | | | 0.001 (J) | | |
| 5/5/2016 | <0.0025 | 0.00064 (J) | 0.012 | <0.0025 | | 0.0042 | 0.0047 |
| 7/7/2016 | <0.0025 | <0.0025 | 0.012 | <0.0025 | | 0.0043 | 0.0041 |
| 7/8/2016 | | | | | 0.00057 (J) | | |
| 9/6/2016 | <0.0025 | | | | | | |
| 9/7/2016 | | 0.00044 (J) | 0.018 | <0.0025 | 0.00061 (J) | 0.0049 | 0.0047 |
| 11/9/2016 | | | 0.022 | <0.0025 | 0.00055 (J) | | |
| 11/10/2016 | <0.0025 | <0.0025 | | | | 0.004 | 0.0043 |
| 1/11/2017 | | | 0.025 | <0.0025 | 0.00045 (J) | | |
| 1/12/2017 | <0.0025 | <0.0025 | | | | 0.0045 | 0.0048 |
| 3/14/2017 | | | 0.019 | <0.0025 | 0.00059 (J) | 0.0039 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | | | 0.0066 |
| 5/18/2017 | <0.0025 | <0.0025 | 0.023 | <0.0025 | 0.00059 (J) | 0.005 | 0.0065 |
| 3/14/2018 | <0.0025 | <0.0025 | 0.014 | <0.0025 | 0.00044 (J) | 0.0038 | 0.012 |
| 6/10/2018 | | | 0.029 | <0.0025 | 0.0004 (J) | | |
| 6/11/2018 | <0.0025 | <0.0025 | | | | 0.0044 | 0.0096 |
| 10/18/2018 | | <0.0025 | 0.016 | <0.0025 | <0.0025 | 0.0036 | 0.025 |
| 10/19/2018 | <0.0025 | | | | | | |
| 3/1/2019 | | | 0.009 | <0.0025 | <0.0025 | 0.0052 | 0.02 |
| 3/2/2019 | <0.0025 | 0.00041 (J) | | | | | |
| 6/3/2019 | <0.0025 | | 0.015 | <0.0025 | <0.0025 | 0.0071 | 0.0053 |
| 6/11/2019 | | <0.0025 | | | | | |
| 11/7/2019 | | 0.00015 (J) | 0.022 | | | 0.0085 | 0.019 |
| 11/9/2019 | 0.00016 (J) | | | 0.00087 (J) | 0.00036 (J) | | |
| 4/17/2020 | | 0.00021 (J) | | | 0.00036 (J) | 0.0089 | 0.013 |
| 4/18/2020 | 0.00023 (J) | | 0.013 | 0.00037 (J) | | | |
| 10/8/2020 | <0.0025 | <0.0025 | 0.017 | <0.0025 | <0.0025 | | |
| 10/9/2020 | | | | | | 0.0072 | 0.015 |
| 3/30/2021 | <0.0025 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | 0.018 | | | 0.0023 | 0.0091 |
| 9/3/2021 | | | 0.018 | <0.0025 | <0.0025 | 0.015 | 0.0032 |
| 9/7/2021 | <0.0025 | <0.0025 | | | | | |
| 3/23/2022 | 0.00088 | | 0.023 | 0.00017 (J) | 0.00099 | 0.0094 | 0.013 |
| 3/24/2022 | | 0.00026 (J) | | | | | |
| Mean | 0.002172 | 0.001743 | 0.018 | 0.002179 | 0.00119 | 0.005629 | 0.009716 |
| Std. Dev. | 0.0007892 | 0.001033 | 0.005066 | 0.0007699 | 0.0009302 | 0.003174 | 0.006339 |
| Upper Lim. | 0.0025 | 0.0025 | 0.02097 | 0.0025 | 0.0025 | 0.007109 | 0.0125 |
| Lower Lim. | 0.00088 | 0.00041 | 0.01503 | 0.00087 | 0.00044 | 0.003643 | 0.005814 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | 0.996 | 5.24 | 11.8 | 4.21 | 0.872 | | |
| 3/2/2016 | | | | | | 2.39 | 7.8 |
| 5/4/2016 | | | | | <5 | | |
| 5/5/2016 | 2.82 | 4.13 | 9.43 | 2.24 | | 1.54 | 5.51 |
| 7/7/2016 | 1.58 | 7.01 | 13.8 | 3.28 | | 2.17 | 7.65 |
| 7/8/2016 | | | | | 1.02 | | |
| 9/6/2016 | 1.46 | | | | | | |
| 9/7/2016 | | 7.94 | 13.7 | 2.83 | 0.826 | 2.24 | 5.9 |
| 11/9/2016 | | | 16.9 | 4.28 | 1.17 | | |
| 11/10/2016 | 1.92 | 7 | | | | 2.69 | 5.04 |
| 1/11/2017 | | | 24.9 | 4.62 | 0.924 | | |
| 1/12/2017 | 1.48 | 7.87 | | | | 1.81 | 9.04 |
| 3/14/2017 | | | 15.5 | 2.28 | 0.889 | 1.74 | |
| 3/15/2017 | 1.41 | 7.1 | | | | | 6.46 |
| 5/18/2017 | 1.23 | 7.26 | 19.8 | 3 | 0.338 | 1.7 | 8.31 |
| 3/14/2018 | 1.64 | 7.02 | 13.1 | 2.82 | 0.789 | 1.99 | 7.06 |
| 6/10/2018 | | | 19.1 | 6.2 | 0.852 | | |
| 6/11/2018 | 1.51 | 5.54 | | | | 1.59 | 7.06 |
| 10/18/2018 | | 5.59 | 12.1 | 2.89 | 1.05 | 1.77 | 7.22 |
| 10/19/2018 | 1 | | | | | | |
| 3/1/2019 | | | 10.4 | 2.89 | 1.01 | 1.51 | 5.59 |
| 3/2/2019 | 1.5 | 1.69 | | | | | |
| 6/3/2019 | 2.67 | | 19.1 | 4.84 | 1.33 | 0.42 (U) | 4.73 |
| 6/11/2019 | | 5.8 | | | | | |
| 11/7/2019 | | 4.83 | 20.8 | | | 3.07 | 5.46 |
| 11/9/2019 | 1.31 | | | 6.06 | 0.663 | | |
| 4/17/2020 | | 5.33 | | | 0.604 | 2.45 | 4.26 |
| 4/18/2020 | 0.931 | | 13.8 | 2.03 | | | |
| 10/8/2020 | 1.08 | 5.59 | 13.6 | 2.03 | 1.49 | | |
| 10/9/2020 | | | | | | 4 | 5.63 |
| 3/30/2021 | 1.46 | 5.05 | | 3.57 | 1.8 | | |
| 3/31/2021 | | | 21 | | | 3.92 | 5.69 |
| 9/3/2021 | | | 15.1 | 1.87 | 0.866 | 5.26 | 4.72 |
| 9/7/2021 | 1.47 | 4.59 | | | | | |
| 3/23/2022 | 2.18 | | 16.5 | 1.79 | 1.17 | 3.57 | 6.71 |
| 3/24/2022 | | 4.52 | | | | | |
| Mean | 1.56 | 5.742 | 15.81 | 3.354 | 1.061 | 2.412 | 6.307 |
| Std. Dev. | 0.5182 | 1.527 | 4.075 | 1.345 | 0.4765 | 1.13 | 1.32 |
| Upper Lim. | 1.821 | 6.636 | 18.2 | 4.024 | 1.288 | 3.074 | 7.08 |
| Lower Lim. | 1.254 | 4.848 | 13.43 | 2.534 | 0.778 | 1.751 | 5.535 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-104 | MW-105 | MW-109 | MW-110 |
|---|---|---|---|---|---|
| 3/1/2016 | 0.037 (J) | 0.46 | 0.041 (J) | | |
| 3/2/2016 | | | | <0.1 | 0.039 (J) |
| 5/5/2016 | <0.1 | 0.27 | <0.1 | <0.1 | <0.1 |
| 7/7/2016 | <0.1 | 0.29 | <0.1 | <0.1 | <0.1 |
| 9/7/2016 | <0.1 | 0.33 | <0.1 | <0.1 | <0.1 |
| 11/9/2016 | | 0.29 | <0.1 | | |
| 11/10/2016 | <0.1 | | | <0.1 | <0.1 |
| 1/11/2017 | | 0.42 | <0.1 | | |
| 1/12/2017 | <0.1 | | | <0.1 | <0.1 |
| 3/14/2017 | | 0.34 | <0.1 | <0.1 | |
| 3/15/2017 | <0.1 | | | | <0.1 |
| 5/18/2017 | <0.1 | 0.47 | <0.1 | <0.1 | <0.1 |
| 10/5/2017 | | 0.22 | <0.1 | <0.1 | |
| 10/6/2017 | <0.1 | | | | <0.1 |
| 12/19/2017 | | 0.26 (R) | | | |
| 3/14/2018 | <0.1 | 0.3 | <0.1 | <0.1 | <0.1 |
| 6/10/2018 | | 0.38 | <0.1 | | |
| 6/11/2018 | <0.1 | | | <0.1 | 0.04 (J) |
| 10/18/2018 | <0.1 | 0.26 | 0.04 (J) | <0.1 | 0.04 (J) |
| 3/1/2019 | | 0.1 | <0.1 | <0.1 | <0.1 |
| 3/2/2019 | <0.1 | | | | |
| 6/3/2019 | | 0.22 | 0.04 (J) | <0.1 | 0.04 (J) |
| 6/11/2019 | <0.1 | | | | |
| 11/7/2019 | <0.1 | 0.21 | | <0.1 | 0.04 (J) |
| 11/9/2019 | | | <0.1 | | |
| 4/17/2020 | <0.1 | | | <0.1 | 0.04 (J) |
| 4/18/2020 | | 0.3 | 0.04 (J) | | |
| 10/8/2020 | 0.24 | 0.26 | 0.04 (J) | | |
| 10/9/2020 | | | | <0.1 | <0.1 |
| 3/30/2021 | <0.1 | | 0.04 | | |
| 3/31/2021 | | 0.34 | | <0.1 | 0.04 |
| 9/3/2021 | | 0.41 | 0.07 (J) | 0.05 (J) | 0.07 (J) |
| 9/7/2021 | <0.1 | | | | |
| 3/23/2022 | | 0.3 | <0.1 | <0.1 | <0.1 |
| 3/24/2022 | <0.1 | | | | |
| Mean | 0.1039 | 0.3062 | 0.08055 | 0.0975 | 0.07745 |
| Std. Dev. | 0.035 | 0.08874 | 0.02792 | 0.01118 | 0.02907 |
| Upper Lim. | 0.24 | 0.3551 | 0.1 | 0.1 | 0.1 |
| Lower Lim. | 0.037 | 0.2572 | 0.041 | 0.05 | 0.04 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lead (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.00025 | <0.00025 | 0.0018 (J) | <0.00025 | <0.00025 | | |
| 3/2/2016 | | | | | | <0.00025 | <0.00025 |
| 5/4/2016 | | | | | <0.00025 | | |
| 5/5/2016 | <0.00025 | <0.00025 | 0.0015 | <0.00025 | | <0.00025 | <0.00025 |
| 7/7/2016 | <0.00025 | <0.00025 | 0.0018 | <0.00025 | | <0.00025 | <0.00025 |
| 7/8/2016 | | | | | <0.00025 | | |
| 9/6/2016 | <0.00025 | | | | | | |
| 9/7/2016 | | <0.00025 | 0.0024 | <0.00025 | <0.00025 | <0.00025 | <0.00025 |
| 11/9/2016 | | | 0.0023 | <0.00025 | <0.00025 | | |
| 11/10/2016 | <0.00025 | <0.00025 | | | | <0.00025 | <0.00025 |
| 1/11/2017 | | | 0.0027 | <0.00025 | <0.00025 | | |
| 1/12/2017 | <0.00025 | <0.00025 | | | | <0.00025 | <0.00025 |
| 3/14/2017 | | | 0.0024 | <0.00025 | <0.00025 | <0.00025 | |
| 3/15/2017 | <0.00025 | <0.00025 | | | | | <0.00025 |
| 5/18/2017 | <0.00025 | <0.00025 | 0.0029 | <0.00025 | <0.00025 | <0.00025 | <0.00025 |
| 3/14/2018 | <0.00025 | <0.00025 | 0.0023 | <0.00025 | <0.00025 | <0.00025 | <0.00025 |
| 6/10/2018 | | | 0.0024 | <0.00025 | <0.00025 | | |
| 6/11/2018 | <0.00025 | <0.00025 | | | | <0.00025 | <0.00025 |
| 10/18/2018 | | <0.00025 | 0.002 | <0.00025 | 0.00039 (J) | <0.00025 | <0.00025 |
| 10/19/2018 | <0.00025 | | | | | | |
| 3/1/2019 | | | 0.0012 (J) | <0.00025 | <0.00025 | <0.00025 | <0.00025 |
| 3/2/2019 | <0.00025 | <0.00025 | | | | | |
| 6/3/2019 | <0.00025 | | 0.0018 | 0.00091 (J) | <0.00025 | 0.00067 (J) | 0.00037 (J) |
| 6/11/2019 | | <0.00025 | | | | | |
| 11/7/2019 | | 0.00011 (J) | 0.002 | | | 9.4E-05 (J) | 0.0003 (J) |
| 11/9/2019 | 0.00014 (J) | | | 0.00012 (J) | <0.00025 | | |
| 4/17/2020 | | <0.00025 | | | <0.00025 | 0.00011 (J) | 0.00033 |
| 4/18/2020 | 0.00018 (J) | | 0.0024 | <0.00025 | | | |
| 10/8/2020 | <0.00025 | <0.00025 | 0.0019 | <0.00025 | <0.00025 | | |
| 10/9/2020 | | | | | | 0.0012 (J) | 0.0003 (J) |
| 3/30/2021 | <0.00025 | <0.00025 | | <0.00025 | <0.00025 | | |
| 3/31/2021 | | | 0.0022 | | | <0.00025 | 0.0004 |
| 9/3/2021 | | | 0.002 | <0.00025 | <0.00025 | <0.00025 | <0.00025 |
| 9/7/2021 | <0.00025 | <0.00025 | | | | | |
| 3/23/2022 | <0.00025 | | 0.0018 | <0.00025 | <0.00025 | <0.00025 | <0.00025 |
| 3/24/2022 | | <0.00025 | | | | | |
| Mean | 0.0002405 | 0.0002426 | 0.002095 | 0.0002779 | 0.0002574 | 0.0003065 | 0.0002737 |
| Std. Dev. | 2.915E-05 | 3.212E-05 | 0.0004116 | 0.0001559 | 3.212E-05 | 0.0002429 | 4.573E-05 |
| Upper Lim. | 0.00025 | 0.00025 | 0.002336 | 0.00091 | 0.00039 | 0.00067 | 0.0003 |
| Lower Lim. | 0.00018 | 0.00011 | 0.001854 | 0.00012 | 0.00025 | 0.00011 | 0.00025 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.001 | <0.001 | 0.057 | <0.001 | <0.001 | | |
| 3/2/2016 | | | | | | 0.0095 (J) | 0.0082 (J) |
| 5/4/2016 | | | | | <0.001 | | |
| 5/5/2016 | <0.001 | <0.001 | 0.044 | <0.001 | | 0.0059 | 0.0072 |
| 7/7/2016 | <0.001 | <0.001 | 0.04 | <0.001 | | 0.006 | 0.0092 |
| 7/8/2016 | | | | | <0.001 | | |
| 9/6/2016 | <0.001 | | | | | | |
| 9/7/2016 | | <0.001 | 0.033 | <0.001 | 0.0073 | 0.0049 (J) | 0.0069 |
| 11/9/2016 | | | 0.035 | <0.001 | <0.001 | | |
| 11/10/2016 | <0.001 | <0.001 | | | | 0.0055 | 0.0045 (J) |
| 1/11/2017 | | | 0.028 | <0.001 | <0.001 | | |
| 1/12/2017 | <0.001 | <0.001 | | | | 0.0045 (J) | 0.0073 |
| 3/14/2017 | | | 0.037 | <0.001 | 0.0035 (J) | 0.0069 | |
| 3/15/2017 | <0.001 | 0.0038 (J) | | | | | 0.012 |
| 5/18/2017 | <0.001 | <0.001 | 0.024 | <0.001 | <0.001 | 0.0055 | 0.0084 |
| 3/14/2018 | <0.001 | 0.002 (J) | 0.028 | <0.001 | <0.001 | 0.0059 | 0.012 |
| 6/10/2018 | | | 0.019 | <0.001 | <0.001 | | |
| 6/11/2018 | <0.001 | 0.0015 (J) | | | | 0.0042 (J) | 0.009 |
| 10/18/2018 | | 0.0017 (J) | 0.022 | <0.001 | 0.0012 (J) | 0.0062 | 0.011 |
| 10/19/2018 | 0.0012 (J) | | | | | | |
| 3/1/2019 | | | 0.017 | <0.001 | 0.0012 (J) | 0.0054 | 0.0077 |
| 3/2/2019 | 0.0014 (J) | 0.0011 (J) | | | | | |
| 6/3/2019 | <0.001 | | 0.017 | <0.001 | <0.001 | 0.0054 | 0.0082 |
| 6/11/2019 | | 0.0025 (J) | | | | | |
| 11/7/2019 | | 0.00097 (J) | 0.019 | | | 0.0052 | 0.014 |
| 11/9/2019 | 0.0009 (J) | | | <0.001 | 0.00068 (J) | | |
| 4/17/2020 | | 0.0021 | | | 0.00043 (J) | 0.0076 | 0.0092 |
| 4/18/2020 | <0.001 | | 0.017 | 0.00039 (J) | | | |
| 10/8/2020 | <0.001 | <0.001 | 0.017 | <0.001 | <0.001 | | |
| 10/9/2020 | | | | | | 0.0053 | 0.011 |
| 3/30/2021 | <0.001 | 0.002 | | <0.001 | <0.001 | | |
| 3/31/2021 | | | 0.015 | | | 0.0059 | 0.017 |
| 9/3/2021 | | | 0.021 | <0.001 | <0.001 | 0.0067 | 0.092 |
| 9/7/2021 | <0.001 | 0.0027 (J) | | | | | |
| 3/23/2022 | <0.001 | | 0.02 | <0.001 | <0.001 | 0.0062 | 0.011 |
| 3/24/2022 | | 0.00099 (J) | | | | | |
| Mean | 0.001026 | 0.001545 | 0.02684 | 0.0009679 | 0.001437 | 0.005932 | 0.01399 |
| Std. Dev. | 0.0001046 | 0.000792 | 0.01143 | 0.0001399 | 0.001542 | 0.001183 | 0.0191 |
| Upper Lim. | 0.0012 | 0.0021 | 0.03197 | 0.001 | 0.0012 | 0.006557 | 0.012 |
| Lower Lim. | 0.0009 | 0.001 | 0.01998 | 0.00039 | 0.00068 | 0.005241 | 0.0073 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0002 | <0.0002 | 0.00089 | <0.0002 | | |
| 3/2/2016 | | | | | <0.0002 | 0.007 |
| 5/4/2016 | | | | <0.0002 | | |
| 5/5/2016 | <0.0002 | <0.0002 | 0.00054 | | <0.0002 | 0.006 |
| 7/7/2016 | <0.0002 | <0.0002 (*) | 0.00066 (V) | | <0.0002 (*) | 0.0053 |
| 7/8/2016 | | | | <0.0002 (*) | | |
| 9/6/2016 | <0.0002 | | | | | |
| 9/7/2016 | | <0.0002 | 0.0016 | <0.0002 | <0.0002 | 0.0067 |
| 11/9/2016 | | | 0.0015 | <0.0002 | | |
| 11/10/2016 | <0.0002 | <0.0002 | | | <0.0002 | 0.00014 (J) |
| 1/11/2017 | | | 0.0025 | <0.0002 | | |
| 1/12/2017 | <0.0002 | <0.0002 | | | <0.0002 | 0.0052 |
| 3/14/2017 | | | 0.0012 | <0.0002 | <0.0002 | |
| 3/15/2017 | <0.0002 | <0.0002 (*) | | | | 0.0048 |
| 5/18/2017 | <0.0002 | <0.0002 | 0.0014 | <0.0002 | <0.0002 | 0.0074 |
| 3/14/2018 | 9.4E-05 (J) | 0.00012 (J) | 0.0011 | 8E-05 (J) | 9.7E-05 (J) | 0.0059 |
| 6/10/2018 | | | 0.0014 | <0.0002 | | |
| 6/11/2018 | <0.0002 | <0.0002 | | | <0.0002 | 0.0042 |
| 10/18/2018 | | <0.0002 | 0.00087 | <0.0002 | <0.0002 | 0.0034 |
| 10/19/2018 | 9.4E-05 (J) | | | | | |
| 3/1/2019 | | | 0.00077 | <0.0002 | <0.0002 | 0.0041 |
| 3/2/2019 | <0.0002 | <0.0002 | | | | |
| 6/3/2019 | <0.0002 | | 0.00054 | <0.0002 | <0.0002 | 0.0025 |
| 6/11/2019 | | <0.0002 | | | | |
| 11/7/2019 | | <0.0002 | 0.00053 | | 0.0012 | 0.0034 |
| 11/9/2019 | <0.0002 | | | <0.0002 | | |
| 4/17/2020 | | 0.00062 | | <0.0002 | 0.0032 | 0.0063 |
| 4/18/2020 | <0.0002 | | 0.00069 | | | |
| 10/8/2020 | <0.0002 | 0.00016 (J) | 0.00087 | <0.0002 | | |
| 10/9/2020 | | | | | 0.0014 | 0.0049 |
| 3/30/2021 | <0.0002 | <0.0002 | | <0.0002 | | |
| 3/31/2021 | | | 0.00072 | | 0.00035 | 0.0055 |
| 9/3/2021 | | | 0.00048 | <0.0002 | 0.0012 | 0.0012 |
| 9/7/2021 | <0.0002 | <0.0002 | | | | |
| 3/23/2022 | <0.0002 | | 0.00032 | <0.0002 | 0.00047 | 0.0034 |
| 3/24/2022 | | <0.0002 | | | | |
| Mean | 0.0001888 | 0.0002158 | 0.0009779 | 0.0001937 | 0.000543 | 0.004597 |
| Std. Dev. | 3.342E-05 | 9.991E-05 | 0.0005263 | 2.753E-05 | 0.0007568 | 0.001928 |
| Upper Lim. | 0.0002 | 0.00062 | 0.00122 | 0.0002 | 0.00047 | 0.005726 |
| Lower Lim. | 9.4E-05 | 0.00016 | 0.0006608 | 8E-05 | 0.0002 | 0.003468 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-105 | MW-106 | MW-109 |
|---|---|---|---|---|---|
| 3/1/2016 | <0.015 | <0.015 | 0.004 (J) | <0.015 | |
| 3/2/2016 | | | | | <0.015 |
| 5/4/2016 | | | | <0.015 | |
| 5/5/2016 | <0.015 | <0.015 | 0.0093 (J) | | <0.015 |
| 7/7/2016 | <0.015 | <0.015 | 0.0047 (J) | | <0.015 |
| 7/8/2016 | | | | <0.015 | |
| 9/6/2016 | <0.015 | | | | |
| 9/7/2016 | | <0.015 | 0.004 (J) | <0.015 | <0.015 |
| 11/9/2016 | | | 0.0037 (J) | <0.015 | |
| 11/10/2016 | <0.015 | <0.015 | | | <0.015 |
| 1/11/2017 | | | 0.0052 (J) | <0.015 | |
| 1/12/2017 | <0.015 | <0.015 | | | <0.015 |
| 3/14/2017 | | | 0.004 (J) | <0.015 | <0.015 |
| 3/15/2017 | <0.015 | <0.015 | | | |
| 5/18/2017 | <0.015 | <0.015 | 0.0043 (J) | <0.015 | <0.015 |
| 3/14/2018 | <0.015 | <0.015 | 0.0054 (J) | <0.015 | <0.015 |
| 6/10/2018 | | | 0.0035 (J) | <0.015 | |
| 6/11/2018 | <0.015 | <0.015 | | | <0.015 |
| 10/18/2018 | | <0.015 | 0.0032 (J) | <0.015 | <0.015 |
| 10/19/2018 | <0.015 | | | | |
| 3/1/2019 | | | 0.0047 (J) | <0.015 | <0.015 |
| 3/2/2019 | <0.015 | <0.015 | | | |
| 6/3/2019 | <0.015 | | 0.0033 (J) | <0.015 | <0.015 |
| 6/11/2019 | | <0.015 | | | |
| 11/7/2019 | | <0.015 | | | <0.015 |
| 11/9/2019 | <0.015 | | 0.0025 (J) | <0.015 | |
| 4/17/2020 | | <0.015 | | <0.015 | <0.015 |
| 4/18/2020 | <0.015 | | 0.003 | | |
| 10/8/2020 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 10/9/2020 | | | | | <0.015 |
| 3/30/2021 | <0.015 | <0.015 | 0.005 | <0.015 | |
| 3/31/2021 | | | | | <0.015 |
| 9/3/2021 | | | 0.0057 (J) | <0.015 | <0.015 |
| 9/7/2021 | <0.015 | <0.015 | | | |
| 3/23/2022 | 0.00091 (J) | | 0.0089 | 0.00068 (J) | 0.0009 (J) |
| 3/24/2022 | | 0.00092 (J) | | | |
| Mean | 0.01426 | 0.01426 | 0.004837 | 0.01425 | 0.01426 |
| Std. Dev. | 0.003232 | 0.00323 | 0.001887 | 0.003285 | 0.003235 |
| Upper Lim. | 0.015 | 0.015 | 0.005757 | 0.015 | 0.015 |
| Lower Lim. | 0.00091 | 0.00092 | 0.003722 | 0.00068 | 0.0009 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|
| 3/1/2016 | <0.00025 | 0.0028 (J) | 0.0054 (J) | <0.00025 | | |
| 3/2/2016 | | | | | <0.00025 | 0.0025 (J) |
| 5/5/2016 | 0.00029 (J) | 0.0026 | 0.0038 | 0.0003 (J) | <0.00025 | 0.0033 |
| 7/7/2016 | <0.00025 (*) | 0.0025 | 0.0043 | <0.00025 | <0.00025 | 0.0031 |
| 9/6/2016 | <0.00025 | | | | | |
| 9/7/2016 | | 0.0031 | 0.0099 | 0.00026 (J) | <0.00025 | 0.0034 |
| 11/9/2016 | | | 0.012 | 0.00038 (J) | | |
| 11/10/2016 | <0.00025 | 0.0028 | | | <0.00025 | 0.0038 |
| 1/11/2017 | | | 0.022 | <0.00025 | | |
| 1/12/2017 | <0.00025 | 0.0028 | | | <0.00025 | 0.0034 |
| 3/14/2017 | | | 0.011 | <0.00025 | <0.00025 | |
| 3/15/2017 | <0.00025 | 0.0027 | | | | 0.0032 |
| 5/18/2017 | <0.00025 | 0.0036 | 0.018 | <0.00025 | <0.00025 | 0.0034 |
| 3/14/2018 | 0.001 (J) | 0.0032 | 0.0057 | 0.0006 (J) | <0.00025 | 0.0038 |
| 6/10/2018 | | | 0.015 | 0.00043 (J) | | |
| 6/11/2018 | 0.00028 (J) | 0.003 | | | <0.00025 | 0.0037 |
| 10/18/2018 | | 0.0016 | 0.0049 | <0.00025 | <0.00025 | 0.0033 |
| 10/19/2018 | <0.00025 | | | | | |
| 3/1/2019 | | | 0.0026 | <0.00025 | <0.00025 | 0.0033 |
| 3/2/2019 | <0.00025 | <0.00025 | | | | |
| 6/3/2019 | <0.00025 | | 0.0039 | <0.00025 | <0.00025 | 0.0035 |
| 6/11/2019 | | 0.0014 | | | | |
| 11/7/2019 | | 0.002 | 0.0085 | | 0.00024 (J) | 0.0034 |
| 11/9/2019 | <0.00025 | | | 0.00041 | | |
| 4/17/2020 | | 0.0022 | | | 0.0002 (J) | 0.0039 |
| 4/18/2020 | 0.00019 (J) | | 0.0084 | 0.0004 | | |
| 10/8/2020 | <0.00025 | 0.0014 | 0.0045 | <0.00025 | | |
| 10/9/2020 | | | | | <0.00025 | 0.0031 |
| 3/30/2021 | <0.00025 | 0.0019 | | <0.00025 | | |
| 3/31/2021 | | | 0.011 | | <0.00025 | 0.0046 |
| 9/3/2021 | | | 0.0054 | <0.00025 | <0.00025 | 0.0035 |
| 9/7/2021 | <0.00025 | 0.0014 | | | | |
| 3/23/2022 | 0.00025 | | 0.0067 | 0.00023 (J) | 0.00035 | 0.0034 |
| 3/24/2022 | | 0.0014 | | | | |
| Mean | 0.00029 | 0.002238 | 0.008579 | 0.0003032 | 0.0002521 | 0.003453 |
| Std. Dev. | 0.0001729 | 0.0008602 | 0.005251 | 9.696E-05 | 2.637E-05 | 0.0004168 |
| Upper Lim. | 0.00028 | 0.002742 | 0.01092 | 0.0004 | 0.00035 | 0.003697 |
| Lower Lim. | 0.00025 | 0.001734 | 0.005381 | 0.00025 | 0.00024 | 0.003209 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 11:13 AM View: 100 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0001 | <0.0001 | 0.00043 (J) | <0.0001 | | |
| 3/2/2016 | | | | | <0.0001 | 0.00018 (J) |
| 5/5/2016 | <0.0001 | <0.0001 | 0.0003 (J) | <0.0001 | <0.0001 | 0.00024 (J) |
| 7/7/2016 | <0.0001 | <0.0001 | 0.00028 (J) | <0.0001 | <0.0001 | 0.00025 (J) |
| 9/6/2016 | <0.0001 | | | | | |
| 9/7/2016 | | <0.0001 | 0.00028 (J) | <0.0001 | <0.0001 | 0.00023 (J) |
| 11/9/2016 | | | 0.0003 (J) | <0.0001 | | |
| 11/10/2016 | <0.0001 | <0.0001 | | | <0.0001 | 0.0002 (J) |
| 1/11/2017 | | | 0.00032 (J) | <0.0001 | | |
| 1/12/2017 | <0.0001 | <0.0001 | | | <0.0001 | 0.00026 (J) |
| 3/14/2017 | | | 0.00032 (J) | <0.0001 | <0.0001 | |
| 3/15/2017 | <0.0001 | <0.0001 | | | | 0.0003 (J) |
| 5/18/2017 | <0.0001 | <0.0001 | 0.0004 (J) | <0.0001 | <0.0001 | 0.00028 (J) |
| 3/14/2018 | <0.0001 | <0.0001 | 0.00021 (J) | <0.0001 | <0.0001 | 0.00029 (J) |
| 6/10/2018 | | | 0.00033 (J) | <0.0001 | | |
| 6/11/2018 | <0.0001 | <0.0001 | | | <0.0001 | 0.00029 (J) |
| 10/18/2018 | | <0.0001 | 0.00021 (J) | <0.0001 | <0.0001 | 0.00031 (J) |
| 10/19/2018 | <0.0001 | | | | | |
| 3/1/2019 | | | 0.00013 (J) | <0.0001 | <0.0001 | 0.0003 (J) |
| 3/2/2019 | <0.0001 | <0.0001 | | | | |
| 6/3/2019 | <0.0001 | | 0.00016 (J) | <0.0001 | <0.0001 | 0.0002 (J) |
| 6/11/2019 | | <0.0001 | | | | |
| 11/7/2019 | | 2.6E-05 (J) | 0.00025 | | <0.0001 | 0.00024 (J) |
| 11/9/2019 | 0.00021 (J) | | | 0.00024 (J) | | |
| 4/17/2020 | | <0.0001 | | | <0.0001 | 0.00031 |
| 4/18/2020 | <0.0001 | | 0.00033 | <0.0001 | | |
| 10/8/2020 | <0.0001 | 0.00015 (J) | 0.00034 (J) | <0.0001 | | |
| 10/9/2020 | | | | | 0.00012 (J) | 0.00037 (J) |
| 3/30/2021 | <0.0001 | <0.0001 | | <0.0001 | | |
| 3/31/2021 | | | 0.00031 | | <0.0001 | 0.00028 |
| 9/3/2021 | | | 0.00037 (J) | 0.00012 (J) | <0.0001 | 0.00022 (J) |
| 9/7/2021 | <0.0001 | <0.0001 | | | | |
| 3/23/2022 | <0.0001 | | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| 3/24/2022 | | <0.0001 | | | | |
| Mean | 0.0001058 | 9.874E-05 | 0.00028 | 0.0001084 | 0.0001011 | 0.0002526 |
| Std. Dev. | 2.524E-05 | 2.101E-05 | 9.399E-05 | 3.219E-05 | 4.588E-06 | 6.789E-05 |
| Upper Lim. | 0.00021 | 0.00015 | 0.000335 | 0.00012 | 0.00012 | 0.0002927 |
| Lower Lim. | 0.0001 | 2.6E-05 | 0.000225 | 0.0001 | 0.0001 | 0.0002252 |

ND substitution: RL or RL/2 if <15% NDs.

# 200 Series

# Confidence Interval Summary Table - 200 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:37 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228 (pCi/L)** | **MW-200** | **14.61** | **6.823** | **5** | **Yes** | **19** | **11.37** | **7.023** | **0** | **None** | **sqrt(x)** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-201** | **22.1** | **6.95** | **5** | **Yes** | **19** | **12.62** | **7.574** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-206** | **35.4** | **7.14** | **5** | **Yes** | **19** | **19.23** | **12.32** | **0** | **None** | **No** | **0.01** | **NP (normality)** |


# Confidence Interval Summary Table - 200 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 12:37 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony (mg/L) | MW-201 | 0.0025 | 0.001 | 0.006 | No | 17 | 0.002324 | 0.0004982 | 88.24 | None | No | 0.01 | NP (NDs) |
| Antimony (mg/L) | MW-206 | 0.0025 | 0.0011 | 0.006 | No | 17 | 0.002418 | 0.0003395 | 94.12 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-200 | 0.001701 | 0.0004671 | 0.01 | No | 19 | 0.001692 | 0.001803 | 26.32 | Kaplan-Meier | ln(x) | 0.01 | Param. |
| Arsenic (mg/L) | MW-201 | 0.0043 | 0.00025 | 0.01 | No | 19 | 0.002305 | 0.003164 | 47.37 | None | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-206 | 0.008016 | 0.001701 | 0.01 | No | 19 | 0.005886 | 0.006388 | 10.53 | None | sqrt(x) | 0.01 | Param. |
| Barium (mg/L) | MW-200 | 0.05948 | 0.03171 | 2 | No | 19 | 0.0456 | 0.02371 | 5.263 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-201 | 0.06439 | 0.03793 | 2 | No | 19 | 0.05116 | 0.0226 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-206 | 0.1003 | 0.05627 | 2 | No | 19 | 0.07827 | 0.03757 | 0 | None | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-200 | 0.0025 | 0.000045 | 0.004 | No | 19 | 0.002371 | 0.0005632 | 94.74 | None | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-201 | 0.0025 | 0.000069 | 0.004 | No | 19 | 0.002372 | 0.0005577 | 94.74 | None | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-206 | 0.0025 | 0.00055 | 0.004 | No | 19 | 0.002052 | 0.0008958 | 78.95 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-200 | 0.0025 | 0.00091 | 0.005 | No | 18 | 0.002012 | 0.0008246 | 72.22 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-201 | 0.013 | 0.0015 | 0.005 | No | 19 | 0.005592 | 0.005545 | 5.263 | None | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-206 | 0.002114 | 0.0008688 | 0.005 | No | 19 | 0.001648 | 0.001055 | 10.53 | None | x^(1/3) | 0.01 | Param. |
| Chromium (mg/L) | MW-201 | 0.0011 | 0.0005 | 0.1 | No | 16 | 0.0007125 | 0.0004884 | 81.25 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-206 | 0.0026 | 0.0005 | 0.1 | No | 16 | 0.0006313 | 0.000525 | 93.75 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-200 | 0.0019 | 0.0005 | 0.006 | No | 19 | 0.001203 | 0.0007407 | 26.32 | None | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-201 | 0.00262 | 0.00119 | 0.006 | No | 19 | 0.002028 | 0.001355 | 5.263 | None | sqrt(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-206 | 0.004306 | 0.002112 | 0.006 | No | 19 | 0.003209 | 0.001874 | 0 | None | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-200** | **14.61** | **6.823** | **5** | **Yes** | **19** | **11.37** | **7.023** | **0** | **None** | **sqrt(x)** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-201** | **22.1** | **6.95** | **5** | **Yes** | **19** | **12.62** | **7.574** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-206** | **35.4** | **7.14** | **5** | **Yes** | **19** | **19.23** | **12.32** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| Fluoride (mg/L) | MW-200 | 0.1 | 0.06 | 4 | No | 20 | 0.08995 | 0.05439 | 25 | None | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-201 | 0.7106 | 0.4599 | 4 | No | 21 | 0.5852 | 0.2272 | 0 | None | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-206 | 0.07724 | 0.05102 | 4 | No | 21 | 0.06557 | 0.02511 | 9.524 | None | sqrt(x) | 0.01 | Param. |
| Lead (mg/L) | MW-200 | 0.001053 | 0.0004504 | 0.015 | No | 19 | 0.0008474 | 0.0005669 | 21.05 | Kaplan-Meier | sqrt(x) | 0.01 | Param. |
| Lead (mg/L) | MW-201 | 0.0005 | 0.00025 | 0.015 | No | 19 | 0.0003442 | 0.0001435 | 63.16 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-206 | 0.0092 | 0.00076 | 0.015 | No | 19 | 0.004816 | 0.004153 | 5.263 | None | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-200 | 0.01 | 0.0025 | 0.04 | No | 19 | 0.004795 | 0.001694 | 78.95 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-201 | 0.0069 | 0.0033 | 0.04 | No | 19 | 0.006474 | 0.007101 | 15.79 | None | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-206 | 0.005 | 0.0029 | 0.04 | No | 19 | 0.0045 | 0.001226 | 84.21 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-200 | 0.002022 | 0.000791 | 0.002 | No | 19 | 0.001406 | 0.001051 | 10.53 | None | No | 0.01 | Param. |
| Mercury (mg/L) | MW-201 | 0.0026 | 0.00016 | 0.002 | No | 19 | 0.001174 | 0.001059 | 10.53 | None | No | 0.01 | NP (normality) |
| Mercury (mg/L) | MW-206 | 0.00064 | 0.00016 | 0.002 | No | 19 | 0.0003384 | 0.0002529 | 36.84 | None | No | 0.01 | NP (normality) |
| Molybdenum (mg/L) | MW-200 | 0.0078 | 0.003 | 0.1 | No | 17 | 0.003282 | 0.001164 | 94.12 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-201 | 0.003 | 0.0015 | 0.1 | No | 17 | 0.002912 | 0.0003638 | 94.12 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-206 | 0.003 | 0.00092 | 0.1 | No | 17 | 0.002878 | 0.0005045 | 94.12 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-200 | 0.01089 | 0.004113 | 0.05 | No | 19 | 0.008217 | 0.005884 | 5.263 | None | sqrt(x) | 0.01 | Param. |
| Selenium (mg/L) | MW-201 | 0.01004 | 0.00398 | 0.05 | No | 19 | 0.007832 | 0.005536 | 0 | None | x^(1/3) | 0.01 | Param. |
| Selenium (mg/L) | MW-206 | 0.01748 | 0.01109 | 0.05 | No | 19 | 0.01428 | 0.005454 | 0 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-200 | 0.0004 | 0.0001 | 0.002 | No | 19 | 0.000202 | 0.0001508 | 36.84 | None | No | 0.01 | NP (normality) |
| Thallium (mg/L) | MW-201 | 0.0003803 | 0.0001744 | 0.002 | No | 19 | 0.0002774 | 0.0001758 | 10.53 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-206 | 0.0006725 | 0.0002658 | 0.002 | No | 19 | 0.00051 | 0.0003354 | 10.53 | None | sqrt(x) | 0.01 | Param. |

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Antimony Analysis Run 1/12/2023 12:36 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Arsenic Analysis Run 1/12/2023 12:36 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Barium Analysis Run 1/12/2023 12:36 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Beryllium Analysis Run 1/12/2023 12:36 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Cadmium Analysis Run 1/12/2023 12:36 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Chromium Analysis Run 1/12/2023 12:36 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Cobalt Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval


Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confiden
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Fluoride Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Lead Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Lithium Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Mercury Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Molybdenum Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Selenium Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Thallium Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Confidence Interval

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 |
|---|---|---|
| 3/2/2016 | <0.0025 | <0.0025 |
| 5/3/2016 | | <0.0025 |
| 5/4/2016 | 0.001 (J) | |
| 7/5/2016 | | <0.0025 |
| 7/6/2016 | <0.0025 | |
| 9/8/2016 | <0.0025 | <0.0025 |
| 11/8/2016 | <0.0025 | |
| 11/9/2016 | | <0.0025 |
| 1/12/2017 | | <0.0025 |
| 1/13/2017 | <0.0025 | |
| 3/16/2017 | <0.0025 | |
| 3/17/2017 | | <0.0025 |
| 5/17/2017 | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | 0.0011 (J) |
| 6/8/2018 | | <0.0025 |
| 6/9/2018 | <0.0025 | |
| 10/17/2018 | | <0.0025 |
| 11/14/2018 | 0.001 (J) | |
| 2/28/2019 | | <0.0025 |
| 3/5/2019 | <0.0025 | |
| 4/18/2020 | | <0.0025 |
| 4/22/2020 | <0.0025 | |
| 10/12/2020 | <0.0025 | <0.0025 |
| 4/1/2021 | <0.0025 | <0.0025 |
| 9/8/2021 | <0.0025 | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 |
| Mean | 0.002324 | 0.002418 |
| Std. Dev. | 0.0004982 | 0.0003395 |
| Upper Lim. | 0.0025 | 0.0025 |
| Lower Lim. | 0.001 | 0.0011 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.0059 (J) | 0.0033 (J) | 0.021 |
| 5/3/2016 | 0.0038 | | 0.016 |
| 5/4/2016 | | 0.0068 | |
| 7/5/2016 | 0.0051 | | 0.017 |
| 7/6/2016 | | 0.01 | |
| 9/8/2016 | 0.0042 (J) | 0.0093 | 0.011 |
| 11/8/2016 | | 0.0043 (J) | |
| 11/9/2016 | <0.00025 | | 0.011 |
| 1/12/2017 | 0.00068 (J) | | 0.0062 |
| 1/13/2017 | | 0.0034 | |
| 3/16/2017 | | 0.0023 | |
| 3/17/2017 | 0.0029 | | 0.0078 |
| 5/16/2017 | 0.0018 | | |
| 5/17/2017 | | 0.0009 (J) | 0.0052 |
| 3/13/2018 | 0.0013 | | |
| 3/14/2018 | | 0.00062 (J) | 0.0033 |
| 6/8/2018 | 0.0018 | | 0.003 |
| 6/9/2018 | | 0.00063 (J) | |
| 10/17/2018 | | | 0.0028 |
| 11/13/2018 | 0.00072 (J) | | |
| 11/14/2018 | | <0.00025 | |
| 2/28/2019 | 0.00067 (J) | | 0.00089 (J) |
| 3/5/2019 | | <0.00025 | |
| 6/4/2019 | 0.00048 (J) | <0.00025 | 0.001 (J) |
| 11/12/2019 | 0.0011 (J) | <0.00025 | 0.0022 (V) |
| 4/18/2020 | 0.00044 | | 0.00086 |
| 4/22/2020 | | <0.00025 | |
| 10/12/2020 | <0.00025 | <0.00025 | 0.0017 |
| 4/1/2021 | <0.00025 | <0.00025 | 0.00064 |
| 9/8/2021 | <0.00025 | <0.00025 | <0.00025 |
| 3/25/2022 | <0.00025 | <0.00025 | <0.00025 |
| Mean | 0.001692 | 0.002305 | 0.005886 |
| Std. Dev. | 0.001803 | 0.003164 | 0.006388 |
| Upper Lim. | 0.001701 | 0.0043 | 0.008016 |
| Lower Lim. | 0.0004671 | 0.00025 | 0.001701 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Barium (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.089 | 0.064 | 0.13 |
| 5/3/2016 | 0.076 | | 0.11 |
| 5/4/2016 | | 0.078 | |
| 7/5/2016 | 0.068 | | 0.12 |
| 7/6/2016 | | 0.081 | |
| 9/8/2016 | 0.078 | 0.095 | 0.13 |
| 11/8/2016 | | 0.083 | |
| 11/9/2016 | 0.051 | | 0.12 |
| 1/12/2017 | 0.036 | | 0.1 |
| 1/13/2017 | | 0.071 | |
| 3/16/2017 | | 0.06 | |
| 3/17/2017 | 0.061 | | 0.12 |
| 5/16/2017 | 0.061 | | |
| 5/17/2017 | | 0.036 | 0.11 |
| 3/13/2018 | 0.042 | | |
| 3/14/2018 | | 0.03 | 0.079 |
| 6/8/2018 | 0.057 | | 0.07 |
| 6/9/2018 | | 0.029 | |
| 10/17/2018 | | | 0.059 |
| 11/13/2018 | 0.048 | | |
| 11/14/2018 | | 0.028 | |
| 2/28/2019 | 0.045 | | 0.048 |
| 3/5/2019 | | 0.035 | |
| 6/4/2019 | 0.04 | 0.04 | 0.048 |
| 11/12/2019 | 0.0071 | 0.011 | 0.0081 |
| 4/18/2020 | 0.025 | | 0.056 |
| 4/22/2020 | | 0.048 | |
| 10/12/2020 | 0.025 | 0.038 | 0.051 |
| 4/1/2021 | 0.031 | 0.055 | 0.051 |
| 9/8/2021 | 0.026 | 0.049 | 0.039 |
| 3/25/2022 | <0.0005 | 0.041 | 0.038 |
| Mean | 0.0456 | 0.05116 | 0.07827 |
| Std. Dev. | 0.02371 | 0.0226 | 0.03757 |
| Upper Lim. | 0.05948 | 0.06439 | 0.1003 |
| Lower Lim. | 0.03171 | 0.03793 | 0.05627 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | <0.0025 | <0.0025 | 0.00055 (J) |
| 5/3/2016 | <0.0025 | | <0.0025 |
| 5/4/2016 | | <0.0025 | |
| 7/5/2016 | <0.0025 | | 0.00048 (J) |
| 7/6/2016 | | <0.0025 | |
| 9/8/2016 | <0.0025 | <0.0025 | <0.0025 |
| 11/8/2016 | | <0.0025 | |
| 11/9/2016 | <0.0025 | | <0.0025 |
| 1/12/2017 | <0.0025 | | <0.0025 |
| 1/13/2017 | | <0.0025 | |
| 3/16/2017 | | <0.0025 | |
| 3/17/2017 | <0.0025 | | 0.00042 (J) |
| 5/16/2017 | <0.0025 | | |
| 5/17/2017 | | <0.0025 | <0.0025 |
| 3/13/2018 | <0.0025 | | |
| 3/14/2018 | | <0.0025 | <0.0025 |
| 6/8/2018 | <0.0025 | | <0.0025 |
| 6/9/2018 | | <0.0025 | |
| 10/17/2018 | | | <0.0025 |
| 11/13/2018 | <0.0025 (J3) | | |
| 11/14/2018 | | <0.0025 (J3) | |
| 2/28/2019 | <0.0025 | | <0.0025 |
| 3/5/2019 | | <0.0025 | |
| 6/4/2019 | <0.0025 | <0.0025 | <0.0025 |
| 11/12/2019 | <0.0025 | <0.0025 | <0.0025 |
| 4/18/2020 | 4.5E-05 (J) | | 4.1E-05 (J) |
| 4/22/2020 | | 6.9E-05 (J) | |
| 10/12/2020 | <0.0025 | <0.0025 | <0.0025 |
| 4/1/2021 | <0.0025 | <0.0025 | <0.0025 |
| 9/8/2021 | <0.0025 | <0.0025 | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 | <0.0025 |
| Mean | 0.002371 | 0.002372 | 0.002052 |
| Std. Dev. | 0.0005632 | 0.0005577 | 0.0008958 |
| Upper Lim. | 0.0025 | 0.0025 | 0.0025 |
| Lower Lim. | 4.5E-05 | 6.9E-05 | 0.00055 |

ND substitution: RL or RL/2 if <15% NDs. Substitution method for trace values of the form <PQL(J): PQL.

# Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.022 (o) | <0.0025 | 0.0031 (J) |
| 5/3/2016 | <0.0025 | | 0.0025 |
| 5/4/2016 | | 0.014 | |
| 7/5/2016 | <0.0025 | | 0.0026 |
| 7/6/2016 | | 0.015 | |
| 9/8/2016 | <0.0025 | 0.015 | 0.0026 (J) |
| 11/8/2016 | | 0.014 | |
| 11/9/2016 | <0.0025 | | 0.0032 (J) |
| 1/12/2017 | <0.0025 | | 0.0031 |
| 1/13/2017 | | 0.013 | |
| 3/16/2017 | | 0.0084 | |
| 3/17/2017 | <0.0025 | | 0.0027 |
| 5/16/2017 | <0.0025 | | |
| 5/17/2017 | | 0.0044 | 0.0024 (J) |
| 3/13/2018 | 0.00039 (J) | | |
| 3/14/2018 | | 0.0032 | 0.0014 (J) |
| 6/8/2018 | <0.0025 | | 0.0014 (J) |
| 6/9/2018 | | 0.0029 | |
| 10/17/2018 | | | 0.00088 (J) |
| 11/13/2018 | <0.0025 | | |
| 11/14/2018 | | 0.0021 (J) | |
| 2/28/2019 | <0.0025 | | 0.00065 (J) |
| 3/5/2019 | | 0.0023 (J) | |
| 6/4/2019 | <0.0025 | 0.0017 (J) | 0.00035 (J) |
| 11/12/2019 | 0.00061 (J) | 0.002 (J) | 0.00055 (J) |
| 4/18/2020 | 0.00091 | | 0.00029 (J) |
| 4/22/2020 | | 0.0013 | |
| 10/12/2020 | <0.0025 | 0.0015 (J) | <0.0025 |
| 4/1/2021 | 0.0012 | 0.0012 | 0.00065 |
| 9/8/2021 | 0.0006 (J) | 0.0013 (J) | 0.00044 (J) |
| 3/25/2022 | <0.0025 | 0.0017 (J) | <0.0025 |
| Mean | 0.002012 | 0.005592 | 0.001648 |
| Std. Dev. | 0.0008246 | 0.005545 | 0.001055 |
| Upper Lim. | 0.0025 | 0.013 | 0.002114 |
| Lower Lim. | 0.00091 | 0.0015 | 0.0008688 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 |
|---|---|---|
| 3/2/2016 | <0.0005 | 0.0026 (J) |
| 5/3/2016 | | <0.0005 |
| 5/4/2016 | <0.0005 | |
| 7/5/2016 | | <0.0005 |
| 7/6/2016 | <0.0005 | |
| 9/8/2016 | <0.0005 | <0.0005 |
| 11/8/2016 | <0.0005 | |
| 11/9/2016 | | <0.0005 |
| 1/12/2017 | | <0.0005 |
| 1/13/2017 | <0.0005 | |
| 3/16/2017 | <0.0005 | |
| 3/17/2017 | | <0.0005 |
| 5/17/2017 | <0.0005 | <0.0005 |
| 3/14/2018 | <0.0005 | <0.0005 |
| 6/8/2018 | | <0.0005 |
| 6/9/2018 | <0.0005 | |
| 2/28/2019 | | <0.0005 |
| 3/5/2019 | <0.0005 | |
| 4/18/2020 | | <0.0005 |
| 4/22/2020 | <0.0005 | |
| 10/12/2020 | 0.0011 (J) | <0.0005 |
| 4/1/2021 | 0.0018 | <0.0005 |
| 9/8/2021 | 0.002 (J) | <0.0005 |
| 3/25/2022 | <0.0005 | <0.0005 |
| Mean | 0.0007125 | 0.0006313 |
| Std. Dev. | 0.0004884 | 0.000525 |
| Upper Lim. | 0.0011 | 0.0026 |
| Lower Lim. | 0.0005 | 0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.0024 (J) | 0.0013 (J) | 0.0074 (J) |
| 5/3/2016 | 0.0015 (J) | | 0.0051 |
| 5/4/2016 | | 0.0026 | |
| 7/5/2016 | 0.0015 (J) | | 0.0055 |
| 7/6/2016 | | 0.0033 | |
| 9/8/2016 | <0.0005 | 0.0038 (J) | 0.0056 (J) |
| 11/8/2016 | | 0.0035 (J) | |
| 11/9/2016 | <0.0005 | | 0.0057 (J) |
| 1/12/2017 | 0.00056 (J) | | 0.0044 |
| 1/13/2017 | | 0.006 | |
| 3/16/2017 | | 0.0021 (J) | |
| 3/17/2017 | 0.0012 (J) | | 0.0027 |
| 5/16/2017 | 0.0013 (J) | | |
| 5/17/2017 | | 0.0021 (J) | 0.0035 |
| 3/13/2018 | 0.0011 (J) | | |
| 3/14/2018 | | 0.0022 (J) | 0.0027 |
| 6/8/2018 | 0.0028 | | 0.0029 |
| 6/9/2018 | | 0.0016 (J) | |
| 10/17/2018 | | | 0.0027 |
| 11/13/2018 | 0.0019 (J) | | |
| 11/14/2018 | | 0.0016 (J) | |
| 2/28/2019 | 0.0024 (J) | | 0.0022 (J) |
| 3/5/2019 | | 0.0017 (J) | |
| 6/4/2019 | 0.0013 (J) | 0.0014 (J) | 0.0018 (J) |
| 11/12/2019 | <0.0005 | <0.0005 | 0.00067 (J) |
| 4/18/2020 | 0.00048 (J) | | 0.0016 |
| 4/22/2020 | | 0.00091 | |
| 10/12/2020 | <0.0005 | 0.0014 (J) | 0.0019 (J) |
| 4/1/2021 | 0.0013 | 0.0012 | 0.002 |
| 9/8/2021 | 0.00061 (J) | 0.00071 (J) | 0.0014 (J) |
| 3/25/2022 | <0.0005 | 0.00086 (J) | 0.0012 (J) |
| Mean | 0.001203 | 0.002028 | 0.003209 |
| Std. Dev. | 0.0007407 | 0.001355 | 0.001874 |
| Upper Lim. | 0.0019 | 0.00262 | 0.004306 |
| Lower Lim. | 0.0005 | 0.00119 | 0.002112 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 22.9 | 22.1 | 36.5 |
| 5/3/2016 | 23.6 | | 35.5 |
| 5/4/2016 | | 19.9 | |
| 7/5/2016 | 23.6 | | 32.9 |
| 7/6/2016 | | 28.5 | |
| 9/8/2016 | 20.8 | 20.1 | 23 |
| 11/8/2016 | | 24.6 | |
| 11/9/2016 | 7.46 | | 40.5 |
| 1/12/2017 | 11.2 | | 35.4 |
| 1/13/2017 | | 22.8 | |
| 3/16/2017 | | 12.2 | |
| 3/17/2017 | 14.3 | | 27.7 |
| 5/16/2017 | 16.9 | | |
| 5/17/2017 | | 7.05 | 26.4 |
| 3/13/2018 | 10.9 | | |
| 3/14/2018 | | 6.95 | 17.7 |
| 6/8/2018 | 10.6 | | 15.3 |
| 6/9/2018 | | 6.52 | |
| 10/17/2018 | | | 12.6 |
| 11/13/2018 | 9.09 | | |
| 11/14/2018 | | 5.66 | |
| 2/28/2019 | 9.7 | | 8.04 |
| 3/5/2019 | | 8.11 | |
| 6/4/2019 | 7.7 | 5.89 | 8.36 |
| 11/12/2019 | 6.4 | 8.32 | 7.14 |
| 4/18/2020 | 2.42 | | 7.03 |
| 4/22/2020 | | 7.2 | |
| 10/12/2020 | 4.51 | 7.02 | 9.54 |
| 4/1/2021 | 5.51 | 9.55 | 9.3 |
| 9/8/2021 | 4.54 | 8.42 | 6.25 |
| 3/25/2022 | 3.81 | 8.93 | 6.19 |
| Mean | 11.37 | 12.62 | 19.23 |
| Std. Dev. | 7.023 | 7.574 | 12.32 |
| Upper Lim. | 14.61 | 22.1 | 35.4 |
| Lower Lim. | 6.823 | 6.95 | 7.14 |

# Confidence Interval

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.088 (J) | 0.54 | 0.074 (J) |
| 5/3/2016 | 0.05 (J) | | 0.05 (J) |
| 5/4/2016 | | 0.41 | |
| 7/5/2016 | 0.07 (J) | | 0.05 (J) |
| 7/6/2016 | | 0.49 | |
| 9/8/2016 | 0.07 (J) | 0.57 | 0.05 (J) |
| 11/8/2016 | | 0.47 | |
| 11/9/2016 | 0.06 (J) | | 0.04 (J) |
| 1/12/2017 | <0.1 | | 0.04 (J) |
| 1/13/2017 | | 0.73 | |
| 3/16/2017 | | 0.92 | |
| 3/17/2017 | 0.05 (J) | | 0.04 (J) |
| 5/16/2017 | 0.06 (J) | | |
| 5/17/2017 | | 0.77 | 0.06 (J) |
| 10/3/2017 | | | 0.11 |
| 10/4/2017 | 0.08 (J) | 0.96 | |
| 12/20/2017 | | 0.88 (R) | 0.08 (I) |
| 3/13/2018 | 0.05 (J) | | |
| 3/14/2018 | | 0.84 | 0.08 (J) |
| 6/8/2018 | 0.13 | | 0.1 |
| 6/9/2018 | | 0.78 | |
| 10/17/2018 | | | 0.12 |
| 11/13/2018 | 0.1 | | |
| 11/14/2018 | | 0.67 | |
| 2/28/2019 | 0.3 | | 0.1 |
| 3/5/2019 | | 0.64 | |
| 6/4/2019 | <0.1 | 0.09 (J) | 0.08 (J) |
| 11/12/2019 | 0.072 (J) | 0.57 | 0.045 (J) |
| 4/18/2020 | <0.1 | | <0.1 |
| 4/22/2020 | | 0.39 | |
| 10/12/2020 | <0.1 | 0.46 | 0.04 (J) |
| 4/1/2021 | 0.07 | 0.5 | 0.07 |
| 9/8/2021 | 0.049 (J) | 0.36 | 0.048 (J) |
| 3/25/2022 | <0.1 | 0.25 | <0.1 |
| Mean | 0.08995 | 0.5852 | 0.06557 |
| Std. Dev. | 0.05439 | 0.2272 | 0.02511 |
| Upper Lim. | 0.1 | 0.7106 | 0.07724 |
| Lower Lim. | 0.06 | 0.4599 | 0.05102 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lead (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | <0.00025 | <0.00025 | 0.011 |
| 5/3/2016 | 0.0015 | | 0.0087 |
| 5/4/2016 | | <0.00025 | |
| 7/5/2016 | 0.0017 | | 0.011 |
| 7/6/2016 | | <0.00025 | |
| 9/8/2016 | 0.0021 (J) | <0.00025 | 0.0092 |
| 11/8/2016 | | <0.00025 | |
| 11/9/2016 | <0.00025 | | 0.01 |
| 1/12/2017 | 0.00041 (J) | | 0.0086 |
| 1/13/2017 | | <0.00025 | |
| 3/16/2017 | | <0.00025 | |
| 3/17/2017 | 0.0011 (J) | | 0.0082 |
| 5/16/2017 | 0.0011 (J) | | |
| 5/17/2017 | | <0.00025 | 0.0081 |
| 3/13/2018 | 0.00047 (J) | | |
| 3/14/2018 | | <0.00025 | 0.004 |
| 6/8/2018 | 0.0013 | | 0.0034 |
| 6/9/2018 | | <0.00025 | |
| 10/17/2018 | | | 0.0026 |
| 11/13/2018 | 0.0014 | | |
| 11/14/2018 | | <0.00025 | |
| 2/28/2019 | 0.0012 (J) | | 0.0019 |
| 3/5/2019 | | 0.00037 (J) | |
| 6/4/2019 | 0.00079 (J) | 0.00065 (J) | 0.0011 (J) |
| 11/12/2019 | 0.00069 (J) | 0.00061 (J) | 0.001 (J) |
| 4/18/2020 | 0.00042 | | 0.00057 |
| 4/22/2020 | | 0.0005 | |
| 10/12/2020 | 0.00034 (J) | 0.0005 (J) | 0.00085 (J) |
| 4/1/2021 | 0.00058 | 0.00057 | 0.00076 |
| 9/8/2021 | <0.00025 | 0.00034 (J) | 0.0004 (J) |
| 3/25/2022 | <0.00025 | <0.00025 | <0.00025 |
| Mean | 0.0008474 | 0.0003442 | 0.004816 |
| Std. Dev. | 0.0005669 | 0.0001435 | 0.004153 |
| Upper Lim. | 0.001053 | 0.0005 | 0.0092 |
| Lower Lim. | 0.0004504 | 0.00025 | 0.00076 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.01 (J) | <0.005 | <0.005 |
| 5/3/2016 | <0.005 | | <0.005 |
| 5/4/2016 | | 0.0069 | |
| 7/5/2016 | <0.005 | | <0.005 |
| 7/6/2016 | | 0.0086 | |
| 9/8/2016 | <0.005 | 0.035 | <0.005 |
| 11/8/2016 | | <0.005 | |
| 11/9/2016 | <0.005 | | <0.005 |
| 1/12/2017 | <0.005 | | <0.005 |
| 1/13/2017 | | 0.0078 | |
| 3/16/2017 | | 0.0062 | |
| 3/17/2017 | <0.005 | | <0.005 |
| 5/16/2017 | <0.005 | | |
| 5/17/2017 | | 0.0042 (J) | <0.005 |
| 3/13/2018 | <0.005 | | |
| 3/14/2018 | | 0.0053 | <0.005 |
| 6/8/2018 | <0.005 | | 0.0012 (J) |
| 6/9/2018 | | 0.0044 (J) | |
| 10/17/2018 | | | 0.0014 (J) |
| 11/13/2018 | 0.0024 (J) | | |
| 11/14/2018 | | 0.005 | |
| 2/28/2019 | 0.0025 (J) | | <0.005 |
| 3/5/2019 | | 0.0043 (J) | |
| 6/4/2019 | 0.0012 (J) | 0.0044 (J) | <0.005 |
| 11/12/2019 | <0.005 | 0.0026 (J) | <0.005 |
| 4/18/2020 | <0.005 | | <0.005 |
| 4/22/2020 | | 0.0024 | |
| 10/12/2020 | <0.005 | 0.0026 (J) | <0.005 |
| 4/1/2021 | <0.005 | 0.005 | 0.0029 |
| 9/8/2021 | <0.005 | 0.0033 (J) | <0.005 |
| 3/25/2022 | <0.005 | <0.005 | <0.005 |
| Mean | 0.004795 | 0.006474 | 0.0045 |
| Std. Dev. | 0.001694 | 0.007101 | 0.001226 |
| Upper Lim. | 0.01 | 0.0069 | 0.005 |
| Lower Lim. | 0.0025 | 0.0033 | 0.0029 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.0027 | 0.0026 | 0.00024 |
| 5/3/2016 | 0.003 | | 0.00036 |
| 5/4/2016 | | 0.0022 | |
| 7/5/2016 | 0.0023 | | 0.0007 |
| 7/6/2016 | | 0.0026 | |
| 9/8/2016 | 0.0034 | 0.0027 | 0.00081 |
| 11/8/2016 | | 0.0016 | |
| 11/9/2016 | 0.0012 | | 0.00099 |
| 1/12/2017 | 0.0012 | | 0.00064 |
| 1/13/2017 | | 0.0026 | |
| 3/16/2017 | | 0.0015 | |
| 3/17/2017 | 0.0022 | | 0.00033 |
| 5/16/2017 | 0.0019 | | |
| 5/17/2017 | | 0.00016 (J) | 0.00034 |
| 3/13/2018 | 0.0014 | | |
| 3/14/2018 | | 0.00051 | 0.0002 |
| 6/8/2018 | 0.0018 | | 0.00016 (J) |
| 6/9/2018 | | 0.00032 | |
| 10/17/2018 | | | 0.00014 (J) |
| 11/13/2018 | 0.0021 | | |
| 11/14/2018 | | 8.2E-05 (J) | |
| 2/28/2019 | 0.0016 | | 0.00012 (J) |
| 3/5/2019 | | 0.0026 | |
| 6/4/2019 | 0.00061 | 0.0012 | <0.0002 |
| 11/12/2019 | 0.00056 | 0.00048 | <0.0002 |
| 4/18/2020 | 0.00013 (J) | | <0.0002 |
| 4/22/2020 | | 0.0004 | |
| 10/12/2020 | 0.00017 (J) | 0.00026 | <0.0002 |
| 4/1/2021 | 0.00025 | 0.00029 | <0.0002 |
| 9/8/2021 | <0.0002 | <0.0002 | <0.0002 |
| 3/25/2022 | <0.0002 | <0.0002 | <0.0002 |
| Mean | 0.001406 | 0.001174 | 0.0003384 |
| Std. Dev. | 0.001051 | 0.001059 | 0.0002529 |
| Upper Lim. | 0.002022 | 0.0026 | 0.00064 |
| Lower Lim. | 0.000791 | 0.00016 | 0.00016 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | <0.003 | <0.003 | <0.003 |
| 5/3/2016 | <0.003 | | <0.003 |
| 5/4/2016 | | <0.003 | |
| 7/5/2016 | <0.003 | | <0.003 |
| 7/6/2016 | | <0.003 | |
| 9/8/2016 | <0.003 | <0.003 | <0.003 |
| 11/8/2016 | | <0.003 | |
| 11/9/2016 | <0.003 | | <0.003 |
| 1/12/2017 | <0.003 | | <0.003 |
| 1/13/2017 | | <0.003 | |
| 3/16/2017 | | 0.0015 (J) | |
| 3/17/2017 | 0.0078 (J) | | <0.003 |
| 5/16/2017 | <0.003 | | |
| 5/17/2017 | | <0.003 | <0.003 |
| 3/13/2018 | <0.003 | | |
| 3/14/2018 | | <0.003 | 0.00092 (J) |
| 6/8/2018 | <0.003 | | <0.003 |
| 6/9/2018 | | <0.003 | |
| 10/17/2018 | | | <0.003 |
| 11/13/2018 | <0.003 | | |
| 11/14/2018 | | <0.003 | |
| 2/28/2019 | <0.003 | | <0.003 |
| 3/5/2019 | | <0.003 | |
| 4/18/2020 | <0.003 | | <0.003 |
| 4/22/2020 | | <0.003 | |
| 10/12/2020 | <0.003 | <0.003 | <0.003 |
| 4/1/2021 | <0.003 | <0.003 | <0.003 |
| 9/8/2021 | <0.003 | <0.003 | <0.003 |
| 3/25/2022 | <0.003 | <0.003 | <0.003 |
| Mean | 0.003282 | 0.002912 | 0.002878 |
| Std. Dev. | 0.001164 | 0.0003638 | 0.0005045 |
| Upper Lim. | 0.0078 | 0.003 | 0.003 |
| Lower Lim. | 0.003 | 0.0015 | 0.00092 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.018 | 0.013 | 0.026 |
| 5/3/2016 | 0.016 | | 0.019 |
| 5/4/2016 | | 0.014 | |
| 7/5/2016 | 0.018 | | 0.018 |
| 7/6/2016 | | 0.015 | |
| 9/8/2016 | 0.016 | 0.018 | 0.018 |
| 11/8/2016 | | 0.015 | |
| 11/9/2016 | 0.013 | | 0.02 |
| 1/12/2017 | 0.004 | | 0.017 |
| 1/13/2017 | | 0.014 | |
| 3/16/2017 | | 0.012 | |
| 3/17/2017 | 0.015 | | 0.016 |
| 5/16/2017 | 0.01 | | |
| 5/17/2017 | | 0.0094 | 0.013 |
| 3/13/2018 | 0.0064 | | |
| 3/14/2018 | | 0.0049 | 0.019 |
| 6/8/2018 | 0.0076 | | 0.018 |
| 6/9/2018 | | 0.0047 | |
| 10/17/2018 | | | 0.013 |
| 11/13/2018 | 0.0062 | | |
| 11/14/2018 | | 0.0031 | |
| 2/28/2019 | 0.0044 | | 0.011 |
| 3/5/2019 | | 0.0012 (J) | |
| 6/4/2019 | 0.0044 | 0.002 | 0.015 |
| 11/12/2019 | 0.0042 | 0.0026 | 0.012 |
| 4/18/2020 | 0.0028 | | 0.0085 |
| 4/22/2020 | | 0.0037 | |
| 10/12/2020 | 0.0025 | 0.003 | 0.0071 |
| 4/1/2021 | 0.0042 | 0.0036 | 0.008 |
| 9/8/2021 | 0.0033 | 0.0046 | 0.0059 |
| 3/25/2022 | <0.00025 | 0.005 | 0.0069 |
| Mean | 0.008217 | 0.007832 | 0.01428 |
| Std. Dev. | 0.005884 | 0.005536 | 0.005454 |
| Upper Lim. | 0.01089 | 0.01004 | 0.01748 |
| Lower Lim. | 0.004113 | 0.00398 | 0.01109 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 12:37 PM View: 200 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.00058 (J) | 0.0003 (J) | 0.00095 (J) |
| 5/3/2016 | 0.00041 (J) | | 0.00089 |
| 5/4/2016 | | 0.0005 | |
| 7/5/2016 | 0.0004 (J) | | 0.001 |
| 7/6/2016 | | 0.00047 (J) | |
| 9/8/2016 | 0.00045 (J) | 0.00053 (J) | 0.00088 (J) |
| 11/8/2016 | | 0.00055 (J) | |
| 11/9/2016 | <0.0001 | | 0.00083 (J) |
| 1/12/2017 | 0.00012 (J) | | 0.00076 |
| 1/13/2017 | | 0.00057 | |
| 3/16/2017 | | 0.0004 (J) | |
| 3/17/2017 | 0.00027 (J) | | 0.00088 |
| 5/16/2017 | 0.00025 (J) | | |
| 5/17/2017 | | 0.00029 (J) | 0.00071 |
| 3/13/2018 | 0.00018 (J) | | |
| 3/14/2018 | | 0.00027 (J) | 0.00055 |
| 6/8/2018 | 0.00018 (J) | | 0.00048 (J) |
| 6/9/2018 | | 0.00023 (J) | |
| 10/17/2018 | | | 0.0003 (J) |
| 11/13/2018 | <0.0001 | | |
| 11/14/2018 | | 0.00015 (J) | |
| 2/28/2019 | 0.0001 (J) | | 0.00024 (J) |
| 3/5/2019 | | 0.00016 (J) | |
| 6/4/2019 | <0.0001 | 0.00011 (J) | 0.00017 (J) |
| 11/12/2019 | <0.0001 | 0.00012 (J) | 0.00019 (J) |
| 4/18/2020 | 5.8E-05 (J) | | 0.00023 |
| 4/22/2020 | | 0.00015 | |
| 10/12/2020 | 0.00014 (J) | 0.00025 (J) | 0.00033 (J) |
| 4/1/2021 | <0.0001 | 0.00012 | 0.0002 |
| 9/8/2021 | <0.0001 | <0.0001 | <0.0001 |
| 3/25/2022 | <0.0001 | <0.0001 | <0.0001 |
| Mean | 0.000202 | 0.0002774 | 0.00051 |
| Std. Dev. | 0.0001508 | 0.0001758 | 0.0003354 |
| Upper Lim. | 0.0004 | 0.0003803 | 0.0006725 |
| Lower Lim. | 0.0001 | 0.0001744 | 0.0002658 |

ND substitution: RL or RL/2 if <15% NDs.

# 300 Series

# Confidence Interval Summary Table - 300 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 2:03 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228 (pCi/L)** | **MW-303** | **6.34** | **5.28** | **5** | **Yes** | **19** | **6.106** | **1.921** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| **Molybdenum (mg/L)** | **MW-303** | **1.426** | **0.7566** | **0.1** | **Yes** | **19** | **1.137** | **0.6132** | **0** | **None** | **sqrt(x)** | **0.01** | **Param.** |


# Confidence Interval Summary Table - 300 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/12/2023, 2:03 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Arsenic (mg/L) | MW-303 | 0.0012 | 0.00025 | 0.01 | No | 17 | 0.0006976 | 0.0006551 | 52.94 | None | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-304 | 0.00177 | 0.0004221 | 0.01 | No | 14 | 0.001494 | 0.001734 | 21.43 | Kaplan-Meier | ln(x) | 0.01 | Param. |
| Arsenic (mg/L) | MW-305 | 0.00042 | 0.00025 | 0.01 | No | 17 | 0.0002924 | 0.00009801 | 82.35 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-308 | 0.00046 | 0.00025 | 0.01 | No | 17 | 0.0004329 | 0.0005244 | 82.35 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| Barium (mg/L) | MW-300 | 0.012 | 0.011 | 2 | No | 19 | 0.01137 | 0.0007609 | 0 | None | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-303 | 0.04677 | 0.03047 | 2 | No | 19 | 0.04037 | 0.01612 | 0 | None | ln(x) | 0.01 | Param. |
| Barium (mg/L) | MW-304 | 0.04289 | 0.02943 | 2 | No | 19 | 0.03616 | 0.0115 | 0 | None | No | 0.01 | Param. |
| Barium (mg/L) | MW-305 | 0.02 | 0.016 | 2 | No | 19 | 0.01932 | 0.005518 | 0 | None | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-308 | 0.02753 | 0.02205 | 2 | No | 19 | 0.02479 | 0.004685 | 0 | None | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-303 | 0.0025 | 0.000074 | 0.004 | No | 16 | 0.002348 | 0.0006065 | 93.75 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-300 | 0.0025 | 0.000075 | 0.005 | No | 19 | 0.002372 | 0.0005563 | 94.74 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-303 | 0.0025 | 0.00039 | 0.005 | No | 19 | 0.001219 | 0.001011 | 36.84 | None | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-304 | 0.0042 | 0.001 | 0.005 | No | 19 | 0.002417 | 0.0006726 | 84.21 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-305 | 0.0025 | 0.000076 | 0.005 | No | 19 | 0.002372 | 0.0005561 | 94.74 | None | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-308 | 0.0025 | 0.000089 | 0.005 | No | 19 | 0.002373 | 0.0005531 | 94.74 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-300 | 0.0037 | 0.0012 | 0.1 | No | 16 | 0.002494 | 0.0004568 | 87.5 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-303 | 0.0025 | 0.0014 | 0.1 | No | 16 | 0.00235 | 0.0004115 | 87.5 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-304 | 0.0025 | 0.0021 | 0.1 | No | 16 | 0.002337 | 0.0003862 | 75 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-305 | 0.0025 | 0.002 | 0.1 | No | 16 | 0.002331 | 0.0003911 | 75 | None | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-308 | 0.0025 | 0.0022 | 0.1 | No | 16 | 0.002376 | 0.0004217 | 87.5 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-300 | 0.0025 | 0.00093 | 0.006 | No | 19 | 0.00206 | 0.0008868 | 78.95 | None | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-303 | 0.0025 | 0.00056 | 0.006 | No | 19 | 0.001504 | 0.0009754 | 47.37 | None | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-304 | 0.05045 | 0.005293 | 0.006 | No | 10 | 0.04298 | 0.09059 | 0 | None | ln(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-305 | 0.0025 | 0.00045 | 0.006 | No | 19 | 0.001326 | 0.0009623 | 36.84 | None | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-308 | 0.0025 | 0.00063 | 0.006 | No | 19 | 0.002299 | 0.0006008 | 89.47 | None | No | 0.01 | NP (NDs) |
| Combined Radium 226 + 228 (pCi/L) | MW-300 | 5.5 | 4.795 | 5 | No | 19 | 5.147 | 0.6016 | 0 | None | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-303** | **6.34** | **5.28** | **5** | **Yes** | **19** | **6.106** | **1.921** | **0** | **None** | **No** | **0.01** | **NP (normality)** |
| Combined Radium 226 + 228 (pCi/L) | MW-304 | 7.009 | 4.193 | 5 | No | 19 | 5.601 | 2.405 | 0 | None | No | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-305 | 1.694 | 1.233 | 5 | No | 19 | 1.5 | 0.4681 | 0 | None | ln(x) | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-308 | 3.016 | 2.302 | 5 | No | 19 | 2.659 | 0.6097 | 0 | None | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-300 | 0.1 | 0.041 | 4 | No | 20 | 0.09705 | 0.01319 | 95 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-303 | 0.249 | 0.1672 | 4 | No | 21 | 0.2081 | 0.0742 | 4.762 | None | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-304 | 0.12 | 0.06 | 4 | No | 20 | 0.123 | 0.1406 | 45 | None | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-305 | 0.1 | 0.035 | 4 | No | 20 | 0.09335 | 0.02047 | 90 | None | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-308 | 0.1424 | 0.089 | 4 | No | 21 | 0.1157 | 0.04843 | 0 | None | No | 0.01 | Param. |
| Lead (mg/L) | MW-300 | 0.0013 | 0.00039 | 0.015 | No | 16 | 0.001167 | 0.0003676 | 87.5 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-303 | 0.0013 | 0.00011 | 0.015 | No | 16 | 0.001226 | 0.0002975 | 93.75 | None | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-304 | 0.0014 | 0.00047 | 0.015 | No | 16 | 0.001006 | 0.0004235 | 56.25 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-300 | 0.005 | 0.0036 | 0.04 | No | 19 | 0.004276 | 0.001551 | 78.95 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-303 | 0.029 | 0.022 | 0.04 | No | 19 | 0.02516 | 0.004072 | 0 | None | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-304 | 0.005 | 0.0027 | 0.04 | No | 19 | 0.004463 | 0.001827 | 63.16 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-305 | 0.005 | 0.0025 | 0.04 | No | 19 | 0.004206 | 0.001627 | 78.95 | None | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-308 | 0.005 | 0.0021 | 0.04 | No | 19 | 0.004242 | 0.00152 | 78.95 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-300 | 0.0002 | 0.00019 | 0.002 | No | 19 | 0.0001995 | 0.000002294 | 94.74 | None | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-304 | 0.0005246 | 0.0001801 | 0.002 | No | 19 | 0.0004319 | 0.0003161 | 26.32 | Kaplan-Meier | sqrt(x) | 0.01 | Param. |
| Mercury (mg/L) | MW-305 | 0.0018 | 0.00014 | 0.002 | No | 19 | 0.0002811 | 0.0003681 | 89.47 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-308 | 0.00042 | 0.000087 | 0.002 | No | 19 | 0.0002056 | 0.00005801 | 89.47 | Kaplan-Meier | No | 0.01 | NP (NDs) |
| **Molybdenum (mg/L)** | **MW-303** | **1.426** | **0.7566** | **0.1** | **Yes** | **19** | **1.137** | **0.6132** | **0** | **None** | **sqrt(x)** | **0.01** | **Param.** |
| Molybdenum (mg/L) | MW-304 | 0.015 | 0.0033 | 0.1 | No | 19 | 0.01091 | 0.005592 | 63.16 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-305 | 0.015 | 0.0016 | 0.1 | No | 19 | 0.01352 | 0.00443 | 89.47 | None | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-308 | 0.015 | 0.002 | 0.1 | No | 19 | 0.01358 | 0.004263 | 89.47 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-303 | 0.0058 | 0.003611 | 0.05 | No | 19 | 0.004705 | 0.001869 | 0 | None | No | 0.01 | Param. |
| Selenium (mg/L) | MW-304 | 0.006396 | 0.004048 | 0.05 | No | 18 | 0.005222 | 0.001941 | 0 | None | No | 0.01 | Param. |
| Selenium (mg/L) | MW-305 | 0.00027 | 0.00025 | 0.05 | No | 19 | 0.0002784 | 0.0001191 | 89.47 | None | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-308 | 0.005478 | 0.003543 | 0.05 | No | 19 | 0.004511 | 0.001653 | 0 | None | No | 0.01 | Param. |
| Thallium (mg/L) | MW-303 | 0.0002444 | 0.0001858 | 0.002 | No | 19 | 0.0002168 | 0.00005292 | 10.53 | None | sqrt(x) | 0.01 | Param. |
| Thallium (mg/L) | MW-304 | 0.00029 | 0.00014 | 0.002 | No | 19 | 0.0002397 | 0.0001465 | 21.05 | None | No | 0.01 | NP (normality) |
| Thallium (mg/L) | MW-308 | 0.0002911 | 0.0002257 | 0.002 | No | 19 | 0.0002584 | 0.0000558 | 10.53 | None | No | 0.01 | Param. |

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Arsenic Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Barium Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Beryllium Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant



## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Cadmium Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Chromium Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Cobalt Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidenc
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Fluoride Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Lead Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Lithium Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Mercury Analysis Run 1/12/2023 2:00 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval


Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Molybdenum Analysis Run 1/12/2023 2:01 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Selenium Analysis Run 1/12/2023 2:01 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Thallium Analysis Run 1/12/2023 2:01 PM View: 300 Series - Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|
| 3/3/2016 | 0.0018 (J) | 0.009 (o) | <0.00025 | <0.00025 |
| 5/4/2016 | 0.0024 | 0.019 (o) | <0.00025 | <0.00025 |
| 7/6/2016 | 0.0005 (J) | 0.014 (o) | | <0.00025 |
| 7/7/2016 | | | <0.00025 | |
| 9/7/2016 | | 0.005 | <0.00025 | <0.00025 |
| 9/8/2016 | <0.00025 | | | |
| 11/7/2016 | | | <0.00025 | |
| 11/8/2016 | <0.00025 | 0.0035 | | <0.00025 |
| 1/10/2017 | <0.00025 | 0.0051 | <0.00025 | <0.00025 |
| 3/15/2017 | | 0.00066 (J) | <0.00025 | |
| 3/16/2017 | 0.0015 | | | <0.00025 |
| 5/15/2017 | 0.0012 (J) | | | |
| 5/16/2017 | | 0.00094 (J) | <0.00025 | <0.00025 |
| 3/13/2018 | 0.00082 (J) | 0.00086 (J) | <0.00025 | <0.00025 |
| 6/7/2018 | 0.0007 (J) | 0.00056 (J) | <0.00025 | <0.00025 |
| 10/17/2018 | <0.00025 | 0.0005 (J) | <0.00025 | <0.00025 |
| 2/27/2019 | | | | <0.00025 |
| 2/28/2019 | <0.00025 | <0.00025 | <0.00025 | |
| 4/18/2020 | <0.00025 | 0.00053 | 0.00042 | 0.00046 |
| 10/8/2020 | 0.00069 (J) | | | 0.0011 (J) |
| 10/9/2020 | | <0.00025 | 0.00057 (J) | |
| 4/1/2021 | <0.00025 | 0.00062 | 0.00048 | <0.00025 |
| 9/7/2021 | <0.00025 | <0.00025 | <0.00025 | <0.00025 |
| 3/24/2022 | <0.00025 | 0.0019 | <0.00025 | 0.0023 |
| Mean | 0.0006976 | 0.001494 | 0.0002924 | 0.0004329 |
| Std. Dev. | 0.0006551 | 0.001734 | 9.801E-05 | 0.0005244 |
| Upper Lim. | 0.0012 | 0.00177 | 0.00042 | 0.00046 |
| Lower Lim. | 0.00025 | 0.0004221 | 0.00025 | 0.00025 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Barium (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | 0.01 (J) | 0.024 | 0.045 | 0.02 | 0.023 |
| 5/4/2016 | 0.012 | 0.025 | 0.035 | 0.017 | 0.029 |
| 7/6/2016 | | 0.025 | 0.036 | | 0.029 |
| 7/7/2016 | 0.012 | | | 0.018 | |
| 9/7/2016 | 0.011 | | 0.026 | 0.017 | 0.029 |
| 9/8/2016 | | 0.03 | | | |
| 11/7/2016 | | | | 0.017 | |
| 11/8/2016 | 0.011 | 0.032 | 0.042 | | 0.025 |
| 1/10/2017 | 0.011 | 0.027 | 0.041 | 0.016 | 0.022 |
| 3/15/2017 | 0.013 | | 0.018 | 0.018 | |
| 3/16/2017 | | 0.04 | | | 0.023 |
| 5/15/2017 | | 0.028 | | | |
| 5/16/2017 | 0.011 | | 0.026 | 0.016 | 0.02 |
| 3/13/2018 | 0.011 | 0.034 | 0.057 | 0.016 | 0.031 |
| 6/6/2018 | 0.012 | | | | |
| 6/7/2018 | | 0.053 | 0.04 | 0.016 | 0.026 |
| 10/17/2018 | | 0.048 | 0.021 | 0.016 | 0.017 |
| 10/18/2018 | 0.01 | | | | |
| 2/27/2019 | | | | | 0.024 |
| 2/28/2019 | 0.012 | 0.032 | 0.039 | 0.02 | |
| 5/31/2019 | 0.011 | 0.029 | 0.044 | 0.036 | 0.031 |
| 11/11/2019 | 0.012 | 0.046 | 0.027 | 0.026 | 0.02 |
| 4/18/2020 | 0.011 | 0.069 | 0.043 | 0.02 | 0.016 |
| 10/8/2020 | | 0.076 | | | 0.022 |
| 10/9/2020 | 0.011 | | 0.015 | 0.016 | |
| 3/31/2021 | 0.012 | | | | |
| 4/1/2021 | | 0.068 | 0.055 | 0.017 | 0.031 |
| 9/7/2021 | 0.011 | 0.034 | 0.041 | 0.015 | 0.029 |
| 3/24/2022 | 0.012 | 0.047 | 0.036 | 0.03 | 0.024 |
| Mean | 0.01137 | 0.04037 | 0.03616 | 0.01932 | 0.02479 |
| Std. Dev. | 0.0007609 | 0.01612 | 0.0115 | 0.005518 | 0.004685 |
| Upper Lim. | 0.012 | 0.04677 | 0.04289 | 0.02 | 0.02753 |
| Lower Lim. | 0.011 | 0.03047 | 0.02943 | 0.016 | 0.02205 |

# Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 |
|---|---|
| 3/3/2016 | <0.0025 |
| 5/4/2016 | <0.0025 |
| 7/6/2016 | <0.0025 |
| 9/8/2016 | <0.0025 |
| 11/8/2016 | <0.0025 |
| 1/10/2017 | <0.0025 |
| 3/16/2017 | <0.0025 |
| 5/15/2017 | <0.0025 |
| 3/13/2018 | <0.0025 |
| 6/7/2018 | <0.0025 |
| 2/28/2019 | <0.0025 |
| 4/18/2020 | 7.4E-05 (J) |
| 10/8/2020 | <0.0025 |
| 4/1/2021 | <0.0025 |
| 9/7/2021 | <0.0025 |
| 3/24/2022 | <0.0025 |
| Mean | 0.002348 |
| Std. Dev. | 0.0006065 |
| Upper Lim. | 0.0025 |
| Lower Lim. | 7.4E-05 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 5/4/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 7/6/2016 | | 0.00036 (J) | <0.0025 | | <0.0025 |
| 7/7/2016 | <0.0025 | | | <0.0025 | |
| 9/7/2016 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 9/8/2016 | | 0.00045 (J) | | | |
| 11/7/2016 | | | | <0.0025 | |
| 11/8/2016 | <0.0025 | 0.00065 (J) | <0.0025 | | <0.0025 |
| 1/10/2017 | <0.0025 | 0.00051 (J) | <0.0025 | <0.0025 | <0.0025 |
| 3/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/16/2017 | | 0.00049 (J) | | | <0.0025 |
| 5/15/2017 | | 0.00045 (J) | | | |
| 5/16/2017 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 3/13/2018 | <0.0025 | 0.00041 (J) | <0.0025 | <0.0025 | <0.0025 |
| 6/6/2018 | <0.0025 | | | | |
| 6/7/2018 | | 0.00066 (J) | <0.0025 | <0.0025 | <0.0025 |
| 10/17/2018 | | 0.00072 (J) | <0.0025 | <0.0025 | <0.0025 |
| 10/18/2018 | <0.0025 | | | | |
| 2/27/2019 | | | | | <0.0025 |
| 2/28/2019 | <0.0025 | 0.00039 (J) | <0.0025 | <0.0025 | |
| 5/31/2019 | <0.0025 | 0.00034 (J) | <0.0025 | <0.0025 | <0.0025 |
| 11/11/2019 | <0.0025 | <0.0025 | 0.001 (J) | <0.0025 | <0.0025 |
| 4/18/2020 | 7.5E-05 (J) | 0.00024 (J) | 0.00073 | 7.6E-05 (J) | 8.9E-05 (J) |
| 10/8/2020 | | <0.0025 | | | <0.0025 |
| 10/9/2020 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/31/2021 | <0.0025 | | | | |
| 4/1/2021 | | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 9/7/2021 | <0.0025 | <0.0025 | 0.0042 | <0.0025 | <0.0025 |
| 3/24/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| Mean | 0.002372 | 0.001219 | 0.002417 | 0.002372 | 0.002373 |
| Std. Dev. | 0.0005563 | 0.001011 | 0.0006726 | 0.0005561 | 0.0005531 |
| Upper Lim. | 0.0025 | 0.0025 | 0.0042 | 0.0025 | 0.0025 |
| Lower Lim. | 7.5E-05 | 0.00039 | 0.001 | 7.6E-05 | 8.9E-05 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 5/4/2016 | 0.0037 | <0.0025 | 0.0012 (J) | 0.0025 | <0.0025 |
| 7/6/2016 | | <0.0025 | <0.0025 | | <0.0025 |
| 7/7/2016 | <0.0025 | | | <0.0025 | |
| 9/7/2016 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 9/8/2016 | | <0.0025 | | | |
| 11/7/2016 | | | | <0.0025 | |
| 11/8/2016 | <0.0025 | <0.0025 | <0.0025 | | <0.0025 |
| 1/10/2017 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 3/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/16/2017 | | <0.0025 | | | <0.0025 |
| 5/15/2017 | | <0.0025 | | | |
| 5/16/2017 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 3/13/2018 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 6/6/2018 | <0.0025 | | | | |
| 6/7/2018 | | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 2/27/2019 | | | | | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/18/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | 0.00082 |
| 10/8/2020 | | <0.0025 | | | <0.0025 |
| 10/9/2020 | <0.0025 | | 0.0016 (J) | 0.0016 (J) | |
| 3/31/2021 | <0.0025 | | | | |
| 4/1/2021 | | 0.0014 | <0.0025 | <0.0025 | <0.0025 |
| 9/7/2021 | 0.0012 (J) | 0.0012 (J) | 0.0025 | 0.0012 (J) | 0.0022 (J) |
| 3/24/2022 | <0.0025 | <0.0025 | 0.0021 (J) | 0.002 | <0.0025 |
| Mean | 0.002494 | 0.00235 | 0.002337 | 0.002331 | 0.002376 |
| Std. Dev. | 0.0004568 | 0.0004115 | 0.0003862 | 0.0003911 | 0.0004217 |
| Upper Lim. | 0.0037 | 0.0025 | 0.0025 | 0.0025 | 0.0025 |
| Lower Lim. | 0.0012 | 0.0014 | 0.0021 | 0.002 | 0.0022 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.0025 | <0.0025 | 0.19 | 0.00085 (J) | 0.00063 (J) |
| 5/4/2016 | 0.00093 (J) | 0.0007 (J) | 0.16 | 0.001 (J) | 0.00056 (J) |
| 7/6/2016 | | <0.0025 | 0.15 | | <0.0025 |
| 7/7/2016 | <0.0025 | | | 0.00044 (J) | |
| 9/7/2016 | <0.0025 | | 0.019 | 0.00052 (J) | <0.0025 |
| 9/8/2016 | | <0.0025 | | | |
| 11/7/2016 | | | | 0.00046 (J) | |
| 11/8/2016 | <0.0025 | 0.00051 (J) | 0.099 | | <0.0025 |
| 1/10/2017 | <0.0025 | <0.0025 | 0.077 | 0.00042 (J) | <0.0025 |
| 3/15/2017 | <0.0025 | | 0.0042 | 0.00044 (J) | |
| 3/16/2017 | | 0.0004 (J) | | | <0.0025 |
| 5/15/2017 | | 0.00079 (J) | | | |
| 5/16/2017 | <0.0025 | | 0.0067 | <0.0025 | <0.0025 |
| 3/13/2018 | <0.0025 | 0.00056 (J) | 0.015 | <0.0025 | <0.0025 |
| 6/6/2018 | <0.0025 | | | | |
| 6/7/2018 | | 0.0007 (J) | 0.014 | <0.0025 | <0.0025 |
| 10/17/2018 | | <0.0025 | 0.012 | <0.0025 | <0.0025 |
| 10/18/2018 | <0.0025 | | | | |
| 2/27/2019 | | | | | <0.0025 |
| 2/28/2019 | <0.0025 | 0.00059 (J) | 0.02 | 0.00042 (J) | |
| 5/31/2019 | <0.0025 | 0.00073 (J) | 0.026 | 0.00046 (J) | <0.0025 |
| 11/11/2019 | 0.00023 (J) | 0.00065 (J) | 0.023 | 0.00063 (J) | <0.0025 |
| 4/18/2020 | 0.00024 (J) | 0.00044 (J) | 0.015 | 0.00045 (J) | <0.0025 |
| 10/8/2020 | | <0.0025 | | | <0.0025 |
| 10/9/2020 | <0.0025 | | 0.0019 (J) | <0.0025 | |
| 3/31/2021 | <0.0025 | | | | |
| 4/1/2021 | | <0.0025 | 0.0079 | <0.0025 | <0.0025 |
| 9/7/2021 | <0.0025 | <0.0025 | 0.3 | <0.0025 | <0.0025 |
| 3/24/2022 | 0.00024 (J) | <0.0025 | 0.01 | 0.0016 | <0.0025 |
| Mean | 0.00206 | 0.001504 | 0.04298 | 0.001326 | 0.002299 |
| Std. Dev. | 0.0008868 | 0.0009754 | 0.09059 | 0.0009623 | 0.0006008 |
| Upper Lim. | 0.0025 | 0.0025 | 0.05045 | 0.0025 | 0.0025 |
| Lower Lim. | 0.00093 | 0.00056 | 0.005293 | 0.00045 | 0.00063 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | 4.62 | 5.43 | 9.46 | 1.67 | 2.29 |
| 5/4/2016 | 5.36 | 5.52 | 9.66 | 1.18 | 2.58 |
| 7/6/2016 | | 12.9 | 2.84 | | 3.08 |
| 7/7/2016 | 6.27 | | | 1.24 | |
| 9/7/2016 | 5.25 | | 4.49 | 1.49 | 3.04 |
| 9/8/2016 | | 3.73 | | | |
| 11/7/2016 | | | | 1.32 | |
| 11/8/2016 | 5.64 | 5.61 | 7.47 | | 2.96 |
| 1/10/2017 | 5.39 | 4.33 | 9.6 | 2.16 | 3.5 |
| 3/15/2017 | 5.72 | | 2.22 | 1.14 | |
| 3/16/2017 | | 6.34 | | | 2.9 |
| 5/15/2017 | | 5.77 | | | |
| 5/16/2017 | 4.84 | | 3.89 | 1.26 | 1.47 |
| 3/13/2018 | 5.59 | 5.94 | 5.25 | 1.29 | 2.96 |
| 6/6/2018 | 3.96 | | | | |
| 6/7/2018 | | 5.79 | 4.1 | 1.25 | 2.45 |
| 10/17/2018 | | 6.31 | 3.15 | 1.24 | 2.7 |
| 10/18/2018 | 5.75 | | | | |
| 2/27/2019 | | | | | 2.61 |
| 2/28/2019 | 4.82 | 5.4 | 5.21 | 1.55 | |
| 5/31/2019 | 4.06 | 4.37 | 6.03 | 1.9 | 3.62 |
| 11/11/2019 | 5.43 | 5.71 | 5.15 | 1.58 | 2 |
| 4/18/2020 | 5.09 | 6.89 | 7.33 | 1.55 | 1.34 |
| 10/8/2020 | | 8.36 | | | 3.17 |
| 10/9/2020 | 4.71 | | 1.58 | 0.858 | |
| 3/31/2021 | 4.44 | | | | |
| 4/1/2021 | | 6.31 | 6.79 | 1.23 | 2.27 |
| 9/7/2021 | 5.47 | 6.02 | 6.19 | 1.6 | 2.42 |
| 3/24/2022 | 5.39 | 5.28 | 6.01 | 3 | 3.16 |
| Mean | 5.147 | 6.106 | 5.601 | 1.5 | 2.659 |
| Std. Dev. | 0.6016 | 1.921 | 2.405 | 0.4681 | 0.6097 |
| Upper Lim. | 5.5 | 6.34 | 7.009 | 1.694 | 3.016 |
| Lower Lim. | 4.795 | 5.28 | 4.193 | 1.233 | 2.302 |

# Confidence Interval

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | 0.041 (J) | 0.15 | 0.12 | 0.035 (J) | 0.11 |
| 5/4/2016 | <0.1 | 0.11 | 0.19 | <0.1 | 0.07 (J) |
| 7/6/2016 | | 0.13 | 0.15 | | 0.07 (J) |
| 7/7/2016 | <0.1 | | | <0.1 | |
| 9/7/2016 | <0.1 | | 0.06 (J) | <0.1 | 0.06 (J) |
| 9/8/2016 | | 0.12 | | | |
| 11/7/2016 | | | | <0.1 | |
| 11/8/2016 | <0.1 | 0.13 | 0.09 (J) | | 0.06 (J) |
| 1/10/2017 | <0.1 | 0.15 | <0.1 | <0.1 | 0.04 (J) |
| 3/15/2017 | <0.1 | | <0.1 | <0.1 | |
| 3/16/2017 | | 0.16 | | | 0.06 (J) |
| 5/15/2017 | | 0.2 | | | |
| 5/16/2017 | <0.1 | | 0.04 (J) | <0.1 | 0.09 (J) |
| 10/3/2017 | <0.1 | 0.25 | 0.07 (J) | <0.1 | 0.13 |
| 12/20/2017 | | 0.25 | | | 0.1 |
| 3/13/2018 | <0.1 | 0.26 | <0.1 | <0.1 | 0.1 |
| 6/6/2018 | <0.1 | | | | |
| 6/7/2018 | | 0.28 | <0.1 | <0.1 | 0.14 |
| 10/17/2018 | | 0.29 | 0.06 (J) | <0.1 | 0.14 |
| 10/18/2018 | <0.1 | | | | |
| 2/27/2019 | | | | | 0.16 |
| 2/28/2019 | <0.1 | 0.28 | <0.1 | <0.1 | |
| 5/31/2019 | <0.1 | 0.33 | <0.1 | <0.1 | 0.2 |
| 11/11/2019 | <0.1 | 0.26 | <0.1 | <0.1 | 0.16 |
| 4/18/2020 | <0.1 | 0.25 | <0.1 | <0.1 | 0.17 |
| 10/8/2020 | | <0.1 | | | 0.07 (J) |
| 10/9/2020 | <0.1 | | 0.04 (J) | <0.1 | |
| 3/31/2021 | <0.1 | | | | |
| 4/1/2021 | | 0.26 | 0.04 | 0.032 | 0.19 |
| 9/7/2021 | <0.1 | 0.24 | 0.7 | <0.1 | 0.17 |
| 3/24/2022 | <0.1 | 0.22 | <0.1 | <0.1 | 0.14 |
| Mean | 0.09705 | 0.2081 | 0.123 | 0.09335 | 0.1157 |
| Std. Dev. | 0.01319 | 0.0742 | 0.1406 | 0.02047 | 0.04843 |
| Upper Lim. | 0.1 | 0.249 | 0.12 | 0.1 | 0.1424 |
| Lower Lim. | 0.041 | 0.1672 | 0.06 | 0.035 | 0.089 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lead (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 |
|---|---|---|---|
| 3/3/2016 | <0.0013 | <0.0013 | <0.0013 |
| 5/4/2016 | <0.0013 | <0.0013 | 0.00086 (J) |
| 7/6/2016 | | <0.0013 | 0.0014 |
| 7/7/2016 | <0.0013 | | |
| 9/7/2016 | <0.0013 | | 0.00056 (J) |
| 9/8/2016 | | <0.0013 | |
| 11/8/2016 | <0.0013 | <0.0013 | 0.00047 (J) |
| 1/10/2017 | <0.0013 | <0.0013 | 0.00041 (J) |
| 3/15/2017 | <0.0013 | | <0.0013 |
| 3/16/2017 | | <0.0013 | |
| 5/15/2017 | | <0.0013 | |
| 5/16/2017 | <0.0013 | | <0.0013 |
| 3/13/2018 | <0.0013 | <0.0013 | <0.0013 |
| 6/6/2018 | <0.0013 | | |
| 6/7/2018 | | <0.0013 | <0.0013 |
| 2/28/2019 | <0.0013 | <0.0013 | <0.0013 |
| 4/18/2020 | 8.3E-05 (J) | 0.00011 (J) | 0.00022 (J) |
| 10/8/2020 | | <0.0013 | |
| 10/9/2020 | <0.0013 | | 0.00048 (J) |
| 3/31/2021 | 0.00039 | | |
| 4/1/2021 | | <0.0013 | <0.0013 |
| 9/7/2021 | <0.0013 | <0.0013 | <0.0013 |
| 3/24/2022 | <0.0013 | <0.0013 | <0.0013 |
| Mean | 0.001167 | 0.001226 | 0.001006 |
| Std. Dev. | 0.0003676 | 0.0002975 | 0.0004235 |
| Upper Lim. | 0.0013 | 0.0013 | 0.0014 |
| Lower Lim. | 0.00039 | 0.00011 | 0.00047 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.005 | 0.037 | <0.005 | <0.005 | <0.005 |
| 5/4/2016 | <0.005 | 0.029 | <0.005 | <0.005 | <0.005 |
| 7/6/2016 | | 0.024 | 0.0044 (J) | | <0.005 |
| 7/7/2016 | <0.005 | | | <0.005 | |
| 9/7/2016 | <0.005 | | <0.005 | <0.005 | <0.005 |
| 9/8/2016 | | 0.022 | | | |
| 11/7/2016 | | | | <0.005 | |
| 11/8/2016 | <0.005 | 0.026 | <0.005 | | <0.005 |
| 1/10/2017 | <0.005 | 0.024 | <0.005 | <0.005 | <0.005 |
| 3/15/2017 | <0.005 | | <0.005 | <0.005 | |
| 3/16/2017 | | 0.029 | | | <0.005 |
| 5/15/2017 | | 0.025 | | | |
| 5/16/2017 | <0.005 | | <0.005 | <0.005 | <0.005 |
| 3/13/2018 | <0.005 | 0.03 | <0.005 | <0.005 | <0.005 |
| 6/6/2018 | <0.005 | | | | |
| 6/7/2018 | | 0.025 | 0.0012 (J) | 0.0014 (J) | 0.0011 (J) |
| 10/17/2018 | | 0.024 | <0.005 | <0.005 | <0.005 |
| 10/18/2018 | <0.005 | | | | |
| 2/27/2019 | | | | | 0.0011 (J) |
| 2/28/2019 | <0.005 | 0.021 | <0.005 | <0.005 | |
| 5/31/2019 | 0.0014 (J) | 0.021 | 0.0023 (J) | <0.005 | 0.0021 (J) |
| 11/11/2019 | 0.00062 (J) | 0.023 | 0.0034 | 0.00054 (J) | 0.0013 |
| 4/18/2020 | 0.00062 (J) | 0.023 | 0.0012 | 0.00047 (J) | <0.005 |
| 10/8/2020 | | 0.029 | | | <0.005 |
| 10/9/2020 | <0.005 | | <0.005 | <0.005 | |
| 3/31/2021 | 0.0036 | | | | |
| 4/1/2021 | | 0.022 | 0.0027 | 0.0025 | <0.005 |
| 9/7/2021 | <0.005 | 0.023 | 0.0096 | <0.005 | <0.005 |
| 3/24/2022 | <0.005 | 0.021 | <0.005 | <0.005 | <0.005 |
| Mean | 0.004276 | 0.02516 | 0.004463 | 0.004206 | 0.004242 |
| Std. Dev. | 0.001551 | 0.004072 | 0.001827 | 0.001627 | 0.00152 |
| Upper Lim. | 0.005 | 0.029 | 0.005 | 0.005 | 0.005 |
| Lower Lim. | 0.0036 | 0.022 | 0.0027 | 0.0025 | 0.0021 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|
| 3/3/2016 | <0.0002 | 8.6E-05 (J) | <0.0002 | <0.0002 |
| 5/4/2016 | <0.0002 | 0.00026 | <0.0002 | <0.0002 |
| 7/6/2016 | | 0.0012 | | <0.0002 (*) |
| 7/7/2016 | <0.0002 | | <0.0002 | |
| 9/7/2016 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 11/7/2016 | | | <0.0002 | |
| 11/8/2016 | <0.0002 | 0.00065 | | <0.0002 |
| 1/10/2017 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 3/15/2017 | <0.0002 | <0.0002 | <0.0002 | |
| 3/16/2017 | | | | <0.0002 |
| 5/16/2017 | <0.0002 | 0.00042 | <0.0002 | <0.0002 |
| 3/13/2018 | <0.0002 | 0.00039 | <0.0002 | <0.0002 |
| 6/6/2018 | <0.0002 | | | |
| 6/7/2018 | | 0.00033 | <0.0002 | <0.0002 |
| 10/17/2018 | | 0.00041 | <0.0002 | <0.0002 |
| 10/18/2018 | <0.0002 | | | |
| 2/27/2019 | | | | <0.0002 |
| 2/28/2019 | <0.0002 | 0.00055 | <0.0002 | |
| 5/31/2019 | <0.0002 | 0.00054 | <0.0002 | <0.0002 |
| 11/11/2019 | <0.0002 | 0.0011 | <0.0002 | <0.0002 |
| 4/18/2020 | <0.0002 | 0.00082 | <0.0002 | <0.0002 |
| 10/8/2020 | | | | 8.7E-05 (J) |
| 10/9/2020 | <0.0002 | 0.00033 | 0.00014 (J) | |
| 3/31/2021 | 0.00019 | | | |
| 4/1/2021 | | 0.00012 | <0.0002 | 0.00042 |
| 9/7/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 3/24/2022 | <0.0002 | <0.0002 | 0.0018 | <0.0002 |
| Mean | 0.0001995 | 0.0004319 | 0.0002811 | 0.0002056 |
| Std. Dev. | 2.294E-06 | 0.0003161 | 0.0003681 | 5.801E-05 |
| Upper Lim. | 0.0002 | 0.0005246 | 0.0018 | 0.00042 |
| Lower Lim. | 0.00019 | 0.0001801 | 0.00014 | 8.7E-05 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|
| 3/3/2016 | 0.99 | <0.015 | <0.015 | <0.015 |
| 5/4/2016 | 0.99 | <0.015 | <0.015 | <0.015 |
| 7/6/2016 | 1.9 | 0.0018 (J) | | <0.015 |
| 7/7/2016 | | | <0.015 | |
| 9/7/2016 | | 0.0029 (J) | <0.015 | <0.015 |
| 9/8/2016 | 2.4 | | | |
| 11/7/2016 | | | <0.015 | |
| 11/8/2016 | 2.2 | <0.015 | | <0.015 |
| 1/10/2017 | 2.1 | <0.015 (*) | <0.015 | <0.015 |
| 3/15/2017 | | <0.015 | <0.015 | |
| 3/16/2017 | 1.6 | | | <0.015 |
| 5/15/2017 | 1.2 | | | |
| 5/16/2017 | | <0.015 (*) | <0.015 (*) | <0.015 |
| 3/13/2018 | 1 | 0.0033 (J) | <0.015 | <0.015 |
| 6/7/2018 | 1.1 | 0.0065 (J) | 0.0016 (J) | 0.00098 (J) |
| 10/17/2018 | 1.1 | 0.0043 (J) | <0.015 | <0.015 |
| 2/27/2019 | | | | <0.015 |
| 2/28/2019 | 0.77 | 0.0028 (J) | <0.015 | |
| 5/31/2019 | 0.64 | <0.015 | <0.015 | <0.015 |
| 11/11/2019 | 0.85 | 0.0056 (J) | <0.015 | <0.015 |
| 4/18/2020 | 0.81 | <0.015 | <0.015 | <0.015 |
| 10/8/2020 | 0.5 | | | <0.015 |
| 10/9/2020 | | <0.015 | <0.015 | |
| 4/1/2021 | 0.49 | <0.015 | <0.015 | <0.015 |
| 9/7/2021 | 0.44 | <0.015 | <0.015 | <0.015 |
| 3/24/2022 | 0.53 | <0.015 | 0.00033 (J) | 0.002 (J) |
| Mean | 1.137 | 0.01091 | 0.01352 | 0.01358 |
| Std. Dev. | 0.6132 | 0.005592 | 0.00443 | 0.004263 |
| Upper Lim. | 1.426 | 0.015 | 0.015 | 0.015 |
| Lower Lim. | 0.7566 | 0.0033 | 0.0016 | 0.002 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|
| 3/3/2016 | 0.008 | 0.0041 (J) | <0.00025 | 0.0051 (J) |
| 5/4/2016 | 0.0068 | 0.008 | <0.00025 | 0.0049 |
| 7/6/2016 | 0.0061 | 0.0056 | | 0.0066 |
| 7/7/2016 | | | <0.00025 | |
| 9/7/2016 | | 0.0045 | <0.00025 | 0.0073 |
| 9/8/2016 | 0.0065 | | | |
| 11/7/2016 | | | <0.00025 | |
| 11/8/2016 | 0.0046 | 0.0055 | | 0.0058 |
| 1/10/2017 | 0.0045 | 0.0056 | <0.00025 | 0.0058 |
| 3/15/2017 | | 0.0088 | <0.00025 | |
| 3/16/2017 | 0.0079 | | | 0.006 |
| 5/15/2017 | 0.0064 | | | |
| 5/16/2017 | | 0.0029 | <0.00025 | 0.0058 |
| 3/13/2018 | 0.0037 | 0.0065 | <0.00025 | 0.0048 |
| 6/7/2018 | 0.0054 | 0.0047 | <0.00025 | 0.0061 |
| 10/17/2018 | 0.0026 | 0.05 (o) | <0.00025 | 0.0023 |
| 2/27/2019 | | | | 0.0033 |
| 2/28/2019 | 0.002 | 0.0011 (J) | <0.00025 | |
| 5/31/2019 | 0.0041 | 0.0045 | <0.00025 | 0.0031 |
| 11/11/2019 | 0.0031 | 0.0067 | 0.00027 | 0.002 |
| 4/18/2020 | 0.0035 | 0.0066 | <0.00025 | 0.0021 |
| 10/8/2020 | 0.0014 | | | 0.0047 |
| 10/9/2020 | | 0.0057 | <0.00025 | |
| 4/1/2021 | 0.004 | 0.0038 | <0.00025 | 0.0027 |
| 9/7/2021 | 0.0046 | 0.0069 | <0.00025 | 0.0045 |
| 3/24/2022 | 0.0042 | 0.0025 | 0.00077 | 0.0028 |
| Mean | 0.004705 | 0.005222 | 0.0002784 | 0.004511 |
| Std. Dev. | 0.001869 | 0.001941 | 0.0001191 | 0.001653 |
| Upper Lim. | 0.0058 | 0.006396 | 0.00027 | 0.005478 |
| Lower Lim. | 0.003611 | 0.004048 | 0.00025 | 0.003543 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 2:03 PM View: 300 Series - Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-304 | MW-308 |
|---|---|---|---|
| 3/3/2016 | 0.00023 (J) | 0.00015 (J) | 0.00023 (J) |
| 5/4/2016 | 0.00021 (J) | 0.00021 (J) | 0.00026 (J) |
| 7/6/2016 | 0.00016 (J) | 0.00022 (J) | 0.00032 (J) |
| 9/7/2016 | | 0.0001 (J) | 0.00036 (J) |
| 9/8/2016 | 0.00015 (J) | | |
| 11/8/2016 | 0.00017 (J) | 0.00014 (J) | 0.00032 (J) |
| 1/10/2017 | 0.00018 (J) | 0.00018 (J) | 0.00033 (J) |
| 3/15/2017 | | <0.0005 | |
| 3/16/2017 | 0.00024 (J) | | 0.00029 (J) |
| 5/15/2017 | 0.00022 (J) | | |
| 5/16/2017 | | 9.5E-05 (J) | 0.00027 (J) |
| 3/13/2018 | 0.00022 (J) | 0.00017 (J) | 0.00028 (J) |
| 6/7/2018 | 0.00022 (J) | 0.00017 (J) | 0.00026 (J) |
| 10/17/2018 | 0.00019 (J) | 0.00011 (J) | 0.00022 (J) |
| 2/27/2019 | | | 0.00022 (J) |
| 2/28/2019 | 0.00018 (J) | 0.00016 (J) | |
| 5/31/2019 | <0.0005 | <0.0005 | <0.0005 |
| 11/11/2019 | 0.00023 (J) | 0.00029 (J) | 0.00023 (J) |
| 4/18/2020 | 0.00027 | 0.00026 | 0.00016 |
| 10/8/2020 | 0.00038 (J) | | 0.00031 (J) |
| 10/9/2020 | | 0.00015 (J) | |
| 4/1/2021 | 0.00022 | <0.0005 | 0.00019 |
| 9/7/2021 | 0.00015 (J) | 0.00015 (J) | 0.00016 (J) |
| 3/24/2022 | <0.0005 | <0.0005 | <0.0005 |
| Mean | 0.0002168 | 0.0002397 | 0.0002584 |
| Std. Dev. | 5.292E-05 | 0.0001465 | 5.58E-05 |
| Upper Lim. | 0.0002444 | 0.00029 | 0.0002911 |
| Lower Lim. | 0.0001858 | 0.00014 | 0.0002257 |


ND substitution: RL or RL/2 if <15% NDs.

# Time Series - 100, 200 & 300 Series

# 100 Series

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Time Series




Constituent: Barium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Time Series




Constituent: Barium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Beryllium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Beryllium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Boron Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Boron Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cadmium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cadmium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Time Series





Constituent: Calcium Analysis Run 1/12/2023 10:04 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Time Series





Constituent: Calcium Analysis Run 1/12/2023 10:04 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Time Series





Constituent: Chloride Analysis Run 1/12/2023 10:04 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Time Series





Constituent: Chloride Analysis Run 1/12/2023 10:04 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Chromium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Chromium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cobalt Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cobalt Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Time Series




Constituent: Field pH Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Time Series




Constituent: Field pH Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Fluoride Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Fluoride Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lead Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lead Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Time Series




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | | | | | |
| 3/1/2016 | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 5/2/2016 | <0.0005 | | | | | | |
| 5/4/2016 | | <0.0005 | | | | | <0.0005 |
| 5/5/2016 | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 7/5/2016 | <0.0005 | | | | | | |
| 7/7/2016 | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 7/8/2016 | | <0.0005 | | | | | <0.0005 |
| 9/6/2016 | <0.0005 | <0.0005 | <0.0005 | | | | |
| 9/7/2016 | | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 11/7/2016 | <0.0005 | | | | | | |
| 11/9/2016 | | | | | <0.0005 | <0.0005 | <0.0005 |
| 11/10/2016 | | <0.0005 | <0.0005 | <0.0005 | | | |
| 1/9/2017 | <0.0005 | | | | | | |
| 1/11/2017 | | <0.0005 | | | <0.0005 | <0.0005 | <0.0005 |
| 1/12/2017 | | | <0.0005 | <0.0005 | | | |
| 3/13/2017 | <0.0005 | | | | | | |
| 3/14/2017 | | <0.0005 | | | <0.0005 | <0.0005 | <0.0005 |
| 3/15/2017 | | | <0.0005 | <0.0005 | | | |
| 5/15/2017 | <0.0005 | | | | | | |
| 5/18/2017 | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 3/12/2018 | <0.0005 | | | | | | |
| 3/14/2018 | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 6/5/2018 | <0.0005 | | | | | | |
| 6/10/2018 | | <0.0005 | | | <0.0005 | <0.0005 | <0.0005 |
| 6/11/2018 | | | <0.0005 | <0.0005 | | | |
| 10/16/2018 | <0.0005 | | | | | | |
| 10/18/2018 | | <0.0005 | | | | | |
| 2/27/2019 | <0.0005 | <0.0005 | | | | | |
| 3/1/2019 | | | | | <0.0005 | <0.0005 | <0.0005 |
| 3/2/2019 | | | <0.0005 | <0.0005 | | | |
| 4/16/2020 | <0.0005 | <0.0005 | | | | | |
| 4/17/2020 | | | | <0.0005 | | | <0.0005 |
| 4/18/2020 | | | <0.0005 | | <0.0005 | <0.0005 | |
| 10/7/2020 | <0.0005 | <0.0005 | | | | | |
| 10/8/2020 | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 3/29/2021 | <0.0005 | <0.0005 | | | | | |
| 3/30/2021 | | | <0.0005 | <0.0005 | | <0.0005 | <0.0005 |
| 3/31/2021 | | | | | <0.0005 | | |
| 9/2/2021 | <0.0005 | <0.0005 | | | | | |
| 9/3/2021 | | | | | <0.0005 | <0.0005 | <0.0005 |
| 9/7/2021 | | | <0.0005 | <0.0005 | | | |
| 3/22/2022 | <0.0005 | <0.0005 | | | | | |
| 3/23/2022 | | | <0.0005 | | <0.0005 | <0.0005 | <0.0005 |
| 3/24/2022 | | | | <0.0005 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | | | | |
| 3/1/2016 | | | | | <0.0005 | <0.0005 |
| 3/2/2016 | | | <0.0005 | <0.0005 | | |
| 5/2/2016 | <0.0005 | <0.0005 | | | | <0.0005 |
| 5/3/2016 | | | | | <0.0005 | |
| 5/5/2016 | | | <0.0005 | <0.0005 | | |
| 7/5/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 7/7/2016 | | | <0.0005 | <0.0005 | | |
| 9/6/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 9/7/2016 | | | <0.0005 | <0.0005 | | |
| 11/7/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 11/10/2016 | | | <0.0005 | <0.0005 | | |
| 1/9/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 1/12/2017 | | | <0.0005 | <0.0005 | | |
| 3/13/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/14/2017 | | | <0.0005 | | | |
| 3/15/2017 | | | | <0.0005 | | |
| 5/15/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 5/18/2017 | | | <0.0005 | <0.0005 | | |
| 3/12/2018 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/14/2018 | | | <0.0005 | <0.0005 | | |
| 6/5/2018 | <0.0005 | <0.0005 | | | | |
| 6/6/2018 | | | | | <0.0005 | <0.0005 |
| 6/11/2018 | | | <0.0005 | <0.0005 | | |
| 10/16/2018 | <0.0005 | <0.0005 | | | | |
| 10/17/2018 | | | | | <0.0005 | <0.0005 |
| 2/27/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/1/2019 | | | <0.0005 | <0.0005 | | |
| 4/16/2020 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 4/17/2020 | | | <0.0005 | <0.0005 | | |
| 10/7/2020 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 10/9/2020 | | | <0.0005 | <0.0005 | | |
| 3/29/2021 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/31/2021 | | | <0.0005 | <0.0005 | | |
| 9/2/2021 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 9/3/2021 | | | <0.0005 | <0.0005 | | |
| 3/22/2022 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/23/2022 | | | <0.0005 | <0.0005 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | | | | | |
| 3/1/2016 | | | <0.00025 | <0.00025 | 0.0085 | 0.0039 (J) | <0.00025 |
| 5/2/2016 | <0.00025 | | | | | | |
| 5/4/2016 | | <0.00025 | | | | | <0.00025 |
| 5/5/2016 | | | <0.00025 | <0.00025 | 0.0077 | 0.0039 | |
| 7/5/2016 | <0.00025 | | | | | | |
| 7/7/2016 | | | <0.00025 | <0.00025 | 0.0082 | 0.0037 | |
| 7/8/2016 | | <0.00025 | | | | | <0.00025 |
| 9/6/2016 | <0.00025 | <0.00025 | <0.00025 | | | | |
| 9/7/2016 | | | | <0.00025 | 0.012 | 0.0032 | <0.00025 |
| 11/7/2016 | <0.00025 | | | | | | |
| 11/9/2016 | | | | | 0.0071 | 0.0038 | <0.00025 |
| 11/10/2016 | | <0.00025 | 0.0005 (J) | 0.00051 (J) | | | |
| 1/9/2017 | <0.00025 | | | | | | |
| 1/11/2017 | | <0.00025 | | | 0.0071 | 0.0035 | <0.00025 |
| 1/12/2017 | | | <0.00025 | <0.00025 | | | |
| 3/13/2017 | 0.00069 (J) | | | | | | |
| 3/14/2017 | | <0.00025 | | | 0.0067 | 0.0036 | <0.00025 |
| 3/15/2017 | | | <0.00025 | <0.00025 | | | |
| 5/15/2017 | <0.00025 | | | | | | |
| 5/18/2017 | | <0.00025 | <0.00025 | <0.00025 | 0.0087 | 0.0036 | <0.00025 |
| 3/12/2018 | <0.00025 | | | | | | |
| 3/14/2018 | | <0.00025 | <0.00025 | <0.00025 | 0.0027 | 0.0039 | <0.00025 |
| 6/5/2018 | <0.00025 | | | | | | |
| 6/10/2018 | | 0.00046 (J) | | | 0.0047 | 0.0034 | <0.00025 |
| 6/11/2018 | | | <0.00025 | <0.00025 | | | |
| 10/16/2018 | <0.00025 | | | | | | |
| 10/18/2018 | | <0.00025 | | <0.00025 | 0.0019 | 0.0044 | <0.00025 |
| 10/19/2018 | | | <0.00025 | | | | |
| 2/27/2019 | <0.00025 | <0.00025 | | | | | |
| 3/1/2019 | | | | | <0.00025 | 0.0047 | <0.00025 |
| 3/2/2019 | | | <0.00025 | <0.00025 | | | |
| 5/31/2019 | <0.00025 | <0.00025 | | | | | |
| 6/3/2019 | | | <0.00025 | | 0.003 | 0.0045 | <0.00025 |
| 6/11/2019 | | | | <0.00025 | | | |
| 11/6/2019 | 0.0002 (J) | 0.00019 (J) | | | | | |
| 11/7/2019 | | | | 0.00019 (J) | 8.9E-05 (J) | | |
| 11/9/2019 | | | <0.00025 | | | 0.0045 | <0.00025 |
| 4/16/2020 | <0.00025 | <0.00025 | | | | | |
| 4/17/2020 | | | | <0.00025 | | | <0.00025 |
| 4/18/2020 | | | <0.00025 | | 0.0014 | 0.0054 | |
| 10/7/2020 | <0.00025 | 0.00056 (J) | | | | | |
| 10/8/2020 | | | <0.00025 | 0.0021 | 0.0019 | 0.0046 | <0.00025 |
| 3/29/2021 | <0.00025 | 0.00078 | | | | | |
| 3/30/2021 | | | <0.00025 | <0.00025 | | 0.0082 | <0.00025 |
| 3/31/2021 | | | | | 0.00048 | | |
| 9/2/2021 | 0.00059 (J) | <0.00025 | | | | | |
| 9/3/2021 | | | | | 0.00084 (J) | 0.0096 | <0.00025 |
| 9/7/2021 | | | <0.00025 | <0.00025 | | | |
| 3/22/2022 | <0.00025 | <0.00025 | | | | | |
| 3/23/2022 | | | <0.00025 | | 0.0018 | 0.0073 | <0.00025 |
| 3/24/2022 | | | | <0.00025 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | | | | |
| 3/1/2016 | | | | | <0.00025 | 0.00038 (J) |
| 3/2/2016 | | | <0.00025 | <0.00025 | | |
| 5/2/2016 | <0.00025 | <0.00025 | | | | 0.00073 (J) |
| 5/3/2016 | | | | | <0.00025 | |
| 5/5/2016 | | | <0.00025 | 0.00061 (J) | | |
| 7/5/2016 | <0.00025 | <0.00025 | | | <0.00025 | 0.00077 (J) |
| 7/7/2016 | | | <0.00025 | <0.00025 | | |
| 9/6/2016 | <0.00025 | <0.00025 | | | <0.00025 | 0.0013 |
| 9/7/2016 | | | <0.00025 | <0.00025 | | |
| 11/7/2016 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 11/10/2016 | | | <0.00025 | 0.00047 (J) | | |
| 1/9/2017 | <0.00025 | <0.00025 | | | <0.00025 | 0.00053 (J) |
| 1/12/2017 | | | <0.00025 | <0.00025 | | |
| 3/13/2017 | <0.00025 | 0.00069 (J) | | | <0.00025 | <0.00025 |
| 3/14/2017 | | | <0.00025 | | | |
| 3/15/2017 | | | | <0.00025 | | |
| 5/15/2017 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 5/18/2017 | | | <0.00025 | 0.00051 (J) | | |
| 3/12/2018 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/14/2018 | | | <0.00025 | 0.00056 (J) | | |
| 6/5/2018 | <0.00025 | <0.00025 | | | | |
| 6/6/2018 | | | | | <0.00025 | <0.00025 |
| 6/11/2018 | | | <0.00025 | 0.0005 (J) | | |
| 10/16/2018 | <0.00025 | <0.00025 | | | | |
| 10/17/2018 | | | | | <0.00025 | <0.00025 |
| 10/18/2018 | | | <0.00025 | <0.00025 | | |
| 2/27/2019 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/1/2019 | | | <0.00025 | <0.00025 | | |
| 5/31/2019 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 6/3/2019 | | | <0.00025 | <0.00025 | | |
| 11/6/2019 | 0.0002 (J) | 0.00012 (J) | | | 0.00014 (J) | 0.00024 (J) |
| 11/7/2019 | | | 0.00025 (V) | 0.0002 (J) | | |
| 4/16/2020 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 4/17/2020 | | | <0.00025 | 0.00012 (J) | | |
| 10/7/2020 | <0.00025 | <0.00025 | | | 0.00064 (J) | <0.00025 |
| 10/9/2020 | | | <0.00025 | <0.00025 | | |
| 3/29/2021 | <0.00025 | 0.00054 | | | <0.00025 | 0.00042 |
| 3/31/2021 | | | 0.0011 | <0.00025 | | |
| 9/2/2021 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 9/3/2021 | | | 0.00048 (J) | 0.00063 (J) | | |
| 3/22/2022 | <0.00025 | 0.00027 | | | <0.00025 | <0.00025 |
| 3/23/2022 | | | <0.00025 | <0.00025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 0.014 | 0.0097 (J) | | | | | |
| 3/1/2016 | | | 0.0081 (J) | 0.055 | 0.017 | 0.043 | 0.016 |
| 5/2/2016 | 0.013 | | | | | | |
| 5/4/2016 | | 0.0095 | | | | | 0.012 |
| 5/5/2016 | | | 0.011 | 0.056 | 0.018 | 0.033 | |
| 7/5/2016 | 0.013 | | | | | | |
| 7/7/2016 | | | 0.012 | 0.055 | 0.02 | 0.042 | |
| 7/8/2016 | | 0.0093 | | | | | 0.015 |
| 9/6/2016 | 0.016 | 0.011 | 0.012 | | | | |
| 9/7/2016 | | | | 0.07 | 0.027 | 0.043 | 0.012 |
| 11/7/2016 | 0.014 | | | | | | |
| 11/9/2016 | | | | | 0.022 | 0.046 | 0.01 |
| 11/10/2016 | | 0.0092 | 0.0099 | 0.061 | | | |
| 1/9/2017 | 0.015 | | | | | | |
| 1/11/2017 | | 0.0092 | | | 0.03 | 0.042 | 0.01 |
| 1/12/2017 | | | 0.0085 | 0.058 | | | |
| 3/13/2017 | 0.015 | | | | | | |
| 3/14/2017 | | 0.0095 | | | 0.02 | 0.038 | 0.0097 |
| 3/15/2017 | | | 0.009 | 0.07 | | | |
| 5/15/2017 | 0.015 | | | | | | |
| 5/18/2017 | | 0.0095 | 0.0095 | 0.068 | 0.027 | 0.051 | 0.01 |
| 3/12/2018 | 0.017 | | | | | | |
| 3/14/2018 | | 0.0089 | 0.0084 | 0.052 | 0.025 | 0.038 | 0.0096 |
| 6/5/2018 | 0.018 | | | | | | |
| 6/10/2018 | | 0.0092 | | | 0.025 | 0.055 | 0.0089 |
| 6/11/2018 | | | 0.0089 | 0.053 | | | |
| 10/16/2018 | 0.017 | | | | | | |
| 10/18/2018 | | 0.0089 | | 0.052 | 0.021 | 0.035 | 0.0096 |
| 10/19/2018 | | | 0.0085 | | | | |
| 2/27/2019 | 0.021 | 0.011 | | | | | |
| 3/1/2019 | | | | | 0.018 | 0.032 | 0.0095 |
| 3/2/2019 | | | 0.01 | 0.011 | | | |
| 5/31/2019 | 0.02 | 0.0088 | | | | | |
| 6/3/2019 | | | 0.012 | | 0.031 | 0.05 | 0.0098 |
| 6/11/2019 | | | | 0.043 | | | |
| 11/6/2019 | 0.019 | 0.0094 | | | | | |
| 11/7/2019 | | | | 0.04 | 0.02 | | |
| 11/9/2019 | | | 0.011 | | | 0.06 | 0.011 |
| 4/16/2020 | 0.02 | 0.0099 | | | | | |
| 4/17/2020 | | | | 0.05 | | | 0.012 |
| 4/18/2020 | | | 0.012 | | 0.021 | 0.045 | |
| 10/7/2020 | 0.02 | 0.0088 | | | | | |
| 10/8/2020 | | | 0.0086 | 0.037 | 0.022 | 0.028 | 0.0099 |
| 3/29/2021 | 0.019 | 0.0097 | | | | | |
| 3/30/2021 | | | 0.0096 | 0.033 | | 0.028 | 0.011 |
| 3/31/2021 | | | | | 0.023 | | |
| 9/2/2021 | 0.02 | 0.0089 | | | | | |
| 9/3/2021 | | | | | 0.02 | 0.029 | 0.011 |
| 9/7/2021 | | | 0.0095 | 0.03 | | | |
| 3/22/2022 | 0.019 | 0.0092 | | | | | |
| 3/23/2022 | | | 0.013 | | 0.03 | 0.027 | 0.012 |
| 3/24/2022 | | | | 0.027 | | | |

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.013 | 0.013 | | | | |
| 3/1/2016 | | | | | 0.012 | 0.015 |
| 3/2/2016 | | | 0.022 | 0.058 | | |
| 5/2/2016 | 0.013 | 0.01 | | | | 0.013 |
| 5/3/2016 | | | | | 0.012 | |
| 5/5/2016 | | | 0.02 | 0.05 | | |
| 7/5/2016 | 0.013 | 0.0089 | | | 0.011 | 0.017 |
| 7/7/2016 | | | 0.021 | 0.044 | | |
| 9/6/2016 | 0.013 | 0.01 | | | 0.012 | 0.017 |
| 9/7/2016 | | | 0.023 | 0.051 | | |
| 11/7/2016 | 0.013 | 0.0096 | | | 0.012 | 0.023 |
| 11/10/2016 | | | 0.019 | 0.046 | | |
| 1/9/2017 | 0.012 | 0.011 | | | 0.013 | 0.016 |
| 1/12/2017 | | | 0.018 | 0.047 | | |
| 3/13/2017 | 0.013 | 0.011 | | | 0.013 | 0.016 |
| 3/14/2017 | | | 0.02 | | | |
| 3/15/2017 | | | | 0.046 | | |
| 5/15/2017 | 0.011 | 0.0089 | | | 0.012 | 0.015 |
| 5/18/2017 | | | 0.019 | 0.045 | | |
| 3/12/2018 | 0.013 | 0.01 | | | 0.013 | 0.015 |
| 3/14/2018 | | | 0.017 | 0.036 | | |
| 6/5/2018 | 0.014 | 0.011 | | | | |
| 6/6/2018 | | | | | 0.014 | 0.017 |
| 6/11/2018 | | | 0.016 | 0.036 | | |
| 10/16/2018 | 0.011 | 0.011 | | | | |
| 10/17/2018 | | | | | 0.012 | 0.016 |
| 10/18/2018 | | | 0.019 | 0.035 | | |
| 2/27/2019 | 0.014 | 0.011 | | | 0.015 | 0.018 |
| 3/1/2019 | | | 0.018 | 0.036 | | |
| 5/31/2019 | 0.013 | 0.01 | | | 0.014 | 0.016 |
| 6/3/2019 | | | 0.017 | 0.04 | | |
| 11/6/2019 | 0.012 | 0.0097 | | | 0.013 | 0.017 |
| 11/7/2019 | | | 0.019 | 0.027 | | |
| 4/16/2020 | 0.012 | 0.012 | | | 0.014 | 0.017 |
| 4/17/2020 | | | 0.026 | 0.032 | | |
| 10/7/2020 | 0.012 | 0.011 | | | 0.013 | 0.016 |
| 10/9/2020 | | | 0.026 | 0.026 | | |
| 3/29/2021 | 0.011 | 0.011 | | | 0.013 | 0.017 |
| 3/31/2021 | | | 0.027 | 0.025 | | |
| 9/2/2021 | 0.012 | 0.011 | | | 0.012 | 0.017 |
| 9/3/2021 | | | 0.032 | 0.036 | | |
| 3/22/2022 | 0.01 | 0.012 | | | 0.013 | 0.018 |
| 3/23/2022 | | | 0.02 | 0.024 | | |

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | | | | | |
| 3/1/2016 | | | <0.0005 | <0.0005 | 0.0013 (J) | <0.0005 | <0.0005 |
| 5/2/2016 | <0.0005 | | | | | | |
| 5/4/2016 | | <0.0005 | | | | | <0.0005 |
| 5/5/2016 | | | <0.0005 | <0.0005 | 0.00088 (J) | <0.0005 | |
| 7/5/2016 | <0.0005 | | | | | | |
| 7/7/2016 | | | <0.0005 | <0.0005 | 0.001 (J) | <0.0005 | |
| 7/8/2016 | | <0.0005 | | | | | <0.0005 |
| 9/6/2016 | <0.0005 | <0.0005 | <0.0005 | | | | |
| 9/7/2016 | | | | <0.0005 | 0.00078 (J) | <0.0005 | <0.0005 |
| 11/7/2016 | <0.0005 | | | | | | |
| 11/9/2016 | | | | | 0.0012 (J) | <0.0005 | <0.0005 |
| 11/10/2016 | | <0.0005 | <0.0005 | <0.0005 | | | |
| 1/9/2017 | <0.0005 | | | | | | |
| 1/11/2017 | | <0.0005 | | | 0.0014 (J) | <0.0005 | <0.0005 |
| 1/12/2017 | | | <0.0005 | <0.0005 | | | |
| 3/13/2017 | <0.0005 | | | | | | |
| 3/14/2017 | | <0.0005 | | | 0.0013 (J) | <0.0005 | <0.0005 |
| 3/15/2017 | | | <0.0005 | <0.0005 | | | |
| 5/15/2017 | <0.0005 | | | | | | |
| 5/18/2017 | | <0.0005 | <0.0005 | <0.0005 | 0.0016 (J) | <0.0005 | <0.0005 |
| 3/12/2018 | <0.0005 | | | | | | |
| 3/14/2018 | | <0.0005 | <0.0005 | <0.0005 | 0.0011 (J) | <0.0005 | <0.0005 |
| 6/5/2018 | <0.0005 | | | | | | |
| 6/10/2018 | | <0.0005 | | | 0.0011 (J) | <0.0005 | <0.0005 |
| 6/11/2018 | | | <0.0005 | <0.0005 | | | |
| 10/16/2018 | <0.0005 | | | | | | |
| 10/18/2018 | | <0.0005 | | <0.0005 | 0.00084 (J) | <0.0005 | <0.0005 |
| 10/19/2018 | | | <0.0005 | | | | |
| 2/27/2019 | <0.0005 | <0.0005 | | | | | |
| 3/1/2019 | | | | | 0.00057 (J) | <0.0005 | <0.0005 |
| 3/2/2019 | | | <0.0005 | <0.0005 | | | |
| 5/31/2019 | <0.0005 | <0.0005 | | | | | |
| 6/3/2019 | | | <0.0005 | | 0.00074 (J) | <0.0005 | <0.0005 |
| 6/11/2019 | | | | <0.0005 | | | |
| 11/6/2019 | 9E-05 (J) | 4.7E-05 (J) | | | | | |
| 11/7/2019 | | | | <0.0005 | 0.00065 | | |
| 11/9/2019 | | | <0.0005 | | | <0.0005 | <0.0005 |
| 4/16/2020 | 5.4E-05 (J) | 4.3E-05 (J) | | | | | |
| 4/17/2020 | | | | <0.0005 | | | <0.0005 |
| 4/18/2020 | | | 0.00011 (J) | | 0.00096 | <0.0005 | |
| 10/7/2020 | 0.0014 (J) | 0.0014 (J) | | | | | |
| 10/8/2020 | | | <0.0005 | <0.0005 | 0.00039 (J) | <0.0005 | <0.0005 |
| 3/29/2021 | <0.0005 | <0.0005 | | | | | |
| 3/30/2021 | | | <0.0005 | <0.0005 | | <0.0005 | <0.0005 |
| 3/31/2021 | | | | | 0.0007 | | |
| 9/2/2021 | <0.0005 | <0.0005 | | | | | |
| 9/3/2021 | | | | | 0.00076 (J) | <0.0005 | <0.0005 |
| 9/7/2021 | | | <0.0005 | <0.0005 | | | |
| 3/22/2022 | <0.0005 | <0.0005 | | | | | |
| 3/23/2022 | | | <0.0005 | | <0.0005 | <0.0005 | <0.0005 |
| 3/24/2022 | | | | <0.0005 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | | | | |
| 3/1/2016 | | | | | <0.0005 | <0.0005 |
| 3/2/2016 | | | <0.0005 | <0.0005 | | |
| 5/2/2016 | <0.0005 | <0.0005 | | | | <0.0005 |
| 5/3/2016 | | | | | <0.0005 | |
| 5/5/2016 | | | <0.0005 | <0.0005 | | |
| 7/5/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 7/7/2016 | | | <0.0005 | <0.0005 | | |
| 9/6/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 9/7/2016 | | | <0.0005 | <0.0005 | | |
| 11/7/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 11/10/2016 | | | <0.0005 | <0.0005 | | |
| 1/9/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 1/12/2017 | | | <0.0005 | <0.0005 | | |
| 3/13/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/14/2017 | | | <0.0005 | | | |
| 3/15/2017 | | | | <0.0005 | | |
| 5/15/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 5/18/2017 | | | <0.0005 | <0.0005 | | |
| 3/12/2018 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/14/2018 | | | <0.0005 | <0.0005 | | |
| 6/5/2018 | <0.0005 | <0.0005 | | | | |
| 6/6/2018 | | | | | <0.0005 | <0.0005 |
| 6/11/2018 | | | <0.0005 | <0.0005 | | |
| 10/16/2018 | <0.0005 | <0.0005 | | | | |
| 10/17/2018 | | | | | <0.0005 | <0.0005 |
| 10/18/2018 | | | <0.0005 | <0.0005 | | |
| 2/27/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/1/2019 | | | <0.0005 | <0.0005 | | |
| 5/31/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 6/3/2019 | | | <0.0005 | <0.0005 | | |
| 11/6/2019 | 6.6E-05 (J) | <0.0005 | | | <0.0005 | <0.0005 |
| 11/7/2019 | | | <0.0005 | 8.4E-05 (J) | | |
| 4/16/2020 | 6.1E-05 (J) | <0.0005 | | | <0.0005 | <0.0005 |
| 4/17/2020 | | | 4.4E-05 (J) | 0.00013 (J) | | |
| 10/7/2020 | 0.0015 (J) | 0.0015 (J) | | | 0.0014 (J) | 0.0014 (J) |
| 10/9/2020 | | | <0.0005 | <0.0005 | | |
| 3/29/2021 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/31/2021 | | | <0.0005 | <0.0005 | | |
| 9/2/2021 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 9/3/2021 | | | <0.0005 | <0.0005 | | |
| 3/22/2022 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/23/2022 | | | <0.0005 | <0.0005 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.018 | <0.05 | | | | | |
| 3/1/2016 | | | <0.05 | <0.05 (*) | 8.7 | <0.32 (*) | <0.018 |
| 5/2/2016 | <0.018 | | | | | | |
| 5/4/2016 | | <0.05 | | | | | <0.018 (*) |
| 5/5/2016 | | | <0.05 | <0.05 (*) | 7.8 | <0.32 (*) | |
| 7/5/2016 | <0.018 | | | | | | |
| 7/7/2016 | | | <0.05 | 0.33 | 7 | 1 | |
| 7/8/2016 | | <0.05 | | | | | <0.018 |
| 9/6/2016 | <0.018 | <0.05 | <0.05 | | | | |
| 9/7/2016 | | | | 0.37 | 12 | 0.53 | 0.022 (J) |
| 11/7/2016 | <0.018 | | | | | | |
| 11/9/2016 | | | | | 9.6 | 1.6 | <0.018 |
| 11/10/2016 | | <0.05 | <0.05 | 0.43 | | | |
| 1/9/2017 | <0.018 | | | | | | |
| 1/11/2017 | | <0.05 | | | 11 | 0.9 | <0.018 |
| 1/12/2017 | | | <0.05 | 0.44 | | | |
| 3/13/2017 | <0.018 | | | | | | |
| 3/14/2017 | | <0.05 | | | 10 | 0.63 | 0.071 |
| 3/15/2017 | | | <0.05 | 0.46 | | | |
| 5/15/2017 | <0.018 | | | | | | |
| 5/18/2017 | | <0.05 | <0.05 | 0.44 | 15 | 1.5 | <0.018 (*) |
| 10/2/2017 | <0.018 | | | | | | |
| 10/5/2017 | | <0.05 | | | 12 | 0.32 | <0.018 |
| 10/6/2017 | | | <0.05 | 0.37 | | | |
| 12/19/2017 | | | | 0.35 (R) | 11 (R) | 1.6 (R) | |
| 3/12/2018 | <0.018 | | | | | | |
| 3/14/2018 | | <0.05 | <0.05 | 0.32 | 11 | 0.7 | <0.018 |
| 6/5/2018 | <0.018 | | | | | | |
| 6/10/2018 | | <0.05 | | | 12 | 2.4 | 0.066 |
| 6/11/2018 | | | <0.05 | 0.26 | | | |
| 10/16/2018 | <0.018 | | | | | | |
| 10/18/2018 | | 0.081 | | 0.25 | 9.6 | 0.43 | 0.067 |
| 10/19/2018 | | | 0.34 | | | | |
| 2/27/2019 | <0.018 | <0.05 | | | | | |
| 3/1/2019 | | | | | 6.5 | 0.4 | 0.048 (J) |
| 3/2/2019 | | | <0.05 | <0.05 | | | |
| 5/31/2019 | <0.018 | <0.05 | | | | | |
| 6/3/2019 | | | 0.17 | | 11 | 1.7 | <0.018 |
| 6/11/2019 | | | | 0.39 | | | |
| 11/6/2019 | 0.017 (V) | 0.016 (V) | | | | | |
| 11/7/2019 | | | | 0.19 | 11 | | |
| 11/9/2019 | | | 0.023 (J) | | | 1.8 | 0.097 (V) |
| 4/16/2020 | 0.02 | 0.013 | | | | | |
| 4/17/2020 | | | | 0.31 | | | 0.07 |
| 4/18/2020 | | | 0.012 | | 11 | 1.7 | |
| 10/7/2020 | <0.018 | <0.05 | | | | | |
| 10/8/2020 | | | 0.033 (J) | 0.31 | 12 | 0.37 | 0.031 (J) |
| 3/29/2021 | <0.018 | <0.05 | | | | | |
| 3/30/2021 | | | <0.05 | 0.23 | | 0.22 | <0.018 |
| 3/31/2021 | | | | | 8.9 | | |
| 9/2/2021 | 0.021 (J) | <0.05 | | | | | |
| 9/3/2021 | | | | | 8.7 | 0.2 | 0.021 (J) |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | <0.05 | 0.19 | | | |
| 3/22/2022 | 0.013 | 0.012 | | | | | |
| 3/23/2022 | | | 0.017 | | 8.7 | 0.23 | 0.0074 (J) |
| 3/24/2022 | | | | 0.2 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.018 | <0.018 | | | | |
| 3/1/2016 | | | | | <0.05 | <0.05 |
| 3/2/2016 | | | <0.05 (*) | 3 | | |
| 5/2/2016 | <0.018 | <0.018 | | | | <0.05 |
| 5/3/2016 | | | | | <0.05 | |
| 5/5/2016 | | | <0.05 (*) | 2.9 | | |
| 7/5/2016 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 7/7/2016 | | | 0.1 | 3 | | |
| 9/6/2016 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 9/7/2016 | | | 0.073 | 3.8 | | |
| 11/7/2016 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 11/10/2016 | | | 0.073 | 2.1 | | |
| 1/9/2017 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 1/12/2017 | | | 0.059 | 4 | | |
| 3/13/2017 | <0.018 | 0.022 (J) | | | <0.05 | <0.05 |
| 3/14/2017 | | | 0.044 (J) | | | |
| 3/15/2017 | | | | 4.2 | | |
| 5/15/2017 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 5/18/2017 | | | <0.05 (*) | 4.4 | | |
| 10/2/2017 | <0.018 | 0.023 (J) | | | <0.05 | <0.05 |
| 10/5/2017 | | | 0.047 (J) | | | |
| 10/6/2017 | | | | 2.3 | | |
| 12/19/2017 | | | | 5.3 (R) | | |
| 3/12/2018 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 3/14/2018 | | | <0.05 | 4.6 | | |
| 6/5/2018 | <0.018 | <0.018 | | | | |
| 6/6/2018 | | | | | <0.05 | <0.05 |
| 6/11/2018 | | | 0.11 | 4.2 | | |
| 10/16/2018 | <0.018 | <0.018 | | | | |
| 10/17/2018 | | | | | <0.05 | <0.05 |
| 10/18/2018 | | | 0.15 | 4.3 | | |
| 2/27/2019 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 3/1/2019 | | | 0.23 | 3.8 | | |
| 5/31/2019 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 6/3/2019 | | | 0.45 | 3 | | |
| 11/6/2019 | 0.016 (V) | 0.022 (V) | | | 0.011 (V) | 0.0099 (J) |
| 11/7/2019 | | | 0.42 | 4.2 | | |
| 4/16/2020 | 0.013 | 0.017 | | | 0.0075 (J) | 0.0055 (J) |
| 4/17/2020 | | | 0.83 | 4.6 | | |
| 10/7/2020 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 10/9/2020 | | | 0.37 | 4.8 | | |
| 3/29/2021 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 3/31/2021 | | | 0.2 | 3.8 | | |
| 9/2/2021 | 0.018 (J) | 0.022 (J) | | | <0.05 | <0.05 |
| 9/3/2021 | | | 0.77 | 3.3 | | |
| 3/22/2022 | 0.013 | 0.017 | | | 0.009 (J) | 0.0063 (J) |
| 3/23/2022 | | | 0.36 | 4.5 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | | | | | |
| 3/1/2016 | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 5/2/2016 | <0.0005 | | | | | | |
| 5/4/2016 | | <0.0005 | | | | | <0.0005 |
| 5/5/2016 | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 7/5/2016 | <0.0005 | | | | | | |
| 7/7/2016 | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 7/8/2016 | | <0.0005 | | | | | <0.0005 |
| 9/6/2016 | <0.0005 | <0.0005 | <0.0005 | | | | |
| 9/7/2016 | | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 11/7/2016 | <0.0005 | | | | | | |
| 11/9/2016 | | | | | <0.0005 | <0.0005 | <0.0005 |
| 11/10/2016 | | <0.0005 | <0.0005 | <0.0005 | | | |
| 1/9/2017 | <0.0005 | | | | | | |
| 1/11/2017 | | <0.0005 | | | 0.00049 (J) | <0.0005 | <0.0005 |
| 1/12/2017 | | | <0.0005 | <0.0005 | | | |
| 3/13/2017 | <0.0005 | | | | | | |
| 3/14/2017 | | <0.0005 | | | <0.0005 | <0.0005 | <0.0005 |
| 3/15/2017 | | | <0.0005 | <0.0005 | | | |
| 5/15/2017 | <0.0005 | | | | | | |
| 5/18/2017 | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 3/12/2018 | <0.0005 | | | | | | |
| 3/14/2018 | | <0.0005 | <0.0005 | <0.0005 | 0.00052 (J) | <0.0005 | <0.0005 |
| 6/5/2018 | <0.0005 | | | | | | |
| 6/10/2018 | | <0.0005 | | | 0.00049 (J) | <0.0005 | <0.0005 |
| 6/11/2018 | | | <0.0005 | <0.0005 | | | |
| 10/16/2018 | <0.0005 | | | | | | |
| 10/18/2018 | | <0.0005 | | <0.0005 | 0.00044 (J) | <0.0005 | <0.0005 |
| 10/19/2018 | | | <0.0005 | | | | |
| 2/27/2019 | <0.0005 | <0.0005 | | | | | |
| 3/1/2019 | | | | | 0.00038 (J) | <0.0005 | <0.0005 |
| 3/2/2019 | | | <0.0005 | <0.0005 | | | |
| 5/31/2019 | <0.0005 | <0.0005 | | | | | |
| 6/3/2019 | | | <0.0005 | | 0.0006 (J) | <0.0005 | <0.0005 |
| 6/11/2019 | | | | <0.0005 | | | |
| 11/6/2019 | <0.0005 | <0.0005 | | | | | |
| 11/7/2019 | | | | <0.0005 | 0.00075 | | |
| 11/9/2019 | | | <0.0005 | | | <0.0005 | <0.0005 |
| 4/16/2020 | <0.0005 | <0.0005 | | | | | |
| 4/17/2020 | | | | <0.0005 | | | <0.0005 |
| 4/18/2020 | | | <0.0005 | | 0.00037 (J) | <0.0005 | |
| 10/7/2020 | <0.0005 | <0.0005 | | | | | |
| 10/8/2020 | | | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 3/29/2021 | <0.0005 | <0.0005 | | | | | |
| 3/30/2021 | | | <0.0005 | <0.0005 | | <0.0005 | <0.0005 |
| 3/31/2021 | | | | | 0.00056 | | |
| 9/2/2021 | <0.0005 | <0.0005 | | | | | |
| 9/3/2021 | | | | | 0.00061 (J) | <0.0005 | <0.0005 |
| 9/7/2021 | | | <0.0005 | <0.0005 | | | |
| 3/22/2022 | <0.0005 | <0.0005 | | | | | |
| 3/23/2022 | | | <0.0005 | | <0.0005 | <0.0005 | <0.0005 |
| 3/24/2022 | | | | <0.0005 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | | | | |
| 3/1/2016 | | | | | <0.0005 | <0.0005 |
| 3/2/2016 | | | <0.0005 | <0.0005 | | |
| 5/2/2016 | <0.0005 | <0.0005 | | | | <0.0005 |
| 5/3/2016 | | | | | <0.0005 | |
| 5/5/2016 | | | <0.0005 | <0.0005 | | |
| 7/5/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 7/7/2016 | | | <0.0005 | <0.0005 | | |
| 9/6/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 9/7/2016 | | | <0.0005 | <0.0005 | | |
| 11/7/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 11/10/2016 | | | <0.0005 | <0.0005 | | |
| 1/9/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 1/12/2017 | | | <0.0005 | <0.0005 | | |
| 3/13/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/14/2017 | | | <0.0005 | | | |
| 3/15/2017 | | | | <0.0005 | | |
| 5/15/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 5/18/2017 | | | <0.0005 | <0.0005 | | |
| 3/12/2018 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/14/2018 | | | <0.0005 | <0.0005 | | |
| 6/5/2018 | <0.0005 | <0.0005 | | | | |
| 6/6/2018 | | | | | <0.0005 | <0.0005 |
| 6/11/2018 | | | <0.0005 | <0.0005 | | |
| 10/16/2018 | <0.0005 | <0.0005 | | | | |
| 10/17/2018 | | | | | <0.0005 | <0.0005 |
| 10/18/2018 | | | <0.0005 | <0.0005 | | |
| 2/27/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/1/2019 | | | <0.0005 | <0.0005 | | |
| 5/31/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 6/3/2019 | | | <0.0005 | <0.0005 | | |
| 11/6/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 11/7/2019 | | | 7.8E-05 (J) | 0.00032 (J) | | |
| 4/16/2020 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 4/17/2020 | | | <0.0005 | 0.00011 (J) | | |
| 10/7/2020 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 10/9/2020 | | | <0.0005 | <0.0005 | | |
| 3/29/2021 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/31/2021 | | | <0.0005 | <0.0005 | | |
| 9/2/2021 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 9/3/2021 | | | <0.0005 | <0.0005 | | |
| 3/22/2022 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/23/2022 | | | <0.0005 | <0.0005 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1 (J) | | | | | |
| 3/1/2016 | | | 0.99 (J) | 5.6 | 46 | 63 | 1.8 |
| 5/2/2016 | 0.78 | | | | | | |
| 5/4/2016 | | 0.62 | | | | | 1.1 |
| 5/5/2016 | | | 1.2 | 5.4 | 37 | 58 | |
| 7/5/2016 | 0.65 | | | | | | |
| 7/7/2016 | | | 1.1 | 3.9 | 38 | 55 | |
| 7/8/2016 | | 0.4 | | | | | 0.82 |
| 9/6/2016 | 0.7 | 0.45 | 1 | | | | |
| 9/7/2016 | | | | 4.2 | 55 | 59 | 0.57 |
| 11/7/2016 | 0.8 | | | | | | |
| 11/9/2016 | | | | | 52 | 61 | 0.62 |
| 11/10/2016 | | 0.44 | 0.73 | 3.5 | | | |
| 1/9/2017 | 0.74 | | | | | | |
| 1/11/2017 | | 0.42 | | | 56 | 66 | 0.44 |
| 1/12/2017 | | | 0.63 | 3.3 | | | |
| 3/13/2017 | 0.78 | | | | | | |
| 3/14/2017 | | 0.42 | | | 55 | 63 | 0.46 |
| 3/15/2017 | | | 0.72 | 4.1 | | | |
| 5/15/2017 | 0.76 | | | | | | |
| 5/18/2017 | | 0.38 | 0.71 | 3.9 | 61 | 68 | 0.41 |
| 10/2/2017 | 0.78 | | | | | | |
| 10/5/2017 | | 0.39 | | | 55 | 58 | 0.39 |
| 10/6/2017 | | | 0.56 | 4.3 | | | |
| 12/19/2017 | | | | 3.7 (R) | 47 (R) | 69 (R) | |
| 3/12/2018 | 0.88 | | | | | | |
| 3/14/2018 | | 0.49 | 0.63 | 3.9 | 55 | 62 | 0.47 |
| 6/5/2018 | 0.9 | | | | | | |
| 6/10/2018 | | 0.39 | | | 67 | 86 | 0.39 |
| 6/11/2018 | | | 0.55 | 3.5 | | | |
| 10/16/2018 | 0.86 | | | | | | |
| 10/18/2018 | | 0.41 | | 3.1 | 52 | 63 | 0.47 |
| 10/19/2018 | | | 0.37 | | | | |
| 2/27/2019 | 0.96 | 0.44 | | | | | |
| 3/1/2019 | | | | | 28 | 51 | 0.46 |
| 3/2/2019 | | | 0.57 | 0.56 | | | |
| 5/31/2019 | 0.76 | 0.28 | | | | | |
| 6/3/2019 | | | 2 | | 49 | 65 | 0.38 |
| 6/11/2019 | | | | 3.5 | | | |
| 11/6/2019 | 0.88 | 0.46 | | | | | |
| 11/7/2019 | | | | 3.4 | 62 | | |
| 11/9/2019 | | | 0.61 (V) | | | 84 | 0.56 (V) |
| 4/16/2020 | 0.84 | 0.38 | | | | | |
| 4/17/2020 | | | | 3.5 | | | 0.42 |
| 4/18/2020 | | | 0.45 | | 62 | 58 | |
| 10/7/2020 | 0.93 | 0.47 | | | | | |
| 10/8/2020 | | | 0.67 | 3.7 | 59 | 50 | 0.51 |
| 3/29/2021 | 1 | 0.43 | | | | | |
| 3/30/2021 | | | 0.47 | 3.6 | | 68 | 0.49 |
| 3/31/2021 | | | | | 74 | | |
| 9/2/2021 | 1.1 | 0.63 | | | | | |
| 9/3/2021 | | | | | 63 | 59 | 0.51 |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | 0.39 | 3.5 | | | |
| 3/22/2022 | 0.9 | 0.38 | | | | | |
| 3/23/2022 | | | 2 | | 71 | 62 | 0.48 |
| 3/24/2022 | | | | 3.6 | | | |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.67 | 1.4 | | | | |
| 3/1/2016 | | | | | 0.6 | 1.5 |
| 3/2/2016 | | | 2 | 23 | | |
| 5/2/2016 | 0.58 | 1.1 | | | | 0.83 |
| 5/3/2016 | | | | | 0.55 | |
| 5/5/2016 | | | 2.6 | 21 | | |
| 7/5/2016 | 0.43 | 0.94 | | | 0.53 | 1.6 |
| 7/7/2016 | | | 2.9 | 20 | | |
| 9/6/2016 | 0.48 | 1 | | | 0.5 | 1.6 |
| 9/7/2016 | | | 3.1 | 20 | | |
| 11/7/2016 | 0.56 | 1.2 | | | 0.68 | 1.5 |
| 11/10/2016 | | | 2.7 | 8.7 | | |
| 1/9/2017 | 0.43 | 1.2 | | | 0.56 | 0.98 |
| 1/12/2017 | | | 2.9 | 27 | | |
| 3/13/2017 | 0.48 | 1.3 | | | 0.62 | 0.75 |
| 3/14/2017 | | | 3.1 | | | |
| 3/15/2017 | | | | 32 | | |
| 5/15/2017 | 0.37 | 1 | | | 0.58 | 0.83 |
| 5/18/2017 | | | 3 | 30 | | |
| 10/2/2017 | 0.47 | 1.2 | | | 0.62 | 0.83 |
| 10/5/2017 | | | 3.7 | | | |
| 10/6/2017 | | | | 15 | | |
| 12/19/2017 | | | 3.1 (R) | 41 (R) | | |
| 3/12/2018 | 0.49 | 1.4 | | | 0.59 | 0.71 |
| 3/14/2018 | | | 3.1 | 35 | | |
| 6/5/2018 | 0.49 | 1.2 | | | | |
| 6/6/2018 | | | | | 0.59 | 0.68 |
| 6/11/2018 | | | 2.6 | 30 | | |
| 10/16/2018 | 0.42 | 1.4 | | | | |
| 10/17/2018 | | | | | 0.54 | 0.66 |
| 10/18/2018 | | | 2.8 | 38 | | |
| 2/27/2019 | 0.56 | 1.3 | | | 0.63 | 0.7 |
| 3/1/2019 | | | 3.1 | 28 | | |
| 5/31/2019 | 0.33 | 1.1 | | | 0.45 | 0.52 |
| 6/3/2019 | | | 3.9 | 13 | | |
| 11/6/2019 | 0.49 | 1.2 | | | 0.55 | 0.74 |
| 11/7/2019 | | | 4.3 | 32 | | |
| 4/16/2020 | 0.36 | 1.3 | | | 0.53 | 0.59 |
| 4/17/2020 | | | 5.2 | 29 | | |
| 10/7/2020 | 0.43 | 1.6 | | | 0.63 | 0.67 |
| 10/9/2020 | | | 5.9 | 31 | | |
| 3/29/2021 | 0.46 | 1.6 | | | 0.68 | 0.75 |
| 3/31/2021 | | | 3.3 | 23 | | |
| 9/2/2021 | 0.47 | 1.5 | | | 0.56 | 0.73 |
| 9/3/2021 | | | 8.4 | 21 | | |
| 3/22/2022 | 0.33 | 1.6 | | | 0.81 | 0.7 |
| 3/23/2022 | | | 4.8 | 28 | | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 5.4 | | | | | |
| 3/1/2016 | | | 4.8 | 6.6 | 90 | 36 | 4.4 |
| 5/2/2016 | 4.4 | | | | | | |
| 5/4/2016 | | 4.5 | | | | | 3 |
| 5/5/2016 | | | 5.6 | 6.5 | 63 | 34 | |
| 7/5/2016 | 4.2 | | | | | | |
| 7/7/2016 | | | 5 | 7.3 | 75 | 34 | |
| 7/8/2016 | | 4.9 | | | | | 3.5 |
| 9/6/2016 | 4.3 | 4.3 | 4.8 | | | | |
| 9/7/2016 | | | | 7.4 | 140 | 33 | 3.3 |
| 11/7/2016 | 4.2 | | | | | | |
| 11/9/2016 | | | | | 180 | 38 | 3.9 |
| 11/10/2016 | | 4.5 | 4.7 | 8.4 | | | |
| 1/9/2017 | 5.3 | | | | | | |
| 1/11/2017 | | 5.3 | | | 200 | 34 | 4.1 |
| 1/12/2017 | | | 5.6 | 9.2 | | | |
| 3/13/2017 | 5.2 | | | | | | |
| 3/14/2017 | | 5.5 | | | 150 | 35 | 4 |
| 3/15/2017 | | | 5.9 | 9.5 | | | |
| 5/15/2017 | 4.8 | | | | | | |
| 5/18/2017 | | 5 | 5.7 | 9.9 | 190 | 60 | 4 |
| 10/2/2017 | 5.5 | | | | | | |
| 10/5/2017 | | 5.6 | | | 120 | 33 | 4.5 |
| 10/6/2017 | | | 6 | 10 | | | |
| 12/19/2017 | | | | 9.3 (R) | 84 (R) | 120 (R) | |
| 3/12/2018 | 5.3 | | | | | | |
| 3/14/2018 | | 5.2 | 5.2 | 7.7 | 160 | 45 | 3.7 |
| 6/5/2018 | 5.3 | | | | | | |
| 6/10/2018 | | 5.2 | | | 190 | 140 | 3.6 |
| 6/11/2018 | | | 4.9 | 8 | | | |
| 10/16/2018 | 5.5 | | | | | | |
| 10/18/2018 | | 5.2 | | 12 | 100 | 32 | 5 |
| 10/19/2018 | | | 6.7 | | | | |
| 2/27/2019 | 4.6 | 5.1 | | | | | |
| 3/1/2019 | | | | | 42 | 30 | 1.7 (J) |
| 3/2/2019 | | | 4.4 | 8.5 | | | |
| 5/31/2019 | 5.1 | 5 | | | | | |
| 6/3/2019 | | | 13 | | 110 | 86 | 3.3 |
| 6/11/2019 | | | | 17 | | | |
| 11/6/2019 | 5.8 | 6 | | | | | |
| 11/7/2019 | | | | 15 | 120 | | |
| 11/9/2019 | | | 6.1 | | | 200 | 4.7 |
| 4/16/2020 | 6.1 | 5.8 | | | | | |
| 4/17/2020 | | | | 20 | | | 4.8 |
| 4/18/2020 | | | 6.3 | | 130 | 73 | |
| 10/7/2020 | 6.6 | 5.9 | | | | | |
| 10/8/2020 | | | 6.4 | 18 | 95 | 26 | 5 |
| 3/29/2021 | 10 | 5.8 | | | | | |
| 3/30/2021 | | | 6.4 | 12 | | 18 | 5 |
| 3/31/2021 | | | | | 120 | | |
| 9/2/2021 | 5.8 | 5.1 | | | | | |
| 9/3/2021 | | | | | 110 | 10 | 4.4 |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | 6.1 | 12 | | | |
| 3/22/2022 | 5.9 | 4.9 | | | | | |
| 3/23/2022 | | | 6.9 | | 120 | 10 | 4.1 |
| 3/24/2022 | | | | 9.8 | | | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 8.1 | 7.4 | | | | |
| 3/1/2016 | | | | | 5.6 | 4 |
| 3/2/2016 | | | 5 | 87 | | |
| 5/2/2016 | 6 | 6.3 | | | | 3.6 |
| 5/3/2016 | | | | | 5.1 | |
| 5/5/2016 | | | 6.8 | 87 | | |
| 7/5/2016 | 5.2 | 4.8 | | | 4.7 | 3.6 |
| 7/7/2016 | | | 6.7 | 83 | | |
| 9/6/2016 | 5.5 | 6 | | | 4.4 | 4 |
| 9/7/2016 | | | 4.8 | 80 | | |
| 11/7/2016 | 5.4 | 5.7 | | | 4.6 | 4.4 |
| 11/10/2016 | | | 4.2 | 35 | | |
| 1/9/2017 | 6.1 | 6.8 | | | 5.3 | 4.4 |
| 1/12/2017 | | | 4.4 | 130 | | |
| 3/13/2017 | 5.5 | 6.8 | | | 5.6 | 4.1 |
| 3/14/2017 | | | 4.4 | | | |
| 3/15/2017 | | | | 150 | | |
| 5/15/2017 | 4.7 | 6.1 | | | 5.2 | 3.7 |
| 5/18/2017 | | | 5 | 140 | | |
| 10/2/2017 | 6.1 | 6 | | | 5.5 | 4.8 |
| 10/5/2017 | | | 5.8 | | | |
| 10/6/2017 | | | | 62 | | |
| 12/19/2017 | | | | 180 (R) | | |
| 3/12/2018 | 6.1 | 5.9 | | | 5.6 | 4 |
| 3/14/2018 | | | 6.9 | 140 | | |
| 6/5/2018 | 5.5 | 6.5 | | | | |
| 6/6/2018 | | | | | 5.6 | 4.1 |
| 6/11/2018 | | | 6 | 140 | | |
| 10/16/2018 | 5.1 | 5.9 | | | | |
| 10/17/2018 | | | | | 5.5 | 3.7 |
| 10/18/2018 | | | 7.5 | 160 | | |
| 2/27/2019 | 5 | 4.3 | | | 5.1 | 4 |
| 3/1/2019 | | | 7.2 | 140 | | |
| 5/31/2019 | 5.4 | 4.5 | | | 5.4 | 3.7 |
| 6/3/2019 | | | 8.5 | 79 | | |
| 11/6/2019 | 6.1 | 5.7 | | | 5.9 | 4.7 |
| 11/7/2019 | | | 18 | 120 | | |
| 4/16/2020 | 5.3 | 5.6 | | | 6.2 | 4.9 |
| 4/17/2020 | | | 29 | 120 | | |
| 10/7/2020 | 5.7 | 5.1 | | | 6.1 | 4.7 |
| 10/9/2020 | | | 22 | 100 | | |
| 3/29/2021 | 5.2 | 5 | | | 6.2 | 5.4 |
| 3/31/2021 | | | 18 | 110 | | |
| 9/2/2021 | 5.1 | 5.2 | | | 5.9 | 5.1 |
| 9/3/2021 | | | 57 | 100 | | |
| 3/22/2022 | 4.7 | 8.8 | | | 5.6 | 4.8 |
| 3/23/2022 | | | 28 | 110 | | |

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | | |
| 3/1/2016 | | | <0.0025 | <0.0025 | <0.0025 | 0.0023 (J) | <0.0025 |
| 5/2/2016 | 0.0029 | | | | | | |
| 5/4/2016 | | <0.0025 | | | | | <0.0025 |
| 5/5/2016 | | | <0.0025 | <0.0025 | 0.0014 (J) | <0.0025 | |
| 7/5/2016 | <0.0025 | | | | | | |
| 7/7/2016 | | | <0.0025 | <0.0025 | 0.0014 (J) | 0.002 (J) | |
| 7/8/2016 | | <0.0025 | | | | | <0.0025 |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | | | | |
| 9/7/2016 | | | | <0.0025 | 0.0019 (J) | 0.0029 | <0.0025 |
| 11/7/2016 | <0.0025 | | | | | | |
| 11/9/2016 | | | | | 0.0023 (J) | 0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | <0.0025 | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | | | | | |
| 1/11/2017 | | <0.0025 | | | 0.0024 (J) | 0.002 (J) | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | | |
| 3/13/2017 | <0.0025 | | | | | | |
| 3/14/2017 | | <0.0025 | | | 0.0023 (J) | 0.0025 | <0.0025 |
| 3/15/2017 | | | <0.0025 | <0.0025 | | | |
| 5/15/2017 | <0.0025 | | | | | | |
| 5/18/2017 | | <0.0025 | <0.0025 | <0.0025 | 0.0023 (J) | 0.002 (J) | <0.0025 |
| 3/12/2018 | <0.0025 | | | | | | |
| 3/14/2018 | | <0.0025 | <0.0025 | <0.0025 | 0.0023 (J) | 0.0022 (J) | <0.0025 |
| 6/5/2018 | <0.0025 | | | | | | |
| 6/10/2018 | | <0.0025 | | | 0.0022 (J) | 0.002 (J) | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | | | | | |
| 10/18/2018 | | <0.0025 | | <0.0025 | 0.0016 (J) | 0.0029 | <0.0025 |
| 10/19/2018 | | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | | | |
| 3/1/2019 | | | | | <0.0025 | 0.0026 | <0.0025 |
| 3/2/2019 | | | 0.0028 | 0.0052 | | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | | | |
| 6/3/2019 | | | <0.0025 | | 0.0015 (J) | 0.0022 (J) | <0.0025 |
| 6/11/2019 | | | | 0.0011 (J) | | | |
| 11/6/2019 | <0.0025 | <0.0025 | | | | | |
| 11/7/2019 | | | | 0.00028 (J) | <0.0025 | | |
| 11/9/2019 | | | 0.00037 (J) | | | 0.0022 (J) | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | | | | | |
| 4/17/2020 | | | | 0.00026 (J) | | | <0.0025 |
| 4/18/2020 | | | <0.0025 | | 0.0016 | 0.0029 | |
| 10/7/2020 | <0.0025 | 0.0046 | | | | | |
| 10/8/2020 | | | <0.0025 | <0.0025 | 0.0031 | 0.0028 | 0.0019 (J) |
| 3/29/2021 | <0.0025 | 0.0024 | | | | | |
| 3/30/2021 | | | <0.0025 | <0.0025 | | 0.0015 | <0.0025 |
| 3/31/2021 | | | | | <0.0025 | | |
| 9/2/2021 | 0.0014 (J) | <0.0025 | | | | | |
| 9/3/2021 | | | | | 0.0025 | 0.0011 (J) | <0.0025 |
| 9/7/2021 | | | 0.0012 (J) | 0.0088 | | | |
| 3/22/2022 | 0.0046 | 0.0051 | | | | | |
| 3/23/2022 | | | 0.0063 | | 0.001 (J) | 0.00073 | 0.0044 |
| 3/24/2022 | | | | 0.003 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | |
| 3/1/2016 | | | | | <0.0025 | 0.00056 (J) |
| 3/2/2016 | | | <0.0025 | <0.0025 | | |
| 5/2/2016 | 0.0019 (J) | 0.0034 | | | | 0.0021 (J) |
| 5/3/2016 | | | | | 0.0012 (J) | |
| 5/5/2016 | | | <0.0025 | <0.0025 | | |
| 7/5/2016 | 0.0051 | 0.0059 | | | <0.0025 | <0.0025 |
| 7/7/2016 | | | <0.0025 | <0.0025 | | |
| 9/6/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/7/2016 | | | <0.0025 | <0.0025 | | |
| 11/7/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 11/10/2016 | | | <0.0025 | <0.0025 | | |
| 1/9/2017 | 0.017 (o) | <0.0025 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | |
| 3/13/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2017 | | | <0.0025 | | | |
| 3/15/2017 | | | | <0.0025 | | |
| 5/15/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 5/18/2017 | | | <0.0025 | <0.0025 | | |
| 3/12/2018 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2018 | | | <0.0025 | <0.0025 | | |
| 6/5/2018 | <0.0025 | <0.0025 | | | | |
| 6/6/2018 | | | | | <0.0025 | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | |
| 10/16/2018 | <0.0025 | <0.0025 | | | | |
| 10/17/2018 | | | | | <0.0025 | <0.0025 |
| 10/18/2018 | | | <0.0025 | <0.0025 | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/1/2019 | | | <0.0025 | <0.0025 | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 6/3/2019 | | | <0.0025 | <0.0025 | | |
| 11/6/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 11/7/2019 | | | <0.0025 | 0.00042 (J) | | |
| 4/16/2020 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 4/17/2020 | | | <0.0025 | 0.0004 (J) | | |
| 10/7/2020 | 0.001 (J) | 0.0015 (J) | | | 0.0033 | 0.0017 (J) |
| 10/9/2020 | | | <0.0025 | 0.0016 (J) | | |
| 3/29/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/31/2021 | | | 0.016 | <0.0025 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/3/2021 | | | <0.0025 | <0.0025 | | |
| 3/22/2022 | 0.00032 (J) | 0.00027 (J) | | | 0.0088 | 0.0022 |
| 3/23/2022 | | | 0.0061 | 0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 0.00039 (J) | <0.0025 | | | | | |
| 3/1/2016 | | | <0.0025 | 0.001 (J) | 0.017 | <0.0025 | 0.0007 (J) |
| 5/2/2016 | 0.0013 (J) | | | | | | |
| 5/4/2016 | | <0.0025 | | | | | 0.001 (J) |
| 5/5/2016 | | | <0.0025 | 0.00064 (J) | 0.012 | <0.0025 | |
| 7/5/2016 | 0.00049 (J) | | | | | | |
| 7/7/2016 | | | <0.0025 | <0.0025 | 0.012 | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | | 0.00057 (J) |
| 9/6/2016 | 0.00062 (J) | 0.00042 (J) | <0.0025 | | | | |
| 9/7/2016 | | | | 0.00044 (J) | 0.018 | <0.0025 | 0.00061 (J) |
| 11/7/2016 | 0.00049 (J) | | | | | | |
| 11/9/2016 | | | | | 0.022 | <0.0025 | 0.00055 (J) |
| 11/10/2016 | | <0.0025 | <0.0025 | <0.0025 | | | |
| 1/9/2017 | 0.00045 (J) | | | | | | |
| 1/11/2017 | | <0.0025 | | | 0.025 | <0.0025 | 0.00045 (J) |
| 1/12/2017 | | | <0.0025 | <0.0025 | | | |
| 3/13/2017 | 0.00048 (J) | | | | | | |
| 3/14/2017 | | <0.0025 | | | 0.019 | <0.0025 | 0.00059 (J) |
| 3/15/2017 | | | <0.0025 | <0.0025 | | | |
| 5/15/2017 | 0.00052 (J) | | | | | | |
| 5/18/2017 | | <0.0025 | <0.0025 | <0.0025 | 0.023 | <0.0025 | 0.00059 (J) |
| 3/12/2018 | 0.00055 (J) | | | | | | |
| 3/14/2018 | | <0.0025 | <0.0025 | <0.0025 | 0.014 | <0.0025 | 0.00044 (J) |
| 6/5/2018 | 0.00051 (J) | | | | | | |
| 6/10/2018 | | <0.0025 | | | 0.029 | <0.0025 | 0.0004 (J) |
| 6/11/2018 | | | <0.0025 | <0.0025 | | | |
| 10/16/2018 | 0.00058 (J) | | | | | | |
| 10/18/2018 | | <0.0025 | | <0.0025 | 0.016 | <0.0025 | <0.0025 |
| 10/19/2018 | | | <0.0025 | | | | |
| 2/27/2019 | 0.00065 (J) | <0.0025 | | | | | |
| 3/1/2019 | | | | | 0.009 | <0.0025 | <0.0025 |
| 3/2/2019 | | | <0.0025 | 0.00041 (J) | | | |
| 5/31/2019 | 0.00046 (J) | <0.0025 | | | | | |
| 6/3/2019 | | | <0.0025 | | 0.015 | <0.0025 | <0.0025 |
| 6/11/2019 | | | | <0.0025 | | | |
| 11/6/2019 | 0.00056 (J) | 0.00033 (J) | | | | | |
| 11/7/2019 | | | | 0.00015 (J) | 0.022 | | |
| 11/9/2019 | | | 0.00016 (J) | | | 0.00087 (J) | 0.00036 (J) |
| 4/16/2020 | 0.00058 | 0.00035 (J) | | | | | |
| 4/17/2020 | | | | 0.00021 (J) | | | 0.00036 (J) |
| 4/18/2020 | | | 0.00023 (J) | | 0.013 | 0.00037 (J) | |
| 10/7/2020 | 0.0006 (J) | <0.0025 | | | | | |
| 10/8/2020 | | | <0.0025 | <0.0025 | 0.017 | <0.0025 | <0.0025 |
| 3/29/2021 | 0.00059 | <0.0025 | | | | | |
| 3/30/2021 | | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 3/31/2021 | | | | | 0.018 | | |
| 9/2/2021 | 0.00069 (J) | <0.0025 | | | | | |
| 9/3/2021 | | | | | 0.018 | <0.0025 | <0.0025 |
| 9/7/2021 | | | <0.0025 | <0.0025 | | | |
| 3/22/2022 | 0.0014 | 0.0012 | | | | | |
| 3/23/2022 | | | 0.00088 | | 0.023 | 0.00017 (J) | 0.00099 |
| 3/24/2022 | | | | 0.00026 (J) | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.00064 (J) | 0.00023 (J) | | | | |
| 3/1/2016 | | | | | 0.00064 (J) | 0.00071 (J) |
| 3/2/2016 | | | 0.00075 (J) | 0.0047 (J) | | |
| 5/2/2016 | 0.0014 (J) | 0.00092 (J) | | | | 0.001 (J) |
| 5/3/2016 | | | | | 0.00079 (J) | |
| 5/5/2016 | | | 0.0042 | 0.0047 | | |
| 7/5/2016 | 0.0027 | 0.0032 | | | <0.0025 | 0.00055 (J) |
| 7/7/2016 | | | 0.0043 | 0.0041 | | |
| 9/6/2016 | 0.00062 (J) | <0.0025 | | | 0.00094 (J) | 0.00057 (J) |
| 9/7/2016 | | | 0.0049 | 0.0047 | | |
| 11/7/2016 | 0.00058 (J) | <0.0025 | | | 0.00041 (J) | 0.00047 (J) |
| 11/10/2016 | | | 0.004 | 0.0043 | | |
| 1/9/2017 | 0.00059 (J) | <0.0025 | | | 0.00074 (J) | 0.00054 (J) |
| 1/12/2017 | | | 0.0045 | 0.0048 | | |
| 3/13/2017 | 0.0005 (J) | <0.0025 | | | 0.00091 (J) | 0.0004 (J) |
| 3/14/2017 | | | 0.0039 | | | |
| 3/15/2017 | | | | 0.0066 | | |
| 5/15/2017 | 0.00046 (J) | <0.0025 | | | 0.00075 (J) | 0.00046 (J) |
| 5/18/2017 | | | 0.005 | 0.0065 | | |
| 3/12/2018 | 0.00055 (J) | <0.0025 | | | 0.00044 (J) | <0.0025 |
| 3/14/2018 | | | 0.0038 | 0.012 | | |
| 6/5/2018 | 0.00052 (J) | <0.0025 | | | | |
| 6/6/2018 | | | | | 0.0004 (J) | 0.00048 (J) |
| 6/11/2018 | | | 0.0044 | 0.0096 | | |
| 10/16/2018 | 0.00045 (J) | <0.0025 | | | | |
| 10/17/2018 | | | | | <0.0025 | 0.00043 (J) |
| 10/18/2018 | | | 0.0036 | 0.025 | | |
| 2/27/2019 | 0.00056 (J) | <0.0025 | | | <0.0025 | 0.00045 (J) |
| 3/1/2019 | | | 0.0052 | 0.02 | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 6/3/2019 | | | 0.0071 | 0.0053 | | |
| 11/6/2019 | 0.00048 (J) | 0.00019 (J) | | | 0.00029 (J) | 0.00094 (J) |
| 11/7/2019 | | | 0.0085 | 0.019 | | |
| 4/16/2020 | 0.00043 (J) | 0.00021 (J) | | | 0.00029 (J) | 0.00053 |
| 4/17/2020 | | | 0.0089 | 0.013 | | |
| 10/7/2020 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 10/9/2020 | | | 0.0072 | 0.015 | | |
| 3/29/2021 | <0.0025 | <0.0025 | | | <0.0025 | 0.00062 |
| 3/31/2021 | | | 0.0023 | 0.0091 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | <0.0025 | 0.00069 (J) |
| 9/3/2021 | | | 0.015 | 0.0032 | | |
| 3/22/2022 | 0.00038 (J) | 0.0002 (J) | | | 0.0014 | 0.0016 |
| 3/23/2022 | | | 0.0094 | 0.013 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1.27 | 1.09 | | | | | |
| 3/1/2016 | | | 0.996 | 5.24 | 11.8 | 4.21 | 0.872 |
| 5/2/2016 | 0.808 | | | | | | |
| 5/4/2016 | | 0.848 | | | | | <5 |
| 5/5/2016 | | | 2.82 | 4.13 | 9.43 | 2.24 | |
| 7/5/2016 | 0.947 | | | | | | |
| 7/7/2016 | | | 1.58 | 7.01 | 13.8 | 3.28 | |
| 7/8/2016 | | 1.46 | | | | | 1.02 |
| 9/6/2016 | 1.07 | 1.34 | 1.46 | | | | |
| 9/7/2016 | | | | 7.94 | 13.7 | 2.83 | 0.826 |
| 11/7/2016 | 0.602 | | | | | | |
| 11/9/2016 | | | | | 16.9 | 4.28 | 1.17 |
| 11/10/2016 | | 1.23 | 1.92 | 7 | | | |
| 1/9/2017 | 0.865 | | | | | | |
| 1/11/2017 | | 1.11 | | | 24.9 | 4.62 | 0.924 |
| 1/12/2017 | | | 1.48 | 7.87 | | | |
| 3/13/2017 | 0.693 | | | | | | |
| 3/14/2017 | | 1.01 | | | 15.5 | 2.28 | 0.889 |
| 3/15/2017 | | | 1.41 | 7.1 | | | |
| 5/15/2017 | 0.786 | | | | | | |
| 5/18/2017 | | 0.745 | 1.23 | 7.26 | 19.8 | 3 | 0.338 |
| 3/12/2018 | 0.933 | | | | | | |
| 3/14/2018 | | 0.614 | 1.64 | 7.02 | 13.1 | 2.82 | 0.789 |
| 6/5/2018 | 0.713 | | | | | | |
| 6/10/2018 | | 0.959 | | | 19.1 | 6.2 | 0.852 |
| 6/11/2018 | | | 1.51 | 5.54 | | | |
| 10/16/2018 | 2.14 | | | | | | |
| 10/18/2018 | | 0.944 | | 5.59 | 12.1 | 2.89 | 1.05 |
| 10/19/2018 | | | 1 | | | | |
| 2/27/2019 | 0.651 | 0.827 | | | | | |
| 3/1/2019 | | | | | 10.4 | 2.89 | 1.01 |
| 3/2/2019 | | | 1.5 | 1.69 | | | |
| 5/31/2019 | 1.33 | 0.99 | | | | | |
| 6/3/2019 | | | 2.67 | | 19.1 | 4.84 | 1.33 |
| 6/11/2019 | | | | 5.8 | | | |
| 11/6/2019 | 1.32 | 0.892 | | | | | |
| 11/7/2019 | | | | 4.83 | 20.8 | | |
| 11/9/2019 | | | 1.31 | | | 6.06 | 0.663 |
| 4/16/2020 | 0.971 | 0.497 | | | | | |
| 4/17/2020 | | | | 5.33 | | | 0.604 |
| 4/18/2020 | | | 0.931 | | 13.8 | 2.03 | |
| 10/7/2020 | 1.14 | 1.07 | | | | | |
| 10/8/2020 | | | 1.08 | 5.59 | 13.6 | 2.03 | 1.49 |
| 3/29/2021 | 1.72 | 0.561 | | | | | |
| 3/30/2021 | | | 1.46 | 5.05 | | 3.57 | 1.8 |
| 3/31/2021 | | | | | 21 | | |
| 9/2/2021 | 1.65 | 0.975 | | | | | |
| 9/3/2021 | | | | | 15.1 | 1.87 | 0.866 |
| 9/7/2021 | | | 1.47 | 4.59 | | | |
| 3/22/2022 | 1.75 | 1.1 | | | | | |
| 3/23/2022 | | | 2.18 | | 16.5 | 1.79 | 1.17 |
| 3/24/2022 | | | | 4.52 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 1.42 | 2.4 | | | | |
| 3/1/2016 | | | | | 0.647 | <5 |
| 3/2/2016 | | | 2.39 | 7.8 | | |
| 5/2/2016 | 1.03 | 1.62 | | | | <5 |
| 5/3/2016 | | | | | 0.748 | |
| 5/5/2016 | | | 1.54 | 5.51 | | |
| 7/5/2016 | 0.961 | 1.01 | | | 0.591 | <5 |
| 7/7/2016 | | | 2.17 | 7.65 | | |
| 9/6/2016 | 1.07 | 1.8 | | | 0.831 | 0.566 |
| 9/7/2016 | | | 2.24 | 5.9 | | |
| 11/7/2016 | 0.818 | 1.86 | | | 0.983 | 0.784 |
| 11/10/2016 | | | 2.69 | 5.04 | | |
| 1/9/2017 | 0.934 | 2.25 | | | 0.767 | 0.541 |
| 1/12/2017 | | | 1.81 | 9.04 | | |
| 3/13/2017 | 0.937 | 1.87 | | | 1.26 | 0.442 |
| 3/14/2017 | | | 1.74 | | | |
| 3/15/2017 | | | | 6.46 | | |
| 5/15/2017 | 0.685 | 1.4 | | | 0.553 | 0.345 |
| 5/18/2017 | | | 1.7 | 8.31 | | |
| 3/12/2018 | 1.09 | 1.97 | | | 0.783 | 0.848 |
| 3/14/2018 | | | 1.99 | 7.06 | | |
| 6/5/2018 | 0.927 | 2.17 | | | | |
| 6/6/2018 | | | | | 1.08 | 0.78 |
| 6/11/2018 | | | 1.59 | 7.06 | | |
| 10/16/2018 | 1.07 | 2.2 | | | | |
| 10/17/2018 | | | | | 1.19 | 0.88 |
| 10/18/2018 | | | 1.77 | 7.22 | | |
| 2/27/2019 | 0.912 | 1.8 | | | 0.741 | 0.431 |
| 3/1/2019 | | | 1.51 | 5.59 | | |
| 5/31/2019 | 1.24 | 1.8 | | | 0.759 | 0.884 |
| 6/3/2019 | | | 0.42 (U) | 4.73 | | |
| 11/6/2019 | 0.509 (U) | 2.32 | | | 0.105 (U) | 0.366 (U) |
| 11/7/2019 | | | 3.07 | 5.46 | | |
| 4/16/2020 | 0.568 | 1.35 | | | 0.588 | 0.264 (U) |
| 4/17/2020 | | | 2.45 | 4.26 | | |
| 10/7/2020 | 0.763 | 1.75 | | | 0.709 (U) | 0.46 (U) |
| 10/9/2020 | | | 4 | 5.63 | | |
| 3/29/2021 | 0.708 | | | | 0.899 | 0.642 |
| 3/30/2021 | | 1.71 | | | | |
| 3/31/2021 | | | 3.92 | 5.69 | | |
| 9/2/2021 | 1.75 | 2.13 | | | 0.856 | 0.951 |
| 9/3/2021 | | | 5.26 | 4.72 | | |
| 3/22/2022 | 1.78 | 3.12 | | | 1.33 | 1.32 |
| 3/23/2022 | | | 3.57 | 6.71 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Field pH (SU)  Analysis Run 1/12/2023 10:07 AM  View: 100 Series

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 5.26 | | | | | |
| 3/1/2016 | | | 5.03 | 5.86 | 4.09 | 6.12 | 5.84 |
| 5/2/2016 | 4.76 | | | | | | |
| 5/4/2016 | | 5.1 | | | | | 5.69 |
| 5/5/2016 | | | 5.03 | 5.77 | 4.12 | 6.25 | |
| 7/5/2016 | 5.12 | | | | | | |
| 7/7/2016 | | | 4.85 | 5.45 | 3.99 | 5.99 | |
| 7/8/2016 | | 4.96 | | | | | 5.49 |
| 9/6/2016 | 5.11 | 5.43 | 4.84 | | | | |
| 9/7/2016 | | | | 5.01 | 4.06 | 6.03 | 5.22 |
| 11/7/2016 | 4.76 | | | | | | |
| 11/9/2016 | | | | | 4.05 | 6.01 | 5.39 |
| 11/10/2016 | | 4.89 | 4.72 | 4.99 | | | |
| 1/9/2017 | 4.99 | | | | | | |
| 1/11/2017 | | 4.87 | | | 4.01 | 6.04 | 5.12 |
| 1/12/2017 | | | 4.79 | 4.95 | | | |
| 3/13/2017 | 4.57 | | | | | | |
| 3/14/2017 | | 4.71 | | | 4.06 | 6.11 | 5.05 |
| 3/15/2017 | | | 4.81 | 5.03 | | | |
| 5/15/2017 | 4.6 | | | | | | |
| 5/18/2017 | | 4.5 | 4.5 | 4.75 | 3.65 | 5.88 | 4.68 |
| 10/2/2017 | 4.64 | | | | | | |
| 10/5/2017 | | 4.63 | | | 3.79 | 6.07 | 4.77 |
| 10/6/2017 | | | 4.56 | 5.07 | | | |
| 12/19/2017 | | | | 5.1 (R) | 4.1 (R) | 6.11 (R) | |
| 3/12/2018 | 4.85 | | | | | | |
| 3/14/2018 | | 5.14 | 5.08 | 4.89 | 4.2 | 6.29 | 5.28 |
| 6/5/2018 | 4.92 | | | | | | |
| 6/10/2018 | | 5.12 | | | 3.97 | 5.96 | 4.99 |
| 6/11/2018 | | | 4.81 | 5.02 | | | |
| 10/16/2018 | 4.93 | | | | | | |
| 10/18/2018 | | 4.97 | | 4.93 | 4.12 | 6.19 | 5.07 |
| 10/19/2018 | | | 5.15 | | | | |
| 2/27/2019 | 4.75 | 4.84 | | | | | |
| 3/1/2019 | | | | | 4.19 | 6.27 | 5.13 |
| 3/2/2019 | | | 4.81 | 5.58 | | | |
| 5/31/2019 | 4.9 | 4.92 | | | | | |
| 6/3/2019 | | | 4.7 | | 4.17 | 6.23 | 5.12 |
| 6/11/2019 | | | | 4.97 | | | |
| 11/6/2019 | 4.82 | 4.94 | | | | | |
| 11/7/2019 | | | | 4.99 | 4.03 | | |
| 11/9/2019 | | | 4.78 | | | 6.19 | 5.06 |
| 4/16/2020 | 5.03 | 5.17 | | | | | |
| 4/17/2020 | | | | 5.07 | | | 5.23 |
| 4/18/2020 | | | 4.96 | | 4.08 | 6.21 | |
| 10/7/2020 | 4.74 | 5.08 | | | | | |
| 10/8/2020 | | | 4.87 | 4.98 | 4.13 | 6.29 | 5.34 |
| 3/29/2021 | 4.79 | 4.92 | | | | | |
| 3/30/2021 | | | 4.82 | 5.04 | | 6.31 | 4.98 |
| 3/31/2021 | | | | | 3.7 | | |
| 9/2/2021 | 4.81 | 5.07 | | | | | |
| 9/3/2021 | | | | | 4.32 | 6.17 | 4.85 |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | 4.62 | 5.11 | | | |
| 3/22/2022 | 4.9 | 5.02 | | | | | |
| 3/23/2022 | | | 5.02 | | 4.15 | 6.48 | 4.99 |
| 3/24/2022 | | | | 5.02 | | | |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 4.9 | | | | |
| 3/1/2016 | | | | | 5.08 | 6.37 |
| 3/2/2016 | | | 5.015 (D) | 5.015 (D) | | |
| 5/2/2016 | 4.77 | 4.69 | | | | 5.605 (D) |
| 5/3/2016 | | | | | 5.14 | |
| 5/5/2016 | | | 4.87 | 5.04 | | |
| 7/5/2016 | 5.48 | 7.11 (o) | | | 5.38 | 6.29 |
| 7/7/2016 | | | 4.86 | 5.55 | | |
| 9/6/2016 | 5.12 | 5.19 | | | 5.37 | 6.42 |
| 9/7/2016 | | | 4.72 | 4.86 | | |
| 11/7/2016 | 4.73 | 4.64 | | | 4.92 | 5.75 |
| 11/10/2016 | | | 4.72 | 5.19 | | |
| 1/9/2017 | 5 | 4.94 | | | 5.05 | 5.98 |
| 1/12/2017 | | | 4.67 | 4.84 | | |
| 3/13/2017 | 4.74 | 4.63 | | | 4.87 | 5.81 |
| 3/14/2017 | | | 4.77 | | | |
| 3/15/2017 | | | | 4.86 | | |
| 5/15/2017 | 4.63 | 4.52 | | | 4.69 | 5.42 |
| 5/18/2017 | | | 4.43 | 4.59 | | |
| 10/2/2017 | 4.63 | 4.54 | | | 4.88 | 5.63 |
| 10/5/2017 | | | 4.52 | | | |
| 10/6/2017 | | | | 5.73 | | |
| 12/19/2017 | | | 4.76 (R) | 4.84 (R) | | |
| 3/12/2018 | 4.81 | 4.81 | | | 5.07 | 5.6 |
| 3/14/2018 | | | 4.71 | 4.75 | | |
| 6/5/2018 | 5.04 | 4.9 | | | | |
| 6/6/2018 | | | | | 5.09 | 5.58 |
| 6/11/2018 | | | 4.78 | 4.77 | | |
| 10/16/2018 | 4.98 | 4.81 | | | | |
| 10/17/2018 | | | | | 4.99 | 5.54 |
| 10/18/2018 | | | 4.76 | 4.73 | | |
| 2/27/2019 | 4.78 | 4.71 | | | 4.87 | 5.4 |
| 3/1/2019 | | | 4.85 | 4.76 | | |
| 5/31/2019 | 4.92 | 4.84 | | | 4.89 | 5.45 |
| 6/3/2019 | | | 4.75 | 5.56 | | |
| 11/6/2019 | 4.88 | 4.78 | | | 5.04 | 5.52 |
| 11/7/2019 | | | 4.78 | 4.74 | | |
| 4/16/2020 | 5.15 | 4.96 | | | 5.13 | 5.58 |
| 4/17/2020 | | | 4.75 | 4.7 | | |
| 10/7/2020 | 4.91 | 4.8 | | | 5.13 | 5.5 |
| 10/9/2020 | | | 4.77 | 4.9 | | |
| 3/29/2021 | 4.89 | 4.8 | | | 4.93 | 5.46 |
| 3/31/2021 | | | 4.64 | 4.85 | | |
| 9/2/2021 | 4.87 | 4.77 | | | 4.94 | 5.16 |
| 9/3/2021 | | | 4.72 | 6.28 | | |
| 3/22/2022 | 4.91 | 4.89 | | | 5.1 | 5.18 |
| 3/23/2022 | | | 5 | 5.01 | | |

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | | | | | |
| 3/1/2016 | | | <0.1 | 0.037 (J) | 0.46 | 0.041 (J) | <0.1 |
| 5/2/2016 | <0.1 | | | | | | |
| 5/4/2016 | | <0.1 | | | | | <0.1 |
| 5/5/2016 | | | <0.1 | <0.1 | 0.27 | <0.1 | |
| 7/5/2016 | <0.1 | | | | | | |
| 7/7/2016 | | | <0.1 | <0.1 | 0.29 | <0.1 | |
| 7/8/2016 | | <0.1 | | | | | <0.1 |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | | | | |
| 9/7/2016 | | | | <0.1 | 0.33 | <0.1 | <0.1 |
| 11/7/2016 | <0.1 | | | | | | |
| 11/9/2016 | | | | | 0.29 | <0.1 | <0.1 |
| 11/10/2016 | | <0.1 | <0.1 | <0.1 | | | |
| 1/9/2017 | <0.1 | | | | | | |
| 1/11/2017 | | <0.1 | | | 0.42 | <0.1 | <0.1 |
| 1/12/2017 | | | <0.1 | <0.1 | | | |
| 3/13/2017 | <0.1 | | | | | | |
| 3/14/2017 | | <0.1 | | | 0.34 | <0.1 | <0.1 |
| 3/15/2017 | | | <0.1 | <0.1 | | | |
| 5/15/2017 | <0.1 | | | | | | |
| 5/18/2017 | | <0.1 | <0.1 | <0.1 | 0.47 | <0.1 | <0.1 |
| 10/2/2017 | <0.1 | | | | | | |
| 10/5/2017 | | <0.1 | | | 0.22 | <0.1 | <0.1 |
| 10/6/2017 | | | <0.1 | <0.1 | | | |
| 12/19/2017 | | | | | 0.26 (R) | | |
| 3/12/2018 | <0.1 | | | | | | |
| 3/14/2018 | | 0.12 | <0.1 | <0.1 | 0.3 | <0.1 | <0.1 |
| 6/5/2018 | <0.1 | | | | | | |
| 6/10/2018 | | <0.1 | | | 0.38 | <0.1 | <0.1 |
| 6/11/2018 | | | <0.1 | <0.1 | | | |
| 10/16/2018 | <0.1 | | | | | | |
| 10/18/2018 | | <0.1 | | <0.1 | 0.26 | 0.04 (J) | <0.1 |
| 10/19/2018 | | | <0.1 | | | | |
| 2/27/2019 | <0.1 | <0.1 | | | | | |
| 3/1/2019 | | | | | 0.1 | <0.1 | <0.1 |
| 3/2/2019 | | | <0.1 | <0.1 | | | |
| 5/31/2019 | <0.1 | <0.1 | | | | | |
| 6/3/2019 | | | <0.1 | | 0.22 | 0.04 (J) | <0.1 |
| 6/11/2019 | | | | <0.1 | | | |
| 11/6/2019 | <0.1 | <0.1 | | | | | |
| 11/7/2019 | | | | <0.1 | 0.21 | | |
| 11/9/2019 | | | <0.1 | | | <0.1 | <0.1 |
| 4/16/2020 | <0.1 | <0.1 | | | | | |
| 4/17/2020 | | | | <0.1 | | | <0.1 |
| 4/18/2020 | | | <0.1 | | 0.3 | 0.04 (J) | |
| 10/7/2020 | <0.1 | <0.1 | | | | | |
| 10/8/2020 | | | <0.1 | 0.24 | 0.26 | 0.04 (J) | <0.1 |
| 3/29/2021 | 0.06 | <0.1 | | | | | |
| 3/30/2021 | | | <0.1 | <0.1 | | 0.04 | <0.1 |
| 3/31/2021 | | | | | 0.34 | | |
| 9/2/2021 | 0.08 (J) | 0.04 (J) | | | | | |
| 9/3/2021 | | | | | 0.41 | 0.07 (J) | <0.1 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | <0.1 | <0.1 | | | |
| 3/22/2022 | <0.1 | <0.1 | | | | | |
| 3/23/2022 | | | <0.1 | | 0.3 | <0.1 | <0.1 |
| 3/24/2022 | | | | <0.1 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | | | | |
| 3/1/2016 | | | | | <0.1 | 0.033 (J) |
| 3/2/2016 | | | <0.1 | 0.039 (J) | | |
| 5/2/2016 | <0.1 | <0.1 | | | | <0.1 |
| 5/3/2016 | | | | | <0.1 | |
| 5/5/2016 | | | <0.1 | <0.1 | | |
| 7/5/2016 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 7/7/2016 | | | <0.1 | <0.1 | | |
| 9/6/2016 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 9/7/2016 | | | <0.1 | <0.1 | | |
| 11/7/2016 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 11/10/2016 | | | <0.1 | <0.1 | | |
| 1/9/2017 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 1/12/2017 | | | <0.1 | <0.1 | | |
| 3/13/2017 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/14/2017 | | | <0.1 | | | |
| 3/15/2017 | | | | <0.1 | | |
| 5/15/2017 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 5/18/2017 | | | <0.1 | <0.1 | | |
| 10/2/2017 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 10/5/2017 | | | <0.1 | | | |
| 10/6/2017 | | | | <0.1 | | |
| 3/12/2018 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/14/2018 | | | <0.1 | <0.1 | | |
| 6/5/2018 | <0.1 | <0.1 | | | | |
| 6/6/2018 | | | | | <0.1 | <0.1 |
| 6/11/2018 | | | <0.1 | 0.04 (J) | | |
| 10/16/2018 | <0.1 | <0.1 | | | | |
| 10/17/2018 | | | | | <0.1 | <0.1 |
| 10/18/2018 | | | <0.1 | 0.04 (J) | | |
| 2/27/2019 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/1/2019 | | | <0.1 | <0.1 | | |
| 5/31/2019 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 6/3/2019 | | | <0.1 | 0.04 (J) | | |
| 11/6/2019 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 11/7/2019 | | | <0.1 | 0.04 (J) | | |
| 4/16/2020 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 4/17/2020 | | | <0.1 | 0.04 (J) | | |
| 10/7/2020 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 10/9/2020 | | | <0.1 | <0.1 | | |
| 3/29/2021 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/31/2021 | | | <0.1 | 0.04 | | |
| 9/2/2021 | 0.1 | <0.1 | | | <0.1 | 0.04 (J) |
| 9/3/2021 | | | 0.05 (J) | 0.07 (J) | | |
| 3/22/2022 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/23/2022 | | | <0.1 | <0.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | | | | | |
| 3/1/2016 | | | <0.00025 | <0.00025 | 0.0018 (J) | <0.00025 | <0.00025 |
| 5/2/2016 | <0.00025 | | | | | | |
| 5/4/2016 | | <0.00025 | | | | | <0.00025 |
| 5/5/2016 | | | <0.00025 | <0.00025 | 0.0015 | <0.00025 | |
| 7/5/2016 | <0.00025 | | | | | | |
| 7/7/2016 | | | <0.00025 | <0.00025 | 0.0018 | <0.00025 | |
| 7/8/2016 | | <0.00025 | | | | | <0.00025 |
| 9/6/2016 | <0.00025 | <0.00025 | <0.00025 | | | | |
| 9/7/2016 | | | | <0.00025 | 0.0024 | <0.00025 | <0.00025 |
| 11/7/2016 | <0.00025 | | | | | | |
| 11/9/2016 | | | | | 0.0023 | <0.00025 | <0.00025 |
| 11/10/2016 | | <0.00025 | <0.00025 | <0.00025 | | | |
| 1/9/2017 | <0.00025 | | | | | | |
| 1/11/2017 | | <0.00025 | | | 0.0027 | <0.00025 | <0.00025 |
| 1/12/2017 | | | <0.00025 | <0.00025 | | | |
| 3/13/2017 | <0.00025 | | | | | | |
| 3/14/2017 | | <0.00025 | | | 0.0024 | <0.00025 | <0.00025 |
| 3/15/2017 | | | <0.00025 | <0.00025 | | | |
| 5/15/2017 | <0.00025 | | | | | | |
| 5/18/2017 | | <0.00025 | <0.00025 | <0.00025 | 0.0029 | <0.00025 | <0.00025 |
| 3/12/2018 | <0.00025 | | | | | | |
| 3/14/2018 | | <0.00025 | <0.00025 | <0.00025 | 0.0023 | <0.00025 | <0.00025 |
| 6/5/2018 | <0.00025 | | | | | | |
| 6/10/2018 | | <0.00025 | | | 0.0024 | <0.00025 | <0.00025 |
| 6/11/2018 | | | <0.00025 | <0.00025 | | | |
| 10/16/2018 | <0.00025 | | | | | | |
| 10/18/2018 | | <0.00025 | | <0.00025 | 0.002 | <0.00025 | 0.00039 (J) |
| 10/19/2018 | | | <0.00025 | | | | |
| 2/27/2019 | <0.00025 | <0.00025 | | | | | |
| 3/1/2019 | | | | | 0.0012 (J) | <0.00025 | <0.00025 |
| 3/2/2019 | | | <0.00025 | <0.00025 | | | |
| 5/31/2019 | <0.00025 | <0.00025 | | | | | |
| 6/3/2019 | | | <0.00025 | | 0.0018 | 0.00091 (J) | <0.00025 |
| 6/11/2019 | | | | <0.00025 | | | |
| 11/6/2019 | 0.0001 (J) | <0.00025 | | | | | |
| 11/7/2019 | | | | 0.00011 (J) | 0.002 | | |
| 11/9/2019 | | | 0.00014 (J) | | | 0.00012 (J) | <0.00025 |
| 4/16/2020 | 6.6E-05 (J) | <0.00025 | | | | | |
| 4/17/2020 | | | | <0.00025 | | | <0.00025 |
| 4/18/2020 | | | 0.00018 (J) | | 0.0024 | <0.00025 | |
| 10/7/2020 | <0.00025 | <0.00025 | | | | | |
| 10/8/2020 | | | <0.00025 | <0.00025 | 0.0019 | <0.00025 | <0.00025 |
| 3/29/2021 | <0.00025 | <0.00025 | | | | | |
| 3/30/2021 | | | <0.00025 | <0.00025 | | <0.00025 | <0.00025 |
| 3/31/2021 | | | | | 0.0022 | | |
| 9/2/2021 | <0.00025 | <0.00025 | | | | | |
| 9/3/2021 | | | | | 0.002 | <0.00025 | <0.00025 |
| 9/7/2021 | | | <0.00025 | <0.00025 | | | |
| 3/22/2022 | <0.00025 | <0.00025 | | | | | |
| 3/23/2022 | | | <0.00025 | | 0.0018 | <0.00025 | <0.00025 |
| 3/24/2022 | | | | <0.00025 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | | | | |
| 3/1/2016 | | | | | <0.00025 | <0.00025 |
| 3/2/2016 | | | <0.00025 | <0.00025 | | |
| 5/2/2016 | <0.00025 | <0.00025 | | | | <0.00025 |
| 5/3/2016 | | | | | <0.00025 | |
| 5/5/2016 | | | <0.00025 | <0.00025 | | |
| 7/5/2016 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 7/7/2016 | | | <0.00025 | <0.00025 | | |
| 9/6/2016 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 9/7/2016 | | | <0.00025 | <0.00025 | | |
| 11/7/2016 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 11/10/2016 | | | <0.00025 | <0.00025 | | |
| 1/9/2017 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 1/12/2017 | | | <0.00025 | <0.00025 | | |
| 3/13/2017 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/14/2017 | | | <0.00025 | | | |
| 3/15/2017 | | | | <0.00025 | | |
| 5/15/2017 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 5/18/2017 | | | <0.00025 | <0.00025 | | |
| 3/12/2018 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/14/2018 | | | <0.00025 | <0.00025 | | |
| 6/5/2018 | <0.00025 | <0.00025 | | | | |
| 6/6/2018 | | | | | <0.00025 | <0.00025 |
| 6/11/2018 | | | <0.00025 | <0.00025 | | |
| 10/16/2018 | <0.00025 | <0.00025 | | | | |
| 10/17/2018 | | | | | <0.00025 | <0.00025 |
| 10/18/2018 | | | <0.00025 | <0.00025 | | |
| 2/27/2019 | 0.001 (J) | <0.00025 | | | <0.00025 | <0.00025 |
| 3/1/2019 | | | <0.00025 | <0.00025 | | |
| 5/31/2019 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 6/3/2019 | | | 0.00067 (J) | 0.00037 (J) | | |
| 11/6/2019 | 6.6E-05 (J) | 8.4E-05 (J) | | | <0.00025 | 0.0002 (J) |
| 11/7/2019 | | | 9.4E-05 (J) | 0.0003 (J) | | |
| 4/16/2020 | <0.00025 | <0.00025 | | | <0.00025 | 0.00016 (J) |
| 4/17/2020 | | | 0.00011 (J) | 0.00033 | | |
| 10/7/2020 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 10/9/2020 | | | 0.0012 (J) | 0.0003 (J) | | |
| 3/29/2021 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/31/2021 | | | <0.00025 | 0.0004 | | |
| 9/2/2021 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 9/3/2021 | | | <0.00025 | <0.00025 | | |
| 3/22/2022 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/23/2022 | | | <0.00025 | <0.00025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.001 | <0.001 | | | | | |
| 3/1/2016 | | | <0.001 | <0.001 | 0.057 | <0.001 | <0.001 |
| 5/2/2016 | <0.001 | | | | | | |
| 5/4/2016 | | <0.001 | | | | | <0.001 |
| 5/5/2016 | | | <0.001 | <0.001 | 0.044 | <0.001 | |
| 7/5/2016 | <0.001 | | | | | | |
| 7/7/2016 | | | <0.001 | <0.001 | 0.04 | <0.001 | |
| 7/8/2016 | | <0.001 | | | | | <0.001 |
| 9/6/2016 | <0.001 | 0.0037 (J) | <0.001 | | | | |
| 9/7/2016 | | | | <0.001 | 0.033 | <0.001 | 0.0073 |
| 11/7/2016 | <0.001 | | | | | | |
| 11/9/2016 | | | | | 0.035 | <0.001 | <0.001 |
| 11/10/2016 | | <0.001 | <0.001 | <0.001 | | | |
| 1/9/2017 | <0.001 | | | | | | |
| 1/11/2017 | | <0.001 | | | 0.028 | <0.001 | <0.001 |
| 1/12/2017 | | | <0.001 | <0.001 | | | |
| 3/13/2017 | <0.001 | | | | | | |
| 3/14/2017 | | <0.001 | | | 0.037 | <0.001 | 0.0035 (J) |
| 3/15/2017 | | | <0.001 | 0.0038 (J) | | | |
| 5/15/2017 | <0.001 | | | | | | |
| 5/18/2017 | | <0.001 | <0.001 | <0.001 | 0.024 | <0.001 | <0.001 |
| 3/12/2018 | 0.0011 (J) | | | | | | |
| 3/14/2018 | | <0.001 | <0.001 | 0.002 (J) | 0.028 | <0.001 | <0.001 |
| 6/5/2018 | <0.001 | | | | | | |
| 6/10/2018 | | <0.001 | | | 0.019 | <0.001 | <0.001 |
| 6/11/2018 | | | <0.001 | 0.0015 (J) | | | |
| 10/16/2018 | <0.001 | | | | | | |
| 10/18/2018 | | 0.0013 (J) | | 0.0017 (J) | 0.022 | <0.001 | 0.0012 (J) |
| 10/19/2018 | | | 0.0012 (J) | | | | |
| 2/27/2019 | <0.001 | <0.001 | | | | | |
| 3/1/2019 | | | | | 0.017 | <0.001 | 0.0012 (J) |
| 3/2/2019 | | | 0.0014 (J) | 0.0011 (J) | | | |
| 5/31/2019 | 0.0021 (J) | 0.0013 (J) | | | | | |
| 6/3/2019 | | | <0.001 | | 0.017 | <0.001 | <0.001 |
| 6/11/2019 | | | | 0.0025 (J) | | | |
| 11/6/2019 | 0.0011 | 0.001 | | | | | |
| 11/7/2019 | | | | 0.00097 (J) | 0.019 | | |
| 11/9/2019 | | | 0.0009 (J) | | | <0.001 | 0.00068 (J) |
| 4/16/2020 | 0.0006 (J) | <0.001 | | | | | |
| 4/17/2020 | | | | 0.0021 | | | 0.00043 (J) |
| 4/18/2020 | | | <0.001 | | 0.017 | 0.00039 (J) | |
| 10/7/2020 | 0.0054 | 0.0052 | | | | | |
| 10/8/2020 | | | <0.001 | <0.001 | 0.017 | <0.001 | <0.001 |
| 3/29/2021 | <0.001 | 0.0019 | | | | | |
| 3/30/2021 | | | <0.001 | 0.002 | | <0.001 | <0.001 |
| 3/31/2021 | | | | | 0.015 | | |
| 9/2/2021 | <0.001 | <0.001 | | | | | |
| 9/3/2021 | | | | | 0.021 | <0.001 | <0.001 |
| 9/7/2021 | | | <0.001 | 0.0027 (J) | | | |
| 3/22/2022 | 0.0013 | 0.0014 | | | | | |
| 3/23/2022 | | | <0.001 | | 0.02 | <0.001 | <0.001 |
| 3/24/2022 | | | | 0.00099 (J) | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.001 | <0.001 | | | | |
| 3/1/2016 | | | | | <0.001 | 0.0037 |
| 3/2/2016 | | | 0.0095 (J) | 0.0082 (J) | | |
| 5/2/2016 | <0.001 | <0.001 | | | | <0.001 |
| 5/3/2016 | | | | | <0.001 | |
| 5/5/2016 | | | 0.0059 | 0.0072 | | |
| 7/5/2016 | <0.001 | <0.001 | | | <0.001 | <0.001 |
| 7/7/2016 | | | 0.006 | 0.0092 | | |
| 9/6/2016 | <0.001 | <0.001 | | | <0.001 | <0.001 |
| 9/7/2016 | | | 0.0049 (J) | 0.0069 | | |
| 11/7/2016 | <0.001 | <0.001 | | | <0.001 | 0.0097 (o) |
| 11/10/2016 | | | 0.0055 | 0.0045 (J) | | |
| 1/9/2017 | <0.001 | <0.001 | | | <0.001 | <0.001 |
| 1/12/2017 | | | 0.0045 (J) | 0.0073 | | |
| 3/13/2017 | <0.001 | <0.001 | | | <0.001 | <0.001 |
| 3/14/2017 | | | 0.0069 | | | |
| 3/15/2017 | | | | 0.012 | | |
| 5/15/2017 | <0.001 | <0.001 | | | <0.001 | <0.001 |
| 5/18/2017 | | | 0.0055 | 0.0084 | | |
| 3/12/2018 | 0.0014 (J) | <0.001 | | | <0.001 | <0.001 |
| 3/14/2018 | | | 0.0059 | 0.012 | | |
| 6/5/2018 | 0.0012 (J) | <0.001 | | | | |
| 6/6/2018 | | | | | <0.001 | 0.0021 (J) |
| 6/11/2018 | | | 0.0042 (J) | 0.009 | | |
| 10/16/2018 | 0.0015 (J) | 0.0013 (J) | | | | |
| 10/17/2018 | | | | | <0.001 | 0.0012 (J) |
| 10/18/2018 | | | 0.0062 | 0.011 | | |
| 2/27/2019 | <0.001 | <0.001 | | | <0.001 | 0.002 (J) |
| 3/1/2019 | | | 0.0054 | 0.0077 | | |
| 5/31/2019 | 0.0017 (J) | 0.0017 (J) | | | 0.0015 (J) | 0.0026 (J) |
| 6/3/2019 | | | 0.0054 | 0.0082 | | |
| 11/6/2019 | 0.0011 | <0.001 | | | 0.00063 (J) | 0.0012 |
| 11/7/2019 | | | 0.0052 | 0.014 | | |
| 4/16/2020 | 0.00063 (J) | <0.001 | | | <0.001 | 0.00091 (J) |
| 4/17/2020 | | | 0.0076 | 0.0092 | | |
| 10/7/2020 | 0.0054 | 0.0048 (J) | | | 0.005 | 0.0049 (J) |
| 10/9/2020 | | | 0.0053 | 0.011 | | |
| 3/29/2021 | <0.001 | <0.001 | | | <0.001 | 0.0042 |
| 3/31/2021 | | | 0.0059 | 0.017 | | |
| 9/2/2021 | <0.001 | <0.001 | | | <0.001 | <0.001 |
| 9/3/2021 | | | 0.0067 | 0.092 | | |
| 3/22/2022 | <0.001 | <0.001 | | | 0.0012 | <0.001 |
| 3/23/2022 | | | 0.0062 | 0.011 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0002 | <0.0002 | | | | | |
| 3/1/2016 | | | <0.0002 | <0.0002 | 0.00089 | <0.0002 | <0.0002 |
| 5/2/2016 | <0.0002 | | | | | | |
| 5/4/2016 | | <0.0002 | | | | | <0.0002 |
| 5/5/2016 | | | <0.0002 | <0.0002 | 0.00054 | <0.0002 | |
| 7/5/2016 | <0.0002 | | | | | | |
| 7/7/2016 | | | <0.0002 | <0.0002 (*) | 0.00066 (V) | <0.0002 | |
| 7/8/2016 | | <0.0002 (*) | | | | | <0.0002 (*) |
| 9/6/2016 | <0.0002 (*) | <0.0002 | <0.0002 | | | | |
| 9/7/2016 | | | | <0.0002 | 0.0016 | <0.0002 | <0.0002 |
| 11/7/2016 | <0.0002 | | | | | | |
| 11/9/2016 | | | | | 0.0015 | <0.0002 | <0.0002 |
| 11/10/2016 | | <0.0002 | <0.0002 | <0.0002 | | | |
| 1/9/2017 | <0.0002 (*) | | | | | | |
| 1/11/2017 | | <0.0002 | | | 0.0025 | <0.0002 | <0.0002 |
| 1/12/2017 | | | <0.0002 | <0.0002 | | | |
| 3/13/2017 | <0.0002 | | | | | | |
| 3/14/2017 | | <0.0002 (*) | | | 0.0012 | <0.0002 | <0.0002 |
| 3/15/2017 | | | <0.0002 | <0.0002 (*) | | | |
| 5/15/2017 | <0.0002 | | | | | | |
| 5/18/2017 | | <0.0002 | <0.0002 | <0.0002 | 0.0014 | <0.0002 | <0.0002 |
| 3/12/2018 | <0.0002 | | | | | | |
| 3/14/2018 | | 9.3E-05 (J) | 9.4E-05 (J) | 0.00012 (J) | 0.0011 | <0.0002 | 8E-05 (J) |
| 6/5/2018 | <0.0002 | | | | | | |
| 6/10/2018 | | <0.0002 | | | 0.0014 | <0.0002 | <0.0002 |
| 6/11/2018 | | | <0.0002 | <0.0002 | | | |
| 10/16/2018 | <0.0002 | | | | | | |
| 10/18/2018 | | <0.0002 | | <0.0002 | 0.00087 | <0.0002 | <0.0002 |
| 10/19/2018 | | | 9.4E-05 (J) | | | | |
| 2/27/2019 | <0.0002 | <0.0002 | | | | | |
| 3/1/2019 | | | | | 0.00077 | <0.0002 | <0.0002 |
| 3/2/2019 | | | <0.0002 | <0.0002 | | | |
| 5/31/2019 | <0.0002 | <0.0002 | | | | | |
| 6/3/2019 | | | <0.0002 | | 0.00054 | <0.0002 | <0.0002 |
| 6/11/2019 | | | | <0.0002 | | | |
| 11/6/2019 | <0.0002 | <0.0002 | | | | | |
| 11/7/2019 | | | | <0.0002 | 0.00053 | | |
| 11/9/2019 | | | <0.0002 | | | <0.0002 | <0.0002 |
| 4/16/2020 | <0.0002 | <0.0002 | | | | | |
| 4/17/2020 | | | | 0.00062 | | | <0.0002 |
| 4/18/2020 | | | <0.0002 | | 0.00069 | <0.0002 | |
| 10/7/2020 | <0.0002 | <0.0002 | | | | | |
| 10/8/2020 | | | <0.0002 | 0.00016 (J) | 0.00087 | <0.0002 | <0.0002 |
| 3/29/2021 | <0.0002 | <0.0002 | | | | | |
| 3/30/2021 | | | <0.0002 | <0.0002 | | <0.0002 | <0.0002 |
| 3/31/2021 | | | | | 0.00072 | | |
| 9/2/2021 | <0.0002 | <0.0002 | | | | | |
| 9/3/2021 | | | | | 0.00048 | <0.0002 | <0.0002 |
| 9/7/2021 | | | <0.0002 | <0.0002 | | | |
| 3/22/2022 | <0.0002 | <0.0002 | | | | | |
| 3/23/2022 | | | <0.0002 | | 0.00032 | <0.0002 | <0.0002 |
| 3/24/2022 | | | | <0.0002 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 9.1E-05 (J) | <0.0002 | | | | |
| 3/1/2016 | | | | | <0.0002 | <0.0002 |
| 3/2/2016 | | | <0.0002 | 0.007 | | |
| 5/2/2016 | 7.4E-05 (J) | <0.0002 | | | | <0.0002 |
| 5/3/2016 | | | | | <0.0002 | |
| 5/5/2016 | | | <0.0002 | 0.006 | | |
| 7/5/2016 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 7/7/2016 | | | <0.0002 (*) | 0.0053 | | |
| 9/6/2016 | <0.0002 (*) | <0.0002 | | | <0.0002 (*) | <0.0002 (*) |
| 9/7/2016 | | | <0.0002 | 0.0067 | | |
| 11/7/2016 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 11/10/2016 | | | <0.0002 | 0.00014 (J) | | |
| 1/9/2017 | <0.0002 (*) | <0.0002 (*) | | | <0.0002 (*) | <0.0002 (*) |
| 1/12/2017 | | | <0.0002 | 0.0052 | | |
| 3/13/2017 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/14/2017 | | | <0.0002 | | | |
| 3/15/2017 | | | | 0.0048 | | |
| 5/15/2017 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 5/18/2017 | | | <0.0002 | 0.0074 | | |
| 3/12/2018 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/14/2018 | | | 9.7E-05 (J) | 0.0059 | | |
| 6/5/2018 | <0.0002 | <0.0002 | | | | |
| 6/6/2018 | | | | | <0.0002 | <0.0002 |
| 6/11/2018 | | | <0.0002 | 0.0042 | | |
| 10/16/2018 | <0.0002 | <0.0002 | | | | |
| 10/17/2018 | | | | | <0.0002 | <0.0002 |
| 10/18/2018 | | | <0.0002 | 0.0034 | | |
| 2/27/2019 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/1/2019 | | | <0.0002 | 0.0041 | | |
| 5/31/2019 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 6/3/2019 | | | <0.0002 | 0.0025 | | |
| 11/6/2019 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 11/7/2019 | | | 0.0012 | 0.0034 | | |
| 4/16/2020 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 4/17/2020 | | | 0.0032 | 0.0063 | | |
| 10/7/2020 | 0.00025 | 0.00013 (J) | | | 8E-05 (J) | <0.0002 |
| 10/9/2020 | | | 0.0014 | 0.0049 | | |
| 3/29/2021 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/31/2021 | | | 0.00035 | 0.0055 | | |
| 9/2/2021 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 9/3/2021 | | | 0.0012 | 0.0012 | | |
| 3/22/2022 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/23/2022 | | | 0.00047 | 0.0034 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.015 | <0.015 | | | | | |
| 3/1/2016 | | | <0.015 | <0.015 | <0.015 | 0.004 (J) | <0.015 |
| 5/2/2016 | <0.015 | | | | | | |
| 5/4/2016 | | <0.015 | | | | | <0.015 |
| 5/5/2016 | | | <0.015 | <0.015 | <0.015 | 0.0093 (J) | |
| 7/5/2016 | <0.015 | | | | | | |
| 7/7/2016 | | | <0.015 | <0.015 | <0.015 | 0.0047 (J) | |
| 7/8/2016 | | <0.015 | | | | | <0.015 |
| 9/6/2016 | <0.015 | <0.015 | <0.015 | | | | |
| 9/7/2016 | | | | <0.015 | <0.015 | 0.004 (J) | <0.015 |
| 11/7/2016 | <0.015 | | | | | | |
| 11/9/2016 | | | | | <0.015 | 0.0037 (J) | <0.015 |
| 11/10/2016 | | <0.015 | <0.015 | <0.015 | | | |
| 1/9/2017 | <0.015 | | | | | | |
| 1/11/2017 | | <0.015 | | | <0.015 | 0.0052 (J) | <0.015 |
| 1/12/2017 | | | <0.015 | <0.015 | | | |
| 3/13/2017 | 0.0042 (J) | | | | | | |
| 3/14/2017 | | <0.015 | | | <0.015 | 0.004 (J) | <0.015 |
| 3/15/2017 | | | <0.015 | <0.015 | | | |
| 5/15/2017 | <0.015 | | | | | | |
| 5/18/2017 | | <0.015 | <0.015 | <0.015 | <0.015 | 0.0043 (J) | <0.015 |
| 3/12/2018 | <0.015 | | | | | | |
| 3/14/2018 | | <0.015 | <0.015 | <0.015 | <0.015 | 0.0054 (J) | <0.015 |
| 6/5/2018 | <0.015 | | | | | | |
| 6/10/2018 | | <0.015 | | | <0.015 | 0.0035 (J) | <0.015 |
| 6/11/2018 | | | <0.015 | <0.015 | | | |
| 10/16/2018 | <0.015 | | | | | | |
| 10/18/2018 | | <0.015 | | <0.015 | <0.015 | 0.0032 (J) | <0.015 |
| 10/19/2018 | | | <0.015 | | | | |
| 2/27/2019 | <0.015 | <0.015 | | | | | |
| 3/1/2019 | | | | | <0.015 | 0.0047 (J) | <0.015 |
| 3/2/2019 | | | <0.015 | <0.015 | | | |
| 5/31/2019 | <0.015 | <0.015 | | | | | |
| 6/3/2019 | | | <0.015 | | <0.015 | 0.0033 (J) | <0.015 |
| 6/11/2019 | | | | <0.015 | | | |
| 11/6/2019 | <0.015 | <0.015 | | | | | |
| 11/7/2019 | | | | <0.015 | <0.015 | | |
| 11/9/2019 | | | <0.015 | | | 0.0025 (J) | <0.015 |
| 4/16/2020 | <0.015 | <0.015 | | | | | |
| 4/17/2020 | | | | <0.015 | | | <0.015 |
| 4/18/2020 | | | <0.015 | | <0.015 | 0.003 | |
| 10/7/2020 | <0.015 | <0.015 | | | | | |
| 10/8/2020 | | | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| 3/29/2021 | <0.015 | <0.015 | | | | | |
| 3/30/2021 | | | <0.015 | <0.015 | | 0.005 | <0.015 |
| 3/31/2021 | | | | | <0.015 | | |
| 9/2/2021 | <0.015 | <0.015 | | | | | |
| 9/3/2021 | | | | | <0.015 | 0.0057 (J) | <0.015 |
| 9/7/2021 | | | <0.015 | <0.015 | | | |
| 3/22/2022 | 0.00066 (J) | 0.00064 (J) | | | | | |
| 3/23/2022 | | | 0.00091 (J) | | <0.015 | 0.0089 | 0.00068 (J) |
| 3/24/2022 | | | | 0.00092 (J) | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.015 | <0.015 | | | | |
| 3/1/2016 | | | | | <0.015 | <0.015 |
| 3/2/2016 | | | <0.015 | <0.015 | | |
| 5/2/2016 | <0.015 | <0.015 | | | | <0.015 |
| 5/3/2016 | | | | | <0.015 | |
| 5/5/2016 | | | <0.015 | <0.015 | | |
| 7/5/2016 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 7/7/2016 | | | <0.015 | <0.015 | | |
| 9/6/2016 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 9/7/2016 | | | <0.015 | <0.015 | | |
| 11/7/2016 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 11/10/2016 | | | <0.015 | <0.015 | | |
| 1/9/2017 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 1/12/2017 | | | <0.015 | <0.015 | | |
| 3/13/2017 | <0.015 | 0.0022 (J) | | | <0.015 | <0.015 |
| 3/14/2017 | | | <0.015 | | | |
| 3/15/2017 | | | | <0.015 | | |
| 5/15/2017 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 5/18/2017 | | | <0.015 | <0.015 | | |
| 3/12/2018 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 3/14/2018 | | | <0.015 | <0.015 | | |
| 6/5/2018 | 0.00088 (J) | <0.015 | | | | |
| 6/6/2018 | | | | | <0.015 | <0.015 |
| 6/11/2018 | | | <0.015 | <0.015 | | |
| 10/16/2018 | <0.015 | <0.015 | | | | |
| 10/17/2018 | | | | | <0.015 | <0.015 |
| 10/18/2018 | | | <0.015 | <0.015 | | |
| 2/27/2019 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 3/1/2019 | | | <0.015 | <0.015 | | |
| 5/31/2019 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 6/3/2019 | | | <0.015 | <0.015 | | |
| 11/6/2019 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 11/7/2019 | | | <0.015 | <0.015 | | |
| 4/16/2020 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 4/17/2020 | | | <0.015 | <0.015 | | |
| 10/7/2020 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 10/9/2020 | | | <0.015 | <0.015 | | |
| 3/29/2021 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 3/31/2021 | | | <0.015 | <0.015 | | |
| 9/2/2021 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 9/3/2021 | | | <0.015 | <0.015 | | |
| 3/22/2022 | <0.015 | <0.015 | | | 0.0011 (J) | 0.00031 (J) |
| 3/23/2022 | | | 0.0009 (J) | <0.015 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | | | | | |
| 3/1/2016 | | | <0.00025 | 0.0028 (J) | 0.0054 (J) | <0.00025 | <0.00025 |
| 5/2/2016 | <0.00025 | | | | | | |
| 5/4/2016 | | <0.00025 | | | | | <0.00025 |
| 5/5/2016 | | | 0.00029 (J) | 0.0026 | 0.0038 | 0.0003 (J) | |
| 7/5/2016 | <0.00025 | | | | | | |
| 7/7/2016 | | | <0.00025 (*) | 0.0025 | 0.0043 | <0.00025 | |
| 7/8/2016 | | <0.00025 | | | | | <0.00025 |
| 9/6/2016 | 0.00049 (J) | <0.00025 | <0.00025 | | | | |
| 9/7/2016 | | | | 0.0031 | 0.0099 | 0.00026 (J) | <0.00025 |
| 11/7/2016 | <0.00025 | | | | | | |
| 11/9/2016 | | | | | 0.012 | 0.00038 (J) | <0.00025 |
| 11/10/2016 | | <0.00025 | <0.00025 | 0.0028 | | | |
| 1/9/2017 | <0.00025 | | | | | | |
| 1/11/2017 | | 0.00049 (J) | | | 0.022 | <0.00025 | <0.00025 |
| 1/12/2017 | | | <0.00025 | 0.0028 | | | |
| 3/13/2017 | 0.0023 | | | | | | |
| 3/14/2017 | | <0.00025 | | | 0.011 | <0.00025 | <0.00025 |
| 3/15/2017 | | | <0.00025 | 0.0027 | | | |
| 5/15/2017 | <0.00025 | | | | | | |
| 5/18/2017 | | <0.00025 | <0.00025 | 0.0036 | 0.018 | <0.00025 | <0.00025 |
| 3/12/2018 | 0.00046 (J) | | | | | | |
| 3/14/2018 | | 0.00067 (J) | 0.001 (J) | 0.0032 | 0.0057 | 0.0006 (J) | <0.00025 |
| 6/5/2018 | 0.00049 (J) | | | | | | |
| 6/10/2018 | | 0.00028 (J) | | | 0.015 | 0.00043 (J) | <0.00025 |
| 6/11/2018 | | | 0.00028 (J) | 0.003 | | | |
| 10/16/2018 | <0.00025 | | | | | | |
| 10/18/2018 | | <0.00025 | | 0.0016 | 0.0049 | <0.00025 | <0.00025 |
| 10/19/2018 | | | <0.00025 | | | | |
| 2/27/2019 | <0.00025 | <0.00025 | | | | | |
| 3/1/2019 | | | | | 0.0026 | <0.00025 | <0.00025 |
| 3/2/2019 | | | <0.00025 | <0.00025 | | | |
| 5/31/2019 | <0.00025 | <0.00025 | | | | | |
| 6/3/2019 | | | <0.00025 | | 0.0039 | <0.00025 | <0.00025 |
| 6/11/2019 | | | | 0.0014 | | | |
| 11/6/2019 | <0.00025 | <0.00025 | | | | | |
| 11/7/2019 | | | | 0.002 | 0.0085 | | |
| 11/9/2019 | | | <0.00025 | | | 0.00041 | <0.00025 |
| 4/16/2020 | <0.00025 | <0.00025 | | | | | |
| 4/17/2020 | | | | 0.0022 | | | <0.00025 |
| 4/18/2020 | | | 0.00019 (J) | | 0.0084 | 0.0004 | |
| 10/7/2020 | <0.00025 | <0.00025 | | | | | |
| 10/8/2020 | | | <0.00025 | 0.0014 | 0.0045 | <0.00025 | <0.00025 |
| 3/29/2021 | <0.00025 | <0.00025 | | | | | |
| 3/30/2021 | | | <0.00025 | 0.0019 | | <0.00025 | <0.00025 |
| 3/31/2021 | | | | | 0.011 | | |
| 9/2/2021 | <0.00025 | <0.00025 | | | | | |
| 9/3/2021 | | | | | 0.0054 | <0.00025 | <0.00025 |
| 9/7/2021 | | | <0.00025 | 0.0014 | | | |
| 3/22/2022 | <0.00025 | <0.00025 | | | | | |
| 3/23/2022 | | | 0.00025 | | 0.0067 | 0.00023 (J) | <0.00025 |
| 3/24/2022 | | | | 0.0014 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | | | | |
| 3/1/2016 | | | | | <0.00025 | <0.00025 |
| 3/2/2016 | | | <0.00025 | 0.0025 (J) | | |
| 5/2/2016 | <0.00025 | 0.00025 (J) | | | | <0.00025 |
| 5/3/2016 | | | | | <0.00025 | |
| 5/5/2016 | | | <0.00025 | 0.0033 | | |
| 7/5/2016 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 7/7/2016 | | | <0.00025 | 0.0031 | | |
| 9/6/2016 | <0.00025 | 0.00027 (J) | | | <0.00025 | <0.00025 |
| 9/7/2016 | | | <0.00025 | 0.0034 | | |
| 11/7/2016 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 11/10/2016 | | | <0.00025 | 0.0038 | | |
| 1/9/2017 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 1/12/2017 | | | <0.00025 | 0.0034 | | |
| 3/13/2017 | <0.00025 | 0.0025 | | | <0.00025 | <0.00025 |
| 3/14/2017 | | | <0.00025 | | | |
| 3/15/2017 | | | | 0.0032 | | |
| 5/15/2017 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 5/18/2017 | | | <0.00025 | 0.0034 | | |
| 3/12/2018 | 0.00064 (J) | 0.00047 (J) | | | 0.00026 (J) | <0.00025 |
| 3/14/2018 | | | <0.00025 | 0.0038 | | |
| 6/5/2018 | 0.00098 (J) | 0.00065 (J) | | | | |
| 6/6/2018 | | | | | 0.00025 (J) | 0.00026 (J) |
| 6/11/2018 | | | <0.00025 | 0.0037 | | |
| 10/16/2018 | <0.00025 | <0.00025 | | | | |
| 10/17/2018 | | | | | <0.00025 | <0.00025 |
| 10/18/2018 | | | <0.00025 | 0.0033 | | |
| 2/27/2019 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/1/2019 | | | <0.00025 | 0.0033 | | |
| 5/31/2019 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 6/3/2019 | | | <0.00025 | 0.0035 | | |
| 11/6/2019 | <0.00025 | 0.00034 | | | <0.00025 | <0.00025 |
| 11/7/2019 | | | 0.00024 (J) | 0.0034 | | |
| 4/16/2020 | <0.00025 | 0.0004 | | | <0.00025 | <0.00025 |
| 4/17/2020 | | | 0.0002 (J) | 0.0039 | | |
| 10/7/2020 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 10/9/2020 | | | <0.00025 | 0.0031 | | |
| 3/29/2021 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 3/31/2021 | | | <0.00025 | 0.0046 | | |
| 9/2/2021 | <0.00025 | <0.00025 | | | <0.00025 | <0.00025 |
| 9/3/2021 | | | <0.00025 | 0.0035 | | |
| 3/22/2022 | <0.00025 | 0.00051 | | | <0.00025 | <0.00025 |
| 3/23/2022 | | | 0.00035 | 0.0034 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | <5 | | | | | |
| 3/1/2016 | | | <5 | 26 | 380 | 17 | <5 |
| 5/2/2016 | 15 (o) | | | | | | |
| 5/4/2016 | | <5 | | | | | <5 |
| 5/5/2016 | | | <5 | 31 | 280 | 11 | |
| 7/5/2016 | <5 | | | | | | |
| 7/7/2016 | | | <5 | 31 | 330 | 33 | |
| 7/8/2016 | | <5 | | | | | <5 |
| 9/6/2016 | <5 | <5 | <5 | | | | |
| 9/7/2016 | | | | 41 | 550 | 18 | <5 |
| 11/7/2016 | <5 | | | | | | |
| 11/9/2016 | | | | | 700 | 52 | <5 |
| 11/10/2016 | | <5 | <5 | 39 | | | |
| 1/9/2017 | <5 | | | | | | |
| 1/11/2017 | | <5 | | | 670 | 31 | <5 |
| 1/12/2017 | | | <5 | 35 | | | |
| 3/13/2017 | 2.5 (J) | | | | | | |
| 3/14/2017 | | <5 | | | 670 | 20 | <5 |
| 3/15/2017 | | | <5 (*) | 43 | | | |
| 5/15/2017 | <5 | | | | | | |
| 5/18/2017 | | <5 (X) | <5 (X) | 35 | 790 | 35 | <5 (X) |
| 10/2/2017 | <5 | | | | | | |
| 10/5/2017 | | <5 | | | 500 | 7.7 | <5 |
| 10/6/2017 | | | <5 | 39 | | | |
| 12/19/2017 | | | | 36 (R) | 400 (R) | 51 (R) | |
| 3/12/2018 | <5 | | | | | | |
| 3/14/2018 | | <5 | <5 | 38 | 540 | 22 | <5 |
| 6/5/2018 | <5 | | | | | | |
| 6/10/2018 | | 1.5 (J) | | | 760 | 96 | 1.4 (J) |
| 6/11/2018 | | | 1.7 (J) | 34 | | | |
| 10/16/2018 | <5 | | | | | | |
| 10/18/2018 | | <5 | | 31 | 460 | 6.6 | <5 |
| 10/19/2018 | | | 3.4 (J) | | | | |
| 2/27/2019 | <5 | 1.9 (J) | | | | | |
| 3/1/2019 | | | | | 240 | 9.6 | <5 |
| 3/2/2019 | | | <5 | 35 | | | |
| 5/31/2019 | <5 | <5 | | | | | |
| 6/3/2019 | | | 3.5 (J) | | 480 | 58 | <5 |
| 6/11/2019 | | | | 32 | | | |
| 11/6/2019 | <5 | <5 | | | | | |
| 11/7/2019 | | | | 27 | 610 | | |
| 11/9/2019 | | | <5 | | | 120 | <5 |
| 4/16/2020 | <5 | <5 | | | | | |
| 4/17/2020 | | | | 31 | | | <5 |
| 4/18/2020 | | | <5 | | 670 | 32 | |
| 10/7/2020 | <5 | <5 | | | | | |
| 10/8/2020 | | | <5 | 30 | 590 | 9.3 | <5 |
| 3/29/2021 | <5 | <5 | | | | | |
| 3/30/2021 | | | <5 | 32 | | 7.6 | <5 |
| 3/31/2021 | | | | | 670 | | |
| 9/2/2021 | <5 | <5 | | | | | |
| 9/3/2021 | | | | | 480 | 9.3 | <5 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | <5 | 22 | | | |
| 3/22/2022 | <5 | <5 | | | | | |
| 3/23/2022 | | | 1.8 (J) | | 560 | 24 | <5 |
| 3/24/2022 | | | | 28 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | 1.6 (J) | | | | |
| 3/1/2016 | | | | | <5 | <5 |
| 3/2/2016 | | | 13 | 150 | | |
| 5/2/2016 | <5 | 2.1 (J) | | | | <5 |
| 5/3/2016 | | | | | <5 | |
| 5/5/2016 | | | 15 | 200 | | |
| 7/5/2016 | <5 | 2 (J) | | | <5 | <5 |
| 7/7/2016 | | | 14 | 200 | | |
| 9/6/2016 | <5 | 1.8 (J) | | | <5 | 3.7 (J) |
| 9/7/2016 | | | 15 | 200 | | |
| 11/7/2016 | <5 | 1.7 (J) | | | <5 | <5 |
| 11/10/2016 | | | 13 | 130 | | |
| 1/9/2017 | 2.6 (J) | 1.5 (J) | | | <5 | <5 |
| 1/12/2017 | | | 12 | 240 | | |
| 3/13/2017 | <5 | 2.2 (J) | | | <5 | <5 |
| 3/14/2017 | | | 10 (V) | | | |
| 3/15/2017 | | | | 300 | | |
| 5/15/2017 | <5 | 1.9 (J) | | | <5 | <5 |
| 5/18/2017 | | | 8.7 | 270 | | |
| 10/2/2017 | <5 | 3.4 (J) | | | 1.5 (J) | 1.7 (J) |
| 10/5/2017 | | | 9.8 | | | |
| 10/6/2017 | | | | 140 | | |
| 12/19/2017 | | | 8.4 (R) | 280 (R) | | |
| 3/12/2018 | <5 | 2.6 (J) | | | <5 | <5 |
| 3/14/2018 | | | 9.7 | 270 | | |
| 6/5/2018 | <5 | 2.6 (J) | | | | |
| 6/6/2018 | | | | | <5 | <5 |
| 6/11/2018 | | | 10 | 270 | | |
| 10/16/2018 | <5 | 2.8 (J) | | | | |
| 10/17/2018 | | | | | <5 | <5 |
| 10/18/2018 | | | 8.1 | 280 | | |
| 2/27/2019 | <5 | 2.4 (J) | | | <5 | <5 |
| 3/1/2019 | | | 7.4 | 250 | | |
| 5/31/2019 | <5 | 3.3 (J) | | | <5 | <5 |
| 6/3/2019 | | | 21 | 150 | | |
| 11/6/2019 | <5 | 3.7 (J) | | | <5 | <5 |
| 11/7/2019 | | | 16 | 290 | | |
| 4/16/2020 | <5 | 1.7 (J) | | | <5 | <5 |
| 4/17/2020 | | | 12 | 280 | | |
| 10/7/2020 | <5 | 4 (J) | | | <5 | <5 |
| 10/9/2020 | | | 25 | 280 | | |
| 3/29/2021 | <5 | 2.3 | | | <5 | <5 |
| 3/31/2021 | | | 15 | 250 | | |
| 9/2/2021 | <5 | 4.7 (J) | | | <5 | <5 |
| 9/3/2021 | | | 32 | 160 | | |
| 3/22/2022 | <5 | 4.5 (J) | | | <5 | <5 |
| 3/23/2022 | | | 28 | 270 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0001 | <0.0001 | | | | | |
| 3/1/2016 | | | <0.0001 | <0.0001 | 0.00043 (J) | <0.0001 | <0.0001 |
| 5/2/2016 | <0.0001 | | | | | | |
| 5/4/2016 | | <0.0001 | | | | | <0.0001 |
| 5/5/2016 | | | <0.0001 | <0.0001 | 0.0003 (J) | <0.0001 | |
| 7/5/2016 | <0.0001 | | | | | | |
| 7/7/2016 | | | <0.0001 | <0.0001 | 0.00028 (J) | <0.0001 | |
| 7/8/2016 | | <0.0001 | | | | | <0.0001 |
| 9/6/2016 | <0.0001 | <0.0001 | <0.0001 | | | | |
| 9/7/2016 | | | | <0.0001 | 0.00028 (J) | <0.0001 | <0.0001 |
| 11/7/2016 | <0.0001 | | | | | | |
| 11/9/2016 | | | | | 0.0003 (J) | <0.0001 | <0.0001 |
| 11/10/2016 | | <0.0001 | <0.0001 | <0.0001 | | | |
| 1/9/2017 | <0.0001 | | | | | | |
| 1/11/2017 | | <0.0001 | | | 0.00032 (J) | <0.0001 | <0.0001 |
| 1/12/2017 | | | <0.0001 | <0.0001 | | | |
| 3/13/2017 | <0.0001 | | | | | | |
| 3/14/2017 | | <0.0001 | | | 0.00032 (J) | <0.0001 | <0.0001 |
| 3/15/2017 | | | <0.0001 | <0.0001 | | | |
| 5/15/2017 | <0.0001 | | | | | | |
| 5/18/2017 | | <0.0001 | <0.0001 | <0.0001 | 0.0004 (J) | <0.0001 | <0.0001 |
| 3/12/2018 | <0.0001 | | | | | | |
| 3/14/2018 | | <0.0001 | <0.0001 | <0.0001 | 0.00021 (J) | <0.0001 | <0.0001 |
| 6/5/2018 | <0.0001 | | | | | | |
| 6/10/2018 | | <0.0001 | | | 0.00033 (J) | <0.0001 | <0.0001 |
| 6/11/2018 | | | <0.0001 | <0.0001 | | | |
| 10/16/2018 | <0.0001 | | | | | | |
| 10/18/2018 | | <0.0001 | | <0.0001 | 0.00021 (J) | <0.0001 | <0.0001 |
| 10/19/2018 | | | <0.0001 | | | | |
| 2/27/2019 | <0.0001 | <0.0001 | | | | | |
| 3/1/2019 | | | | | 0.00013 (J) | <0.0001 | <0.0001 |
| 3/2/2019 | | | <0.0001 | <0.0001 | | | |
| 5/31/2019 | <0.0001 | <0.0001 | | | | | |
| 6/3/2019 | | | <0.0001 | | 0.00016 (J) | <0.0001 | <0.0001 |
| 6/11/2019 | | | | <0.0001 | | | |
| 11/6/2019 | <0.0001 | <0.0001 | | | | | |
| 11/7/2019 | | | | 2.6E-05 (J) | 0.00025 | | |
| 11/9/2019 | | | 0.00021 (J) | | | 0.00024 (J) | <0.0001 |
| 4/16/2020 | <0.0001 | <0.0001 | | | | | |
| 4/17/2020 | | | | <0.0001 | | | <0.0001 |
| 4/18/2020 | | | <0.0001 | | 0.00033 | <0.0001 | |
| 10/7/2020 | <0.0001 | <0.0001 | | | | | |
| 10/8/2020 | | | <0.0001 | 0.00015 (J) | 0.00034 (J) | <0.0001 | <0.0001 |
| 3/29/2021 | <0.0001 | <0.0001 | | | | | |
| 3/30/2021 | | | <0.0001 | <0.0001 | | <0.0001 | <0.0001 |
| 3/31/2021 | | | | | 0.00031 | | |
| 9/2/2021 | 0.00015 (J) | <0.0001 | | | | | |
| 9/3/2021 | | | | | 0.00037 (J) | 0.00012 (J) | <0.0001 |
| 9/7/2021 | | | <0.0001 | <0.0001 | | | |
| 3/22/2022 | <0.0001 | <0.0001 | | | | | |
| 3/23/2022 | | | <0.0001 | | <0.0001 | <0.0001 | <0.0001 |
| 3/24/2022 | | | | <0.0001 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0001 | <0.0001 | | | | |
| 3/1/2016 | | | | | <0.0001 | <0.0001 |
| 3/2/2016 | | | <0.0001 | 0.00018 (J) | | |
| 5/2/2016 | <0.0001 | <0.0001 | | | | <0.0001 |
| 5/3/2016 | | | | | <0.0001 | |
| 5/5/2016 | | | <0.0001 | 0.00024 (J) | | |
| 7/5/2016 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 7/7/2016 | | | <0.0001 | 0.00025 (J) | | |
| 9/6/2016 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 9/7/2016 | | | <0.0001 | 0.00023 (J) | | |
| 11/7/2016 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 11/10/2016 | | | <0.0001 | 0.0002 (J) | | |
| 1/9/2017 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 1/12/2017 | | | <0.0001 | 0.00026 (J) | | |
| 3/13/2017 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 3/14/2017 | | | <0.0001 | | | |
| 3/15/2017 | | | | 0.0003 (J) | | |
| 5/15/2017 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 5/18/2017 | | | <0.0001 | 0.00028 (J) | | |
| 3/12/2018 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 3/14/2018 | | | <0.0001 | 0.00029 (J) | | |
| 6/5/2018 | <0.0001 | <0.0001 | | | | |
| 6/6/2018 | | | | | <0.0001 | <0.0001 |
| 6/11/2018 | | | <0.0001 | 0.00029 (J) | | |
| 10/16/2018 | <0.0001 | <0.0001 | | | | |
| 10/17/2018 | | | | | <0.0001 | <0.0001 |
| 10/18/2018 | | | <0.0001 | 0.00031 (J) | | |
| 2/27/2019 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 3/1/2019 | | | <0.0001 | 0.0003 (J) | | |
| 5/31/2019 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 6/3/2019 | | | <0.0001 | 0.0002 (J) | | |
| 11/6/2019 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 11/7/2019 | | | <0.0001 | 0.00024 (J) | | |
| 4/16/2020 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 4/17/2020 | | | <0.0001 | 0.00031 | | |
| 10/7/2020 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 10/9/2020 | | | 0.00012 (J) | 0.00037 (J) | | |
| 3/29/2021 | <0.0001 | <0.0001 (D) | | | <0.0001 | <0.0001 |
| 3/31/2021 | | | <0.0001 | 0.00028 | | |
| 9/2/2021 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 9/3/2021 | | | <0.0001 | 0.00022 (J) | | |
| 3/22/2022 | <0.0001 | <0.0001 | | | <0.0001 | <0.0001 |
| 3/23/2022 | | | <0.0001 | <0.0001 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | 20 | | | | | |
| 3/1/2016 | | | <5 | 84 | 760 | 290 | <5 |
| 5/2/2016 | <5 | | | | | | |
| 5/4/2016 | | 6 | | | | | 12 |
| 5/5/2016 | | | <5 | 76 | 620 | 250 | |
| 7/5/2016 | 12 | | | | | | |
| 7/7/2016 | | | 24 | 54 | 640 | 270 | |
| 7/8/2016 | | 6 | | | | | 10 |
| 9/6/2016 | 36 | 36 | 40 | | | | |
| 9/7/2016 | | | | 82 | 1100 | 270 | 10 |
| 11/7/2016 | 18 | | | | | | |
| 11/9/2016 | | | | | 1300 | 330 | 26 |
| 11/10/2016 | | 16 | 20 | 80 | | | |
| 1/9/2017 | 4 (J) | | | | | | |
| 1/11/2017 | | 38 | | | 1600 | 330 | 28 |
| 1/12/2017 | | | 54 | 110 | | | |
| 3/13/2017 | 6 | | | | | | |
| 3/14/2017 | | <5 | | | 1200 | 260 | <5 |
| 3/15/2017 | | | 14 | 82 | | | |
| 5/15/2017 | <5 | | | | | | |
| 5/18/2017 | | 10 | 38 | 100 | 1500 | 360 | 26 |
| 10/2/2017 | <5 | | | | | | |
| 10/5/2017 | | <5 | | | 980 | 240 | <5 |
| 10/6/2017 | | | 22 | 110 | | | |
| 12/19/2017 | | | | 72 (R) | 900 (R) | 460 (R) | |
| 3/12/2018 | 18 | | | | | | |
| 3/14/2018 | | 8 | 14 | 66 | 1100 | 300 | <5 |
| 6/5/2018 | 10 | | | | | | |
| 6/10/2018 | | 8 | | | 1500 | 560 | 6 |
| 6/11/2018 | | | 8 | 96 | | | |
| 10/16/2018 | 32 | | | | | | |
| 10/18/2018 | | 28 | | 64 | 860 | 250 | 68 |
| 10/19/2018 | | | 54 | | | | |
| 2/27/2019 | 110 | 68 | | | | | |
| 3/1/2019 | | | | | 440 | 210 | 28 |
| 3/2/2019 | | | 28 | 210 | | | |
| 5/31/2019 | 46 | <5 | | | | | |
| 6/3/2019 | | | 54 | | 950 | 500 | 28 |
| 6/11/2019 | | | | 110 | | | |
| 11/6/2019 | <5 | 10 | | | | | |
| 11/7/2019 | | | | 50 | 980 | | |
| 11/9/2019 | | | 24 | | | 720 | 42 |
| 4/16/2020 | 28 | 44 | | | | | |
| 4/17/2020 | | | | 70 | | | 48 |
| 4/18/2020 | | | 54 | | 1100 | 180 | |
| 10/7/2020 | 30 | 24 | | | | | |
| 10/8/2020 | | | 32 | 120 | 500 | 260 | 100 |
| 3/29/2021 | 38 | 26 | | | | | |
| 3/30/2021 | | | 32 | 170 | | 340 | 12 |
| 3/31/2021 | | | | | 1100 | | |
| 9/2/2021 | 40 | 8 | | | | | |
| 9/3/2021 | | | | | 1000 | 210 | <5 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | 10 | 62 | | | |
| 3/22/2022 | 58 | 14 | | | | | |
| 3/23/2022 | | | 36 | | 1300 | 230 | 30 |
| 3/24/2022 | | | | 90 | | | |

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:07 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | 12 | | | | |
| 3/1/2016 | | | | | 10 | <5 |
| 3/2/2016 | | | 30 | 440 | | |
| 5/2/2016 | <5 | 6 | | | | 36 |
| 5/3/2016 | | | | | <5 | |
| 5/5/2016 | | | 38 | 480 | | |
| 7/5/2016 | 14 | <5 | | | <5 | <5 |
| 7/7/2016 | | | 22 | 470 | | |
| 9/6/2016 | 30 | 38 | | | 36 | 44 |
| 9/7/2016 | | | 38 | 440 | | |
| 11/7/2016 | 8 | <5 | | | <5 | 30 |
| 11/10/2016 | | | 38 | 260 | | |
| 1/9/2017 | <5 | 14 | | | <5 | 12 |
| 1/12/2017 | | | 40 | 630 | | |
| 3/13/2017 | <5 | 8 | | | 22 | 20 |
| 3/14/2017 | | | 22 | | | |
| 3/15/2017 | | | | 620 | | |
| 5/15/2017 | <5 | <5 | | | 6 | 4 (J) |
| 5/18/2017 | | | 24 | 640 | | |
| 10/2/2017 | <5 | 6 | | | 16 | 24 |
| 10/5/2017 | | | <5 | | | |
| 10/6/2017 | | | | 360 | | |
| 12/19/2017 | | | | 840 (R) | | |
| 3/12/2018 | 14 | <5 | | | <5 | <5 |
| 3/14/2018 | | | 12 | 660 | | |
| 6/5/2018 | <5 | 14 | | | | |
| 6/6/2018 | | | | | 20 | 16 |
| 6/11/2018 | | | 26 | 670 | | |
| 10/16/2018 | 12 | 6 | | | | |
| 10/17/2018 | | | | | 44 | 44 |
| 10/18/2018 | | | 34 | 750 | | |
| 2/27/2019 | 54 | 110 | | | 20 | 28 |
| 3/1/2019 | | | 42 | 640 | | |
| 5/31/2019 | 8 | 26 | | | 32 | 18 |
| 6/3/2019 | | | 54 | 420 | | |
| 11/6/2019 | 4 (J) | <5 | | | 24 | 20 |
| 11/7/2019 | | | 24 | 540 | | |
| 4/16/2020 | 18 | 8 | | | 6 | 8 |
| 4/17/2020 | | | 28 | 600 | | |
| 10/7/2020 | 20 | 26 | | | 16 | 12 |
| 10/9/2020 | | | 86 | 660 | | |
| 3/29/2021 | 12 | 28 | | | 42 | 40 |
| 3/31/2021 | | | 66 | 620 | | |
| 9/2/2021 | 10 | 8 | | | 10 | <5 |
| 9/3/2021 | | | 170 | 580 | | |
| 3/22/2022 | 18 | 46 | | | 84 | 22 |
| 3/23/2022 | | | 90 | 630 | | |

ND substitution: RL or RL/2 if <15% NDs.

# 200 Series

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Barium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


Time Series




Constituent: Barium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Beryllium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Beryllium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Boron Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Boron Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cadmium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cadmium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Calcium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


Time Series




Constituent: Calcium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Chloride Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


Time Series




Constituent: Chloride Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Chromium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Chromium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cobalt Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cobalt Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Time Series





Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 11:28 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

## Time Series





Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 11:28 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Time Series





Constituent: Field pH Analysis Run 1/12/2023 11:28 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Time Series





Constituent: Field pH Analysis Run 1/12/2023 11:28 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Fluoride Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Fluoride Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lead Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lead Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

Time Series




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 11:28 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/2/2016 | | | | | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/3/2016 | | | | | <0.0025 |
| 5/4/2016 | | <0.0025 | | | |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 7/8/2016 | | <0.0025 | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2016 | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 11/9/2016 | | | | | <0.0025 |
| 11/10/2016 | | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 1/11/2017 | | <0.0025 | | | |
| 1/12/2017 | | | | | <0.0025 |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/14/2017 | | <0.0025 | | | |
| 3/17/2017 | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/16/2017 | | | | | <0.0025 |
| 5/18/2017 | | <0.0025 | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/13/2018 | | | | | <0.0025 |
| 3/14/2018 | | <0.0025 | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 6/8/2018 | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 10/18/2018 | | <0.0025 | | | |
| 11/13/2018 | | | | | <0.0025 |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 2/28/2019 | | | | | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/18/2020 | | | | | <0.0025 |
| 10/7/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 10/12/2020 | | | | | <0.0025 |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/1/2021 | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2021 | | | | | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/25/2022 | | | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 |
| 3/2/2016 | <0.0025 | <0.0025 | | |
| 5/2/2016 | | | | <0.0025 |
| 5/3/2016 | | <0.0025 | <0.0025 | |
| 5/4/2016 | 0.001 (J) | | | |
| 7/5/2016 | | <0.0025 | <0.0025 | <0.0025 |
| 7/6/2016 | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 |
| 9/8/2016 | <0.0025 | <0.0025 | | |
| 11/7/2016 | | | <0.0025 | <0.0025 |
| 11/8/2016 | <0.0025 | | | |
| 11/9/2016 | | <0.0025 | | |
| 1/9/2017 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | <0.0025 | | |
| 1/13/2017 | <0.0025 | | | |
| 3/13/2017 | | | <0.0025 | <0.0025 |
| 3/16/2017 | <0.0025 | | | |
| 3/17/2017 | | <0.0025 | | |
| 5/15/2017 | | | <0.0025 | <0.0025 |
| 5/17/2017 | <0.0025 | <0.0025 | | |
| 3/12/2018 | | | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | 0.0011 (J) | | |
| 6/6/2018 | | | <0.0025 | <0.0025 |
| 6/8/2018 | | <0.0025 | | |
| 6/9/2018 | <0.0025 | | | |
| 10/17/2018 | | <0.0025 | <0.0025 | <0.0025 |
| 11/14/2018 | 0.001 (J) | | | |
| 2/27/2019 | | | <0.0025 | <0.0025 |
| 2/28/2019 | | <0.0025 | | |
| 3/5/2019 | <0.0025 | | | |
| 4/16/2020 | | | <0.0025 | <0.0025 |
| 4/18/2020 | | <0.0025 | | |
| 4/22/2020 | <0.0025 | | | |
| 10/7/2020 | | | <0.0025 | <0.0025 |
| 10/12/2020 | <0.0025 | <0.0025 | | |
| 3/29/2021 | | | <0.0025 | <0.0025 |
| 4/1/2021 | <0.0025 | <0.0025 | | |
| 9/2/2021 | | | <0.0025 | <0.0025 |
| 9/8/2021 | <0.0025 | <0.0025 | | |
| 3/22/2022 | | | <0.0025 | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 3/2/2016 | | | | | 0.0059 (J) |
| 5/2/2016 | <0.00025 | | <0.00025 | <0.00025 | |
| 5/3/2016 | | | | | 0.0038 |
| 5/4/2016 | | <0.00025 | | | |
| 7/5/2016 | <0.00025 | | <0.00025 | <0.00025 | 0.0051 |
| 7/8/2016 | | <0.00025 | | | |
| 9/6/2016 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 9/8/2016 | | | | | 0.0042 (J) |
| 11/7/2016 | <0.00025 | | <0.00025 | <0.00025 | |
| 11/9/2016 | | | | | <0.00025 |
| 11/10/2016 | | <0.00025 | | | |
| 1/9/2017 | <0.00025 | | <0.00025 | <0.00025 | |
| 1/11/2017 | | <0.00025 | | | |
| 1/12/2017 | | | | | 0.00068 (J) |
| 3/13/2017 | 0.00069 (J) | | <0.00025 | 0.00069 (J) | |
| 3/14/2017 | | <0.00025 | | | |
| 3/17/2017 | | | | | 0.0029 |
| 5/15/2017 | <0.00025 | | <0.00025 | <0.00025 | |
| 5/16/2017 | | | | | 0.0018 |
| 5/18/2017 | | <0.00025 | | | |
| 3/12/2018 | <0.00025 | | <0.00025 | <0.00025 | |
| 3/13/2018 | | | | | 0.0013 |
| 3/14/2018 | | <0.00025 | | | |
| 6/5/2018 | <0.00025 | | <0.00025 | <0.00025 | |
| 6/8/2018 | | | | | 0.0018 |
| 6/10/2018 | | 0.00046 (J) | | | |
| 10/16/2018 | <0.00025 | | <0.00025 | <0.00025 | |
| 10/18/2018 | | <0.00025 | | | |
| 11/13/2018 | | | | | 0.00072 (J) |
| 2/27/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 2/28/2019 | | | | | 0.00067 (J) |
| 5/31/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 6/4/2019 | | | | | 0.00048 (J) |
| 11/6/2019 | 0.0002 (J) | 0.00019 (J) | 0.0002 (J) | 0.00012 (J) | |
| 11/12/2019 | | | | | 0.0011 (J) |
| 4/16/2020 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 4/18/2020 | | | | | 0.00044 |
| 10/7/2020 | <0.00025 | 0.00056 (J) | <0.00025 | <0.00025 | |
| 10/12/2020 | | | | | <0.00025 |
| 3/29/2021 | <0.00025 | 0.00078 | <0.00025 | 0.00054 | |
| 4/1/2021 | | | | | <0.00025 |
| 9/2/2021 | 0.00059 (J) | <0.00025 | <0.00025 | <0.00025 | |
| 9/8/2021 | | | | | <0.00025 |
| 3/22/2022 | <0.00025 | <0.00025 | <0.00025 | 0.00027 | |
| 3/25/2022 | | | | | <0.00025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.00025 | 0.00038 (J) |
| 3/2/2016 | 0.0033 (J) | 0.021 | | |
| 5/2/2016 | | | | 0.00073 (J) |
| 5/3/2016 | | 0.016 | <0.00025 | |
| 5/4/2016 | 0.0068 | | | |
| 7/5/2016 | | 0.017 | <0.00025 | 0.00077 (J) |
| 7/6/2016 | 0.01 | | | |
| 9/6/2016 | | | <0.00025 | 0.0013 |
| 9/8/2016 | 0.0093 | 0.011 | | |
| 11/7/2016 | | | <0.00025 | <0.00025 |
| 11/8/2016 | 0.0043 (J) | | | |
| 11/9/2016 | | 0.011 | | |
| 1/9/2017 | | | <0.00025 | 0.00053 (J) |
| 1/12/2017 | | 0.0062 | | |
| 1/13/2017 | 0.0034 | | | |
| 3/13/2017 | | | <0.00025 | <0.00025 |
| 3/16/2017 | 0.0023 | | | |
| 3/17/2017 | | 0.0078 | | |
| 5/15/2017 | | | <0.00025 | <0.00025 |
| 5/17/2017 | 0.0009 (J) | 0.0052 | | |
| 3/12/2018 | | | <0.00025 | <0.00025 |
| 3/14/2018 | 0.00062 (J) | 0.0033 | | |
| 6/6/2018 | | | <0.00025 | <0.00025 |
| 6/8/2018 | | 0.003 | | |
| 6/9/2018 | 0.00063 (J) | | | |
| 10/17/2018 | | 0.0028 | <0.00025 | <0.00025 |
| 11/14/2018 | <0.00025 | | | |
| 2/27/2019 | | | <0.00025 | <0.00025 |
| 2/28/2019 | | 0.00089 (J) | | |
| 3/5/2019 | <0.00025 | | | |
| 5/31/2019 | | | <0.00025 | <0.00025 |
| 6/4/2019 | <0.00025 | 0.001 (J) | | |
| 11/6/2019 | | | 0.00014 (J) | 0.00024 (J) |
| 11/12/2019 | <0.00025 | 0.0022 (V) | | |
| 4/16/2020 | | | <0.00025 | <0.00025 |
| 4/18/2020 | | 0.00086 | | |
| 4/22/2020 | <0.00025 | | | |
| 10/7/2020 | | | 0.00064 (J) | <0.00025 |
| 10/12/2020 | <0.00025 | 0.0017 | | |
| 3/29/2021 | | | <0.00025 | 0.00042 |
| 4/1/2021 | <0.00025 | 0.00064 | | |
| 9/2/2021 | | | <0.00025 | <0.00025 |
| 9/8/2021 | <0.00025 | <0.00025 | | |
| 3/22/2022 | | | <0.00025 | <0.00025 |
| 3/25/2022 | <0.00025 | <0.00025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 0.014 | 0.0097 (J) | 0.013 | 0.013 | |
| 3/2/2016 | | | | | 0.089 |
| 5/2/2016 | 0.013 | | 0.013 | 0.01 | |
| 5/3/2016 | | | | | 0.076 |
| 5/4/2016 | | 0.0095 | | | |
| 7/5/2016 | 0.013 | | 0.013 | 0.0089 | 0.068 |
| 7/8/2016 | | 0.0093 | | | |
| 9/6/2016 | 0.016 | 0.011 | 0.013 | 0.01 | |
| 9/8/2016 | | | | | 0.078 |
| 11/7/2016 | 0.014 | | 0.013 | 0.0096 | |
| 11/9/2016 | | | | | 0.051 |
| 11/10/2016 | | 0.0092 | | | |
| 1/9/2017 | 0.015 | | 0.012 | 0.011 | |
| 1/11/2017 | | 0.0092 | | | |
| 1/12/2017 | | | | | 0.036 |
| 3/13/2017 | 0.015 | | 0.013 | 0.011 | |
| 3/14/2017 | | 0.0095 | | | |
| 3/17/2017 | | | | | 0.061 |
| 5/15/2017 | 0.015 | | 0.011 | 0.0089 | |
| 5/16/2017 | | | | | 0.061 |
| 5/18/2017 | | 0.0095 | | | |
| 3/12/2018 | 0.017 | | 0.013 | 0.01 | |
| 3/13/2018 | | | | | 0.042 |
| 3/14/2018 | | 0.0089 | | | |
| 6/5/2018 | 0.018 | | 0.014 | 0.011 | |
| 6/8/2018 | | | | | 0.057 |
| 6/10/2018 | | 0.0092 | | | |
| 10/16/2018 | 0.017 | | 0.011 | 0.011 | |
| 10/18/2018 | | 0.0089 | | | |
| 11/13/2018 | | | | | 0.048 |
| 2/27/2019 | 0.021 | 0.011 | 0.014 | 0.011 | |
| 2/28/2019 | | | | | 0.045 |
| 5/31/2019 | 0.02 | 0.0088 | 0.013 | 0.01 | |
| 6/4/2019 | | | | | 0.04 |
| 11/6/2019 | 0.019 | 0.0094 | 0.012 | 0.0097 | |
| 11/12/2019 | | | | | 0.0071 |
| 4/16/2020 | 0.02 | 0.0099 | 0.012 | 0.012 | |
| 4/18/2020 | | | | | 0.025 |
| 10/7/2020 | 0.02 | 0.0088 | 0.012 | 0.011 | |
| 10/12/2020 | | | | | 0.025 |
| 3/29/2021 | 0.019 | 0.0097 | 0.011 | 0.011 | |
| 4/1/2021 | | | | | 0.031 |
| 9/2/2021 | 0.02 | 0.0089 | 0.012 | 0.011 | |
| 9/8/2021 | | | | | 0.026 |
| 3/22/2022 | 0.019 | 0.0092 | 0.01 | 0.012 | |
| 3/25/2022 | | | | | <0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 0.012 | 0.015 |
| 3/2/2016 | 0.064 | 0.13 | | |
| 5/2/2016 | | | | 0.013 |
| 5/3/2016 | | 0.11 | 0.012 | |
| 5/4/2016 | 0.078 | | | |
| 7/5/2016 | | 0.12 | 0.011 | 0.017 |
| 7/6/2016 | 0.081 | | | |
| 9/6/2016 | | | 0.012 | 0.017 |
| 9/8/2016 | 0.095 | 0.13 | | |
| 11/7/2016 | | | 0.012 | 0.023 |
| 11/8/2016 | 0.083 | | | |
| 11/9/2016 | | 0.12 | | |
| 1/9/2017 | | | 0.013 | 0.016 |
| 1/12/2017 | | 0.1 | | |
| 1/13/2017 | 0.071 | | | |
| 3/13/2017 | | | 0.013 | 0.016 |
| 3/16/2017 | 0.06 | | | |
| 3/17/2017 | | 0.12 | | |
| 5/15/2017 | | | 0.012 | 0.015 |
| 5/17/2017 | 0.036 | 0.11 | | |
| 3/12/2018 | | | 0.013 | 0.015 |
| 3/14/2018 | 0.03 | 0.079 | | |
| 6/6/2018 | | | 0.014 | 0.017 |
| 6/8/2018 | | 0.07 | | |
| 6/9/2018 | 0.029 | | | |
| 10/17/2018 | | 0.059 | 0.012 | 0.016 |
| 11/14/2018 | 0.028 | | | |
| 2/27/2019 | | | 0.015 | 0.018 |
| 2/28/2019 | | 0.048 | | |
| 3/5/2019 | 0.035 | | | |
| 5/31/2019 | | | 0.014 | 0.016 |
| 6/4/2019 | 0.04 | 0.048 | | |
| 11/6/2019 | | | 0.013 | 0.017 |
| 11/12/2019 | 0.011 | 0.0081 | | |
| 4/16/2020 | | | 0.014 | 0.017 |
| 4/18/2020 | | 0.056 | | |
| 4/22/2020 | 0.048 | | | |
| 10/7/2020 | | | 0.013 | 0.016 |
| 10/12/2020 | 0.038 | 0.051 | | |
| 3/29/2021 | | | 0.013 | 0.017 |
| 4/1/2021 | 0.055 | 0.051 | | |
| 9/2/2021 | | | 0.012 | 0.017 |
| 9/8/2021 | 0.049 | 0.039 | | |
| 3/22/2022 | | | 0.013 | 0.018 |
| 3/25/2022 | 0.041 | 0.038 | | |

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/2/2016 | | | | | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/3/2016 | | | | | <0.0025 |
| 5/4/2016 | | <0.0025 | | | |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 7/8/2016 | | <0.0025 | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2016 | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 11/9/2016 | | | | | <0.0025 |
| 11/10/2016 | | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 1/11/2017 | | <0.0025 | | | |
| 1/12/2017 | | | | | <0.0025 |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/14/2017 | | <0.0025 | | | |
| 3/17/2017 | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/16/2017 | | | | | <0.0025 |
| 5/18/2017 | | <0.0025 | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/13/2018 | | | | | <0.0025 |
| 3/14/2018 | | <0.0025 | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 6/8/2018 | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 10/18/2018 | | <0.0025 | | | |
| 11/13/2018 | | | | | <0.0025 (J3) |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 2/28/2019 | | | | | <0.0025 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 6/4/2019 | | | | | <0.0025 |
| 11/6/2019 | 9E-05 (J) | 4.7E-05 (J) | 6.6E-05 (J) | <0.0025 | |
| 11/12/2019 | | | | | <0.0025 |
| 4/16/2020 | 5.4E-05 (J) | 4.3E-05 (J) | 6.1E-05 (J) | <0.0025 | |
| 4/18/2020 | | | | | 4.5E-05 (J) |
| 10/7/2020 | 0.0014 (J) | 0.0014 (J) | 0.0015 (J) | 0.0015 (J) | |
| 10/12/2020 | | | | | <0.0025 |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/1/2021 | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2021 | | | | | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/25/2022 | | | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs. Substitution method for trace values of the form <PQL(J): PQL.

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 |
| 3/2/2016 | <0.0025 | 0.00055 (J) | | |
| 5/2/2016 | | | | <0.0025 |
| 5/3/2016 | | <0.0025 | <0.0025 | |
| 5/4/2016 | <0.0025 | | | |
| 7/5/2016 | | 0.00048 (J) | <0.0025 | <0.0025 |
| 7/6/2016 | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 |
| 9/8/2016 | <0.0025 | <0.0025 | | |
| 11/7/2016 | | | <0.0025 | <0.0025 |
| 11/8/2016 | <0.0025 | | | |
| 11/9/2016 | | <0.0025 | | |
| 1/9/2017 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | <0.0025 | | |
| 1/13/2017 | <0.0025 | | | |
| 3/13/2017 | | | <0.0025 | <0.0025 |
| 3/16/2017 | <0.0025 | | | |
| 3/17/2017 | | 0.00042 (J) | | |
| 5/15/2017 | | | <0.0025 | <0.0025 |
| 5/17/2017 | <0.0025 | <0.0025 | | |
| 3/12/2018 | | | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | <0.0025 | <0.0025 |
| 6/8/2018 | | <0.0025 | | |
| 6/9/2018 | <0.0025 | | | |
| 10/17/2018 | | <0.0025 | <0.0025 | <0.0025 |
| 11/14/2018 | <0.0025 (J3) | | | |
| 2/27/2019 | | | <0.0025 | <0.0025 |
| 2/28/2019 | | <0.0025 | | |
| 3/5/2019 | <0.0025 | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 |
| 6/4/2019 | <0.0025 | <0.0025 | | |
| 11/6/2019 | | | <0.0025 | <0.0025 |
| 11/12/2019 | <0.0025 | <0.0025 | | |
| 4/16/2020 | | | <0.0025 | <0.0025 |
| 4/18/2020 | | 4.1E-05 (J) | | |
| 4/22/2020 | 6.9E-05 (J) | | | |
| 10/7/2020 | | | 0.0014 (J) | 0.0014 (J) |
| 10/12/2020 | <0.0025 | <0.0025 | | |
| 3/29/2021 | | | <0.0025 | <0.0025 |
| 4/1/2021 | <0.0025 | <0.0025 | | |
| 9/2/2021 | | | <0.0025 | <0.0025 |
| 9/8/2021 | <0.0025 | <0.0025 | | |
| 3/22/2022 | | | <0.0025 | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs. Substitution method for trace values of the form <PQL(J): PQL.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.018 | <0.018 | <0.018 | <0.018 | |
| 3/2/2016 | | | | | 32 |
| 5/2/2016 | <0.018 | | <0.018 | <0.018 | |
| 5/3/2016 | | | | | 38 |
| 5/4/2016 | | <0.018 | | | |
| 7/5/2016 | <0.018 | | <0.018 | <0.018 | 42 |
| 7/8/2016 | | <0.018 | | | |
| 9/6/2016 | <0.018 | <0.018 | <0.018 | <0.018 | |
| 9/8/2016 | | | | | 36 |
| 11/7/2016 | <0.018 | | <0.018 | <0.018 | |
| 11/9/2016 | | | | | 25 |
| 11/10/2016 | | <0.018 | | | |
| 1/9/2017 | <0.018 | | <0.018 | <0.018 | |
| 1/11/2017 | | <0.018 | | | |
| 1/12/2017 | | | | | 9.1 |
| 3/13/2017 | <0.018 | | <0.018 | 0.022 (J) | |
| 3/14/2017 | | <0.018 | | | |
| 3/17/2017 | | | | | 28 |
| 5/15/2017 | <0.018 | | <0.018 | <0.018 | |
| 5/16/2017 | | | | | 21 |
| 5/18/2017 | | <0.018 | | | |
| 10/2/2017 | <0.018 | | <0.018 | 0.023 (J) | |
| 10/4/2017 | | | | | 18 |
| 10/5/2017 | | <0.018 | | | |
| 12/20/2017 | | | | | 16 (R) |
| 3/12/2018 | <0.018 | | <0.018 | <0.018 | |
| 3/13/2018 | | | | | 10 |
| 3/14/2018 | | <0.018 | | | |
| 6/5/2018 | <0.018 | | <0.018 | <0.018 | |
| 6/8/2018 | | | | | 12 |
| 6/10/2018 | | <0.018 | | | |
| 10/16/2018 | <0.018 | | <0.018 | <0.018 | |
| 10/18/2018 | | 0.081 | | | |
| 11/13/2018 | | | | | 9.1 |
| 2/27/2019 | <0.018 | <0.018 | <0.018 | <0.018 | |
| 2/28/2019 | | | | | 8.5 |
| 5/31/2019 | <0.018 | <0.018 | <0.018 | <0.018 | |
| 6/4/2019 | | | | | 11 |
| 11/6/2019 | 0.017 (V) | 0.016 (V) | 0.016 (V) | 0.022 (V) | |
| 11/12/2019 | | | | | 5.3 |
| 4/16/2020 | 0.02 | 0.013 | 0.013 | 0.017 | |
| 4/18/2020 | | | | | 1.6 |
| 10/7/2020 | <0.018 | <0.018 | <0.018 | <0.018 | |
| 10/12/2020 | | | | | 3 |
| 3/29/2021 | <0.018 | <0.018 | <0.018 | <0.018 | |
| 4/1/2021 | | | | | 2.9 |
| 9/2/2021 | 0.021 (J) | <0.018 | 0.018 (J) | 0.022 (J) | |
| 9/8/2021 | | | | | 2.1 |
| 3/22/2022 | 0.013 | 0.012 | 0.013 | 0.017 | |
| 3/25/2022 | | | | | 0.0043 (J) |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.018 | <0.018 |
| 3/2/2016 | 33 | 82 | | |
| 5/2/2016 | | | | <0.018 |
| 5/3/2016 | | 100 | <0.018 | |
| 5/4/2016 | 30 | | | |
| 7/5/2016 | | 150 | <0.018 | <0.018 |
| 7/6/2016 | 35 | | | |
| 9/6/2016 | | | <0.018 | <0.018 |
| 9/8/2016 | 38 | 66 | | |
| 11/7/2016 | | | <0.018 | <0.018 |
| 11/8/2016 | 39 | | | |
| 11/9/2016 | | 81 | | |
| 1/9/2017 | | | <0.018 | <0.018 |
| 1/12/2017 | | 68 | | |
| 1/13/2017 | 34 | | | |
| 3/13/2017 | | | <0.018 | <0.018 |
| 3/16/2017 | 21 | | | |
| 3/17/2017 | | 72 | | |
| 5/15/2017 | | | <0.018 | <0.018 |
| 5/17/2017 | 10 | 67 | | |
| 10/2/2017 | | | <0.018 | <0.018 |
| 10/3/2017 | | 52 | | |
| 10/4/2017 | 6 | | | |
| 12/20/2017 | 4.9 (R) | 51 | | |
| 3/12/2018 | | | <0.018 | <0.018 |
| 3/14/2018 | 4.4 | 48 | | |
| 6/6/2018 | | | <0.018 | <0.018 |
| 6/8/2018 | | 40 | | |
| 6/9/2018 | 4.1 | | | |
| 10/17/2018 | | 25 | <0.018 | <0.018 |
| 11/14/2018 | 2.3 | | | |
| 2/27/2019 | | | <0.018 | <0.018 |
| 2/28/2019 | | 20 | | |
| 3/5/2019 | 2.1 | | | |
| 5/31/2019 | | | <0.018 | <0.018 |
| 6/4/2019 | 5.2 | 19 | | |
| 11/6/2019 | | | 0.011 (V) | 0.0099 (J) |
| 11/12/2019 | 4.5 | 14 | | |
| 4/16/2020 | | | 0.0075 (J) | 0.0055 (J) |
| 4/18/2020 | | 17 | | |
| 4/22/2020 | 4.2 | | | |
| 10/7/2020 | | | <0.018 | <0.018 |
| 10/12/2020 | 3.3 | 17 | | |
| 3/29/2021 | | | <0.018 | <0.018 |
| 4/1/2021 | 4 | 19 | | |
| 9/2/2021 | | | <0.018 | <0.018 |
| 9/8/2021 | 3.8 | 13 | | |
| 3/22/2022 | | | 0.009 (J) | 0.0063 (J) |
| 3/25/2022 | 3.4 | 10 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/2/2016 | | | | | 0.022 (o) |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/3/2016 | | | | | <0.0025 |
| 5/4/2016 | | <0.0025 | | | |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 7/8/2016 | | <0.0025 | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2016 | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 11/9/2016 | | | | | <0.0025 |
| 11/10/2016 | | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 1/11/2017 | | <0.0025 | | | |
| 1/12/2017 | | | | | <0.0025 |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/14/2017 | | <0.0025 | | | |
| 3/17/2017 | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/16/2017 | | | | | <0.0025 |
| 5/18/2017 | | <0.0025 | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/13/2018 | | | | | 0.00039 (J) |
| 3/14/2018 | | <0.0025 | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 6/8/2018 | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 10/18/2018 | | <0.0025 | | | |
| 11/13/2018 | | | | | <0.0025 |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 2/28/2019 | | | | | <0.0025 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 6/4/2019 | | | | | <0.0025 |
| 11/6/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 11/12/2019 | | | | | 0.00061 (J) |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/18/2020 | | | | | 0.00091 |
| 10/7/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 10/12/2020 | | | | | <0.0025 |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/1/2021 | | | | | 0.0012 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2021 | | | | | 0.0006 (J) |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/25/2022 | | | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 |
| 3/2/2016 | <0.0025 | 0.0031 (J) | | |
| 5/2/2016 | | | | <0.0025 |
| 5/3/2016 | | 0.0025 | <0.0025 | |
| 5/4/2016 | 0.014 | | | |
| 7/5/2016 | | 0.0026 | <0.0025 | <0.0025 |
| 7/6/2016 | 0.015 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 |
| 9/8/2016 | 0.015 | 0.0026 (J) | | |
| 11/7/2016 | | | <0.0025 | <0.0025 |
| 11/8/2016 | 0.014 | | | |
| 11/9/2016 | | 0.0032 (J) | | |
| 1/9/2017 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | 0.0031 | | |
| 1/13/2017 | 0.013 | | | |
| 3/13/2017 | | | <0.0025 | <0.0025 |
| 3/16/2017 | 0.0084 | | | |
| 3/17/2017 | | 0.0027 | | |
| 5/15/2017 | | | <0.0025 | <0.0025 |
| 5/17/2017 | 0.0044 | 0.0024 (J) | | |
| 3/12/2018 | | | <0.0025 | <0.0025 |
| 3/14/2018 | 0.0032 | 0.0014 (J) | | |
| 6/6/2018 | | | <0.0025 | <0.0025 |
| 6/8/2018 | | 0.0014 (J) | | |
| 6/9/2018 | 0.0029 | | | |
| 10/17/2018 | | 0.00088 (J) | <0.0025 | <0.0025 |
| 11/14/2018 | 0.0021 (J) | | | |
| 2/27/2019 | | | <0.0025 | <0.0025 |
| 2/28/2019 | | 0.00065 (J) | | |
| 3/5/2019 | 0.0023 (J) | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 |
| 6/4/2019 | 0.0017 (J) | 0.00035 (J) | | |
| 11/6/2019 | | | <0.0025 | <0.0025 |
| 11/12/2019 | 0.002 (J) | 0.00055 (J) | | |
| 4/16/2020 | | | <0.0025 | <0.0025 |
| 4/18/2020 | | 0.00029 (J) | | |
| 4/22/2020 | 0.0013 | | | |
| 10/7/2020 | | | <0.0025 | <0.0025 |
| 10/12/2020 | 0.0015 (J) | <0.0025 | | |
| 3/29/2021 | | | <0.0025 | <0.0025 |
| 4/1/2021 | 0.0012 | 0.00065 | | |
| 9/2/2021 | | | <0.0025 | <0.0025 |
| 9/8/2021 | 0.0013 (J) | 0.00044 (J) | | |
| 3/22/2022 | | | <0.0025 | <0.0025 |
| 3/25/2022 | 0.0017 (J) | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1 (J) | 0.67 | 1.4 | |
| 3/2/2016 | | | | | 900 |
| 5/2/2016 | 0.78 | | 0.58 | 1.1 | |
| 5/3/2016 | | | | | 1200 |
| 5/4/2016 | | 0.62 | | | |
| 7/5/2016 | 0.65 | | 0.43 | 0.94 | 920 |
| 7/8/2016 | | 0.4 | | | |
| 9/6/2016 | 0.7 | 0.45 | 0.48 | 1 | |
| 9/8/2016 | | | | | 870 |
| 11/7/2016 | 0.8 | | 0.56 | 1.2 | |
| 11/9/2016 | | | | | 570 |
| 11/10/2016 | | 0.44 | | | |
| 1/9/2017 | 0.74 | | 0.43 | 1.2 | |
| 1/11/2017 | | 0.42 | | | |
| 1/12/2017 | | | | | 220 |
| 3/13/2017 | 0.78 | | 0.48 | 1.3 | |
| 3/14/2017 | | 0.42 | | | |
| 3/17/2017 | | | | | 570 |
| 5/15/2017 | 0.76 | | 0.37 | 1 | |
| 5/16/2017 | | | | | 500 |
| 5/18/2017 | | 0.38 | | | |
| 10/2/2017 | 0.78 | | 0.47 | 1.2 | |
| 10/4/2017 | | | | | 490 |
| 10/5/2017 | | 0.39 | | | |
| 12/20/2017 | | | | | 420 (R) |
| 3/12/2018 | 0.88 | | 0.49 | 1.4 | |
| 3/13/2018 | | | | | 290 |
| 3/14/2018 | | 0.49 | | | |
| 6/5/2018 | 0.9 | | 0.49 | 1.2 | |
| 6/8/2018 | | | | | 320 |
| 6/10/2018 | | 0.39 | | | |
| 10/16/2018 | 0.86 | | 0.42 | 1.4 | |
| 10/18/2018 | | 0.41 | | | |
| 11/13/2018 | | | | | 220 |
| 2/27/2019 | 0.96 | 0.44 | 0.56 | 1.3 | |
| 2/28/2019 | | | | | 230 |
| 5/31/2019 | 0.76 | 0.28 | 0.33 | 1.1 | |
| 6/4/2019 | | | | | 170 |
| 11/6/2019 | 0.88 | 0.46 | 0.49 | 1.2 | |
| 11/12/2019 | | | | | 130 |
| 4/16/2020 | 0.84 | 0.38 | 0.36 | 1.3 | |
| 4/18/2020 | | | | | 40 |
| 10/7/2020 | 0.93 | 0.47 | 0.43 | 1.6 | |
| 10/12/2020 | | | | | 74 |
| 3/29/2021 | 1 | 0.43 | 0.46 | 1.6 | |
| 4/1/2021 | | | | | 75 |
| 9/2/2021 | 1.1 | 0.63 | 0.47 | 1.5 | |
| 9/8/2021 | | | | | 74 |
| 3/22/2022 | 0.9 | 0.38 | 0.33 | 1.6 | |
| 3/25/2022 | | | | | <0.05 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 0.6 | 1.5 |
| 3/2/2016 | 890 | 2400 | | |
| 5/2/2016 | | | | 0.83 |
| 5/3/2016 | | 2100 | 0.55 | |
| 5/4/2016 | 830 | | | |
| 7/5/2016 | | 2200 | 0.53 | 1.6 |
| 7/6/2016 | 780 | | | |
| 9/6/2016 | | | 0.5 | 1.6 |
| 9/8/2016 | 820 | 2000 | | |
| 11/7/2016 | | | 0.68 | 1.5 |
| 11/8/2016 | 760 | | | |
| 11/9/2016 | | 2000 | | |
| 1/9/2017 | | | 0.56 | 0.98 |
| 1/12/2017 | | 1800 | | |
| 1/13/2017 | 660 | | | |
| 3/13/2017 | | | 0.62 | 0.75 |
| 3/16/2017 | 400 | | | |
| 3/17/2017 | | 1800 | | |
| 5/15/2017 | | | 0.58 | 0.83 |
| 5/17/2017 | 160 | 1500 | | |
| 10/2/2017 | | | 0.62 | 0.83 |
| 10/3/2017 | | 1300 | | |
| 10/4/2017 | 100 | | | |
| 12/20/2017 | 82 (R) | 1200 | | |
| 3/12/2018 | | | 0.59 | 0.71 |
| 3/14/2018 | 75 | 1100 | | |
| 6/6/2018 | | | 0.59 | 0.68 |
| 6/8/2018 | | 800 | | |
| 6/9/2018 | 64 | | | |
| 10/17/2018 | | 530 | 0.54 | 0.66 |
| 11/14/2018 | 38 | | | |
| 2/27/2019 | | | 0.63 | 0.7 |
| 2/28/2019 | | 350 | | |
| 3/5/2019 | 43 | | | |
| 5/31/2019 | | | 0.45 | 0.52 |
| 6/4/2019 | 54 | 380 (D) | | |
| 11/6/2019 | | | 0.55 | 0.74 |
| 11/12/2019 | 82 | 240 | | |
| 4/16/2020 | | | 0.53 | 0.59 |
| 4/18/2020 | | 320 | | |
| 4/22/2020 | 61 | | | |
| 10/7/2020 | | | 0.63 | 0.67 |
| 10/12/2020 | 58 | 300 | | |
| 3/29/2021 | | | 0.68 | 0.75 |
| 4/1/2021 | 75 | 290 | | |
| 9/2/2021 | | | 0.56 | 0.73 |
| 9/8/2021 | 72 | 200 | | |
| 3/22/2022 | | | 0.81 | 0.7 |
| 3/25/2022 | 73 | 170 | | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 5.4 | 8.1 | 7.4 | |
| 3/2/2016 | | | | | 1700 |
| 5/2/2016 | 4.4 | | 6 | 6.3 | |
| 5/3/2016 | | | | | 2500 |
| 5/4/2016 | | 4.5 | | | |
| 7/5/2016 | 4.2 | | 5.2 | 4.8 | <140 (*) |
| 7/8/2016 | | 4.9 | | | |
| 9/6/2016 | 4.3 | 4.3 | 5.5 | 6 | |
| 9/8/2016 | | | | | 1900 |
| 11/7/2016 | 4.2 | | 5.4 | 5.7 | |
| 11/9/2016 | | | | | 1200 |
| 11/10/2016 | | 4.5 | | | |
| 1/9/2017 | 5.3 | | 6.1 | 6.8 | |
| 1/11/2017 | | 5.3 | | | |
| 1/12/2017 | | | | | 470 |
| 3/13/2017 | 5.2 | | 5.5 | 6.8 | |
| 3/14/2017 | | 5.5 | | | |
| 3/17/2017 | | | | | 1100 |
| 5/15/2017 | 4.8 | | 4.7 | 6.1 | |
| 5/16/2017 | | | | | 1000 |
| 5/18/2017 | | 5 | | | |
| 10/2/2017 | 5.5 | | 6.1 | 6 | |
| 10/4/2017 | | | | | 910 |
| 10/5/2017 | | 5.6 | | | |
| 12/20/2017 | | | | | 810 (R) |
| 3/12/2018 | 5.3 | | 6.1 | 5.9 | |
| 3/13/2018 | | | | | 530 |
| 3/14/2018 | | 5.2 | | | |
| 6/5/2018 | 5.3 | | 5.5 | 6.5 | |
| 6/8/2018 | | | | | 680 |
| 6/10/2018 | | 5.2 | | | |
| 10/16/2018 | 5.5 | | 5.1 | 5.9 | |
| 10/18/2018 | | 5.2 | | | |
| 11/13/2018 | | | | | 450 |
| 2/27/2019 | 4.6 | 5.1 | 5 | 4.3 | |
| 2/28/2019 | | | | | 470 |
| 5/31/2019 | 5.1 | 5 | 5.4 | 4.5 | |
| 6/4/2019 | | | | | 310 |
| 11/6/2019 | 5.8 | 6 | 6.1 | 5.7 | |
| 11/12/2019 | | | | | 280 |
| 4/16/2020 | 6.1 | 5.8 | 5.3 | 5.6 | |
| 4/18/2020 | | | | | 59 |
| 10/7/2020 | 6.6 | 5.9 | 5.7 | 5.1 | |
| 10/12/2020 | | | | | 130 |
| 3/29/2021 | 10 | 5.8 | 5.2 | 5 | |
| 4/1/2021 | | | | | 130 |
| 9/2/2021 | 5.8 | 5.1 | 5.1 | 5.2 | |
| 9/8/2021 | | | | | 100 |
| 3/22/2022 | 5.9 | 4.9 | 4.7 | 8.8 | |
| 3/25/2022 | | | | | 76 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 5.6 | 4 |
| 3/2/2016 | 1700 | 4700 | | |
| 5/2/2016 | | | | 3.6 |
| 5/3/2016 | | 4900 | 5.1 | |
| 5/4/2016 | 1600 | | | |
| 7/5/2016 | | 360 (o) | 4.7 | 3.6 |
| 7/6/2016 | 2000 | | | |
| 9/6/2016 | | | 4.4 | 4 |
| 9/8/2016 | 1800 | 4400 | | |
| 11/7/2016 | | | 4.6 | 4.4 |
| 11/8/2016 | 1800 | | | |
| 11/9/2016 | | 4800 | | |
| 1/9/2017 | | | 5.3 | 4.4 |
| 1/12/2017 | | 3900 | | |
| 1/13/2017 | 1500 | | | |
| 3/13/2017 | | | 5.6 | 4.1 |
| 3/16/2017 | 870 | | | |
| 3/17/2017 | | 3700 | | |
| 5/15/2017 | | | 5.2 | 3.7 |
| 5/17/2017 | 310 | 3500 | | |
| 10/2/2017 | | | 5.5 | 4.8 |
| 10/3/2017 | | 2300 | | |
| 10/4/2017 | 160 | | | |
| 12/20/2017 | 110 (R) | 2400 | | |
| 3/12/2018 | | | 5.6 | 4 |
| 3/14/2018 | 110 | 2100 | | |
| 6/6/2018 | | | 5.6 | 4.1 |
| 6/8/2018 | | 1800 | | |
| 6/9/2018 | 86 | | | |
| 10/17/2018 | | 1200 | 5.5 | 3.7 |
| 11/14/2018 | 41 | | | |
| 2/27/2019 | | | 5.1 | 4 |
| 2/28/2019 | | 720 | | |
| 3/5/2019 | 75 | | | |
| 5/31/2019 | | | 5.4 | 3.7 |
| 6/4/2019 | 98 | 690 | | |
| 11/6/2019 | | | 5.9 | 4.7 |
| 11/12/2019 | 190 | 490 | | |
| 4/16/2020 | | | 6.2 | 4.9 |
| 4/18/2020 | | 660 | | |
| 4/22/2020 | 120 | | | |
| 10/7/2020 | | | 6.1 | 4.7 |
| 10/12/2020 | 82 | 610 | | |
| 3/29/2021 | | | 6.2 | 5.4 |
| 4/1/2021 | 140 | 510 | | |
| 9/2/2021 | | | 5.9 | 5.1 |
| 9/8/2021 | 130 | 440 | | |
| 3/22/2022 | | | 5.6 | 4.8 |
| 3/25/2022 | 160 | 340 | | |

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 3/2/2016 | | | | | <0.0005 |
| 5/2/2016 | 0.0029 | | 0.0019 (J) | 0.0034 | |
| 5/3/2016 | | | | | <0.0005 |
| 5/4/2016 | | <0.0005 | | | |
| 7/5/2016 | <0.0005 | | 0.0051 | 0.0059 | <0.0005 |
| 7/8/2016 | | <0.0005 | | | |
| 9/6/2016 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 9/8/2016 | | | | | <0.0005 |
| 11/7/2016 | <0.0005 | | <0.0005 | <0.0005 | |
| 11/9/2016 | | | | | <0.0005 |
| 11/10/2016 | | <0.0005 | | | |
| 1/9/2017 | <0.0005 | | 0.017 (o) | <0.0005 | |
| 1/11/2017 | | <0.0005 | | | |
| 1/12/2017 | | | | | <0.0005 |
| 3/13/2017 | <0.0005 | | <0.0005 | <0.0005 | |
| 3/14/2017 | | <0.0005 | | | |
| 3/17/2017 | | | | | <0.0005 |
| 5/15/2017 | <0.0005 | | <0.0005 | <0.0005 | |
| 5/16/2017 | | | | | <0.0005 |
| 5/18/2017 | | <0.0005 | | | |
| 3/12/2018 | <0.0005 | | <0.0005 | <0.0005 | |
| 3/13/2018 | | | | | <0.0005 |
| 3/14/2018 | | <0.0005 | | | |
| 6/5/2018 | <0.0005 | | <0.0005 | <0.0005 | |
| 6/8/2018 | | | | | <0.0005 |
| 6/10/2018 | | <0.0005 | | | |
| 10/16/2018 | <0.0005 | | <0.0005 | <0.0005 | |
| 10/18/2018 | | <0.0005 | | | |
| 2/27/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 2/28/2019 | | | | | <0.0005 |
| 5/31/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 11/6/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 4/16/2020 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 4/18/2020 | | | | | <0.0005 |
| 10/7/2020 | <0.0005 | 0.0046 | 0.001 (J) | 0.0015 (J) | |
| 10/12/2020 | | | | | <0.0005 |
| 3/29/2021 | <0.0005 | 0.0024 | <0.0005 | <0.0005 | |
| 4/1/2021 | | | | | <0.0005 |
| 9/2/2021 | 0.0014 (J) | <0.0005 | <0.0005 | <0.0005 | |
| 9/8/2021 | | | | | <0.0005 |
| 3/22/2022 | 0.0046 | 0.0051 | 0.00032 (J) | 0.00027 (J) | |
| 3/25/2022 | | | | | <0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0005 | 0.00056 (J) |
| 3/2/2016 | <0.0005 | 0.0026 (J) | | |
| 5/2/2016 | | | | 0.0021 (J) |
| 5/3/2016 | | <0.0005 | 0.0012 (J) | |
| 5/4/2016 | <0.0005 | | | |
| 7/5/2016 | | <0.0005 | <0.0005 | <0.0005 |
| 7/6/2016 | <0.0005 | | | |
| 9/6/2016 | | | <0.0005 | <0.0005 |
| 9/8/2016 | <0.0005 | <0.0005 | | |
| 11/7/2016 | | | <0.0005 | <0.0005 |
| 11/8/2016 | <0.0005 | | | |
| 11/9/2016 | | <0.0005 | | |
| 1/9/2017 | | | <0.0005 | <0.0005 |
| 1/12/2017 | | <0.0005 | | |
| 1/13/2017 | <0.0005 | | | |
| 3/13/2017 | | | <0.0005 | <0.0005 |
| 3/16/2017 | <0.0005 | | | |
| 3/17/2017 | | <0.0005 | | |
| 5/15/2017 | | | <0.0005 | <0.0005 |
| 5/17/2017 | <0.0005 | <0.0005 | | |
| 3/12/2018 | | | <0.0005 | <0.0005 |
| 3/14/2018 | <0.0005 | <0.0005 | | |
| 6/6/2018 | | | <0.0005 | <0.0005 |
| 6/8/2018 | | <0.0005 | | |
| 6/9/2018 | <0.0005 | | | |
| 10/17/2018 | | | <0.0005 | <0.0005 |
| 2/27/2019 | | | <0.0005 | <0.0005 |
| 2/28/2019 | | <0.0005 | | |
| 3/5/2019 | <0.0005 | | | |
| 5/31/2019 | | | <0.0005 | <0.0005 |
| 11/6/2019 | | | <0.0005 | <0.0005 |
| 4/16/2020 | | | <0.0005 | <0.0005 |
| 4/18/2020 | | <0.0005 | | |
| 4/22/2020 | <0.0005 | | | |
| 10/7/2020 | | | 0.0033 | 0.0017 (J) |
| 10/12/2020 | 0.0011 (J) | <0.0005 | | |
| 3/29/2021 | | | <0.0005 | <0.0005 |
| 4/1/2021 | 0.0018 | <0.0005 | | |
| 9/2/2021 | | | <0.0005 | <0.0005 |
| 9/8/2021 | 0.002 (J) | <0.0005 | | |
| 3/22/2022 | | | 0.0088 | 0.0022 |
| 3/25/2022 | <0.0005 | <0.0005 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 0.00039 (J) | <0.0005 | 0.00064 (J) | 0.00023 (J) | |
| 3/2/2016 | | | | | 0.0024 (J) |
| 5/2/2016 | 0.0013 (J) | | 0.0014 (J) | 0.00092 (J) | |
| 5/3/2016 | | | | | 0.0015 (J) |
| 5/4/2016 | | <0.0005 | | | |
| 7/5/2016 | 0.00049 (J) | | 0.0027 | 0.0032 | 0.0015 (J) |
| 7/8/2016 | | <0.0005 | | | |
| 9/6/2016 | 0.00062 (J) | 0.00042 (J) | 0.00062 (J) | <0.0005 | |
| 9/8/2016 | | | | | <0.0005 |
| 11/7/2016 | 0.00049 (J) | | 0.00058 (J) | <0.0005 | |
| 11/9/2016 | | | | | <0.0005 |
| 11/10/2016 | | <0.0005 | | | |
| 1/9/2017 | 0.00045 (J) | | 0.00059 (J) | <0.0005 | |
| 1/11/2017 | | <0.0005 | | | |
| 1/12/2017 | | | | | 0.00056 (J) |
| 3/13/2017 | 0.00048 (J) | | 0.0005 (J) | <0.0005 | |
| 3/14/2017 | | <0.0005 | | | |
| 3/17/2017 | | | | | 0.0012 (J) |
| 5/15/2017 | 0.00052 (J) | | 0.00046 (J) | <0.0005 | |
| 5/16/2017 | | | | | 0.0013 (J) |
| 5/18/2017 | | <0.0005 | | | |
| 3/12/2018 | 0.00055 (J) | | 0.00055 (J) | <0.0005 | |
| 3/13/2018 | | | | | 0.0011 (J) |
| 3/14/2018 | | <0.0005 | | | |
| 6/5/2018 | 0.00051 (J) | | 0.00052 (J) | <0.0005 | |
| 6/8/2018 | | | | | 0.0028 |
| 6/10/2018 | | <0.0005 | | | |
| 10/16/2018 | 0.00058 (J) | | 0.00045 (J) | <0.0005 | |
| 10/18/2018 | | <0.0005 | | | |
| 11/13/2018 | | | | | 0.0019 (J) |
| 2/27/2019 | 0.00065 (J) | <0.0005 | 0.00056 (J) | <0.0005 | |
| 2/28/2019 | | | | | 0.0024 (J) |
| 5/31/2019 | 0.00046 (J) | <0.0005 | <0.0005 | <0.0005 | |
| 6/4/2019 | | | | | 0.0013 (J) |
| 11/6/2019 | 0.00056 (J) | 0.00033 (J) | 0.00048 (J) | 0.00019 (J) | |
| 11/12/2019 | | | | | <0.0005 |
| 4/16/2020 | 0.00058 | 0.00035 (J) | 0.00043 (J) | 0.00021 (J) | |
| 4/18/2020 | | | | | 0.00048 (J) |
| 10/7/2020 | 0.0006 (J) | <0.0005 | <0.0005 | <0.0005 | |
| 10/12/2020 | | | | | <0.0005 |
| 3/29/2021 | 0.00059 | <0.0005 | <0.0005 | <0.0005 | |
| 4/1/2021 | | | | | 0.0013 |
| 9/2/2021 | 0.00069 (J) | <0.0005 | <0.0005 | <0.0005 | |
| 9/8/2021 | | | | | 0.00061 (J) |
| 3/22/2022 | 0.0014 | 0.0012 | 0.00038 (J) | 0.0002 (J) | |
| 3/25/2022 | | | | | <0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 0.00064 (J) | 0.00071 (J) |
| 3/2/2016 | 0.0013 (J) | 0.0074 (J) | | |
| 5/2/2016 | | | | 0.001 (J) |
| 5/3/2016 | | 0.0051 | 0.00079 (J) | |
| 5/4/2016 | 0.0026 | | | |
| 7/5/2016 | | 0.0055 | <0.0005 | 0.00055 (J) |
| 7/6/2016 | 0.0033 | | | |
| 9/6/2016 | | | 0.00094 (J) | 0.00057 (J) |
| 9/8/2016 | 0.0038 (J) | 0.0056 (J) | | |
| 11/7/2016 | | | 0.00041 (J) | 0.00047 (J) |
| 11/8/2016 | 0.0035 (J) | | | |
| 11/9/2016 | | 0.0057 (J) | | |
| 1/9/2017 | | | 0.00074 (J) | 0.00054 (J) |
| 1/12/2017 | | 0.0044 | | |
| 1/13/2017 | 0.006 | | | |
| 3/13/2017 | | | 0.00091 (J) | 0.0004 (J) |
| 3/16/2017 | 0.0021 (J) | | | |
| 3/17/2017 | | 0.0027 | | |
| 5/15/2017 | | | 0.00075 (J) | 0.00046 (J) |
| 5/17/2017 | 0.0021 (J) | 0.0035 | | |
| 3/12/2018 | | | 0.00044 (J) | <0.0005 |
| 3/14/2018 | 0.0022 (J) | 0.0027 | | |
| 6/6/2018 | | | 0.0004 (J) | 0.00048 (J) |
| 6/8/2018 | | 0.0029 | | |
| 6/9/2018 | 0.0016 (J) | | | |
| 10/17/2018 | | 0.0027 | <0.0005 | 0.00043 (J) |
| 11/14/2018 | 0.0016 (J) | | | |
| 2/27/2019 | | | <0.0005 | 0.00045 (J) |
| 2/28/2019 | | 0.0022 (J) | | |
| 3/5/2019 | 0.0017 (J) | | | |
| 5/31/2019 | | | <0.0005 | <0.0005 |
| 6/4/2019 | 0.0014 (J) | 0.0018 (J) | | |
| 11/6/2019 | | | 0.00029 (J) | 0.00094 (J) |
| 11/12/2019 | <0.0005 | 0.00067 (J) | | |
| 4/16/2020 | | | 0.00029 (J) | 0.00053 |
| 4/18/2020 | | 0.0016 | | |
| 4/22/2020 | 0.00091 | | | |
| 10/7/2020 | | | <0.0005 | <0.0005 |
| 10/12/2020 | 0.0014 (J) | 0.0019 (J) | | |
| 3/29/2021 | | | <0.0005 | 0.00062 |
| 4/1/2021 | 0.0012 | 0.002 | | |
| 9/2/2021 | | | <0.0005 | 0.00069 (J) |
| 9/8/2021 | 0.00071 (J) | 0.0014 (J) | | |
| 3/22/2022 | | | 0.0014 | 0.0016 |
| 3/25/2022 | 0.00086 (J) | 0.0012 (J) | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L)  Analysis Run 1/12/2023 11:31 AM  View: 200 Series

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 1.27 | 1.09 | 1.42 | 2.4 | |
| 3/2/2016 | | | | | 22.9 |
| 5/2/2016 | 0.808 | | 1.03 | 1.62 | |
| 5/3/2016 | | | | | 23.6 |
| 5/4/2016 | | 0.848 | | | |
| 7/5/2016 | 0.947 | | 0.961 | 1.01 | 23.6 |
| 7/8/2016 | | 1.46 | | | |
| 9/6/2016 | 1.07 | 1.34 | 1.07 | 1.8 | |
| 9/8/2016 | | | | | 20.8 |
| 11/7/2016 | 0.602 | | 0.818 | 1.86 | |
| 11/9/2016 | | | | | 7.46 |
| 11/10/2016 | | 1.23 | | | |
| 1/9/2017 | 0.865 | | 0.934 | 2.25 | |
| 1/11/2017 | | 1.11 | | | |
| 1/12/2017 | | | | | 11.2 |
| 3/13/2017 | 0.693 | | 0.937 | 1.87 | |
| 3/14/2017 | | 1.01 | | | |
| 3/17/2017 | | | | | 14.3 |
| 5/15/2017 | 0.786 | | 0.685 | 1.4 | |
| 5/16/2017 | | | | | 16.9 |
| 5/18/2017 | | 0.745 | | | |
| 3/12/2018 | 0.933 | | 1.09 | 1.97 | |
| 3/13/2018 | | | | | 10.9 |
| 3/14/2018 | | 0.614 | | | |
| 6/5/2018 | 0.713 | | 0.927 | 2.17 | |
| 6/8/2018 | | | | | 10.6 |
| 6/10/2018 | | 0.959 | | | |
| 10/16/2018 | 2.14 | | 1.07 | 2.2 | |
| 10/18/2018 | | 0.944 | | | |
| 11/13/2018 | | | | | 9.09 |
| 2/27/2019 | 0.651 | 0.827 | 0.912 | 1.8 | |
| 2/28/2019 | | | | | 9.7 |
| 5/31/2019 | 1.33 | 0.99 | 1.24 | 1.8 | |
| 6/4/2019 | | | | | 7.7 |
| 11/6/2019 | 1.32 | 0.892 | 0.509 (U) | 2.32 | |
| 11/12/2019 | | | | | 6.4 |
| 4/16/2020 | 0.971 | 0.497 | 0.568 | 1.35 | |
| 4/18/2020 | | | | | 2.42 |
| 10/7/2020 | 1.14 | 1.07 | 0.763 | 1.75 | |
| 10/12/2020 | | | | | 4.51 |
| 3/29/2021 | 1.72 | 0.561 | 0.708 | | |
| 3/30/2021 | | | | 1.71 | |
| 4/1/2021 | | | | | 5.51 |
| 9/2/2021 | 1.65 | 0.975 | 1.75 | 2.13 | |
| 9/8/2021 | | | | | 4.54 |
| 3/22/2022 | 1.75 | 1.1 | 1.78 | 3.12 | |
| 3/25/2022 | | | | | 3.81 |

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 0.647 | <5 |
| 3/2/2016 | 22.1 | 36.5 | | |
| 5/2/2016 | | | | <5 |
| 5/3/2016 | | 35.5 | 0.748 | |
| 5/4/2016 | 19.9 | | | |
| 7/5/2016 | | 32.9 | 0.591 | <5 |
| 7/6/2016 | 28.5 | | | |
| 9/6/2016 | | | 0.831 | 0.566 |
| 9/8/2016 | 20.1 | 23 | | |
| 11/7/2016 | | | 0.983 | 0.784 |
| 11/8/2016 | 24.6 | | | |
| 11/9/2016 | | 40.5 | | |
| 1/9/2017 | | | 0.767 | 0.541 |
| 1/12/2017 | | 35.4 | | |
| 1/13/2017 | 22.8 | | | |
| 3/13/2017 | | | 1.26 | 0.442 |
| 3/16/2017 | 12.2 | | | |
| 3/17/2017 | | 27.7 | | |
| 5/15/2017 | | | 0.553 | 0.345 |
| 5/17/2017 | 7.05 | 26.4 | | |
| 3/12/2018 | | | 0.783 | 0.848 |
| 3/14/2018 | 6.95 | 17.7 | | |
| 6/6/2018 | | | 1.08 | 0.78 |
| 6/8/2018 | | 15.3 | | |
| 6/9/2018 | 6.52 | | | |
| 10/17/2018 | | 12.6 | 1.19 | 0.88 |
| 11/14/2018 | 5.66 | | | |
| 2/27/2019 | | | 0.741 | 0.431 |
| 2/28/2019 | | 8.04 | | |
| 3/5/2019 | 8.11 | | | |
| 5/31/2019 | | | 0.759 | 0.884 |
| 6/4/2019 | 5.89 | 8.36 | | |
| 11/6/2019 | | | 0.105 (U) | 0.366 (U) |
| 11/12/2019 | 8.32 | 7.14 | | |
| 4/16/2020 | | | 0.588 | 0.264 (U) |
| 4/18/2020 | | 7.03 | | |
| 4/22/2020 | 7.2 | | | |
| 10/7/2020 | | | 0.709 (U) | 0.46 (U) |
| 10/12/2020 | 7.02 | 9.54 | | |
| 3/29/2021 | | | 0.899 | 0.642 |
| 4/1/2021 | 9.55 | 9.3 | | |
| 9/2/2021 | | | 0.856 | 0.951 |
| 9/8/2021 | 8.42 | 6.25 | | |
| 3/22/2022 | | | 1.33 | 1.32 |
| 3/25/2022 | 8.93 | 6.19 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Field pH (SU)  Analysis Run 1/12/2023 11:31 AM  View: 200 Series

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 5.26 | 5.11 | 4.9 | |
| 3/2/2016 | | | | | 5.16 (D) |
| 5/2/2016 | 4.76 | | 4.77 | 4.69 | |
| 5/3/2016 | | | | | 5.1 |
| 5/4/2016 | | 5.1 | | | |
| 7/5/2016 | 5.12 | | 5.48 | 7.11 (o) | 4.86 |
| 7/8/2016 | | 4.96 | | | |
| 9/6/2016 | 5.11 | 5.43 | 5.12 | 5.19 | |
| 9/8/2016 | | | | | 4.76 |
| 11/7/2016 | 4.76 | | 4.73 | 4.64 | |
| 11/9/2016 | | | | | 4.99 |
| 11/10/2016 | | 4.89 | | | |
| 1/9/2017 | 4.99 | | 5 | 4.94 | |
| 1/11/2017 | | 4.87 | | | |
| 1/12/2017 | | | | | 5.04 |
| 3/13/2017 | 4.57 | | 4.74 | 4.63 | |
| 3/14/2017 | | 4.71 | | | |
| 3/17/2017 | | | | | 5.02 |
| 5/15/2017 | 4.6 | | 4.63 | 4.52 | |
| 5/16/2017 | | | | | 4.77 |
| 5/18/2017 | | 4.5 | | | |
| 10/2/2017 | 4.64 | | 4.63 | 4.54 | |
| 10/4/2017 | | | | | 4.89 |
| 10/5/2017 | | 4.63 | | | |
| 12/20/2017 | | | | | 4.94 (R) |
| 3/12/2018 | 4.85 | | 4.81 | 4.81 | |
| 3/13/2018 | | | | | 5.19 |
| 3/14/2018 | | 5.14 | | | |
| 6/5/2018 | 4.92 | | 5.04 | 4.9 | |
| 6/8/2018 | | | | | 5.05 |
| 6/10/2018 | | 5.12 | | | |
| 10/16/2018 | 4.93 | | 4.98 | 4.81 | |
| 10/18/2018 | | 4.97 | | | |
| 11/13/2018 | | | | | 5.11 |
| 2/27/2019 | 4.75 | 4.84 | 4.78 | 4.71 | |
| 2/28/2019 | | | | | 4.97 |
| 5/31/2019 | 4.9 | 4.92 | 4.92 | 4.84 | |
| 6/4/2019 | | | | | 5.27 |
| 11/6/2019 | 4.82 | 4.94 | 4.88 | 4.78 | |
| 11/12/2019 | | | | | 4.92 |
| 4/16/2020 | 5.03 | 5.17 | 5.15 | 4.96 | |
| 4/18/2020 | | | | | 5.2 |
| 10/7/2020 | 4.74 | 5.08 | 4.91 | 4.8 | |
| 10/12/2020 | | | | | 5.3 |
| 3/29/2021 | 4.79 | 4.92 | 4.89 | 4.8 | |
| 4/1/2021 | | | | | 5.06 |
| 9/2/2021 | 4.81 | 5.07 | 4.87 | 4.77 | |
| 9/8/2021 | | | | | 5.21 |
| 3/22/2022 | 4.9 | 5.02 | 4.91 | 4.89 | |
| 3/25/2022 | | | | | 5.34 |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 5.08 | 6.37 |
| 3/2/2016 | 5.57 | 4.62 | | |
| 5/2/2016 | | | | 5.605 (D) |
| 5/3/2016 | | 4.26 | 5.14 | |
| 5/4/2016 | 5.62 | | | |
| 7/5/2016 | | 4.15 | 5.38 | 6.29 |
| 7/6/2016 | 5.52 | | | |
| 9/6/2016 | | | 5.37 | 6.42 |
| 9/8/2016 | 5.26 | 4.6 | | |
| 11/7/2016 | | | 4.92 | 5.75 |
| 11/8/2016 | 5.09 | | | |
| 11/9/2016 | | 4.12 | | |
| 1/9/2017 | | | 5.05 | 5.98 |
| 1/12/2017 | | 4.24 | | |
| 1/13/2017 | 5.14 | | | |
| 3/13/2017 | | | 4.87 | 5.81 |
| 3/16/2017 | 5.1 | | | |
| 3/17/2017 | | 4.22 | | |
| 5/15/2017 | | | 4.69 | 5.42 |
| 5/17/2017 | 4.9 | 4.35 | | |
| 10/2/2017 | | | 4.88 | 5.63 |
| 10/3/2017 | | 4.11 | | |
| 10/4/2017 | 4.84 | | | |
| 12/20/2017 | 4.94 (R) | 4.31 | | |
| 3/12/2018 | | | 5.07 | 5.6 |
| 3/14/2018 | 4.82 | 4.35 | | |
| 6/6/2018 | | | 5.09 | 5.58 |
| 6/8/2018 | | 4.31 | | |
| 6/9/2018 | 4.81 | | | |
| 10/17/2018 | | 4.41 | 4.99 | 5.54 |
| 11/14/2018 | 4.85 | | | |
| 2/27/2019 | | | 4.87 | 5.4 |
| 2/28/2019 | | 4.42 | | |
| 3/5/2019 | 4.71 | | | |
| 5/31/2019 | | | 4.89 | 5.45 |
| 6/4/2019 | 4.85 | 4.69 | | |
| 11/6/2019 | | | 5.04 | 5.52 |
| 11/12/2019 | 4.67 | 4.56 | | |
| 4/16/2020 | | | 5.13 | 5.58 |
| 4/18/2020 | | 5 | | |
| 4/22/2020 | 4.69 | | | |
| 10/7/2020 | | | 5.13 | 5.5 |
| 10/12/2020 | 4.56 | 4.82 | | |
| 3/29/2021 | | | 4.93 | 5.46 |
| 4/1/2021 | 4.52 | 4.59 | | |
| 9/2/2021 | | | 4.94 | 5.16 |
| 9/8/2021 | 4.63 | 4.77 | | |
| 3/22/2022 | | | 5.1 | 5.18 |
| 3/25/2022 | 4.95 | 5.21 | | |

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 3/2/2016 | | | | | 0.088 (J) |
| 5/2/2016 | <0.1 | | <0.1 | <0.1 | |
| 5/3/2016 | | | | | 0.05 (J) |
| 5/4/2016 | | <0.1 | | | |
| 7/5/2016 | <0.1 | | <0.1 | <0.1 | 0.07 (J) |
| 7/8/2016 | | <0.1 | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 9/8/2016 | | | | | 0.07 (J) |
| 11/7/2016 | <0.1 | | <0.1 | <0.1 | |
| 11/9/2016 | | | | | 0.06 (J) |
| 11/10/2016 | | <0.1 | | | |
| 1/9/2017 | <0.1 | | <0.1 | <0.1 | |
| 1/11/2017 | | <0.1 | | | |
| 1/12/2017 | | | | | <0.1 |
| 3/13/2017 | <0.1 | | <0.1 | <0.1 | |
| 3/14/2017 | | <0.1 | | | |
| 3/17/2017 | | | | | 0.05 (J) |
| 5/15/2017 | <0.1 | | <0.1 | <0.1 | |
| 5/16/2017 | | | | | 0.06 (J) |
| 5/18/2017 | | <0.1 | | | |
| 10/2/2017 | <0.1 | | <0.1 | <0.1 | |
| 10/4/2017 | | | | | 0.08 (J) |
| 10/5/2017 | | <0.1 | | | |
| 3/12/2018 | <0.1 | | <0.1 | <0.1 | |
| 3/13/2018 | | | | | 0.05 (J) |
| 3/14/2018 | | 0.12 | | | |
| 6/5/2018 | <0.1 | | <0.1 | <0.1 | |
| 6/8/2018 | | | | | 0.13 |
| 6/10/2018 | | <0.1 | | | |
| 10/16/2018 | <0.1 | | <0.1 | <0.1 | |
| 10/18/2018 | | <0.1 | | | |
| 11/13/2018 | | | | | 0.1 |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 2/28/2019 | | | | | 0.3 |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 6/4/2019 | | | | | <0.1 |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 11/12/2019 | | | | | 0.072 (J) |
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 4/18/2020 | | | | | <0.1 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 10/12/2020 | | | | | <0.1 |
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | |
| 4/1/2021 | | | | | 0.07 |
| 9/2/2021 | 0.08 (J) | 0.04 (J) | 0.1 | <0.1 | |
| 9/8/2021 | | | | | 0.049 (J) |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 3/25/2022 | | | | | <0.1 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.1 | 0.033 (J) |
| 3/2/2016 | 0.54 | 0.074 (J) | | |
| 5/2/2016 | | | | <0.1 |
| 5/3/2016 | | 0.05 (J) | <0.1 | |
| 5/4/2016 | 0.41 | | | |
| 7/5/2016 | | 0.05 (J) | <0.1 | <0.1 |
| 7/6/2016 | 0.49 | | | |
| 9/6/2016 | | | <0.1 | <0.1 |
| 9/8/2016 | 0.57 | 0.05 (J) | | |
| 11/7/2016 | | | <0.1 | <0.1 |
| 11/8/2016 | 0.47 | | | |
| 11/9/2016 | | 0.04 (J) | | |
| 1/9/2017 | | | <0.1 | <0.1 |
| 1/12/2017 | | 0.04 (J) | | |
| 1/13/2017 | 0.73 | | | |
| 3/13/2017 | | | <0.1 | <0.1 |
| 3/16/2017 | 0.92 | | | |
| 3/17/2017 | | 0.04 (J) | | |
| 5/15/2017 | | | <0.1 | <0.1 |
| 5/17/2017 | 0.77 | 0.06 (J) | | |
| 10/2/2017 | | | <0.1 | <0.1 |
| 10/3/2017 | | 0.11 | | |
| 10/4/2017 | 0.96 | | | |
| 12/20/2017 | 0.88 (R) | 0.08 (I) | | |
| 3/12/2018 | | | <0.1 | <0.1 |
| 3/14/2018 | 0.84 | 0.08 (J) | | |
| 6/6/2018 | | | <0.1 | <0.1 |
| 6/8/2018 | | 0.1 | | |
| 6/9/2018 | 0.78 | | | |
| 10/17/2018 | | 0.12 | <0.1 | <0.1 |
| 11/14/2018 | 0.67 | | | |
| 2/27/2019 | | | <0.1 | <0.1 |
| 2/28/2019 | | 0.1 | | |
| 3/5/2019 | 0.64 | | | |
| 5/31/2019 | | | <0.1 | <0.1 |
| 6/4/2019 | 0.09 (J) | 0.08 (J) | | |
| 11/6/2019 | | | <0.1 | <0.1 |
| 11/12/2019 | 0.57 | 0.045 (J) | | |
| 4/16/2020 | | | <0.1 | <0.1 |
| 4/18/2020 | | <0.1 | | |
| 4/22/2020 | 0.39 | | | |
| 10/7/2020 | | | <0.1 | <0.1 |
| 10/12/2020 | 0.46 | 0.04 (J) | | |
| 3/29/2021 | | | <0.1 | <0.1 |
| 4/1/2021 | 0.5 | 0.07 | | |
| 9/2/2021 | | | <0.1 | 0.04 (J) |
| 9/8/2021 | 0.36 | 0.048 (J) | | |
| 3/22/2022 | | | <0.1 | <0.1 |
| 3/25/2022 | 0.25 | <0.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 3/2/2016 | | | | | <0.00025 |
| 5/2/2016 | <0.00025 | | <0.00025 | <0.00025 | |
| 5/3/2016 | | | | | 0.0015 |
| 5/4/2016 | | <0.00025 | | | |
| 7/5/2016 | <0.00025 | | <0.00025 | <0.00025 | 0.0017 |
| 7/8/2016 | | <0.00025 | | | |
| 9/6/2016 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 9/8/2016 | | | | | 0.0021 (J) |
| 11/7/2016 | <0.00025 | | <0.00025 | <0.00025 | |
| 11/9/2016 | | | | | <0.00025 |
| 11/10/2016 | | <0.00025 | | | |
| 1/9/2017 | <0.00025 | | <0.00025 | <0.00025 | |
| 1/11/2017 | | <0.00025 | | | |
| 1/12/2017 | | | | | 0.00041 (J) |
| 3/13/2017 | <0.00025 | | <0.00025 | <0.00025 | |
| 3/14/2017 | | <0.00025 | | | |
| 3/17/2017 | | | | | 0.0011 (J) |
| 5/15/2017 | <0.00025 | | <0.00025 | <0.00025 | |
| 5/16/2017 | | | | | 0.0011 (J) |
| 5/18/2017 | | <0.00025 | | | |
| 3/12/2018 | <0.00025 | | <0.00025 | <0.00025 | |
| 3/13/2018 | | | | | 0.00047 (J) |
| 3/14/2018 | | <0.00025 | | | |
| 6/5/2018 | <0.00025 | | <0.00025 | <0.00025 | |
| 6/8/2018 | | | | | 0.0013 |
| 6/10/2018 | | <0.00025 | | | |
| 10/16/2018 | <0.00025 | | <0.00025 | <0.00025 | |
| 10/18/2018 | | <0.00025 | | | |
| 11/13/2018 | | | | | 0.0014 |
| 2/27/2019 | <0.00025 | <0.00025 | 0.001 (J) | <0.00025 | |
| 2/28/2019 | | | | | 0.0012 (J) |
| 5/31/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 6/4/2019 | | | | | 0.00079 (J) |
| 11/6/2019 | 0.0001 (J) | <0.00025 | 6.6E-05 (J) | 8.4E-05 (J) | |
| 11/12/2019 | | | | | 0.00069 (J) |
| 4/16/2020 | 6.6E-05 (J) | <0.00025 | <0.00025 | <0.00025 | |
| 4/18/2020 | | | | | 0.00042 |
| 10/7/2020 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 10/12/2020 | | | | | 0.00034 (J) |
| 3/29/2021 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 4/1/2021 | | | | | 0.00058 |
| 9/2/2021 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 9/8/2021 | | | | | <0.00025 |
| 3/22/2022 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 3/25/2022 | | | | | <0.00025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.00025 | <0.00025 |
| 3/2/2016 | <0.00025 | 0.011 | | |
| 5/2/2016 | | | | <0.00025 |
| 5/3/2016 | | 0.0087 | <0.00025 | |
| 5/4/2016 | <0.00025 | | | |
| 7/5/2016 | | 0.011 | <0.00025 | <0.00025 |
| 7/6/2016 | <0.00025 | | | |
| 9/6/2016 | | | <0.00025 | <0.00025 |
| 9/8/2016 | <0.00025 | 0.0092 | | |
| 11/7/2016 | | | <0.00025 | <0.00025 |
| 11/8/2016 | <0.00025 | | | |
| 11/9/2016 | | 0.01 | | |
| 1/9/2017 | | | <0.00025 | <0.00025 |
| 1/12/2017 | | 0.0086 | | |
| 1/13/2017 | <0.00025 | | | |
| 3/13/2017 | | | <0.00025 | <0.00025 |
| 3/16/2017 | <0.00025 | | | |
| 3/17/2017 | | 0.0082 | | |
| 5/15/2017 | | | <0.00025 | <0.00025 |
| 5/17/2017 | <0.00025 | 0.0081 | | |
| 3/12/2018 | | | <0.00025 | <0.00025 |
| 3/14/2018 | <0.00025 | 0.004 | | |
| 6/6/2018 | | | <0.00025 | <0.00025 |
| 6/8/2018 | | 0.0034 | | |
| 6/9/2018 | <0.00025 | | | |
| 10/17/2018 | | 0.0026 | <0.00025 | <0.00025 |
| 11/14/2018 | <0.00025 | | | |
| 2/27/2019 | | | <0.00025 | <0.00025 |
| 2/28/2019 | | 0.0019 | | |
| 3/5/2019 | 0.00037 (J) | | | |
| 5/31/2019 | | | <0.00025 | <0.00025 |
| 6/4/2019 | 0.00065 (J) | 0.0011 (J) | | |
| 11/6/2019 | | | <0.00025 | 0.0002 (J) |
| 11/12/2019 | 0.00061 (J) | 0.001 (J) | | |
| 4/16/2020 | | | <0.00025 | 0.00016 (J) |
| 4/18/2020 | | 0.00057 | | |
| 4/22/2020 | 0.0005 | | | |
| 10/7/2020 | | | <0.00025 | <0.00025 |
| 10/12/2020 | 0.0005 (J) | 0.00085 (J) | | |
| 3/29/2021 | | | <0.00025 | <0.00025 |
| 4/1/2021 | 0.00057 | 0.00076 | | |
| 9/2/2021 | | | <0.00025 | <0.00025 |
| 9/8/2021 | 0.00034 (J) | 0.0004 (J) | | |
| 3/22/2022 | | | <0.00025 | <0.00025 |
| 3/25/2022 | <0.00025 | <0.00025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.005 | <0.005 | <0.005 | <0.005 | |
| 3/2/2016 | | | | | 0.01 (J) |
| 5/2/2016 | <0.005 | | <0.005 | <0.005 | |
| 5/3/2016 | | | | | <0.005 |
| 5/4/2016 | | <0.005 | | | |
| 7/5/2016 | <0.005 | | <0.005 | <0.005 | <0.005 |
| 7/8/2016 | | <0.005 | | | |
| 9/6/2016 | <0.005 | 0.0037 (J) | <0.005 | <0.005 | |
| 9/8/2016 | | | | | <0.005 |
| 11/7/2016 | <0.005 | | <0.005 | <0.005 | |
| 11/9/2016 | | | | | <0.005 |
| 11/10/2016 | | <0.005 | | | |
| 1/9/2017 | <0.005 | | <0.005 | <0.005 | |
| 1/11/2017 | | <0.005 | | | |
| 1/12/2017 | | | | | <0.005 |
| 3/13/2017 | <0.005 | | <0.005 | <0.005 | |
| 3/14/2017 | | <0.005 | | | |
| 3/17/2017 | | | | | <0.005 |
| 5/15/2017 | <0.005 | | <0.005 | <0.005 | |
| 5/16/2017 | | | | | <0.005 |
| 5/18/2017 | | <0.005 | | | |
| 3/12/2018 | 0.0011 (J) | | 0.0014 (J) | <0.005 | |
| 3/13/2018 | | | | | <0.005 |
| 3/14/2018 | | <0.005 | | | |
| 6/5/2018 | <0.005 | | 0.0012 (J) | <0.005 | |
| 6/8/2018 | | | | | <0.005 |
| 6/10/2018 | | <0.005 | | | |
| 10/16/2018 | <0.005 | | 0.0015 (J) | 0.0013 (J) | |
| 10/18/2018 | | 0.0013 (J) | | | |
| 11/13/2018 | | | | | 0.0024 (J) |
| 2/27/2019 | <0.005 | <0.005 | <0.005 | <0.005 | |
| 2/28/2019 | | | | | 0.0025 (J) |
| 5/31/2019 | 0.0021 (J) | 0.0013 (J) | 0.0017 (J) | 0.0017 (J) | |
| 6/4/2019 | | | | | 0.0012 (J) |
| 11/6/2019 | 0.0011 | 0.001 | 0.0011 | <0.005 | |
| 11/12/2019 | | | | | <0.005 |
| 4/16/2020 | 0.0006 (J) | <0.005 | 0.00063 (J) | <0.005 | |
| 4/18/2020 | | | | | <0.005 |
| 10/7/2020 | 0.0054 | 0.0052 | 0.0054 | 0.0048 (J) | |
| 10/12/2020 | | | | | <0.005 |
| 3/29/2021 | <0.005 | 0.0019 | <0.005 | <0.005 | |
| 4/1/2021 | | | | | <0.005 |
| 9/2/2021 | <0.005 | <0.005 | <0.005 | <0.005 | |
| 9/8/2021 | | | | | <0.005 |
| 3/22/2022 | 0.0013 | 0.0014 | <0.005 | <0.005 | |
| 3/25/2022 | | | | | <0.005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.005 | 0.0037 |
| 3/2/2016 | <0.005 | <0.005 | | |
| 5/2/2016 | | | | <0.005 |
| 5/3/2016 | | <0.005 | <0.005 | |
| 5/4/2016 | 0.0069 | | | |
| 7/5/2016 | | <0.005 | <0.005 | <0.005 |
| 7/6/2016 | 0.0086 | | | |
| 9/6/2016 | | | <0.005 | <0.005 |
| 9/8/2016 | 0.035 | <0.005 | | |
| 11/7/2016 | | | <0.005 | 0.0097 (o) |
| 11/8/2016 | <0.005 | | | |
| 11/9/2016 | | <0.005 | | |
| 1/9/2017 | | | <0.005 | <0.005 |
| 1/12/2017 | | <0.005 | | |
| 1/13/2017 | 0.0078 | | | |
| 3/13/2017 | | | <0.005 | <0.005 |
| 3/16/2017 | 0.0062 | | | |
| 3/17/2017 | | <0.005 | | |
| 5/15/2017 | | | <0.005 | <0.005 |
| 5/17/2017 | 0.0042 (J) | <0.005 | | |
| 3/12/2018 | | | <0.005 | <0.005 |
| 3/14/2018 | 0.0053 | <0.005 | | |
| 6/6/2018 | | | <0.005 | 0.0021 (J) |
| 6/8/2018 | | 0.0012 (J) | | |
| 6/9/2018 | 0.0044 (J) | | | |
| 10/17/2018 | | 0.0014 (J) | <0.005 | 0.0012 (J) |
| 11/14/2018 | 0.005 | | | |
| 2/27/2019 | | | <0.005 | 0.002 (J) |
| 2/28/2019 | | <0.005 | | |
| 3/5/2019 | 0.0043 (J) | | | |
| 5/31/2019 | | | 0.0015 (J) | 0.0026 (J) |
| 6/4/2019 | 0.0044 (J) | <0.005 | | |
| 11/6/2019 | | | 0.00063 (J) | 0.0012 |
| 11/12/2019 | 0.0026 (J) | <0.005 | | |
| 4/16/2020 | | | <0.005 | 0.00091 (J) |
| 4/18/2020 | | <0.005 | | |
| 4/22/2020 | 0.0024 | | | |
| 10/7/2020 | | | 0.005 | 0.0049 (J) |
| 10/12/2020 | 0.0026 (J) | <0.005 | | |
| 3/29/2021 | | | <0.005 | 0.0042 |
| 4/1/2021 | 0.005 | 0.0029 | | |
| 9/2/2021 | | | <0.005 | <0.005 |
| 9/8/2021 | 0.0033 (J) | <0.005 | | |
| 3/22/2022 | | | 0.0012 | <0.005 |
| 3/25/2022 | <0.005 | <0.005 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0002 | <0.0002 | 9.1E-05 (J) | <0.0002 | |
| 3/2/2016 | | | | | 0.0027 |
| 5/2/2016 | <0.0002 | | 7.4E-05 (J) | <0.0002 | |
| 5/3/2016 | | | | | 0.003 |
| 5/4/2016 | | <0.0002 | | | |
| 7/5/2016 | <0.0002 | | <0.0002 | <0.0002 | 0.0023 |
| 7/8/2016 | | <0.0002 (*) | | | |
| 9/6/2016 | <0.0002 (*) | <0.0002 | <0.0002 (*) | <0.0002 | |
| 9/8/2016 | | | | | 0.0034 |
| 11/7/2016 | <0.0002 | | <0.0002 | <0.0002 | |
| 11/9/2016 | | | | | 0.0012 |
| 11/10/2016 | | <0.0002 | | | |
| 1/9/2017 | <0.0002 (*) | | <0.0002 (*) | <0.0002 (*) | |
| 1/11/2017 | | <0.0002 | | | |
| 1/12/2017 | | | | | 0.0012 |
| 3/13/2017 | <0.0002 | | <0.0002 | <0.0002 | |
| 3/14/2017 | | <0.0002 (*) | | | |
| 3/17/2017 | | | | | 0.0022 |
| 5/15/2017 | <0.0002 | | <0.0002 | <0.0002 | |
| 5/16/2017 | | | | | 0.0019 |
| 5/18/2017 | | <0.0002 | | | |
| 3/12/2018 | <0.0002 | | <0.0002 | <0.0002 | |
| 3/13/2018 | | | | | 0.0014 |
| 3/14/2018 | | 9.3E-05 (J) | | | |
| 6/5/2018 | <0.0002 | | <0.0002 | <0.0002 | |
| 6/8/2018 | | | | | 0.0018 |
| 6/10/2018 | | <0.0002 | | | |
| 10/16/2018 | <0.0002 | | <0.0002 | <0.0002 | |
| 10/18/2018 | | <0.0002 | | | |
| 11/13/2018 | | | | | 0.0021 |
| 2/27/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 2/28/2019 | | | | | 0.0016 |
| 5/31/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 6/4/2019 | | | | | 0.00061 |
| 11/6/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 11/12/2019 | | | | | 0.00056 |
| 4/16/2020 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 4/18/2020 | | | | | 0.00013 (J) |
| 10/7/2020 | <0.0002 | <0.0002 | 0.00025 | 0.00013 (J) | |
| 10/12/2020 | | | | | 0.00017 (J) |
| 3/29/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 4/1/2021 | | | | | 0.00025 |
| 9/2/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 9/8/2021 | | | | | <0.0002 |
| 3/22/2022 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 3/25/2022 | | | | | <0.0002 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0002 | <0.0002 |
| 3/2/2016 | 0.0026 | 0.00024 | | |
| 5/2/2016 | | | | <0.0002 |
| 5/3/2016 | | 0.00036 | <0.0002 | |
| 5/4/2016 | 0.0022 | | | |
| 7/5/2016 | | 0.0007 | <0.0002 | <0.0002 |
| 7/6/2016 | 0.0026 | | | |
| 9/6/2016 | | | <0.0002 (*) | <0.0002 (*) |
| 9/8/2016 | 0.0027 | 0.00081 | | |
| 11/7/2016 | | | <0.0002 | <0.0002 |
| 11/8/2016 | 0.0016 | | | |
| 11/9/2016 | | 0.00099 | | |
| 1/9/2017 | | | <0.0002 (*) | <0.0002 (*) |
| 1/12/2017 | | 0.00064 | | |
| 1/13/2017 | 0.0026 | | | |
| 3/13/2017 | | | <0.0002 | <0.0002 |
| 3/16/2017 | 0.0015 | | | |
| 3/17/2017 | | 0.00033 | | |
| 5/15/2017 | | | <0.0002 | <0.0002 |
| 5/17/2017 | 0.00016 (J) | 0.00034 | | |
| 3/12/2018 | | | <0.0002 | <0.0002 |
| 3/14/2018 | 0.00051 | 0.0002 | | |
| 6/6/2018 | | | <0.0002 | <0.0002 |
| 6/8/2018 | | 0.00016 (J) | | |
| 6/9/2018 | 0.00032 | | | |
| 10/17/2018 | | 0.00014 (J) | <0.0002 | <0.0002 |
| 11/14/2018 | 8.2E-05 (J) | | | |
| 2/27/2019 | | | <0.0002 | <0.0002 |
| 2/28/2019 | | 0.00012 (J) | | |
| 3/5/2019 | 0.0026 | | | |
| 5/31/2019 | | | <0.0002 | <0.0002 |
| 6/4/2019 | 0.0012 | <0.0002 | | |
| 11/6/2019 | | | <0.0002 | <0.0002 |
| 11/12/2019 | 0.00048 | <0.0002 | | |
| 4/16/2020 | | | <0.0002 | <0.0002 |
| 4/18/2020 | | <0.0002 | | |
| 4/22/2020 | 0.0004 | | | |
| 10/7/2020 | | | 8E-05 (J) | <0.0002 |
| 10/12/2020 | 0.00026 | <0.0002 | | |
| 3/29/2021 | | | <0.0002 | <0.0002 |
| 4/1/2021 | 0.00029 | <0.0002 | | |
| 9/2/2021 | | | <0.0002 | <0.0002 |
| 9/8/2021 | <0.0002 | <0.0002 | | |
| 3/22/2022 | | | <0.0002 | <0.0002 |
| 3/25/2022 | <0.0002 | <0.0002 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 3/2/2016 | | | | | <0.003 |
| 5/2/2016 | <0.003 | | <0.003 | <0.003 | |
| 5/3/2016 | | | | | <0.003 |
| 5/4/2016 | | <0.003 | | | |
| 7/5/2016 | <0.003 | | <0.003 | <0.003 | <0.003 |
| 7/8/2016 | | <0.003 | | | |
| 9/6/2016 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 9/8/2016 | | | | | <0.003 |
| 11/7/2016 | <0.003 | | <0.003 | <0.003 | |
| 11/9/2016 | | | | | <0.003 |
| 11/10/2016 | | <0.003 | | | |
| 1/9/2017 | <0.003 | | <0.003 | <0.003 | |
| 1/11/2017 | | <0.003 | | | |
| 1/12/2017 | | | | | <0.003 |
| 3/13/2017 | 0.0042 (J) | | <0.003 | 0.0022 (J) | |
| 3/14/2017 | | <0.003 | | | |
| 3/17/2017 | | | | | 0.0078 (J) |
| 5/15/2017 | <0.003 | | <0.003 | <0.003 | |
| 5/16/2017 | | | | | <0.003 |
| 5/18/2017 | | <0.003 | | | |
| 3/12/2018 | <0.003 | | <0.003 | <0.003 | |
| 3/13/2018 | | | | | <0.003 |
| 3/14/2018 | | <0.003 | | | |
| 6/5/2018 | <0.003 | | 0.00088 (J) | <0.003 | |
| 6/8/2018 | | | | | <0.003 |
| 6/10/2018 | | <0.003 | | | |
| 10/16/2018 | <0.003 | | <0.003 | <0.003 | |
| 10/18/2018 | | <0.003 | | | |
| 11/13/2018 | | | | | <0.003 |
| 2/27/2019 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 2/28/2019 | | | | | <0.003 |
| 5/31/2019 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 11/6/2019 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 4/16/2020 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 4/18/2020 | | | | | <0.003 |
| 10/7/2020 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 10/12/2020 | | | | | <0.003 |
| 3/29/2021 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 4/1/2021 | | | | | <0.003 |
| 9/2/2021 | <0.003 | <0.003 | <0.003 | <0.003 | |
| 9/8/2021 | | | | | <0.003 |
| 3/22/2022 | 0.00066 (J) | 0.00064 (J) | <0.003 | <0.003 | |
| 3/25/2022 | | | | | <0.003 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.003 | <0.003 |
| 3/2/2016 | <0.003 | <0.003 | | |
| 5/2/2016 | | | | <0.003 |
| 5/3/2016 | | <0.003 | <0.003 | |
| 5/4/2016 | <0.003 | | | |
| 7/5/2016 | | <0.003 | <0.003 | <0.003 |
| 7/6/2016 | <0.003 | | | |
| 9/6/2016 | | | <0.003 | <0.003 |
| 9/8/2016 | <0.003 | <0.003 | | |
| 11/7/2016 | | | <0.003 | <0.003 |
| 11/8/2016 | <0.003 | | | |
| 11/9/2016 | | <0.003 | | |
| 1/9/2017 | | | <0.003 | <0.003 |
| 1/12/2017 | | <0.003 | | |
| 1/13/2017 | <0.003 | | | |
| 3/13/2017 | | | <0.003 | <0.003 |
| 3/16/2017 | 0.0015 (J) | | | |
| 3/17/2017 | | <0.003 | | |
| 5/15/2017 | | | <0.003 | <0.003 |
| 5/17/2017 | <0.003 | <0.003 | | |
| 3/12/2018 | | | <0.003 | <0.003 |
| 3/14/2018 | <0.003 | 0.00092 (J) | | |
| 6/6/2018 | | | <0.003 | <0.003 |
| 6/8/2018 | | <0.003 | | |
| 6/9/2018 | <0.003 | | | |
| 10/17/2018 | | <0.003 | <0.003 | <0.003 |
| 11/14/2018 | <0.003 | | | |
| 2/27/2019 | | | <0.003 | <0.003 |
| 2/28/2019 | | <0.003 | | |
| 3/5/2019 | <0.003 | | | |
| 5/31/2019 | | | <0.003 | <0.003 |
| 11/6/2019 | | | <0.003 | <0.003 |
| 4/16/2020 | | | <0.003 | <0.003 |
| 4/18/2020 | | <0.003 | | |
| 4/22/2020 | <0.003 | | | |
| 10/7/2020 | | | <0.003 | <0.003 |
| 10/12/2020 | <0.003 | <0.003 | | |
| 3/29/2021 | | | <0.003 | <0.003 |
| 4/1/2021 | <0.003 | <0.003 | | |
| 9/2/2021 | | | <0.003 | <0.003 |
| 9/8/2021 | <0.003 | <0.003 | | |
| 3/22/2022 | | | 0.0011 (J) | 0.00031 (J) |
| 3/25/2022 | <0.003 | <0.003 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 3/2/2016 | | | | | 0.018 |
| 5/2/2016 | <0.00025 | | <0.00025 | 0.00025 (J) | |
| 5/3/2016 | | | | | 0.016 |
| 5/4/2016 | | <0.00025 | | | |
| 7/5/2016 | <0.00025 | | <0.00025 | <0.00025 | 0.018 |
| 7/8/2016 | | <0.00025 | | | |
| 9/6/2016 | 0.00049 (J) | <0.00025 | <0.00025 | 0.00027 (J) | |
| 9/8/2016 | | | | | 0.016 |
| 11/7/2016 | <0.00025 | | <0.00025 | <0.00025 | |
| 11/9/2016 | | | | | 0.013 |
| 11/10/2016 | | <0.00025 | | | |
| 1/9/2017 | <0.00025 | | <0.00025 | <0.00025 | |
| 1/11/2017 | | 0.00049 (J) | | | |
| 1/12/2017 | | | | | 0.004 |
| 3/13/2017 | 0.0023 | | <0.00025 | 0.0025 | |
| 3/14/2017 | | <0.00025 | | | |
| 3/17/2017 | | | | | 0.015 |
| 5/15/2017 | <0.00025 | | <0.00025 | <0.00025 | |
| 5/16/2017 | | | | | 0.01 |
| 5/18/2017 | | <0.00025 | | | |
| 3/12/2018 | 0.00046 (J) | | 0.00064 (J) | 0.00047 (J) | |
| 3/13/2018 | | | | | 0.0064 |
| 3/14/2018 | | 0.00067 (J) | | | |
| 6/5/2018 | 0.00049 (J) | | 0.00098 (J) | 0.00065 (J) | |
| 6/8/2018 | | | | | 0.0076 |
| 6/10/2018 | | 0.00028 (J) | | | |
| 10/16/2018 | <0.00025 | | <0.00025 | <0.00025 | |
| 10/18/2018 | | <0.00025 | | | |
| 11/13/2018 | | | | | 0.0062 |
| 2/27/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 2/28/2019 | | | | | 0.0044 |
| 5/31/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 6/4/2019 | | | | | 0.0044 |
| 11/6/2019 | <0.00025 | <0.00025 | <0.00025 | 0.00034 | |
| 11/12/2019 | | | | | 0.0042 |
| 4/16/2020 | <0.00025 | <0.00025 | <0.00025 | 0.0004 | |
| 4/18/2020 | | | | | 0.0028 |
| 10/7/2020 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 10/12/2020 | | | | | 0.0025 |
| 3/29/2021 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 4/1/2021 | | | | | 0.0042 |
| 9/2/2021 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | |
| 9/8/2021 | | | | | 0.0033 |
| 3/22/2022 | <0.00025 | <0.00025 | <0.00025 | 0.00051 | |
| 3/25/2022 | | | | | <0.00025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.00025 | <0.00025 |
| 3/2/2016 | 0.013 | 0.026 | | |
| 5/2/2016 | | | | <0.00025 |
| 5/3/2016 | | 0.019 | <0.00025 | |
| 5/4/2016 | 0.014 | | | |
| 7/5/2016 | | 0.018 | <0.00025 | <0.00025 |
| 7/6/2016 | 0.015 | | | |
| 9/6/2016 | | | <0.00025 | <0.00025 |
| 9/8/2016 | 0.018 | 0.018 | | |
| 11/7/2016 | | | <0.00025 | <0.00025 |
| 11/8/2016 | 0.015 | | | |
| 11/9/2016 | | 0.02 | | |
| 1/9/2017 | | | <0.00025 | <0.00025 |
| 1/12/2017 | | 0.017 | | |
| 1/13/2017 | 0.014 | | | |
| 3/13/2017 | | | <0.00025 | <0.00025 |
| 3/16/2017 | 0.012 | | | |
| 3/17/2017 | | 0.016 | | |
| 5/15/2017 | | | <0.00025 | <0.00025 |
| 5/17/2017 | 0.0094 | 0.013 | | |
| 3/12/2018 | | | 0.00026 (J) | <0.00025 |
| 3/14/2018 | 0.0049 | 0.019 | | |
| 6/6/2018 | | | 0.00025 (J) | 0.00026 (J) |
| 6/8/2018 | | 0.018 | | |
| 6/9/2018 | 0.0047 | | | |
| 10/17/2018 | | 0.013 | <0.00025 | <0.00025 |
| 11/14/2018 | 0.0031 | | | |
| 2/27/2019 | | | <0.00025 | <0.00025 |
| 2/28/2019 | | 0.011 | | |
| 3/5/2019 | 0.0012 (J) | | | |
| 5/31/2019 | | | <0.00025 | <0.00025 |
| 6/4/2019 | 0.002 | 0.015 | | |
| 11/6/2019 | | | <0.00025 | <0.00025 |
| 11/12/2019 | 0.0026 | 0.012 | | |
| 4/16/2020 | | | <0.00025 | <0.00025 |
| 4/18/2020 | | 0.0085 | | |
| 4/22/2020 | 0.0037 | | | |
| 10/7/2020 | | | <0.00025 | <0.00025 |
| 10/12/2020 | 0.003 | 0.0071 | | |
| 3/29/2021 | | | <0.00025 | <0.00025 |
| 4/1/2021 | 0.0036 | 0.008 | | |
| 9/2/2021 | | | <0.00025 | <0.00025 |
| 9/8/2021 | 0.0046 | 0.0059 | | |
| 3/22/2022 | | | <0.00025 | <0.00025 |
| 3/25/2022 | 0.005 | 0.0069 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <5 | <5 | <5 | 1.6 (J) | |
| 3/2/2016 | | | | | 400 |
| 5/2/2016 | 15 (o) | | <5 | 2.1 (J) | |
| 5/3/2016 | | | | | 2.2 (J) |
| 5/4/2016 | | <5 | | | |
| 7/5/2016 | <5 | | <5 | 2 (J) | 450 (J) |
| 7/8/2016 | | <5 | | | |
| 9/6/2016 | <5 | <5 | <5 | 1.8 (J) | |
| 9/8/2016 | | | | | 450 |
| 11/7/2016 | <5 | | <5 | 1.7 (J) | |
| 11/9/2016 | | | | | 430 |
| 11/10/2016 | | <5 | | | |
| 1/9/2017 | <5 | | 2.6 (J) | 1.5 (J) | |
| 1/11/2017 | | <5 | | | |
| 1/12/2017 | | | | | 130 |
| 3/13/2017 | 2.5 (J) | | <5 | 2.2 (J) | |
| 3/14/2017 | | <5 | | | |
| 3/17/2017 | | | | | 290 |
| 5/15/2017 | <5 | | <5 | 1.9 (J) | |
| 5/16/2017 | | | | | 280 |
| 5/18/2017 | | <5 (X) | | | |
| 10/2/2017 | <5 | | <5 | 3.4 (J) | |
| 10/4/2017 | | | | | 250 |
| 10/5/2017 | | <5 | | | |
| 12/20/2017 | | | | | 230 (R) |
| 3/12/2018 | <5 | | <5 | 2.6 (J) | |
| 3/13/2018 | | | | | 160 |
| 3/14/2018 | | <5 | | | |
| 6/5/2018 | <5 | | <5 | 2.6 (J) | |
| 6/8/2018 | | | | | 160 |
| 6/10/2018 | | 1.5 (J) | | | |
| 10/16/2018 | <5 | | <5 | 2.8 (J) | |
| 10/18/2018 | | <5 | | | |
| 11/13/2018 | | | | | 130 |
| 2/27/2019 | <5 | 1.9 (J) | <5 | 2.4 (J) | |
| 2/28/2019 | | | | | 130 |
| 5/31/2019 | <5 | <5 | <5 | 3.3 (J) | |
| 6/4/2019 | | | | | 100 |
| 11/6/2019 | <5 | <5 | <5 | 3.7 (J) | |
| 11/12/2019 | | | | | 100 |
| 4/16/2020 | <5 | <5 | <5 | 1.7 (J) | |
| 4/18/2020 | | | | | 64 |
| 10/7/2020 | <5 | <5 | <5 | 4 (J) | |
| 10/12/2020 | | | | | 64 |
| 3/29/2021 | <5 | <5 | <5 | 2.3 | |
| 4/1/2021 | | | | | 84 |
| 9/2/2021 | <5 | <5 | <5 | 4.7 (J) | |
| 9/8/2021 | | | | | 60 |
| 3/22/2022 | <5 | <5 | <5 | 4.5 (J) | |
| 3/25/2022 | | | | | 71 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <5 | <5 |
| 3/2/2016 | 450 | 460 | | |
| 5/2/2016 | | | | <5 |
| 5/3/2016 | | 740 | <5 | |
| 5/4/2016 | 500 | | | |
| 7/5/2016 | | 750 | <5 | <5 |
| 7/6/2016 | 370 | | | |
| 9/6/2016 | | | <5 | 3.7 (J) |
| 9/8/2016 | 450 | 710 | | |
| 11/7/2016 | | | <5 | <5 |
| 11/8/2016 | 450 | | | |
| 11/9/2016 | | 810 | | |
| 1/9/2017 | | | <5 | <5 |
| 1/12/2017 | | 600 | | |
| 1/13/2017 | 390 | | | |
| 3/13/2017 | | | <5 | <5 |
| 3/16/2017 | 290 | | | |
| 3/17/2017 | | 640 | | |
| 5/15/2017 | | | <5 | <5 |
| 5/17/2017 | 270 | 590 | | |
| 10/2/2017 | | | 1.5 (J) | 1.7 (J) |
| 10/3/2017 | | 480 | | |
| 10/4/2017 | 240 | | | |
| 12/20/2017 | 210 (R) | 470 | | |
| 3/12/2018 | | | <5 | <5 |
| 3/14/2018 | 190 | 470 | | |
| 6/6/2018 | | | <5 | <5 |
| 6/8/2018 | | 440 | | |
| 6/9/2018 | 170 | | | |
| 10/17/2018 | | 270 | <5 | <5 |
| 11/14/2018 | 110 | | | |
| 2/27/2019 | | | <5 | <5 |
| 2/28/2019 | | 240 | | |
| 3/5/2019 | 86 | | | |
| 5/31/2019 | | | <5 | <5 |
| 6/4/2019 | 100 | 280 | | |
| 11/6/2019 | | | <5 | <5 |
| 11/12/2019 | 93 | 260 | | |
| 4/16/2020 | | | <5 | <5 |
| 4/18/2020 | | 250 | | |
| 4/22/2020 | 130 | | | |
| 10/7/2020 | | | <5 | <5 |
| 10/12/2020 | 110 | 230 | | |
| 3/29/2021 | | | <5 | <5 |
| 4/1/2021 | 110 | 200 | | |
| 9/2/2021 | | | <5 | <5 |
| 9/8/2021 | 110 | 140 | | |
| 3/22/2022 | | | <5 | <5 |
| 3/25/2022 | 120 | 160 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 3/2/2016 | | | | | 0.00058 (J) |
| 5/2/2016 | <0.0001 | | <0.0001 | <0.0001 | |
| 5/3/2016 | | | | | 0.00041 (J) |
| 5/4/2016 | | <0.0001 | | | |
| 7/5/2016 | <0.0001 | | <0.0001 | <0.0001 | 0.0004 (J) |
| 7/8/2016 | | <0.0001 | | | |
| 9/6/2016 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 9/8/2016 | | | | | 0.00045 (J) |
| 11/7/2016 | <0.0001 | | <0.0001 | <0.0001 | |
| 11/9/2016 | | | | | <0.0001 |
| 11/10/2016 | | <0.0001 | | | |
| 1/9/2017 | <0.0001 | | <0.0001 | <0.0001 | |
| 1/11/2017 | | <0.0001 | | | |
| 1/12/2017 | | | | | 0.00012 (J) |
| 3/13/2017 | <0.0001 | | <0.0001 | <0.0001 | |
| 3/14/2017 | | <0.0001 | | | |
| 3/17/2017 | | | | | 0.00027 (J) |
| 5/15/2017 | <0.0001 | | <0.0001 | <0.0001 | |
| 5/16/2017 | | | | | 0.00025 (J) |
| 5/18/2017 | | <0.0001 | | | |
| 3/12/2018 | <0.0001 | | <0.0001 | <0.0001 | |
| 3/13/2018 | | | | | 0.00018 (J) |
| 3/14/2018 | | <0.0001 | | | |
| 6/5/2018 | <0.0001 | | <0.0001 | <0.0001 | |
| 6/8/2018 | | | | | 0.00018 (J) |
| 6/10/2018 | | <0.0001 | | | |
| 10/16/2018 | <0.0001 | | <0.0001 | <0.0001 | |
| 10/18/2018 | | <0.0001 | | | |
| 11/13/2018 | | | | | <0.0001 |
| 2/27/2019 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 2/28/2019 | | | | | 0.0001 (J) |
| 5/31/2019 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 6/4/2019 | | | | | <0.0001 |
| 11/6/2019 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 11/12/2019 | | | | | <0.0001 |
| 4/16/2020 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 4/18/2020 | | | | | 5.8E-05 (J) |
| 10/7/2020 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 10/12/2020 | | | | | 0.00014 (J) |
| 3/29/2021 | <0.0001 | <0.0001 | <0.0001 | <0.0001 (D) | |
| 4/1/2021 | | | | | <0.0001 |
| 9/2/2021 | 0.00015 (J) | <0.0001 | <0.0001 | <0.0001 | |
| 9/8/2021 | | | | | <0.0001 |
| 3/22/2022 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| 3/25/2022 | | | | | <0.0001 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0001 | <0.0001 |
| 3/2/2016 | 0.0003 (J) | 0.00095 (J) | | |
| 5/2/2016 | | | | <0.0001 |
| 5/3/2016 | | 0.00089 | <0.0001 | |
| 5/4/2016 | 0.0005 | | | |
| 7/5/2016 | | 0.001 | <0.0001 | <0.0001 |
| 7/6/2016 | 0.00047 (J) | | | |
| 9/6/2016 | | | <0.0001 | <0.0001 |
| 9/8/2016 | 0.00053 (J) | 0.00088 (J) | | |
| 11/7/2016 | | | <0.0001 | <0.0001 |
| 11/8/2016 | 0.00055 (J) | | | |
| 11/9/2016 | | 0.00083 (J) | | |
| 1/9/2017 | | | <0.0001 | <0.0001 |
| 1/12/2017 | | 0.00076 | | |
| 1/13/2017 | 0.00057 | | | |
| 3/13/2017 | | | <0.0001 | <0.0001 |
| 3/16/2017 | 0.0004 (J) | | | |
| 3/17/2017 | | 0.00088 | | |
| 5/15/2017 | | | <0.0001 | <0.0001 |
| 5/17/2017 | 0.00029 (J) | 0.00071 | | |
| 3/12/2018 | | | <0.0001 | <0.0001 |
| 3/14/2018 | 0.00027 (J) | 0.00055 | | |
| 6/6/2018 | | | <0.0001 | <0.0001 |
| 6/8/2018 | | 0.00048 (J) | | |
| 6/9/2018 | 0.00023 (J) | | | |
| 10/17/2018 | | 0.0003 (J) | <0.0001 | <0.0001 |
| 11/14/2018 | 0.00015 (J) | | | |
| 2/27/2019 | | | <0.0001 | <0.0001 |
| 2/28/2019 | | 0.00024 (J) | | |
| 3/5/2019 | 0.00016 (J) | | | |
| 5/31/2019 | | | <0.0001 | <0.0001 |
| 6/4/2019 | 0.00011 (J) | 0.00017 (J) | | |
| 11/6/2019 | | | <0.0001 | <0.0001 |
| 11/12/2019 | 0.00012 (J) | 0.00019 (J) | | |
| 4/16/2020 | | | <0.0001 | <0.0001 |
| 4/18/2020 | | 0.00023 | | |
| 4/22/2020 | 0.00015 | | | |
| 10/7/2020 | | | <0.0001 | <0.0001 |
| 10/12/2020 | 0.00025 (J) | 0.00033 (J) | | |
| 3/29/2021 | | | <0.0001 | <0.0001 |
| 4/1/2021 | 0.00012 | 0.0002 | | |
| 9/2/2021 | | | <0.0001 | <0.0001 |
| 9/8/2021 | <0.0001 | <0.0001 | | |
| 3/22/2022 | | | <0.0001 | <0.0001 |
| 3/25/2022 | <0.0001 | <0.0001 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 20 | 20 | <5 | 12 | |
| 3/2/2016 | | | | | 7200 |
| 5/2/2016 | <5 | | <5 | 6 | |
| 5/3/2016 | | | | | 6400 |
| 5/4/2016 | | 6 | | | |
| 7/5/2016 | 12 | | 14 | <5 | 7000 |
| 7/8/2016 | | 6 | | | |
| 9/6/2016 | 36 | 36 | 30 | 38 | |
| 9/8/2016 | | | | | 6000 |
| 11/7/2016 | 18 | | 8 | <5 | |
| 11/9/2016 | | | | | 3500 |
| 11/10/2016 | | 16 | | | |
| 1/9/2017 | 4 (J) | | <5 | 14 | |
| 1/11/2017 | | 38 | | | |
| 1/12/2017 | | | | | 1500 |
| 3/13/2017 | 6 | | <5 | 8 | |
| 3/14/2017 | | <5 | | | |
| 3/17/2017 | | | | | 2900 |
| 5/15/2017 | <5 | | <5 | <5 | |
| 5/16/2017 | | | | | 3100 |
| 5/18/2017 | | 10 | | | |
| 10/2/2017 | <5 | | <5 | 6 | |
| 10/4/2017 | | | | | 3400 |
| 10/5/2017 | | <5 | | | |
| 12/20/2017 | | | | | 1900 (R) |
| 3/12/2018 | 18 | | 14 | <5 | |
| 3/13/2018 | | | | | 1600 |
| 3/14/2018 | | 8 | | | |
| 6/5/2018 | 10 | | <5 | 14 | |
| 6/8/2018 | | | | | 2000 |
| 6/10/2018 | | 8 | | | |
| 10/16/2018 | 32 | | 12 | 6 | |
| 10/18/2018 | | 28 | | | |
| 11/13/2018 | | | | | 1400 |
| 2/27/2019 | 110 | 68 | 54 | 110 | |
| 2/28/2019 | | | | | 1400 |
| 5/31/2019 | 46 | <5 | 8 | 26 | |
| 6/4/2019 | | | | | 1200 |
| 11/6/2019 | <5 | 10 | 4 (J) | <5 | |
| 11/12/2019 | | | | | 1000 |
| 4/16/2020 | 28 | 44 | 18 | 8 | |
| 4/18/2020 | | | | | 240 |
| 10/7/2020 | 30 | 24 | 20 | 26 | |
| 10/12/2020 | | | | | 600 |
| 3/29/2021 | 38 | 26 | 12 | 28 | |
| 4/1/2021 | | | | | 640 |
| 9/2/2021 | 40 | 8 | 10 | 8 | |
| 9/8/2021 | | | | | 480 |
| 3/22/2022 | 58 | 14 | 18 | 46 | |
| 3/25/2022 | | | | | 380 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 11:31 AM View: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 10 | <5 |
| 3/2/2016 | 7200 | 32000 (o) | | |
| 5/2/2016 | | | | 36 |
| 5/3/2016 | | 13000 | <5 | |
| 5/4/2016 | 4500 | | | |
| 7/5/2016 | | 8700 | <5 | <5 |
| 7/6/2016 | 4900 | | | |
| 9/6/2016 | | | 36 | 44 |
| 9/8/2016 | 4400 | 11000 (Q) | | |
| 11/7/2016 | | | <5 | 30 |
| 11/8/2016 | 6200 | | | |
| 11/9/2016 | | 13000 | | |
| 1/9/2017 | | | <5 | 12 |
| 1/12/2017 | | 12000 | | |
| 1/13/2017 | 4400 | | | |
| 3/13/2017 | | | 22 | 20 |
| 3/16/2017 | 2800 | | | |
| 3/17/2017 | | 10000 | | |
| 5/15/2017 | | | 6 | 4 (J) |
| 5/17/2017 | 1100 | 8300 | | |
| 10/2/2017 | | | 16 | 24 |
| 10/3/2017 | | 7100 | | |
| 10/4/2017 | 700 | | | |
| 12/20/2017 | 590 (R) | 7000 | | |
| 3/12/2018 | | | <5 | <5 |
| 3/14/2018 | 490 | 6300 | | |
| 6/6/2018 | | | 20 | 16 |
| 6/8/2018 | | 5200 | | |
| 6/9/2018 | 430 | | | |
| 10/17/2018 | | 3800 | 44 | 44 |
| 11/14/2018 | 230 | | | |
| 2/27/2019 | | | 20 | 28 |
| 2/28/2019 | | 1700 | | |
| 3/5/2019 | 300 | | | |
| 5/31/2019 | | | 32 | 18 |
| 6/4/2019 | 400 | 2300 | | |
| 11/6/2019 | | | 24 | 20 |
| 11/12/2019 | 670 | 1900 | | |
| 4/16/2020 | | | 6 | 8 |
| 4/18/2020 | | 1700 | | |
| 4/22/2020 | 600 | | | |
| 10/7/2020 | | | 16 | 12 |
| 10/12/2020 | 460 | 2200 | | |
| 3/29/2021 | | | 42 | 40 |
| 4/1/2021 | 650 | 2300 | | |
| 9/2/2021 | | | 10 | <5 |
| 9/8/2021 | 550 | 1700 | | |
| 3/22/2022 | | | 84 | 22 |
| 3/25/2022 | 610 | 630 | | |

ND substitution: RL or RL/2 if <15% NDs.

# 300 Series

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


Time Series




Constituent: Barium Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


Time Series




Constituent: Barium Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Beryllium Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Beryllium Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Boron Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Boron Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cadmium Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cadmium Analysis Run 1/12/2023 1:42 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Time Series





Constituent: Calcium Analysis Run 1/12/2023 1:42 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Time Series





Constituent: Calcium Analysis Run 1/12/2023 1:42 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Time Series





Constituent: Chloride Analysis Run 1/12/2023 1:42 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Hollow symbols indicate censored values.

Time Series





Constituent: Chloride Analysis Run 1/12/2023 1:43 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Chromium Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Chromium Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cobalt Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cobalt Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Time Series




Constituent: Field pH Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Time Series




Constituent: Field pH Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Fluoride Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Fluoride Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lead Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lead Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG
Hollow symbols indicate censored values.

## Time Series




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:43 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 5/4/2016 | | <0.0025 | | | <0.0025 | <0.0025 |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 7/6/2016 | | | | | | <0.0025 |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | | <0.0025 |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | <0.0025 |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 10/18/2018 | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 4/18/2020 | | | | | <0.0025 | <0.0025 |
| 10/7/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | <0.0025 | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/24/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 | |
| 3/3/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 5/2/2016 | | | | <0.0025 | |
| 5/3/2016 | | | <0.0025 | | |
| 5/4/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 7/5/2016 | | | <0.0025 | <0.0025 | |
| 7/6/2016 | <0.0025 | | | | <0.0025 |
| 7/7/2016 | | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 | |
| 9/7/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 11/7/2016 | | <0.0025 | <0.0025 | <0.0025 | |
| 11/8/2016 | <0.0025 | | | | <0.0025 |
| 1/9/2017 | | | <0.0025 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/13/2017 | | | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | <0.0025 | <0.0025 | |
| 5/16/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/12/2018 | | | <0.0025 | <0.0025 | |
| 3/13/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 6/6/2018 | | | <0.0025 | <0.0025 | |
| 6/7/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 10/17/2018 | | | <0.0025 | <0.0025 | |
| 2/27/2019 | | | <0.0025 | <0.0025 | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0025 | | | |
| 4/16/2020 | | | <0.0025 | <0.0025 | |
| 4/18/2020 | <0.0025 | <0.0025 | | | <0.0025 |
| 10/7/2020 | | | <0.0025 | <0.0025 | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | <0.0025 | <0.0025 | | | |
| 3/29/2021 | | | <0.0025 | <0.0025 | |
| 4/1/2021 | <0.0025 | <0.0025 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | <0.0025 | |
| 9/7/2021 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/22/2022 | | | <0.0025 | <0.0025 | |
| 3/24/2022 | <0.0025 | <0.0025 | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 3/3/2016 | | | | | <0.00025 | 0.0018 (J) |
| 5/2/2016 | <0.00025 | | <0.00025 | <0.00025 | | |
| 5/4/2016 | | <0.00025 | | | <0.00025 | 0.0024 |
| 7/5/2016 | <0.00025 | | <0.00025 | <0.00025 | | |
| 7/6/2016 | | | | | | 0.0005 (J) |
| 7/7/2016 | | | | | <0.00025 | |
| 7/8/2016 | | <0.00025 | | | | |
| 9/6/2016 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 9/7/2016 | | | | | <0.00025 | |
| 9/8/2016 | | | | | | <0.00025 |
| 11/7/2016 | <0.00025 | | <0.00025 | <0.00025 | | |
| 11/8/2016 | | | | | <0.00025 | <0.00025 |
| 11/10/2016 | | <0.00025 | | | | |
| 1/9/2017 | <0.00025 | | <0.00025 | <0.00025 | | |
| 1/10/2017 | | | | | <0.00025 | <0.00025 |
| 1/11/2017 | | <0.00025 | | | | |
| 3/13/2017 | 0.00069 (J) | | <0.00025 | 0.00069 (J) | | |
| 3/14/2017 | | <0.00025 | | | | |
| 3/15/2017 | | | | | <0.00025 | |
| 3/16/2017 | | | | | | 0.0015 |
| 5/15/2017 | <0.00025 | | <0.00025 | <0.00025 | | 0.0012 (J) |
| 5/16/2017 | | | | | <0.00025 | |
| 5/18/2017 | | <0.00025 | | | | |
| 3/12/2018 | <0.00025 | | <0.00025 | <0.00025 | | |
| 3/13/2018 | | | | | <0.00025 | 0.00082 (J) |
| 3/14/2018 | | <0.00025 | | | | |
| 6/5/2018 | <0.00025 | | <0.00025 | <0.00025 | | |
| 6/6/2018 | | | | | <0.00025 | |
| 6/7/2018 | | | | | | 0.0007 (J) |
| 6/10/2018 | | 0.00046 (J) | | | | |
| 10/16/2018 | <0.00025 | | <0.00025 | <0.00025 | | |
| 10/17/2018 | | | | | | <0.00025 |
| 10/18/2018 | | <0.00025 | | | <0.00025 | |
| 2/27/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 2/28/2019 | | | | | <0.00025 | <0.00025 |
| 5/31/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 11/6/2019 | 0.0002 (J) | 0.00019 (J) | 0.0002 (J) | 0.00012 (J) | | |
| 4/16/2020 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 4/18/2020 | | | | | <0.00025 | <0.00025 |
| 10/7/2020 | <0.00025 | 0.00056 (J) | <0.00025 | <0.00025 | | |
| 10/8/2020 | | | | | | 0.00069 (J) |
| 10/9/2020 | | | | | <0.00025 | |
| 3/29/2021 | <0.00025 | 0.00078 | <0.00025 | 0.00054 | | |
| 3/31/2021 | | | | | <0.00025 | |
| 4/1/2021 | | | | | | <0.00025 |
| 9/2/2021 | 0.00059 (J) | <0.00025 | <0.00025 | <0.00025 | | |
| 9/7/2021 | | | | | <0.00025 | <0.00025 |
| 3/22/2022 | <0.00025 | <0.00025 | <0.00025 | 0.00027 | | |
| 3/24/2022 | | | | | <0.00025 | <0.00025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.00025 | 0.00038 (J) | |
| 3/3/2016 | 0.009 (o) | <0.00025 | | | <0.00025 |
| 5/2/2016 | | | | 0.00073 (J) | |
| 5/3/2016 | | | <0.00025 | | |
| 5/4/2016 | 0.019 (o) | <0.00025 | | | <0.00025 |
| 7/5/2016 | | | <0.00025 | 0.00077 (J) | |
| 7/6/2016 | 0.014 (o) | | | | <0.00025 |
| 7/7/2016 | | <0.00025 | | | |
| 9/6/2016 | | | <0.00025 | 0.0013 | |
| 9/7/2016 | 0.005 | <0.00025 | | | <0.00025 |
| 11/7/2016 | | <0.00025 | <0.00025 | <0.00025 | |
| 11/8/2016 | 0.0035 | | | | <0.00025 |
| 1/9/2017 | | | <0.00025 | 0.00053 (J) | |
| 1/10/2017 | 0.0051 | <0.00025 | | | <0.00025 |
| 3/13/2017 | | | <0.00025 | <0.00025 | |
| 3/15/2017 | 0.00066 (J) | <0.00025 | | | |
| 3/16/2017 | | | | | <0.00025 |
| 5/15/2017 | | | <0.00025 | <0.00025 | |
| 5/16/2017 | 0.00094 (J) | <0.00025 | | | <0.00025 |
| 3/12/2018 | | | <0.00025 | <0.00025 | |
| 3/13/2018 | 0.00086 (J) | <0.00025 | | | <0.00025 |
| 6/6/2018 | | | <0.00025 | <0.00025 | |
| 6/7/2018 | 0.00056 (J) | <0.00025 | | | <0.00025 |
| 10/17/2018 | 0.0005 (J) | <0.00025 | <0.00025 | <0.00025 | <0.00025 |
| 2/27/2019 | | | <0.00025 | <0.00025 | <0.00025 |
| 2/28/2019 | <0.00025 | <0.00025 | | | |
| 5/31/2019 | | | <0.00025 | <0.00025 | |
| 11/6/2019 | | | 0.00014 (J) | 0.00024 (J) | |
| 4/16/2020 | | | <0.00025 | <0.00025 | |
| 4/18/2020 | 0.00053 | 0.00042 | | | 0.00046 |
| 10/7/2020 | | | 0.00064 (J) | <0.00025 | |
| 10/8/2020 | | | | | 0.0011 (J) |
| 10/9/2020 | <0.00025 | 0.00057 (J) | | | |
| 3/29/2021 | | | <0.00025 | 0.00042 | |
| 4/1/2021 | 0.00062 | 0.00048 | | | <0.00025 |
| 9/2/2021 | | | <0.00025 | <0.00025 | |
| 9/7/2021 | <0.00025 | <0.00025 | | | <0.00025 |
| 3/22/2022 | | | <0.00025 | <0.00025 | |
| 3/24/2022 | 0.0019 | <0.00025 | | | 0.0023 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.014 | 0.0097 (J) | 0.013 | 0.013 | | |
| 3/3/2016 | | | | | 0.01 (J) | 0.024 |
| 5/2/2016 | 0.013 | | 0.013 | 0.01 | | |
| 5/4/2016 | | 0.0095 | | | 0.012 | 0.025 |
| 7/5/2016 | 0.013 | | 0.013 | 0.0089 | | |
| 7/6/2016 | | | | | | 0.025 |
| 7/7/2016 | | | | | 0.012 | |
| 7/8/2016 | | 0.0093 | | | | |
| 9/6/2016 | 0.016 | 0.011 | 0.013 | 0.01 | | |
| 9/7/2016 | | | | | 0.011 | |
| 9/8/2016 | | | | | | 0.03 |
| 11/7/2016 | 0.014 | | 0.013 | 0.0096 | | |
| 11/8/2016 | | | | | 0.011 | 0.032 |
| 11/10/2016 | | 0.0092 | | | | |
| 1/9/2017 | 0.015 | | 0.012 | 0.011 | | |
| 1/10/2017 | | | | | 0.011 | 0.027 |
| 1/11/2017 | | 0.0092 | | | | |
| 3/13/2017 | 0.015 | | 0.013 | 0.011 | | |
| 3/14/2017 | | 0.0095 | | | | |
| 3/15/2017 | | | | | 0.013 | |
| 3/16/2017 | | | | | | 0.04 |
| 5/15/2017 | 0.015 | | 0.011 | 0.0089 | | 0.028 |
| 5/16/2017 | | | | | 0.011 | |
| 5/18/2017 | | 0.0095 | | | | |
| 3/12/2018 | 0.017 | | 0.013 | 0.01 | | |
| 3/13/2018 | | | | | 0.011 | 0.034 |
| 3/14/2018 | | 0.0089 | | | | |
| 6/5/2018 | 0.018 | | 0.014 | 0.011 | | |
| 6/6/2018 | | | | | 0.012 | |
| 6/7/2018 | | | | | | 0.053 |
| 6/10/2018 | | 0.0092 | | | | |
| 10/16/2018 | 0.017 | | 0.011 | 0.011 | | |
| 10/17/2018 | | | | | | 0.048 |
| 10/18/2018 | | 0.0089 | | | 0.01 | |
| 2/27/2019 | 0.021 | 0.011 | 0.014 | 0.011 | | |
| 2/28/2019 | | | | | 0.012 | 0.032 |
| 5/31/2019 | 0.02 | 0.0088 | 0.013 | 0.01 | 0.011 | 0.029 |
| 11/6/2019 | 0.019 | 0.0094 | 0.012 | 0.0097 | | |
| 11/11/2019 | | | | | 0.012 | 0.046 |
| 4/16/2020 | 0.02 | 0.0099 | 0.012 | 0.012 | | |
| 4/18/2020 | | | | | 0.011 | 0.069 |
| 10/7/2020 | 0.02 | 0.0088 | 0.012 | 0.011 | | |
| 10/8/2020 | | | | | | 0.076 |
| 10/9/2020 | | | | | 0.011 | |
| 3/29/2021 | 0.019 | 0.0097 | 0.011 | 0.011 | | |
| 3/31/2021 | | | | | 0.012 | |
| 4/1/2021 | | | | | | 0.068 |
| 9/2/2021 | 0.02 | 0.0089 | 0.012 | 0.011 | | |
| 9/7/2021 | | | | | 0.011 | 0.034 |
| 3/22/2022 | 0.019 | 0.0092 | 0.01 | 0.012 | | |
| 3/24/2022 | | | | | 0.012 | 0.047 |

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 0.012 | 0.015 | |
| 3/3/2016 | 0.045 | 0.02 | | | 0.023 |
| 5/2/2016 | | | | 0.013 | |
| 5/3/2016 | | | 0.012 | | |
| 5/4/2016 | 0.035 | 0.017 | | | 0.029 |
| 7/5/2016 | | | 0.011 | 0.017 | |
| 7/6/2016 | 0.036 | | | | 0.029 |
| 7/7/2016 | | 0.018 | | | |
| 9/6/2016 | | | 0.012 | 0.017 | |
| 9/7/2016 | 0.026 | 0.017 | | | 0.029 |
| 11/7/2016 | | 0.017 | 0.012 | 0.023 | |
| 11/8/2016 | 0.042 | | | | 0.025 |
| 1/9/2017 | | | 0.013 | 0.016 | |
| 1/10/2017 | 0.041 | 0.016 | | | 0.022 |
| 3/13/2017 | | | 0.013 | 0.016 | |
| 3/15/2017 | 0.018 | 0.018 | | | |
| 3/16/2017 | | | | | 0.023 |
| 5/15/2017 | | | 0.012 | 0.015 | |
| 5/16/2017 | 0.026 | 0.016 | | | 0.02 |
| 3/12/2018 | | | 0.013 | 0.015 | |
| 3/13/2018 | 0.057 | 0.016 | | | 0.031 |
| 6/6/2018 | | | 0.014 | 0.017 | |
| 6/7/2018 | 0.04 | 0.016 | | | 0.026 |
| 10/17/2018 | 0.021 | 0.016 | 0.012 | 0.016 | 0.017 |
| 2/27/2019 | | | 0.015 | 0.018 | 0.024 |
| 2/28/2019 | 0.039 | 0.02 | | | |
| 5/31/2019 | 0.044 | 0.036 | 0.014 | 0.016 | 0.031 |
| 11/6/2019 | | | 0.013 | 0.017 | |
| 11/11/2019 | 0.027 | 0.026 | | | 0.02 |
| 4/16/2020 | | | 0.014 | 0.017 | |
| 4/18/2020 | 0.043 | 0.02 | | | 0.016 |
| 10/7/2020 | | | 0.013 | 0.016 | |
| 10/8/2020 | | | | | 0.022 |
| 10/9/2020 | 0.015 | 0.016 | | | |
| 3/29/2021 | | | 0.013 | 0.017 | |
| 4/1/2021 | 0.055 | 0.017 | | | 0.031 |
| 9/2/2021 | | | 0.012 | 0.017 | |
| 9/7/2021 | 0.041 | 0.015 | | | 0.029 |
| 3/22/2022 | | | 0.013 | 0.018 | |
| 3/24/2022 | 0.036 | 0.03 | | | 0.024 |

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 5/4/2016 | | <0.0025 | | | <0.0025 | <0.0025 |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 7/6/2016 | | | | | | <0.0025 |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | | <0.0025 |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | <0.0025 |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 10/18/2018 | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | <0.0025 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 11/6/2019 | 9E-05 (J) | 4.7E-05 (J) | 6.6E-05 (J) | <0.0025 | | |
| 4/16/2020 | 5.4E-05 (J) | 4.3E-05 (J) | 6.1E-05 (J) | <0.0025 | | |
| 4/18/2020 | | | | | <0.0025 | 7.4E-05 (J) |
| 10/7/2020 | 0.0014 (J) | 0.0014 (J) | 0.0015 (J) | 0.0015 (J) | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | <0.0025 | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/24/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 | |
| 3/3/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 5/2/2016 | | | | <0.0025 | |
| 5/3/2016 | | | <0.0025 | | |
| 5/4/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 7/5/2016 | | | <0.0025 | <0.0025 | |
| 7/6/2016 | <0.0025 | | | | <0.0025 |
| 7/7/2016 | | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 | |
| 9/7/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 11/7/2016 | | <0.0025 | <0.0025 | <0.0025 | |
| 11/8/2016 | <0.0025 | | | | <0.0025 |
| 1/9/2017 | | | <0.0025 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/13/2017 | | | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | <0.0025 | <0.0025 | |
| 5/16/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/12/2018 | | | <0.0025 | <0.0025 | |
| 3/13/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 6/6/2018 | | | <0.0025 | <0.0025 | |
| 6/7/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 10/17/2018 | | | <0.0025 | <0.0025 | |
| 2/27/2019 | | | <0.0025 | <0.0025 | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0025 | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 | |
| 11/6/2019 | | | <0.0025 | <0.0025 | |
| 4/16/2020 | | | <0.0025 | <0.0025 | |
| 4/18/2020 | <0.0025 | <0.0025 | | | <0.0025 |
| 10/7/2020 | | | 0.0014 (J) | 0.0014 (J) | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | <0.0025 | <0.0025 | | | |
| 3/29/2021 | | | <0.0025 | <0.0025 | |
| 4/1/2021 | <0.0025 | <0.0025 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | <0.0025 | |
| 9/7/2021 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/22/2022 | | | <0.0025 | <0.0025 | |
| 3/24/2022 | <0.0025 | <0.0025 | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 3/3/2016 | | | | | 0.11 (J) | 3.2 |
| 5/2/2016 | <0.018 | | <0.018 | <0.018 | | |
| 5/4/2016 | | <0.05 | | | <0.05 | 4 |
| 7/5/2016 | <0.018 | | <0.018 | <0.018 | | |
| 7/6/2016 | | | | | | 2.6 |
| 7/7/2016 | | | | | <0.05 | |
| 7/8/2016 | | <0.05 | | | | |
| 9/6/2016 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 9/7/2016 | | | | | 0.028 (J) | |
| 9/8/2016 | | | | | | 3.6 |
| 11/7/2016 | <0.018 | | <0.018 | <0.018 | | |
| 11/8/2016 | | | | | 0.025 (J) | 5 |
| 11/10/2016 | | <0.05 | | | | |
| 1/9/2017 | <0.018 | | <0.018 | <0.018 | | |
| 1/10/2017 | | | | | <0.05 (*) | 4.2 |
| 1/11/2017 | | <0.05 | | | | |
| 3/13/2017 | <0.018 | | <0.018 | 0.022 (J) | | |
| 3/14/2017 | | <0.05 | | | | |
| 3/15/2017 | | | | | <0.05 | |
| 3/16/2017 | | | | | | 3.5 |
| 5/15/2017 | <0.018 | | <0.018 | <0.018 | | 3.2 |
| 5/16/2017 | | | | | <0.05 | |
| 5/18/2017 | | <0.05 | | | | |
| 10/2/2017 | <0.018 | | <0.018 | 0.023 (J) | | |
| 10/3/2017 | | | | | 0.03 (J) | 2.9 |
| 10/5/2017 | | <0.05 | | | | |
| 12/20/2017 | | | | | | 2 |
| 3/12/2018 | <0.018 | | <0.018 | <0.018 | | |
| 3/13/2018 | | | | | <0.05 | 3.4 |
| 3/14/2018 | | <0.05 | | | | |
| 6/5/2018 | <0.018 | | <0.018 | <0.018 | | |
| 6/6/2018 | | | | | 0.024 (J) | |
| 6/7/2018 | | | | | | 5.6 |
| 6/10/2018 | | <0.05 | | | | |
| 10/16/2018 | <0.018 | | <0.018 | <0.018 | | |
| 10/17/2018 | | | | | | 7.3 |
| 10/18/2018 | | 0.081 | | | 0.022 (J) | |
| 2/27/2019 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 2/28/2019 | | | | | <0.05 | 3.1 |
| 5/31/2019 | <0.018 | <0.05 | <0.018 | <0.018 | <0.05 | 2.7 |
| 11/6/2019 | 0.017 (V) | 0.016 (V) | 0.016 (V) | 0.022 (V) | | |
| 11/11/2019 | | | | | 0.035 (V) | 9.7 |
| 4/16/2020 | 0.02 | 0.013 | 0.013 | 0.017 | | |
| 4/18/2020 | | | | | 0.027 | 5.7 |
| 10/7/2020 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 10/8/2020 | | | | | | 3.6 |
| 10/9/2020 | | | | | 0.025 (J) | |
| 3/29/2021 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 3/31/2021 | | | | | 0.046 | |
| 4/1/2021 | | | | | | 3.5 |
| 9/2/2021 | 0.021 (J) | <0.05 | 0.018 (J) | 0.022 (J) | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 0.022 (J) | 3.1 |
| 3/22/2022 | 0.013 | 0.012 | 0.013 | 0.017 | | |
| 3/24/2022 | | | | | 0.035 | 3.2 |

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.05 | <0.05 | |
| 3/3/2016 | 1.6 | <0.05 | | | 2.6 |
| 5/2/2016 | | | | <0.05 | |
| 5/3/2016 | | | <0.05 | | |
| 5/4/2016 | 2.3 | <0.05 (*) | | | 5.9 |
| 7/5/2016 | | | <0.05 | <0.05 | |
| 7/6/2016 | 1.9 | | | | 4.9 |
| 7/7/2016 | | 0.034 (J) | | | |
| 9/6/2016 | | | <0.05 | <0.05 | |
| 9/7/2016 | 0.95 | <0.05 | | | 6.4 |
| 11/7/2016 | | 0.045 (J) | <0.05 | <0.05 | |
| 11/8/2016 | 1.8 | | | | 6 |
| 1/9/2017 | | | <0.05 | <0.05 | |
| 1/10/2017 | 1.9 | <0.05 (*) | | | 5.4 |
| 3/13/2017 | | | <0.05 | <0.05 | |
| 3/15/2017 | 0.38 | <0.05 | | | |
| 3/16/2017 | | | | | 4.5 |
| 5/15/2017 | | | <0.05 | <0.05 | |
| 5/16/2017 | 2 | 0.043 (J) | | | 3.9 |
| 10/2/2017 | | | <0.05 | <0.05 | |
| 10/3/2017 | 0.67 | 0.026 (J) | | | 0.93 |
| 12/20/2017 | 3 | | | | 3 |
| 3/12/2018 | | | <0.05 | <0.05 | |
| 3/13/2018 | 2.9 | 0.07 | | | 3.6 |
| 6/6/2018 | | | <0.05 | <0.05 | |
| 6/7/2018 | 2.9 | 0.1 | | | 3.4 |
| 10/17/2018 | 1.6 | 0.074 | <0.05 | <0.05 | 2.8 |
| 2/27/2019 | | | <0.05 | <0.05 | 2.8 |
| 2/28/2019 | 2.5 | 0.027 (J) | | | |
| 5/31/2019 | 3.1 | <0.05 | <0.05 | <0.05 | 4.4 |
| 11/6/2019 | | | 0.011 (V) | 0.0099 (J) | |
| 11/11/2019 | 10 | 0.036 (V) | | | 16 |
| 4/16/2020 | | | 0.0075 (J) | 0.0055 (J) | |
| 4/18/2020 | 2.8 | 0.016 | | | 3 |
| 10/7/2020 | | | <0.05 | <0.05 | |
| 10/8/2020 | | | | | 2.4 |
| 10/9/2020 | 0.68 | 0.018 (J) | | | |
| 3/29/2021 | | | <0.05 | <0.05 | |
| 4/1/2021 | 3.2 | 0.035 | | | 5.1 |
| 9/2/2021 | | | <0.05 | <0.05 | |
| 9/7/2021 | 1.4 | <0.05 | | | 1.7 |
| 3/22/2022 | | | 0.009 (J) | 0.0063 (J) | |
| 3/24/2022 | 3.4 | 0.028 | | | 3.2 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 5/4/2016 | | <0.0025 | | | <0.0025 | <0.0025 |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 7/6/2016 | | | | | | 0.00036 (J) |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | 0.00045 (J) |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | 0.00065 (J) |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | 0.00051 (J) |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | 0.00049 (J) |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | | 0.00045 (J) |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | 0.00041 (J) |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | 0.00066 (J) |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 10/17/2018 | | | | | | 0.00072 (J) |
| 10/18/2018 | | <0.0025 | | | <0.0025 | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | 0.00039 (J) |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | 0.00034 (J) |
| 11/6/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 11/11/2019 | | | | | <0.0025 | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 4/18/2020 | | | | | 7.5E-05 (J) | 0.00024 (J) |
| 10/7/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | <0.0025 | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/24/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 | |
| 3/3/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 5/2/2016 | | | | <0.0025 | |
| 5/3/2016 | | | <0.0025 | | |
| 5/4/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 7/5/2016 | | | <0.0025 | <0.0025 | |
| 7/6/2016 | <0.0025 | | | | <0.0025 |
| 7/7/2016 | | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 | |
| 9/7/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 11/7/2016 | | <0.0025 | <0.0025 | <0.0025 | |
| 11/8/2016 | <0.0025 | | | | <0.0025 |
| 1/9/2017 | | | <0.0025 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/13/2017 | | | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | <0.0025 | <0.0025 | |
| 5/16/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/12/2018 | | | <0.0025 | <0.0025 | |
| 3/13/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 6/6/2018 | | | <0.0025 | <0.0025 | |
| 6/7/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 10/17/2018 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 2/27/2019 | | | <0.0025 | <0.0025 | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0025 | | | |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 11/6/2019 | | | <0.0025 | <0.0025 | |
| 11/11/2019 | 0.001 (J) | <0.0025 | | | <0.0025 |
| 4/16/2020 | | | <0.0025 | <0.0025 | |
| 4/18/2020 | 0.00073 | 7.6E-05 (J) | | | 8.9E-05 (J) |
| 10/7/2020 | | | <0.0025 | <0.0025 | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | <0.0025 | <0.0025 | | | |
| 3/29/2021 | | | <0.0025 | <0.0025 | |
| 4/1/2021 | <0.0025 | <0.0025 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | <0.0025 | |
| 9/7/2021 | 0.0042 | <0.0025 | | | <0.0025 |
| 3/22/2022 | | | <0.0025 | <0.0025 | |
| 3/24/2022 | <0.0025 | <0.0025 | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1 (J) | 0.67 | 1.4 | | |
| 3/3/2016 | | | | | 1 (J) | 57 |
| 5/2/2016 | 0.78 | | 0.58 | 1.1 | | |
| 5/4/2016 | | 0.62 | | | 1 | 60 |
| 7/5/2016 | 0.65 | | 0.43 | 0.94 | | |
| 7/6/2016 | | | | | | 54 |
| 7/7/2016 | | | | | 0.62 | |
| 7/8/2016 | | 0.4 | | | | |
| 9/6/2016 | 0.7 | 0.45 | 0.48 | 1 | | |
| 9/7/2016 | | | | | 0.6 | |
| 9/8/2016 | | | | | | 68 |
| 11/7/2016 | 0.8 | | 0.56 | 1.2 | | |
| 11/8/2016 | | | | | 0.53 | 84 |
| 11/10/2016 | | 0.44 | | | | |
| 1/9/2017 | 0.74 | | 0.43 | 1.2 | | |
| 1/10/2017 | | | | | 0.51 | 64 |
| 1/11/2017 | | 0.42 | | | | |
| 3/13/2017 | 0.78 | | 0.48 | 1.3 | | |
| 3/14/2017 | | 0.42 | | | | |
| 3/15/2017 | | | | | 0.53 | |
| 3/16/2017 | | | | | | 78 |
| 5/15/2017 | 0.76 | | 0.37 | 1 | | 63 |
| 5/16/2017 | | | | | 0.48 | |
| 5/18/2017 | | 0.38 | | | | |
| 10/2/2017 | 0.78 | | 0.47 | 1.2 | | |
| 10/3/2017 | | | | | 0.46 | 43 |
| 10/5/2017 | | 0.39 | | | | |
| 12/20/2017 | | | | | | 44 |
| 3/12/2018 | 0.88 | | 0.49 | 1.4 | | |
| 3/13/2018 | | | | | 0.46 | 68 |
| 3/14/2018 | | 0.49 | | | | |
| 6/5/2018 | 0.9 | | 0.49 | 1.2 | | |
| 6/6/2018 | | | | | 0.45 | |
| 6/7/2018 | | | | | | 89 |
| 6/10/2018 | | 0.39 | | | | |
| 10/16/2018 | 0.86 | | 0.42 | 1.4 | | |
| 10/17/2018 | | | | | | 93 |
| 10/18/2018 | | 0.41 | | | 0.48 | |
| 2/27/2019 | 0.96 | 0.44 | 0.56 | 1.3 | | |
| 2/28/2019 | | | | | 0.44 | 48 |
| 5/31/2019 | 0.76 | 0.28 | 0.33 | 1.1 | 0.55 | 47 |
| 11/6/2019 | 0.88 | 0.46 | 0.49 | 1.2 | | |
| 11/11/2019 | | | | | 0.56 (V) | 73 |
| 4/16/2020 | 0.84 | 0.38 | 0.36 | 1.3 | | |
| 4/18/2020 | | | | | 0.48 | 93 |
| 10/7/2020 | 0.93 | 0.47 | 0.43 | 1.6 | | |
| 10/8/2020 | | | | | | 100 |
| 10/9/2020 | | | | | 0.58 | |
| 3/29/2021 | 1 | 0.43 | 0.46 | 1.6 | | |
| 3/31/2021 | | | | | 0.3 | |
| 4/1/2021 | | | | | | 97 |
| 9/2/2021 | 1.1 | 0.63 | 0.47 | 1.5 | | |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 0.46 | 56 |
| 3/22/2022 | 0.9 | 0.38 | 0.33 | 1.6 | | |
| 3/24/2022 | | | | | 0.59 | 75 |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 0.6 | 1.5 | |
| 3/3/2016 | 160 | 2.5 | | | 84 |
| 5/2/2016 | | | | 0.83 | |
| 5/3/2016 | | | 0.55 | | |
| 5/4/2016 | 140 | 1.1 | | | 90 |
| 7/5/2016 | | | 0.53 | 1.6 | |
| 7/6/2016 | 120 | | | | 72 |
| 7/7/2016 | | 0.71 | | | |
| 9/6/2016 | | | 0.5 | 1.6 | |
| 9/7/2016 | 94 | 0.78 | | | 75 |
| 11/7/2016 | | 0.82 | 0.68 | 1.5 | |
| 11/8/2016 | 160 | | | | 79 |
| 1/9/2017 | | | 0.56 | 0.98 | |
| 1/10/2017 | 150 | 0.58 | | | 61 |
| 3/13/2017 | | | 0.62 | 0.75 | |
| 3/15/2017 | 78 | 0.69 | | | |
| 3/16/2017 | | | | | 62 |
| 5/15/2017 | | | 0.58 | 0.83 | |
| 5/16/2017 | 120 | 0.66 | | | 64 |
| 10/2/2017 | | | 0.62 | 0.83 | |
| 10/3/2017 | 160 | 0.68 | | | 59 |
| 12/20/2017 | 120 | | | | 65 |
| 3/12/2018 | | | 0.59 | 0.71 | |
| 3/13/2018 | 110 | 0.65 | | | 77 |
| 6/6/2018 | | | 0.59 | 0.68 | |
| 6/7/2018 | 97 | 0.6 | | | 78 |
| 10/17/2018 | 130 | 0.73 | 0.54 | 0.66 | 60 |
| 2/27/2019 | | | 0.63 | 0.7 | 65 |
| 2/28/2019 | 120 | 0.84 | | | |
| 5/31/2019 | 110 | 2.6 | 0.45 | 0.52 | 84 |
| 11/6/2019 | | | 0.55 | 0.74 | |
| 11/11/2019 | 82 | 1.6 (V) | | | 63 |
| 4/16/2020 | | | 0.53 | 0.59 | |
| 4/18/2020 | 150 | 0.9 | | | 48 |
| 10/7/2020 | | | 0.63 | 0.67 | |
| 10/8/2020 | | | | | 55 |
| 10/9/2020 | 120 | 0.76 | | | |
| 3/29/2021 | | | 0.68 | 0.75 | |
| 4/1/2021 | 170 | 0.61 | | | 73 |
| 9/2/2021 | | | 0.56 | 0.73 | |
| 9/7/2021 | 190 | 0.53 | | | 66 |
| 3/22/2022 | | | 0.81 | 0.7 | |
| 3/24/2022 | 200 | 3.9 | | | 68 |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 5.4 | 8.1 | 7.4 | | |
| 3/3/2016 | | | | | 8.2 | 36 |
| 5/2/2016 | 4.4 | | 6 | 6.3 | | |
| 5/4/2016 | | 4.5 | | | 8.2 | 47 |
| 7/5/2016 | 4.2 | | 5.2 | 4.8 | | |
| 7/6/2016 | | | | | | 28 |
| 7/7/2016 | | | | | 8.3 | |
| 7/8/2016 | | 4.9 | | | | |
| 9/6/2016 | 4.3 | 4.3 | 5.5 | 6 | | |
| 9/7/2016 | | | | | 8.1 | |
| 9/8/2016 | | | | | | 47 |
| 11/7/2016 | 4.2 | | 5.4 | 5.7 | | |
| 11/8/2016 | | | | | 8.5 | 150 |
| 11/10/2016 | | 4.5 | | | | |
| 1/9/2017 | 5.3 | | 6.1 | 6.8 | | |
| 1/10/2017 | | | | | 9.1 | 110 |
| 1/11/2017 | | 5.3 | | | | |
| 3/13/2017 | 5.2 | | 5.5 | 6.8 | | |
| 3/14/2017 | | 5.5 | | | | |
| 3/15/2017 | | | | | 48 | |
| 3/16/2017 | | | | | | 200 |
| 5/15/2017 | 4.8 | | 4.7 | 6.1 | | 120 |
| 5/16/2017 | | | | | 8.9 | |
| 5/18/2017 | | 5 | | | | |
| 10/2/2017 | 5.5 | | 6.1 | 6 | | |
| 10/3/2017 | | | | | 8.9 | 38 |
| 10/5/2017 | | 5.6 | | | | |
| 12/20/2017 | | | | | 8.8 | 22 |
| 3/12/2018 | 5.3 | | 6.1 | 5.9 | | |
| 3/13/2018 | | | | | 8.3 | 82 |
| 3/14/2018 | | 5.2 | | | | |
| 6/5/2018 | 5.3 | | 5.5 | 6.5 | | |
| 6/6/2018 | | | | | 8 | |
| 6/7/2018 | | | | | | 170 |
| 6/10/2018 | | 5.2 | | | | |
| 10/16/2018 | 5.5 | | 5.1 | 5.9 | | |
| 10/17/2018 | | | | | | 110 |
| 10/18/2018 | | 5.2 | | | 8.1 | |
| 2/27/2019 | 4.6 | 5.1 | 5 | 4.3 | | |
| 2/28/2019 | | | | | 9.1 | 49 |
| 5/31/2019 | 5.1 | 5 | 5.4 | 4.5 | 8.2 | 50 |
| 11/6/2019 | 5.8 | 6 | 6.1 | 5.7 | | |
| 11/11/2019 | | | | | 8.4 | 63 |
| 4/16/2020 | 6.1 | 5.8 | 5.3 | 5.6 | | |
| 4/18/2020 | | | | | 8.7 | 96 |
| 10/7/2020 | 6.6 | 5.9 | 5.7 | 5.1 | | |
| 10/8/2020 | | | | | | 230 |
| 10/9/2020 | | | | | 8.9 | |
| 3/29/2021 | 10 | 5.8 | 5.2 | 5 | | |
| 3/31/2021 | | | | | 8.4 | |
| 4/1/2021 | | | | | | 48 |
| 9/2/2021 | 5.8 | 5.1 | 5.1 | 5.2 | | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 8.3 | 46 |
| 3/22/2022 | 5.9 | 4.9 | 4.7 | 8.8 | | |
| 3/24/2022 | | | | | 9.2 | 36 |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 5.6 | 4 | |
| 3/3/2016 | 110 | 7.9 | | | 43 |
| 5/2/2016 | | | | 3.6 | |
| 5/3/2016 | | | 5.1 | | |
| 5/4/2016 | 120 | 7 | | | 63 |
| 7/5/2016 | | | 4.7 | 3.6 | |
| 7/6/2016 | 130 | | | | 51 |
| 7/7/2016 | | 7.1 | | | |
| 9/6/2016 | | | 4.4 | 4 | |
| 9/7/2016 | 43 | 6.9 | | | 57 |
| 11/7/2016 | | 8 | 4.6 | 4.4 | |
| 11/8/2016 | 98 | | | | 47 |
| 1/9/2017 | | | 5.3 | 4.4 | |
| 1/10/2017 | 150 | <7.4 (*) | | | 45 |
| 3/13/2017 | | | 5.6 | 4.1 | |
| 3/15/2017 | 65 | 8.1 | | | |
| 3/16/2017 | | | | | 40 |
| 5/15/2017 | | | 5.2 | 3.7 | |
| 5/16/2017 | 120 | 7.8 | | | 39 |
| 10/2/2017 | | | 5.5 | 4.8 | |
| 10/3/2017 | 21 | 7.1 | | | 20 |
| 12/20/2017 | 79 | 7.6 | | | 63 |
| 3/12/2018 | | | 5.6 | 4 | |
| 3/13/2018 | 84 | 6.9 | | | 130 |
| 6/6/2018 | | | 5.6 | 4.1 | |
| 6/7/2018 | 86 | 7.3 | | | 120 |
| 10/17/2018 | 45 | 6.8 | 5.5 | 3.7 | 70 |
| 2/27/2019 | | | 5.1 | 4 | 94 |
| 2/28/2019 | 110 | 7.1 | | | |
| 5/31/2019 | 130 | 9.8 | 5.4 | 3.7 | 110 |
| 11/6/2019 | | | 5.9 | 4.7 | |
| 11/11/2019 | 81 | 12 | | | 62 |
| 4/16/2020 | | | 6.2 | 4.9 | |
| 4/18/2020 | 140 | 8.2 | | | 33 |
| 10/7/2020 | | | 6.1 | 4.7 | |
| 10/8/2020 | | | | | 36 |
| 10/9/2020 | 14 | 7.5 | | | |
| 3/29/2021 | | | 6.2 | 5.4 | |
| 4/1/2021 | 71 | 7.4 | | | 96 |
| 9/2/2021 | | | 5.9 | 5.1 | |
| 9/7/2021 | 25 | 7 | | | 88 |
| 3/22/2022 | | | 5.6 | 4.8 | |
| 3/24/2022 | 140 | 9.2 | | | 64 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | 0.0029 | | 0.0019 (J) | 0.0034 | | |
| 5/4/2016 | | <0.0025 | | | 0.0037 | <0.0025 |
| 7/5/2016 | <0.0025 | | 0.0051 | 0.0059 | | |
| 7/6/2016 | | | | | | <0.0025 |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | <0.0025 | | 0.017 (o) | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | | <0.0025 |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | <0.0025 |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 10/18/2018 | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | <0.0025 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 11/6/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 4/18/2020 | | | | | <0.0025 | <0.0025 |
| 10/7/2020 | <0.0025 | 0.0046 | 0.001 (J) | 0.0015 (J) | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | <0.0025 | 0.0024 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | 0.0014 |
| 9/2/2021 | 0.0014 (J) | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | 0.0012 (J) | 0.0012 (J) |
| 3/22/2022 | 0.0046 | 0.0051 | 0.00032 (J) | 0.00027 (J) | | |
| 3/24/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | 0.00056 (J) | |
| 3/3/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 5/2/2016 | | | | 0.0021 (J) | |
| 5/3/2016 | | | 0.0012 (J) | | |
| 5/4/2016 | 0.0012 (J) | 0.0025 | | | <0.0025 |
| 7/5/2016 | | | <0.0025 | <0.0025 | |
| 7/6/2016 | <0.0025 | | | | <0.0025 |
| 7/7/2016 | | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 | |
| 9/7/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 11/7/2016 | | <0.0025 | <0.0025 | <0.0025 | |
| 11/8/2016 | <0.0025 | | | | <0.0025 |
| 1/9/2017 | | | <0.0025 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/13/2017 | | | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | <0.0025 | <0.0025 | |
| 5/16/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/12/2018 | | | <0.0025 | <0.0025 | |
| 3/13/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 6/6/2018 | | | <0.0025 | <0.0025 | |
| 6/7/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 10/17/2018 | | | <0.0025 | <0.0025 | |
| 2/27/2019 | | | <0.0025 | <0.0025 | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0025 | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 | |
| 11/6/2019 | | | <0.0025 | <0.0025 | |
| 4/16/2020 | | | <0.0025 | <0.0025 | |
| 4/18/2020 | <0.0025 | <0.0025 | | | 0.00082 |
| 10/7/2020 | | | 0.0033 | 0.0017 (J) | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | 0.0016 (J) | 0.0016 (J) | | | |
| 3/29/2021 | | | <0.0025 | <0.0025 | |
| 4/1/2021 | <0.0025 | <0.0025 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | <0.0025 | |
| 9/7/2021 | 0.0025 | 0.0012 (J) | | | 0.0022 (J) |
| 3/22/2022 | | | 0.0088 | 0.0022 | |
| 3/24/2022 | 0.0021 (J) | 0.002 | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.00039 (J) | <0.0025 | 0.00064 (J) | 0.00023 (J) | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | 0.0013 (J) | | 0.0014 (J) | 0.00092 (J) | | |
| 5/4/2016 | | <0.0025 | | | 0.00093 (J) | 0.0007 (J) |
| 7/5/2016 | 0.00049 (J) | | 0.0027 | 0.0032 | | |
| 7/6/2016 | | | | | | <0.0025 |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | 0.00062 (J) | 0.00042 (J) | 0.00062 (J) | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | <0.0025 |
| 11/7/2016 | 0.00049 (J) | | 0.00058 (J) | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | 0.00051 (J) |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | 0.00045 (J) | | 0.00059 (J) | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | 0.00048 (J) | | 0.0005 (J) | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | 0.0004 (J) |
| 5/15/2017 | 0.00052 (J) | | 0.00046 (J) | <0.0025 | | 0.00079 (J) |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | 0.00055 (J) | | 0.00055 (J) | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | 0.00056 (J) |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | 0.00051 (J) | | 0.00052 (J) | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | 0.0007 (J) |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | 0.00058 (J) | | 0.00045 (J) | <0.0025 | | |
| 10/17/2018 | | | | | | <0.0025 |
| 10/18/2018 | | <0.0025 | | | <0.0025 | |
| 2/27/2019 | 0.00065 (J) | <0.0025 | 0.00056 (J) | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | 0.00059 (J) |
| 5/31/2019 | 0.00046 (J) | <0.0025 | <0.0025 | <0.0025 | <0.0025 | 0.00073 (J) |
| 11/6/2019 | 0.00056 (J) | 0.00033 (J) | 0.00048 (J) | 0.00019 (J) | | |
| 11/11/2019 | | | | | 0.00023 (J) | 0.00065 (J) |
| 4/16/2020 | 0.00058 | 0.00035 (J) | 0.00043 (J) | 0.00021 (J) | | |
| 4/18/2020 | | | | | 0.00024 (J) | 0.00044 (J) |
| 10/7/2020 | 0.0006 (J) | <0.0025 | <0.0025 | <0.0025 | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | 0.00059 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | <0.0025 |
| 9/2/2021 | 0.00069 (J) | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | <0.0025 | <0.0025 |
| 3/22/2022 | 0.0014 | 0.0012 | 0.00038 (J) | 0.0002 (J) | | |
| 3/24/2022 | | | | | 0.00024 (J) | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 0.00064 (J) | 0.00071 (J) | |
| 3/3/2016 | 0.19 | 0.00085 (J) | | | 0.00063 (J) |
| 5/2/2016 | | | | 0.001 (J) | |
| 5/3/2016 | | | 0.00079 (J) | | |
| 5/4/2016 | 0.16 | 0.001 (J) | | | 0.00056 (J) |
| 7/5/2016 | | | <0.0025 | 0.00055 (J) | |
| 7/6/2016 | 0.15 | | | | <0.0025 |
| 7/7/2016 | | 0.00044 (J) | | | |
| 9/6/2016 | | | 0.00094 (J) | 0.00057 (J) | |
| 9/7/2016 | 0.019 | 0.00052 (J) | | | <0.0025 |
| 11/7/2016 | | 0.00046 (J) | 0.00041 (J) | 0.00047 (J) | |
| 11/8/2016 | 0.099 | | | | <0.0025 |
| 1/9/2017 | | | 0.00074 (J) | 0.00054 (J) | |
| 1/10/2017 | 0.077 | 0.00042 (J) | | | <0.0025 |
| 3/13/2017 | | | 0.00091 (J) | 0.0004 (J) | |
| 3/15/2017 | 0.0042 | 0.00044 (J) | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | 0.00075 (J) | 0.00046 (J) | |
| 5/16/2017 | 0.0067 | <0.0025 | | | <0.0025 |
| 3/12/2018 | | | 0.00044 (J) | <0.0025 | |
| 3/13/2018 | 0.015 | <0.0025 | | | <0.0025 |
| 6/6/2018 | | | 0.0004 (J) | 0.00048 (J) | |
| 6/7/2018 | 0.014 | <0.0025 | | | <0.0025 |
| 10/17/2018 | 0.012 | <0.0025 | <0.0025 | 0.00043 (J) | <0.0025 |
| 2/27/2019 | | | <0.0025 | 0.00045 (J) | <0.0025 |
| 2/28/2019 | 0.02 | 0.00042 (J) | | | |
| 5/31/2019 | 0.026 | 0.00046 (J) | <0.0025 | <0.0025 | <0.0025 |
| 11/6/2019 | | | 0.00029 (J) | 0.00094 (J) | |
| 11/11/2019 | 0.023 | 0.00063 (J) | | | <0.0025 |
| 4/16/2020 | | | 0.00029 (J) | 0.00053 | |
| 4/18/2020 | 0.015 | 0.00045 (J) | | | <0.0025 |
| 10/7/2020 | | | <0.0025 | <0.0025 | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | 0.0019 (J) | <0.0025 | | | |
| 3/29/2021 | | | <0.0025 | 0.00062 | |
| 4/1/2021 | 0.0079 | <0.0025 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | 0.00069 (J) | |
| 9/7/2021 | 0.3 | <0.0025 | | | <0.0025 |
| 3/22/2022 | | | 0.0014 | 0.0016 | |
| 3/24/2022 | 0.01 | 0.0016 | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 1.27 | 1.09 | 1.42 | 2.4 | | |
| 3/3/2016 | | | | | 4.62 | 5.43 |
| 5/2/2016 | 0.808 | | 1.03 | 1.62 | | |
| 5/4/2016 | | 0.848 | | | 5.36 | 5.52 |
| 7/5/2016 | 0.947 | | 0.961 | 1.01 | | |
| 7/6/2016 | | | | | | 12.9 |
| 7/7/2016 | | | | | 6.27 | |
| 7/8/2016 | | 1.46 | | | | |
| 9/6/2016 | 1.07 | 1.34 | 1.07 | 1.8 | | |
| 9/7/2016 | | | | | 5.25 | |
| 9/8/2016 | | | | | | 3.73 |
| 11/7/2016 | 0.602 | | 0.818 | 1.86 | | |
| 11/8/2016 | | | | | 5.64 | 5.61 |
| 11/10/2016 | | 1.23 | | | | |
| 1/9/2017 | 0.865 | | 0.934 | 2.25 | | |
| 1/10/2017 | | | | | 5.39 | 4.33 |
| 1/11/2017 | | 1.11 | | | | |
| 3/13/2017 | 0.693 | | 0.937 | 1.87 | | |
| 3/14/2017 | | 1.01 | | | | |
| 3/15/2017 | | | | | 5.72 | |
| 3/16/2017 | | | | | | 6.34 |
| 5/15/2017 | 0.786 | | 0.685 | 1.4 | | 5.77 |
| 5/16/2017 | | | | | 4.84 | |
| 5/18/2017 | | 0.745 | | | | |
| 3/12/2018 | 0.933 | | 1.09 | 1.97 | | |
| 3/13/2018 | | | | | 5.59 | 5.94 |
| 3/14/2018 | | 0.614 | | | | |
| 6/5/2018 | 0.713 | | 0.927 | 2.17 | | |
| 6/6/2018 | | | | | 3.96 | |
| 6/7/2018 | | | | | | 5.79 |
| 6/10/2018 | | 0.959 | | | | |
| 10/16/2018 | 2.14 | | 1.07 | 2.2 | | |
| 10/17/2018 | | | | | | 6.31 |
| 10/18/2018 | | 0.944 | | | 5.75 | |
| 2/27/2019 | 0.651 | 0.827 | 0.912 | 1.8 | | |
| 2/28/2019 | | | | | 4.82 | 5.4 |
| 5/31/2019 | 1.33 | 0.99 | 1.24 | 1.8 | 4.06 | 4.37 |
| 11/6/2019 | 1.32 | 0.892 | 0.509 (U) | 2.32 | | |
| 11/11/2019 | | | | | 5.43 | 5.71 |
| 4/16/2020 | 0.971 | 0.497 | 0.568 | 1.35 | | |
| 4/18/2020 | | | | | 5.09 | 6.89 |
| 10/7/2020 | 1.14 | 1.07 | 0.763 | 1.75 | | |
| 10/8/2020 | | | | | | 8.36 |
| 10/9/2020 | | | | | 4.71 | |
| 3/29/2021 | 1.72 | 0.561 | 0.708 | | | |
| 3/30/2021 | | | | 1.71 | | |
| 3/31/2021 | | | | | 4.44 | |
| 4/1/2021 | | | | | | 6.31 |
| 9/2/2021 | 1.65 | 0.975 | 1.75 | 2.13 | | |
| 9/7/2021 | | | | | 5.47 | 6.02 |
| 3/22/2022 | 1.75 | 1.1 | 1.78 | 3.12 | | |
| 3/24/2022 | | | | | 5.39 | 5.28 |

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 0.647 | <5 | |
| 3/3/2016 | 9.46 | 1.67 | | | 2.29 |
| 5/2/2016 | | | | <5 | |
| 5/3/2016 | | | 0.748 | | |
| 5/4/2016 | 9.66 | 1.18 | | | 2.58 |
| 7/5/2016 | | | 0.591 | <5 | |
| 7/6/2016 | 2.84 | | | | 3.08 |
| 7/7/2016 | | 1.24 | | | |
| 9/6/2016 | | | 0.831 | 0.566 | |
| 9/7/2016 | 4.49 | 1.49 | | | 3.04 |
| 11/7/2016 | | 1.32 | 0.983 | 0.784 | |
| 11/8/2016 | 7.47 | | | | 2.96 |
| 1/9/2017 | | | 0.767 | 0.541 | |
| 1/10/2017 | 9.6 | 2.16 | | | 3.5 |
| 3/13/2017 | | | 1.26 | 0.442 | |
| 3/15/2017 | 2.22 | 1.14 | | | |
| 3/16/2017 | | | | | 2.9 |
| 5/15/2017 | | | 0.553 | 0.345 | |
| 5/16/2017 | 3.89 | 1.26 | | | 1.47 |
| 3/12/2018 | | | 0.783 | 0.848 | |
| 3/13/2018 | 5.25 | 1.29 | | | 2.96 |
| 6/6/2018 | | | 1.08 | 0.78 | |
| 6/7/2018 | 4.1 | 1.25 | | | 2.45 |
| 10/17/2018 | 3.15 | 1.24 | 1.19 | 0.88 | 2.7 |
| 2/27/2019 | | | 0.741 | 0.431 | 2.61 |
| 2/28/2019 | 5.21 | 1.55 | | | |
| 5/31/2019 | 6.03 | 1.9 | 0.759 | 0.884 | 3.62 |
| 11/6/2019 | | | 0.105 (U) | 0.366 (U) | |
| 11/11/2019 | 5.15 | 1.58 | | | 2 |
| 4/16/2020 | | | 0.588 | 0.264 (U) | |
| 4/18/2020 | 7.33 | 1.55 | | | 1.34 |
| 10/7/2020 | | | 0.709 (U) | 0.46 (U) | |
| 10/8/2020 | | | | | 3.17 |
| 10/9/2020 | 1.58 | 0.858 | | | |
| 3/29/2021 | | | 0.899 | 0.642 | |
| 4/1/2021 | 6.79 | 1.23 | | | 2.27 |
| 9/2/2021 | | | 0.856 | 0.951 | |
| 9/7/2021 | 6.19 | 1.6 | | | 2.42 |
| 3/22/2022 | | | 1.33 | 1.32 | |
| 3/24/2022 | 6.01 | 3 | | | 3.16 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 5.26 | 5.11 | 4.9 | | |
| 3/3/2016 | | | | | 5.11 | 6.16 |
| 5/2/2016 | 4.76 | | 4.77 | 4.69 | | |
| 5/4/2016 | | 5.1 | | | 5.13 | 6.3 |
| 7/5/2016 | 5.12 | | 5.48 | 7.11 (o) | | |
| 7/6/2016 | | | | | | 7.07 |
| 7/7/2016 | | | | | 4.96 | |
| 7/8/2016 | | 4.96 | | | | |
| 9/6/2016 | 5.11 | 5.43 | 5.12 | 5.19 | | |
| 9/7/2016 | | | | | 4.88 | |
| 9/8/2016 | | | | | | 6.72 |
| 11/7/2016 | 4.76 | | 4.73 | 4.64 | | |
| 11/8/2016 | | | | | 4.54 | 6.55 |
| 11/10/2016 | | 4.89 | | | | |
| 1/9/2017 | 4.99 | | 5 | 4.94 | | |
| 1/10/2017 | | | | | 4.83 | 6.72 |
| 1/11/2017 | | 4.87 | | | | |
| 3/13/2017 | 4.57 | | 4.74 | 4.63 | | |
| 3/14/2017 | | 4.71 | | | | |
| 3/15/2017 | | | | | 4.82 | |
| 3/16/2017 | | | | | | 6.5 |
| 5/15/2017 | 4.6 | | 4.63 | 4.52 | | 6.15 |
| 5/16/2017 | | | | | 4.53 | |
| 5/18/2017 | | 4.5 | | | | |
| 10/2/2017 | 4.64 | | 4.63 | 4.54 | | |
| 10/3/2017 | | | | | 4.44 | 6.48 |
| 10/5/2017 | | 4.63 | | | | |
| 12/20/2017 | | | | | 4.63 | 6.99 (R) |
| 3/12/2018 | 4.85 | | 4.81 | 4.81 | | |
| 3/13/2018 | | | | | 4.78 | 6.61 |
| 3/14/2018 | | 5.14 | | | | |
| 6/5/2018 | 4.92 | | 5.04 | 4.9 | | |
| 6/6/2018 | | | | | 4.67 | |
| 6/7/2018 | | | | | | 6.48 |
| 6/10/2018 | | 5.12 | | | | |
| 10/16/2018 | 4.93 | | 4.98 | 4.81 | | |
| 10/17/2018 | | | | | | 6.58 |
| 10/18/2018 | | 4.97 | | | 4.71 | |
| 2/27/2019 | 4.75 | 4.84 | 4.78 | 4.71 | | |
| 2/28/2019 | | | | | 4.71 | 6.53 |
| 5/31/2019 | 4.9 | 4.92 | 4.92 | 4.84 | 4.62 | 6.25 |
| 11/6/2019 | 4.82 | 4.94 | 4.88 | 4.78 | | |
| 11/11/2019 | | | | | 4.77 | 6.68 |
| 4/16/2020 | 5.03 | 5.17 | 5.15 | 4.96 | | |
| 4/18/2020 | | | | | 4.69 | 6.61 |
| 10/7/2020 | 4.74 | 5.08 | 4.91 | 4.8 | | |
| 10/8/2020 | | | | | | 6.68 |
| 10/9/2020 | | | | | 4.6 | |
| 3/29/2021 | 4.79 | 4.92 | 4.89 | 4.8 | | |
| 3/31/2021 | | | | | 4.69 | |
| 4/1/2021 | | | | | | 6.46 |
| 9/2/2021 | 4.81 | 5.07 | 4.87 | 4.77 | | |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 4.52 | 6.56 |
| 3/22/2022 | 4.9 | 5.02 | 4.91 | 4.89 | | |
| 3/24/2022 | | | | | 4.68 | 6.9 |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 5.08 | 6.37 | |
| 3/3/2016 | 5.185 (D) | 5.33 | | | 6.62 (D) |
| 5/2/2016 | | | | 5.605 (D) | |
| 5/3/2016 | | | 5.14 | | |
| 5/4/2016 | 5.02 (D) | 5.13 | | | 6.345 (D) |
| 7/5/2016 | | | 5.38 | 6.29 | |
| 7/6/2016 | 4.93 | | | | 6.42 |
| 7/7/2016 | | 5.19 | | | |
| 9/6/2016 | | | 5.37 | 6.42 | |
| 9/7/2016 | 5.36 | 4.9 | | | 6.01 |
| 11/7/2016 | | 4.78 | 4.92 | 5.75 | |
| 11/8/2016 | 5.26 | | | | 6.02 |
| 1/9/2017 | | | 5.05 | 5.98 | |
| 1/10/2017 | 5.04 | 4.96 | | | 6 |
| 3/13/2017 | | | 4.87 | 5.81 | |
| 3/15/2017 | 5.91 | 4.89 | | | |
| 3/16/2017 | | | | | 6.12 |
| 5/15/2017 | | | 4.69 | 5.42 | |
| 5/16/2017 | 5.36 | 4.53 | | | 6.13 |
| 10/2/2017 | | | 4.88 | 5.63 | |
| 10/3/2017 | 6.36 | 4.64 | | | 5.47 |
| 12/20/2017 | 5.86 | 4.87 | | | 6.07 (R) |
| 3/12/2018 | | | 5.07 | 5.6 | |
| 3/13/2018 | 5.41 | 4.91 | | | 6.26 |
| 6/6/2018 | | | 5.09 | 5.58 | |
| 6/7/2018 | 5.37 | 4.8 | | | 6.36 |
| 10/17/2018 | 5.94 | 4.87 | 4.99 | 5.54 | 6.18 |
| 2/27/2019 | | | 4.87 | 5.4 | 6.49 |
| 2/28/2019 | 5.64 | 4.86 | | | |
| 5/31/2019 | 5.41 | 4.84 | 4.89 | 5.45 | 6.65 |
| 11/6/2019 | | | 5.04 | 5.52 | |
| 11/11/2019 | 5.18 | 4.9 | | | 6.75 |
| 4/16/2020 | | | 5.13 | 5.58 | |
| 4/18/2020 | 5.2 | 4.91 | | | 6.97 |
| 10/7/2020 | | | 5.13 | 5.5 | |
| 10/8/2020 | | | | | 5.78 |
| 10/9/2020 | 6.49 | 4.93 | | | |
| 3/29/2021 | | | 4.93 | 5.46 | |
| 4/1/2021 | 5.81 | 4.83 | | | 6.55 |
| 9/2/2021 | | | 4.94 | 5.16 | |
| 9/7/2021 | 5.1 | 4.68 | | | 6.13 |
| 3/22/2022 | | | 5.1 | 5.18 | |
| 3/24/2022 | 5.83 | 4.84 | | | 6.68 |

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 3/3/2016 | | | | | 0.041 (J) | 0.15 |
| 5/2/2016 | <0.1 | | <0.1 | <0.1 | | |
| 5/4/2016 | | <0.1 | | | <0.1 | 0.11 |
| 7/5/2016 | <0.1 | | <0.1 | <0.1 | | |
| 7/6/2016 | | | | | | 0.13 |
| 7/7/2016 | | | | | <0.1 | |
| 7/8/2016 | | <0.1 | | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 9/7/2016 | | | | | <0.1 | |
| 9/8/2016 | | | | | | 0.12 |
| 11/7/2016 | <0.1 | | <0.1 | <0.1 | | |
| 11/8/2016 | | | | | <0.1 | 0.13 |
| 11/10/2016 | | <0.1 | | | | |
| 1/9/2017 | <0.1 | | <0.1 | <0.1 | | |
| 1/10/2017 | | | | | <0.1 | 0.15 |
| 1/11/2017 | | <0.1 | | | | |
| 3/13/2017 | <0.1 | | <0.1 | <0.1 | | |
| 3/14/2017 | | <0.1 | | | | |
| 3/15/2017 | | | | | <0.1 | |
| 3/16/2017 | | | | | | 0.16 |
| 5/15/2017 | <0.1 | | <0.1 | <0.1 | | 0.2 |
| 5/16/2017 | | | | | <0.1 | |
| 5/18/2017 | | <0.1 | | | | |
| 10/2/2017 | <0.1 | | <0.1 | <0.1 | | |
| 10/3/2017 | | | | | <0.1 | 0.25 |
| 10/5/2017 | | <0.1 | | | | |
| 12/20/2017 | | | | | | 0.25 |
| 3/12/2018 | <0.1 | | <0.1 | <0.1 | | |
| 3/13/2018 | | | | | <0.1 | 0.26 |
| 3/14/2018 | | 0.12 | | | | |
| 6/5/2018 | <0.1 | | <0.1 | <0.1 | | |
| 6/6/2018 | | | | | <0.1 | |
| 6/7/2018 | | | | | | 0.28 |
| 6/10/2018 | | <0.1 | | | | |
| 10/16/2018 | <0.1 | | <0.1 | <0.1 | | |
| 10/17/2018 | | | | | | 0.29 |
| 10/18/2018 | | <0.1 | | | <0.1 | |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 2/28/2019 | | | | | <0.1 | 0.28 |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.33 |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 11/11/2019 | | | | | <0.1 | 0.26 |
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 4/18/2020 | | | | | <0.1 | 0.25 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 10/8/2020 | | | | | | <0.1 |
| 10/9/2020 | | | | | <0.1 | |
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | | |
| 3/31/2021 | | | | | <0.1 | |
| 4/1/2021 | | | | | | 0.26 |
| 9/2/2021 | 0.08 (J) | 0.04 (J) | 0.1 | <0.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | <0.1 | 0.24 |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 3/24/2022 | | | | | <0.1 | 0.22 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.1 | 0.033 (J) | |
| 3/3/2016 | 0.12 | 0.035 (J) | | | 0.11 |
| 5/2/2016 | | | | <0.1 | |
| 5/3/2016 | | | <0.1 | | |
| 5/4/2016 | 0.19 | <0.1 | | | 0.07 (J) |
| 7/5/2016 | | | <0.1 | <0.1 | |
| 7/6/2016 | 0.15 | | | | 0.07 (J) |
| 7/7/2016 | | <0.1 | | | |
| 9/6/2016 | | | <0.1 | <0.1 | |
| 9/7/2016 | 0.06 (J) | <0.1 | | | 0.06 (J) |
| 11/7/2016 | | <0.1 | <0.1 | <0.1 | |
| 11/8/2016 | 0.09 (J) | | | | 0.06 (J) |
| 1/9/2017 | | | <0.1 | <0.1 | |
| 1/10/2017 | <0.1 | <0.1 | | | 0.04 (J) |
| 3/13/2017 | | | <0.1 | <0.1 | |
| 3/15/2017 | <0.1 | <0.1 | | | |
| 3/16/2017 | | | | | 0.06 (J) |
| 5/15/2017 | | | <0.1 | <0.1 | |
| 5/16/2017 | 0.04 (J) | <0.1 | | | 0.09 (J) |
| 10/2/2017 | | | <0.1 | <0.1 | |
| 10/3/2017 | 0.07 (J) | <0.1 | | | 0.13 |
| 12/20/2017 | | | | | 0.1 |
| 3/12/2018 | | | <0.1 | <0.1 | |
| 3/13/2018 | <0.1 | <0.1 | | | 0.1 |
| 6/6/2018 | | | <0.1 | <0.1 | |
| 6/7/2018 | <0.1 | <0.1 | | | 0.14 |
| 10/17/2018 | 0.06 (J) | <0.1 | <0.1 | <0.1 | 0.14 |
| 2/27/2019 | | | <0.1 | <0.1 | 0.16 |
| 2/28/2019 | <0.1 | <0.1 | | | |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | 0.2 |
| 11/6/2019 | | | <0.1 | <0.1 | |
| 11/11/2019 | <0.1 | <0.1 | | | 0.16 |
| 4/16/2020 | | | <0.1 | <0.1 | |
| 4/18/2020 | <0.1 | <0.1 | | | 0.17 |
| 10/7/2020 | | | <0.1 | <0.1 | |
| 10/8/2020 | | | | | 0.07 (J) |
| 10/9/2020 | 0.04 (J) | <0.1 | | | |
| 3/29/2021 | | | <0.1 | <0.1 | |
| 4/1/2021 | 0.04 | 0.032 | | | 0.19 |
| 9/2/2021 | | | <0.1 | 0.04 (J) | |
| 9/7/2021 | 0.7 | <0.1 | | | 0.17 |
| 3/22/2022 | | | <0.1 | <0.1 | |
| 3/24/2022 | <0.1 | <0.1 | | | 0.14 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/3/2016 | | | | | <0.0013 | <0.0013 |
| 5/2/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 5/4/2016 | | <0.0013 | | | <0.0013 | <0.0013 |
| 7/5/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 7/6/2016 | | | | | | <0.0013 |
| 7/7/2016 | | | | | <0.0013 | |
| 7/8/2016 | | <0.0013 | | | | |
| 9/6/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/7/2016 | | | | | <0.0013 | |
| 9/8/2016 | | | | | | <0.0013 |
| 11/7/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 11/8/2016 | | | | | <0.0013 | <0.0013 |
| 11/10/2016 | | <0.0013 | | | | |
| 1/9/2017 | <0.0013 | | <0.0013 | <0.0013 | | |
| 1/10/2017 | | | | | <0.0013 | <0.0013 |
| 1/11/2017 | | <0.0013 | | | | |
| 3/13/2017 | <0.0013 | | <0.0013 | <0.0013 | | |
| 3/14/2017 | | <0.0013 | | | | |
| 3/15/2017 | | | | | <0.0013 | |
| 3/16/2017 | | | | | | <0.0013 |
| 5/15/2017 | <0.0013 | | <0.0013 | <0.0013 | | <0.0013 |
| 5/16/2017 | | | | | <0.0013 | |
| 5/18/2017 | | <0.0013 | | | | |
| 3/12/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 3/13/2018 | | | | | <0.0013 | <0.0013 |
| 3/14/2018 | | <0.0013 | | | | |
| 6/5/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 6/6/2018 | | | | | <0.0013 | |
| 6/7/2018 | | | | | | <0.0013 |
| 6/10/2018 | | <0.0013 | | | | |
| 10/16/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 10/18/2018 | | <0.0013 | | | | |
| 2/27/2019 | <0.0013 | <0.0013 | 0.001 (J) | <0.0013 | | |
| 2/28/2019 | | | | | <0.0013 | <0.0013 |
| 5/31/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 11/6/2019 | 0.0001 (J) | <0.0013 | 6.6E-05 (J) | 8.4E-05 (J) | | |
| 4/16/2020 | 6.6E-05 (J) | <0.0013 | <0.0013 | <0.0013 | | |
| 4/18/2020 | | | | | 8.3E-05 (J) | 0.00011 (J) |
| 10/7/2020 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 10/8/2020 | | | | | | <0.0013 |
| 10/9/2020 | | | | | <0.0013 | |
| 3/29/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/31/2021 | | | | | 0.00039 | |
| 4/1/2021 | | | | | | <0.0013 |
| 9/2/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/7/2021 | | | | | <0.0013 | <0.0013 |
| 3/22/2022 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/24/2022 | | | | | <0.0013 | <0.0013 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0013 | <0.0013 | |
| 3/3/2016 | <0.0013 | <0.0013 | | | <0.0013 |
| 5/2/2016 | | | | <0.0013 | |
| 5/3/2016 | | | <0.0013 | | |
| 5/4/2016 | 0.00086 (J) | <0.0013 | | | <0.0013 |
| 7/5/2016 | | | <0.0013 | <0.0013 | |
| 7/6/2016 | 0.0014 | | | | <0.0013 |
| 7/7/2016 | | <0.0013 | | | |
| 9/6/2016 | | | <0.0013 | <0.0013 | |
| 9/7/2016 | 0.00056 (J) | <0.0013 | | | <0.0013 |
| 11/7/2016 | | <0.0013 | <0.0013 | <0.0013 | |
| 11/8/2016 | 0.00047 (J) | | | | <0.0013 |
| 1/9/2017 | | | <0.0013 | <0.0013 | |
| 1/10/2017 | 0.00041 (J) | <0.0013 | | | <0.0013 |
| 3/13/2017 | | | <0.0013 | <0.0013 | |
| 3/15/2017 | <0.0013 | <0.0013 | | | |
| 3/16/2017 | | | | | <0.0013 |
| 5/15/2017 | | | <0.0013 | <0.0013 | |
| 5/16/2017 | <0.0013 | <0.0013 | | | <0.0013 |
| 3/12/2018 | | | <0.0013 | <0.0013 | |
| 3/13/2018 | <0.0013 | <0.0013 | | | <0.0013 |
| 6/6/2018 | | | <0.0013 | <0.0013 | |
| 6/7/2018 | <0.0013 | <0.0013 | | | <0.0013 |
| 10/17/2018 | | | <0.0013 | <0.0013 | |
| 2/27/2019 | | | <0.0013 | <0.0013 | <0.0013 |
| 2/28/2019 | <0.0013 | <0.0013 | | | |
| 5/31/2019 | | | <0.0013 | <0.0013 | |
| 11/6/2019 | | | <0.0013 | 0.0002 (J) | |
| 4/16/2020 | | | <0.0013 | 0.00016 (J) | |
| 4/18/2020 | 0.00022 (J) | <0.0013 | | | <0.0013 |
| 10/7/2020 | | | <0.0013 | <0.0013 | |
| 10/8/2020 | | | | | <0.0013 |
| 10/9/2020 | 0.00048 (J) | <0.0013 | | | |
| 3/29/2021 | | | <0.0013 | <0.0013 | |
| 4/1/2021 | <0.0013 | <0.0013 | | | <0.0013 |
| 9/2/2021 | | | <0.0013 | <0.0013 | |
| 9/7/2021 | <0.0013 | <0.0013 | | | <0.0013 |
| 3/22/2022 | | | <0.0013 | <0.0013 | |
| 3/24/2022 | <0.0013 | <0.0013 | | | <0.0013 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.005 | <0.005 | <0.005 | <0.005 | | |
| 3/3/2016 | | | | | <0.005 | 0.037 |
| 5/2/2016 | <0.005 | | <0.005 | <0.005 | | |
| 5/4/2016 | | <0.005 | | | <0.005 | 0.029 |
| 7/5/2016 | <0.005 | | <0.005 | <0.005 | | |
| 7/6/2016 | | | | | | 0.024 |
| 7/7/2016 | | | | | <0.005 | |
| 7/8/2016 | | <0.005 | | | | |
| 9/6/2016 | <0.005 | 0.0037 (J) | <0.005 | <0.005 | | |
| 9/7/2016 | | | | | <0.005 | |
| 9/8/2016 | | | | | | 0.022 |
| 11/7/2016 | <0.005 | | <0.005 | <0.005 | | |
| 11/8/2016 | | | | | <0.005 | 0.026 |
| 11/10/2016 | | <0.005 | | | | |
| 1/9/2017 | <0.005 | | <0.005 | <0.005 | | |
| 1/10/2017 | | | | | <0.005 | 0.024 |
| 1/11/2017 | | <0.005 | | | | |
| 3/13/2017 | <0.005 | | <0.005 | <0.005 | | |
| 3/14/2017 | | <0.005 | | | | |
| 3/15/2017 | | | | | <0.005 | |
| 3/16/2017 | | | | | | 0.029 |
| 5/15/2017 | <0.005 | | <0.005 | <0.005 | | 0.025 |
| 5/16/2017 | | | | | <0.005 | |
| 5/18/2017 | | <0.005 | | | | |
| 3/12/2018 | 0.0011 (J) | | 0.0014 (J) | <0.005 | | |
| 3/13/2018 | | | | | <0.005 | 0.03 |
| 3/14/2018 | | <0.005 | | | | |
| 6/5/2018 | <0.005 | | 0.0012 (J) | <0.005 | | |
| 6/6/2018 | | | | | <0.005 | |
| 6/7/2018 | | | | | | 0.025 |
| 6/10/2018 | | <0.005 | | | | |
| 10/16/2018 | <0.005 | | 0.0015 (J) | 0.0013 (J) | | |
| 10/17/2018 | | | | | | 0.024 |
| 10/18/2018 | | 0.0013 (J) | | | <0.005 | |
| 2/27/2019 | <0.005 | <0.005 | <0.005 | <0.005 | | |
| 2/28/2019 | | | | | <0.005 | 0.021 |
| 5/31/2019 | 0.0021 (J) | 0.0013 (J) | 0.0017 (J) | 0.0017 (J) | 0.0014 (J) | 0.021 |
| 11/6/2019 | 0.0011 | 0.001 | 0.0011 | <0.005 | | |
| 11/11/2019 | | | | | 0.00062 (J) | 0.023 |
| 4/16/2020 | 0.0006 (J) | <0.005 | 0.00063 (J) | <0.005 | | |
| 4/18/2020 | | | | | 0.00062 (J) | 0.023 |
| 10/7/2020 | 0.0054 | 0.0052 | 0.0054 | 0.0048 (J) | | |
| 10/8/2020 | | | | | | 0.029 |
| 10/9/2020 | | | | | <0.005 | |
| 3/29/2021 | <0.005 | 0.0019 | <0.005 | <0.005 | | |
| 3/31/2021 | | | | | 0.0036 | |
| 4/1/2021 | | | | | | 0.022 |
| 9/2/2021 | <0.005 | <0.005 | <0.005 | <0.005 | | |
| 9/7/2021 | | | | | <0.005 | 0.023 |
| 3/22/2022 | 0.0013 | 0.0014 | <0.005 | <0.005 | | |
| 3/24/2022 | | | | | <0.005 | 0.021 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.005 | 0.0037 | |
| 3/3/2016 | <0.005 | <0.005 | | | <0.005 |
| 5/2/2016 | | | | <0.005 | |
| 5/3/2016 | | | <0.005 | | |
| 5/4/2016 | <0.005 | <0.005 | | | <0.005 |
| 7/5/2016 | | | <0.005 | <0.005 | |
| 7/6/2016 | 0.0044 (J) | | | | <0.005 |
| 7/7/2016 | | <0.005 | | | |
| 9/6/2016 | | | <0.005 | <0.005 | |
| 9/7/2016 | <0.005 | <0.005 | | | <0.005 |
| 11/7/2016 | | <0.005 | <0.005 | 0.0097 (o) | |
| 11/8/2016 | <0.005 | | | | <0.005 |
| 1/9/2017 | | | <0.005 | <0.005 | |
| 1/10/2017 | <0.005 | <0.005 | | | <0.005 |
| 3/13/2017 | | | <0.005 | <0.005 | |
| 3/15/2017 | <0.005 | <0.005 | | | |
| 3/16/2017 | | | | | <0.005 |
| 5/15/2017 | | | <0.005 | <0.005 | |
| 5/16/2017 | <0.005 | <0.005 | | | <0.005 |
| 3/12/2018 | | | <0.005 | <0.005 | |
| 3/13/2018 | <0.005 | <0.005 | | | <0.005 |
| 6/6/2018 | | | <0.005 | 0.0021 (J) | |
| 6/7/2018 | 0.0012 (J) | 0.0014 (J) | | | 0.0011 (J) |
| 10/17/2018 | <0.005 | <0.005 | <0.005 | 0.0012 (J) | <0.005 |
| 2/27/2019 | | | <0.005 | 0.002 (J) | 0.0011 (J) |
| 2/28/2019 | <0.005 | <0.005 | | | |
| 5/31/2019 | 0.0023 (J) | <0.005 | 0.0015 (J) | 0.0026 (J) | 0.0021 (J) |
| 11/6/2019 | | | 0.00063 (J) | 0.0012 | |
| 11/11/2019 | 0.0034 | 0.00054 (J) | | | 0.0013 |
| 4/16/2020 | | | <0.005 | 0.00091 (J) | |
| 4/18/2020 | 0.0012 | 0.00047 (J) | | | <0.005 |
| 10/7/2020 | | | 0.005 | 0.0049 (J) | |
| 10/8/2020 | | | | | <0.005 |
| 10/9/2020 | <0.005 | <0.005 | | | |
| 3/29/2021 | | | <0.005 | 0.0042 | |
| 4/1/2021 | 0.0027 | 0.0025 | | | <0.005 |
| 9/2/2021 | | | <0.005 | <0.005 | |
| 9/7/2021 | 0.0096 | <0.005 | | | <0.005 |
| 3/22/2022 | | | 0.0012 | <0.005 | |
| 3/24/2022 | <0.005 | <0.005 | | | <0.005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0002 | <0.0002 | 9.1E-05 (J) | <0.0002 | | |
| 3/3/2016 | | | | | <0.0002 | <0.0002 |
| 5/2/2016 | <0.0002 | | 7.4E-05 (J) | <0.0002 | | |
| 5/4/2016 | | <0.0002 | | | <0.0002 | <0.0002 |
| 7/5/2016 | <0.0002 | | <0.0002 | <0.0002 | | |
| 7/6/2016 | | | | | | <0.0002 |
| 7/7/2016 | | | | | <0.0002 | |
| 7/8/2016 | | <0.0002 (*) | | | | |
| 9/6/2016 | <0.0002 (*) | <0.0002 | <0.0002 (*) | <0.0002 | | |
| 9/7/2016 | | | | | <0.0002 | |
| 9/8/2016 | | | | | | <0.0002 |
| 11/7/2016 | <0.0002 | | <0.0002 | <0.0002 | | |
| 11/8/2016 | | | | | <0.0002 | <0.0002 |
| 11/10/2016 | | <0.0002 | | | | |
| 1/9/2017 | <0.0002 (*) | | <0.0002 (*) | <0.0002 (*) | | |
| 1/10/2017 | | | | | <0.0002 | <0.0002 |
| 1/11/2017 | | <0.0002 | | | | |
| 3/13/2017 | <0.0002 | | <0.0002 | <0.0002 | | |
| 3/14/2017 | | <0.0002 (*) | | | | |
| 3/15/2017 | | | | | <0.0002 | |
| 3/16/2017 | | | | | | <0.0002 |
| 5/15/2017 | <0.0002 | | <0.0002 | <0.0002 | | <0.0002 |
| 5/16/2017 | | | | | <0.0002 | |
| 5/18/2017 | | <0.0002 | | | | |
| 3/12/2018 | <0.0002 | | <0.0002 | <0.0002 | | |
| 3/13/2018 | | | | | <0.0002 | <0.0002 |
| 3/14/2018 | | 9.3E-05 (J) | | | | |
| 6/5/2018 | <0.0002 | | <0.0002 | <0.0002 | | |
| 6/6/2018 | | | | | <0.0002 | |
| 6/7/2018 | | | | | | <0.0002 |
| 6/10/2018 | | <0.0002 | | | | |
| 10/16/2018 | <0.0002 | | <0.0002 | <0.0002 | | |
| 10/17/2018 | | | | | | <0.0002 |
| 10/18/2018 | | <0.0002 | | | <0.0002 | |
| 2/27/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 2/28/2019 | | | | | <0.0002 | <0.0002 |
| 5/31/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 11/6/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 11/11/2019 | | | | | <0.0002 | <0.0002 |
| 4/16/2020 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 4/18/2020 | | | | | <0.0002 | <0.0002 |
| 10/7/2020 | <0.0002 | <0.0002 | 0.00025 | 0.00013 (J) | | |
| 10/8/2020 | | | | | | <0.0002 |
| 10/9/2020 | | | | | <0.0002 | |
| 3/29/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 3/31/2021 | | | | | 0.00019 | |
| 4/1/2021 | | | | | | <0.0002 |
| 9/2/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 9/7/2021 | | | | | <0.0002 | <0.0002 |
| 3/22/2022 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 3/24/2022 | | | | | <0.0002 | <0.0002 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0002 | <0.0002 | |
| 3/3/2016 | 8.6E-05 (J) | <0.0002 | | | <0.0002 |
| 5/2/2016 | | | | <0.0002 | |
| 5/3/2016 | | | <0.0002 | | |
| 5/4/2016 | 0.00026 | <0.0002 | | | <0.0002 |
| 7/5/2016 | | | <0.0002 | <0.0002 | |
| 7/6/2016 | 0.0012 | | | | <0.0002 (*) |
| 7/7/2016 | | <0.0002 | | | |
| 9/6/2016 | | | <0.0002 (*) | <0.0002 (*) | |
| 9/7/2016 | <0.0002 | <0.0002 | | | <0.0002 |
| 11/7/2016 | | <0.0002 | <0.0002 | <0.0002 | |
| 11/8/2016 | 0.00065 | | | | <0.0002 |
| 1/9/2017 | | | <0.0002 (*) | <0.0002 (*) | |
| 1/10/2017 | <0.0002 | <0.0002 | | | <0.0002 |
| 3/13/2017 | | | <0.0002 | <0.0002 | |
| 3/15/2017 | <0.0002 | <0.0002 | | | |
| 3/16/2017 | | | | | <0.0002 |
| 5/15/2017 | | | <0.0002 | <0.0002 | |
| 5/16/2017 | 0.00042 | <0.0002 | | | <0.0002 |
| 3/12/2018 | | | <0.0002 | <0.0002 | |
| 3/13/2018 | 0.00039 | <0.0002 | | | <0.0002 |
| 6/6/2018 | | | <0.0002 | <0.0002 | |
| 6/7/2018 | 0.00033 | <0.0002 | | | <0.0002 |
| 10/17/2018 | 0.00041 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 2/27/2019 | | | <0.0002 | <0.0002 | <0.0002 |
| 2/28/2019 | 0.00055 | <0.0002 | | | |
| 5/31/2019 | 0.00054 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 11/6/2019 | | | <0.0002 | <0.0002 | |
| 11/11/2019 | 0.0011 | <0.0002 | | | <0.0002 |
| 4/16/2020 | | | <0.0002 | <0.0002 | |
| 4/18/2020 | 0.00082 | <0.0002 | | | <0.0002 |
| 10/7/2020 | | | 8E-05 (J) | <0.0002 | |
| 10/8/2020 | | | | | 8.7E-05 (J) |
| 10/9/2020 | 0.00033 | 0.00014 (J) | | | |
| 3/29/2021 | | | <0.0002 | <0.0002 | |
| 4/1/2021 | 0.00012 | <0.0002 | | | 0.00042 |
| 9/2/2021 | | | <0.0002 | <0.0002 | |
| 9/7/2021 | <0.0002 | <0.0002 | | | <0.0002 |
| 3/22/2022 | | | <0.0002 | <0.0002 | |
| 3/24/2022 | <0.0002 | 0.0018 | | | <0.0002 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 3/3/2016 | | | | | <0.015 | 0.99 |
| 5/2/2016 | <0.015 | | <0.015 | <0.015 | | |
| 5/4/2016 | | <0.015 | | | <0.015 | 0.99 |
| 7/5/2016 | <0.015 | | <0.015 | <0.015 | | |
| 7/6/2016 | | | | | | 1.9 |
| 7/7/2016 | | | | | <0.015 | |
| 7/8/2016 | | <0.015 | | | | |
| 9/6/2016 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 9/7/2016 | | | | | <0.015 | |
| 9/8/2016 | | | | | | 2.4 |
| 11/7/2016 | <0.015 | | <0.015 | <0.015 | | |
| 11/8/2016 | | | | | <0.015 | 2.2 |
| 11/10/2016 | | <0.015 | | | | |
| 1/9/2017 | <0.015 | | <0.015 | <0.015 | | |
| 1/10/2017 | | | | | <0.015 | 2.1 |
| 1/11/2017 | | <0.015 | | | | |
| 3/13/2017 | 0.0042 (J) | | <0.015 | 0.0022 (J) | | |
| 3/14/2017 | | <0.015 | | | | |
| 3/15/2017 | | | | | <0.015 | |
| 3/16/2017 | | | | | | 1.6 |
| 5/15/2017 | <0.015 | | <0.015 | <0.015 | | 1.2 |
| 5/16/2017 | | | | | <0.015 | |
| 5/18/2017 | | <0.015 | | | | |
| 3/12/2018 | <0.015 | | <0.015 | <0.015 | | |
| 3/13/2018 | | | | | <0.015 | 1 |
| 3/14/2018 | | <0.015 | | | | |
| 6/5/2018 | <0.015 | | 0.00088 (J) | <0.015 | | |
| 6/6/2018 | | | | | <0.015 | |
| 6/7/2018 | | | | | | 1.1 |
| 6/10/2018 | | <0.015 | | | | |
| 10/16/2018 | <0.015 | | <0.015 | <0.015 | | |
| 10/17/2018 | | | | | | 1.1 |
| 10/18/2018 | | <0.015 | | | <0.015 | |
| 2/27/2019 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 2/28/2019 | | | | | <0.015 | 0.77 |
| 5/31/2019 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | 0.64 |
| 11/6/2019 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 11/11/2019 | | | | | <0.015 | 0.85 |
| 4/16/2020 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 4/18/2020 | | | | | <0.015 | 0.81 |
| 10/7/2020 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 10/8/2020 | | | | | | 0.5 |
| 10/9/2020 | | | | | <0.015 | |
| 3/29/2021 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 3/31/2021 | | | | | <0.015 | |
| 4/1/2021 | | | | | | 0.49 |
| 9/2/2021 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 9/7/2021 | | | | | <0.015 | 0.44 |
| 3/22/2022 | 0.00066 (J) | 0.00064 (J) | <0.015 | <0.015 | | |
| 3/24/2022 | | | | | <0.015 | 0.53 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.015 | <0.015 | |
| 3/3/2016 | <0.015 | <0.015 | | | <0.015 |
| 5/2/2016 | | | | <0.015 | |
| 5/3/2016 | | | <0.015 | | |
| 5/4/2016 | <0.015 | <0.015 | | | <0.015 |
| 7/5/2016 | | | <0.015 | <0.015 | |
| 7/6/2016 | 0.0018 (J) | | | | <0.015 |
| 7/7/2016 | | <0.015 | | | |
| 9/6/2016 | | | <0.015 | <0.015 | |
| 9/7/2016 | 0.0029 (J) | <0.015 | | | <0.015 |
| 11/7/2016 | | <0.015 | <0.015 | <0.015 | |
| 11/8/2016 | <0.015 | | | | <0.015 |
| 1/9/2017 | | | <0.015 | <0.015 | |
| 1/10/2017 | <0.015 (*) | <0.015 | | | <0.015 |
| 3/13/2017 | | | <0.015 | <0.015 | |
| 3/15/2017 | <0.015 | <0.015 | | | |
| 3/16/2017 | | | | | <0.015 |
| 5/15/2017 | | | <0.015 | <0.015 | |
| 5/16/2017 | <0.015 (*) | <0.015 (*) | | | <0.015 |
| 3/12/2018 | | | <0.015 | <0.015 | |
| 3/13/2018 | 0.0033 (J) | <0.015 | | | <0.015 |
| 6/6/2018 | | | <0.015 | <0.015 | |
| 6/7/2018 | 0.0065 (J) | 0.0016 (J) | | | 0.00098 (J) |
| 10/17/2018 | 0.0043 (J) | <0.015 | <0.015 | <0.015 | <0.015 |
| 2/27/2019 | | | <0.015 | <0.015 | <0.015 |
| 2/28/2019 | 0.0028 (J) | <0.015 | | | |
| 5/31/2019 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| 11/6/2019 | | | <0.015 | <0.015 | |
| 11/11/2019 | 0.0056 (J) | <0.015 | | | <0.015 |
| 4/16/2020 | | | <0.015 | <0.015 | |
| 4/18/2020 | <0.015 | <0.015 | | | <0.015 |
| 10/7/2020 | | | <0.015 | <0.015 | |
| 10/8/2020 | | | | | <0.015 |
| 10/9/2020 | <0.015 | <0.015 | | | |
| 3/29/2021 | | | <0.015 | <0.015 | |
| 4/1/2021 | <0.015 | <0.015 | | | <0.015 |
| 9/2/2021 | | | <0.015 | <0.015 | |
| 9/7/2021 | <0.015 | <0.015 | | | <0.015 |
| 3/22/2022 | | | 0.0011 (J) | 0.00031 (J) | |
| 3/24/2022 | <0.015 | 0.00033 (J) | | | 0.002 (J) |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 3/3/2016 | | | | | <0.00025 | 0.008 |
| 5/2/2016 | <0.00025 | | <0.00025 | 0.00025 (J) | | |
| 5/4/2016 | | <0.00025 | | | <0.00025 | 0.0068 |
| 7/5/2016 | <0.00025 | | <0.00025 | <0.00025 | | |
| 7/6/2016 | | | | | | 0.0061 |
| 7/7/2016 | | | | | <0.00025 | |
| 7/8/2016 | | <0.00025 | | | | |
| 9/6/2016 | 0.00049 (J) | <0.00025 | <0.00025 | 0.00027 (J) | | |
| 9/7/2016 | | | | | <0.00025 | |
| 9/8/2016 | | | | | | 0.0065 |
| 11/7/2016 | <0.00025 | | <0.00025 | <0.00025 | | |
| 11/8/2016 | | | | | <0.00025 | 0.0046 |
| 11/10/2016 | | <0.00025 | | | | |
| 1/9/2017 | <0.00025 | | <0.00025 | <0.00025 | | |
| 1/10/2017 | | | | | <0.00025 | 0.0045 |
| 1/11/2017 | | 0.00049 (J) | | | | |
| 3/13/2017 | 0.0023 | | <0.00025 | 0.0025 | | |
| 3/14/2017 | | <0.00025 | | | | |
| 3/15/2017 | | | | | <0.00025 | |
| 3/16/2017 | | | | | | 0.0079 |
| 5/15/2017 | <0.00025 | | <0.00025 | <0.00025 | | 0.0064 |
| 5/16/2017 | | | | | <0.00025 | |
| 5/18/2017 | | <0.00025 | | | | |
| 3/12/2018 | 0.00046 (J) | | 0.00064 (J) | 0.00047 (J) | | |
| 3/13/2018 | | | | | <0.00025 | 0.0037 |
| 3/14/2018 | | 0.00067 (J) | | | | |
| 6/5/2018 | 0.00049 (J) | | 0.00098 (J) | 0.00065 (J) | | |
| 6/6/2018 | | | | | <0.00025 | |
| 6/7/2018 | | | | | | 0.0054 |
| 6/10/2018 | | 0.00028 (J) | | | | |
| 10/16/2018 | <0.00025 | | <0.00025 | <0.00025 | | |
| 10/17/2018 | | | | | | 0.0026 |
| 10/18/2018 | | <0.00025 | | | <0.00025 | |
| 2/27/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 2/28/2019 | | | | | <0.00025 | 0.002 |
| 5/31/2019 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | 0.0041 |
| 11/6/2019 | <0.00025 | <0.00025 | <0.00025 | 0.00034 | | |
| 11/11/2019 | | | | | <0.00025 | 0.0031 |
| 4/16/2020 | <0.00025 | <0.00025 | <0.00025 | 0.0004 | | |
| 4/18/2020 | | | | | <0.00025 | 0.0035 |
| 10/7/2020 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 10/8/2020 | | | | | | 0.0014 |
| 10/9/2020 | | | | | <0.00025 | |
| 3/29/2021 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 3/31/2021 | | | | | <0.00025 | |
| 4/1/2021 | | | | | | 0.004 |
| 9/2/2021 | <0.00025 | <0.00025 | <0.00025 | <0.00025 | | |
| 9/7/2021 | | | | | <0.00025 | 0.0046 |
| 3/22/2022 | <0.00025 | <0.00025 | <0.00025 | 0.00051 | | |
| 3/24/2022 | | | | | <0.00025 | 0.0042 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.00025 | <0.00025 | |
| 3/3/2016 | 0.0041 (J) | <0.00025 | | | 0.0051 (J) |
| 5/2/2016 | | | | <0.00025 | |
| 5/3/2016 | | | <0.00025 | | |
| 5/4/2016 | 0.008 | <0.00025 | | | 0.0049 |
| 7/5/2016 | | | <0.00025 | <0.00025 | |
| 7/6/2016 | 0.0056 | | | | 0.0066 |
| 7/7/2016 | | <0.00025 | | | |
| 9/6/2016 | | | <0.00025 | <0.00025 | |
| 9/7/2016 | 0.0045 | <0.00025 | | | 0.0073 |
| 11/7/2016 | | <0.00025 | <0.00025 | <0.00025 | |
| 11/8/2016 | 0.0055 | | | | 0.0058 |
| 1/9/2017 | | | <0.00025 | <0.00025 | |
| 1/10/2017 | 0.0056 | <0.00025 | | | 0.0058 |
| 3/13/2017 | | | <0.00025 | <0.00025 | |
| 3/15/2017 | 0.0088 | <0.00025 | | | |
| 3/16/2017 | | | | | 0.006 |
| 5/15/2017 | | | <0.00025 | <0.00025 | |
| 5/16/2017 | 0.0029 | <0.00025 | | | 0.0058 |
| 3/12/2018 | | | 0.00026 (J) | <0.00025 | |
| 3/13/2018 | 0.0065 | <0.00025 | | | 0.0048 |
| 6/6/2018 | | | 0.00025 (J) | 0.00026 (J) | |
| 6/7/2018 | 0.0047 | <0.00025 | | | 0.0061 |
| 10/17/2018 | 0.05 (o) | <0.00025 | <0.00025 | <0.00025 | 0.0023 |
| 2/27/2019 | | | <0.00025 | <0.00025 | 0.0033 |
| 2/28/2019 | 0.0011 (J) | <0.00025 | | | |
| 5/31/2019 | 0.0045 | <0.00025 | <0.00025 | <0.00025 | 0.0031 |
| 11/6/2019 | | | <0.00025 | <0.00025 | |
| 11/11/2019 | 0.0067 | 0.00027 | | | 0.002 |
| 4/16/2020 | | | <0.00025 | <0.00025 | |
| 4/18/2020 | 0.0066 | <0.00025 | | | 0.0021 |
| 10/7/2020 | | | <0.00025 | <0.00025 | |
| 10/8/2020 | | | | | 0.0047 |
| 10/9/2020 | 0.0057 | <0.00025 | | | |
| 3/29/2021 | | | <0.00025 | <0.00025 | |
| 4/1/2021 | 0.0038 | <0.00025 | | | 0.0027 |
| 9/2/2021 | | | <0.00025 | <0.00025 | |
| 9/7/2021 | 0.0069 | <0.00025 | | | 0.0045 |
| 3/22/2022 | | | <0.00025 | <0.00025 | |
| 3/24/2022 | 0.0025 | 0.00077 | | | 0.0028 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | <5 | <5 | 1.6 (J) | | |
| 3/3/2016 | | | | | <5 | 180 |
| 5/2/2016 | 15 (o) | | <5 | 2.1 (J) | | |
| 5/4/2016 | | <5 | | | <5 | 200 |
| 7/5/2016 | <5 | | <5 | 2 (J) | | |
| 7/6/2016 | | | | | | 150 |
| 7/7/2016 | | | | | <5 | |
| 7/8/2016 | | <5 | | | | |
| 9/6/2016 | <5 | <5 | <5 | 1.8 (J) | | |
| 9/7/2016 | | | | | <5 | |
| 9/8/2016 | | | | | | 160 |
| 11/7/2016 | <5 | | <5 | 1.7 (J) | | |
| 11/8/2016 | | | | | <5 | 230 |
| 11/10/2016 | | <5 | | | | |
| 1/9/2017 | <5 | | 2.6 (J) | 1.5 (J) | | |
| 1/10/2017 | | | | | <5 | 190 |
| 1/11/2017 | | <5 | | | | |
| 3/13/2017 | 2.5 (J) | | <5 | 2.2 (J) | | |
| 3/14/2017 | | <5 | | | | |
| 3/15/2017 | | | | | <5 (*) | |
| 3/16/2017 | | | | | | 190 |
| 5/15/2017 | <5 | | <5 | 1.9 (J) | | 190 |
| 5/16/2017 | | | | | <5 | |
| 5/18/2017 | | <5 (X) | | | | |
| 10/2/2017 | <5 | | <5 | 3.4 (J) | | |
| 10/3/2017 | | | | | <5 | 130 |
| 10/5/2017 | | <5 | | | | |
| 12/20/2017 | | | | | | 85 |
| 3/12/2018 | <5 | | <5 | 2.6 (J) | | |
| 3/13/2018 | | | | | <5 | 160 |
| 3/14/2018 | | <5 | | | | |
| 6/5/2018 | <5 | | <5 | 2.6 (J) | | |
| 6/6/2018 | | | | | <5 | |
| 6/7/2018 | | | | | | 280 |
| 6/10/2018 | | 1.5 (J) | | | | |
| 10/16/2018 | <5 | | <5 | 2.8 (J) | | |
| 10/17/2018 | | | | | | 250 |
| 10/18/2018 | | <5 | | | <5 | |
| 2/27/2019 | <5 | 1.9 (J) | <5 | 2.4 (J) | | |
| 2/28/2019 | | | | | <5 | 140 |
| 5/31/2019 | <5 | <5 | <5 | 3.3 (J) | <5 | 140 |
| 11/6/2019 | <5 | <5 | <5 | 3.7 (J) | | |
| 11/11/2019 | | | | | <5 | 230 |
| 4/16/2020 | <5 | <5 | <5 | 1.7 (J) | | |
| 4/18/2020 | | | | | <5 | 260 |
| 10/7/2020 | <5 | <5 | <5 | 4 (J) | | |
| 10/8/2020 | | | | | | 160 |
| 10/9/2020 | | | | | <5 | |
| 3/29/2021 | <5 | <5 | <5 | 2.3 | | |
| 3/31/2021 | | | | | 18 | |
| 4/1/2021 | | | | | | 320 |
| 9/2/2021 | <5 | <5 | <5 | 4.7 (J) | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | <5 | 120 |
| 3/22/2022 | <5 | <5 | <5 | 4.5 (J) | | |
| 3/24/2022 | | | | | <5 | 180 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <5 | <5 | |
| 3/3/2016 | 550 | <5 | | | 230 |
| 5/2/2016 | | | | <5 | |
| 5/3/2016 | | | <5 | | |
| 5/4/2016 | 520 | <5 | | | 280 |
| 7/5/2016 | | | <5 | <5 | |
| 7/6/2016 | 510 | | | | 270 |
| 7/7/2016 | | <5 | | | |
| 9/6/2016 | | | <5 | 3.7 (J) | |
| 9/7/2016 | 340 | <5 | | | 280 |
| 11/7/2016 | | <5 | <5 | <5 | |
| 11/8/2016 | 630 | | | | 280 |
| 1/9/2017 | | | <5 | <5 | |
| 1/10/2017 | 580 | <5 | | | 240 |
| 3/13/2017 | | | <5 | <5 | |
| 3/15/2017 | 250 | <5 (*) | | | |
| 3/16/2017 | | | | | 220 |
| 5/15/2017 | | | <5 | <5 | |
| 5/16/2017 | 410 | <5 | | | 200 |
| 10/2/2017 | | | 1.5 (J) | 1.7 (J) | |
| 10/3/2017 | 440 | <5 | | | 180 |
| 12/20/2017 | 400 | | | | 170 |
| 3/12/2018 | | | <5 | <5 | |
| 3/13/2018 | 460 | 1.5 (J) | | | 210 |
| 6/6/2018 | | | <5 | <5 | |
| 6/7/2018 | 420 | <5 | | | 210 |
| 10/17/2018 | 320 | <5 | <5 | <5 | 140 |
| 2/27/2019 | | | <5 | <5 | 150 |
| 2/28/2019 | 490 | 2.6 (J) | | | |
| 5/31/2019 | 500 | 12 | <5 | <5 | 210 |
| 11/6/2019 | | | <5 | <5 | |
| 11/11/2019 | 340 | 5.5 | | | 170 |
| 4/16/2020 | | | <5 | <5 | |
| 4/18/2020 | 600 | <5 | | | 120 |
| 10/7/2020 | | | <5 | <5 | |
| 10/8/2020 | | | | | 170 |
| 10/9/2020 | 300 | <5 | | | |
| 3/29/2021 | | | <5 | <5 | |
| 4/1/2021 | 750 | 1.9 | | | 190 |
| 9/2/2021 | | | <5 | <5 | |
| 9/7/2021 | 530 | <5 | | | 140 |
| 3/22/2022 | | | <5 | <5 | |
| 3/24/2022 | 680 | 18 | | | 1700 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 3/3/2016 | | | | | <0.0005 | 0.00023 (J) |
| 5/2/2016 | <0.0005 | | <0.0005 | <0.0005 | | |
| 5/4/2016 | | <0.0005 | | | <0.0005 | 0.00021 (J) |
| 7/5/2016 | <0.0005 | | <0.0005 | <0.0005 | | |
| 7/6/2016 | | | | | | 0.00016 (J) |
| 7/7/2016 | | | | | <0.0005 | |
| 7/8/2016 | | <0.0005 | | | | |
| 9/6/2016 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 9/7/2016 | | | | | <0.0005 | |
| 9/8/2016 | | | | | | 0.00015 (J) |
| 11/7/2016 | <0.0005 | | <0.0005 | <0.0005 | | |
| 11/8/2016 | | | | | <0.0005 | 0.00017 (J) |
| 11/10/2016 | | <0.0005 | | | | |
| 1/9/2017 | <0.0005 | | <0.0005 | <0.0005 | | |
| 1/10/2017 | | | | | <0.0005 | 0.00018 (J) |
| 1/11/2017 | | <0.0005 | | | | |
| 3/13/2017 | <0.0005 | | <0.0005 | <0.0005 | | |
| 3/14/2017 | | <0.0005 | | | | |
| 3/15/2017 | | | | | <0.0005 | |
| 3/16/2017 | | | | | | 0.00024 (J) |
| 5/15/2017 | <0.0005 | | <0.0005 | <0.0005 | | 0.00022 (J) |
| 5/16/2017 | | | | | <0.0005 | |
| 5/18/2017 | | <0.0005 | | | | |
| 3/12/2018 | <0.0005 | | <0.0005 | <0.0005 | | |
| 3/13/2018 | | | | | <0.0005 | 0.00022 (J) |
| 3/14/2018 | | <0.0005 | | | | |
| 6/5/2018 | <0.0005 | | <0.0005 | <0.0005 | | |
| 6/6/2018 | | | | | <0.0005 | |
| 6/7/2018 | | | | | | 0.00022 (J) |
| 6/10/2018 | | <0.0005 | | | | |
| 10/16/2018 | <0.0005 | | <0.0005 | <0.0005 | | |
| 10/17/2018 | | | | | | 0.00019 (J) |
| 10/18/2018 | | <0.0005 | | | <0.0005 | |
| 2/27/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 2/28/2019 | | | | | <0.0005 | 0.00018 (J) |
| 5/31/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 11/6/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 11/11/2019 | | | | | <0.0005 | 0.00023 (J) |
| 4/16/2020 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 4/18/2020 | | | | | <0.0005 | 0.00027 |
| 10/7/2020 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 10/8/2020 | | | | | | 0.00038 (J) |
| 10/9/2020 | | | | | <0.0005 | |
| 3/29/2021 | <0.0005 | <0.0005 | <0.0005 | <0.0005 (D) | | |
| 3/31/2021 | | | | | <0.0005 | |
| 4/1/2021 | | | | | | 0.00022 |
| 9/2/2021 | 0.00015 (J) | <0.0005 | <0.0005 | <0.0005 | | |
| 9/7/2021 | | | | | <0.0005 | 0.00015 (J) |
| 3/22/2022 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 3/24/2022 | | | | | <0.0005 | <0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0005 | <0.0005 | |
| 3/3/2016 | 0.00015 (J) | <0.0005 | | | 0.00023 (J) |
| 5/2/2016 | | | | <0.0005 | |
| 5/3/2016 | | | <0.0005 | | |
| 5/4/2016 | 0.00021 (J) | <0.0005 | | | 0.00026 (J) |
| 7/5/2016 | | | <0.0005 | <0.0005 | |
| 7/6/2016 | 0.00022 (J) | | | | 0.00032 (J) |
| 7/7/2016 | | <0.0005 | | | |
| 9/6/2016 | | | <0.0005 | <0.0005 | |
| 9/7/2016 | 0.0001 (J) | <0.0005 | | | 0.00036 (J) |
| 11/7/2016 | | <0.0005 | <0.0005 | <0.0005 | |
| 11/8/2016 | 0.00014 (J) | | | | 0.00032 (J) |
| 1/9/2017 | | | <0.0005 | <0.0005 | |
| 1/10/2017 | 0.00018 (J) | <0.0005 | | | 0.00033 (J) |
| 3/13/2017 | | | <0.0005 | <0.0005 | |
| 3/15/2017 | <0.0005 | <0.0005 | | | |
| 3/16/2017 | | | | | 0.00029 (J) |
| 5/15/2017 | | | <0.0005 | <0.0005 | |
| 5/16/2017 | 9.5E-05 (J) | <0.0005 | | | 0.00027 (J) |
| 3/12/2018 | | | <0.0005 | <0.0005 | |
| 3/13/2018 | 0.00017 (J) | <0.0005 | | | 0.00028 (J) |
| 6/6/2018 | | | <0.0005 | <0.0005 | |
| 6/7/2018 | 0.00017 (J) | <0.0005 | | | 0.00026 (J) |
| 10/17/2018 | 0.00011 (J) | <0.0005 | <0.0005 | <0.0005 | 0.00022 (J) |
| 2/27/2019 | | | <0.0005 | <0.0005 | 0.00022 (J) |
| 2/28/2019 | 0.00016 (J) | <0.0005 | | | |
| 5/31/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 11/6/2019 | | | <0.0005 | <0.0005 | |
| 11/11/2019 | 0.00029 (J) | <0.0005 | | | 0.00023 (J) |
| 4/16/2020 | | | <0.0005 | <0.0005 | |
| 4/18/2020 | 0.00026 | <0.0005 | | | 0.00016 |
| 10/7/2020 | | | <0.0005 | <0.0005 | |
| 10/8/2020 | | | | | 0.00031 (J) |
| 10/9/2020 | 0.00015 (J) | <0.0005 | | | |
| 3/29/2021 | | | <0.0005 | <0.0005 | |
| 4/1/2021 | <0.0005 | <0.0005 | | | 0.00019 |
| 9/2/2021 | | | <0.0005 | <0.0005 | |
| 9/7/2021 | 0.00015 (J) | <0.0005 | | | 0.00016 (J) |
| 3/22/2022 | | | <0.0005 | <0.0005 | |
| 3/24/2022 | <0.0005 | <0.0005 | | | <0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | 20 | <5 | 12 | | |
| 3/3/2016 | | | | | 18 | 420 |
| 5/2/2016 | <5 | | <5 | 6 | | |
| 5/4/2016 | | 6 | | | 28 | 450 |
| 7/5/2016 | 12 | | 14 | <5 | | |
| 7/6/2016 | | | | | | 280 |
| 7/7/2016 | | | | | <5 | |
| 7/8/2016 | | 6 | | | | |
| 9/6/2016 | 36 | 36 | 30 | 38 | | |
| 9/7/2016 | | | | | 8 | |
| 9/8/2016 | | | | | | 410 |
| 11/7/2016 | 18 | | 8 | <5 | | |
| 11/8/2016 | | | | | 24 | 580 |
| 11/10/2016 | | 16 | | | | |
| 1/9/2017 | 4 (J) | | <5 | 14 | | |
| 1/10/2017 | | | | | 30 | 530 |
| 1/11/2017 | | 38 | | | | |
| 3/13/2017 | 6 | | <5 | 8 | | |
| 3/14/2017 | | <5 | | | | |
| 3/15/2017 | | | | | 32 | |
| 3/16/2017 | | | | | | 650 |
| 5/15/2017 | <5 | | <5 | <5 | | 500 |
| 5/16/2017 | | | | | <5 | |
| 5/18/2017 | | 10 | | | | |
| 10/2/2017 | <5 | | <5 | 6 | | |
| 10/3/2017 | | | | | 34 | 310 |
| 10/5/2017 | | <5 | | | | |
| 12/20/2017 | | | | | | 150 |
| 3/12/2018 | 18 | | 14 | <5 | | |
| 3/13/2018 | | | | | 26 | 450 |
| 3/14/2018 | | 8 | | | | |
| 6/5/2018 | 10 | | <5 | 14 | | |
| 6/6/2018 | | | | | 64 | |
| 6/7/2018 | | | | | | 620 |
| 6/10/2018 | | 8 | | | | |
| 10/16/2018 | 32 | | 12 | 6 | | |
| 10/17/2018 | | | | | | 700 |
| 10/18/2018 | | 28 | | | 12 | |
| 2/27/2019 | 110 | 68 | 54 | 110 | | |
| 2/28/2019 | | | | | 20 | 330 |
| 5/31/2019 | 46 | <5 | 8 | 26 | 36 | 300 |
| 11/6/2019 | <5 | 10 | 4 (J) | <5 | | |
| 11/11/2019 | | | | | 66 | 390 |
| 4/16/2020 | 28 | 44 | 18 | 8 | | |
| 4/18/2020 | | | | | 62 | 520 |
| 10/7/2020 | 30 | 24 | 20 | 26 | | |
| 10/8/2020 | | | | | | 850 |
| 10/9/2020 | | | | | 52 | |
| 3/29/2021 | 38 | 26 | 12 | 28 | | |
| 3/31/2021 | | | | | 48 | |
| 4/1/2021 | | | | | | 600 |
| 9/2/2021 | 40 | 8 | 10 | 8 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 54 | 360 |
| 3/22/2022 | 58 | 14 | 18 | 46 | | |
| 3/24/2022 | | | | | 16 | 440 |

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 1:46 PM View: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 10 | <5 | |
| 3/3/2016 | 1100 | 18 | | | 490 |
| 5/2/2016 | | | | 36 | |
| 5/3/2016 | | | <5 | | |
| 5/4/2016 | 1200 | 38 | | | 690 |
| 7/5/2016 | | | <5 | <5 | |
| 7/6/2016 | 870 | | | | 500 |
| 7/7/2016 | | <5 | | | |
| 9/6/2016 | | | 36 | 44 | |
| 9/7/2016 | 650 | 14 | | | 590 |
| 11/7/2016 | | 32 | <5 | 30 | |
| 11/8/2016 | 1100 | | | | 530 |
| 1/9/2017 | | | <5 | 12 | |
| 1/10/2017 | 1300 | 32 | | | 510 |
| 3/13/2017 | | | 22 | 20 | |
| 3/15/2017 | 500 | 20 | | | |
| 3/16/2017 | | | | | 420 |
| 5/15/2017 | | | 6 | 4 (J) | |
| 5/16/2017 | 850 | 18 | | | 430 |
| 10/2/2017 | | | 16 | 24 | |
| 10/3/2017 | 760 | 36 | | | 320 |
| 12/20/2017 | 830 | | | | 410 |
| 3/12/2018 | | | <5 | <5 | |
| 3/13/2018 | 880 | 12 | | | 590 |
| 6/6/2018 | | | 20 | 16 | |
| 6/7/2018 | 670 | <5 | | | 530 |
| 10/17/2018 | 770 | 68 | 44 | 44 | 390 |
| 2/27/2019 | | | 20 | 28 | 420 |
| 2/28/2019 | 880 | 28 | | | |
| 5/31/2019 | 1200 | 50 | 32 | 18 | 620 |
| 11/6/2019 | | | 24 | 20 | |
| 11/11/2019 | 370 | 38 | | | 410 |
| 4/16/2020 | | | 6 | 8 | |
| 4/18/2020 | 1000 | 36 | | | 280 |
| 10/7/2020 | | | 16 | 12 | |
| 10/8/2020 | | | | | 380 |
| 10/9/2020 | 580 | 42 | | | |
| 3/29/2021 | | | 42 | 40 | |
| 4/1/2021 | 1200 | 52 | | | 560 |
| 9/2/2021 | | | 10 | <5 | |
| 9/7/2021 | 1000 | 24 | | | 450 |
| 3/22/2022 | | | 84 | 22 | |
| 3/24/2022 | 1400 | 62 | | | 470 |

ND substitution: RL or RL/2 if <15% NDs.

# Box Plots - 100, 200 & 300 Series

# 100 Series


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 10:08 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant




## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant




## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant




## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot





Constituent: Lithium Analysis Run 1/12/2023 10:09 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot





Constituent: Lithium Analysis Run 1/12/2023 10:09 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot





Constituent: Mercury Analysis Run 1/12/2023 10:09 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/12/2023 10:09 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/12/2023 10:09 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Box & Whiskers Plot





Constituent: Total Dissolved Solids  Analysis Run 1/12/2023 10:09 AM  View: 100 Series

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot





Constituent: Total Dissolved Solids  Analysis Run 1/12/2023 10:09 AM  View: 100 Series

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

# 200 Series


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Lithium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Lithium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 11:32 AM View: 200 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# 300 Series


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Lithium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Lithium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG


## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 Groundwater Stats Consulting. UG

Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 1:47 PM View: 300 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# APPENDIX C

# Statistical Analyses – September 2022
# Semi-Annual Monitoring

# FALL 2022

# GROUNDWATER STATISTICAL ANALYSIS

# FOR

# GULF CLEAN ENERGY CENTER

Prepared by:

Groundwater Stats Consulting LLC

# *TABLE OF CONTENTS*


***Narrative*** ***3-14***

**Summary Tables** **15-46**

100% Non-Detects 15-17
Date Ranges 18
Outlier Summary 19-21
Prediction Limits – 100 Series Wells 22-23
Prediction Limits – 200 Series Wells 24-27
Prediction Limits – 300 Series Wells 28-31
Trend Tests – 100 Series Wells 32-33
Trend Tests – 200 Series Wells 34-35
Trend Tests – 300 Series Wells 36-37
Upper Tolerance Limits 38
Groundwater Protection Standard Table 39
Confidence Intervals – 100 Series Wells 40-42
Confidence Intervals – 200 Series Wells 43-44
Confidence Intervals – 300 Series Wells 45-46

**Prediction Limits – 100, 200 & 300 Series Wells** **47-156**

**Trend Tests – 100, 200 & 300 Series Wells** **157-213**

**Upper Tolerance Limits** **214-215**

**Groundwater Protection Standards** **216-217**

**Confidence Intervals – 100, 200 & 300 Series Wells** **218-283**

**Time Series – 100, 200 & 300 Series Wells** **284-489**

**Box Plots – 100, 200 & 300 Series Wells** **490-526**

GROUNDWATER STATS CONSULTING

January 17, 2023

Geosyntec Consultants
Attn: Mr. Benjamin K. Amos, Ph.D., P.E.
1255 Roberts Boulevard, Suite 200
Kennesaw, GA 30144

Re: Gulf Clean Energy Center
Statistical Analysis – September 2022 Sample Event

Dear Mr. Amos,

Groundwater Stats Consulting (GSC), formerly the statistical consulting division of Sanitas Technologies, is pleased to provide the statistical analysis of the groundwater data for the September 2022 sample event at Gulf Clean Energy Center. The analysis complies with the federal rule for the Disposal of Coal Combustion Residuals from Electric Utilities (CCR Rule, 2015) as well as with the United States Environmental Protection Agency (USEPA) Unified Guidance (2009).

Sampling began at Gulf Clean Energy Center for the CCR program in 2016 at each of the groundwater monitoring wells. The monitoring well network for the Gypsum Storage Area originally included wells MW-202, MW-203, MW-204 and MW-205. However, further research conducted by Geosyntec Consultants, reportedly, concluded that the location of these compliance wells did not represent the zone of groundwater quality downgradient of the site; therefore, these wells would not identify whether groundwater was affected from practices at the site. As a result, these wells are not included in the statistical analysis provided in this report. The monitoring well network, as provided by Geosyntec Consultants, consists of the following wells:

- **Upgradient wells:** MW-100, MW-101, MW-107, MW-108, MW-306, and MW-307
- **Ash Landfill No. 1 (100 Series):** MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, and MW-110
- **Gypsum Storage Area (200 Series):** MW-200, MW-201, and MW-206

- **Ash Landfill No. 2 (300 Series):** MW-300, MW-303, MW-304, MW-305, and MW-308

Data were sent electronically to Groundwater Stats Consulting, and the statistical analysis was reviewed by Andrew Collins, Project Manager of Groundwater Stats Consulting. The analysis is prepared according to the recommended statistical methodology provided in the Fall 2017 by Dr. Kirk Cameron, PhD Statistician with MacStat Consulting, primary author of the USEPA Unified Guidance.

The CCR program consists of the following constituents listed below. The terms "constituent" and "parameter" are interchangeable.

- **Appendix III** (Detection Monitoring) **-** boron, calcium, chloride, fluoride, pH, sulfate, and TDS
- **Appendix IV** (Assessment Monitoring) **–** antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, combined radium 226 + 228, fluoride, lead, lithium, mercury, molybdenum, selenium, and thallium

Time series graphs and box plots for Appendix III and IV parameters at the 100, 200, and 300 series wells are provided for these wells for the above constituents. The time series plots are used to initially screen for suspected outliers and trends, while the box plots provide visual representation of variation within individual wells and between all wells. For each of the well series, the time series and box plots include the upgradient wells for comparison to naturally occurring groundwater quality in the region.

Note that due to matrix interference and dilution differences, varying reporting limits were observed during this analysis; therefore, historic reporting limits of 0.1 mg/L for fluoride, 0.005 mg/L for lithium, and 0.0013 mg/L for selenium were substituted for all non-detects across all wells.

Proposed background data at all wells were initially evaluated in October 2017 for the following: 1) outliers; 2) trends; 3) most appropriate statistical method for Appendix III parameters based on site characteristics of groundwater data upgradient of the facility; and 4) eligibility of downgradient wells when intrawell statistical methods are recommended. A summary of those findings, along with the summary of the background update that was performed in March 2020, is provided below.

Power curves were provided during the initial screening to demonstrate that the selected statistical methods for Appendix III parameters comply with the USEPA Unified Guidance. The EPA suggests the selected statistical method should provide at least 55% power at 3

standard deviations or at least 80% power at 4 standard deviations. Power curves were based on the following:

**CCR Appendix III Constituents:**

Ash Landfill No. 1 (100 Series Wells)

- Semi-Annual Sampling
- Interwell Prediction Limits with 1-of-2 resample plan – (boron, calcium, chloride, fluoride, pH, sulfate, and TDS)
- # Constituents: 7
- # Downgradient wells: 7

Gypsum Storage Area (200 Series Wells)

- Semi-Annual Sampling
- Interwell Prediction Limits with 1-of-2 resample plan – (boron, calcium, chloride, fluoride, sulfate, and TDS)
- Intrawell Prediction Limits with 1-of-2 resample plan – (pH)
- # Constituents: 7
- # Downgradient wells: 3

Ash Landfill No. 2 (300 Series Wells)

- Semi-Annual Sampling
- Interwell Prediction Limits with 1-of-2 resample plan – (boron, calcium, chloride, fluoride, sulfate, and TDS)
- Intrawell Prediction Limits with 1-of-2 resample plan – (pH)
- # Constituents: 7
- # Downgradient wells: 5

The number of constituents and downgradient wells affects both the power curves and the table value (kappa) that enter into the computation of parametric prediction limits whenever a resampling scheme is used. Thus, parametric interwell limits, which are constructed using pooled upgradient well data, for a given constituent may differ slightly across the well series, even though the background data are the same.

Parametric prediction limits are utilized when the screened historical data follow a normal or transformed-normal distribution. When data cannot be normalized or the majority of data are non-detects, a nonparametric test is utilized. While the false positive rate associated with the parametric limits is based on an annual 10% (5% for each semi-annual sample event) as recommended by the EPA Unified Guidance (2009), the false positive rate associated with the nonparametric limits is dependent upon the available

background sample size, number of future comparisons, and verification resample plan. The distribution of data is tested using the Shapiro-Wilk/Shapiro-Francia test for normality. After testing for normality and performing any adjustments as discussed below (US EPA, 2009), data are analyzed using either parametric or non-parametric prediction limits as appropriate. Non-detects are handled as follows:

- No statistical analyses are required on wells and analytes containing 100% non-detects (USEPA Unified Guidance, 2009, Chapter 6).
- When data contain <15% non-detects, simple substitution of one-half the reporting limit is utilized in the statistical analysis. The reporting limit utilized for non-detects is the most recent practical quantification limit (PQL) as reported by the laboratory.
- When data contain between 15-50% non-detects, the Kaplan-Meier non-detect adjustment is applied to the background data. This technique adjusts the mean and standard deviation of the historical concentrations to account for concentrations below the reporting limit.
- Nonparametric prediction limits are used on data containing greater than 50% non-detects.

To account for varying detection limits in background data sets due to improved laboratory practices, a substitution of the most recent reporting limit is used for all non-detects except in the cases discussed earlier where historical reporting limits were substituted due to laboratory matrix interference during this analysis. Substitution of the most recent reporting limit is done on an individual well basis for intrawell prediction limits and confidence intervals; therefore, the reporting limit for a given constituent may vary from well to well. In the time series plots, a single reporting limit substitution is used across all wells for a given parameter since the wells are plotted as a group.

Natural systems continuously evolve due to physical changes made to the environment. Examples include capping a landfill, paving areas near a well, or lining a drainage channel to prevent erosion. Periodic updating of background statistical limits is necessary to accommodate these types of changes. In the intrawell case, data for all wells and constituents may re-evaluated when a minimum of 4 new data points are available to determine whether earlier concentrations are representative of present-day groundwater quality. In the interwell case, prediction limits are updated with upgradient well data following each sampling event after careful screening for any new outliers. In some cases, deselecting the earlier portion of data may be necessary prior to construction of limits so that resulting statistical limits are conservative (lower) from a regulatory perspective and capable of rapidly detecting changes in groundwater quality. Even though the data are excluded from the calculation, the values will continue to be reported and shown in tables

and graphs. Background data were initially screened for outliers, trends, and appropriate statistical methodology in October of 2017, and prediction limits were updated in March of 2020. Summaries of those results are presented below.

**Summary of October 2017 Background Screening**

Outlier Analysis

Time series plots were used to identify suspected outliers, or extreme values that would result in limits that are not conservative from a regulatory perspective, in proposed background data. Suspected outliers at all wells for Appendix III and Appendix IV parameters were formally tested using Tukey's box plot method and, when identified, flagged in the computer database with "o" and deselected prior to construction of statistical limits. The results of those findings were submitted with the October 2017 report. These values maybe also be seen on the time series graphs as disconnected points and on the data pages in a lighter font.

Seasonality

No seasonal patterns were observed on the time series plots for any of the detected data; therefore, no deseasonalizing adjustments were made to the data. When seasonal patterns are observed, data may be deseasonalized so that the resulting limits will correctly account for the seasonality as a predictable pattern rather than random variation or a release.

Trend Test Evaluation

While trends may be visually identified, a quantification of the trend and its significance is needed. The Sen's Slope/Mann Kendall trend test was used to evaluate all data at each well to identify statistically significant increasing or decreasing trends. In the absence of suspected contamination, significant trending data are typically not included as part of the background data used for construction of prediction limits. This step serves to eliminate the trend and, thus, reduce variation in background. When statistically significant decreasing trends are present, earlier data are evaluated to determine whether earlier concentration levels are significantly different than current reported concentrations and will be deselected as necessary. When the historical records of data are truncated for the reasons above, a summary report will be provided to show the date ranges used in construction of the statistical limits.

The results of the trend analyses, which were presented with the screening report, showed a few statistically significant trends. All trends noted were relatively low in magnitude when compared to average concentrations. Therefore, no adjustments were necessary at that time.

Appendix III – Determination of Spatial Variation

The Analysis of Variance (ANOVA) was used to statistically evaluate differences in average concentrations among upgradient wells, which assists in identifying the most appropriate statistical approach. Interwell tests, which compare downgradient well data to statistical limits constructed from pooled upgradient well data, are appropriate when average concentrations are similar across upgradient wells. Intrawell tests, which compare compliance data from a single well to screened historical data within the same well, are appropriate when upgradient wells exhibit spatial variation; when statistical limits constructed from upgradient wells would not be conservative from a regulatory perspective; and when downgradient water quality is unimpacted compared to upgradient water quality for the same parameter.

The ANOVA identified variation among upgradient well data at Gulf Clean Energy Center for the following Appendix III parameters: calcium, chloride, pH, and sulfate. No statistically significant variation was noted for boron, fluoride, or TDS, making these constituents eligible for interwell analyses. All other constituents were further evaluated as described below for the appropriateness of intrawell testing to accommodate the groundwater quality.

Appendix III – Intrawell Method Eligibility Screening

Intrawell limits constructed from carefully screened background data from within each well serve to provide statistical limits that are conservative (i.e., lower) from a regulatory perspective, and that will rapidly identify a change in more recent compliance data from within a given well. This statistical method removes the element of variation from across wells and eliminates the chance of mistaking natural spatial variation for a release from the facility. Prior to performing intrawell prediction limits, several steps are required to reasonably demonstrate that downgradient water quality does not have existing impacts from the practices of the facility.

Exploratory data analysis was used as a general comparison of concentrations in downgradient wells for all Appendix III parameters recommended for intrawell analyses to concentrations reported in upgradient wells. Upper tolerance limits were used in conjunction with confidence intervals to determine whether the estimated averages in

downgradient wells are higher than observed levels upgradient of the facility. The upper tolerance limits were constructed to represent the extreme upper range of potential background levels at the site.

Either parametric or nonparametric tolerance limits were calculated based on the data characteristics that were described above for prediction limits. Parametric tolerance limits (for normal or transformed-normally distributed data) were constructed with a target of 99% confidence and 95% coverage using pooled upgradient well data for each of the Appendix III parameters recommended for intrawell analyses. For data sets with non-normal distributions, nonparametric tolerance limits were used. The confidence and coverage levels for nonparametric tolerance limits are dependent upon the number of background samples. As more data are collected, the background population is better represented, and the confidence and coverage levels increase.

Confidence intervals were constructed on downgradient wells for each of the Appendix III parameters exhibiting spatial variation, using the tolerance limits discussed above, to determine intrawell eligibility. Either parametric or nonparametric confidence intervals were constructed as appropriate. When the entire confidence interval is above the background limit for a given parameter, interwell methods are initially recommended as the statistical method. Note that this screening identifies whether confidence intervals are above a background limit but does not identify the reason for this occurrence. Therefore, only the wells/parameters with confidence intervals which did not exceed background limits are eligible for intrawell prediction limits.

Confidence intervals for Appendix III parameters were found to be above the background standards in at least one well for each parameter at Ash Landfill No. 1; therefore, interwell prediction limits were recommended for all Appendix III parameters at this unit. Confidence intervals were above background standards for all parameters except pH at the Gypsum Storage Area and Ash Landfill No. 2. Therefore, intrawell methods were recommended for pH and interwell methods were recommended for all other Appendix III parameters at these two units. The results of the upper tolerance limits calculations and confidence interval comparisons were presented in the background screening report.

If further evaluation confirms natural variation in groundwater at these downgradient wells, intrawell methods will be considered for these parameters. In cases where downgradient average concentrations are higher than observed upgradient concentrations for a given constituent, an independent study and hydrogeological investigation would be required to identify local geochemical conditions and expected groundwater quality for the region to justify an intrawell approach. Such an assessment is beyond the scope of services provided by Groundwater Stats Consulting. When there

is not an obvious explanation for observed concentration differences in downgradient wells relative to reported concentrations in upgradient wells, interwell prediction limits are initially selected for the statistical method until further evidence shows that the higher downgradient concentrations are due to natural variation rather than a result of the facility.

**Summary of Appendix III Background Update Summary – Conducted in March 2020**

Outlier Analysis

Prior to performing prediction limits, proposed background data through March 2019 were reviewed to identify any newly suspected outliers at all wells for pH for intrawell testing, and through June 2019 at upgradient wells for boron, calcium, chloride, fluoride, sulfate, and TDS for interwell testing. Visual screening was used to identify potential outliers using time series graphs. When necessary, Tukey's outlier test is used to formally test suspected outliers. No additional outlier testing was required during the background update. Previously flagged values remained excluded from statistical limits to reduce variation, better represent background conditions, and provide limits that are conservative from a regulatory perspective. As mentioned above, flagged data are displayed in a lighter font and as a disconnected symbol on the time series reports, as well as in a lighter font on the accompanying data pages. A complete list of flagged values follows this letter.

Mann-Whitney Evaluation - Intrawell

For pH, which is analyzed using intrawell prediction limits at each of the 200 and 300 series wells, the Mann-Whitney (Wilcoxon Rank Sum) test was used to compare the medians of historical data through May 2017 to more recent compliance samples through March 2019 to evaluate whether the groups are statistically similar at the 99% confidence level. If no statistically significant difference is found, background data may be updated with compliance data. No statistically significant differences were found between the two groups for pH except at the Gypsum Storage Area for well MW-201. However, the measurements ranged from 5.62 s.u. to 4.71 s.u., which is in line with concentrations in neighboring wells and showed only a slight decrease in more recent data. Therefore, all background data sets were updated through March 2019, and will be re-evaluated during the next background update.

In the future, if the test concludes that the medians of the two groups are significantly different, particularly in the downgradient wells, the background data may not be updated

to include the newer data but will be reconsidered in the future. A summary of these results was submitted with the March 2020 report.

Trend Test Evaluation - Interwell

The Sen's Slope/Mann Kendall trend test was used to evaluate the entire record of data from upgradient wells for parameters utilizing interwell prediction limits. When statistically significant trends are identified in upgradient wells, the earlier portion of data is deselected prior to construction of interwell statistical limits if the trending data would result in statistical limits that are not conservative from a regulatory perspective. No statistically significant increasing trends were noted in upgradient wells. Statistically significant decreasing trends were identified; however, the magnitudes of the trends were low relative to average concentrations, and no adjustment of the records was required. Complete graphical results of the trend test were submitted with the background update report.

**Statistical Analysis of Appendix III Parameters – September 2022**

Prediction Limits

Intrawell prediction limits, combined with a 1-of-2 resample plan, using background data through March 2019, are used to evaluate the September 2022 sample for pH at the Gypsum Storage Area and at Landfill No. 2 due to natural spatial variation for this parameter. However, only the 200 and 300 series wells were eligible for intrawell testing for pH, as discussed earlier. The 100 series wells are evaluated using interwell prediction limits for all constituents.

Interwell prediction limits, which compare the most recent sample from each downgradient well to statistical limits constructed from pooled upgradient well data, are updated during each sample event after screening for new outliers. Data from upgradient wells are periodically also re-screened for newly developing trends, which may require adjustment of the background period to eliminate the trend. No new outliers were identified during this analysis. All available upgradient well data through September 2022 were used to establish interwell prediction limits, based on a 1-of-2 resample plan, for all Appendix III parameters except pH at the 200 and 300 series wells which is tested using intrawell prediction limits.

Complete tabular and graphical results for both intrawell and interwell prediction limits are presented following this letter. Exceedances were noted for each of the units and are listed in summary tables for intrawell and interwell prediction limits. It was noted that the

reported observation for fluoride at well MW-305 is significantly higher than remaining measurements within this record which may be a result of laboratory or sampling procedures.

Trend Test Evaluation – Appendix III

In the event of an initial exceedance of compliance well data, the 1-of-2 resample plan allows for collection of an additional sample to determine whether the initial exceedance is confirmed. When the resample confirms the initial exceedance, a statistically significant increase (SSI) is identified, and further research would be required to identify the cause of the exceedance (i.e., impact from the site, natural variation, or an off-site source). If the resample falls within the statistical limit, the initial exceedance is considered to be a false positive result; therefore, no further action is necessary.

When prediction limit exceedances are identified in downgradient wells, data are further evaluated using the Sen's Slope/Mann Kendall trend test to determine whether concentrations are statistically increasing, decreasing, or stable. Upgradient wells are included in the trend analyses for all parameters found to exceed their prediction limit in downgradient wells to identify whether similar patterns exist upgradient of the site. Upgradient trends are an indication of natural variability in groundwater unrelated to practices at the site. Several statistically increasing and decreasing trends were noted among upgradient and downgradient wells. Complete tabular and graphical results of the trend tests follow this letter.

**Evaluation of Appendix IV Parameters – September 2022**

Prior to evaluating Appendix IV parameters, background data are screened through visual screening for potential outliers and extreme trending patterns that would lead to artificially elevated statistical limits. High outliers are also 'cautiously' flagged in the downgradient wells when they are distinctly different from the rest of the data. This is intended to be a regulatory conservative approach in that it will reduce the variance and thus reduce the width of parametric confidence intervals, although it will also reduce the mean and thus lower the entire interval. The intent is to better represent the actual downgradient mean. Flagging high outliers should have no effect on the lower limit of nonparametric confidence intervals. No new outliers were flagged during this analysis. A complete list of outliers follows this report.

Interwell Upper Tolerance Limits

Interwell upper tolerance limits, as appropriate, were used to calculate background limits from pooled upgradient well data for Appendix IV parameters, with a target of 95% confidence and 95% coverage for parametric limits. Parametric tolerance limits are used when data follow a normal or transformed-normal distribution as does combined radium 226 + 228. When data contained greater than 50% non-detects or did not follow a normal or transformed-normal distribution, non-parametric tolerance limits were used.

Groundwater Protection Standards

Interwell upper tolerance limits were compared to the Maximum Contaminant Levels (MCLs) and CCR rule-specified levels to determine the highest limit for use as the groundwater protection standards (GWPS) in the Confidence Interval comparisons, as described below. A table of the GWPS follows this report.

Confidence Intervals

Confidence intervals were then constructed on downgradient wells, using all historical data within a given well, for each of the Appendix IV parameters and compared to the highest limit of either the MCL or rule-specified level as discussed above. As mentioned above, well/constituent pairs containing 100% non-detect values do not require statistical analysis and a list of Appendix IV downgradient wells containing 100% non-detects follows this report. For cobalt in well MW-304, samples prior to June 2018 have been deselected to use, at a minimum, the most recent 8 samples in constructing the confidence interval rather than the entire data set in order to reflect present-day concentrations. The historical data for this constituent had higher concentrations due to a broken pipe that influenced groundwater quality at this well. Concentrations, as expected, have continued to decrease since the pipe was fixed.

Only when the entire confidence interval is above a GWPS is the well/constituent pair considered to exceed its respective standard. Tables of the upper tolerance limits, GWPS, and confidence intervals, along with graphical comparisons against standards, and significant results (exceedances) follow this letter. The following confidence interval exceedances were noted:

100 Series Wells:

- Cobalt: MW-104 and MW-110
- Combined Radium 226 + 228: MW-104 and MW-110
- Mercury: MW-110

200 Series Wells:

- Combined Radium 226 + 228: MW-200, MW-201, and MW-206

300 Series Wells:

- Combined Radium 226 + 228: MW-303
- Molybdenum: MW-303

Thank you for the opportunity to assist you in the statistical analysis of groundwater quality for Gulf Clean Energy Center. If you have any questions or comments, please feel free to contact us.

For Groundwater Stats Consulting,



Abdul Diane
Groundwater Analyst



Andrew Collins
Project Manager

# 100% Non-Detects: 100 Series

Analysis Run 1/13/2023 12:55 AM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Antimony (mg/L)
MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, MW-110

Arsenic (mg/L)
MW-102, MW-106

Beryllium (mg/L)
MW-103, MW-105, MW-106

Cadmium (mg/L)
MW-102, MW-103, MW-105, MW-106

Fluoride (mg/L)
MW-102, MW-106

Mercury (mg/L)
MW-105

Molybdenum (mg/L)
MW-104, MW-110

Thallium (mg/L)
MW-106

# 100% Non-Detects: 200 Series

Analysis Run 1/13/2023 1:39 AM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Antimony (mg/L)
MW-200

Chromium (mg/L)
MW-200, MW-206

# 100% Non-Detects: 300 Series

Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Antimony (mg/L)
MW-300, MW-303, MW-304, MW-305, MW-308

Arsenic (mg/L)
MW-300

Beryllium (mg/L)
MW-300, MW-304, MW-308

Lead (mg/L)
MW-308

Mercury (mg/L)
MW-303

Molybdenum (mg/L)
MW-300

Thallium (mg/L)
MW-300, MW-305

# Date Ranges

Date: 1/13/2023 1:44 AM

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Cobalt (mg/L)

MW-304 overall:6/7/2018-9/12/2022

# 100 Series: Outlier Summary

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/3/2023, 2:43 PM

| | MW-107 Chromium (mg/L) | MW-108 Field pH (SU) | MW-307 Lithium (mg/L) | MW-100 Sulfate (mg/L) |
|---|---|---|---|---|
| 5/2/2016 | | | | 15 (o) |
| 7/5/2016 | | 7.11 (o) | | |
| 11/7/2016 | | | 0.0097 (o) | |
| 1/9/2017 | 0.017 (o) | | | |

# Outlier Summary: 200 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:22 AM

| | MW-200 Cadmium (mg/L) | MW-206 Chloride (mg/L) | MW-107 Chromium (mg/L) | MW-108 Field pH (SU) | MW-307 Lithium (mg/L) | MW-100 Sulfate (mg/L) | MW-206 Total Dissolved Solids (mg/L) |
|---|---|---|---|---|---|---|---|
| 3/2/2016 | 0.022 (o) | | | | | | 32000 (o) |
| 5/2/2016 | | | | | | 15 (o) | |
| 7/5/2016 | | 360 (o) | | 7.11 (o) | | | |
| 11/7/2016 | | | | | 0.0097 (o) | | |
| 1/9/2017 | | | 0.017 (o) | | | | |

# Outlier Summary: 300 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:49 AM

| | MW-304 Arsenic (mg/L) | MW-107 Chromium (mg/L) | MW-108 Field pH (SU) | MW-307 Lithium (mg/L) | MW-304 Selenium (mg/L) | MW-100 Sulfate (mg/L) |
|---|---|---|---|---|---|---|
| 3/3/2016 | 0.009 (o) | | | | | |
| 5/2/2016 | | | | | | 15 (o) |
| 5/4/2016 | 0.019 (o) | | | | | |
| 7/5/2016 | | | 7.11 (o) | | | |
| 7/6/2016 | 0.014 (o) | | | | | |
| 11/7/2016 | | | | 0.0097 (o) | | |
| 1/9/2017 | | 0.017 (o) | | | | |
| 10/17/2018 | | | | | 0.05 (o) | |

# Appendix III - Interwell Prediction Limits - 100 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 2:06 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-102 | 0.081 | n/a | 9/9/2022 | 0.13 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-103 | 0.081 | n/a | 9/9/2022 | 0.22 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-104 | 0.081 | n/a | 9/9/2022 | 14 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-105 | 0.081 | n/a | 9/9/2022 | 0.5 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-106 | 0.081 | n/a | 9/8/2022 | 0.097 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-109 | 0.081 | n/a | 9/8/2022 | 0.45 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-110 | 0.081 | n/a | 9/9/2022 | 4.4 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-102 | 1.489 | n/a | 9/9/2022 | 12 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-103 | 1.489 | n/a | 9/9/2022 | 3.3 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-104 | 1.489 | n/a | 9/9/2022 | 110 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-105 | 1.489 | n/a | 9/9/2022 | 57 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-106 | 1.489 | n/a | 9/8/2022 | 1.6 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-109 | 1.489 | n/a | 9/8/2022 | 6 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-110 | 1.489 | n/a | 9/9/2022 | 26 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-102 | 7.077 | n/a | 9/9/2022 | 11 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-104 | 7.077 | n/a | 9/9/2022 | 140 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-109 | 7.077 | n/a | 9/8/2022 | 17 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-110 | 7.077 | n/a | 9/9/2022 | 84 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Field pH (SU) | MW-104 | 6.42 | 4.5 | 9/9/2022 | 4.08 | Yes | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-105 | 6.42 | 4.5 | 9/9/2022 | 6.47 | Yes | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Sulfate (mg/L) | MW-102 | 5.5 | n/a | 9/9/2022 | 27 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-103 | 5.5 | n/a | 9/9/2022 | 20 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-104 | 5.5 | n/a | 9/9/2022 | 870 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-105 | 5.5 | n/a | 9/9/2022 | 17 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-109 | 5.5 | n/a | 9/8/2022 | 34 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-110 | 5.5 | n/a | 9/9/2022 | 270 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-104 | 110 | n/a | 9/9/2022 | 1400 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-105 | 110 | n/a | 9/9/2022 | 200 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-110 | 110 | n/a | 9/9/2022 | 560 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 100 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 2:06 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-102** | **0.081** | **n/a** | **9/9/2022** | **0.13** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-103** | **0.081** | **n/a** | **9/9/2022** | **0.22** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-104** | **0.081** | **n/a** | **9/9/2022** | **14** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-105** | **0.081** | **n/a** | **9/9/2022** | **0.5** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-106** | **0.081** | **n/a** | **9/8/2022** | **0.097** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-109** | **0.081** | **n/a** | **9/8/2022** | **0.45** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-110** | **0.081** | **n/a** | **9/9/2022** | **4.4** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Calcium (mg/L)** | **MW-102** | **1.489** | **n/a** | **9/9/2022** | **12** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-103** | **1.489** | **n/a** | **9/9/2022** | **3.3** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-104** | **1.489** | **n/a** | **9/9/2022** | **110** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-105** | **1.489** | **n/a** | **9/9/2022** | **57** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-106** | **1.489** | **n/a** | **9/8/2022** | **1.6** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-109** | **1.489** | **n/a** | **9/8/2022** | **6** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-110** | **1.489** | **n/a** | **9/9/2022** | **26** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-102** | **7.077** | **n/a** | **9/9/2022** | **11** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001075** | **Param Inter 1 of 2** |
| Chloride (mg/L) | MW-103 | 7.077 | n/a | 9/9/2022 | 6.9 | No | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| **Chloride (mg/L)** | **MW-104** | **7.077** | **n/a** | **9/9/2022** | **140** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001075** | **Param Inter 1 of 2** |
| Chloride (mg/L) | MW-105 | 7.077 | n/a | 9/9/2022 | 6.2 | No | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-106 | 7.077 | n/a | 9/8/2022 | 3.3 | No | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| **Chloride (mg/L)** | **MW-109** | **7.077** | **n/a** | **9/8/2022** | **17** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-110** | **7.077** | **n/a** | **9/9/2022** | **84** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001075** | **Param Inter 1 of 2** |
| Field pH (SU) | MW-102 | 6.42 | 4.5 | 9/9/2022 | 4.96 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-103 | 6.42 | 4.5 | 9/9/2022 | 5.19 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| **Field pH (SU)** | **MW-104** | **6.42** | **4.5** | **9/9/2022** | **4.08** | **Yes** | **125** | **n/a** | **n/a** | **0** | **n/a** | **n/a** | **0.0002521** | **NP Inter (normality) 1 of 2** |
| **Field pH (SU)** | **MW-105** | **6.42** | **4.5** | **9/9/2022** | **6.47** | **Yes** | **125** | **n/a** | **n/a** | **0** | **n/a** | **n/a** | **0.0002521** | **NP Inter (normality) 1 of 2** |
| Field pH (SU) | MW-106 | 6.42 | 4.5 | 9/8/2022 | 5 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-109 | 6.42 | 4.5 | 9/8/2022 | 4.82 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-110 | 6.42 | 4.5 | 9/9/2022 | 4.68 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Fluoride (mg/L) | MW-102 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-103 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-104 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-105 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-106 | 0.12 | n/a | 9/8/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-109 | 0.12 | n/a | 9/8/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-110 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-102** | **5.5** | **n/a** | **9/9/2022** | **27** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-103** | **5.5** | **n/a** | **9/9/2022** | **20** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-104** | **5.5** | **n/a** | **9/9/2022** | **870** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-105** | **5.5** | **n/a** | **9/9/2022** | **17** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| Sulfate (mg/L) | MW-106 | 5.5 | n/a | 9/8/2022 | 5ND | No | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-109** | **5.5** | **n/a** | **9/8/2022** | **34** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-110** | **5.5** | **n/a** | **9/9/2022** | **270** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-102 | 110 | n/a | 9/9/2022 | 62 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-103 | 110 | n/a | 9/9/2022 | 48 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-104** | **110** | **n/a** | **9/9/2022** | **1400** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001243** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-105** | **110** | **n/a** | **9/9/2022** | **200** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001243** | **NP Inter (normality) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-106 | 110 | n/a | 9/8/2022 | 18 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-109 | 110 | n/a | 9/8/2022 | 80 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-110** | **110** | **n/a** | **9/9/2022** | **560** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001243** | **NP Inter (normality) 1 of 2** |

# Appendix III - Interwell Prediction Limits - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:32 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-200** | **0.081** | **n/a** | **9/13/2022** | **7.2** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-201** | **0.081** | **n/a** | **9/13/2022** | **2.7** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-206** | **0.081** | **n/a** | **9/13/2022** | **9.1** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Calcium (mg/L)** | **MW-200** | **1.388** | **n/a** | **9/13/2022** | **93** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-201** | **1.388** | **n/a** | **9/13/2022** | **82** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-206** | **1.388** | **n/a** | **9/13/2022** | **160** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-200** | **6.883** | **n/a** | **9/13/2022** | **180** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-201** | **6.883** | **n/a** | **9/13/2022** | **130** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-206** | **6.883** | **n/a** | **9/13/2022** | **300** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Sulfate (mg/L)** | **MW-200** | **5.5** | **n/a** | **9/13/2022** | **130** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-201** | **5.5** | **n/a** | **9/13/2022** | **95** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-206** | **5.5** | **n/a** | **9/13/2022** | **160** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **110** | **n/a** | **9/13/2022** | **600** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **110** | **n/a** | **9/13/2022** | **530** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **110** | **n/a** | **9/13/2022** | **920** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |

# Appendix III - Interwell Prediction Limits - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:32 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-200** | **0.081** | **n/a** | **9/13/2022** | **7.2** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-201** | **0.081** | **n/a** | **9/13/2022** | **2.7** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-206** | **0.081** | **n/a** | **9/13/2022** | **9.1** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Calcium (mg/L)** | **MW-200** | **1.388** | **n/a** | **9/13/2022** | **93** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-201** | **1.388** | **n/a** | **9/13/2022** | **82** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-206** | **1.388** | **n/a** | **9/13/2022** | **160** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-200** | **6.883** | **n/a** | **9/13/2022** | **180** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-201** | **6.883** | **n/a** | **9/13/2022** | **130** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-206** | **6.883** | **n/a** | **9/13/2022** | **300** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| Fluoride (mg/L) | MW-200 | 0.12 | n/a | 9/13/2022 | 0.27J | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001246 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-201 | 0.12 | n/a | 9/13/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001246 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-206 | 0.12 | n/a | 9/13/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001246 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-200** | **5.5** | **n/a** | **9/13/2022** | **130** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-201** | **5.5** | **n/a** | **9/13/2022** | **95** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-206** | **5.5** | **n/a** | **9/13/2022** | **160** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **110** | **n/a** | **9/13/2022** | **600** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **110** | **n/a** | **9/13/2022** | **530** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **110** | **n/a** | **9/13/2022** | **920** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:29 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Field pH (SU)** | **MW-206** | **4.64** | **3.998** | **9/13/2022** | **4.88** | **Yes** | **14** | **4.319** | **0.1573** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:29 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field pH (SU) | MW-100 | 5.257 | 4.453 | 9/7/2022 | 4.72 | No | 13 | 4.855 | 0.1936 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-101 | 5.491 | 4.42 | 9/7/2022 | 4.89 | No | 13 | 4.955 | 0.258 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-107 | 5.412 | 4.406 | 9/7/2022 | 4.92 | No | 13 | 4.909 | 0.2421 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-108 | 5.178 | 4.369 | 9/8/2022 | 4.78 | No | 12 | 4.773 | 0.1917 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-200 | 5.263 | 4.716 | 9/13/2022 | 4.82 | No | 14 | 4.989 | 0.134 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-201 | 5.704 | 4.463 | 9/13/2022 | 4.76 | No | 14 | 5.084 | 0.304 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| **Field pH (SU)** | **MW-206** | **4.64** | **3.998** | **9/13/2022** | **4.88** | **Yes** | **14** | **4.319** | **0.1573** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |
| Field pH (SU) | MW-306 | 5.438 | 4.624 | 9/8/2022 | 4.87 | No | 13 | 5.031 | 0.1961 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-307 | 6.537 | 5.063 | 9/8/2022 | 5.13 | No | 13 | 5.8 | 0.3549 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |

# Appendix III - Interwell Prediction Limits - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:54 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-303 | 0.081 | n/a | 9/12/2022 | 5.2 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-304 | 0.081 | n/a | 9/12/2022 | 2.5 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-305 | 0.081 | n/a | 9/16/2022 | 0.23 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-308 | 0.081 | n/a | 9/12/2022 | 3 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-303 | 1.451 | n/a | 9/12/2022 | 74 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-304 | 1.451 | n/a | 9/12/2022 | 130 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-305 | 1.451 | n/a | 9/16/2022 | 58 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-308 | 1.451 | n/a | 9/12/2022 | 63 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-300 | 7.006 | n/a | 9/12/2022 | 7.1 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-303 | 7.006 | n/a | 9/12/2022 | 29 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-304 | 7.006 | n/a | 9/12/2022 | 64 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-305 | 7.006 | n/a | 9/16/2022 | 21 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-308 | 7.006 | n/a | 9/12/2022 | 40 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Fluoride (mg/L) | MW-305 | 0.12 | n/a | 9/16/2022 | 4.6 | Yes | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-303 | 5.5 | n/a | 9/12/2022 | 190 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-304 | 5.5 | n/a | 9/12/2022 | 450 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-305 | 5.5 | n/a | 9/16/2022 | 530 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-308 | 5.5 | n/a | 9/12/2022 | 140 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-303 | 110 | n/a | 9/12/2022 | 460 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-304 | 110 | n/a | 9/12/2022 | 930 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-305 | 110 | n/a | 9/16/2022 | 770 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-308 | 110 | n/a | 9/12/2022 | 370 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 300 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:54 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-300 | 0.081 | n/a | 9/12/2022 | 0.05 | No | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-303** | **0.081** | **n/a** | **9/12/2022** | **5.2** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-304** | **0.081** | **n/a** | **9/12/2022** | **2.5** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-305** | **0.081** | **n/a** | **9/16/2022** | **0.23** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-308** | **0.081** | **n/a** | **9/12/2022** | **3** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| Calcium (mg/L) | MW-300 | 1.451 | n/a | 9/12/2022 | 0.71 | No | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| **Calcium (mg/L)** | **MW-303** | **1.451** | **n/a** | **9/12/2022** | **74** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-304** | **1.451** | **n/a** | **9/12/2022** | **130** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-305** | **1.451** | **n/a** | **9/16/2022** | **58** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-308** | **1.451** | **n/a** | **9/12/2022** | **63** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-300** | **7.006** | **n/a** | **9/12/2022** | **7.1** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-303** | **7.006** | **n/a** | **9/12/2022** | **29** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-304** | **7.006** | **n/a** | **9/12/2022** | **64** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-305** | **7.006** | **n/a** | **9/16/2022** | **21** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-308** | **7.006** | **n/a** | **9/12/2022** | **40** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| Fluoride (mg/L) | MW-300 | 0.12 | n/a | 9/12/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-303 | 0.12 | n/a | 9/12/2022 | 0.15J | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-304 | 0.12 | n/a | 9/12/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-305** | **0.12** | **n/a** | **9/16/2022** | **4.6** | **Yes** | **126** | **n/a** | **n/a** | **94.44** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| Fluoride (mg/L) | MW-308 | 0.12 | n/a | 9/12/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-300 | 5.5 | n/a | 9/12/2022 | 5ND | No | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-303** | **5.5** | **n/a** | **9/12/2022** | **190** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001262** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-304** | **5.5** | **n/a** | **9/12/2022** | **450** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001262** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-305** | **5.5** | **n/a** | **9/16/2022** | **530** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001262** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-308** | **5.5** | **n/a** | **9/12/2022** | **140** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001262** | **NP Inter (NDs) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-300 | 110 | n/a | 9/12/2022 | 22 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-303** | **110** | **n/a** | **9/12/2022** | **460** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001245** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-304** | **110** | **n/a** | **9/12/2022** | **930** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001245** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-305** | **110** | **n/a** | **9/16/2022** | **770** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001245** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-308** | **110** | **n/a** | **9/12/2022** | **370** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001245** | **NP Inter (normality) 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:51 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Field pH (SU)** | **MW-305** | **5.367** | **4.441** | **9/16/2022** | **3.8** | **Yes** | **14** | **4.904** | **0.2071** | **0** | **None** | **No** | **0.000752** | **Param Intra 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 300 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:51 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field pH (SU) | MW-100 | 5.296 | 4.413 | 9/7/2022 | 4.72 | No | 13 | 4.855 | 0.1936 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-101 | 5.543 | 4.367 | 9/7/2022 | 4.89 | No | 13 | 4.955 | 0.258 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-107 | 5.461 | 4.357 | 9/7/2022 | 4.92 | No | 13 | 4.909 | 0.2421 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-108 | 5.218 | 4.328 | 9/8/2022 | 4.78 | No | 12 | 4.773 | 0.1917 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-300 | 5.229 | 4.305 | 9/12/2022 | 4.64 | No | 14 | 4.767 | 0.2067 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-303 | 7.152 | 5.968 | 9/12/2022 | 6.76 | No | 14 | 6.56 | 0.2649 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-304 | 6.401 | 4.549 | 9/12/2022 | 6.13 | No | 14 | 5.475 | 0.4141 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| **Field pH (SU)** | **MW-305** | **5.367** | **4.441** | **9/16/2022** | **3.8** | **Yes** | **14** | **4.904** | **0.2071** | **0** | **None** | **No** | **0.000752** | **Param Intra 1 of 2** |
| Field pH (SU) | MW-306 | 5.478 | 4.584 | 9/8/2022 | 4.87 | No | 13 | 5.031 | 0.1961 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-307 | 6.609 | 4.991 | 9/8/2022 | 5.13 | No | 13 | 5.8 | 0.3549 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-308 | 6.805 | 5.551 | 9/12/2022 | 6.58 | No | 14 | 6.178 | 0.2805 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |

# Appendix III Trend Test Summary - 100 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 12:28 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-109** | **0.06335** | **116** | **87** | **Yes** | **21** | **19.05** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-103** | **-0.1377** | **-97** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-104** | **4.237** | **119** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-109** | **0.4966** | **151** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-102** | **0.329** | **112** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-109** | **2.349** | **137** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-105** | **0.05938** | **114** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 100 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 12:28 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 20 | 87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -50 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-102 | 0 | -19 | -87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-103 | -0.02497 | -64 | -92 | No | 22 | 13.64 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-104 | 0 | 18 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-105 | -0.004993 | -4 | -92 | No | 22 | 9.091 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-106 | 0 | 42 | 87 | No | 21 | 47.62 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -21 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | 11 | 87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| **Boron (mg/L)** | **MW-109** | **0.06335** | **116** | **87** | **Yes** | **21** | **19.05** | **n/a** | **n/a** | **0.01** | **NP** |
| Boron (mg/L) | MW-110 | 0.1834 | 74 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-306 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.003994 | -18 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-102 | -0.06055 | -56 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-103** | **-0.1377** | **-97** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-104** | **4.237** | **119** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-105 | 0 | 0 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-106 | -0.01941 | -30 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.01275 | -46 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-109** | **0.4966** | **151** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-110 | 0.6129 | 23 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-306 (bg) | 0.01327 | 49 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.07515 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-102** | **0.329** | **112** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-104 | 0 | 4 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.161 | -81 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2346 | -80 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-109** | **2.349** | **137** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-110 | 0 | 1 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-306 (bg) | 0.1601 | 72 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-100 (bg) | -0.01952 | -35 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.01247 | -16 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-104 | 0.01375 | 44 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-105** | **0.05938** | **114** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-107 (bg) | 0 | -1 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0 | 2 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-306 (bg) | -0.01775 | -30 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-100 (bg) | 0 | -11 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -24 | -87 | No | 21 | 85.71 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-102 | 0 | -8 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-103 | -1.78 | -92 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-104 | 30.39 | 46 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-105 | -0.3837 | -15 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | -11 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-109 | 1.491 | 47 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-110 | 7.046 | 58 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 4 | 87 | No | 21 | 95.24 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 17 | 87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 4.746 | 82 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9958 | 21 | 87 | No | 21 | 14.29 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-104 | 34.41 | 24 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-105 | -7.663 | -34 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 1.285 | 57 | 87 | No | 21 | 33.33 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 1.544 | 64 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-110 | 21.31 | 42 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 2.966 | 77 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0.8038 | 19 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |

# Appendix III Trend Test Summary - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-200 | -5.703 | -180 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-201 | -4.389 | -159 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-206 | -14.67 | -203 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-100 (bg) | 0.04301 | 103 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-108 (bg) | 0.08717 | 109 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-200 | -148.4 | -188 | -92 | Yes | 22 | 4.545 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-201 | -115.9 | -139 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-206 | -431.1 | -219 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-307 (bg) | -0.06256 | -101 | -87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-100 (bg) | 0.2783 | 96 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-200 | -255.1 | -155 | -92 | Yes | 22 | 4.545 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-201 | -231 | -109 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-206 | -881.6 | -196 | -87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-307 (bg) | 0.2017 | 104 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-206 | 0.1138 | 127 | 92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-307 (bg) | -0.1231 | -147 | -87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-108 (bg) | 0.4895 | 122 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-200 | -51.31 | -139 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-201 | -71.07 | -166 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-206 | -103.1 | -187 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-200 | -808.9 | -189 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-201 | -654 | -126 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-206 | -2117 | -173 | -87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |

# Appendix III Trend Test Summary - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 20 | 87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -50 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -21 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | 11 | 87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| **Boron (mg/L)** | **MW-200** | **-5.703** | **-180** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Boron (mg/L)** | **MW-201** | **-4.389** | **-159** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Boron (mg/L)** | **MW-206** | **-14.67** | **-203** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Boron (mg/L) | MW-306 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.003994 | -18 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.01275 | -46 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-200** | **-148.4** | **-188** | **-92** | **Yes** | **22** | **4.545** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-201** | **-115.9** | **-139** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-206** | **-431.1** | **-219** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-306 (bg) | 0.01327 | 49 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.07515 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.161 | -81 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2346 | -80 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-200** | **-255.1** | **-155** | **-92** | **Yes** | **22** | **4.545** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-201** | **-231** | **-109** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-206** | **-881.6** | **-196** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-306 (bg) | 0.1601 | 72 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-100 (bg) | -0.01952 | -35 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.01247 | -16 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-107 (bg) | 0 | -1 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0 | 2 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-206** | **0.1138** | **127** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-306 (bg) | -0.01775 | -30 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-100 (bg) | 0 | -11 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -24 | -87 | No | 21 | 85.71 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | -11 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-200** | **-51.31** | **-139** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-201** | **-71.07** | **-166** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-206** | **-103.1** | **-187** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 4 | 87 | No | 21 | 95.24 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 17 | 87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 4.746 | 82 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9958 | 21 | 87 | No | 21 | 14.29 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 1.285 | 57 | 87 | No | 21 | 33.33 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 1.544 | 64 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **-808.9** | **-189** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **-654** | **-126** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **-2117** | **-173** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 2.966 | 77 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0.8038 | 19 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |

# Appendix III Trend Test Summary - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:58 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-308** | **-20.47** | **-113** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-305** | **6.155** | **89** | **87** | **Yes** | **21** | **9.524** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 300 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:58 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 20 | 87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -50 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -21 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | 11 | 87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-303 | 0.05087 | 17 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-304 | 0.2602 | 69 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-305 | -0.00036 | -21 | -87 | No | 21 | 33.33 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-306 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-308 | -0.423 | -67 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.003994 | -18 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.01275 | -46 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-303 | 3.232 | 61 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-304 | 2.113 | 27 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-305 | 0.01469 | 12 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-306 (bg) | 0.01327 | 49 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-308 | -2.232 | -54 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.07515 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.161 | -81 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2346 | -80 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-300 | 0 | 7 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-303 | -0.4784 | -10 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-304 | -5.154 | -31 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-305 | 0.1637 | 54 | 92 | No | 22 | 4.545 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-306 (bg) | 0.1601 | 72 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-308 | 2.274 | 19 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-100 (bg) | -0.01952 | -35 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.01247 | -16 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-107 (bg) | 0 | -1 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0 | 2 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-305 | -0.04509 | -79 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-306 (bg) | -0.01775 | -30 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Fluoride (mg/L) | MW-100 (bg) | 0 | -29 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-101 (bg) | 0 | -17 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-107 (bg) | 0 | 0 | 87 | No | 21 | 95.24 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-108 (bg) | 0 | 0 | 87 | No | 21 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-305 | 0 | 23 | 87 | No | 21 | 85.71 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-306 (bg) | 0 | 0 | 87 | No | 21 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-307 (bg) | 0 | 5 | 87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-100 (bg) | 0 | -11 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -24 | -87 | No | 21 | 85.71 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | -11 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-303 | 0 | 11 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-304 | 7.028 | 10 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-305 | 0 | 33 | 87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 4 | 87 | No | 21 | 95.24 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 17 | 87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-308** | **-20.47** | **-113** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 4.746 | 82 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9958 | 21 | 87 | No | 21 | 14.29 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 1.285 | 57 | 87 | No | 21 | 33.33 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 1.544 | 64 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-303 | 12.72 | 22 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-304 | 9.695 | 13 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| **Total Dissolved Solids (mg/L)** | **MW-305** | **6.155** | **89** | **87** | **Yes** | **21** | **9.524** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 2.966 | 77 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0.8038 | 19 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-308 | -21 | -65 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |

# Upper Tolerance Limits Summary Table

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant  Printed 1/13/2023, 1:44 AM

| Constituent | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|
| Antimony (mg/L) | 0.0025 | n/a | n/a | n/a | n/a | 108 | 100 | n/a | 0.003928 | NP Inter(NDs) |
| Arsenic (mg/L) | 0.0013 | n/a | n/a | n/a | n/a | 120 | 82.5 | n/a | 0.002122 | NP Inter(NDs) |
| Barium (mg/L) | 0.023 | n/a | n/a | n/a | n/a | 120 | 0 | n/a | 0.002122 | NP Inter(normality) |
| Beryllium (mg/L) | 0.0025 | n/a | n/a | n/a | n/a | 120 | 90 | n/a | 0.002122 | NP Inter(NDs) |
| Cadmium (mg/L) | 0.0025 | n/a | n/a | n/a | n/a | 120 | 100 | n/a | 0.002122 | NP Inter(NDs) |
| Chromium (mg/L) | 0.0088 | n/a | n/a | n/a | n/a | 119 | 82.35 | n/a | 0.002234 | NP Inter(NDs) |
| Cobalt (mg/L) | 0.0032 | n/a | n/a | n/a | n/a | 120 | 39.17 | n/a | 0.002122 | NP Inter(normality) |
| Combined Radium 226 + 228 (pCi/L) | 2.476 | n/a | n/a | n/a | n/a | 120 | 2.5 | x^(1/3) | 0.05 | Inter |
| Fluoride (mg/L) | 0.12 | n/a | n/a | n/a | n/a | 126 | 94.44 | n/a | 0.00156 | NP Inter(NDs) |
| Lead (mg/L) | 0.0013 | n/a | n/a | n/a | n/a | 120 | 94.17 | n/a | 0.002122 | NP Inter(NDs) |
| Lithium (mg/L) | 0.0054 | n/a | n/a | n/a | n/a | 119 | 69.75 | n/a | 0.002234 | NP Inter(normality) |
| Mercury (mg/L) | 0.00025 | n/a | n/a | n/a | n/a | 120 | 95 | n/a | 0.002122 | NP Inter(NDs) |
| Molybdenum (mg/L) | 0.015 | n/a | n/a | n/a | n/a | 120 | 94.17 | n/a | 0.002122 | NP Inter(NDs) |
| Selenium (mg/L) | 0.0034 | n/a | n/a | n/a | n/a | 120 | 82.5 | n/a | 0.002122 | NP Inter(NDs) |
| Thallium (mg/L) | 0.0005 | n/a | n/a | n/a | n/a | 120 | 99.17 | n/a | 0.002122 | NP Inter(NDs) |

| GULF CLEAN ENERGY CENTER GWPS | | | | |
|---|---|---|---|---|
| **Constituent Name** | **MCL** | **CCR Rule-Specified** | **Background** | **GWPS** |
| Antimony, Total (mg/L) | 0.006 | | 0.0025 | 0.006 |
| Arsenic, Total (mg/L) | 0.01 | | 0.0013 | 0.01 |
| Barium, Total (mg/L) | 2 | | 0.023 | 2 |
| Beryllium, Total (mg/L) | 0.004 | | 0.0025 | 0.004 |
| Cadmium, Total (mg/L) | 0.005 | | 0.0025 | 0.005 |
| Chromium, Total (mg/L) | 0.1 | | 0.0088 | 0.1 |
| Cobalt, Total (mg/L) | n/a | 0.006 | 0.0032 | 0.006 |
| Combined Radium, Total (pCi/L) | 5 | | 2.48 | 5 |
| Fluoride, Total (mg/L) | 4 | | 0.12 | 4 |
| Lead, Total (mg/L) | 0.015 | | 0.0013 | 0.015 |
| Lithium, Total (mg/L) | n/a | 0.04 | 0.0054 | 0.04 |
| Mercury, Total (mg/L) | 0.002 | | 0.00025 | 0.002 |
| Molybdenum, Total (mg/L) | n/a | 0.1 | 0.015 | 0.1 |
| Selenium, Total (mg/L) | 0.05 | | 0.0034 | 0.05 |
| Thallium, Total (mg/L) | 0.002 | | 0.0005 | 0.002 |

*MCL = Maximum Contaminant Level*

*GWPS = Groundwater Protection Standard*

# Confidence Interval Summary Table - 100 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Cobalt (mg/L)** | **MW-104** | **0.02202** | **0.01538** | **0.006** | **Yes** | **20** | **0.005841** | **0** | **No** | **0.01** | **Param.** |
| **Cobalt (mg/L)** | **MW-110** | **0.01388** | **0.006484** | **0.006** | **Yes** | **20** | **0.006509** | **0** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-104** | **18.44** | **13.73** | **5** | **Yes** | **20** | **4.145** | **0** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-110** | **7.038** | **5.579** | **5** | **Yes** | **20** | **1.284** | **0** | **No** | **0.01** | **Param.** |
| **Mercury (mg/L)** | **MW-110** | **0.00562** | **0.003474** | **0.002** | **Yes** | **20** | **0.00189** | **0** | **No** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 100 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Arsenic (mg/L) | MW-102 | 0.0013 | 0.0005 | 0.01 | No | 20 | 0.0001789 | 95 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-103 | 0.0021 | 0.00051 | 0.01 | No | 20 | 0.000358 | 85 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-104 | 0.006876 | 0.002669 | 0.01 | No | 20 | 0.003704 | 5 | No | 0.01 | Param. |
| Arsenic (mg/L) | MW-105 | 0.0048 | 0.0036 | 0.01 | No | 20 | 0.001705 | 0 | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-109 | 0.0013 | 0.0011 | 0.01 | No | 20 | 0.0002902 | 85 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-110 | 0.0013 | 0.00051 | 0.01 | No | 20 | 0.0004422 | 60 | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-102 | 0.012 | 0.0086 | 2 | No | 20 | 0.004698 | 0 | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-103 | 0.05644 | 0.03746 | 2 | No | 20 | 0.01671 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-104 | 0.02643 | 0.02077 | 2 | No | 20 | 0.004978 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-105 | 0.04514 | 0.03376 | 2 | No | 20 | 0.01002 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-106 | 0.01191 | 0.01001 | 2 | No | 20 | 0.001833 | 0 | ln(x) | 0.01 | Param. |
| Barium (mg/L) | MW-109 | 0.02291 | 0.01846 | 2 | No | 20 | 0.004112 | 0 | sqrt(x) | 0.01 | Param. |
| Barium (mg/L) | MW-110 | 0.04387 | 0.03243 | 2 | No | 20 | 0.01007 | 0 | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-102 | 0.0025 | 0.00011 | 0.004 | No | 20 | 0.0005344 | 95 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-104 | 0.001167 | 0.0008105 | 0.004 | No | 20 | 0.0003135 | 10 | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-109 | 0.0025 | 0.000044 | 0.004 | No | 20 | 0.0005492 | 95 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-110 | 0.0025 | 0.00013 | 0.004 | No | 20 | 0.0007366 | 90 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-104 | 0.0025 | 0.00049 | 0.005 | No | 20 | 0.001018 | 50 | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-109 | 0.0025 | 0.000078 | 0.005 | No | 20 | 0.0005416 | 95 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-110 | 0.0025 | 0.00032 | 0.005 | No | 20 | 0.0007041 | 90 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-102 | 0.0028 | 0.0012 | 0.1 | No | 20 | 0.001045 | 80 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-103 | 0.003 | 0.0011 | 0.1 | No | 20 | 0.001754 | 70 | No | 0.01 | NP (normality) |
| Chromium (mg/L) | MW-104 | 0.002596 | 0.001851 | 0.1 | No | 20 | 0.0005284 | 25 | No | 0.01 | Param. |
| Chromium (mg/L) | MW-105 | 0.002475 | 0.001783 | 0.1 | No | 20 | 0.0006088 | 5 | No | 0.01 | Param. |
| Chromium (mg/L) | MW-106 | 0.0044 | 0.0019 | 0.1 | No | 20 | 0.0004522 | 90 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-109 | 0.0061 | 0.0025 | 0.1 | No | 20 | 0.003083 | 90 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-110 | 0.0025 | 0.0016 | 0.1 | No | 20 | 0.0006592 | 80 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-102 | 0.0025 | 0.00088 | 0.006 | No | 20 | 0.0007716 | 85 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-103 | 0.0025 | 0.00044 | 0.006 | No | 20 | 0.00102 | 65 | No | 0.01 | NP (normality) |
| **Cobalt (mg/L)** | **MW-104** | **0.02202** | **0.01538** | **0.006** | **Yes** | **20** | **0.005841** | **0** | **No** | **0.01** | **Param.** |
| Cobalt (mg/L) | MW-105 | 0.0025 | 0.00087 | 0.006 | No | 20 | 0.0007528 | 85 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-106 | 0.0025 | 0.00045 | 0.006 | No | 20 | 0.0009516 | 35 | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-109 | 0.007506 | 0.003959 | 0.006 | No | 20 | 0.003124 | 0 | No | 0.01 | Param. |
| **Cobalt (mg/L)** | **MW-110** | **0.01388** | **0.006484** | **0.006** | **Yes** | **20** | **0.006509** | **0** | **No** | **0.01** | **Param.** |
| Combined Radium 226 + 228 (pCi/L) | MW-102 | 1.92 | 1.23 | 5 | No | 20 | 1.098 | 0 | No | 0.01 | NP (normality) |
| Combined Radium 226 + 228 (pCi/L) | MW-103 | 6.519 | 4.707 | 5 | No | 20 | 1.595 | 0 | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-104** | **18.44** | **13.73** | **5** | **Yes** | **20** | **4.145** | **0** | **No** | **0.01** | **Param.** |
| Combined Radium 226 + 228 (pCi/L) | MW-105 | 4.05 | 2.527 | 5 | No | 20 | 1.341 | 0 | No | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-106 | 1.352 | 0.8137 | 5 | No | 20 | 0.4736 | 5 | No | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-109 | 3.057 | 1.804 | 5 | No | 20 | 1.103 | 0 | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-110** | **7.038** | **5.579** | **5** | **Yes** | **20** | **1.284** | **0** | **No** | **0.01** | **Param.** |
| Fluoride (mg/L) | MW-103 | 0.24 | 0.037 | 4 | No | 21 | 0.03412 | 90.48 | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-104 | 0.3495 | 0.2396 | 4 | No | 22 | 0.1024 | 4.545 | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-105 | 0.1 | 0.041 | 4 | No | 21 | 0.02755 | 66.67 | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-109 | 0.1 | 0.05 | 4 | No | 21 | 0.01091 | 95.24 | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-110 | 0.1 | 0.04 | 4 | No | 21 | 0.02875 | 61.9 | No | 0.01 | NP (normality) |
| Lead (mg/L) | MW-102 | 0.0013 | 0.00018 | 0.015 | No | 20 | 0.0003509 | 90 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-103 | 0.0013 | 0.00011 | 0.015 | No | 20 | 0.0002661 | 95 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-104 | 0.002322 | 0.001868 | 0.015 | No | 20 | 0.0004006 | 0 | No | 0.01 | Param. |
| Lead (mg/L) | MW-105 | 0.0013 | 0.00091 | 0.015 | No | 20 | 0.0002735 | 90 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-106 | 0.0013 | 0.00039 | 0.015 | No | 20 | 0.0002035 | 95 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-109 | 0.0013 | 0.0012 | 0.015 | No | 20 | 0.0003831 | 80 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-110 | 0.0013 | 0.0004 | 0.015 | No | 20 | 0.000427 | 75 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-102 | 0.005 | 0.0014 | 0.04 | No | 20 | 0.001407 | 85 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-103 | 0.005 | 0.0017 | 0.04 | No | 20 | 0.001678 | 45 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-104 | 0.03151 | 0.01962 | 0.04 | No | 20 | 0.01143 | 0 | sqrt(x) | 0.01 | Param. |
| Lithium (mg/L) | MW-105 | 0.005 | 0.00039 | 0.04 | No | 20 | 0.001031 | 95 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-106 | 0.005 | 0.0035 | 0.04 | No | 20 | 0.00183 | 70 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-109 | 0.006546 | 0.004974 | 0.04 | No | 20 | 0.001384 | 5 | No | 0.01 | Param. |
| Lithium (mg/L) | MW-110 | 0.012 | 0.0073 | 0.04 | No | 20 | 0.01868 | 0 | No | 0.01 | NP (normality) |
| Mercury (mg/L) | MW-102 | 0.0002 | 0.000094 | 0.002 | No | 20 | 0.00003263 | 90 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-103 | 0.00062 | 0.00016 | 0.002 | No | 20 | 0.00009731 | 85 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-104 | 0.001262 | 0.0006784 | 0.002 | No | 20 | 0.0005135 | 0 | No | 0.01 | Param. |
| Mercury (mg/L) | MW-106 | 0.0002 | 0.00008 | 0.002 | No | 20 | 0.00002683 | 95 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-109 | 0.00047 | 0.0002 | 0.002 | No | 20 | 0.0007373 | 60 | No | 0.01 | NP (normality) |
| **Mercury (mg/L)** | **MW-110** | **0.00562** | **0.003474** | **0.002** | **Yes** | **20** | **0.00189** | **0** | **No** | **0.01** | **Param.** |
| Molybdenum (mg/L) | MW-102 | 0.015 | 0.00091 | 0.1 | No | 20 | 0.003151 | 95 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-103 | 0.015 | 0.00092 | 0.1 | No | 20 | 0.003148 | 95 | No | 0.01 | NP (NDs) |

# Confidence Interval Summary Table - 100 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Molybdenum (mg/L) | MW-105 | 0.005679 | 0.00376 | 0.1 | No | 20 | 0.00184 | 5 | sqrt(x) | 0.01 | Param. |
| Molybdenum (mg/L) | MW-106 | 0.015 | 0.00068 | 0.1 | No | 20 | 0.003202 | 95 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-109 | 0.015 | 0.0009 | 0.1 | No | 20 | 0.003153 | 95 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-102 | 0.0013 | 0.001 | 0.05 | No | 20 | 0.0008583 | 70 | No | 0.01 | NP (normality) |
| Selenium (mg/L) | MW-103 | 0.002672 | 0.001753 | 0.05 | No | 20 | 0.0008091 | 5 | No | 0.01 | Param. |
| Selenium (mg/L) | MW-104 | 0.01239 | 0.005906 | 0.05 | No | 20 | 0.005713 | 0 | No | 0.01 | Param. |
| Selenium (mg/L) | MW-105 | 0.0013 | 0.0004 | 0.05 | No | 20 | 0.0004743 | 55 | No | 0.01 | NP (normality) |
| Selenium (mg/L) | MW-106 | 0.0016 | 0.0013 | 0.05 | No | 20 | 0.00006708 | 95 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-109 | 0.002 | 0.00035 | 0.05 | No | 20 | 0.0004252 | 80 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-110 | 0.003771 | 0.003239 | 0.05 | No | 20 | 0.0004685 | 0 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-102 | 0.0005 | 0.00021 | 0.002 | No | 20 | 0.00006485 | 95 | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-103 | 0.0005 | 0.00015 | 0.002 | No | 20 | 0.0001284 | 90 | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-104 | 0.0003521 | 0.0002509 | 0.002 | No | 20 | 0.00008905 | 5 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-105 | 0.0005 | 0.00024 | 0.002 | No | 20 | 0.0001004 | 90 | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-109 | 0.0005 | 0.00012 | 0.002 | No | 20 | 0.00008497 | 95 | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-110 | 0.0002885 | 0.0002365 | 0.002 | No | 20 | 0.00004587 | 10 | No | 0.01 | Param. |

# Confidence Interval Summary Table - 200 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:44 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228 (pCi/L)** | **MW-200** | **15.36** | **7.577** | **5** | **Yes** | **20** | **6.851** | **0** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-201** | **14.34** | **7.484** | **5** | **Yes** | **20** | **7.593** | **0** | **ln(x)** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-206** | **23.31** | **10.41** | **5** | **Yes** | **20** | **12.34** | **0** | **x^(1/3)** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 200 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:44 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony (mg/L) | MW-201 | 0.0025 | 0.001 | 0.006 | No | 18 | 0.0004851 | 88.89 | No | 0.01 | NP (NDs) |
| Antimony (mg/L) | MW-206 | 0.0025 | 0.0011 | 0.006 | No | 18 | 0.00033 | 94.44 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-200 | 0.0029 | 0.00072 | 0.01 | No | 20 | 0.001587 | 30 | No | 0.01 | NP (Cohens/xfrm) |
| Arsenic (mg/L) | MW-201 | 0.0034 | 0.0009 | 0.01 | No | 20 | 0.002797 | 50 | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-206 | 0.007731 | 0.002016 | 0.01 | No | 20 | 0.006202 | 15 | sqrt(x) | 0.01 | Param. |
| Barium (mg/L) | MW-200 | 0.05948 | 0.03305 | 2 | No | 20 | 0.02327 | 5 | No | 0.01 | Param. |
| Barium (mg/L) | MW-201 | 0.06298 | 0.03762 | 2 | No | 20 | 0.02233 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-206 | 0.09766 | 0.05495 | 2 | No | 20 | 0.03761 | 0 | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-200 | 0.0025 | 0.000045 | 0.004 | No | 20 | 0.000549 | 95 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-201 | 0.0025 | 0.000069 | 0.004 | No | 20 | 0.0005436 | 95 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-206 | 0.0025 | 0.00055 | 0.004 | No | 20 | 0.0008777 | 80 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-200 | 0.00061 | 0.00039 | 0.005 | No | 19 | 0.0005228 | 68.42 | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-201 | 0.005752 | 0.001795 | 0.005 | No | 20 | 0.005509 | 5 | ln(x) | 0.01 | Param. |
| Cadmium (mg/L) | MW-206 | 0.0026 | 0.00065 | 0.005 | No | 20 | 0.00106 | 15 | No | 0.01 | NP (normality) |
| Chromium (mg/L) | MW-201 | 0.0025 | 0.002 | 0.1 | No | 17 | 0.0003793 | 82.35 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-206 | 0.0026 | 0.0025 | 0.1 | No | 17 | 0.00002425 | 94.12 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-200 | 0.0015 | 0.0005 | 0.006 | No | 20 | 0.00073 | 25 | No | 0.01 | NP (Cohens/xfrm) |
| Cobalt (mg/L) | MW-201 | 0.002556 | 0.001304 | 0.006 | No | 20 | 0.001285 | 5 | sqrt(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-206 | 0.004179 | 0.002058 | 0.006 | No | 20 | 0.001868 | 0 | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-200** | **15.36** | **7.577** | **5** | **Yes** | **20** | **6.851** | **0** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-201** | **14.34** | **7.484** | **5** | **Yes** | **20** | **7.593** | **0** | **ln(x)** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-206** | **23.31** | **10.41** | **5** | **Yes** | **20** | **12.34** | **0** | **x^(1/3)** | **0.01** | **Param.** |
| Fluoride (mg/L) | MW-200 | 0.1 | 0.06 | 4 | No | 21 | 0.06599 | 23.81 | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-201 | 0.6948 | 0.4271 | 4 | No | 22 | 0.2494 | 4.545 | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-206 | 0.07592 | 0.05094 | 4 | No | 22 | 0.02473 | 13.64 | sqrt(x) | 0.01 | Param. |
| Lead (mg/L) | MW-200 | 0.001515 | 0.0008565 | 0.015 | No | 20 | 0.0004757 | 25 | No | 0.01 | Param. |
| Lead (mg/L) | MW-201 | 0.0013 | 0.00057 | 0.015 | No | 20 | 0.0003942 | 65 | No | 0.01 | NP (normality) |
| Lead (mg/L) | MW-206 | 0.0087 | 0.00076 | 0.015 | No | 20 | 0.004119 | 10 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-200 | 0.01 | 0.0025 | 0.04 | No | 20 | 0.001649 | 80 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-201 | 0.0062 | 0.0042 | 0.04 | No | 20 | 0.00692 | 20 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-206 | 0.005 | 0.0029 | 0.04 | No | 20 | 0.001199 | 85 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-200 | 0.00195 | 0.0007598 | 0.002 | No | 20 | 0.001048 | 10 | No | 0.01 | Param. |
| Mercury (mg/L) | MW-201 | 0.001253 | 0.0003046 | 0.002 | No | 20 | 0.001051 | 10 | ln(x) | 0.01 | Param. |
| Mercury (mg/L) | MW-206 | 0.00036 | 0.00016 | 0.002 | No | 20 | 0.0002481 | 40 | No | 0.01 | NP (normality) |
| Molybdenum (mg/L) | MW-200 | 0.015 | 0.0078 | 0.1 | No | 18 | 0.001697 | 94.44 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-201 | 0.015 | 0.0015 | 0.1 | No | 18 | 0.003182 | 94.44 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-206 | 0.015 | 0.00092 | 0.1 | No | 18 | 0.003319 | 94.44 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-200 | 0.01034 | 0.003893 | 0.05 | No | 20 | 0.005937 | 10 | sqrt(x) | 0.01 | Param. |
| Selenium (mg/L) | MW-201 | 0.009815 | 0.003719 | 0.05 | No | 20 | 0.005623 | 5 | sqrt(x) | 0.01 | Param. |
| Selenium (mg/L) | MW-206 | 0.01708 | 0.01013 | 0.05 | No | 20 | 0.006121 | 5 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-200 | 0.0005 | 0.00018 | 0.002 | No | 20 | 0.0001728 | 40 | No | 0.01 | NP (normality) |
| Thallium (mg/L) | MW-201 | 0.0004291 | 0.0002379 | 0.002 | No | 20 | 0.0001684 | 15 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-206 | 0.0007173 | 0.0003917 | 0.002 | No | 20 | 0.0002867 | 15 | No | 0.01 | Param. |

# Confidence Interval Summary Table - 300 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 2:00 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228 (pCi/L)** | **MW-303** | **6.734** | **5.018** | **5** | **Yes** | **20** | **1.905** | **0** | **ln(x)** | **0.01** | **Param.** |
| **Molybdenum (mg/L)** | **MW-303** | **1.453** | **0.7522** | **0.1** | **Yes** | **20** | **0.6168** | **0** | **No** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 300 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 2:00 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Arsenic (mg/L) | MW-303 | 0.0015 | 0.00082 | 0.01 | No | 18 | 0.0004255 | 55.56 | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-304 | 0.0035 | 0.00056 | 0.01 | No | 15 | 0.001559 | 26.67 | No | 0.01 | NP (Cohens/xfrm) |
| Arsenic (mg/L) | MW-305 | 0.00042 | 0.00025 | 0.01 | No | 18 | 0.02162 | 77.78 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-308 | 0.0023 | 0.0011 | 0.01 | No | 18 | 0.0003204 | 83.33 | No | 0.01 | NP (NDs) |
| Barium (mg/L) | MW-300 | 0.012 | 0.011 | 2 | No | 20 | 0.0007452 | 0 | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-303 | 0.04801 | 0.03137 | 2 | No | 20 | 0.01571 | 0 | sqrt(x) | 0.01 | Param. |
| Barium (mg/L) | MW-304 | 0.04205 | 0.02885 | 2 | No | 20 | 0.01163 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-305 | 0.026 | 0.016 | 2 | No | 20 | 0.007236 | 0 | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-308 | 0.02719 | 0.02181 | 2 | No | 20 | 0.004741 | 0 | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-303 | 0.0025 | 0.000074 | 0.004 | No | 17 | 0.0005884 | 94.12 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-305 | 0.001 | 0.0005 | 0.004 | No | 17 | 0.0001213 | 94.12 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-300 | 0.0025 | 0.000075 | 0.005 | No | 20 | 0.0005422 | 95 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-303 | 0.0025 | 0.00041 | 0.005 | No | 20 | 0.001025 | 40 | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-304 | 0.0042 | 0.001 | 0.005 | No | 20 | 0.0006549 | 85 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-305 | 0.0029 | 0.000076 | 0.005 | No | 20 | 0.0005499 | 90 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-308 | 0.0025 | 0.000089 | 0.005 | No | 20 | 0.0005391 | 95 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-300 | 0.0037 | 0.0012 | 0.1 | No | 17 | 0.0004423 | 88.24 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-303 | 0.0025 | 0.0014 | 0.1 | No | 17 | 0.0004001 | 88.24 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-304 | 0.0025 | 0.0021 | 0.1 | No | 17 | 0.000376 | 76.47 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-305 | 0.0013 | 0.001 | 0.1 | No | 17 | 0.0004314 | 70.59 | No | 0.01 | NP (normality) |
| Chromium (mg/L) | MW-308 | 0.0025 | 0.0022 | 0.1 | No | 17 | 0.0004094 | 88.24 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-300 | 0.0025 | 0.00093 | 0.006 | No | 20 | 0.0008687 | 80 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-303 | 0.0025 | 0.00059 | 0.006 | No | 20 | 0.0009752 | 50 | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-304 | 0.04327 | 0.005834 | 0.006 | No | 11 | 0.08645 | 0 | ln(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-305 | 0.0025 | 0.00045 | 0.006 | No | 20 | 0.00781 | 35 | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-308 | 0.0025 | 0.00063 | 0.006 | No | 20 | 0.0005865 | 90 | No | 0.01 | NP (NDs) |
| Combined Radium 226 + 228 (pCi/L) | MW-300 | 5.498 | 4.828 | 5 | No | 20 | 0.5897 | 0 | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-303** | **6.734** | **5.018** | **5** | **Yes** | **20** | **1.905** | **0** | **ln(x)** | **0.01** | **Param.** |
| Combined Radium 226 + 228 (pCi/L) | MW-304 | 6.853 | 4.143 | 5 | No | 20 | 2.385 | 0 | No | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-305 | 1.67 | 1.24 | 5 | No | 20 | 4.162 | 0 | No | 0.01 | NP (normality) |
| Combined Radium 226 + 228 (pCi/L) | MW-308 | 3.006 | 2.33 | 5 | No | 20 | 0.5948 | 0 | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-300 | 0.1 | 0.041 | 4 | No | 21 | 0.01287 | 95.24 | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-303 | 0.2449 | 0.166 | 4 | No | 22 | 0.07347 | 4.545 | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-304 | 0.12 | 0.06 | 4 | No | 21 | 0.1371 | 47.62 | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-305 | 4.6 | 0.035 | 4 | No | 21 | 0.9836 | 85.71 | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-308 | 0.1392 | 0.08627 | 4 | No | 22 | 0.0493 | 4.545 | No | 0.01 | Param. |
| Lead (mg/L) | MW-300 | 0.0013 | 0.00039 | 0.015 | No | 17 | 0.0003573 | 88.24 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-303 | 0.0013 | 0.00011 | 0.015 | No | 17 | 0.0002886 | 94.12 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-304 | 0.0014 | 0.00048 | 0.015 | No | 17 | 0.0004162 | 58.82 | No | 0.01 | NP (normality) |
| Lead (mg/L) | MW-305 | 0.0019 | 0.00025 | 0.015 | No | 17 | 0.0004002 | 94.12 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-300 | 0.005 | 0.0036 | 0.04 | No | 20 | 0.001519 | 80 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-303 | 0.02769 | 0.02159 | 0.04 | No | 20 | 0.006433 | 5 | x^2 | 0.01 | Param. |
| Lithium (mg/L) | MW-304 | 0.005 | 0.0034 | 0.04 | No | 20 | 0.001782 | 65 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-305 | 0.006 | 0.0025 | 0.04 | No | 20 | 0.001633 | 75 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-308 | 0.005 | 0.0021 | 0.04 | No | 20 | 0.001489 | 80 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-300 | 0.0002 | 0.00019 | 0.002 | No | 20 | 0.000002236 | 95 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-304 | 0.00055 | 0.0002 | 0.002 | No | 20 | 0.0003136 | 25 | No | 0.01 | NP (Cohens/xfrm) |
| Mercury (mg/L) | MW-305 | 0.0018 | 0.00014 | 0.002 | No | 20 | 0.000612 | 85 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-308 | 0.00042 | 0.000087 | 0.002 | No | 20 | 0.00005647 | 90 | No | 0.01 | NP (NDs) |
| **Molybdenum (mg/L)** | **MW-303** | **1.453** | **0.7522** | **0.1** | **Yes** | **20** | **0.6168** | **0** | **No** | **0.01** | **Param.** |
| Molybdenum (mg/L) | MW-304 | 0.015 | 0.0043 | 0.1 | No | 20 | 0.00552 | 65 | No | 0.01 | NP (normality) |
| Molybdenum (mg/L) | MW-305 | 0.015 | 0.0016 | 0.1 | No | 20 | 0.004325 | 90 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-308 | 0.015 | 0.0022 | 0.1 | No | 20 | 0.004867 | 85 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-300 | 0.0045 | 0.0013 | 0.05 | No | 20 | 0.0007155 | 95 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-303 | 0.006326 | 0.003714 | 0.05 | No | 20 | 0.0023 | 0 | No | 0.01 | Param. |
| Selenium (mg/L) | MW-304 | 0.006488 | 0.004196 | 0.05 | No | 19 | 0.001957 | 0 | No | 0.01 | Param. |
| Selenium (mg/L) | MW-305 | 0.21 | 0.00077 | 0.05 | No | 20 | 0.04669 | 85 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-308 | 0.006204 | 0.003566 | 0.05 | No | 20 | 0.002322 | 0 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-303 | 0.00027 | 0.00018 | 0.002 | No | 20 | 0.0001165 | 15 | No | 0.01 | NP (normality) |
| Thallium (mg/L) | MW-304 | 0.00029 | 0.00014 | 0.002 | No | 20 | 0.000154 | 25 | No | 0.01 | NP (Cohens/xfrm) |
| Thallium (mg/L) | MW-308 | 0.0003543 | 0.0002367 | 0.002 | No | 20 | 0.0001035 | 15 | No | 0.01 | Param. |

# Prediction Limits - 100, 200 & 300 Series

# 100 Series

# Appendix III - Interwell Prediction Limits - 100 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 2:06 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-102 | 0.081 | n/a | 9/9/2022 | 0.13 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-103 | 0.081 | n/a | 9/9/2022 | 0.22 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-104 | 0.081 | n/a | 9/9/2022 | 14 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-105 | 0.081 | n/a | 9/9/2022 | 0.5 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-106 | 0.081 | n/a | 9/8/2022 | 0.097 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-109 | 0.081 | n/a | 9/8/2022 | 0.45 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-110 | 0.081 | n/a | 9/9/2022 | 4.4 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-102 | 1.489 | n/a | 9/9/2022 | 12 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-103 | 1.489 | n/a | 9/9/2022 | 3.3 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-104 | 1.489 | n/a | 9/9/2022 | 110 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-105 | 1.489 | n/a | 9/9/2022 | 57 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-106 | 1.489 | n/a | 9/8/2022 | 1.6 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-109 | 1.489 | n/a | 9/8/2022 | 6 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-110 | 1.489 | n/a | 9/9/2022 | 26 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-102 | 7.077 | n/a | 9/9/2022 | 11 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-104 | 7.077 | n/a | 9/9/2022 | 140 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-109 | 7.077 | n/a | 9/8/2022 | 17 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-110 | 7.077 | n/a | 9/9/2022 | 84 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Field pH (SU) | MW-104 | 6.42 | 4.5 | 9/9/2022 | 4.08 | Yes | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-105 | 6.42 | 4.5 | 9/9/2022 | 6.47 | Yes | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Sulfate (mg/L) | MW-102 | 5.5 | n/a | 9/9/2022 | 27 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-103 | 5.5 | n/a | 9/9/2022 | 20 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-104 | 5.5 | n/a | 9/9/2022 | 870 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-105 | 5.5 | n/a | 9/9/2022 | 17 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-109 | 5.5 | n/a | 9/8/2022 | 34 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-110 | 5.5 | n/a | 9/9/2022 | 270 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-104 | 110 | n/a | 9/9/2022 | 1400 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-105 | 110 | n/a | 9/9/2022 | 200 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-110 | 110 | n/a | 9/9/2022 | 560 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 100 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 2:06 AM


| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-102** | **0.081** | **n/a** | **9/9/2022** | **0.13** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-103** | **0.081** | **n/a** | **9/9/2022** | **0.22** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-104** | **0.081** | **n/a** | **9/9/2022** | **14** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-105** | **0.081** | **n/a** | **9/9/2022** | **0.5** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-106** | **0.081** | **n/a** | **9/8/2022** | **0.097** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-109** | **0.081** | **n/a** | **9/8/2022** | **0.45** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-110** | **0.081** | **n/a** | **9/9/2022** | **4.4** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001243** | **NP Inter (NDs) 1 of 2** |
| **Calcium (mg/L)** | **MW-102** | **1.489** | **n/a** | **9/9/2022** | **12** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-103** | **1.489** | **n/a** | **9/9/2022** | **3.3** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-104** | **1.489** | **n/a** | **9/9/2022** | **110** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-105** | **1.489** | **n/a** | **9/9/2022** | **57** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-106** | **1.489** | **n/a** | **9/8/2022** | **1.6** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-109** | **1.489** | **n/a** | **9/8/2022** | **6** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-110** | **1.489** | **n/a** | **9/9/2022** | **26** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-102** | **7.077** | **n/a** | **9/9/2022** | **11** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001075** | **Param Inter 1 of 2** |
| Chloride (mg/L) | MW-103 | 7.077 | n/a | 9/9/2022 | 6.9 | No | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| **Chloride (mg/L)** | **MW-104** | **7.077** | **n/a** | **9/9/2022** | **140** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001075** | **Param Inter 1 of 2** |
| Chloride (mg/L) | MW-105 | 7.077 | n/a | 9/9/2022 | 6.2 | No | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-106 | 7.077 | n/a | 9/8/2022 | 3.3 | No | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001075 | Param Inter 1 of 2 |
| **Chloride (mg/L)** | **MW-109** | **7.077** | **n/a** | **9/8/2022** | **17** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001075** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-110** | **7.077** | **n/a** | **9/9/2022** | **84** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001075** | **Param Inter 1 of 2** |
| Field pH (SU) | MW-102 | 6.42 | 4.5 | 9/9/2022 | 4.96 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-103 | 6.42 | 4.5 | 9/9/2022 | 5.19 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| **Field pH (SU)** | **MW-104** | **6.42** | **4.5** | **9/9/2022** | **4.08** | **Yes** | **125** | **n/a** | **n/a** | **0** | **n/a** | **n/a** | **0.0002521** | **NP Inter (normality) 1 of 2** |
| **Field pH (SU)** | **MW-105** | **6.42** | **4.5** | **9/9/2022** | **6.47** | **Yes** | **125** | **n/a** | **n/a** | **0** | **n/a** | **n/a** | **0.0002521** | **NP Inter (normality) 1 of 2** |
| Field pH (SU) | MW-106 | 6.42 | 4.5 | 9/8/2022 | 5 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-109 | 6.42 | 4.5 | 9/8/2022 | 4.82 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Field pH (SU) | MW-110 | 6.42 | 4.5 | 9/9/2022 | 4.68 | No | 125 | n/a | n/a | 0 | n/a | n/a | 0.0002521 | NP Inter (normality) 1 of 2 |
| Fluoride (mg/L) | MW-102 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-103 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-104 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-105 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-106 | 0.12 | n/a | 9/8/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-109 | 0.12 | n/a | 9/8/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-110 | 0.12 | n/a | 9/9/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001243 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-102** | **5.5** | **n/a** | **9/9/2022** | **27** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-103** | **5.5** | **n/a** | **9/9/2022** | **20** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-104** | **5.5** | **n/a** | **9/9/2022** | **870** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-105** | **5.5** | **n/a** | **9/9/2022** | **17** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| Sulfate (mg/L) | MW-106 | 5.5 | n/a | 9/8/2022 | 5ND | No | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001261 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-109** | **5.5** | **n/a** | **9/8/2022** | **34** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-110** | **5.5** | **n/a** | **9/9/2022** | **270** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001261** | **NP Inter (NDs) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-102 | 110 | n/a | 9/9/2022 | 62 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-103 | 110 | n/a | 9/9/2022 | 48 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-104** | **110** | **n/a** | **9/9/2022** | **1400** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001243** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-105** | **110** | **n/a** | **9/9/2022** | **200** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001243** | **NP Inter (normality) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-106 | 110 | n/a | 9/8/2022 | 18 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-109 | 110 | n/a | 9/8/2022 | 80 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001243 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-110** | **110** | **n/a** | **9/9/2022** | **560** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001243** | **NP Inter (normality) 1 of 2** |

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, MW-110

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 126 background values. 76.19% NDs. Annual per-constituent alpha = 0.001739. Individual comparison alpha = 0.0001243 (1 of 2). Comparing 7 points to limit.


Constituent: Boron Analysis Run 1/13/2023 2:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Exceeds Limit: MW-102, MW-103, MW-104, MW-105, MW-106, MW-109, MW-110

## Prediction Limit

Interwell Parametric




Background Data Summary (based on cube root transformation): Mean=0.8959, Std. Dev.=0.1317, n=126. Normality test: Chi Squared @alpha = 0.01, calculated = 12.73, critical = 14.07. Kappa = 1.867 (c=7, w=7, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001075. Comparing 7 points to limit.


Constituent: Calcium Analysis Run 1/13/2023 2:04 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Exceeds Limit: MW-102, MW-104, MW-109, MW-110

## Prediction Limit

Interwell Parametric




Background Data Summary: Mean=5.26, Std. Dev.=0.9732, n=126. Normality test: Chi Squared @alpha = 0.01, calculated = 11.3, critical = 14.07. Kappa = 1.867 (c=7, w=7, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001075. Comparing 7 points to limit.


Constituent: Chloride Analysis Run 1/13/2023 2:05 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Exceeds Limits: MW-104, MW-105

## Prediction Limit

Interwell Non-parametric





Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limits are highest and lowest of 125 background values. Annual per-constituent alpha = 0.003527. Individual comparison alpha = 0.0002521 (1 of 2). Comparing 7 points to limit.

Constituent: Field pH Analysis Run 1/13/2023 2:05 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.
Within Limit

## Prediction Limit

Interwell Non-parametric





Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 126 background values. 94.44% NDs. Annual per-constituent alpha = 0.001739. Individual comparison alpha = 0.0001243 (1 of 2). Comparing 7 points to limit.

Constituent: Fluoride Analysis Run 1/13/2023 2:05 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.
Exceeds Limit: MW-102, MW-103, MW-104, MW-105, MW-109, MW-110

## Prediction Limit

Interwell Non-parametric





Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 125 background values. 75.2% NDs. Annual per-constituent alpha = 0.001764. Individual comparison alpha = 0.0001261 (1 of 2). Comparing 7 points to limit.

Constituent: Sulfate Analysis Run 1/13/2023 2:05 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.
Exceeds Limit: MW-104, MW-105, MW-110

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 126 background values. 22.22% NDs. Annual per-constituent alpha = 0.001739. Individual comparison alpha = 0.0001243 (1 of 2). Comparing 7 points to limit.

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 2:05 AM View: 100 Series
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-102 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.05 | <0.05 | <0.05 | <0.05 | | | | | |
| 3/1/2016 | | | | | <0.05 (*) | 8.7 | <0.05 | <0.05 | <0.05 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | <0.05 | <0.05 | <0.05 | | | | | | <0.05 |
| 5/3/2016 | | | | | | | | <0.05 | |
| 5/4/2016 | | | | <0.05 | | | | | |
| 5/5/2016 | | | | | <0.05 (*) | 7.8 | <0.05 | | |
| 7/5/2016 | <0.05 | <0.05 | <0.05 | | | | | <0.05 | <0.05 |
| 7/7/2016 | | | | | 1 | 7 | <0.05 | | |
| 7/8/2016 | | | | <0.05 | | | | | |
| 9/6/2016 | <0.05 | <0.05 | <0.05 | <0.05 | | | <0.05 | <0.05 | <0.05 |
| 9/7/2016 | | | | | 0.53 | 12 | | | |
| 11/7/2016 | <0.05 | <0.05 | <0.05 | | | | | <0.05 | <0.05 |
| 11/9/2016 | | | | | 1.6 | 9.6 | | | |
| 11/10/2016 | | | | <0.05 | | | <0.05 | | |
| 1/9/2017 | <0.05 | <0.05 | <0.05 | | | | | <0.05 | <0.05 |
| 1/11/2017 | | | | <0.05 | 0.9 | 11 | | | |
| 1/12/2017 | | | | | | | <0.05 | | |
| 3/13/2017 | <0.05 | <0.05 | 0.022 (J) | | | | | <0.05 | <0.05 |
| 3/14/2017 | | | | <0.05 | 0.63 | 10 | | | |
| 3/15/2017 | | | | | | | <0.05 | | |
| 5/15/2017 | <0.05 | <0.05 | <0.05 | | | | | <0.05 | <0.05 |
| 5/18/2017 | | | | <0.05 | 1.5 | 15 | <0.05 | | |
| 10/2/2017 | <0.05 | <0.05 | 0.023 (J) | | | | | <0.05 | <0.05 |
| 10/5/2017 | | | | <0.05 | 0.32 | 12 | | | |
| 10/6/2017 | | | | | | | <0.05 | | |
| 12/19/2017 | | | | | 1.6 (R) | 11 (R) | | | |
| 3/12/2018 | <0.05 | <0.05 | <0.05 | | | | | <0.05 | <0.05 |
| 3/14/2018 | | | | <0.05 | 0.7 | 11 | <0.05 | | |
| 6/5/2018 | <0.05 | <0.05 | <0.05 | | | | | | |
| 6/6/2018 | | | | | | | | <0.05 | <0.05 |
| 6/10/2018 | | | | <0.05 | 2.4 | 12 | | | |
| 6/11/2018 | | | | | | | <0.05 | | |
| 10/16/2018 | <0.05 | <0.05 | <0.05 | | | | | | |
| 10/17/2018 | | | | | | | | <0.05 | <0.05 |
| 10/18/2018 | | | | 0.081 | 0.43 | 9.6 | | | |
| 10/19/2018 | | | | | | | 0.34 | | |
| 2/27/2019 | <0.05 | <0.05 | <0.05 | <0.05 | | | | <0.05 | <0.05 |
| 3/1/2019 | | | | | 0.4 | 6.5 | | | |
| 3/2/2019 | | | | | | | <0.05 | | |
| 5/31/2019 | <0.05 | <0.05 | <0.05 | <0.05 | | | | <0.05 | <0.05 |
| 6/3/2019 | | | | | 1.7 | 11 | 0.17 | | |
| 6/11/2019 | | | | | | | | | |
| 11/6/2019 | 0.017 (V) | 0.016 (V) | 0.022 (V) | 0.016 (V) | | | | 0.011 (V) | 0.0099 (J) |
| 11/7/2019 | | | | | | 11 | | | |
| 11/9/2019 | | | | | 1.8 | | 0.023 (J) | | |
| 4/16/2020 | 0.02 | 0.013 | 0.017 | 0.013 | | | | 0.0075 (J) | 0.0055 (J) |
| 4/17/2020 | | | | | | | | | |
| 4/18/2020 | | | | | 1.7 | 11 | 0.012 | | |
| 10/7/2020 | <0.05 | <0.05 | <0.05 | <0.05 | | | | <0.05 | <0.05 |
| 10/8/2020 | | | | | 0.37 | 12 | 0.033 (J) | | |
| 10/9/2020 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-102 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | <0.05 | <0.05 | <0.05 | <0.05 | | | | <0.05 | <0.05 |
| 3/30/2021 | | | | | 0.22 | | <0.05 | | |
| 3/31/2021 | | | | | | 8.9 | | | |
| 9/2/2021 | 0.021 (J) | 0.018 (J) | 0.022 (J) | <0.05 | | | | <0.05 | <0.05 |
| 9/3/2021 | | | | | 0.2 | 8.7 | | | |
| 9/7/2021 | | | | | | | <0.05 | | |
| 3/22/2022 | 0.013 | 0.013 | 0.017 | 0.012 | | | | 0.009 (J) | 0.0063 (J) |
| 3/23/2022 | | | | | 0.23 | 8.7 | 0.017 | | |
| 3/24/2022 | | | | | | | | | |
| 9/7/2022 | 0.031 (J) | 0.031 (J) | | 0.029 (J) | | | | | |
| 9/8/2022 | | | 0.055 | | | | | 0.027 (J) | 0.025 (J) |
| 9/9/2022 | | | | | 0.5 | 14 | 0.13 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | <0.05 (*) | <0.05 | | |
| 3/2/2016 | | | 3 | <0.05 (*) |
| 5/2/2016 | | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | <0.05 (*) | | |
| 5/5/2016 | <0.05 (*) | | 2.9 | <0.05 (*) |
| 7/5/2016 | | | | |
| 7/7/2016 | 0.33 | | 3 | 0.1 |
| 7/8/2016 | | <0.05 | | |
| 9/6/2016 | | | | |
| 9/7/2016 | 0.37 | 0.022 (J) | 3.8 | 0.073 |
| 11/7/2016 | | | | |
| 11/9/2016 | | <0.05 | | |
| 11/10/2016 | 0.43 | | 2.1 | 0.073 |
| 1/9/2017 | | | | |
| 1/11/2017 | | <0.05 | | |
| 1/12/2017 | 0.44 | | 4 | 0.059 |
| 3/13/2017 | | | | |
| 3/14/2017 | | 0.071 | | 0.044 (J) |
| 3/15/2017 | 0.46 | | 4.2 | |
| 5/15/2017 | | | | |
| 5/18/2017 | 0.44 | <0.05 (*) | 4.4 | <0.05 (*) |
| 10/2/2017 | | | | |
| 10/5/2017 | | <0.05 | | 0.047 (J) |
| 10/6/2017 | 0.37 | | 2.3 | |
| 12/19/2017 | 0.35 (R) | | 5.3 (R) | |
| 3/12/2018 | | | | |
| 3/14/2018 | 0.32 | <0.05 | 4.6 | <0.05 |
| 6/5/2018 | | | | |
| 6/6/2018 | | | | |
| 6/10/2018 | | 0.066 | | |
| 6/11/2018 | 0.26 | | 4.2 | 0.11 |
| 10/16/2018 | | | | |
| 10/17/2018 | | | | |
| 10/18/2018 | 0.25 | 0.067 | 4.3 | 0.15 |
| 10/19/2018 | | | | |
| 2/27/2019 | | | | |
| 3/1/2019 | | 0.048 (J) | 3.8 | 0.23 |
| 3/2/2019 | <0.05 | | | |
| 5/31/2019 | | | | |
| 6/3/2019 | | <0.05 | 3 | 0.45 |
| 6/11/2019 | 0.39 | | | |
| 11/6/2019 | | | | |
| 11/7/2019 | 0.19 | | 4.2 | 0.42 |
| 11/9/2019 | | 0.097 (V) | | |
| 4/16/2020 | | | | |
| 4/17/2020 | 0.31 | 0.07 | 4.6 | 0.83 |
| 4/18/2020 | | | | |
| 10/7/2020 | | | | |
| 10/8/2020 | 0.31 | 0.031 (J) | | |
| 10/9/2020 | | | 4.8 | 0.37 |

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 3/29/2021 | | | | |
| 3/30/2021 | 0.23 | <0.05 | | |
| 3/31/2021 | | | 3.8 | 0.2 |
| 9/2/2021 | | | | |
| 9/3/2021 | | 0.021 (J) | 3.3 | 0.77 |
| 9/7/2021 | 0.19 | | | |
| 3/22/2022 | | | | |
| 3/23/2022 | | 0.0074 (J) | 4.5 | 0.36 |
| 3/24/2022 | 0.2 | | | |
| 9/7/2022 | | | | |
| 9/8/2022 | | 0.097 | | 0.45 |
| 9/9/2022 | 0.22 | | 4.4 | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-103 | MW-102 | MW-306 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 0.67 | 1.4 | 1 (J) | | | | | |
| 3/1/2016 | | | | | 63 | 46 | 5.6 | 0.99 (J) | 0.6 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | 0.78 | 0.58 | 1.1 | | | | | | |
| 5/3/2016 | | | | | | | | | 0.55 |
| 5/4/2016 | | | | 0.62 | | | | | |
| 5/5/2016 | | | | | 58 | 37 | 5.4 | 1.2 | |
| 7/5/2016 | 0.65 | 0.43 | 0.94 | | | | | | 0.53 |
| 7/7/2016 | | | | | 55 | 38 | 3.9 | 1.1 | |
| 7/8/2016 | | | | 0.4 | | | | | |
| 9/6/2016 | 0.7 | 0.48 | 1 | 0.45 | | | | 1 | 0.5 |
| 9/7/2016 | | | | | 59 | 55 | 4.2 | | |
| 11/7/2016 | 0.8 | 0.56 | 1.2 | | | | | | 0.68 |
| 11/9/2016 | | | | | 61 | 52 | | | |
| 11/10/2016 | | | | 0.44 | | | 3.5 | 0.73 | |
| 1/9/2017 | 0.74 | 0.43 | 1.2 | | | | | | 0.56 |
| 1/11/2017 | | | | 0.42 | 66 | 56 | | | |
| 1/12/2017 | | | | | | | 3.3 | 0.63 | |
| 3/13/2017 | 0.78 | 0.48 | 1.3 | | | | | | 0.62 |
| 3/14/2017 | | | | 0.42 | 63 | 55 | | | |
| 3/15/2017 | | | | | | | 4.1 | 0.72 | |
| 5/15/2017 | 0.76 | 0.37 | 1 | | | | | | 0.58 |
| 5/18/2017 | | | | 0.38 | 68 | 61 | 3.9 | 0.71 | |
| 10/2/2017 | 0.78 | 0.47 | 1.2 | | | | | | 0.62 |
| 10/5/2017 | | | | 0.39 | 58 | 55 | | | |
| 10/6/2017 | | | | | | | 4.3 | 0.56 | |
| 12/19/2017 | | | | | 69 (R) | 47 (R) | 3.7 (R) | | |
| 3/12/2018 | 0.88 | 0.49 | 1.4 | | | | | | 0.59 |
| 3/14/2018 | | | | 0.49 | 62 | 55 | 3.9 | 0.63 | |
| 6/5/2018 | 0.9 | 0.49 | 1.2 | | | | | | |
| 6/6/2018 | | | | | | | | | 0.59 |
| 6/10/2018 | | | | 0.39 | 86 | 67 | | | |
| 6/11/2018 | | | | | | | 3.5 | 0.55 | |
| 10/16/2018 | 0.86 | 0.42 | 1.4 | | | | | | |
| 10/17/2018 | | | | | | | | | 0.54 |
| 10/18/2018 | | | | 0.41 | 63 | 52 | 3.1 | | |
| 10/19/2018 | | | | | | | | 0.37 | |
| 2/27/2019 | 0.96 | 0.56 | 1.3 | 0.44 | | | | | 0.63 |
| 3/1/2019 | | | | | 51 | 28 | | | |
| 3/2/2019 | | | | | | | 0.56 | 0.57 | |
| 5/31/2019 | 0.76 | 0.33 | 1.1 | 0.28 | | | | | 0.45 |
| 6/3/2019 | | | | | 65 | 49 | | 2 | |
| 6/11/2019 | | | | | | | 3.5 | | |
| 11/6/2019 | 0.88 | 0.49 | 1.2 | 0.46 | | | | | 0.55 |
| 11/7/2019 | | | | | | 62 | 3.4 | | |
| 11/9/2019 | | | | | 84 | | | 0.61 (V) | |
| 4/16/2020 | 0.84 | 0.36 | 1.3 | 0.38 | | | | | 0.53 |
| 4/17/2020 | | | | | | | 3.5 | | |
| 4/18/2020 | | | | | 58 | 62 | | 0.45 | |
| 10/7/2020 | 0.93 | 0.43 | 1.6 | 0.47 | | | | | 0.63 |
| 10/8/2020 | | | | | 50 | 59 | 3.7 | 0.67 | |
| 10/9/2020 | | | | | | | | | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-103 | MW-102 | MW-306 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 1 | 0.46 | 1.6 | 0.43 | | | | | 0.68 |
| 3/30/2021 | | | | | 68 | | 3.6 | 0.47 | |
| 3/31/2021 | | | | | | 74 | | | |
| 9/2/2021 | 1.1 | 0.47 | 1.5 | 0.63 | | | | | 0.56 |
| 9/3/2021 | | | | | 59 | 63 | | | |
| 9/7/2021 | | | | | | | 3.5 | 0.39 | |
| 3/22/2022 | 0.9 | 0.33 | 1.6 | 0.38 | | | | | 0.81 |
| 3/23/2022 | | | | | 62 | 71 | | 2 | |
| 3/24/2022 | | | | | | | 3.6 | | |
| 9/7/2022 | 1 | 0.61 | | 0.6 | | | | | |
| 9/8/2022 | | | 2.1 | | | | | | 0.69 |
| 9/9/2022 | | | | | 57 | 110 | 3.3 | 12 | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 (bg) | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 1.5 | 1.8 | | |
| 3/2/2016 | | | 2 | 23 |
| 5/2/2016 | 0.83 | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | 1.1 | | |
| 5/5/2016 | | | 2.6 | 21 |
| 7/5/2016 | 1.6 | | | |
| 7/7/2016 | | | 2.9 | 20 |
| 7/8/2016 | | 0.82 | | |
| 9/6/2016 | 1.6 | | | |
| 9/7/2016 | | 0.57 | 3.1 | 20 |
| 11/7/2016 | 1.5 | | | |
| 11/9/2016 | | 0.62 | | |
| 11/10/2016 | | | 2.7 | 8.7 |
| 1/9/2017 | 0.98 | | | |
| 1/11/2017 | | 0.44 | | |
| 1/12/2017 | | | 2.9 | 27 |
| 3/13/2017 | 0.75 | | | |
| 3/14/2017 | | 0.46 | 3.1 | |
| 3/15/2017 | | | | 32 |
| 5/15/2017 | 0.83 | | | |
| 5/18/2017 | | 0.41 | 3 | 30 |
| 10/2/2017 | 0.83 | | | |
| 10/5/2017 | | 0.39 | 3.7 | |
| 10/6/2017 | | | | 15 |
| 12/19/2017 | | | 3.1 (R) | 41 (R) |
| 3/12/2018 | 0.71 | | | |
| 3/14/2018 | | 0.47 | 3.1 | 35 |
| 6/5/2018 | | | | |
| 6/6/2018 | 0.68 | | | |
| 6/10/2018 | | 0.39 | | |
| 6/11/2018 | | | 2.6 | 30 |
| 10/16/2018 | | | | |
| 10/17/2018 | 0.66 | | | |
| 10/18/2018 | | 0.47 | 2.8 | 38 |
| 10/19/2018 | | | | |
| 2/27/2019 | 0.7 | | | |
| 3/1/2019 | | 0.46 | 3.1 | 28 |
| 3/2/2019 | | | | |
| 5/31/2019 | 0.52 | | | |
| 6/3/2019 | | 0.38 | 3.9 | 13 |
| 6/11/2019 | | | | |
| 11/6/2019 | 0.74 | | | |
| 11/7/2019 | | | 4.3 | 32 |
| 11/9/2019 | | 0.56 (V) | | |
| 4/16/2020 | 0.59 | | | |
| 4/17/2020 | | 0.42 | 5.2 | 29 |
| 4/18/2020 | | | | |
| 10/7/2020 | 0.67 | | | |
| 10/8/2020 | | 0.51 | | |
| 10/9/2020 | | | 5.9 | 31 |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 (bg) | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|
| 3/29/2021 | 0.75 | | | |
| 3/30/2021 | | 0.49 | | |
| 3/31/2021 | | | 3.3 | 23 |
| 9/2/2021 | 0.73 | | | |
| 9/3/2021 | | 0.51 | 8.4 | 21 |
| 9/7/2021 | | | | |
| 3/22/2022 | 0.7 | | | |
| 3/23/2022 | | 0.48 | 4.8 | 28 |
| 3/24/2022 | | | | |
| 9/7/2022 | | | | |
| 9/8/2022 | 0.82 | 1.6 | 6 | |
| 9/9/2022 | | | | 26 |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-102 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 8.1 | 7.4 | 5.4 | | | | | |
| 3/1/2016 | | | | | 36 | 90 | 4.8 | 5.6 | 4 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | 4.4 | 6 | 6.3 | | | | | | 3.6 |
| 5/3/2016 | | | | | | | | 5.1 | |
| 5/4/2016 | | | | 4.5 | | | | | |
| 5/5/2016 | | | | | 34 | 63 | 5.6 | | |
| 7/5/2016 | 4.2 | 5.2 | 4.8 | | | | | 4.7 | 3.6 |
| 7/7/2016 | | | | | 34 | 75 | 5 | | |
| 7/8/2016 | | | | 4.9 | | | | | |
| 9/6/2016 | 4.3 | 5.5 | 6 | 4.3 | | | 4.8 | 4.4 | 4 |
| 9/7/2016 | | | | | 33 | 140 | | | |
| 11/7/2016 | 4.2 | 5.4 | 5.7 | | | | | 4.6 | 4.4 |
| 11/9/2016 | | | | | 38 | 180 | | | |
| 11/10/2016 | | | | 4.5 | | | 4.7 | | |
| 1/9/2017 | 5.3 | 6.1 | 6.8 | | | | | 5.3 | 4.4 |
| 1/11/2017 | | | | 5.3 | 34 | 200 | | | |
| 1/12/2017 | | | | | | | 5.6 | | |
| 3/13/2017 | 5.2 | 5.5 | 6.8 | | | | | 5.6 | 4.1 |
| 3/14/2017 | | | | 5.5 | 35 | 150 | | | |
| 3/15/2017 | | | | | | | 5.9 | | |
| 5/15/2017 | 4.8 | 4.7 | 6.1 | | | | | 5.2 | 3.7 |
| 5/18/2017 | | | | 5 | 60 | 190 | 5.7 | | |
| 10/2/2017 | 5.5 | 6.1 | 6 | | | | | 5.5 | 4.8 |
| 10/5/2017 | | | | 5.6 | 33 | 120 | | | |
| 10/6/2017 | | | | | | | 6 | | |
| 12/19/2017 | | | | | 120 (R) | 84 (R) | | | |
| 3/12/2018 | 5.3 | 6.1 | 5.9 | | | | | 5.6 | 4 |
| 3/14/2018 | | | | 5.2 | 45 | 160 | 5.2 | | |
| 6/5/2018 | 5.3 | 5.5 | 6.5 | | | | | | |
| 6/6/2018 | | | | | | | | 5.6 | 4.1 |
| 6/10/2018 | | | | 5.2 | 140 | 190 | | | |
| 6/11/2018 | | | | | | | 4.9 | | |
| 10/16/2018 | 5.5 | 5.1 | 5.9 | | | | | | |
| 10/17/2018 | | | | | | | | 5.5 | 3.7 |
| 10/18/2018 | | | | 5.2 | 32 | 100 | | | |
| 10/19/2018 | | | | | | | 6.7 | | |
| 2/27/2019 | 4.6 | 5 | 4.3 | 5.1 | | | | 5.1 | 4 |
| 3/1/2019 | | | | | 30 | 42 | | | |
| 3/2/2019 | | | | | | | 4.4 | | |
| 5/31/2019 | 5.1 | 5.4 | 4.5 | 5 | | | | 5.4 | 3.7 |
| 6/3/2019 | | | | | 86 | 110 | 13 | | |
| 6/11/2019 | | | | | | | | | |
| 11/6/2019 | 5.8 | 6.1 | 5.7 | 6 | | | | 5.9 | 4.7 |
| 11/7/2019 | | | | | | 120 | | | |
| 11/9/2019 | | | | | 200 | | 6.1 | | |
| 4/16/2020 | 6.1 | 5.3 | 5.6 | 5.8 | | | | 6.2 | 4.9 |
| 4/17/2020 | | | | | | | | | |
| 4/18/2020 | | | | | 73 | 130 | 6.3 | | |
| 10/7/2020 | 6.6 | 5.7 | 5.1 | 5.9 | | | | 6.1 | 4.7 |
| 10/8/2020 | | | | | 26 | 95 | 6.4 | | |
| 10/9/2020 | | | | | | | | | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-102 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 10 | 5.2 | 5 | 5.8 | | | | 6.2 | 5.4 |
| 3/30/2021 | | | | | 18 | | 6.4 | | |
| 3/31/2021 | | | | | | 120 | | | |
| 9/2/2021 | 5.8 | 5.1 | 5.2 | 5.1 | | | | 5.9 | 5.1 |
| 9/3/2021 | | | | | 10 | 110 | | | |
| 9/7/2021 | | | | | | | 6.1 | | |
| 3/22/2022 | 5.9 | 4.7 | 8.8 | 4.9 | | | | 5.6 | 4.8 |
| 3/23/2022 | | | | | 10 | 120 | 6.9 | | |
| 3/24/2022 | | | | | | | | | |
| 9/7/2022 | 4.4 | 3.6 | | 3.4 | | | | | |
| 9/8/2022 | | | 3.4 | | | | | 4.3 | 5.3 |
| 9/9/2022 | | | | | 6.2 | 140 | 11 | | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 6.6 | 4.4 | | |
| 3/2/2016 | | | 87 | 5 |
| 5/2/2016 | | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | 3 | | |
| 5/5/2016 | 6.5 | | 87 | 6.8 |
| 7/5/2016 | | | | |
| 7/7/2016 | 7.3 | | 83 | 6.7 |
| 7/8/2016 | | 3.5 | | |
| 9/6/2016 | | | | |
| 9/7/2016 | 7.4 | 3.3 | 80 | 4.8 |
| 11/7/2016 | | | | |
| 11/9/2016 | | 3.9 | | |
| 11/10/2016 | 8.4 | | 35 | 4.2 |
| 1/9/2017 | | | | |
| 1/11/2017 | | 4.1 | | |
| 1/12/2017 | 9.2 | | 130 | 4.4 |
| 3/13/2017 | | | | |
| 3/14/2017 | | 4 | | 4.4 |
| 3/15/2017 | 9.5 | | 150 | |
| 5/15/2017 | | | | |
| 5/18/2017 | 9.9 | 4 | 140 | 5 |
| 10/2/2017 | | | | |
| 10/5/2017 | | 4.5 | | 5.8 |
| 10/6/2017 | 10 | | 62 | |
| 12/19/2017 | 9.3 (R) | | 180 (R) | |
| 3/12/2018 | | | | |
| 3/14/2018 | 7.7 | 3.7 | 140 | 6.9 |
| 6/5/2018 | | | | |
| 6/6/2018 | | | | |
| 6/10/2018 | | 3.6 | | |
| 6/11/2018 | 8 | | 140 | 6 |
| 10/16/2018 | | | | |
| 10/17/2018 | | | | |
| 10/18/2018 | 12 | 5 | 160 | 7.5 |
| 10/19/2018 | | | | |
| 2/27/2019 | | | | |
| 3/1/2019 | | 1.7 (J) | 140 | 7.2 |
| 3/2/2019 | 8.5 | | | |
| 5/31/2019 | | | | |
| 6/3/2019 | | 3.3 | 79 | 8.5 |
| 6/11/2019 | 17 | | | |
| 11/6/2019 | | | | |
| 11/7/2019 | 15 | | 120 | 18 |
| 11/9/2019 | | 4.7 | | |
| 4/16/2020 | | | | |
| 4/17/2020 | 20 | 4.8 | 120 | 29 |
| 4/18/2020 | | | | |
| 10/7/2020 | | | | |
| 10/8/2020 | 18 | 5 | | |
| 10/9/2020 | | | 100 | 22 |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 3/29/2021 | | | | |
| 3/30/2021 | 12 | 5 | | |
| 3/31/2021 | | | 110 | 18 |
| 9/2/2021 | | | | |
| 9/3/2021 | | 4.4 | 100 | 57 |
| 9/7/2021 | 12 | | | |
| 3/22/2022 | | | | |
| 3/23/2022 | | 4.1 | 110 | 28 |
| 3/24/2022 | 9.8 | | | |
| 9/7/2022 | | | | |
| 9/8/2022 | | 3.3 | | 17 |
| 9/9/2022 | 6.9 | | 84 | |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-102 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 5.11 | 4.9 | 5.26 | | | | | |
| 3/1/2016 | | | | | 6.12 | 4.09 | 5.03 | 5.08 | 6.37 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | 4.76 | 4.77 | 4.69 | | | | | | 5.605 (D) |
| 5/3/2016 | | | | | | | | 5.14 | |
| 5/4/2016 | | | | 5.1 | | | | | |
| 5/5/2016 | | | | | 6.25 | 4.12 | 5.03 | | |
| 7/5/2016 | 5.12 | 5.48 | 7.11 (o) | | | | | 5.38 | 6.29 |
| 7/7/2016 | | | | | 5.99 | 3.99 | 4.85 | | |
| 7/8/2016 | | | | 4.96 | | | | | |
| 9/6/2016 | 5.11 | 5.12 | 5.19 | 5.43 | | | 4.84 | 5.37 | 6.42 |
| 9/7/2016 | | | | | 6.03 | 4.06 | | | |
| 11/7/2016 | 4.76 | 4.73 | 4.64 | | | | | 4.92 | 5.75 |
| 11/9/2016 | | | | | 6.01 | 4.05 | | | |
| 11/10/2016 | | | | 4.89 | | | 4.72 | | |
| 1/9/2017 | 4.99 | 5 | 4.94 | | | | | 5.05 | 5.98 |
| 1/11/2017 | | | | 4.87 | 6.04 | 4.01 | | | |
| 1/12/2017 | | | | | | | 4.79 | | |
| 3/13/2017 | 4.57 | 4.74 | 4.63 | | | | | 4.87 | 5.81 |
| 3/14/2017 | | | | 4.71 | 6.11 | 4.06 | | | |
| 3/15/2017 | | | | | | | 4.81 | | |
| 5/15/2017 | 4.6 | 4.63 | 4.52 | | | | | 4.69 | 5.42 |
| 5/18/2017 | | | | 4.5 | 5.88 | 3.65 | 4.5 | | |
| 10/2/2017 | 4.64 | 4.63 | 4.54 | | | | | 4.88 | 5.63 |
| 10/5/2017 | | | | 4.63 | 6.07 | 3.79 | | | |
| 10/6/2017 | | | | | | | 4.56 | | |
| 12/19/2017 | | | | | 6.11 (R) | 4.1 (R) | | | |
| 3/12/2018 | 4.85 | 4.81 | 4.81 | | | | | 5.07 | 5.6 |
| 3/14/2018 | | | | 5.14 | 6.29 | 4.2 | 5.08 | | |
| 6/5/2018 | 4.92 | 5.04 | 4.9 | | | | | | |
| 6/6/2018 | | | | | | | | 5.09 | 5.58 |
| 6/10/2018 | | | | 5.12 | 5.96 | 3.97 | | | |
| 6/11/2018 | | | | | | | 4.81 | | |
| 10/16/2018 | 4.93 | 4.98 | 4.81 | | | | | | |
| 10/17/2018 | | | | | | | | 4.99 | 5.54 |
| 10/18/2018 | | | | 4.97 | 6.19 | 4.12 | | | |
| 10/19/2018 | | | | | | | 5.15 | | |
| 2/27/2019 | 4.75 | 4.78 | 4.71 | 4.84 | | | | 4.87 | 5.4 |
| 3/1/2019 | | | | | 6.27 | 4.19 | | | |
| 3/2/2019 | | | | | | | 4.81 | | |
| 5/31/2019 | 4.9 | 4.92 | 4.84 | 4.92 | | | | 4.89 | 5.45 |
| 6/3/2019 | | | | | 6.23 | 4.17 | 4.7 | | |
| 6/11/2019 | | | | | | | | | |
| 11/6/2019 | 4.82 | 4.88 | 4.78 | 4.94 | | | | 5.04 | 5.52 |
| 11/7/2019 | | | | | | 4.03 | | | |
| 11/9/2019 | | | | | 6.19 | | 4.78 | | |
| 4/16/2020 | 5.03 | 5.15 | 4.96 | 5.17 | | | | 5.13 | 5.58 |
| 4/17/2020 | | | | | | | | | |
| 4/18/2020 | | | | | 6.21 | 4.08 | 4.96 | | |
| 10/7/2020 | 4.74 | 4.91 | 4.8 | 5.08 | | | | 5.13 | 5.5 |
| 10/8/2020 | | | | | 6.29 | 4.13 | 4.87 | | |
| 10/9/2020 | | | | | | | | | |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-102 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 4.79 | 4.89 | 4.8 | 4.92 | | | | 4.93 | 5.46 |
| 3/30/2021 | | | | | 6.31 | | 4.82 | | |
| 3/31/2021 | | | | | | 3.7 | | | |
| 9/2/2021 | 4.81 | 4.87 | 4.77 | 5.07 | | | | 4.94 | 5.16 |
| 9/3/2021 | | | | | 6.17 | 4.32 | | | |
| 9/7/2021 | | | | | | | 4.62 | | |
| 3/22/2022 | 4.9 | 4.91 | 4.89 | 5.02 | | | | 5.1 | 5.18 |
| 3/23/2022 | | | | | 6.48 | 4.15 | 5.02 | | |
| 3/24/2022 | | | | | | | | | |
| 9/7/2022 | 4.72 | 4.92 | | 4.89 | | | | | |
| 9/8/2022 | | | 4.78 | | | | | 4.87 | 5.13 |
| 9/9/2022 | | | | | 6.47 | 4.08 | 4.96 | | |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 5.86 | 5.84 | | |
| 3/2/2016 | | | 5.015 (D) | 5.015 (D) |
| 5/2/2016 | | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | 5.69 | | |
| 5/5/2016 | 5.77 | | 5.04 | 4.87 |
| 7/5/2016 | | | | |
| 7/7/2016 | 5.45 | | 5.55 | 4.86 |
| 7/8/2016 | | 5.49 | | |
| 9/6/2016 | | | | |
| 9/7/2016 | 5.01 | 5.22 | 4.86 | 4.72 |
| 11/7/2016 | | | | |
| 11/9/2016 | | 5.39 | | |
| 11/10/2016 | 4.99 | | 5.19 | 4.72 |
| 1/9/2017 | | | | |
| 1/11/2017 | | 5.12 | | |
| 1/12/2017 | 4.95 | | 4.84 | 4.67 |
| 3/13/2017 | | | | |
| 3/14/2017 | | 5.05 | | 4.77 |
| 3/15/2017 | 5.03 | | 4.86 | |
| 5/15/2017 | | | | |
| 5/18/2017 | 4.75 | 4.68 | 4.59 | 4.43 |
| 10/2/2017 | | | | |
| 10/5/2017 | | 4.77 | | 4.52 |
| 10/6/2017 | 5.07 | | 5.73 | |
| 12/19/2017 | 5.1 (R) | | 4.84 (R) | 4.76 (R) |
| 3/12/2018 | | | | |
| 3/14/2018 | 4.89 | 5.28 | 4.75 | 4.71 |
| 6/5/2018 | | | | |
| 6/6/2018 | | | | |
| 6/10/2018 | | 4.99 | | |
| 6/11/2018 | 5.02 | | 4.77 | 4.78 |
| 10/16/2018 | | | | |
| 10/17/2018 | | | | |
| 10/18/2018 | 4.93 | 5.07 | 4.73 | 4.76 |
| 10/19/2018 | | | | |
| 2/27/2019 | | | | |
| 3/1/2019 | | 5.13 | 4.76 | 4.85 |
| 3/2/2019 | 5.58 | | | |
| 5/31/2019 | | | | |
| 6/3/2019 | | 5.12 | 5.56 | 4.75 |
| 6/11/2019 | 4.97 | | | |
| 11/6/2019 | | | | |
| 11/7/2019 | 4.99 | | 4.74 | 4.78 |
| 11/9/2019 | | 5.06 | | |
| 4/16/2020 | | | | |
| 4/17/2020 | 5.07 | 5.23 | 4.7 | 4.75 |
| 4/18/2020 | | | | |
| 10/7/2020 | | | | |
| 10/8/2020 | 4.98 | 5.34 | | |
| 10/9/2020 | | | 4.9 | 4.77 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 3/29/2021 | | | | |
| 3/30/2021 | 5.04 | 4.98 | | |
| 3/31/2021 | | | 4.85 | 4.64 |
| 9/2/2021 | | | | |
| 9/3/2021 | | 4.85 | 6.28 | 4.72 |
| 9/7/2021 | 5.11 | | | |
| 3/22/2022 | | | | |
| 3/23/2022 | | 4.99 | 5.01 | 5 |
| 3/24/2022 | 5.02 | | | |
| 9/7/2022 | | | | |
| 9/8/2022 | | 5 | | 4.82 |
| 9/9/2022 | 5.19 | | 4.68 | |

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-103 | MW-102 | MW-306 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | |
| 3/1/2016 | | | | | 0.041 (J) | 0.46 | 0.037 (J) | <0.1 | <0.1 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | <0.1 | <0.1 | <0.1 | | | | | | |
| 5/3/2016 | | | | | | | | | <0.1 |
| 5/4/2016 | | | | <0.1 | | | | | |
| 5/5/2016 | | | | | <0.1 | 0.27 | <0.1 | <0.1 | |
| 7/5/2016 | <0.1 | <0.1 | <0.1 | | | | | | <0.1 |
| 7/7/2016 | | | | | <0.1 | 0.29 | <0.1 | <0.1 | |
| 7/8/2016 | | | | <0.1 | | | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | | | <0.1 | <0.1 |
| 9/7/2016 | | | | | <0.1 | 0.33 | <0.1 | | |
| 11/7/2016 | <0.1 | <0.1 | <0.1 | | | | | | <0.1 |
| 11/9/2016 | | | | | <0.1 | 0.29 | | | |
| 11/10/2016 | | | | <0.1 | | | <0.1 | <0.1 | |
| 1/9/2017 | <0.1 | <0.1 | <0.1 | | | | | | <0.1 |
| 1/11/2017 | | | | <0.1 | <0.1 | 0.42 | | | |
| 1/12/2017 | | | | | | | <0.1 | <0.1 | |
| 3/13/2017 | <0.1 | <0.1 | <0.1 | | | | | | <0.1 |
| 3/14/2017 | | | | <0.1 | <0.1 | 0.34 | | | |
| 3/15/2017 | | | | | | | <0.1 | <0.1 | |
| 5/15/2017 | <0.1 | <0.1 | <0.1 | | | | | | <0.1 |
| 5/18/2017 | | | | <0.1 | <0.1 | 0.47 | <0.1 | <0.1 | |
| 10/2/2017 | <0.1 | <0.1 | <0.1 | | | | | | <0.1 |
| 10/5/2017 | | | | <0.1 | <0.1 | 0.22 | | | |
| 10/6/2017 | | | | | | | <0.1 | <0.1 | |
| 12/19/2017 | | | | | | 0.26 (R) | | | |
| 3/12/2018 | <0.1 | <0.1 | <0.1 | | | | | | <0.1 |
| 3/14/2018 | | | | 0.12 | <0.1 | 0.3 | <0.1 | <0.1 | |
| 6/5/2018 | <0.1 | <0.1 | <0.1 | | | | | | |
| 6/6/2018 | | | | | | | | | <0.1 |
| 6/10/2018 | | | | <0.1 | <0.1 | 0.38 | | | |
| 6/11/2018 | | | | | | | <0.1 | <0.1 | |
| 10/16/2018 | <0.1 | <0.1 | <0.1 | | | | | | |
| 10/17/2018 | | | | | | | | | <0.1 |
| 10/18/2018 | | | | <0.1 | 0.04 (J) | 0.26 | <0.1 | | |
| 10/19/2018 | | | | | | | | <0.1 | |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | <0.1 |
| 3/1/2019 | | | | | <0.1 | 0.1 | | | |
| 3/2/2019 | | | | | | | <0.1 | <0.1 | |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | <0.1 |
| 6/3/2019 | | | | | 0.04 (J) | 0.22 | | <0.1 | |
| 6/11/2019 | | | | | | | <0.1 | | |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | <0.1 |
| 11/7/2019 | | | | | | 0.21 | <0.1 | | |
| 11/9/2019 | | | | | <0.1 | | | <0.1 | |
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | <0.1 |
| 4/17/2020 | | | | | | | <0.1 | | |
| 4/18/2020 | | | | | 0.04 (J) | 0.3 | | <0.1 | |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | <0.1 |
| 10/8/2020 | | | | | 0.04 (J) | 0.26 | 0.24 | <0.1 | |
| 10/9/2020 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-103 | MW-102 | MW-306 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | | | | | <0.1 |
| 3/30/2021 | | | | | 0.04 | | <0.1 | <0.1 | |
| 3/31/2021 | | | | | | 0.34 | | | |
| 9/2/2021 | 0.08 (J) | 0.1 | <0.1 | 0.04 (J) | | | | | <0.1 |
| 9/3/2021 | | | | | 0.07 (J) | 0.41 | | | |
| 9/7/2021 | | | | | | | <0.1 | <0.1 | |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | <0.1 |
| 3/23/2022 | | | | | <0.1 | 0.3 | | <0.1 | |
| 3/24/2022 | | | | | | | <0.1 | | |
| 9/7/2022 | <0.1 | <0.1 | | <0.1 | | | | | |
| 9/8/2022 | | | <0.1 | | | | | | <0.1 |
| 9/9/2022 | | | | | <0.1 | <0.1 | <0.1 | <0.1 | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 (bg) | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 0.033 (J) | <0.1 | | |
| 3/2/2016 | | | 0.039 (J) | <0.1 |
| 5/2/2016 | <0.1 | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | <0.1 | | |
| 5/5/2016 | | | <0.1 | <0.1 |
| 7/5/2016 | <0.1 | | | |
| 7/7/2016 | | | <0.1 | <0.1 |
| 7/8/2016 | | <0.1 | | |
| 9/6/2016 | <0.1 | | | |
| 9/7/2016 | | <0.1 | <0.1 | <0.1 |
| 11/7/2016 | <0.1 | | | |
| 11/9/2016 | | <0.1 | | |
| 11/10/2016 | | | <0.1 | <0.1 |
| 1/9/2017 | <0.1 | | | |
| 1/11/2017 | | <0.1 | | |
| 1/12/2017 | | | <0.1 | <0.1 |
| 3/13/2017 | <0.1 | | | |
| 3/14/2017 | | <0.1 | | <0.1 |
| 3/15/2017 | | | <0.1 | |
| 5/15/2017 | <0.1 | | | |
| 5/18/2017 | | <0.1 | <0.1 | <0.1 |
| 10/2/2017 | <0.1 | | | |
| 10/5/2017 | | <0.1 | | <0.1 |
| 10/6/2017 | | | <0.1 | |
| 12/19/2017 | | | | |
| 3/12/2018 | <0.1 | | | |
| 3/14/2018 | | <0.1 | <0.1 | <0.1 |
| 6/5/2018 | | | | |
| 6/6/2018 | <0.1 | | | |
| 6/10/2018 | | <0.1 | | |
| 6/11/2018 | | | 0.04 (J) | <0.1 |
| 10/16/2018 | | | | |
| 10/17/2018 | <0.1 | | | |
| 10/18/2018 | | <0.1 | 0.04 (J) | <0.1 |
| 10/19/2018 | | | | |
| 2/27/2019 | <0.1 | | | |
| 3/1/2019 | | <0.1 | <0.1 | <0.1 |
| 3/2/2019 | | | | |
| 5/31/2019 | <0.1 | | | |
| 6/3/2019 | | <0.1 | 0.04 (J) | <0.1 |
| 6/11/2019 | | | | |
| 11/6/2019 | <0.1 | | | |
| 11/7/2019 | | | 0.04 (J) | <0.1 |
| 11/9/2019 | | <0.1 | | |
| 4/16/2020 | <0.1 | | | |
| 4/17/2020 | | <0.1 | 0.04 (J) | <0.1 |
| 4/18/2020 | | | | |
| 10/7/2020 | <0.1 | | | |
| 10/8/2020 | | <0.1 | | |
| 10/9/2020 | | | <0.1 | <0.1 |

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 (bg) | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 3/29/2021 | <0.1 | | | |
| 3/30/2021 | | <0.1 | | |
| 3/31/2021 | | | 0.04 | <0.1 |
| 9/2/2021 | 0.04 (J) | | | |
| 9/3/2021 | | <0.1 | 0.07 (J) | 0.05 (J) |
| 9/7/2021 | | | | |
| 3/22/2022 | <0.1 | | | |
| 3/23/2022 | | <0.1 | <0.1 | <0.1 |
| 3/24/2022 | | | | |
| 9/7/2022 | | | | |
| 9/8/2022 | <0.1 | <0.1 | | <0.1 |
| 9/9/2022 | | | <0.1 | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-306 (bg) | MW-105 | MW-102 | MW-104 | MW-103 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | 1.6 (J) | <5 | <5 | | | | | |
| 3/1/2016 | | | | | <5 | 17 | <5 | 380 | 26 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | 15 (o) | 2.1 (J) | | <5 | | | | | |
| 5/3/2016 | | | | | <5 | | | | |
| 5/4/2016 | | | <5 | | | | | | |
| 5/5/2016 | | | | | | 11 | <5 | 280 | 31 |
| 7/5/2016 | <5 | 2 (J) | | <5 | <5 | | | | |
| 7/7/2016 | | | | | | 33 | <5 | 330 | 31 |
| 7/8/2016 | | | <5 | | | | | | |
| 9/6/2016 | <5 | 1.8 (J) | <5 | <5 | <5 | | <5 | | |
| 9/7/2016 | | | | | | 18 | | 550 | 41 |
| 11/7/2016 | <5 | 1.7 (J) | | <5 | <5 | | | | |
| 11/9/2016 | | | | | | 52 | | 700 | |
| 11/10/2016 | | | <5 | | | | <5 | | 39 |
| 1/9/2017 | <5 | 1.5 (J) | | 2.6 (J) | <5 | | | | |
| 1/11/2017 | | | <5 | | | 31 | | 670 | |
| 1/12/2017 | | | | | | | <5 | | 35 |
| 3/13/2017 | 2.5 (J) | 2.2 (J) | | <5 | <5 | | | | |
| 3/14/2017 | | | <5 | | | 20 | | 670 | |
| 3/15/2017 | | | | | | | <5 (*) | | 43 |
| 5/15/2017 | <5 | 1.9 (J) | | <5 | <5 | | | | |
| 5/18/2017 | | | <5 (X) | | | 35 | <5 (X) | 790 | 35 |
| 10/2/2017 | <5 | 3.4 (J) | | <5 | 1.5 (J) | | | | |
| 10/5/2017 | | | <5 | | | 7.7 | | 500 | |
| 10/6/2017 | | | | | | | <5 | | 39 |
| 12/19/2017 | | | | | | 51 (R) | | 400 (R) | 36 (R) |
| 3/12/2018 | <5 | 2.6 (J) | | <5 | <5 | | | | |
| 3/14/2018 | | | <5 | | | 22 | <5 | 540 | 38 |
| 6/5/2018 | <5 | 2.6 (J) | | <5 | | | | | |
| 6/6/2018 | | | | | <5 | | | | |
| 6/10/2018 | | | 1.5 (J) | | | 96 | | 760 | |
| 6/11/2018 | | | | | | | 1.7 (J) | | 34 |
| 10/16/2018 | <5 | 2.8 (J) | | <5 | | | | | |
| 10/17/2018 | | | | | <5 | | | | |
| 10/18/2018 | | | <5 | | | 6.6 | | 460 | 31 |
| 10/19/2018 | | | | | | | 3.4 (J) | | |
| 2/27/2019 | <5 | 2.4 (J) | 1.9 (J) | <5 | <5 | | | | |
| 3/1/2019 | | | | | | 9.6 | | 240 | |
| 3/2/2019 | | | | | | | <5 | | 35 |
| 5/31/2019 | <5 | 3.3 (J) | <5 | <5 | <5 | | | | |
| 6/3/2019 | | | | | | 58 | 3.5 (J) | 480 | |
| 6/11/2019 | | | | | | | | | 32 |
| 11/6/2019 | <5 | 3.7 (J) | <5 | <5 | <5 | | | | |
| 11/7/2019 | | | | | | | | 610 | 27 |
| 11/9/2019 | | | | | | 120 | <5 | | |
| 4/16/2020 | <5 | 1.7 (J) | <5 | <5 | <5 | | | | |
| 4/17/2020 | | | | | | | | | 31 |
| 4/18/2020 | | | | | | 32 | <5 | 670 | |
| 10/7/2020 | <5 | 4 (J) | <5 | <5 | <5 | | | | |
| 10/8/2020 | | | | | | 9.3 | <5 | 590 | 30 |
| 10/9/2020 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-101 (bg) | MW-107 (bg) | MW-306 (bg) | MW-105 | MW-102 | MW-104 | MW-103 |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | <5 | 2.3 | <5 | <5 | <5 | | | | |
| 3/30/2021 | | | | | | 7.6 | <5 | | 32 |
| 3/31/2021 | | | | | | | | 670 | |
| 9/2/2021 | <5 | 4.7 (J) | <5 | <5 | <5 | | | | |
| 9/3/2021 | | | | | | 9.3 | | 480 | |
| 9/7/2021 | | | | | | | <5 | | 22 |
| 3/22/2022 | <5 | 4.5 (J) | <5 | <5 | <5 | | | | |
| 3/23/2022 | | | | | | 24 | 1.8 (J) | 560 | |
| 3/24/2022 | | | | | | | | | 28 |
| 9/7/2022 | 1.7 (J) | | 1.5 (J) | 1.4 (J) | | | | | |
| 9/8/2022 | | 5.5 | | | <5 | | | | |
| 9/9/2022 | | | | | | 17 | 27 | 870 | 20 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 (bg) | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | <5 | <5 | | |
| 3/2/2016 | | | 150 | 13 |
| 5/2/2016 | <5 | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | <5 | | |
| 5/5/2016 | | | 200 | 15 |
| 7/5/2016 | <5 | | | |
| 7/7/2016 | | | 200 | 14 |
| 7/8/2016 | | <5 | | |
| 9/6/2016 | 3.7 (J) | | | |
| 9/7/2016 | | <5 | 200 | 15 |
| 11/7/2016 | <5 | | | |
| 11/9/2016 | | <5 | | |
| 11/10/2016 | | | 130 | 13 |
| 1/9/2017 | <5 | | | |
| 1/11/2017 | | <5 | | |
| 1/12/2017 | | | 240 | 12 |
| 3/13/2017 | <5 | | | |
| 3/14/2017 | | <5 | | 10 (V) |
| 3/15/2017 | | | 300 | |
| 5/15/2017 | <5 | | | |
| 5/18/2017 | | <5 (X) | 270 | 8.7 |
| 10/2/2017 | 1.7 (J) | | | |
| 10/5/2017 | | <5 | | 9.8 |
| 10/6/2017 | | | 140 | |
| 12/19/2017 | | | 280 (R) | 8.4 (R) |
| 3/12/2018 | <5 | | | |
| 3/14/2018 | | <5 | 270 | 9.7 |
| 6/5/2018 | | | | |
| 6/6/2018 | <5 | | | |
| 6/10/2018 | | 1.4 (J) | | |
| 6/11/2018 | | | 270 | 10 |
| 10/16/2018 | | | | |
| 10/17/2018 | <5 | | | |
| 10/18/2018 | | <5 | 280 | 8.1 |
| 10/19/2018 | | | | |
| 2/27/2019 | <5 | | | |
| 3/1/2019 | | <5 | 250 | 7.4 |
| 3/2/2019 | | | | |
| 5/31/2019 | <5 | | | |
| 6/3/2019 | | <5 | 150 | 21 |
| 6/11/2019 | | | | |
| 11/6/2019 | <5 | | | |
| 11/7/2019 | | | 290 | 16 |
| 11/9/2019 | | <5 | | |
| 4/16/2020 | <5 | | | |
| 4/17/2020 | | <5 | 280 | 12 |
| 4/18/2020 | | | | |
| 10/7/2020 | <5 | | | |
| 10/8/2020 | | <5 | | |
| 10/9/2020 | | | 280 | 25 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 (bg) | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 3/29/2021 | <5 | | | |
| 3/30/2021 | | <5 | | |
| 3/31/2021 | | | 250 | 15 |
| 9/2/2021 | <5 | | | |
| 9/3/2021 | | <5 | 160 | 32 |
| 9/7/2021 | | | | |
| 3/22/2022 | <5 | | | |
| 3/23/2022 | | <5 | 270 | 28 |
| 3/24/2022 | | | | |
| 9/7/2022 | | | | |
| 9/8/2022 | <5 | <5 | | 34 |
| 9/9/2022 | | | 270 | |

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-102 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | <5 | 12 | 20 | | | | | |
| 3/1/2016 | | | | | 290 | 760 | <5 | 10 | <5 |
| 3/2/2016 | | | | | | | | | |
| 5/2/2016 | <5 | <5 | 6 | | | | | | 36 |
| 5/3/2016 | | | | | | | | <5 | |
| 5/4/2016 | | | | 6 | | | | | |
| 5/5/2016 | | | | | 250 | 620 | <5 | | |
| 7/5/2016 | 12 | 14 | <5 | | | | | <5 | <5 |
| 7/7/2016 | | | | | 270 | 640 | 24 | | |
| 7/8/2016 | | | | 6 | | | | | |
| 9/6/2016 | 36 | 30 | 38 | 36 | | | 40 | 36 | 44 |
| 9/7/2016 | | | | | 270 | 1100 | | | |
| 11/7/2016 | 18 | 8 | <5 | | | | | <5 | 30 |
| 11/9/2016 | | | | | 330 | 1300 | | | |
| 11/10/2016 | | | | 16 | | | 20 | | |
| 1/9/2017 | 4 (J) | <5 | 14 | | | | | <5 | 12 |
| 1/11/2017 | | | | 38 | 330 | 1600 | | | |
| 1/12/2017 | | | | | | | 54 | | |
| 3/13/2017 | 6 | <5 | 8 | | | | | 22 | 20 |
| 3/14/2017 | | | | <5 | 260 | 1200 | | | |
| 3/15/2017 | | | | | | | 14 | | |
| 5/15/2017 | <5 | <5 | <5 | | | | | 6 | 4 (J) |
| 5/18/2017 | | | | 10 | 360 | 1500 | 38 | | |
| 10/2/2017 | <5 | <5 | 6 | | | | | 16 | 24 |
| 10/5/2017 | | | | <5 | 240 | 980 | | | |
| 10/6/2017 | | | | | | | 22 | | |
| 12/19/2017 | | | | | 460 (R) | 900 (R) | | | |
| 3/12/2018 | 18 | 14 | <5 | | | | | <5 | <5 |
| 3/14/2018 | | | | 8 | 300 | 1100 | 14 | | |
| 6/5/2018 | 10 | <5 | 14 | | | | | | |
| 6/6/2018 | | | | | | | | 20 | 16 |
| 6/10/2018 | | | | 8 | 560 | 1500 | | | |
| 6/11/2018 | | | | | | | 8 | | |
| 10/16/2018 | 32 | 12 | 6 | | | | | | |
| 10/17/2018 | | | | | | | | 44 | 44 |
| 10/18/2018 | | | | 28 | 250 | 860 | | | |
| 10/19/2018 | | | | | | | 54 | | |
| 2/27/2019 | 110 | 54 | 110 | 68 | | | | 20 | 28 |
| 3/1/2019 | | | | | 210 | 440 | | | |
| 3/2/2019 | | | | | | | 28 | | |
| 5/31/2019 | 46 | 8 | 26 | <5 | | | | 32 | 18 |
| 6/3/2019 | | | | | 500 | 950 | 54 | | |
| 6/11/2019 | | | | | | | | | |
| 11/6/2019 | <5 | 4 (J) | <5 | 10 | | | | 24 | 20 |
| 11/7/2019 | | | | | | 980 | | | |
| 11/9/2019 | | | | | 720 | | 24 | | |
| 4/16/2020 | 28 | 18 | 8 | 44 | | | | 6 | 8 |
| 4/17/2020 | | | | | | | | | |
| 4/18/2020 | | | | | 180 | 1100 | 54 | | |
| 10/7/2020 | 30 | 20 | 26 | 24 | | | | 16 | 12 |
| 10/8/2020 | | | | | 260 | 500 | 32 | | |
| 10/9/2020 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-105 | MW-104 | MW-102 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|---|---|---|
| 3/29/2021 | 38 | 12 | 28 | 26 | | | | 42 | 40 |
| 3/30/2021 | | | | | 340 | | 32 | | |
| 3/31/2021 | | | | | | 1100 | | | |
| 9/2/2021 | 40 | 10 | 8 | 8 | | | | 10 | <5 |
| 9/3/2021 | | | | | 210 | 1000 | | | |
| 9/7/2021 | | | | | | | 10 | | |
| 3/22/2022 | 58 | 18 | 46 | 14 | | | | 84 | 22 |
| 3/23/2022 | | | | | 230 | 1300 | 36 | | |
| 3/24/2022 | | | | | | | | | |
| 9/7/2022 | 36 | 22 | | 14 | | | | | |
| 9/8/2022 | | | 44 | | | | | 24 | 48 |
| 9/9/2022 | | | | | 200 | 1400 | 62 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 2/29/2016 | | | | |
| 3/1/2016 | 84 | <5 | | |
| 3/2/2016 | | | 440 | 30 |
| 5/2/2016 | | | | |
| 5/3/2016 | | | | |
| 5/4/2016 | | 12 | | |
| 5/5/2016 | 76 | | 480 | 38 |
| 7/5/2016 | | | | |
| 7/7/2016 | 54 | | 470 | 22 |
| 7/8/2016 | | 10 | | |
| 9/6/2016 | | | | |
| 9/7/2016 | 82 | 10 | 440 | 38 |
| 11/7/2016 | | | | |
| 11/9/2016 | | 26 | | |
| 11/10/2016 | 80 | | 260 | 38 |
| 1/9/2017 | | | | |
| 1/11/2017 | | 28 | | |
| 1/12/2017 | 110 | | 630 | 40 |
| 3/13/2017 | | | | |
| 3/14/2017 | | <5 | | 22 |
| 3/15/2017 | 82 | | 620 | |
| 5/15/2017 | | | | |
| 5/18/2017 | 100 | 26 | 640 | 24 |
| 10/2/2017 | | | | |
| 10/5/2017 | | <5 | | <5 |
| 10/6/2017 | 110 | | 360 | |
| 12/19/2017 | 72 (R) | | 840 (R) | |
| 3/12/2018 | | | | |
| 3/14/2018 | 66 | <5 | 660 | 12 |
| 6/5/2018 | | | | |
| 6/6/2018 | | | | |
| 6/10/2018 | | 6 | | |
| 6/11/2018 | 96 | | 670 | 26 |
| 10/16/2018 | | | | |
| 10/17/2018 | | | | |
| 10/18/2018 | 64 | 68 | 750 | 34 |
| 10/19/2018 | | | | |
| 2/27/2019 | | | | |
| 3/1/2019 | | 28 | 640 | 42 |
| 3/2/2019 | 210 | | | |
| 5/31/2019 | | | | |
| 6/3/2019 | | 28 | 420 | 54 |
| 6/11/2019 | 110 | | | |
| 11/6/2019 | | | | |
| 11/7/2019 | 50 | | 540 | 24 |
| 11/9/2019 | | 42 | | |
| 4/16/2020 | | | | |
| 4/17/2020 | 70 | 48 | 600 | 28 |
| 4/18/2020 | | | | |
| 10/7/2020 | | | | |
| 10/8/2020 | 120 | 100 | | |
| 10/9/2020 | | | 660 | 86 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 2:06 AM View: 100 Series

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-106 | MW-110 | MW-109 |
|---|---|---|---|---|
| 3/29/2021 | | | | |
| 3/30/2021 | 170 | 12 | | |
| 3/31/2021 | | | 620 | 66 |
| 9/2/2021 | | | | |
| 9/3/2021 | | <5 | 580 | 170 |
| 9/7/2021 | 62 | | | |
| 3/22/2022 | | | | |
| 3/23/2022 | | 30 | 630 | 90 |
| 3/24/2022 | 90 | | | |
| 9/7/2022 | | | | |
| 9/8/2022 | | 18 | | 80 |
| 9/9/2022 | 48 | | 560 | |

ND substitution: RL or RL/2 if <15% NDs.

# 200 Series

# Appendix III - Interwell Prediction Limits - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:32 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-200** | **0.081** | **n/a** | **9/13/2022** | **7.2** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-201** | **0.081** | **n/a** | **9/13/2022** | **2.7** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-206** | **0.081** | **n/a** | **9/13/2022** | **9.1** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Calcium (mg/L)** | **MW-200** | **1.388** | **n/a** | **9/13/2022** | **93** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-201** | **1.388** | **n/a** | **9/13/2022** | **82** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-206** | **1.388** | **n/a** | **9/13/2022** | **160** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-200** | **6.883** | **n/a** | **9/13/2022** | **180** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-201** | **6.883** | **n/a** | **9/13/2022** | **130** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-206** | **6.883** | **n/a** | **9/13/2022** | **300** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Sulfate (mg/L)** | **MW-200** | **5.5** | **n/a** | **9/13/2022** | **130** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-201** | **5.5** | **n/a** | **9/13/2022** | **95** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-206** | **5.5** | **n/a** | **9/13/2022** | **160** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **110** | **n/a** | **9/13/2022** | **600** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **110** | **n/a** | **9/13/2022** | **530** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **110** | **n/a** | **9/13/2022** | **920** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |

# Appendix III - Interwell Prediction Limits - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:32 AM


| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-200** | **0.081** | **n/a** | **9/13/2022** | **7.2** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-201** | **0.081** | **n/a** | **9/13/2022** | **2.7** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-206** | **0.081** | **n/a** | **9/13/2022** | **9.1** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001246** | **NP Inter (NDs) 1 of 2** |
| **Calcium (mg/L)** | **MW-200** | **1.388** | **n/a** | **9/13/2022** | **93** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-201** | **1.388** | **n/a** | **9/13/2022** | **82** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-206** | **1.388** | **n/a** | **9/13/2022** | **160** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-200** | **6.883** | **n/a** | **9/13/2022** | **180** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-201** | **6.883** | **n/a** | **9/13/2022** | **130** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-206** | **6.883** | **n/a** | **9/13/2022** | **300** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.002505** | **Param Inter 1 of 2** |
| Fluoride (mg/L) | MW-200 | 0.12 | n/a | 9/13/2022 | 0.27J | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001246 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-201 | 0.12 | n/a | 9/13/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001246 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-206 | 0.12 | n/a | 9/13/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001246 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-200** | **5.5** | **n/a** | **9/13/2022** | **130** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-201** | **5.5** | **n/a** | **9/13/2022** | **95** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-206** | **5.5** | **n/a** | **9/13/2022** | **160** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001264** | **NP Inter (NDs) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **110** | **n/a** | **9/13/2022** | **600** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **110** | **n/a** | **9/13/2022** | **530** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **110** | **n/a** | **9/13/2022** | **920** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001246** | **NP Inter (normality) 1 of 2** |

Sanitas™ v.9.6.36 . UG

Exceeds Limit: MW-200, MW-201, MW-206

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 126 background values. 76.19% NDs. Annual per-constituent alpha = 0.0007474. Individual comparison alpha = 0.0001246 (1 of 2). Comparing 3 points to limit.

Constituent: Boron Analysis Run 1/13/2023 1:31 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

Exceeds Limit: MW-200, MW-201, MW-206

## Prediction Limit

Interwell Parametric




Background Data Summary (based on cube root transformation): Mean=0.8959, Std. Dev.=0.1317, n=126. Normality test: Chi Squared @alpha = 0.01, calculated = 12.73, critical = 14.07. Kappa = 1.668 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.002505. Comparing 3 points to limit.

Constituent: Calcium Analysis Run 1/13/2023 1:31 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

Exceeds Limit: MW-200, MW-201, MW-206

## Prediction Limit

Interwell Parametric




Background Data Summary: Mean=5.26, Std. Dev.=0.9732, n=126. Normality test: Chi Squared @alpha = 0.01, calculated = 11.3, critical = 14.07. Kappa = 1.668 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.002505. Comparing 3 points to limit.

Constituent: Chloride Analysis Run 1/13/2023 1:31 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

Within Limit

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 126 background values. 94.44% NDs. Annual per-constituent alpha = 0.0007474. Individual comparison alpha = 0.0001246 (1 of 2). Comparing 3 points to limit.


Constituent: Fluoride Analysis Run 1/13/2023 1:31 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Exceeds Limit: MW-200, MW-201, MW-206

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 125 background values. 75.2% NDs. Annual per-constituent alpha = 0.0007581. Individual comparison alpha = 0.0001264 (1 of 2). Comparing 3 points to limit.

Constituent: Sulfate Analysis Run 1/13/2023 1:31 AM View: 200 Series Interwell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Exceeds Limit: MW-200, MW-201, MW-206

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 126 background values. 22.22% NDs. Annual per-constituent alpha = 0.0007474. Individual comparison alpha = 0.0001246 (1 of 2). Comparing 3 points to limit.

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:31 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.05 | <0.05 | <0.05 | <0.05 | | | | | |
| 3/1/2016 | | | | | <0.05 | <0.05 | | | |
| 3/2/2016 | | | | | | | 32 | 82 | 33 |
| 5/2/2016 | <0.05 | <0.05 | <0.05 | | | <0.05 | | | |
| 5/3/2016 | | | | | <0.05 | | 38 | 100 | |
| 5/4/2016 | | | | <0.05 | | | | | 30 |
| 7/5/2016 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | 42 | 150 | |
| 7/6/2016 | | | | | | | | | 35 |
| 7/8/2016 | | | | <0.05 | | | | | |
| 9/6/2016 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 9/8/2016 | | | | | | | 36 | 66 | 38 |
| 11/7/2016 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 11/8/2016 | | | | | | | | | 39 |
| 11/9/2016 | | | | | | | 25 | 81 | |
| 11/10/2016 | | | | <0.05 | | | | | |
| 1/9/2017 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 1/11/2017 | | | | <0.05 | | | | | |
| 1/12/2017 | | | | | | | 9.1 | 68 | |
| 1/13/2017 | | | | | | | | | 34 |
| 3/13/2017 | <0.05 | 0.022 (J) | <0.05 | | <0.05 | <0.05 | | | |
| 3/14/2017 | | | | <0.05 | | | | | |
| 3/16/2017 | | | | | | | | | 21 |
| 3/17/2017 | | | | | | | 28 | 72 | |
| 5/15/2017 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 5/16/2017 | | | | | | | 21 | | |
| 5/17/2017 | | | | | | | | 67 | 10 |
| 5/18/2017 | | | | <0.05 | | | | | |
| 10/2/2017 | <0.05 | 0.023 (J) | <0.05 | | <0.05 | <0.05 | | | |
| 10/3/2017 | | | | | | | | 52 | |
| 10/4/2017 | | | | | | | 18 | | 6 |
| 10/5/2017 | | | | <0.05 | | | | | |
| 12/20/2017 | | | | | | | 16 (R) | 51 | 4.9 (R) |
| 3/12/2018 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 3/13/2018 | | | | | | | 10 | | |
| 3/14/2018 | | | | <0.05 | | | | 48 | 4.4 |
| 6/5/2018 | <0.05 | <0.05 | <0.05 | | | | | | |
| 6/6/2018 | | | | | <0.05 | <0.05 | | | |
| 6/8/2018 | | | | | | | 12 | 40 | |
| 6/9/2018 | | | | | | | | | 4.1 |
| 6/10/2018 | | | | <0.05 | | | | | |
| 10/16/2018 | <0.05 | <0.05 | <0.05 | | | | | | |
| 10/17/2018 | | | | | <0.05 | <0.05 | | 25 | |
| 10/18/2018 | | | | 0.081 | | | | | |
| 11/13/2018 | | | | | | | 9.1 | | |
| 11/14/2018 | | | | | | | | | 2.3 |
| 2/27/2019 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 2/28/2019 | | | | | | | 8.5 | 20 | |
| 3/5/2019 | | | | | | | | | 2.1 |
| 5/31/2019 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 6/4/2019 | | | | | | | 11 | 19 | 5.2 |
| 11/6/2019 | 0.017 (V) | 0.022 (V) | 0.016 (V) | 0.016 (V) | 0.011 (V) | 0.0099 (J) | | | |
| 11/12/2019 | | | | | | | 5.3 | 14 | 4.5 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | 0.02 | 0.017 | 0.013 | 0.013 | 0.0075 (J) | 0.0055 (J) | | | |
| 4/18/2020 | | | | | | | 1.6 | 17 | |
| 4/22/2020 | | | | | | | | | 4.2 |
| 10/7/2020 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 10/12/2020 | | | | | | | 3 | 17 | 3.3 |
| 3/29/2021 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 4/1/2021 | | | | | | | 2.9 | 19 | 4 |
| 9/2/2021 | 0.021 (J) | 0.022 (J) | 0.018 (J) | <0.05 | <0.05 | <0.05 | | | |
| 9/8/2021 | | | | | | | 2.1 | 13 | 3.8 |
| 3/22/2022 | 0.013 | 0.017 | 0.013 | 0.012 | 0.009 (J) | 0.0063 (J) | | | |
| 3/25/2022 | | | | | | | 0.0043 (J) | 10 | 3.4 |
| 9/7/2022 | 0.031 (J) | | 0.031 (J) | 0.029 (J) | | | | | |
| 9/8/2022 | | 0.055 | | | 0.027 (J) | 0.025 (J) | | | |
| 9/13/2022 | | | | | | | 7.2 | 9.1 | 2.7 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1.4 | 0.67 | 1 (J) | | | | | |
| 3/1/2016 | | | | | 0.6 | 1.5 | | | |
| 3/2/2016 | | | | | | | 900 | 2400 | 890 |
| 5/2/2016 | 0.78 | 1.1 | 0.58 | | | 0.83 | | | |
| 5/3/2016 | | | | | 0.55 | | 1200 | 2100 | |
| 5/4/2016 | | | | 0.62 | | | | | 830 |
| 7/5/2016 | 0.65 | 0.94 | 0.43 | | 0.53 | 1.6 | 920 | 2200 | |
| 7/6/2016 | | | | | | | | | 780 |
| 7/8/2016 | | | | 0.4 | | | | | |
| 9/6/2016 | 0.7 | 1 | 0.48 | 0.45 | 0.5 | 1.6 | | | |
| 9/8/2016 | | | | | | | 870 | 2000 | 820 |
| 11/7/2016 | 0.8 | 1.2 | 0.56 | | 0.68 | 1.5 | | | |
| 11/8/2016 | | | | | | | | | 760 |
| 11/9/2016 | | | | | | | 570 | 2000 | |
| 11/10/2016 | | | | 0.44 | | | | | |
| 1/9/2017 | 0.74 | 1.2 | 0.43 | | 0.56 | 0.98 | | | |
| 1/11/2017 | | | | 0.42 | | | | | |
| 1/12/2017 | | | | | | | 220 | 1800 | |
| 1/13/2017 | | | | | | | | | 660 |
| 3/13/2017 | 0.78 | 1.3 | 0.48 | | 0.62 | 0.75 | | | |
| 3/14/2017 | | | | 0.42 | | | | | |
| 3/16/2017 | | | | | | | | | 400 |
| 3/17/2017 | | | | | | | 570 | 1800 | |
| 5/15/2017 | 0.76 | 1 | 0.37 | | 0.58 | 0.83 | | | |
| 5/16/2017 | | | | | | | 500 | | |
| 5/17/2017 | | | | | | | | 1500 | 160 |
| 5/18/2017 | | | | 0.38 | | | | | |
| 10/2/2017 | 0.78 | 1.2 | 0.47 | | 0.62 | 0.83 | | | |
| 10/3/2017 | | | | | | | | 1300 | |
| 10/4/2017 | | | | | | | 490 | | 100 |
| 10/5/2017 | | | | 0.39 | | | | | |
| 12/20/2017 | | | | | | | 420 (R) | 1200 | 82 (R) |
| 3/12/2018 | 0.88 | 1.4 | 0.49 | | 0.59 | 0.71 | | | |
| 3/13/2018 | | | | | | | 290 | | |
| 3/14/2018 | | | | 0.49 | | | | 1100 | 75 |
| 6/5/2018 | 0.9 | 1.2 | 0.49 | | | | | | |
| 6/6/2018 | | | | | 0.59 | 0.68 | | | |
| 6/8/2018 | | | | | | | 320 | 800 | |
| 6/9/2018 | | | | | | | | | 64 |
| 6/10/2018 | | | | 0.39 | | | | | |
| 10/16/2018 | 0.86 | 1.4 | 0.42 | | | | | | |
| 10/17/2018 | | | | | 0.54 | 0.66 | | 530 | |
| 10/18/2018 | | | | 0.41 | | | | | |
| 11/13/2018 | | | | | | | 220 | | |
| 11/14/2018 | | | | | | | | | 38 |
| 2/27/2019 | 0.96 | 1.3 | 0.56 | 0.44 | 0.63 | 0.7 | | | |
| 2/28/2019 | | | | | | | 230 | 350 | |
| 3/5/2019 | | | | | | | | | 43 |
| 5/31/2019 | 0.76 | 1.1 | 0.33 | 0.28 | 0.45 | 0.52 | | | |
| 6/4/2019 | | | | | | | 170 | 380 (D) | 54 |
| 11/6/2019 | 0.88 | 1.2 | 0.49 | 0.46 | 0.55 | 0.74 | | | |
| 11/12/2019 | | | | | | | 130 | 240 | 82 |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | 0.84 | 1.3 | 0.36 | 0.38 | 0.53 | 0.59 | | | |
| 4/18/2020 | | | | | | | 40 | 320 | |
| 4/22/2020 | | | | | | | | | 61 |
| 10/7/2020 | 0.93 | 1.6 | 0.43 | 0.47 | 0.63 | 0.67 | | | |
| 10/12/2020 | | | | | | | 74 | 300 | 58 |
| 3/29/2021 | 1 | 1.6 | 0.46 | 0.43 | 0.68 | 0.75 | | | |
| 4/1/2021 | | | | | | | 75 | 290 | 75 |
| 9/2/2021 | 1.1 | 1.5 | 0.47 | 0.63 | 0.56 | 0.73 | | | |
| 9/8/2021 | | | | | | | 74 | 200 | 72 |
| 3/22/2022 | 0.9 | 1.6 | 0.33 | 0.38 | 0.81 | 0.7 | | | |
| 3/25/2022 | | | | | | | <0.05 | 170 | 73 |
| 9/7/2022 | 1 | | 0.61 | 0.6 | | | | | |
| 9/8/2022 | | 2.1 | | | 0.69 | 0.82 | | | |
| 9/13/2022 | | | | | | | 93 | 160 | 82 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 7.4 | 8.1 | 5.4 | | | | | |
| 3/1/2016 | | | | | 5.6 | 4 | | | |
| 3/2/2016 | | | | | | | 1700 | 4700 | 1700 |
| 5/2/2016 | 4.4 | 6.3 | 6 | | | 3.6 | | | |
| 5/3/2016 | | | | | 5.1 | | 2500 | 4900 | |
| 5/4/2016 | | | | 4.5 | | | | | 1600 |
| 7/5/2016 | 4.2 | 4.8 | 5.2 | | 4.7 | 3.6 | <140 (*) | 360 (o) | |
| 7/6/2016 | | | | | | | | | 2000 |
| 7/8/2016 | | | | 4.9 | | | | | |
| 9/6/2016 | 4.3 | 6 | 5.5 | 4.3 | 4.4 | 4 | | | |
| 9/8/2016 | | | | | | | 1900 | 4400 | 1800 |
| 11/7/2016 | 4.2 | 5.7 | 5.4 | | 4.6 | 4.4 | | | |
| 11/8/2016 | | | | | | | | | 1800 |
| 11/9/2016 | | | | | | | 1200 | 4800 | |
| 11/10/2016 | | | | 4.5 | | | | | |
| 1/9/2017 | 5.3 | 6.8 | 6.1 | | 5.3 | 4.4 | | | |
| 1/11/2017 | | | | 5.3 | | | | | |
| 1/12/2017 | | | | | | | 470 | 3900 | |
| 1/13/2017 | | | | | | | | | 1500 |
| 3/13/2017 | 5.2 | 6.8 | 5.5 | | 5.6 | 4.1 | | | |
| 3/14/2017 | | | | 5.5 | | | | | |
| 3/16/2017 | | | | | | | | | 870 |
| 3/17/2017 | | | | | | | 1100 | 3700 | |
| 5/15/2017 | 4.8 | 6.1 | 4.7 | | 5.2 | 3.7 | | | |
| 5/16/2017 | | | | | | | 1000 | | |
| 5/17/2017 | | | | | | | | 3500 | 310 |
| 5/18/2017 | | | | 5 | | | | | |
| 10/2/2017 | 5.5 | 6 | 6.1 | | 5.5 | 4.8 | | | |
| 10/3/2017 | | | | | | | | 2300 | |
| 10/4/2017 | | | | | | | 910 | | 160 |
| 10/5/2017 | | | | 5.6 | | | | | |
| 12/20/2017 | | | | | | | 810 (R) | 2400 | 110 (R) |
| 3/12/2018 | 5.3 | 5.9 | 6.1 | | 5.6 | 4 | | | |
| 3/13/2018 | | | | | | | 530 | | |
| 3/14/2018 | | | | 5.2 | | | | 2100 | 110 |
| 6/5/2018 | 5.3 | 6.5 | 5.5 | | | | | | |
| 6/6/2018 | | | | | 5.6 | 4.1 | | | |
| 6/8/2018 | | | | | | | 680 | 1800 | |
| 6/9/2018 | | | | | | | | | 86 |
| 6/10/2018 | | | | 5.2 | | | | | |
| 10/16/2018 | 5.5 | 5.9 | 5.1 | | | | | | |
| 10/17/2018 | | | | | 5.5 | 3.7 | | 1200 | |
| 10/18/2018 | | | | 5.2 | | | | | |
| 11/13/2018 | | | | | | | 450 | | |
| 11/14/2018 | | | | | | | | | 41 |
| 2/27/2019 | 4.6 | 4.3 | 5 | 5.1 | 5.1 | 4 | | | |
| 2/28/2019 | | | | | | | 470 | 720 | |
| 3/5/2019 | | | | | | | | | 75 |
| 5/31/2019 | 5.1 | 4.5 | 5.4 | 5 | 5.4 | 3.7 | | | |
| 6/4/2019 | | | | | | | 310 | 690 | 98 |
| 11/6/2019 | 5.8 | 5.7 | 6.1 | 6 | 5.9 | 4.7 | | | |
| 11/12/2019 | | | | | | | 280 | 490 | 190 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | 6.1 | 5.6 | 5.3 | 5.8 | 6.2 | 4.9 | | | |
| 4/18/2020 | | | | | | | 59 | 660 | |
| 4/22/2020 | | | | | | | | | 120 |
| 10/7/2020 | 6.6 | 5.1 | 5.7 | 5.9 | 6.1 | 4.7 | | | |
| 10/12/2020 | | | | | | | 130 | 610 | 82 |
| 3/29/2021 | 10 | 5 | 5.2 | 5.8 | 6.2 | 5.4 | | | |
| 4/1/2021 | | | | | | | 130 | 510 | 140 |
| 9/2/2021 | 5.8 | 5.2 | 5.1 | 5.1 | 5.9 | 5.1 | | | |
| 9/8/2021 | | | | | | | 100 | 440 | 130 |
| 3/22/2022 | 5.9 | 8.8 | 4.7 | 4.9 | 5.6 | 4.8 | | | |
| 3/25/2022 | | | | | | | 76 | 340 | 160 |
| 9/7/2022 | 4.4 | | 3.6 | 3.4 | | | | | |
| 9/8/2022 | | 3.4 | | | 4.3 | 5.3 | | | |
| 9/13/2022 | | | | | | | 180 | 300 | 130 |

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-307 (bg) | MW-306 (bg) | MW-206 | MW-200 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | |
| 3/1/2016 | | | | | 0.033 (J) | <0.1 | | | |
| 3/2/2016 | | | | | | | 0.074 (J) | 0.088 (J) | 0.54 |
| 5/2/2016 | <0.1 | | <0.1 | <0.1 | <0.1 | | | | |
| 5/3/2016 | | | | | | <0.1 | 0.05 (J) | 0.05 (J) | |
| 5/4/2016 | | <0.1 | | | | | | | 0.41 |
| 7/5/2016 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | 0.05 (J) | 0.07 (J) | |
| 7/6/2016 | | | | | | | | | 0.49 |
| 7/8/2016 | | <0.1 | | | | | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 9/8/2016 | | | | | | | 0.05 (J) | 0.07 (J) | 0.57 |
| 11/7/2016 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 11/8/2016 | | | | | | | | | 0.47 |
| 11/9/2016 | | | | | | | 0.04 (J) | 0.06 (J) | |
| 11/10/2016 | | <0.1 | | | | | | | |
| 1/9/2017 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 1/11/2017 | | <0.1 | | | | | | | |
| 1/12/2017 | | | | | | | 0.04 (J) | <0.1 | |
| 1/13/2017 | | | | | | | | | 0.73 |
| 3/13/2017 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 3/14/2017 | | <0.1 | | | | | | | |
| 3/16/2017 | | | | | | | | | 0.92 |
| 3/17/2017 | | | | | | | 0.04 (J) | 0.05 (J) | |
| 5/15/2017 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 5/16/2017 | | | | | | | | 0.06 (J) | |
| 5/17/2017 | | | | | | | 0.06 (J) | | 0.77 |
| 5/18/2017 | | <0.1 | | | | | | | |
| 10/2/2017 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 10/3/2017 | | | | | | | 0.11 | | |
| 10/4/2017 | | | | | | | | 0.08 (J) | 0.96 |
| 10/5/2017 | | <0.1 | | | | | | | |
| 12/20/2017 | | | | | | | 0.08 (I) | | 0.88 (R) |
| 3/12/2018 | <0.1 | | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 3/13/2018 | | | | | | | | 0.05 (J) | |
| 3/14/2018 | | 0.12 | | | | | 0.08 (J) | | 0.84 |
| 6/5/2018 | <0.1 | | <0.1 | <0.1 | | | | | |
| 6/6/2018 | | | | | <0.1 | <0.1 | | | |
| 6/8/2018 | | | | | | | 0.1 | 0.13 | |
| 6/9/2018 | | | | | | | | | 0.78 |
| 6/10/2018 | | <0.1 | | | | | | | |
| 10/16/2018 | <0.1 | | <0.1 | <0.1 | | | | | |
| 10/17/2018 | | | | | <0.1 | <0.1 | 0.12 | | |
| 10/18/2018 | | <0.1 | | | | | | | |
| 11/13/2018 | | | | | | | | 0.1 | |
| 11/14/2018 | | | | | | | | | 0.67 |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 2/28/2019 | | | | | | | 0.1 | 0.3 | |
| 3/5/2019 | | | | | | | | | 0.64 |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 6/4/2019 | | | | | | | 0.08 (J) | <0.1 | 0.09 (J) |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 11/12/2019 | | | | | | | 0.045 (J) | 0.072 (J) | 0.57 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-307 (bg) | MW-306 (bg) | MW-206 | MW-200 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 4/18/2020 | | | | | | | <0.1 | <0.1 | |
| 4/22/2020 | | | | | | | | | 0.39 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 10/12/2020 | | | | | | | 0.04 (J) | <0.1 | 0.46 |
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 4/1/2021 | | | | | | | 0.07 | 0.07 | 0.5 |
| 9/2/2021 | 0.08 (J) | 0.04 (J) | 0.1 | <0.1 | 0.04 (J) | <0.1 | | | |
| 9/8/2021 | | | | | | | 0.048 (J) | 0.049 (J) | 0.36 |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 3/25/2022 | | | | | | | <0.1 | <0.1 | 0.25 |
| 9/7/2022 | <0.1 | <0.1 | <0.1 | | | | | | |
| 9/8/2022 | | | | <0.1 | <0.1 | <0.1 | | | |
| 9/13/2022 | | | | | | | <0.1 | 0.27 (J) | <0.1 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | <5 | <5 | 1.6 (J) | | | | | |
| 3/1/2016 | | | | | <5 | <5 | | | |
| 3/2/2016 | | | | | | | 400 | 460 | 450 |
| 5/2/2016 | 15 (o) | | <5 | 2.1 (J) | | <5 | | | |
| 5/3/2016 | | | | | <5 | | 2.2 (J) | 740 | |
| 5/4/2016 | | <5 | | | | | | | 500 |
| 7/5/2016 | <5 | | <5 | 2 (J) | <5 | <5 | 450 (J) | 750 | |
| 7/6/2016 | | | | | | | | | 370 |
| 7/8/2016 | | <5 | | | | | | | |
| 9/6/2016 | <5 | <5 | <5 | 1.8 (J) | <5 | 3.7 (J) | | | |
| 9/8/2016 | | | | | | | 450 | 710 | 450 |
| 11/7/2016 | <5 | | <5 | 1.7 (J) | <5 | <5 | | | |
| 11/8/2016 | | | | | | | | | 450 |
| 11/9/2016 | | | | | | | 430 | 810 | |
| 11/10/2016 | | <5 | | | | | | | |
| 1/9/2017 | <5 | | 2.6 (J) | 1.5 (J) | <5 | <5 | | | |
| 1/11/2017 | | <5 | | | | | | | |
| 1/12/2017 | | | | | | | 130 | 600 | |
| 1/13/2017 | | | | | | | | | 390 |
| 3/13/2017 | 2.5 (J) | | <5 | 2.2 (J) | <5 | <5 | | | |
| 3/14/2017 | | <5 | | | | | | | |
| 3/16/2017 | | | | | | | | | 290 |
| 3/17/2017 | | | | | | | 290 | 640 | |
| 5/15/2017 | <5 | | <5 | 1.9 (J) | <5 | <5 | | | |
| 5/16/2017 | | | | | | | 280 | | |
| 5/17/2017 | | | | | | | | 590 | 270 |
| 5/18/2017 | | <5 (X) | | | | | | | |
| 10/2/2017 | <5 | | <5 | 3.4 (J) | 1.5 (J) | 1.7 (J) | | | |
| 10/3/2017 | | | | | | | | 480 | |
| 10/4/2017 | | | | | | | 250 | | 240 |
| 10/5/2017 | | <5 | | | | | | | |
| 12/20/2017 | | | | | | | 230 (R) | 470 | 210 (R) |
| 3/12/2018 | <5 | | <5 | 2.6 (J) | <5 | <5 | | | |
| 3/13/2018 | | | | | | | 160 | | |
| 3/14/2018 | | <5 | | | | | | 470 | 190 |
| 6/5/2018 | <5 | | <5 | 2.6 (J) | | | | | |
| 6/6/2018 | | | | | <5 | <5 | | | |
| 6/8/2018 | | | | | | | 160 | 440 | |
| 6/9/2018 | | | | | | | | | 170 |
| 6/10/2018 | | 1.5 (J) | | | | | | | |
| 10/16/2018 | <5 | | <5 | 2.8 (J) | | | | | |
| 10/17/2018 | | | | | <5 | <5 | | 270 | |
| 10/18/2018 | | <5 | | | | | | | |
| 11/13/2018 | | | | | | | 130 | | |
| 11/14/2018 | | | | | | | | | 110 |
| 2/27/2019 | <5 | 1.9 (J) | <5 | 2.4 (J) | <5 | <5 | | | |
| 2/28/2019 | | | | | | | 130 | 240 | |
| 3/5/2019 | | | | | | | | | 86 |
| 5/31/2019 | <5 | <5 | <5 | 3.3 (J) | <5 | <5 | | | |
| 6/4/2019 | | | | | | | 100 | 280 | 100 |
| 11/6/2019 | <5 | <5 | <5 | 3.7 (J) | <5 | <5 | | | |
| 11/12/2019 | | | | | | | 100 | 260 | 93 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-206 | MW-201 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | <5 | <5 | <5 | 1.7 (J) | <5 | <5 | | | |
| 4/18/2020 | | | | | | | 64 | 250 | |
| 4/22/2020 | | | | | | | | | 130 |
| 10/7/2020 | <5 | <5 | <5 | 4 (J) | <5 | <5 | | | |
| 10/12/2020 | | | | | | | 64 | 230 | 110 |
| 3/29/2021 | <5 | <5 | <5 | 2.3 | <5 | <5 | | | |
| 4/1/2021 | | | | | | | 84 | 200 | 110 |
| 9/2/2021 | <5 | <5 | <5 | 4.7 (J) | <5 | <5 | | | |
| 9/8/2021 | | | | | | | 60 | 140 | 110 |
| 3/22/2022 | <5 | <5 | <5 | 4.5 (J) | <5 | <5 | | | |
| 3/25/2022 | | | | | | | 71 | 160 | 120 |
| 9/7/2022 | 1.7 (J) | 1.5 (J) | 1.4 (J) | | | | | | |
| 9/8/2022 | | | | 5.5 | <5 | <5 | | | |
| 9/13/2022 | | | | | | | 130 | 160 | 95 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-201 | MW-206 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | 12 | <5 | 20 | | | | | |
| 3/1/2016 | | | | | 10 | <5 | | | |
| 3/2/2016 | | | | | | | 7200 | 7200 | 32000 (o) |
| 5/2/2016 | <5 | 6 | <5 | | | 36 | | | |
| 5/3/2016 | | | | | <5 | | 6400 | | 13000 |
| 5/4/2016 | | | | 6 | | | | 4500 | |
| 7/5/2016 | 12 | <5 | 14 | | <5 | <5 | 7000 | | 8700 |
| 7/6/2016 | | | | | | | | 4900 | |
| 7/8/2016 | | | | 6 | | | | | |
| 9/6/2016 | 36 | 38 | 30 | 36 | 36 | 44 | | | |
| 9/8/2016 | | | | | | | 6000 | 4400 | 11000 (Q) |
| 11/7/2016 | 18 | <5 | 8 | | <5 | 30 | | | |
| 11/8/2016 | | | | | | | | 6200 | |
| 11/9/2016 | | | | | | | 3500 | | 13000 |
| 11/10/2016 | | | | 16 | | | | | |
| 1/9/2017 | 4 (J) | 14 | <5 | | <5 | 12 | | | |
| 1/11/2017 | | | | 38 | | | | | |
| 1/12/2017 | | | | | | | 1500 | | 12000 |
| 1/13/2017 | | | | | | | | 4400 | |
| 3/13/2017 | 6 | 8 | <5 | | 22 | 20 | | | |
| 3/14/2017 | | | | <5 | | | | | |
| 3/16/2017 | | | | | | | | 2800 | |
| 3/17/2017 | | | | | | | 2900 | | 10000 |
| 5/15/2017 | <5 | <5 | <5 | | 6 | 4 (J) | | | |
| 5/16/2017 | | | | | | | 3100 | | |
| 5/17/2017 | | | | | | | | 1100 | 8300 |
| 5/18/2017 | | | | 10 | | | | | |
| 10/2/2017 | <5 | 6 | <5 | | 16 | 24 | | | |
| 10/3/2017 | | | | | | | | | 7100 |
| 10/4/2017 | | | | | | | 3400 | 700 | |
| 10/5/2017 | | | | <5 | | | | | |
| 12/20/2017 | | | | | | | 1900 (R) | 590 (R) | 7000 |
| 3/12/2018 | 18 | <5 | 14 | | <5 | <5 | | | |
| 3/13/2018 | | | | | | | 1600 | | |
| 3/14/2018 | | | | 8 | | | | 490 | 6300 |
| 6/5/2018 | 10 | 14 | <5 | | | | | | |
| 6/6/2018 | | | | | 20 | 16 | | | |
| 6/8/2018 | | | | | | | 2000 | | 5200 |
| 6/9/2018 | | | | | | | | 430 | |
| 6/10/2018 | | | | 8 | | | | | |
| 10/16/2018 | 32 | 6 | 12 | | | | | | |
| 10/17/2018 | | | | | 44 | 44 | | | 3800 |
| 10/18/2018 | | | | 28 | | | | | |
| 11/13/2018 | | | | | | | 1400 | | |
| 11/14/2018 | | | | | | | | 230 | |
| 2/27/2019 | 110 | 110 | 54 | 68 | 20 | 28 | | | |
| 2/28/2019 | | | | | | | 1400 | | 1700 |
| 3/5/2019 | | | | | | | | 300 | |
| 5/31/2019 | 46 | 26 | 8 | <5 | 32 | 18 | | | |
| 6/4/2019 | | | | | | | 1200 | 400 | 2300 |
| 11/6/2019 | <5 | <5 | 4 (J) | 10 | 24 | 20 | | | |
| 11/12/2019 | | | | | | | 1000 | 670 | 1900 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:32 AM View: 200 Series Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-200 | MW-201 | MW-206 |
|---|---|---|---|---|---|---|---|---|---|
| 4/16/2020 | 28 | 8 | 18 | 44 | 6 | 8 | | | |
| 4/18/2020 | | | | | | | 240 | | 1700 |
| 4/22/2020 | | | | | | | | 600 | |
| 10/7/2020 | 30 | 26 | 20 | 24 | 16 | 12 | | | |
| 10/12/2020 | | | | | | | 600 | 460 | 2200 |
| 3/29/2021 | 38 | 28 | 12 | 26 | 42 | 40 | | | |
| 4/1/2021 | | | | | | | 640 | 650 | 2300 |
| 9/2/2021 | 40 | 8 | 10 | 8 | 10 | <5 | | | |
| 9/8/2021 | | | | | | | 480 | 550 | 1700 |
| 3/22/2022 | 58 | 46 | 18 | 14 | 84 | 22 | | | |
| 3/25/2022 | | | | | | | 380 | 610 | 630 |
| 9/7/2022 | 36 | | 22 | 14 | | | | | |
| 9/8/2022 | | 44 | | | 24 | 48 | | | |
| 9/13/2022 | | | | | | | 600 | 530 | 920 |

ND substitution: RL or RL/2 if <15% NDs.

# Appendix III - Intrawell Prediction Limits - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:29 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Field pH (SU)** | **MW-206** | **4.64** | **3.998** | **9/13/2022** | **4.88** | **Yes** | **14** | **4.319** | **0.1573** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 200 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:29 AM


| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field pH (SU) | MW-100 | 5.257 | 4.453 | 9/7/2022 | 4.72 | No | 13 | 4.855 | 0.1936 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-101 | 5.491 | 4.42 | 9/7/2022 | 4.89 | No | 13 | 4.955 | 0.258 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-107 | 5.412 | 4.406 | 9/7/2022 | 4.92 | No | 13 | 4.909 | 0.2421 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-108 | 5.178 | 4.369 | 9/8/2022 | 4.78 | No | 12 | 4.773 | 0.1917 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-200 | 5.263 | 4.716 | 9/13/2022 | 4.82 | No | 14 | 4.989 | 0.134 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-201 | 5.704 | 4.463 | 9/13/2022 | 4.76 | No | 14 | 5.084 | 0.304 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| **Field pH (SU)** | **MW-206** | **4.64** | **3.998** | **9/13/2022** | **4.88** | **Yes** | **14** | **4.319** | **0.1573** | **0** | **None** | **No** | **0.001253** | **Param Intra 1 of 2** |
| Field pH (SU) | MW-306 | 5.438 | 4.624 | 9/8/2022 | 4.87 | No | 13 | 5.031 | 0.1961 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |
| Field pH (SU) | MW-307 | 6.537 | 5.063 | 9/8/2022 | 5.13 | No | 13 | 5.8 | 0.3549 | 0 | None | No | 0.001253 | Param Intra 1 of 2 |

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.855, Std. Dev.=0.1936, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9274, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.955, Std. Dev.=0.258, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9894, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.909, Std. Dev.=0.2421, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9038, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.773, Std. Dev.=0.1917, n=12. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9468, critical = 0.805. Kappa = 2.112 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.989, Std. Dev.=0.134, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9622, critical = 0.825. Kappa = 2.041 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.084, Std. Dev.=0.304, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8864, critical = 0.825. Kappa = 2.041 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Exceeds Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.319, Std. Dev.=0.1573, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9338, critical = 0.825. Kappa = 2.041 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.031, Std. Dev.=0.1961, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9411, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.


Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.8, Std. Dev.=0.3549, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8636, critical = 0.814. Kappa = 2.077 (c=7, w=3, 1 of 2, event alpha = 0.05132). Report alpha = 0.002505.

Constituent: Field pH Analysis Run 1/13/2023 1:28 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 | MW-100 |
|---|---|---|
| 2/29/2016 | 5.11 | |
| 5/2/2016 | 4.76 | |
| 7/5/2016 | 5.12 | |
| 9/6/2016 | 5.11 | |
| 11/7/2016 | 4.76 | |
| 1/9/2017 | 4.99 | |
| 3/13/2017 | 4.57 | |
| 5/15/2017 | 4.6 | |
| 10/2/2017 | 4.64 | |
| 3/12/2018 | 4.85 | |
| 6/5/2018 | 4.92 | |
| 10/16/2018 | 4.93 | |
| 2/27/2019 | 4.75 | |
| 5/31/2019 | | 4.9 |
| 11/6/2019 | | 4.82 |
| 4/16/2020 | | 5.03 |
| 10/7/2020 | | 4.74 |
| 3/29/2021 | | 4.79 |
| 9/2/2021 | | 4.81 |
| 3/22/2022 | | 4.9 |
| 9/7/2022 | | 4.72 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-101 | MW-101 |
|---|---|---|
| 2/29/2016 | 5.26 | |
| 5/4/2016 | 5.1 | |
| 7/8/2016 | 4.96 | |
| 9/6/2016 | 5.43 | |
| 11/10/2016 | 4.89 | |
| 1/11/2017 | 4.87 | |
| 3/14/2017 | 4.71 | |
| 5/18/2017 | 4.5 | |
| 10/5/2017 | 4.63 | |
| 3/14/2018 | 5.14 | |
| 6/10/2018 | 5.12 | |
| 10/18/2018 | 4.97 | |
| 2/27/2019 | 4.84 | |
| 5/31/2019 | | 4.92 |
| 11/6/2019 | | 4.94 |
| 4/16/2020 | | 5.17 |
| 10/7/2020 | | 5.08 |
| 3/29/2021 | | 4.92 |
| 9/2/2021 | | 5.07 |
| 3/22/2022 | | 5.02 |
| 9/7/2022 | | 4.89 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 | MW-107 |
|---|---|---|
| 2/29/2016 | 5.11 | |
| 5/2/2016 | 4.77 | |
| 7/5/2016 | 5.48 | |
| 9/6/2016 | 5.12 | |
| 11/7/2016 | 4.73 | |
| 1/9/2017 | 5 | |
| 3/13/2017 | 4.74 | |
| 5/15/2017 | 4.63 | |
| 10/2/2017 | 4.63 | |
| 3/12/2018 | 4.81 | |
| 6/5/2018 | 5.04 | |
| 10/16/2018 | 4.98 | |
| 2/27/2019 | 4.78 | |
| 5/31/2019 | | 4.92 |
| 11/6/2019 | | 4.88 |
| 4/16/2020 | | 5.15 |
| 10/7/2020 | | 4.91 |
| 3/29/2021 | | 4.89 |
| 9/2/2021 | | 4.87 |
| 3/22/2022 | | 4.91 |
| 9/7/2022 | | 4.92 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-108 | MW-108 |
|---|---|---|
| 2/29/2016 | 4.9 | |
| 5/2/2016 | 4.69 | |
| 7/5/2016 | 7.11 (o) | |
| 9/6/2016 | 5.19 | |
| 11/7/2016 | 4.64 | |
| 1/9/2017 | 4.94 | |
| 3/13/2017 | 4.63 | |
| 5/15/2017 | 4.52 | |
| 10/2/2017 | 4.54 | |
| 3/12/2018 | 4.81 | |
| 6/5/2018 | 4.9 | |
| 10/16/2018 | 4.81 | |
| 2/27/2019 | 4.71 | |
| 5/31/2019 | | 4.84 |
| 11/6/2019 | | 4.78 |
| 4/16/2020 | | 4.96 |
| 10/7/2020 | | 4.8 |
| 3/29/2021 | | 4.8 |
| 9/2/2021 | | 4.77 |
| 3/22/2022 | | 4.89 |
| 9/8/2022 | | 4.78 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-200 |
|---|---|---|
| 3/2/2016 | 5.16 (D) | |
| 5/3/2016 | 5.1 | |
| 7/5/2016 | 4.86 | |
| 9/8/2016 | 4.76 | |
| 11/9/2016 | 4.99 | |
| 1/12/2017 | 5.04 | |
| 3/17/2017 | 5.02 | |
| 5/16/2017 | 4.77 | |
| 10/4/2017 | 4.89 | |
| 12/20/2017 | 4.94 (R) | |
| 3/13/2018 | 5.19 | |
| 6/8/2018 | 5.05 | |
| 11/13/2018 | 5.11 | |
| 2/28/2019 | 4.97 | |
| 6/4/2019 | | 5.27 |
| 11/12/2019 | | 4.92 |
| 4/18/2020 | | 5.2 |
| 10/12/2020 | | 5.3 |
| 4/1/2021 | | 5.06 |
| 9/8/2021 | | 5.21 |
| 3/25/2022 | | 5.34 |
| 9/13/2022 | | 4.82 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-201 |
|---|---|---|
| 3/2/2016 | 5.57 | |
| 5/4/2016 | 5.62 | |
| 7/6/2016 | 5.52 | |
| 9/8/2016 | 5.26 | |
| 11/8/2016 | 5.09 | |
| 1/13/2017 | 5.14 | |
| 3/16/2017 | 5.1 | |
| 5/17/2017 | 4.9 | |
| 10/4/2017 | 4.84 | |
| 12/20/2017 | 4.94 (R) | |
| 3/14/2018 | 4.82 | |
| 6/9/2018 | 4.81 | |
| 11/14/2018 | 4.85 | |
| 3/5/2019 | 4.71 | |
| 6/4/2019 | | 4.85 |
| 11/12/2019 | | 4.67 |
| 4/22/2020 | | 4.69 |
| 10/12/2020 | | 4.56 |
| 4/1/2021 | | 4.52 |
| 9/8/2021 | | 4.63 |
| 3/25/2022 | | 4.95 |
| 9/13/2022 | | 4.76 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-206 | MW-206 |
|---|---|---|
| 3/2/2016 | 4.62 | |
| 5/3/2016 | 4.26 | |
| 7/5/2016 | 4.15 | |
| 9/8/2016 | 4.6 | |
| 11/9/2016 | 4.12 | |
| 1/12/2017 | 4.24 | |
| 3/17/2017 | 4.22 | |
| 5/17/2017 | 4.35 | |
| 10/3/2017 | 4.11 | |
| 12/20/2017 | 4.31 | |
| 3/14/2018 | 4.35 | |
| 6/8/2018 | 4.31 | |
| 10/17/2018 | 4.41 | |
| 2/28/2019 | 4.42 | |
| 6/4/2019 | | 4.69 |
| 11/12/2019 | | 4.56 |
| 4/18/2020 | | 5 |
| 10/12/2020 | | 4.82 |
| 4/1/2021 | | 4.59 |
| 9/8/2021 | | 4.77 |
| 3/25/2022 | | 5.21 |
| 9/13/2022 | | 4.88 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-306 | MW-306 |
|---|---|---|
| 3/1/2016 | 5.08 | |
| 5/3/2016 | 5.14 | |
| 7/5/2016 | 5.38 | |
| 9/6/2016 | 5.37 | |
| 11/7/2016 | 4.92 | |
| 1/9/2017 | 5.05 | |
| 3/13/2017 | 4.87 | |
| 5/15/2017 | 4.69 | |
| 10/2/2017 | 4.88 | |
| 3/12/2018 | 5.07 | |
| 6/6/2018 | 5.09 | |
| 10/17/2018 | 4.99 | |
| 2/27/2019 | 4.87 | |
| 5/31/2019 | | 4.89 |
| 11/6/2019 | | 5.04 |
| 4/16/2020 | | 5.13 |
| 10/7/2020 | | 5.13 |
| 3/29/2021 | | 4.93 |
| 9/2/2021 | | 4.94 |
| 3/22/2022 | | 5.1 |
| 9/8/2022 | | 4.87 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:29 AM View: 200 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 | MW-307 |
|---|---|---|
| 3/1/2016 | 6.37 | |
| 5/2/2016 | 5.605 (D) | |
| 7/5/2016 | 6.29 | |
| 9/6/2016 | 6.42 | |
| 11/7/2016 | 5.75 | |
| 1/9/2017 | 5.98 | |
| 3/13/2017 | 5.81 | |
| 5/15/2017 | 5.42 | |
| 10/2/2017 | 5.63 | |
| 3/12/2018 | 5.6 | |
| 6/6/2018 | 5.58 | |
| 10/17/2018 | 5.54 | |
| 2/27/2019 | 5.4 | |
| 5/31/2019 | | 5.45 |
| 11/6/2019 | | 5.52 |
| 4/16/2020 | | 5.58 |
| 10/7/2020 | | 5.5 |
| 3/29/2021 | | 5.46 |
| 9/2/2021 | | 5.16 |
| 3/22/2022 | | 5.18 |
| 9/8/2022 | | 5.13 |

# 300 Series

# Appendix III - Interwell Prediction Limits - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:54 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-303 | 0.081 | n/a | 9/12/2022 | 5.2 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-304 | 0.081 | n/a | 9/12/2022 | 2.5 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-305 | 0.081 | n/a | 9/16/2022 | 0.23 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Boron (mg/L) | MW-308 | 0.081 | n/a | 9/12/2022 | 3 | Yes | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Calcium (mg/L) | MW-303 | 1.451 | n/a | 9/12/2022 | 74 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-304 | 1.451 | n/a | 9/12/2022 | 130 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-305 | 1.451 | n/a | 9/16/2022 | 58 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| Calcium (mg/L) | MW-308 | 1.451 | n/a | 9/12/2022 | 63 | Yes | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-300 | 7.006 | n/a | 9/12/2022 | 7.1 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-303 | 7.006 | n/a | 9/12/2022 | 29 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-304 | 7.006 | n/a | 9/12/2022 | 64 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-305 | 7.006 | n/a | 9/16/2022 | 21 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Chloride (mg/L) | MW-308 | 7.006 | n/a | 9/12/2022 | 40 | Yes | 126 | 5.26 | 0.9732 | 0 | None | No | 0.001504 | Param Inter 1 of 2 |
| Fluoride (mg/L) | MW-305 | 0.12 | n/a | 9/16/2022 | 4.6 | Yes | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-303 | 5.5 | n/a | 9/12/2022 | 190 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-304 | 5.5 | n/a | 9/12/2022 | 450 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-305 | 5.5 | n/a | 9/16/2022 | 530 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-308 | 5.5 | n/a | 9/12/2022 | 140 | Yes | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-303 | 110 | n/a | 9/12/2022 | 460 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-304 | 110 | n/a | 9/12/2022 | 930 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-305 | 110 | n/a | 9/16/2022 | 770 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |
| Total Dissolved Solids (mg/L) | MW-308 | 110 | n/a | 9/12/2022 | 370 | Yes | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |

# Appendix III - Interwell Prediction Limits - 300 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:54 AM


| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-300 | 0.081 | n/a | 9/12/2022 | 0.05 | No | 126 | n/a | n/a | 76.19 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| **Boron (mg/L)** | **MW-303** | **0.081** | **n/a** | **9/12/2022** | **5.2** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-304** | **0.081** | **n/a** | **9/12/2022** | **2.5** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-305** | **0.081** | **n/a** | **9/16/2022** | **0.23** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| **Boron (mg/L)** | **MW-308** | **0.081** | **n/a** | **9/12/2022** | **3** | **Yes** | **126** | **n/a** | **n/a** | **76.19** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| Calcium (mg/L) | MW-300 | 1.451 | n/a | 9/12/2022 | 0.71 | No | 126 | 0.8959 | 0.1317 | 0 | None | x^(1/3) | 0.001504 | Param Inter 1 of 2 |
| **Calcium (mg/L)** | **MW-303** | **1.451** | **n/a** | **9/12/2022** | **74** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-304** | **1.451** | **n/a** | **9/12/2022** | **130** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-305** | **1.451** | **n/a** | **9/16/2022** | **58** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001504** | **Param Inter 1 of 2** |
| **Calcium (mg/L)** | **MW-308** | **1.451** | **n/a** | **9/12/2022** | **63** | **Yes** | **126** | **0.8959** | **0.1317** | **0** | **None** | **x^(1/3)** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-300** | **7.006** | **n/a** | **9/12/2022** | **7.1** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-303** | **7.006** | **n/a** | **9/12/2022** | **29** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-304** | **7.006** | **n/a** | **9/12/2022** | **64** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-305** | **7.006** | **n/a** | **9/16/2022** | **21** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| **Chloride (mg/L)** | **MW-308** | **7.006** | **n/a** | **9/12/2022** | **40** | **Yes** | **126** | **5.26** | **0.9732** | **0** | **None** | **No** | **0.001504** | **Param Inter 1 of 2** |
| Fluoride (mg/L) | MW-300 | 0.12 | n/a | 9/12/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-303 | 0.12 | n/a | 9/12/2022 | 0.15J | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Fluoride (mg/L) | MW-304 | 0.12 | n/a | 9/12/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| **Fluoride (mg/L)** | **MW-305** | **0.12** | **n/a** | **9/16/2022** | **4.6** | **Yes** | **126** | **n/a** | **n/a** | **94.44** | **n/a** | **n/a** | **0.0001245** | **NP Inter (NDs) 1 of 2** |
| Fluoride (mg/L) | MW-308 | 0.12 | n/a | 9/12/2022 | 0.1ND | No | 126 | n/a | n/a | 94.44 | n/a | n/a | 0.0001245 | NP Inter (NDs) 1 of 2 |
| Sulfate (mg/L) | MW-300 | 5.5 | n/a | 9/12/2022 | 5ND | No | 125 | n/a | n/a | 75.2 | n/a | n/a | 0.0001262 | NP Inter (NDs) 1 of 2 |
| **Sulfate (mg/L)** | **MW-303** | **5.5** | **n/a** | **9/12/2022** | **190** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001262** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-304** | **5.5** | **n/a** | **9/12/2022** | **450** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001262** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-305** | **5.5** | **n/a** | **9/16/2022** | **530** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001262** | **NP Inter (NDs) 1 of 2** |
| **Sulfate (mg/L)** | **MW-308** | **5.5** | **n/a** | **9/12/2022** | **140** | **Yes** | **125** | **n/a** | **n/a** | **75.2** | **n/a** | **n/a** | **0.0001262** | **NP Inter (NDs) 1 of 2** |
| Total Dissolved Solids (mg/L) | MW-300 | 110 | n/a | 9/12/2022 | 22 | No | 126 | n/a | n/a | 22.22 | n/a | n/a | 0.0001245 | NP Inter (normality) 1 of 2 |
| **Total Dissolved Solids (mg/L)** | **MW-303** | **110** | **n/a** | **9/12/2022** | **460** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001245** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-304** | **110** | **n/a** | **9/12/2022** | **930** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001245** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-305** | **110** | **n/a** | **9/16/2022** | **770** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001245** | **NP Inter (normality) 1 of 2** |
| **Total Dissolved Solids (mg/L)** | **MW-308** | **110** | **n/a** | **9/12/2022** | **370** | **Yes** | **126** | **n/a** | **n/a** | **22.22** | **n/a** | **n/a** | **0.0001245** | **NP Inter (normality) 1 of 2** |

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-303, MW-304, MW-305, MW-308

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 126 background values. 76.19% NDs. Annual per-constituent alpha = 0.001244. Individual comparison alpha = 0.0001245 (1 of 2). Comparing 5 points to limit.


Constituent: Boron Analysis Run 1/13/2023 1:52 AM View: 300 Series Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Exceeds Limit: MW-303, MW-304, MW-305, MW-308

## Prediction Limit

Interwell Parametric




Background Data Summary (based on cube root transformation): Mean=0.8959, Std. Dev.=0.1317, n=126. Normality test: Chi Squared @alpha = 0.01, calculated = 12.73, critical = 14.07. Kappa = 1.794 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001504. Comparing 5 points to limit.


Constituent: Calcium Analysis Run 1/13/2023 1:52 AM View: 300 Series Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-300, MW-303, MW-304, MW-305, MW-308

## Prediction Limit

Interwell Parametric




Background Data Summary: Mean=5.26, Std. Dev.=0.9732, n=126. Normality test: Chi Squared @alpha = 0.01, calculated = 11.3, critical = 14.07. Kappa = 1.794 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.007498. Individual comparison alpha = 0.001504. Comparing 5 points to limit.


Constituent: Chloride Analysis Run 1/13/2023 1:52 AM View: 300 Series Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-305

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 126 background values. 94.44% NDs. Annual per-constituent alpha = 0.001244. Individual comparison alpha = 0.0001245 (1 of 2). Comparing 5 points to limit.


Constituent: Fluoride Analysis Run 1/13/2023 1:52 AM View: 300 Series Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-303, MW-304, MW-305, MW-308

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 125 background values. 75.2% NDs. Annual per-constituent alpha = 0.001262. Individual comparison alpha = 0.0001262 (1 of 2). Comparing 5 points to limit.

Constituent: Sulfate Analysis Run 1/13/2023 1:52 AM View: 300 Series Interwell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

Exceeds Limit: MW-303, MW-304, MW-305, MW-308

## Prediction Limit

Interwell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because the Chi Squared normality test showed the data to be non-normal at the 0.01 alpha level. Limit is highest of 126 background values. 22.22% NDs. Annual per-constituent alpha = 0.001244. Individual comparison alpha = 0.0001245 (1 of 2). Comparing 5 points to limit.

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:52 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.05 | <0.05 | <0.05 | <0.05 | | | | | |
| 3/1/2016 | | | | | <0.05 | <0.05 | | | |
| 3/3/2016 | | | | | | | 3.2 | <0.05 | 0.11 (J) |
| 5/2/2016 | <0.05 | <0.05 | <0.05 | | | <0.05 | | | |
| 5/3/2016 | | | | | <0.05 | | | | |
| 5/4/2016 | | | | <0.05 | | | 4 | <0.05 (*) | <0.05 |
| 7/5/2016 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 7/6/2016 | | | | | | | 2.6 | | |
| 7/7/2016 | | | | | | | | 0.034 (J) | <0.05 |
| 7/8/2016 | | | | <0.05 | | | | | |
| 9/6/2016 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 9/7/2016 | | | | | | | | <0.05 | 0.028 (J) |
| 9/8/2016 | | | | | | | 3.6 | | |
| 11/7/2016 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | 0.045 (J) | |
| 11/8/2016 | | | | | | | 5 | | 0.025 (J) |
| 11/10/2016 | | | | <0.05 | | | | | |
| 1/9/2017 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 1/10/2017 | | | | | | | 4.2 | <0.05 (*) | <0.05 (*) |
| 1/11/2017 | | | | <0.05 | | | | | |
| 3/13/2017 | <0.05 | 0.022 (J) | <0.05 | | <0.05 | <0.05 | | | |
| 3/14/2017 | | | | <0.05 | | | | | |
| 3/15/2017 | | | | | | | | <0.05 | <0.05 |
| 3/16/2017 | | | | | | | 3.5 | | |
| 5/15/2017 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | 3.2 | | |
| 5/16/2017 | | | | | | | | 0.043 (J) | <0.05 |
| 5/18/2017 | | | | <0.05 | | | | | |
| 10/2/2017 | <0.05 | 0.023 (J) | <0.05 | | <0.05 | <0.05 | | | |
| 10/3/2017 | | | | | | | 2.9 | 0.026 (J) | 0.03 (J) |
| 10/5/2017 | | | | <0.05 | | | | | |
| 12/20/2017 | | | | | | | 2 | | |
| 3/12/2018 | <0.05 | <0.05 | <0.05 | | <0.05 | <0.05 | | | |
| 3/13/2018 | | | | | | | 3.4 | 0.07 | <0.05 |
| 3/14/2018 | | | | <0.05 | | | | | |
| 6/5/2018 | <0.05 | <0.05 | <0.05 | | | | | | |
| 6/6/2018 | | | | | <0.05 | <0.05 | | | 0.024 (J) |
| 6/7/2018 | | | | | | | 5.6 | 0.1 | |
| 6/10/2018 | | | | <0.05 | | | | | |
| 10/16/2018 | <0.05 | <0.05 | <0.05 | | | | | | |
| 10/17/2018 | | | | | <0.05 | <0.05 | 7.3 | 0.074 | |
| 10/18/2018 | | | | 0.081 | | | | | 0.022 (J) |
| 2/27/2019 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 2/28/2019 | | | | | | | 3.1 | 0.027 (J) | <0.05 |
| 5/31/2019 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | 2.7 | <0.05 | <0.05 |
| 11/6/2019 | 0.017 (V) | 0.022 (V) | 0.016 (V) | 0.016 (V) | 0.011 (V) | 0.0099 (J) | | | |
| 11/11/2019 | | | | | | | 9.7 | 0.036 (V) | 0.035 (V) |
| 4/16/2020 | 0.02 | 0.017 | 0.013 | 0.013 | 0.0075 (J) | 0.0055 (J) | | | |
| 4/18/2020 | | | | | | | 5.7 | 0.016 | 0.027 |
| 10/7/2020 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 10/8/2020 | | | | | | | 3.6 | | |
| 10/9/2020 | | | | | | | | 0.018 (J) | 0.025 (J) |
| 3/29/2021 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | <0.05 | | | |
| 3/31/2021 | | | | | | | | | 0.046 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 3.5 | 0.035 | |
| 9/2/2021 | 0.021 (J) | 0.022 (J) | 0.018 (J) | <0.05 | <0.05 | <0.05 | | | |
| 9/7/2021 | | | | | | | 3.1 | <0.05 | 0.022 (J) |
| 3/22/2022 | 0.013 | 0.017 | 0.013 | 0.012 | 0.009 (J) | 0.0063 (J) | | | |
| 3/24/2022 | | | | | | | 3.2 | 0.028 | 0.035 |
| 9/7/2022 | 0.031 (J) | | 0.031 (J) | 0.029 (J) | | | | | |
| 9/8/2022 | | 0.055 | | | 0.027 (J) | 0.025 (J) | | | |
| 9/12/2022 | | | | | | | 5.2 | | 0.05 |
| 9/16/2022 | | | | | | | | 0.23 | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 2.6 | 1.6 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 5.9 | 2.3 |
| 7/5/2016 | | |
| 7/6/2016 | 4.9 | 1.9 |
| 7/7/2016 | | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 6.4 | 0.95 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 6 | 1.8 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 5.4 | 1.9 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | | 0.38 |
| 3/16/2017 | 4.5 | |
| 5/15/2017 | | |
| 5/16/2017 | 3.9 | 2 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 0.93 | 0.67 |
| 10/5/2017 | | |
| 12/20/2017 | 3 | 3 |
| 3/12/2018 | | |
| 3/13/2018 | 3.6 | 2.9 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | 3.4 | 2.9 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 2.8 | 1.6 |
| 10/18/2018 | | |
| 2/27/2019 | 2.8 | |
| 2/28/2019 | | 2.5 |
| 5/31/2019 | 4.4 | 3.1 |
| 11/6/2019 | | |
| 11/11/2019 | 16 | 10 |
| 4/16/2020 | | |
| 4/18/2020 | 3 | 2.8 |
| 10/7/2020 | | |
| 10/8/2020 | 2.4 | |
| 10/9/2020 | | 0.68 |
| 3/29/2021 | | |
| 3/31/2021 | | |

# Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 4/1/2021 | 5.1 | 3.2 |
| 9/2/2021 | | |
| 9/7/2021 | 1.7 | 1.4 |
| 3/22/2022 | | |
| 3/24/2022 | 3.2 | 3.4 |
| 9/7/2022 | | |
| 9/8/2022 | | |
| 9/12/2022 | 3 | 2.5 |
| 9/16/2022 | | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1.4 | 0.67 | 1 (J) | | | | | |
| 3/1/2016 | | | | | 0.6 | 1.5 | | | |
| 3/3/2016 | | | | | | | 57 | 2.5 | 1 (J) |
| 5/2/2016 | 0.78 | 1.1 | 0.58 | | | 0.83 | | | |
| 5/3/2016 | | | | | 0.55 | | | | |
| 5/4/2016 | | | | 0.62 | | | 60 | 1.1 | 1 |
| 7/5/2016 | 0.65 | 0.94 | 0.43 | | 0.53 | 1.6 | | | |
| 7/6/2016 | | | | | | | 54 | | |
| 7/7/2016 | | | | | | | | 0.71 | 0.62 |
| 7/8/2016 | | | | 0.4 | | | | | |
| 9/6/2016 | 0.7 | 1 | 0.48 | 0.45 | 0.5 | 1.6 | | | |
| 9/7/2016 | | | | | | | | 0.78 | 0.6 |
| 9/8/2016 | | | | | | | 68 | | |
| 11/7/2016 | 0.8 | 1.2 | 0.56 | | 0.68 | 1.5 | | 0.82 | |
| 11/8/2016 | | | | | | | 84 | | 0.53 |
| 11/10/2016 | | | | 0.44 | | | | | |
| 1/9/2017 | 0.74 | 1.2 | 0.43 | | 0.56 | 0.98 | | | |
| 1/10/2017 | | | | | | | 64 | 0.58 | 0.51 |
| 1/11/2017 | | | | 0.42 | | | | | |
| 3/13/2017 | 0.78 | 1.3 | 0.48 | | 0.62 | 0.75 | | | |
| 3/14/2017 | | | | 0.42 | | | | | |
| 3/15/2017 | | | | | | | | 0.69 | 0.53 |
| 3/16/2017 | | | | | | | 78 | | |
| 5/15/2017 | 0.76 | 1 | 0.37 | | 0.58 | 0.83 | 63 | | |
| 5/16/2017 | | | | | | | | 0.66 | 0.48 |
| 5/18/2017 | | | | 0.38 | | | | | |
| 10/2/2017 | 0.78 | 1.2 | 0.47 | | 0.62 | 0.83 | | | |
| 10/3/2017 | | | | | | | 43 | 0.68 | 0.46 |
| 10/5/2017 | | | | 0.39 | | | | | |
| 12/20/2017 | | | | | | | 44 | | |
| 3/12/2018 | 0.88 | 1.4 | 0.49 | | 0.59 | 0.71 | | | |
| 3/13/2018 | | | | | | | 68 | 0.65 | 0.46 |
| 3/14/2018 | | | | 0.49 | | | | | |
| 6/5/2018 | 0.9 | 1.2 | 0.49 | | | | | | |
| 6/6/2018 | | | | | 0.59 | 0.68 | | | 0.45 |
| 6/7/2018 | | | | | | | 89 | 0.6 | |
| 6/10/2018 | | | | 0.39 | | | | | |
| 10/16/2018 | 0.86 | 1.4 | 0.42 | | | | | | |
| 10/17/2018 | | | | | 0.54 | 0.66 | 93 | 0.73 | |
| 10/18/2018 | | | | 0.41 | | | | | 0.48 |
| 2/27/2019 | 0.96 | 1.3 | 0.56 | 0.44 | 0.63 | 0.7 | | | |
| 2/28/2019 | | | | | | | 48 | 0.84 | 0.44 |
| 5/31/2019 | 0.76 | 1.1 | 0.33 | 0.28 | 0.45 | 0.52 | 47 | 2.6 | 0.55 |
| 11/6/2019 | 0.88 | 1.2 | 0.49 | 0.46 | 0.55 | 0.74 | | | |
| 11/11/2019 | | | | | | | 73 | 1.6 (V) | 0.56 (V) |
| 4/16/2020 | 0.84 | 1.3 | 0.36 | 0.38 | 0.53 | 0.59 | | | |
| 4/18/2020 | | | | | | | 93 | 0.9 | 0.48 |
| 10/7/2020 | 0.93 | 1.6 | 0.43 | 0.47 | 0.63 | 0.67 | | | |
| 10/8/2020 | | | | | | | 100 | | |
| 10/9/2020 | | | | | | | | 0.76 | 0.58 |
| 3/29/2021 | 1 | 1.6 | 0.46 | 0.43 | 0.68 | 0.75 | | | |
| 3/31/2021 | | | | | | | | | 0.3 |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 97 | 0.61 | |
| 9/2/2021 | 1.1 | 1.5 | 0.47 | 0.63 | 0.56 | 0.73 | | | |
| 9/7/2021 | | | | | | | 56 | 0.53 | 0.46 |
| 3/22/2022 | 0.9 | 1.6 | 0.33 | 0.38 | 0.81 | 0.7 | | | |
| 3/24/2022 | | | | | | | 75 | 3.9 | 0.59 |
| 9/7/2022 | 1 | | 0.61 | 0.6 | | | | | |
| 9/8/2022 | | 2.1 | | | 0.69 | 0.82 | | | |
| 9/12/2022 | | | | | | | 74 | | 0.71 |
| 9/16/2022 | | | | | | | | 58 | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 84 | 160 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 90 | 140 |
| 7/5/2016 | | |
| 7/6/2016 | 72 | 120 |
| 7/7/2016 | | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 75 | 94 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 79 | 160 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 61 | 150 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | | 78 |
| 3/16/2017 | 62 | |
| 5/15/2017 | | |
| 5/16/2017 | 64 | 120 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 59 | 160 |
| 10/5/2017 | | |
| 12/20/2017 | 65 | 120 |
| 3/12/2018 | | |
| 3/13/2018 | 77 | 110 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | 78 | 97 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 60 | 130 |
| 10/18/2018 | | |
| 2/27/2019 | 65 | |
| 2/28/2019 | | 120 |
| 5/31/2019 | 84 | 110 |
| 11/6/2019 | | |
| 11/11/2019 | 63 | 82 |
| 4/16/2020 | | |
| 4/18/2020 | 48 | 150 |
| 10/7/2020 | | |
| 10/8/2020 | 55 | |
| 10/9/2020 | | 120 |
| 3/29/2021 | | |
| 3/31/2021 | | |

# Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 4/1/2021 | 73 | 170 |
| 9/2/2021 | | |
| 9/7/2021 | 66 | 190 |
| 3/22/2022 | | |
| 3/24/2022 | 68 | 200 |
| 9/7/2022 | | |
| 9/8/2022 | | |
| 9/12/2022 | 63 | 130 |
| 9/16/2022 | | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 7.4 | 8.1 | 5.4 | | | | | |
| 3/1/2016 | | | | | 5.6 | 4 | | | |
| 3/3/2016 | | | | | | | 36 | 7.9 | 8.2 |
| 5/2/2016 | 4.4 | 6.3 | 6 | | | 3.6 | | | |
| 5/3/2016 | | | | | 5.1 | | | | |
| 5/4/2016 | | | | 4.5 | | | 47 | 7 | 8.2 |
| 7/5/2016 | 4.2 | 4.8 | 5.2 | | 4.7 | 3.6 | | | |
| 7/6/2016 | | | | | | | 28 | | |
| 7/7/2016 | | | | | | | | 7.1 | 8.3 |
| 7/8/2016 | | | | 4.9 | | | | | |
| 9/6/2016 | 4.3 | 6 | 5.5 | 4.3 | 4.4 | 4 | | | |
| 9/7/2016 | | | | | | | | 6.9 | 8.1 |
| 9/8/2016 | | | | | | | 47 | | |
| 11/7/2016 | 4.2 | 5.7 | 5.4 | | 4.6 | 4.4 | | 8 | |
| 11/8/2016 | | | | | | | 150 | | 8.5 |
| 11/10/2016 | | | | 4.5 | | | | | |
| 1/9/2017 | 5.3 | 6.8 | 6.1 | | 5.3 | 4.4 | | | |
| 1/10/2017 | | | | | | | 110 | <7.4 (*) | 9.1 |
| 1/11/2017 | | | | 5.3 | | | | | |
| 3/13/2017 | 5.2 | 6.8 | 5.5 | | 5.6 | 4.1 | | | |
| 3/14/2017 | | | | 5.5 | | | | | |
| 3/15/2017 | | | | | | | | 8.1 | 48 |
| 3/16/2017 | | | | | | | 200 | | |
| 5/15/2017 | 4.8 | 6.1 | 4.7 | | 5.2 | 3.7 | 120 | | |
| 5/16/2017 | | | | | | | | 7.8 | 8.9 |
| 5/18/2017 | | | | 5 | | | | | |
| 10/2/2017 | 5.5 | 6 | 6.1 | | 5.5 | 4.8 | | | |
| 10/3/2017 | | | | | | | 38 | 7.1 | 8.9 |
| 10/5/2017 | | | | 5.6 | | | | | |
| 12/20/2017 | | | | | | | 22 | 7.6 | 8.8 |
| 3/12/2018 | 5.3 | 5.9 | 6.1 | | 5.6 | 4 | | | |
| 3/13/2018 | | | | | | | 82 | 6.9 | 8.3 |
| 3/14/2018 | | | | 5.2 | | | | | |
| 6/5/2018 | 5.3 | 6.5 | 5.5 | | | | | | |
| 6/6/2018 | | | | | 5.6 | 4.1 | | | 8 |
| 6/7/2018 | | | | | | | 170 | 7.3 | |
| 6/10/2018 | | | | 5.2 | | | | | |
| 10/16/2018 | 5.5 | 5.9 | 5.1 | | | | | | |
| 10/17/2018 | | | | | 5.5 | 3.7 | 110 | 6.8 | |
| 10/18/2018 | | | | 5.2 | | | | | 8.1 |
| 2/27/2019 | 4.6 | 4.3 | 5 | 5.1 | 5.1 | 4 | | | |
| 2/28/2019 | | | | | | | 49 | 7.1 | 9.1 |
| 5/31/2019 | 5.1 | 4.5 | 5.4 | 5 | 5.4 | 3.7 | 50 | 9.8 | 8.2 |
| 11/6/2019 | 5.8 | 5.7 | 6.1 | 6 | 5.9 | 4.7 | | | |
| 11/11/2019 | | | | | | | 63 | 12 | 8.4 |
| 4/16/2020 | 6.1 | 5.6 | 5.3 | 5.8 | 6.2 | 4.9 | | | |
| 4/18/2020 | | | | | | | 96 | 8.2 | 8.7 |
| 10/7/2020 | 6.6 | 5.1 | 5.7 | 5.9 | 6.1 | 4.7 | | | |
| 10/8/2020 | | | | | | | 230 | | |
| 10/9/2020 | | | | | | | | 7.5 | 8.9 |
| 3/29/2021 | 10 | 5 | 5.2 | 5.8 | 6.2 | 5.4 | | | |
| 3/31/2021 | | | | | | | | | 8.4 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 48 | 7.4 | |
| 9/2/2021 | 5.8 | 5.2 | 5.1 | 5.1 | 5.9 | 5.1 | | | |
| 9/7/2021 | | | | | | | 46 | 7 | 8.3 |
| 3/22/2022 | 5.9 | 8.8 | 4.7 | 4.9 | 5.6 | 4.8 | | | |
| 3/24/2022 | | | | | | | 36 | 9.2 | 9.2 |
| 9/7/2022 | 4.4 | | 3.6 | 3.4 | | | | | |
| 9/8/2022 | | 3.4 | | | 4.3 | 5.3 | | | |
| 9/12/2022 | | | | | | | 29 | | 7.1 |
| 9/16/2022 | | | | | | | | 21 | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 43 | 110 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 63 | 120 |
| 7/5/2016 | | |
| 7/6/2016 | 51 | 130 |
| 7/7/2016 | | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 57 | 43 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 47 | 98 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 45 | 150 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | | 65 |
| 3/16/2017 | 40 | |
| 5/15/2017 | | |
| 5/16/2017 | 39 | 120 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 20 | 21 |
| 10/5/2017 | | |
| 12/20/2017 | 63 | 79 |
| 3/12/2018 | | |
| 3/13/2018 | 130 | 84 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | 120 | 86 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 70 | 45 |
| 10/18/2018 | | |
| 2/27/2019 | 94 | |
| 2/28/2019 | | 110 |
| 5/31/2019 | 110 | 130 |
| 11/6/2019 | | |
| 11/11/2019 | 62 | 81 |
| 4/16/2020 | | |
| 4/18/2020 | 33 | 140 |
| 10/7/2020 | | |
| 10/8/2020 | 36 | |
| 10/9/2020 | | 14 |
| 3/29/2021 | | |
| 3/31/2021 | | |

# Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 4/1/2021 | 96 | 71 |
| 9/2/2021 | | |
| 9/7/2021 | 88 | 25 |
| 3/22/2022 | | |
| 3/24/2022 | 64 | 140 |
| 9/7/2022 | | |
| 9/8/2022 | | |
| 9/12/2022 | 40 | 64 |
| 9/16/2022 | | |

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | | | | |
| 3/1/2016 | | | | | <0.1 | 0.033 (J) | | | |
| 3/3/2016 | | | | | | | 0.15 | 0.035 (J) | 0.041 (J) |
| 5/2/2016 | <0.1 | <0.1 | <0.1 | | | <0.1 | | | |
| 5/3/2016 | | | | | <0.1 | | | | |
| 5/4/2016 | | | | <0.1 | | | 0.11 | <0.1 | <0.1 |
| 7/5/2016 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 7/6/2016 | | | | | | | 0.13 | | |
| 7/7/2016 | | | | | | | | <0.1 | <0.1 |
| 7/8/2016 | | | | <0.1 | | | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 9/7/2016 | | | | | | | | <0.1 | <0.1 |
| 9/8/2016 | | | | | | | 0.12 | | |
| 11/7/2016 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | <0.1 | |
| 11/8/2016 | | | | | | | 0.13 | | <0.1 |
| 11/10/2016 | | | | <0.1 | | | | | |
| 1/9/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 1/10/2017 | | | | | | | 0.15 | <0.1 | <0.1 |
| 1/11/2017 | | | | <0.1 | | | | | |
| 3/13/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 3/14/2017 | | | | <0.1 | | | | | |
| 3/15/2017 | | | | | | | | <0.1 | <0.1 |
| 3/16/2017 | | | | | | | 0.16 | | |
| 5/15/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | 0.2 | | |
| 5/16/2017 | | | | | | | | <0.1 | <0.1 |
| 5/18/2017 | | | | <0.1 | | | | | |
| 10/2/2017 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 10/3/2017 | | | | | | | 0.25 | <0.1 | <0.1 |
| 10/5/2017 | | | | <0.1 | | | | | |
| 12/20/2017 | | | | | | | 0.25 | | |
| 3/12/2018 | <0.1 | <0.1 | <0.1 | | <0.1 | <0.1 | | | |
| 3/13/2018 | | | | | | | 0.26 | <0.1 | <0.1 |
| 3/14/2018 | | | | 0.12 | | | | | |
| 6/5/2018 | <0.1 | <0.1 | <0.1 | | | | | | |
| 6/6/2018 | | | | | <0.1 | <0.1 | | | <0.1 |
| 6/7/2018 | | | | | | | 0.28 | <0.1 | |
| 6/10/2018 | | | | <0.1 | | | | | |
| 10/16/2018 | <0.1 | <0.1 | <0.1 | | | | | | |
| 10/17/2018 | | | | | <0.1 | <0.1 | 0.29 | <0.1 | |
| 10/18/2018 | | | | <0.1 | | | | | <0.1 |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 2/28/2019 | | | | | | | 0.28 | <0.1 | <0.1 |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.33 | <0.1 | <0.1 |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 11/11/2019 | | | | | | | 0.26 | <0.1 | <0.1 |
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 4/18/2020 | | | | | | | 0.25 | <0.1 | <0.1 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 10/8/2020 | | | | | | | <0.1 | | |
| 10/9/2020 | | | | | | | | <0.1 | <0.1 |
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 3/31/2021 | | | | | | | | | <0.1 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 0.26 | 0.032 | |
| 9/2/2021 | 0.08 (J) | <0.1 | 0.1 | 0.04 (J) | <0.1 | 0.04 (J) | | | |
| 9/7/2021 | | | | | | | 0.24 | <0.1 | <0.1 |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | | | |
| 3/24/2022 | | | | | | | 0.22 | <0.1 | <0.1 |
| 9/7/2022 | <0.1 | | <0.1 | <0.1 | | | | | |
| 9/8/2022 | | <0.1 | | | <0.1 | <0.1 | | | |
| 9/12/2022 | | | | | | | 0.15 (J) | | <0.1 |
| 9/16/2022 | | | | | | | | 4.6 | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 0.11 | 0.12 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 0.07 (J) | 0.19 |
| 7/5/2016 | | |
| 7/6/2016 | 0.07 (J) | 0.15 |
| 7/7/2016 | | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 0.06 (J) | 0.06 (J) |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 0.06 (J) | 0.09 (J) |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 0.04 (J) | <0.1 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | | <0.1 |
| 3/16/2017 | 0.06 (J) | |
| 5/15/2017 | | |
| 5/16/2017 | 0.09 (J) | 0.04 (J) |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 0.13 | 0.07 (J) |
| 10/5/2017 | | |
| 12/20/2017 | 0.1 | |
| 3/12/2018 | | |
| 3/13/2018 | 0.1 | <0.1 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | 0.14 | <0.1 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 0.14 | 0.06 (J) |
| 10/18/2018 | | |
| 2/27/2019 | 0.16 | |
| 2/28/2019 | | <0.1 |
| 5/31/2019 | 0.2 | <0.1 |
| 11/6/2019 | | |
| 11/11/2019 | 0.16 | <0.1 |
| 4/16/2020 | | |
| 4/18/2020 | 0.17 | <0.1 |
| 10/7/2020 | | |
| 10/8/2020 | 0.07 (J) | |
| 10/9/2020 | | 0.04 (J) |
| 3/29/2021 | | |
| 3/31/2021 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 4/1/2021 | 0.19 | 0.04 |
| 9/2/2021 | | |
| 9/7/2021 | 0.17 | 0.7 |
| 3/22/2022 | | |
| 3/24/2022 | 0.14 | <0.1 |
| 9/7/2022 | | |
| 9/8/2022 | | |
| 9/12/2022 | <0.1 | <0.1 |
| 9/16/2022 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-307 (bg) | MW-306 (bg) | MW-300 | MW-303 | MW-308 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | <5 | 1.6 (J) | <5 | | | | | |
| 3/1/2016 | | | | | <5 | <5 | | | |
| 3/3/2016 | | | | | | | <5 | 180 | 230 |
| 5/2/2016 | 15 (o) | <5 | 2.1 (J) | | <5 | | | | |
| 5/3/2016 | | | | | | <5 | | | |
| 5/4/2016 | | | | <5 | | | <5 | 200 | 280 |
| 7/5/2016 | <5 | <5 | 2 (J) | | <5 | <5 | | | |
| 7/6/2016 | | | | | | | | 150 | 270 |
| 7/7/2016 | | | | | | | <5 | | |
| 7/8/2016 | | | | <5 | | | | | |
| 9/6/2016 | <5 | <5 | 1.8 (J) | <5 | 3.7 (J) | <5 | | | |
| 9/7/2016 | | | | | | | <5 | | 280 |
| 9/8/2016 | | | | | | | | 160 | |
| 11/7/2016 | <5 | <5 | 1.7 (J) | | <5 | <5 | | | |
| 11/8/2016 | | | | | | | <5 | 230 | 280 |
| 11/10/2016 | | | | <5 | | | | | |
| 1/9/2017 | <5 | 2.6 (J) | 1.5 (J) | | <5 | <5 | | | |
| 1/10/2017 | | | | | | | <5 | 190 | 240 |
| 1/11/2017 | | | | <5 | | | | | |
| 3/13/2017 | 2.5 (J) | <5 | 2.2 (J) | | <5 | <5 | | | |
| 3/14/2017 | | | | <5 | | | | | |
| 3/15/2017 | | | | | | | <5 (*) | | |
| 3/16/2017 | | | | | | | | 190 | 220 |
| 5/15/2017 | <5 | <5 | 1.9 (J) | | <5 | <5 | | 190 | |
| 5/16/2017 | | | | | | | <5 | | 200 |
| 5/18/2017 | | | | <5 (X) | | | | | |
| 10/2/2017 | <5 | <5 | 3.4 (J) | | 1.7 (J) | 1.5 (J) | | | |
| 10/3/2017 | | | | | | | <5 | 130 | 180 |
| 10/5/2017 | | | | <5 | | | | | |
| 12/20/2017 | | | | | | | | 85 | 170 |
| 3/12/2018 | <5 | <5 | 2.6 (J) | | <5 | <5 | | | |
| 3/13/2018 | | | | | | | <5 | 160 | 210 |
| 3/14/2018 | | | | <5 | | | | | |
| 6/5/2018 | <5 | <5 | 2.6 (J) | | | | | | |
| 6/6/2018 | | | | | <5 | <5 | <5 | | |
| 6/7/2018 | | | | | | | | 280 | 210 |
| 6/10/2018 | | | | 1.5 (J) | | | | | |
| 10/16/2018 | <5 | <5 | 2.8 (J) | | | | | | |
| 10/17/2018 | | | | | <5 | <5 | | 250 | 140 |
| 10/18/2018 | | | | <5 | | | <5 | | |
| 2/27/2019 | <5 | <5 | 2.4 (J) | 1.9 (J) | <5 | <5 | | | 150 |
| 2/28/2019 | | | | | | | <5 | 140 | |
| 5/31/2019 | <5 | <5 | 3.3 (J) | <5 | <5 | <5 | <5 | 140 | 210 |
| 11/6/2019 | <5 | <5 | 3.7 (J) | <5 | <5 | <5 | | | |
| 11/11/2019 | | | | | | | <5 | 230 | 170 |
| 4/16/2020 | <5 | <5 | 1.7 (J) | <5 | <5 | <5 | | | |
| 4/18/2020 | | | | | | | <5 | 260 | 120 |
| 10/7/2020 | <5 | <5 | 4 (J) | <5 | <5 | <5 | | | |
| 10/8/2020 | | | | | | | | 160 | 170 |
| 10/9/2020 | | | | | | | <5 | | |
| 3/29/2021 | <5 | <5 | 2.3 | <5 | <5 | <5 | | | |
| 3/31/2021 | | | | | | | 18 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-107 (bg) | MW-108 (bg) | MW-101 (bg) | MW-307 (bg) | MW-306 (bg) | MW-300 | MW-303 | MW-308 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | | 320 | 190 |
| 9/2/2021 | <5 | <5 | 4.7 (J) | <5 | <5 | <5 | | | |
| 9/7/2021 | | | | | | | <5 | 120 | 140 |
| 3/22/2022 | <5 | <5 | 4.5 (J) | <5 | <5 | <5 | | | |
| 3/24/2022 | | | | | | | <5 | 180 | 1700 |
| 9/7/2022 | 1.7 (J) | 1.4 (J) | | 1.5 (J) | | | | | |
| 9/8/2022 | | | 5.5 | | <5 | <5 | | | |
| 9/12/2022 | | | | | | | <5 | 190 | 140 |
| 9/16/2022 | | | | | | | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 550 | <5 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 520 | <5 |
| 7/5/2016 | | |
| 7/6/2016 | 510 | |
| 7/7/2016 | | <5 |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 340 | <5 |
| 9/8/2016 | | |
| 11/7/2016 | | <5 |
| 11/8/2016 | 630 | |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 580 | <5 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | 250 | <5 (*) |
| 3/16/2017 | | |
| 5/15/2017 | | |
| 5/16/2017 | 410 | <5 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 440 | <5 |
| 10/5/2017 | | |
| 12/20/2017 | 400 | |
| 3/12/2018 | | |
| 3/13/2018 | 460 | 1.5 (J) |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | 420 | <5 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 320 | <5 |
| 10/18/2018 | | |
| 2/27/2019 | | |
| 2/28/2019 | 490 | 2.6 (J) |
| 5/31/2019 | 500 | 12 |
| 11/6/2019 | | |
| 11/11/2019 | 340 | 5.5 |
| 4/16/2020 | | |
| 4/18/2020 | 600 | <5 |
| 10/7/2020 | | |
| 10/8/2020 | | |
| 10/9/2020 | 300 | <5 |
| 3/29/2021 | | |
| 3/31/2021 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 |
|---|---|---|
| 4/1/2021 | 750 | 1.9 |
| 9/2/2021 | | |
| 9/7/2021 | 530 | <5 |
| 3/22/2022 | | |
| 3/24/2022 | 680 | 18 |
| 9/7/2022 | | |
| 9/8/2022 | | |
| 9/12/2022 | 450 | |
| 9/16/2022 | | 530 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | 12 | <5 | 20 | | | | | |
| 3/1/2016 | | | | | 10 | <5 | | | |
| 3/3/2016 | | | | | | | 420 | 18 | 18 |
| 5/2/2016 | <5 | 6 | <5 | | | 36 | | | |
| 5/3/2016 | | | | | <5 | | | | |
| 5/4/2016 | | | | 6 | | | 450 | 38 | 28 |
| 7/5/2016 | 12 | <5 | 14 | | <5 | <5 | | | |
| 7/6/2016 | | | | | | | 280 | | |
| 7/7/2016 | | | | | | | | <5 | <5 |
| 7/8/2016 | | | | 6 | | | | | |
| 9/6/2016 | 36 | 38 | 30 | 36 | 36 | 44 | | | |
| 9/7/2016 | | | | | | | | 14 | 8 |
| 9/8/2016 | | | | | | | 410 | | |
| 11/7/2016 | 18 | <5 | 8 | | <5 | 30 | | 32 | |
| 11/8/2016 | | | | | | | 580 | | 24 |
| 11/10/2016 | | | | 16 | | | | | |
| 1/9/2017 | 4 (J) | 14 | <5 | | <5 | 12 | | | |
| 1/10/2017 | | | | | | | 530 | 32 | 30 |
| 1/11/2017 | | | | 38 | | | | | |
| 3/13/2017 | 6 | 8 | <5 | | 22 | 20 | | | |
| 3/14/2017 | | | | <5 | | | | | |
| 3/15/2017 | | | | | | | | 20 | 32 |
| 3/16/2017 | | | | | | | 650 | | |
| 5/15/2017 | <5 | <5 | <5 | | 6 | 4 (J) | 500 | | |
| 5/16/2017 | | | | | | | | 18 | <5 |
| 5/18/2017 | | | | 10 | | | | | |
| 10/2/2017 | <5 | 6 | <5 | | 16 | 24 | | | |
| 10/3/2017 | | | | | | | 310 | 36 | 34 |
| 10/5/2017 | | | | <5 | | | | | |
| 12/20/2017 | | | | | | | 150 | | |
| 3/12/2018 | 18 | <5 | 14 | | <5 | <5 | | | |
| 3/13/2018 | | | | | | | 450 | 12 | 26 |
| 3/14/2018 | | | | 8 | | | | | |
| 6/5/2018 | 10 | 14 | <5 | | | | | | |
| 6/6/2018 | | | | | 20 | 16 | | | 64 |
| 6/7/2018 | | | | | | | 620 | <5 | |
| 6/10/2018 | | | | 8 | | | | | |
| 10/16/2018 | 32 | 6 | 12 | | | | | | |
| 10/17/2018 | | | | | 44 | 44 | 700 | 68 | |
| 10/18/2018 | | | | 28 | | | | | 12 |
| 2/27/2019 | 110 | 110 | 54 | 68 | 20 | 28 | | | |
| 2/28/2019 | | | | | | | 330 | 28 | 20 |
| 5/31/2019 | 46 | 26 | 8 | <5 | 32 | 18 | 300 | 50 | 36 |
| 11/6/2019 | <5 | <5 | 4 (J) | 10 | 24 | 20 | | | |
| 11/11/2019 | | | | | | | 390 | 38 | 66 |
| 4/16/2020 | 28 | 8 | 18 | 44 | 6 | 8 | | | |
| 4/18/2020 | | | | | | | 520 | 36 | 62 |
| 10/7/2020 | 30 | 26 | 20 | 24 | 16 | 12 | | | |
| 10/8/2020 | | | | | | | 850 | | |
| 10/9/2020 | | | | | | | | 42 | 52 |
| 3/29/2021 | 38 | 28 | 12 | 26 | 42 | 40 | | | |
| 3/31/2021 | | | | | | | | | 48 |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-108 (bg) | MW-107 (bg) | MW-101 (bg) | MW-306 (bg) | MW-307 (bg) | MW-303 | MW-305 | MW-300 |
|---|---|---|---|---|---|---|---|---|---|
| 4/1/2021 | | | | | | | 600 | 52 | |
| 9/2/2021 | 40 | 8 | 10 | 8 | 10 | <5 | | | |
| 9/7/2021 | | | | | | | 360 | 24 | 54 |
| 3/22/2022 | 58 | 46 | 18 | 14 | 84 | 22 | | | |
| 3/24/2022 | | | | | | | 440 | 62 | 16 |
| 9/7/2022 | 36 | | 22 | 14 | | | | | |
| 9/8/2022 | | 44 | | | 24 | 48 | | | |
| 9/12/2022 | | | | | | | 460 | | 22 |
| 9/16/2022 | | | | | | | | 770 | |

ND substitution: RL or RL/2 if <15% NDs.

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 2/29/2016 | | |
| 3/1/2016 | | |
| 3/3/2016 | 490 | 1100 |
| 5/2/2016 | | |
| 5/3/2016 | | |
| 5/4/2016 | 690 | 1200 |
| 7/5/2016 | | |
| 7/6/2016 | 500 | 870 |
| 7/7/2016 | | |
| 7/8/2016 | | |
| 9/6/2016 | | |
| 9/7/2016 | 590 | 650 |
| 9/8/2016 | | |
| 11/7/2016 | | |
| 11/8/2016 | 530 | 1100 |
| 11/10/2016 | | |
| 1/9/2017 | | |
| 1/10/2017 | 510 | 1300 |
| 1/11/2017 | | |
| 3/13/2017 | | |
| 3/14/2017 | | |
| 3/15/2017 | | 500 |
| 3/16/2017 | 420 | |
| 5/15/2017 | | |
| 5/16/2017 | 430 | 850 |
| 5/18/2017 | | |
| 10/2/2017 | | |
| 10/3/2017 | 320 | 760 |
| 10/5/2017 | | |
| 12/20/2017 | 410 | 830 |
| 3/12/2018 | | |
| 3/13/2018 | 590 | 880 |
| 3/14/2018 | | |
| 6/5/2018 | | |
| 6/6/2018 | | |
| 6/7/2018 | 530 | 670 |
| 6/10/2018 | | |
| 10/16/2018 | | |
| 10/17/2018 | 390 | 770 |
| 10/18/2018 | | |
| 2/27/2019 | 420 | |
| 2/28/2019 | | 880 |
| 5/31/2019 | 620 | 1200 |
| 11/6/2019 | | |
| 11/11/2019 | 410 | 370 |
| 4/16/2020 | | |
| 4/18/2020 | 280 | 1000 |
| 10/7/2020 | | |
| 10/8/2020 | 380 | |
| 10/9/2020 | | 580 |
| 3/29/2021 | | |
| 3/31/2021 | | |

# Prediction Limit

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:54 AM View: 300 Series Interwell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-304 |
|---|---|---|
| 4/1/2021 | 560 | 1200 |
| 9/2/2021 | | |
| 9/7/2021 | 450 | 1000 |
| 3/22/2022 | | |
| 3/24/2022 | 470 | 1400 |
| 9/7/2022 | | |
| 9/8/2022 | | |
| 9/12/2022 | 370 | 930 |
| 9/16/2022 | | |

# Appendix III - Intrawell Prediction Limits - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:51 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Field pH (SU)** | **MW-305** | **5.367** | **4.441** | **9/16/2022** | **3.8** | **Yes** | **14** | **4.904** | **0.2071** | **0** | **None** | **No** | **0.000752** | **Param Intra 1 of 2** |

# Appendix III - Intrawell Prediction Limits - 300 Series Wells - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:51 AM


| Constituent | Well | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | Bg Mean | Std. Dev. | %NDs | ND Adj. | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field pH (SU) | MW-100 | 5.296 | 4.413 | 9/7/2022 | 4.72 | No | 13 | 4.855 | 0.1936 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-101 | 5.543 | 4.367 | 9/7/2022 | 4.89 | No | 13 | 4.955 | 0.258 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-107 | 5.461 | 4.357 | 9/7/2022 | 4.92 | No | 13 | 4.909 | 0.2421 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-108 | 5.218 | 4.328 | 9/8/2022 | 4.78 | No | 12 | 4.773 | 0.1917 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-300 | 5.229 | 4.305 | 9/12/2022 | 4.64 | No | 14 | 4.767 | 0.2067 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-303 | 7.152 | 5.968 | 9/12/2022 | 6.76 | No | 14 | 6.56 | 0.2649 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-304 | 6.401 | 4.549 | 9/12/2022 | 6.13 | No | 14 | 5.475 | 0.4141 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| **Field pH (SU)** | **MW-305** | **5.367** | **4.441** | **9/16/2022** | **3.8** | **Yes** | **14** | **4.904** | **0.2071** | **0** | **None** | **No** | **0.000752** | **Param Intra 1 of 2** |
| Field pH (SU) | MW-306 | 5.478 | 4.584 | 9/8/2022 | 4.87 | No | 13 | 5.031 | 0.1961 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-307 | 6.609 | 4.991 | 9/8/2022 | 5.13 | No | 13 | 5.8 | 0.3549 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |
| Field pH (SU) | MW-308 | 6.805 | 5.551 | 9/12/2022 | 6.58 | No | 14 | 6.178 | 0.2805 | 0 | None | No | 0.000752 | Param Intra 1 of 2 |

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.855, Std. Dev.=0.1936, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9274, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.955, Std. Dev.=0.258, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9894, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.909, Std. Dev.=0.2421, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9038, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.773, Std. Dev.=0.1917, n=12. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9468, critical = 0.805. Kappa = 2.322 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.767, Std. Dev.=0.2067, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.966, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=6.56, Std. Dev.=0.2649, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.943, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.475, Std. Dev.=0.4141, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9337, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Exceeds Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=4.904, Std. Dev.=0.2071, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.946, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.031, Std. Dev.=0.1961, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9411, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=5.8, Std. Dev.=0.3549, n=13. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8636, critical = 0.814. Kappa = 2.279 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Within Limits

## Prediction Limit

Intrawell Parametric




Background Data Summary: Mean=6.178, Std. Dev.=0.2805, n=14. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9279, critical = 0.825. Kappa = 2.236 (c=7, w=5, 1 of 2, event alpha = 0.05132). Report alpha = 0.001504.

Constituent: Field pH Analysis Run 1/13/2023 1:50 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 | MW-100 |
|---|---|---|
| 2/29/2016 | 5.11 | |
| 5/2/2016 | 4.76 | |
| 7/5/2016 | 5.12 | |
| 9/6/2016 | 5.11 | |
| 11/7/2016 | 4.76 | |
| 1/9/2017 | 4.99 | |
| 3/13/2017 | 4.57 | |
| 5/15/2017 | 4.6 | |
| 10/2/2017 | 4.64 | |
| 3/12/2018 | 4.85 | |
| 6/5/2018 | 4.92 | |
| 10/16/2018 | 4.93 | |
| 2/27/2019 | 4.75 | |
| 5/31/2019 | | 4.9 |
| 11/6/2019 | | 4.82 |
| 4/16/2020 | | 5.03 |
| 10/7/2020 | | 4.74 |
| 3/29/2021 | | 4.79 |
| 9/2/2021 | | 4.81 |
| 3/22/2022 | | 4.9 |
| 9/7/2022 | | 4.72 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-101 | MW-101 |
|---|---|---|
| 2/29/2016 | 5.26 | |
| 5/4/2016 | 5.1 | |
| 7/8/2016 | 4.96 | |
| 9/6/2016 | 5.43 | |
| 11/10/2016 | 4.89 | |
| 1/11/2017 | 4.87 | |
| 3/14/2017 | 4.71 | |
| 5/18/2017 | 4.5 | |
| 10/5/2017 | 4.63 | |
| 3/14/2018 | 5.14 | |
| 6/10/2018 | 5.12 | |
| 10/18/2018 | 4.97 | |
| 2/27/2019 | 4.84 | |
| 5/31/2019 | | 4.92 |
| 11/6/2019 | | 4.94 |
| 4/16/2020 | | 5.17 |
| 10/7/2020 | | 5.08 |
| 3/29/2021 | | 4.92 |
| 9/2/2021 | | 5.07 |
| 3/22/2022 | | 5.02 |
| 9/7/2022 | | 4.89 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 | MW-107 |
|---|---|---|
| 2/29/2016 | 5.11 | |
| 5/2/2016 | 4.77 | |
| 7/5/2016 | 5.48 | |
| 9/6/2016 | 5.12 | |
| 11/7/2016 | 4.73 | |
| 1/9/2017 | 5 | |
| 3/13/2017 | 4.74 | |
| 5/15/2017 | 4.63 | |
| 10/2/2017 | 4.63 | |
| 3/12/2018 | 4.81 | |
| 6/5/2018 | 5.04 | |
| 10/16/2018 | 4.98 | |
| 2/27/2019 | 4.78 | |
| 5/31/2019 | | 4.92 |
| 11/6/2019 | | 4.88 |
| 4/16/2020 | | 5.15 |
| 10/7/2020 | | 4.91 |
| 3/29/2021 | | 4.89 |
| 9/2/2021 | | 4.87 |
| 3/22/2022 | | 4.91 |
| 9/7/2022 | | 4.92 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-108 | MW-108 |
|---|---|---|
| 2/29/2016 | 4.9 | |
| 5/2/2016 | 4.69 | |
| 7/5/2016 | 7.11 (o) | |
| 9/6/2016 | 5.19 | |
| 11/7/2016 | 4.64 | |
| 1/9/2017 | 4.94 | |
| 3/13/2017 | 4.63 | |
| 5/15/2017 | 4.52 | |
| 10/2/2017 | 4.54 | |
| 3/12/2018 | 4.81 | |
| 6/5/2018 | 4.9 | |
| 10/16/2018 | 4.81 | |
| 2/27/2019 | 4.71 | |
| 5/31/2019 | | 4.84 |
| 11/6/2019 | | 4.78 |
| 4/16/2020 | | 4.96 |
| 10/7/2020 | | 4.8 |
| 3/29/2021 | | 4.8 |
| 9/2/2021 | | 4.77 |
| 3/22/2022 | | 4.89 |
| 9/8/2022 | | 4.78 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-300 |
|---|---|---|
| 3/3/2016 | 5.11 | |
| 5/4/2016 | 5.13 | |
| 7/7/2016 | 4.96 | |
| 9/7/2016 | 4.88 | |
| 11/8/2016 | 4.54 | |
| 1/10/2017 | 4.83 | |
| 3/15/2017 | 4.82 | |
| 5/16/2017 | 4.53 | |
| 10/3/2017 | 4.44 | |
| 12/20/2017 | 4.63 | |
| 3/13/2018 | 4.78 | |
| 6/6/2018 | 4.67 | |
| 10/18/2018 | 4.71 | |
| 2/28/2019 | 4.71 | |
| 5/31/2019 | | 4.62 |
| 11/11/2019 | | 4.77 |
| 4/18/2020 | | 4.69 |
| 10/9/2020 | | 4.6 |
| 3/31/2021 | | 4.69 |
| 9/7/2021 | | 4.52 |
| 3/24/2022 | | 4.68 |
| 9/12/2022 | | 4.64 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-303 |
|---|---|---|
| 3/3/2016 | 6.16 | |
| 5/4/2016 | 6.3 | |
| 7/6/2016 | 7.07 | |
| 9/8/2016 | 6.72 | |
| 11/8/2016 | 6.55 | |
| 1/10/2017 | 6.72 | |
| 3/16/2017 | 6.5 | |
| 5/15/2017 | 6.15 | |
| 10/3/2017 | 6.48 | |
| 12/20/2017 | 6.99 (R) | |
| 3/13/2018 | 6.61 | |
| 6/7/2018 | 6.48 | |
| 10/17/2018 | 6.58 | |
| 2/28/2019 | 6.53 | |
| 5/31/2019 | | 6.25 |
| 11/11/2019 | | 6.68 |
| 4/18/2020 | | 6.61 |
| 10/8/2020 | | 6.68 |
| 4/1/2021 | | 6.46 |
| 9/7/2021 | | 6.56 |
| 3/24/2022 | | 6.9 |
| 9/12/2022 | | 6.76 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-304 |
|---|---|---|
| 3/3/2016 | 5.185 (D) | |
| 5/4/2016 | 5.02 (D) | |
| 7/6/2016 | 4.93 | |
| 9/7/2016 | 5.36 | |
| 11/8/2016 | 5.26 | |
| 1/10/2017 | 5.04 | |
| 3/15/2017 | 5.91 | |
| 5/16/2017 | 5.36 | |
| 10/3/2017 | 6.36 | |
| 12/20/2017 | 5.86 | |
| 3/13/2018 | 5.41 | |
| 6/7/2018 | 5.37 | |
| 10/17/2018 | 5.94 | |
| 2/28/2019 | 5.64 | |
| 5/31/2019 | | 5.41 |
| 11/11/2019 | | 5.18 |
| 4/18/2020 | | 5.2 |
| 10/9/2020 | | 6.49 |
| 4/1/2021 | | 5.81 |
| 9/7/2021 | | 5.1 |
| 3/24/2022 | | 5.83 |
| 9/12/2022 | | 6.13 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-305 | MW-305 |
|---|---|---|
| 3/3/2016 | 5.33 | |
| 5/4/2016 | 5.13 | |
| 7/7/2016 | 5.19 | |
| 9/7/2016 | 4.9 | |
| 11/7/2016 | 4.78 | |
| 1/10/2017 | 4.96 | |
| 3/15/2017 | 4.89 | |
| 5/16/2017 | 4.53 | |
| 10/3/2017 | 4.64 | |
| 12/20/2017 | 4.87 | |
| 3/13/2018 | 4.91 | |
| 6/7/2018 | 4.8 | |
| 10/17/2018 | 4.87 | |
| 2/28/2019 | 4.86 | |
| 5/31/2019 | | 4.84 |
| 11/11/2019 | | 4.9 |
| 4/18/2020 | | 4.91 |
| 10/9/2020 | | 4.93 |
| 4/1/2021 | | 4.83 |
| 9/7/2021 | | 4.68 |
| 3/24/2022 | | 4.84 |
| 9/16/2022 | | 3.8 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-306 | MW-306 |
|---|---|---|
| 3/1/2016 | 5.08 | |
| 5/3/2016 | 5.14 | |
| 7/5/2016 | 5.38 | |
| 9/6/2016 | 5.37 | |
| 11/7/2016 | 4.92 | |
| 1/9/2017 | 5.05 | |
| 3/13/2017 | 4.87 | |
| 5/15/2017 | 4.69 | |
| 10/2/2017 | 4.88 | |
| 3/12/2018 | 5.07 | |
| 6/6/2018 | 5.09 | |
| 10/17/2018 | 4.99 | |
| 2/27/2019 | 4.87 | |
| 5/31/2019 | | 4.89 |
| 11/6/2019 | | 5.04 |
| 4/16/2020 | | 5.13 |
| 10/7/2020 | | 5.13 |
| 3/29/2021 | | 4.93 |
| 9/2/2021 | | 4.94 |
| 3/22/2022 | | 5.1 |
| 9/8/2022 | | 4.87 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-307 | MW-307 |
|---|---|---|
| 3/1/2016 | 6.37 | |
| 5/2/2016 | 5.605 (D) | |
| 7/5/2016 | 6.29 | |
| 9/6/2016 | 6.42 | |
| 11/7/2016 | 5.75 | |
| 1/9/2017 | 5.98 | |
| 3/13/2017 | 5.81 | |
| 5/15/2017 | 5.42 | |
| 10/2/2017 | 5.63 | |
| 3/12/2018 | 5.6 | |
| 6/6/2018 | 5.58 | |
| 10/17/2018 | 5.54 | |
| 2/27/2019 | 5.4 | |
| 5/31/2019 | | 5.45 |
| 11/6/2019 | | 5.52 |
| 4/16/2020 | | 5.58 |
| 10/7/2020 | | 5.5 |
| 3/29/2021 | | 5.46 |
| 9/2/2021 | | 5.16 |
| 3/22/2022 | | 5.18 |
| 9/8/2022 | | 5.13 |

# Prediction Limit

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:51 AM View: 300 Series Intrawell

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-308 | MW-308 |
|---|---|---|
| 3/3/2016 | 6.62 (D) | |
| 5/4/2016 | 6.345 (D) | |
| 7/6/2016 | 6.42 | |
| 9/7/2016 | 6.01 | |
| 11/8/2016 | 6.02 | |
| 1/10/2017 | 6 | |
| 3/16/2017 | 6.12 | |
| 5/16/2017 | 6.13 | |
| 10/3/2017 | 5.47 | |
| 12/20/2017 | 6.07 (R) | |
| 3/13/2018 | 6.26 | |
| 6/7/2018 | 6.36 | |
| 10/17/2018 | 6.18 | |
| 2/27/2019 | 6.49 | |
| 5/31/2019 | | 6.65 |
| 11/11/2019 | | 6.75 |
| 4/18/2020 | | 6.97 |
| 10/8/2020 | | 5.78 |
| 4/1/2021 | | 6.55 |
| 9/7/2021 | | 6.13 |
| 3/24/2022 | | 6.68 |
| 9/12/2022 | | 6.58 |

# Trend Tests - 100, 200 & 300 Series

# 100 Series

# Appendix III Trend Test Summary - 100 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 12:28 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Boron (mg/L)** | **MW-109** | **0.06335** | **116** | **87** | **Yes** | **21** | **19.05** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-103** | **-0.1377** | **-97** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-104** | **4.237** | **119** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-109** | **0.4966** | **151** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-102** | **0.329** | **112** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-109** | **2.349** | **137** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-105** | **0.05938** | **114** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 100 Series Wells - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 12:28 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 20 | 87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -50 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-102 | 0 | -19 | -87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-103 | -0.02497 | -64 | -92 | No | 22 | 13.64 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-104 | 0 | 18 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-105 | -0.004993 | -4 | -92 | No | 22 | 9.091 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-106 | 0 | 42 | 87 | No | 21 | 47.62 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -21 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | 11 | 87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| **Boron (mg/L)** | **MW-109** | **0.06335** | **116** | **87** | **Yes** | **21** | **19.05** | **n/a** | **n/a** | **0.01** | **NP** |
| Boron (mg/L) | MW-110 | 0.1834 | 74 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-306 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.003994 | -18 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-102 | -0.06055 | -56 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-103** | **-0.1377** | **-97** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-104** | **4.237** | **119** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-105 | 0 | 0 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-106 | -0.01941 | -30 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.01275 | -46 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-109** | **0.4966** | **151** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-110 | 0.6129 | 23 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-306 (bg) | 0.01327 | 49 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.07515 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-102** | **0.329** | **112** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-104 | 0 | 4 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.161 | -81 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2346 | -80 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-109** | **2.349** | **137** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-110 | 0 | 1 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-306 (bg) | 0.1601 | 72 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-100 (bg) | -0.01952 | -35 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.01247 | -16 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-104 | 0.01375 | 44 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-105** | **0.05938** | **114** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-107 (bg) | 0 | -1 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0 | 2 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-306 (bg) | -0.01775 | -30 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-100 (bg) | 0 | -11 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -24 | -87 | No | 21 | 85.71 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-102 | 0 | -8 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-103 | -1.78 | -92 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-104 | 30.39 | 46 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-105 | -0.3837 | -15 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | -11 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-109 | 1.491 | 47 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-110 | 7.046 | 58 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 4 | 87 | No | 21 | 95.24 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 17 | 87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 4.746 | 82 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9958 | 21 | 87 | No | 21 | 14.29 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-104 | 34.41 | 24 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-105 | -7.663 | -34 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 1.285 | 57 | 87 | No | 21 | 33.33 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 1.544 | 64 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-110 | 21.31 | 42 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 2.966 | 77 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0.8038 | 19 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 20 critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -50 critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-102




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -19 critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-103




n = 22

Slope = -0.02497 units per year.

Mann-Kendall statistic = -64 critical = -92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-104




n = 22

Slope = 0 units per year.

Mann-Kendall statistic = 18 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-105




n = 22

Slope = -0.004993 units per year.

Mann-Kendall statistic = -4 critical = -92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-106




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 42 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -21 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 11 critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-109




n = 21

Slope = 0.06335 units per year.

Mann-Kendall statistic = 116 critical = 87


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-110




n = 22

Slope = 0.1834 units per year.

Mann-Kendall statistic = 74 critical = 92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -54 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -54 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0.04301 units per year.

Mann-Kendall statistic = 103 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = -0.003994 units per year.

Mann-Kendall statistic = -18 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-102




n = 21

Slope = -0.06055 units per year.

Mann-Kendall statistic = -56 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-103




n = 22

Slope = -0.1377 units per year.

Mann-Kendall statistic = -97
critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-104




n = 22

Slope = 4.237 units per year.

Mann-Kendall statistic = 119
critical = 92

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-105




n = 22

Slope = 0 units per year.

Mann-Kendall statistic = 0
critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-106




n = 21

Slope = -0.01941 units per year.

Mann-Kendall statistic = -30
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = -0.01275 units per year.

Mann-Kendall statistic = -46
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0.08717 units per year.

Mann-Kendall statistic = 109
critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-109




n = 22

Slope = 0.4966 units per year.

Mann-Kendall statistic = 151
critical = 92

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-110




n = 22

Slope = 0.6129 units per year.

Mann-Kendall statistic = 23
critical = 92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0.01327 units per year.

Mann-Kendall statistic = 49 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = -0.06256 units per year.

Mann-Kendall statistic = -101 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0.2783 units per year.

Mann-Kendall statistic = 96 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0.07515 units per year.

Mann-Kendall statistic = 26 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-102




n = 21

Slope = 0.329 units per year.

Mann-Kendall statistic = 112 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-104




n = 22

Slope = 0 units per year.

Mann-Kendall statistic = 4 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = -0.161 units per year.

Mann-Kendall statistic = -81 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = -0.2346 units per year.

Mann-Kendall statistic = -80 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-109




n = 21

Slope = 2.349 units per year.

Mann-Kendall statistic = 137 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:54 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-110




n = 22

Slope = 0 units per year.

Mann-Kendall statistic = 1 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0.1601 units per year.

Mann-Kendall statistic = 72 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0.2017 units per year.

Mann-Kendall statistic = 104 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = -0.01952 units per year.

Mann-Kendall statistic = -35 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = -0.01247 units per year.

Mann-Kendall statistic = -16 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-104




n = 22

Slope = 0.01375 units per year.

Mann-Kendall statistic = 44 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-105




n = 22

Slope = 0.05938 units per year.

Mann-Kendall statistic = 114 critical = 92


Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -1 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 2 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = -0.01775 units per year.

Mann-Kendall statistic = -30 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = -0.1231 units per year.

Mann-Kendall statistic = -147 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -11
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate  Analysis Run 1/12/2023 10:55 PM  View: 100 Series Trend Tests
Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -24
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate  Analysis Run 1/12/2023 10:55 PM  View: 100 Series Trend Tests
Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-102




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -8
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate  Analysis Run 1/12/2023 10:55 PM  View: 100 Series Trend Tests
Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-103




n = 22

Slope = -1.78 units per year.

Mann-Kendall statistic = -92
critical = -92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate  Analysis Run 1/12/2023 10:55 PM  View: 100 Series Trend Tests
Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-104




n = 22

Slope = 30.39 units per year.

Mann-Kendall statistic = 46 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-105




n = 22

Slope = -0.3837 units per year.

Mann-Kendall statistic = -15 critical = -92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -11 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0.4895 units per year.

Mann-Kendall statistic = 122 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-109




n = 22

Slope = 1.491 units per year.

Mann-Kendall statistic = 47 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-110




n = 22

Slope = 7.046 units per year.

Mann-Kendall statistic = 58 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 4 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 17 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 4.746 units per year.

Mann-Kendall statistic = 82
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0.9958 units per year.

Mann-Kendall statistic = 21
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-104




n = 22

Slope = 34.41 units per year.

Mann-Kendall statistic = 24
critical = 92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-105




n = 22

Slope = -7.663 units per year.

Mann-Kendall statistic = -34
critical = -92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 1.285 units per year.

Mann-Kendall statistic = 57
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 1.544 units per year.

Mann-Kendall statistic = 64
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-110




n = 22

Slope = 21.31 units per year.

Mann-Kendall statistic = 42
critical = 92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 2.966 units per year.

Mann-Kendall statistic = 77
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:55 PM View: 100 Series Trend Tests
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0.8038 units per year.

Mann-Kendall statistic = 19
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids  Analysis Run 1/12/2023 10:55 PM  View: 100 Series Trend Tests

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

# 200 Series

# Appendix III Trend Test Summary - 200 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-200 | -5.703 | -180 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-201 | -4.389 | -159 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-206 | -14.67 | -203 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-100 (bg) | 0.04301 | 103 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-108 (bg) | 0.08717 | 109 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-200 | -148.4 | -188 | -92 | Yes | 22 | 4.545 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-201 | -115.9 | -139 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-206 | -431.1 | -219 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-307 (bg) | -0.06256 | -101 | -87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-100 (bg) | 0.2783 | 96 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-200 | -255.1 | -155 | -92 | Yes | 22 | 4.545 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-201 | -231 | -109 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-206 | -881.6 | -196 | -87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-307 (bg) | 0.2017 | 104 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-206 | 0.1138 | 127 | 92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-307 (bg) | -0.1231 | -147 | -87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-108 (bg) | 0.4895 | 122 | 87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-200 | -51.31 | -139 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-201 | -71.07 | -166 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-206 | -103.1 | -187 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-200 | -808.9 | -189 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-201 | -654 | -126 | -92 | Yes | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-206 | -2117 | -173 | -87 | Yes | 21 | 0 | n/a | n/a | 0.01 | NP |

# Appendix III Trend Test Summary - 200 Series Wells - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 20 | 87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -50 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -21 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | 11 | 87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| **Boron (mg/L)** | **MW-200** | **-5.703** | **-180** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Boron (mg/L)** | **MW-201** | **-4.389** | **-159** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Boron (mg/L)** | **MW-206** | **-14.67** | **-203** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Boron (mg/L) | MW-306 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.003994 | -18 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.01275 | -46 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-200** | **-148.4** | **-188** | **-92** | **Yes** | **22** | **4.545** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-201** | **-115.9** | **-139** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-206** | **-431.1** | **-219** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-306 (bg) | 0.01327 | 49 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.07515 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.161 | -81 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2346 | -80 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-200** | **-255.1** | **-155** | **-92** | **Yes** | **22** | **4.545** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-201** | **-231** | **-109** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-206** | **-881.6** | **-196** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-306 (bg) | 0.1601 | 72 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-100 (bg) | -0.01952 | -35 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.01247 | -16 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-107 (bg) | 0 | -1 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0 | 2 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-206** | **0.1138** | **127** | **92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Field pH (SU) | MW-306 (bg) | -0.01775 | -30 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-100 (bg) | 0 | -11 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -24 | -87 | No | 21 | 85.71 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | -11 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-200** | **-51.31** | **-139** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-201** | **-71.07** | **-166** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-206** | **-103.1** | **-187** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 4 | 87 | No | 21 | 95.24 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 17 | 87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 4.746 | 82 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9958 | 21 | 87 | No | 21 | 14.29 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 1.285 | 57 | 87 | No | 21 | 33.33 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 1.544 | 64 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| **Total Dissolved Solids (mg/L)** | **MW-200** | **-808.9** | **-189** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-201** | **-654** | **-126** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-206** | **-2117** | **-173** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 2.966 | 77 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0.8038 | 19 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 20 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -50 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -21 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 11 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-200




n = 22

Slope = -5.703 units per year.

Mann-Kendall statistic = -180 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-201




n = 22

Slope = -4.389 units per year.

Mann-Kendall statistic = -159 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-206




n = 22

Slope = -14.67 units per year.

Mann-Kendall statistic = -203 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -54 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -54
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0.04301 units per year.

Mann-Kendall statistic = 103
critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = -0.003994 units per year.

Mann-Kendall statistic = -18
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = -0.01275 units per year.

Mann-Kendall statistic = -46
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0.08717 units per year.

Mann-Kendall statistic = 109 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-200




n = 22

Slope = -148.4 units per year.

Mann-Kendall statistic = -188 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-201




n = 22

Slope = -115.9 units per year.

Mann-Kendall statistic = -139 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-206




n = 22

Slope = -431.1 units per year.

Mann-Kendall statistic = -219 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0.01327 units per year.

Mann-Kendall statistic = 49 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = -0.06256 units per year.

Mann-Kendall statistic = -101 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0.2783 units per year.

Mann-Kendall statistic = 96 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0.07515 units per year.

Mann-Kendall statistic = 26 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = -0.161 units per year.

Mann-Kendall statistic = -81 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = -0.2346 units per year.

Mann-Kendall statistic = -80 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-200




n = 22

Slope = -255.1 units per year.

Mann-Kendall statistic = -155 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-201




n = 22

Slope = -231 units per year.

Mann-Kendall statistic = -109 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-206




n = 21

Slope = -881.6 units per year.

Mann-Kendall statistic = -196
critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0.1601 units per year.

Mann-Kendall statistic = 72
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:34 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0.2017 units per year.

Mann-Kendall statistic = 104
critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = -0.01952 units per year.

Mann-Kendall statistic = -35
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = -0.01247 units per year.

Mann-Kendall statistic = -16 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -1 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 2 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-206




n = 22

Slope = 0.1138 units per year.

Mann-Kendall statistic = 127 critical = 92

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = -0.01775 units per year.

Mann-Kendall statistic = -30 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = -0.1231 units per year.

Mann-Kendall statistic = -147 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -11 critical = -81

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -24 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -11 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0.4895 units per year.

Mann-Kendall statistic = 122 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-200




n = 22

Slope = -51.31 units per year.

Mann-Kendall statistic = -139 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-201




n = 22

Slope = -71.07 units per year.

Mann-Kendall statistic = -166 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-206




n = 22

Slope = -103.1 units per year.

Mann-Kendall statistic = -187 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 4 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 17 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 4.746 units per year.

Mann-Kendall statistic = 82 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0.9958 units per year.

Mann-Kendall statistic = 21
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 1.285 units per year.

Mann-Kendall statistic = 57
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 1.544 units per year.

Mann-Kendall statistic = 64
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-200




n = 22

Slope = -808.9 units per year.

Mann-Kendall statistic = -189
critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-201




n = 22

Slope = -654 units per year.

Mann-Kendall statistic = -126 critical = -92

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-206




n = 21

Slope = -2117 units per year.

Mann-Kendall statistic = -173 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 2.966 units per year.

Mann-Kendall statistic = 77 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0.8038 units per year.

Mann-Kendall statistic = 19 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:35 AM View: 200 Series Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# 300 Series

# Appendix III Trend Test Summary - 300 Series Wells - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:58 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Sulfate (mg/L)** | **MW-308** | **-20.47** | **-113** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| **Total Dissolved Solids (mg/L)** | **MW-305** | **6.155** | **89** | **87** | **Yes** | **21** | **9.524** | **n/a** | **n/a** | **0.01** | **NP** |

# Appendix III Trend Test Summary - 300 Series Wells - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:58 AM

| Constituent | Well | Slope | Calc. | Critical | Sig. | N | %NDs | Normality | Xform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Boron (mg/L) | MW-100 (bg) | 0 | 20 | 87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-101 (bg) | 0 | -50 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-107 (bg) | 0 | -21 | -87 | No | 21 | 76.19 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-108 (bg) | 0 | 11 | 87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-303 | 0.05087 | 17 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-304 | 0.2602 | 69 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-305 | -0.00036 | -21 | -87 | No | 21 | 33.33 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-306 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-307 (bg) | 0 | -54 | -87 | No | 21 | 80.95 | n/a | n/a | 0.01 | NP |
| Boron (mg/L) | MW-308 | -0.423 | -67 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-100 (bg)** | **0.04301** | **103** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-101 (bg) | -0.003994 | -18 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-107 (bg) | -0.01275 | -46 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-108 (bg)** | **0.08717** | **109** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-303 | 3.232 | 61 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-304 | 2.113 | 27 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-305 | 0.01469 | 12 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Calcium (mg/L) | MW-306 (bg) | 0.01327 | 49 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Calcium (mg/L)** | **MW-307 (bg)** | **-0.06256** | **-101** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Calcium (mg/L) | MW-308 | -2.232 | -54 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-100 (bg)** | **0.2783** | **96** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-101 (bg) | 0.07515 | 26 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-107 (bg) | -0.161 | -81 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-108 (bg) | -0.2346 | -80 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-300 | 0 | 7 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-303 | -0.4784 | -10 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-304 | -5.154 | -31 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-305 | 0.1637 | 54 | 92 | No | 22 | 4.545 | n/a | n/a | 0.01 | NP |
| Chloride (mg/L) | MW-306 (bg) | 0.1601 | 72 | 87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Chloride (mg/L)** | **MW-307 (bg)** | **0.2017** | **104** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Chloride (mg/L) | MW-308 | 2.274 | 19 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-100 (bg) | -0.01952 | -35 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-101 (bg) | -0.01247 | -16 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-107 (bg) | 0 | -1 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-108 (bg) | 0 | 2 | 81 | No | 20 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-305 | -0.04509 | -79 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Field pH (SU) | MW-306 (bg) | -0.01775 | -30 | -87 | No | 21 | 0 | n/a | n/a | 0.01 | NP |
| **Field pH (SU)** | **MW-307 (bg)** | **-0.1231** | **-147** | **-87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Fluoride (mg/L) | MW-100 (bg) | 0 | -29 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-101 (bg) | 0 | -17 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-107 (bg) | 0 | 0 | 87 | No | 21 | 95.24 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-108 (bg) | 0 | 0 | 87 | No | 21 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-305 | 0 | 23 | 87 | No | 21 | 85.71 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-306 (bg) | 0 | 0 | 87 | No | 21 | 100 | n/a | n/a | 0.01 | NP |
| Fluoride (mg/L) | MW-307 (bg) | 0 | 5 | 87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-100 (bg) | 0 | -11 | -81 | No | 20 | 90 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-101 (bg) | 0 | -24 | -87 | No | 21 | 85.71 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-107 (bg) | 0 | -11 | -87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-108 (bg)** | **0.4895** | **122** | **87** | **Yes** | **21** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Sulfate (mg/L) | MW-303 | 0 | 11 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-304 | 7.028 | 10 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-305 | 0 | 33 | 87 | No | 21 | 66.67 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-306 (bg) | 0 | 4 | 87 | No | 21 | 95.24 | n/a | n/a | 0.01 | NP |
| Sulfate (mg/L) | MW-307 (bg) | 0 | 17 | 87 | No | 21 | 90.48 | n/a | n/a | 0.01 | NP |
| **Sulfate (mg/L)** | **MW-308** | **-20.47** | **-113** | **-92** | **Yes** | **22** | **0** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-100 (bg) | 4.746 | 82 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-101 (bg) | 0.9958 | 21 | 87 | No | 21 | 14.29 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-107 (bg) | 1.285 | 57 | 87 | No | 21 | 33.33 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-108 (bg) | 1.544 | 64 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-303 | 12.72 | 22 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-304 | 9.695 | 13 | 92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |
| **Total Dissolved Solids (mg/L)** | **MW-305** | **6.155** | **89** | **87** | **Yes** | **21** | **9.524** | **n/a** | **n/a** | **0.01** | **NP** |
| Total Dissolved Solids (mg/L) | MW-306 (bg) | 2.966 | 77 | 87 | No | 21 | 23.81 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-307 (bg) | 0.8038 | 19 | 87 | No | 21 | 19.05 | n/a | n/a | 0.01 | NP |
| Total Dissolved Solids (mg/L) | MW-308 | -21 | -65 | -92 | No | 22 | 0 | n/a | n/a | 0.01 | NP |

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 20 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -50 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -21 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 11 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-303




n = 22

Slope = 0.05087 units per year.

Mann-Kendall statistic = 17 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-304




n = 22

Slope = 0.2602 units per year.

Mann-Kendall statistic = 69 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-305




n = 21

Slope = -0.00036 units per year.

Mann-Kendall statistic = -21 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -54 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -54 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-308




n = 22

Slope = -0.423 units per year.

Mann-Kendall statistic = -67 critical = -92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Boron Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0.04301 units per year.

Mann-Kendall statistic = 103 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = -0.003994 units per year.

Mann-Kendall statistic = -18 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = -0.01275 units per year.

Mann-Kendall statistic = -46
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0.08717 units per year.

Mann-Kendall statistic = 109
critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-303




n = 22

Slope = 3.232 units per year.

Mann-Kendall statistic = 61
critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-304




n = 22

Slope = 2.113 units per year.

Mann-Kendall statistic = 27
critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-305




n = 21

Slope = 0.01469 units per year.

Mann-Kendall statistic = 12 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0.01327 units per year.

Mann-Kendall statistic = 49 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = -0.06256 units per year.

Mann-Kendall statistic = -101 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-308




n = 22

Slope = -2.232 units per year.

Mann-Kendall statistic = -54 critical = -92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Calcium Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0.2783 units per year.

Mann-Kendall statistic = 96
critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0.07515 units per year.

Mann-Kendall statistic = 26
critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = -0.161 units per year.

Mann-Kendall statistic = -81
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = -0.2346 units per year.

Mann-Kendall statistic = -80
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-300




n = 22

Slope = 0 units per year.

Mann-Kendall statistic = 7 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-303




n = 22

Slope = -0.4784 units per year.

Mann-Kendall statistic = -10 critical = -92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-304




n = 22

Slope = -5.154 units per year.

Mann-Kendall statistic = -31 critical = -92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-305




n = 22

Slope = 0.1637 units per year.

Mann-Kendall statistic = 54 critical = 92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0.1601 units per year.

Mann-Kendall statistic = 72 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0.2017 units per year.

Mann-Kendall statistic = 104 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-308




n = 22

Slope = 2.274 units per year.

Mann-Kendall statistic = 19 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Chloride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = -0.01952 units per year.

Mann-Kendall statistic = -35 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = -0.01247 units per year.

Mann-Kendall statistic = -16 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -1 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-108 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = 2 critical = 81

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-305




n = 22

Slope = -0.04509 units per year.

Mann-Kendall statistic = -79 critical = -92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = -0.01775 units per year.

Mann-Kendall statistic = -30 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Field pH Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = -0.1231 units per year.

Mann-Kendall statistic = -147 critical = -87

Decreasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Field pH Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -29 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -17 critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-305




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 23 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 0 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Fluoride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 5
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Fluoride Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 20

Slope = 0 units per year.

Mann-Kendall statistic = -11
critical = -81


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = -24
critical = -87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 0 units per year.


Mann-Kendall statistic = -11
critical = -87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 0.4895 units per year.

Mann-Kendall statistic = 122 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-303




n = 22

Slope = 0 units per year.

Mann-Kendall statistic = 11 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-304




n = 22

Slope = 7.028 units per year.

Mann-Kendall statistic = 10 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-305




n = 21

Slope = 0 units per year.

Mann-Kendall statistic = 33 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).


Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 0
units per year.

Mann-Kendall
statistic = 4
critical = 87


Trend not sig-
nificant at 99%
confidence level
(α = 0.005 per
tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0
units per year.

Mann-Kendall
statistic = 17
critical = 87


Trend not sig-
nificant at 99%
confidence level
(α = 0.005 per
tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-308




n = 22

Slope = -20.47
units per year.

Mann-Kendall
statistic = -113
critical = -92


Decreasing trend
significant at 99%
confidence level
(α = 0.005 per
tail).

Constituent: Sulfate Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-100 (bg)




n = 21

Slope = 4.746
units per year.

Mann-Kendall
statistic = 82
critical = 87


Trend not sig-
nificant at 99%
confidence level
(α = 0.005 per
tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-101 (bg)




n = 21

Slope = 0.9958 units per year.

Mann-Kendall statistic = 21
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:56 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-107 (bg)




n = 21

Slope = 1.285 units per year.

Mann-Kendall statistic = 57
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:57 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-108 (bg)




n = 21

Slope = 1.544 units per year.

Mann-Kendall statistic = 64
critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:57 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-303




n = 22

Slope = 12.72 units per year.

Mann-Kendall statistic = 22
critical = 92


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:57 AM View: 300 Series - Trend Test
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Sen's Slope Estimator

MW-304




n = 22

Slope = 9.695 units per year.

Mann-Kendall statistic = 13 critical = 92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:57 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-305




n = 21

Slope = 6.155 units per year.

Mann-Kendall statistic = 89 critical = 87

Increasing trend significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:57 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-306 (bg)




n = 21

Slope = 2.966 units per year.

Mann-Kendall statistic = 77 critical = 87

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:57 AM View: 300 Series - Trend Test


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Hollow symbols indicate censored values.

## Sen's Slope Estimator

MW-307 (bg)




n = 21

Slope = 0.8038 units per year.

Mann-Kendall statistic = 19 critical = 87


Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:57 AM View: 300 Series - Trend Test

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sen's Slope Estimator

MW-308




n = 22

Slope = -21 units per year.

Mann-Kendall statistic = -65
critical = -92

Trend not significant at 99% confidence level (α = 0.005 per tail).

Constituent: Total Dissolved Solids  Analysis Run 1/13/2023 1:57 AM  View: 300 Series - Trend Test

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

# Tolerance Limits

# Upper Tolerance Limits Summary Table

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant  Printed 1/13/2023, 1:44 AM

| Constituent | Upper Lim. | Lower Lim. | Date | Observ. | Sig. | Bg N | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|
| Antimony (mg/L) | 0.0025 | n/a | n/a | n/a | n/a | 108 | 100 | n/a | 0.003928 | NP Inter(NDs) |
| Arsenic (mg/L) | 0.0013 | n/a | n/a | n/a | n/a | 120 | 82.5 | n/a | 0.002122 | NP Inter(NDs) |
| Barium (mg/L) | 0.023 | n/a | n/a | n/a | n/a | 120 | 0 | n/a | 0.002122 | NP Inter(normality) |
| Beryllium (mg/L) | 0.0025 | n/a | n/a | n/a | n/a | 120 | 90 | n/a | 0.002122 | NP Inter(NDs) |
| Cadmium (mg/L) | 0.0025 | n/a | n/a | n/a | n/a | 120 | 100 | n/a | 0.002122 | NP Inter(NDs) |
| Chromium (mg/L) | 0.0088 | n/a | n/a | n/a | n/a | 119 | 82.35 | n/a | 0.002234 | NP Inter(NDs) |
| Cobalt (mg/L) | 0.0032 | n/a | n/a | n/a | n/a | 120 | 39.17 | n/a | 0.002122 | NP Inter(normality) |
| Combined Radium 226 + 228 (pCi/L) | 2.476 | n/a | n/a | n/a | n/a | 120 | 2.5 | x^(1/3) | 0.05 | Inter |
| Fluoride (mg/L) | 0.12 | n/a | n/a | n/a | n/a | 126 | 94.44 | n/a | 0.00156 | NP Inter(NDs) |
| Lead (mg/L) | 0.0013 | n/a | n/a | n/a | n/a | 120 | 94.17 | n/a | 0.002122 | NP Inter(NDs) |
| Lithium (mg/L) | 0.0054 | n/a | n/a | n/a | n/a | 119 | 69.75 | n/a | 0.002234 | NP Inter(normality) |
| Mercury (mg/L) | 0.00025 | n/a | n/a | n/a | n/a | 120 | 95 | n/a | 0.002122 | NP Inter(NDs) |
| Molybdenum (mg/L) | 0.015 | n/a | n/a | n/a | n/a | 120 | 94.17 | n/a | 0.002122 | NP Inter(NDs) |
| Selenium (mg/L) | 0.0034 | n/a | n/a | n/a | n/a | 120 | 82.5 | n/a | 0.002122 | NP Inter(NDs) |
| Thallium (mg/L) | 0.0005 | n/a | n/a | n/a | n/a | 120 | 99.17 | n/a | 0.002122 | NP Inter(NDs) |

# Groundwater Protection Standards

| GULF CLEAN ENERGY CENTER GWPS | | | | |
|---|---|---|---|---|
| **Constituent Name** | **MCL** | **CCR Rule-Specified** | **Background** | **GWPS** |
| Antimony, Total (mg/L) | 0.006 | | 0.0025 | 0.006 |
| Arsenic, Total (mg/L) | 0.01 | | 0.0013 | 0.01 |
| Barium, Total (mg/L) | 2 | | 0.023 | 2 |
| Beryllium, Total (mg/L) | 0.004 | | 0.0025 | 0.004 |
| Cadmium, Total (mg/L) | 0.005 | | 0.0025 | 0.005 |
| Chromium, Total (mg/L) | 0.1 | | 0.0088 | 0.1 |
| Cobalt, Total (mg/L) | n/a | 0.006 | 0.0032 | 0.006 |
| Combined Radium, Total (pCi/L) | 5 | | 2.48 | 5 |
| Fluoride, Total (mg/L) | 4 | | 0.12 | 4 |
| Lead, Total (mg/L) | 0.015 | | 0.0013 | 0.015 |
| Lithium, Total (mg/L) | n/a | 0.04 | 0.0054 | 0.04 |
| Mercury, Total (mg/L) | 0.002 | | 0.00025 | 0.002 |
| Molybdenum, Total (mg/L) | n/a | 0.1 | 0.015 | 0.1 |
| Selenium, Total (mg/L) | 0.05 | | 0.0034 | 0.05 |
| Thallium, Total (mg/L) | 0.002 | | 0.0005 | 0.002 |

*MCL = Maximum Contaminant Level*

*GWPS = Groundwater Protection Standard*

# Confidence Intervals - 100, 200 & 300 Series

# 100 Series

# Confidence Interval Summary Table - 100 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Cobalt (mg/L)** | **MW-104** | **0.02202** | **0.01538** | **0.006** | **Yes** | **20** | **0.005841** | **0** | **No** | **0.01** | **Param.** |
| **Cobalt (mg/L)** | **MW-110** | **0.01388** | **0.006484** | **0.006** | **Yes** | **20** | **0.006509** | **0** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-104** | **18.44** | **13.73** | **5** | **Yes** | **20** | **4.145** | **0** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-110** | **7.038** | **5.579** | **5** | **Yes** | **20** | **1.284** | **0** | **No** | **0.01** | **Param.** |
| **Mercury (mg/L)** | **MW-110** | **0.00562** | **0.003474** | **0.002** | **Yes** | **20** | **0.00189** | **0** | **No** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 100 Series - All Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Arsenic (mg/L) | MW-102 | 0.0013 | 0.0005 | 0.01 | No | 20 | 0.0001789 | 95 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-103 | 0.0021 | 0.00051 | 0.01 | No | 20 | 0.000358 | 85 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-104 | 0.006876 | 0.002669 | 0.01 | No | 20 | 0.003704 | 5 | No | 0.01 | Param. |
| Arsenic (mg/L) | MW-105 | 0.0048 | 0.0036 | 0.01 | No | 20 | 0.001705 | 0 | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-109 | 0.0013 | 0.0011 | 0.01 | No | 20 | 0.0002902 | 85 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-110 | 0.0013 | 0.00051 | 0.01 | No | 20 | 0.0004422 | 60 | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-102 | 0.012 | 0.0086 | 2 | No | 20 | 0.004698 | 0 | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-103 | 0.05644 | 0.03746 | 2 | No | 20 | 0.01671 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-104 | 0.02643 | 0.02077 | 2 | No | 20 | 0.004978 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-105 | 0.04514 | 0.03376 | 2 | No | 20 | 0.01002 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-106 | 0.01191 | 0.01001 | 2 | No | 20 | 0.001833 | 0 | ln(x) | 0.01 | Param. |
| Barium (mg/L) | MW-109 | 0.02291 | 0.01846 | 2 | No | 20 | 0.004112 | 0 | sqrt(x) | 0.01 | Param. |
| Barium (mg/L) | MW-110 | 0.04387 | 0.03243 | 2 | No | 20 | 0.01007 | 0 | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-102 | 0.0025 | 0.00011 | 0.004 | No | 20 | 0.0005344 | 95 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-104 | 0.001167 | 0.0008105 | 0.004 | No | 20 | 0.0003135 | 10 | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-109 | 0.0025 | 0.000044 | 0.004 | No | 20 | 0.0005492 | 95 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-110 | 0.0025 | 0.00013 | 0.004 | No | 20 | 0.0007366 | 90 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-104 | 0.0025 | 0.00049 | 0.005 | No | 20 | 0.001018 | 50 | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-109 | 0.0025 | 0.000078 | 0.005 | No | 20 | 0.0005416 | 95 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-110 | 0.0025 | 0.00032 | 0.005 | No | 20 | 0.0007041 | 90 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-102 | 0.0028 | 0.0012 | 0.1 | No | 20 | 0.001045 | 80 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-103 | 0.003 | 0.0011 | 0.1 | No | 20 | 0.001754 | 70 | No | 0.01 | NP (normality) |
| Chromium (mg/L) | MW-104 | 0.002596 | 0.001851 | 0.1 | No | 20 | 0.0005284 | 25 | No | 0.01 | Param. |
| Chromium (mg/L) | MW-105 | 0.002475 | 0.001783 | 0.1 | No | 20 | 0.0006088 | 5 | No | 0.01 | Param. |
| Chromium (mg/L) | MW-106 | 0.0044 | 0.0019 | 0.1 | No | 20 | 0.0004522 | 90 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-109 | 0.0061 | 0.0025 | 0.1 | No | 20 | 0.003083 | 90 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-110 | 0.0025 | 0.0016 | 0.1 | No | 20 | 0.0006592 | 80 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-102 | 0.0025 | 0.00088 | 0.006 | No | 20 | 0.0007716 | 85 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-103 | 0.0025 | 0.00044 | 0.006 | No | 20 | 0.00102 | 65 | No | 0.01 | NP (normality) |
| **Cobalt (mg/L)** | **MW-104** | **0.02202** | **0.01538** | **0.006** | **Yes** | **20** | **0.005841** | **0** | **No** | **0.01** | **Param.** |
| Cobalt (mg/L) | MW-105 | 0.0025 | 0.00087 | 0.006 | No | 20 | 0.0007528 | 85 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-106 | 0.0025 | 0.00045 | 0.006 | No | 20 | 0.0009516 | 35 | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-109 | 0.007506 | 0.003959 | 0.006 | No | 20 | 0.003124 | 0 | No | 0.01 | Param. |
| **Cobalt (mg/L)** | **MW-110** | **0.01388** | **0.006484** | **0.006** | **Yes** | **20** | **0.006509** | **0** | **No** | **0.01** | **Param.** |
| Combined Radium 226 + 228 (pCi/L) | MW-102 | 1.92 | 1.23 | 5 | No | 20 | 1.098 | 0 | No | 0.01 | NP (normality) |
| Combined Radium 226 + 228 (pCi/L) | MW-103 | 6.519 | 4.707 | 5 | No | 20 | 1.595 | 0 | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-104** | **18.44** | **13.73** | **5** | **Yes** | **20** | **4.145** | **0** | **No** | **0.01** | **Param.** |
| Combined Radium 226 + 228 (pCi/L) | MW-105 | 4.05 | 2.527 | 5 | No | 20 | 1.341 | 0 | No | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-106 | 1.352 | 0.8137 | 5 | No | 20 | 0.4736 | 5 | No | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-109 | 3.057 | 1.804 | 5 | No | 20 | 1.103 | 0 | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-110** | **7.038** | **5.579** | **5** | **Yes** | **20** | **1.284** | **0** | **No** | **0.01** | **Param.** |
| Fluoride (mg/L) | MW-103 | 0.24 | 0.037 | 4 | No | 21 | 0.03412 | 90.48 | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-104 | 0.3495 | 0.2396 | 4 | No | 22 | 0.1024 | 4.545 | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-105 | 0.1 | 0.041 | 4 | No | 21 | 0.02755 | 66.67 | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-109 | 0.1 | 0.05 | 4 | No | 21 | 0.01091 | 95.24 | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-110 | 0.1 | 0.04 | 4 | No | 21 | 0.02875 | 61.9 | No | 0.01 | NP (normality) |
| Lead (mg/L) | MW-102 | 0.0013 | 0.00018 | 0.015 | No | 20 | 0.0003509 | 90 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-103 | 0.0013 | 0.00011 | 0.015 | No | 20 | 0.0002661 | 95 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-104 | 0.002322 | 0.001868 | 0.015 | No | 20 | 0.0004006 | 0 | No | 0.01 | Param. |
| Lead (mg/L) | MW-105 | 0.0013 | 0.00091 | 0.015 | No | 20 | 0.0002735 | 90 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-106 | 0.0013 | 0.00039 | 0.015 | No | 20 | 0.0002035 | 95 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-109 | 0.0013 | 0.0012 | 0.015 | No | 20 | 0.0003831 | 80 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-110 | 0.0013 | 0.0004 | 0.015 | No | 20 | 0.000427 | 75 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-102 | 0.005 | 0.0014 | 0.04 | No | 20 | 0.001407 | 85 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-103 | 0.005 | 0.0017 | 0.04 | No | 20 | 0.001678 | 45 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-104 | 0.03151 | 0.01962 | 0.04 | No | 20 | 0.01143 | 0 | sqrt(x) | 0.01 | Param. |
| Lithium (mg/L) | MW-105 | 0.005 | 0.00039 | 0.04 | No | 20 | 0.001031 | 95 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-106 | 0.005 | 0.0035 | 0.04 | No | 20 | 0.00183 | 70 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-109 | 0.006546 | 0.004974 | 0.04 | No | 20 | 0.001384 | 5 | No | 0.01 | Param. |
| Lithium (mg/L) | MW-110 | 0.012 | 0.0073 | 0.04 | No | 20 | 0.01868 | 0 | No | 0.01 | NP (normality) |
| Mercury (mg/L) | MW-102 | 0.0002 | 0.000094 | 0.002 | No | 20 | 0.00003263 | 90 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-103 | 0.00062 | 0.00016 | 0.002 | No | 20 | 0.00009731 | 85 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-104 | 0.001262 | 0.0006784 | 0.002 | No | 20 | 0.0005135 | 0 | No | 0.01 | Param. |
| Mercury (mg/L) | MW-106 | 0.0002 | 0.00008 | 0.002 | No | 20 | 0.00002683 | 95 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-109 | 0.00047 | 0.0002 | 0.002 | No | 20 | 0.0007373 | 60 | No | 0.01 | NP (normality) |
| **Mercury (mg/L)** | **MW-110** | **0.00562** | **0.003474** | **0.002** | **Yes** | **20** | **0.00189** | **0** | **No** | **0.01** | **Param.** |
| Molybdenum (mg/L) | MW-102 | 0.015 | 0.00091 | 0.1 | No | 20 | 0.003151 | 95 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-103 | 0.015 | 0.00092 | 0.1 | No | 20 | 0.003148 | 95 | No | 0.01 | NP (NDs) |

# Confidence Interval Summary Table - 100 Series - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:39 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Molybdenum (mg/L) | MW-105 | 0.005679 | 0.00376 | 0.1 | No | 20 | 0.00184 | 5 | sqrt(x) | 0.01 | Param. |
| Molybdenum (mg/L) | MW-106 | 0.015 | 0.00068 | 0.1 | No | 20 | 0.003202 | 95 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-109 | 0.015 | 0.0009 | 0.1 | No | 20 | 0.003153 | 95 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-102 | 0.0013 | 0.001 | 0.05 | No | 20 | 0.0008583 | 70 | No | 0.01 | NP (normality) |
| Selenium (mg/L) | MW-103 | 0.002672 | 0.001753 | 0.05 | No | 20 | 0.0008091 | 5 | No | 0.01 | Param. |
| Selenium (mg/L) | MW-104 | 0.01239 | 0.005906 | 0.05 | No | 20 | 0.005713 | 0 | No | 0.01 | Param. |
| Selenium (mg/L) | MW-105 | 0.0013 | 0.0004 | 0.05 | No | 20 | 0.0004743 | 55 | No | 0.01 | NP (normality) |
| Selenium (mg/L) | MW-106 | 0.0016 | 0.0013 | 0.05 | No | 20 | 0.00006708 | 95 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-109 | 0.002 | 0.00035 | 0.05 | No | 20 | 0.0004252 | 80 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-110 | 0.003771 | 0.003239 | 0.05 | No | 20 | 0.0004685 | 0 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-102 | 0.0005 | 0.00021 | 0.002 | No | 20 | 0.00006485 | 95 | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-103 | 0.0005 | 0.00015 | 0.002 | No | 20 | 0.0001284 | 90 | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-104 | 0.0003521 | 0.0002509 | 0.002 | No | 20 | 0.00008905 | 5 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-105 | 0.0005 | 0.00024 | 0.002 | No | 20 | 0.0001004 | 90 | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-109 | 0.0005 | 0.00012 | 0.002 | No | 20 | 0.00008497 | 95 | No | 0.01 | NP (NDs) |
| Thallium (mg/L) | MW-110 | 0.0002885 | 0.0002365 | 0.002 | No | 20 | 0.00004587 | 10 | No | 0.01 | Param. |

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Arsenic Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Barium Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Beryllium Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Cadmium Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Chromium Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Cobalt Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Fluoride Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Lead Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Lithium Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Mercury Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval


Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Molybdenum Analysis Run 1/13/2023 1:37 PM View: 100 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded.  Per-well alpha = 0.01.  Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Selenium  Analysis Run 1/13/2023 1:37 PM  View: 100 Series Confidence Intervals

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded.  Per-well alpha = 0.01.  Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Thallium  Analysis Run 1/13/2023 1:37 PM  View: 100 Series Confidence Intervals

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

# Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0013 | <0.0013 | 0.0085 | 0.0039 (J) | | |
| 3/2/2016 | | | | | <0.0013 | <0.0013 |
| 5/5/2016 | <0.0013 | <0.0013 | 0.0077 | 0.0039 | <0.0013 | 0.00061 (J) |
| 7/7/2016 | <0.0013 | <0.0013 | 0.0082 | 0.0037 | <0.0013 | <0.0013 |
| 9/6/2016 | <0.0013 | | | | | |
| 9/7/2016 | | <0.0013 | 0.012 | 0.0032 | <0.0013 | <0.0013 |
| 11/9/2016 | | | 0.0071 | 0.0038 | | |
| 11/10/2016 | 0.0005 (J) | 0.00051 (J) | | | <0.0013 | 0.00047 (J) |
| 1/11/2017 | | | 0.0071 | 0.0035 | | |
| 1/12/2017 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/14/2017 | | | 0.0067 | 0.0036 | <0.0013 | |
| 3/15/2017 | <0.0013 | <0.0013 | | | | <0.0013 |
| 5/18/2017 | <0.0013 | <0.0013 | 0.0087 | 0.0036 | <0.0013 | 0.00051 (J) |
| 3/14/2018 | <0.0013 | <0.0013 | 0.0027 | 0.0039 | <0.0013 | 0.00056 (J) |
| 6/10/2018 | | | 0.0047 | 0.0034 | | |
| 6/11/2018 | <0.0013 | <0.0013 | | | <0.0013 | 0.0005 (J) |
| 10/18/2018 | | <0.0013 | 0.0019 | 0.0044 | <0.0013 | <0.0013 |
| 10/19/2018 | <0.0013 | | | | | |
| 3/1/2019 | | | <0.0013 | 0.0047 | <0.0013 | <0.0013 |
| 3/2/2019 | <0.0013 | <0.0013 | | | | |
| 6/3/2019 | <0.0013 | | 0.003 | 0.0045 | <0.0013 | <0.0013 |
| 6/11/2019 | | <0.0013 | | | | |
| 11/7/2019 | | 0.00019 (J) | 8.9E-05 (J) | | 0.00025 (V) | 0.0002 (J) |
| 11/9/2019 | <0.0013 | | | 0.0045 | | |
| 4/17/2020 | | <0.0013 | | | <0.0013 | 0.00012 (J) |
| 4/18/2020 | <0.0013 | | 0.0014 | 0.0054 | | |
| 10/8/2020 | <0.0013 | 0.0021 | 0.0019 | 0.0046 | | |
| 10/9/2020 | | | | | <0.0013 | <0.0013 |
| 3/30/2021 | <0.0013 | <0.0013 | | 0.0082 | | |
| 3/31/2021 | | | 0.00048 | | 0.0011 | <0.0013 |
| 9/3/2021 | | | 0.00084 (J) | 0.0096 | 0.00048 (J) | 0.00063 (J) |
| 9/7/2021 | <0.0013 | <0.0013 | | | | |
| 3/23/2022 | <0.0013 | | 0.0018 | 0.0073 | <0.0013 | <0.0013 |
| 3/24/2022 | | <0.0013 | | | | |
| 9/8/2022 | | | | | <0.0013 | |
| 9/9/2022 | <0.0013 | <0.0013 | 0.01 | 0.0048 | | <0.0013 |
| Mean | 0.00126 | 0.001245 | 0.004773 | 0.004725 | 0.001197 | 0.00096 |
| Std. Dev. | 0.0001789 | 0.000358 | 0.003704 | 0.001705 | 0.0002902 | 0.0004422 |
| Upper Lim. | 0.0013 | 0.0021 | 0.006876 | 0.0048 | 0.0013 | 0.0013 |
| Lower Lim. | 0.0005 | 0.00051 | 0.002669 | 0.0036 | 0.0011 | 0.00051 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Barium (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | 0.0081 (J) | 0.055 | 0.017 | 0.043 | 0.016 | | |
| 3/2/2016 | | | | | | 0.022 | 0.058 |
| 5/4/2016 | | | | | 0.012 | | |
| 5/5/2016 | 0.011 | 0.056 | 0.018 | 0.033 | | 0.02 | 0.05 |
| 7/7/2016 | 0.012 | 0.055 | 0.02 | 0.042 | | 0.021 | 0.044 |
| 7/8/2016 | | | | | 0.015 | | |
| 9/6/2016 | 0.012 | | | | | | |
| 9/7/2016 | | 0.07 | 0.027 | 0.043 | 0.012 | 0.023 | 0.051 |
| 11/9/2016 | | | 0.022 | 0.046 | 0.01 | | |
| 11/10/2016 | 0.0099 | 0.061 | | | | 0.019 | 0.046 |
| 1/11/2017 | | | 0.03 | 0.042 | 0.01 | | |
| 1/12/2017 | 0.0085 | 0.058 | | | | 0.018 | 0.047 |
| 3/14/2017 | | | 0.02 | 0.038 | 0.0097 | 0.02 | |
| 3/15/2017 | 0.009 | 0.07 | | | | | 0.046 |
| 5/18/2017 | 0.0095 | 0.068 | 0.027 | 0.051 | 0.01 | 0.019 | 0.045 |
| 3/14/2018 | 0.0084 | 0.052 | 0.025 | 0.038 | 0.0096 | 0.017 | 0.036 |
| 6/10/2018 | | | 0.025 | 0.055 | 0.0089 | | |
| 6/11/2018 | 0.0089 | 0.053 | | | | 0.016 | 0.036 |
| 10/18/2018 | | 0.052 | 0.021 | 0.035 | 0.0096 | 0.019 | 0.035 |
| 10/19/2018 | 0.0085 | | | | | | |
| 3/1/2019 | | | 0.018 | 0.032 | 0.0095 | 0.018 | 0.036 |
| 3/2/2019 | 0.01 | 0.011 | | | | | |
| 6/3/2019 | 0.012 | | 0.031 | 0.05 | 0.0098 | 0.017 | 0.04 |
| 6/11/2019 | | 0.043 | | | | | |
| 11/7/2019 | | 0.04 | 0.02 | | | 0.019 | 0.027 |
| 11/9/2019 | 0.011 | | | 0.06 | 0.011 | | |
| 4/17/2020 | | 0.05 | | | 0.012 | 0.026 | 0.032 |
| 4/18/2020 | 0.012 | | 0.021 | 0.045 | | | |
| 10/8/2020 | 0.0086 | 0.037 | 0.022 | 0.028 | 0.0099 | | |
| 10/9/2020 | | | | | | 0.026 | 0.026 |
| 3/30/2021 | 0.0096 | 0.033 | | 0.028 | 0.011 | | |
| 3/31/2021 | | | 0.023 | | | 0.027 | 0.025 |
| 9/3/2021 | | | 0.02 | 0.029 | 0.011 | 0.032 | 0.036 |
| 9/7/2021 | 0.0095 | 0.03 | | | | | |
| 3/23/2022 | 0.013 | | 0.03 | 0.027 | 0.012 | 0.02 | 0.024 |
| 3/24/2022 | | 0.027 | | | | | |
| 9/8/2022 | | | | | 0.012 | 0.017 | |
| 9/9/2022 | 0.03 | 0.018 | 0.035 | 0.024 | | | 0.023 |
| Mean | 0.01108 | 0.04695 | 0.0236 | 0.03945 | 0.01105 | 0.0208 | 0.03815 |
| Std. Dev. | 0.004698 | 0.01671 | 0.004978 | 0.01002 | 0.001833 | 0.004112 | 0.01007 |
| Upper Lim. | 0.012 | 0.05644 | 0.02643 | 0.04514 | 0.01191 | 0.02291 | 0.04387 |
| Lower Lim. | 0.0086 | 0.03746 | 0.02077 | 0.03376 | 0.01001 | 0.01846 | 0.03243 |

# Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-104 | MW-109 | MW-110 |
|---|---|---|---|---|
| 3/1/2016 | <0.0025 | 0.0013 (J) | | |
| 3/2/2016 | | | <0.0025 | <0.0025 |
| 5/5/2016 | <0.0025 | 0.00088 (J) | <0.0025 | <0.0025 |
| 7/7/2016 | <0.0025 | 0.001 (J) | <0.0025 | <0.0025 |
| 9/6/2016 | <0.0025 | | | |
| 9/7/2016 | | 0.00078 (J) | <0.0025 | <0.0025 |
| 11/9/2016 | | 0.0012 (J) | | |
| 11/10/2016 | <0.0025 | | <0.0025 | <0.0025 |
| 1/11/2017 | | 0.0014 (J) | | |
| 1/12/2017 | <0.0025 | | <0.0025 | <0.0025 |
| 3/14/2017 | | 0.0013 (J) | <0.0025 | |
| 3/15/2017 | <0.0025 | | | <0.0025 |
| 5/18/2017 | <0.0025 | 0.0016 (J) | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | 0.0011 (J) | <0.0025 | <0.0025 |
| 6/10/2018 | | 0.0011 (J) | | |
| 6/11/2018 | <0.0025 | | <0.0025 | <0.0025 |
| 10/18/2018 | | 0.00084 (J) | <0.0025 | <0.0025 |
| 10/19/2018 | <0.0025 | | | |
| 3/1/2019 | | 0.00057 (J) | <0.0025 | <0.0025 |
| 3/2/2019 | <0.0025 | | | |
| 6/3/2019 | <0.0025 | 0.00074 (J) | <0.0025 | <0.0025 |
| 11/7/2019 | | 0.00065 | <0.0025 | 8.4E-05 (J) |
| 11/9/2019 | <0.0025 | | | |
| 4/17/2020 | | | 4.4E-05 (J) | 0.00013 (J) |
| 4/18/2020 | 0.00011 (J) | 0.00096 | | |
| 10/8/2020 | <0.0025 | 0.00039 (J) | | |
| 10/9/2020 | | | <0.0025 | <0.0025 |
| 3/30/2021 | <0.0025 | | | |
| 3/31/2021 | | 0.0007 | <0.0025 | <0.0025 |
| 9/3/2021 | | 0.00076 (J) | <0.0025 | <0.0025 |
| 9/7/2021 | <0.0025 | | | |
| 3/23/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 9/8/2022 | | | <0.0025 | |
| 9/9/2022 | <0.0025 | <0.0025 | | <0.0025 |
| Mean | 0.00238 | 0.0009885 | 0.002377 | 0.002261 |
| Std. Dev. | 0.0005344 | 0.0003135 | 0.0005492 | 0.0007366 |
| Upper Lim. | 0.0025 | 0.001167 | 0.0025 | 0.0025 |
| Lower Lim. | 0.00011 | 0.0008105 | 4.4E-05 | 0.00013 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-104 | MW-109 | MW-110 |
|---|---|---|---|
| 3/1/2016 | <0.0025 | | |
| 3/2/2016 | | <0.0025 | <0.0025 |
| 5/5/2016 | <0.0025 | <0.0025 | <0.0025 |
| 7/7/2016 | <0.0025 | <0.0025 | <0.0025 |
| 9/7/2016 | <0.0025 | <0.0025 | <0.0025 |
| 11/9/2016 | <0.0025 | | |
| 11/10/2016 | | <0.0025 | <0.0025 |
| 1/11/2017 | 0.00049 (J) | | |
| 1/12/2017 | | <0.0025 | <0.0025 |
| 3/14/2017 | <0.0025 | <0.0025 | |
| 3/15/2017 | | | <0.0025 |
| 5/18/2017 | <0.0025 | <0.0025 | <0.0025 |
| 3/14/2018 | 0.00052 (J) | <0.0025 | <0.0025 |
| 6/10/2018 | 0.00049 (J) | | |
| 6/11/2018 | | <0.0025 | <0.0025 |
| 10/18/2018 | 0.00044 (J) | <0.0025 | <0.0025 |
| 3/1/2019 | 0.00038 (J) | <0.0025 | <0.0025 |
| 6/3/2019 | 0.0006 (J) | <0.0025 | <0.0025 |
| 11/7/2019 | 0.00075 | 7.8E-05 (J) | 0.00032 (J) |
| 4/17/2020 | | <0.0025 | 0.00011 (J) |
| 4/18/2020 | 0.00037 (J) | | |
| 10/8/2020 | <0.0025 | | |
| 10/9/2020 | | <0.0025 | <0.0025 |
| 3/31/2021 | 0.00056 | <0.0025 | <0.0025 |
| 9/3/2021 | 0.00061 (J) | <0.0025 | <0.0025 |
| 3/23/2022 | <0.0025 | <0.0025 | <0.0025 |
| 9/8/2022 | | <0.0025 | |
| 9/9/2022 | <0.0025 | | <0.0025 |
| Mean | 0.00151 | 0.002379 | 0.002271 |
| Std. Dev. | 0.001018 | 0.0005416 | 0.0007041 |
| Upper Lim. | 0.0025 | 0.0025 | 0.0025 |
| Lower Lim. | 0.00049 | 7.8E-05 | 0.00032 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0025 | <0.0025 | <0.0025 | 0.0023 (J) | <0.0025 | | |
| 3/2/2016 | | | | | | <0.0025 | <0.0025 |
| 5/4/2016 | | | | | <0.0025 | | |
| 5/5/2016 | <0.0025 | <0.0025 | 0.0014 (J) | <0.0025 | | <0.0025 | <0.0025 |
| 7/7/2016 | <0.0025 | <0.0025 | 0.0014 (J) | 0.002 (J) | | <0.0025 | <0.0025 |
| 7/8/2016 | | | | | <0.0025 | | |
| 9/6/2016 | <0.0025 | | | | | | |
| 9/7/2016 | | <0.0025 | 0.0019 (J) | 0.0029 | <0.0025 | <0.0025 | <0.0025 |
| 11/9/2016 | | | 0.0023 (J) | 0.0025 | <0.0025 | | |
| 11/10/2016 | <0.0025 | <0.0025 | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | | 0.0024 (J) | 0.002 (J) | <0.0025 | | |
| 1/12/2017 | <0.0025 | <0.0025 | | | | <0.0025 | <0.0025 |
| 3/14/2017 | | | 0.0023 (J) | 0.0025 | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | | | <0.0025 |
| 5/18/2017 | <0.0025 | <0.0025 | 0.0023 (J) | 0.002 (J) | <0.0025 | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | <0.0025 | 0.0023 (J) | 0.0022 (J) | <0.0025 | <0.0025 | <0.0025 |
| 6/10/2018 | | | 0.0022 (J) | 0.002 (J) | <0.0025 | | |
| 6/11/2018 | <0.0025 | <0.0025 | | | | <0.0025 | <0.0025 |
| 10/18/2018 | | <0.0025 | 0.0016 (J) | 0.0029 | <0.0025 | <0.0025 | <0.0025 |
| 10/19/2018 | <0.0025 | | | | | | |
| 3/1/2019 | | | <0.0025 | 0.0026 | <0.0025 | <0.0025 | <0.0025 |
| 3/2/2019 | 0.0028 | 0.0052 | | | | | |
| 6/3/2019 | <0.0025 | | 0.0015 (J) | 0.0022 (J) | <0.0025 | <0.0025 | <0.0025 |
| 6/11/2019 | | 0.0011 (J) | | | | | |
| 11/7/2019 | | 0.00028 (J) | <0.0025 | | | <0.0025 | 0.00042 (J) |
| 11/9/2019 | 0.00037 (J) | | | 0.0022 (J) | <0.0025 | | |
| 4/17/2020 | | 0.00026 (J) | | | <0.0025 | <0.0025 | 0.0004 (J) |
| 4/18/2020 | <0.0025 | | 0.0016 | 0.0029 | | | |
| 10/8/2020 | <0.0025 | <0.0025 | 0.0031 | 0.0028 | 0.0019 (J) | | |
| 10/9/2020 | | | | | | <0.0025 | 0.0016 (J) |
| 3/30/2021 | <0.0025 | <0.0025 | | 0.0015 | <0.0025 | | |
| 3/31/2021 | | | <0.0025 | | | 0.016 | <0.0025 |
| 9/3/2021 | | | 0.0025 | 0.0011 (J) | <0.0025 | <0.0025 | <0.0025 |
| 9/7/2021 | 0.0012 (J) | 0.0088 | | | | | |
| 3/23/2022 | 0.0063 | | 0.001 (J) | 0.00073 | 0.0044 | 0.0061 | 0.0025 |
| 3/24/2022 | | 0.003 | | | | | |
| 9/8/2022 | | | | | <0.0025 | <0.0025 | |
| 9/9/2022 | <0.0025 | <0.0025 | <0.0025 | 0.002 (J) | | | <0.0025 |
| Mean | 0.002533 | 0.002682 | 0.002115 | 0.002129 | 0.002565 | 0.003355 | 0.002246 |
| Std. Dev. | 0.001045 | 0.001754 | 0.0005284 | 0.0006088 | 0.0004522 | 0.003083 | 0.0006592 |
| Upper Lim. | 0.0028 | 0.003 | 0.002596 | 0.002475 | 0.0044 | 0.0061 | 0.0025 |
| Lower Lim. | 0.0012 | 0.0011 | 0.001851 | 0.001783 | 0.0019 | 0.0025 | 0.0016 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0025 | 0.001 (J) | 0.017 | <0.0025 | 0.0007 (J) | | |
| 3/2/2016 | | | | | | 0.00075 (J) | 0.0047 (J) |
| 5/4/2016 | | | | | 0.001 (J) | | |
| 5/5/2016 | <0.0025 | 0.00064 (J) | 0.012 | <0.0025 | | 0.0042 | 0.0047 |
| 7/7/2016 | <0.0025 | <0.0025 | 0.012 | <0.0025 | | 0.0043 | 0.0041 |
| 7/8/2016 | | | | | 0.00057 (J) | | |
| 9/6/2016 | <0.0025 | | | | | | |
| 9/7/2016 | | 0.00044 (J) | 0.018 | <0.0025 | 0.00061 (J) | 0.0049 | 0.0047 |
| 11/9/2016 | | | 0.022 | <0.0025 | 0.00055 (J) | | |
| 11/10/2016 | <0.0025 | <0.0025 | | | | 0.004 | 0.0043 |
| 1/11/2017 | | | 0.025 | <0.0025 | 0.00045 (J) | | |
| 1/12/2017 | <0.0025 | <0.0025 | | | | 0.0045 | 0.0048 |
| 3/14/2017 | | | 0.019 | <0.0025 | 0.00059 (J) | 0.0039 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | | | 0.0066 |
| 5/18/2017 | <0.0025 | <0.0025 | 0.023 | <0.0025 | 0.00059 (J) | 0.005 | 0.0065 |
| 3/14/2018 | <0.0025 | <0.0025 | 0.014 | <0.0025 | 0.00044 (J) | 0.0038 | 0.012 |
| 6/10/2018 | | | 0.029 | <0.0025 | 0.0004 (J) | | |
| 6/11/2018 | <0.0025 | <0.0025 | | | | 0.0044 | 0.0096 |
| 10/18/2018 | | <0.0025 | 0.016 | <0.0025 | <0.0025 | 0.0036 | 0.025 |
| 10/19/2018 | <0.0025 | | | | | | |
| 3/1/2019 | | | 0.009 | <0.0025 | <0.0025 | 0.0052 | 0.02 |
| 3/2/2019 | <0.0025 | 0.00041 (J) | | | | | |
| 6/3/2019 | <0.0025 | | 0.015 | <0.0025 | <0.0025 | 0.0071 | 0.0053 |
| 6/11/2019 | | <0.0025 | | | | | |
| 11/7/2019 | | 0.00015 (J) | 0.022 | | | 0.0085 | 0.019 |
| 11/9/2019 | 0.00016 (J) | | | 0.00087 (J) | 0.00036 (J) | | |
| 4/17/2020 | | 0.00021 (J) | | | 0.00036 (J) | 0.0089 | 0.013 |
| 4/18/2020 | 0.00023 (J) | | 0.013 | 0.00037 (J) | | | |
| 10/8/2020 | <0.0025 | <0.0025 | 0.017 | <0.0025 | <0.0025 | | |
| 10/9/2020 | | | | | | 0.0072 | 0.015 |
| 3/30/2021 | <0.0025 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | 0.018 | | | 0.0023 | 0.0091 |
| 9/3/2021 | | | 0.018 | <0.0025 | <0.0025 | 0.015 | 0.0032 |
| 9/7/2021 | <0.0025 | <0.0025 | | | | | |
| 3/23/2022 | 0.00088 | | 0.023 | 0.00017 (J) | 0.00099 | 0.0094 | 0.013 |
| 3/24/2022 | | 0.00026 (J) | | | | | |
| 9/8/2022 | | | | | <0.0025 | 0.0077 | |
| 9/9/2022 | <0.0025 | <0.0025 | 0.032 | <0.0025 | | | 0.019 |
| Mean | 0.002188 | 0.00178 | 0.0187 | 0.002195 | 0.001255 | 0.005733 | 0.01018 |
| Std. Dev. | 0.0007716 | 0.00102 | 0.005841 | 0.0007528 | 0.0009516 | 0.003124 | 0.006509 |
| Upper Lim. | 0.0025 | 0.0025 | 0.02202 | 0.0025 | 0.0025 | 0.007506 | 0.01388 |
| Lower Lim. | 0.00088 | 0.00044 | 0.01538 | 0.00087 | 0.00045 | 0.003959 | 0.006484 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | 0.996 | 5.24 | 11.8 | 4.21 | 0.872 | | |
| 3/2/2016 | | | | | | 2.39 | 7.8 |
| 5/4/2016 | | | | | <5 | | |
| 5/5/2016 | 2.82 | 4.13 | 9.43 | 2.24 | | 1.54 | 5.51 |
| 7/7/2016 | 1.58 | 7.01 | 13.8 | 3.28 | | 2.17 | 7.65 |
| 7/8/2016 | | | | | 1.02 | | |
| 9/6/2016 | 1.46 | | | | | | |
| 9/7/2016 | | 7.94 | 13.7 | 2.83 | 0.826 | 2.24 | 5.9 |
| 11/9/2016 | | | 16.9 | 4.28 | 1.17 | | |
| 11/10/2016 | 1.92 | 7 | | | | 2.69 | 5.04 |
| 1/11/2017 | | | 24.9 | 4.62 | 0.924 | | |
| 1/12/2017 | 1.48 | 7.87 | | | | 1.81 | 9.04 |
| 3/14/2017 | | | 15.5 | 2.28 | 0.889 | 1.74 | |
| 3/15/2017 | 1.41 | 7.1 | | | | | 6.46 |
| 5/18/2017 | 1.23 | 7.26 | 19.8 | 3 | 0.338 | 1.7 | 8.31 |
| 3/14/2018 | 1.64 | 7.02 | 13.1 | 2.82 | 0.789 | 1.99 | 7.06 |
| 6/10/2018 | | | 19.1 | 6.2 | 0.852 | | |
| 6/11/2018 | 1.51 | 5.54 | | | | 1.59 | 7.06 |
| 10/18/2018 | | 5.59 | 12.1 | 2.89 | 1.05 | 1.77 | 7.22 |
| 10/19/2018 | 1 | | | | | | |
| 3/1/2019 | | | 10.4 | 2.89 | 1.01 | 1.51 | 5.59 |
| 3/2/2019 | 1.5 | 1.69 | | | | | |
| 6/3/2019 | 2.67 | | 19.1 | 4.84 | 1.33 | 0.42 (U) | 4.73 |
| 6/11/2019 | | 5.8 | | | | | |
| 11/7/2019 | | 4.83 | 20.8 | | | 3.07 | 5.46 |
| 11/9/2019 | 1.31 | | | 6.06 | 0.663 | | |
| 4/17/2020 | | 5.33 | | | 0.604 | 2.45 | 4.26 |
| 4/18/2020 | 0.931 | | 13.8 | 2.03 | | | |
| 10/8/2020 | 1.08 | 5.59 | 13.6 | 2.03 | 1.49 | | |
| 10/9/2020 | | | | | | 4 | 5.63 |
| 3/30/2021 | 1.46 | 5.05 | | 3.57 | 1.8 | | |
| 3/31/2021 | | | 21 | | | 3.92 | 5.69 |
| 9/3/2021 | | | 15.1 | 1.87 | 0.866 | 5.26 | 4.72 |
| 9/7/2021 | 1.47 | 4.59 | | | | | |
| 3/23/2022 | 2.18 | | 16.5 | 1.79 | 1.17 | 3.57 | 6.71 |
| 3/24/2022 | | 4.52 | | | | | |
| 9/8/2022 | | | | | 1.49 | 2.78 | |
| 9/9/2022 | 5.92 | 3.16 | 21.2 | 2.04 | | | 6.33 |
| Mean | 1.778 | 5.613 | 16.08 | 3.289 | 1.083 | 2.431 | 6.309 |
| Std. Dev. | 1.098 | 1.595 | 4.145 | 1.341 | 0.4736 | 1.103 | 1.284 |
| Upper Lim. | 1.92 | 6.519 | 18.44 | 4.05 | 1.352 | 3.057 | 7.038 |
| Lower Lim. | 1.23 | 4.707 | 13.73 | 2.527 | 0.8137 | 1.804 | 5.579 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-103 | MW-104 | MW-105 | MW-109 | MW-110 |
|---|---|---|---|---|---|
| 3/1/2016 | 0.037 (J) | 0.46 | 0.041 (J) | | |
| 3/2/2016 | | | | <0.1 | 0.039 (J) |
| 5/5/2016 | <0.1 | 0.27 | <0.1 | <0.1 | <0.1 |
| 7/7/2016 | <0.1 | 0.29 | <0.1 | <0.1 | <0.1 |
| 9/7/2016 | <0.1 | 0.33 | <0.1 | <0.1 | <0.1 |
| 11/9/2016 | | 0.29 | <0.1 | | |
| 11/10/2016 | <0.1 | | | <0.1 | <0.1 |
| 1/11/2017 | | 0.42 | <0.1 | | |
| 1/12/2017 | <0.1 | | | <0.1 | <0.1 |
| 3/14/2017 | | 0.34 | <0.1 | <0.1 | |
| 3/15/2017 | <0.1 | | | | <0.1 |
| 5/18/2017 | <0.1 | 0.47 | <0.1 | <0.1 | <0.1 |
| 10/5/2017 | | 0.22 | <0.1 | <0.1 | |
| 10/6/2017 | <0.1 | | | | <0.1 |
| 12/19/2017 | | 0.26 (R) | | | |
| 3/14/2018 | <0.1 | 0.3 | <0.1 | <0.1 | <0.1 |
| 6/10/2018 | | 0.38 | <0.1 | | |
| 6/11/2018 | <0.1 | | | <0.1 | 0.04 (J) |
| 10/18/2018 | <0.1 | 0.26 | 0.04 (J) | <0.1 | 0.04 (J) |
| 3/1/2019 | | 0.1 | <0.1 | <0.1 | <0.1 |
| 3/2/2019 | <0.1 | | | | |
| 6/3/2019 | | 0.22 | 0.04 (J) | <0.1 | 0.04 (J) |
| 6/11/2019 | <0.1 | | | | |
| 11/7/2019 | <0.1 | 0.21 | | <0.1 | 0.04 (J) |
| 11/9/2019 | | | <0.1 | | |
| 4/17/2020 | <0.1 | | | <0.1 | 0.04 (J) |
| 4/18/2020 | | 0.3 | 0.04 (J) | | |
| 10/8/2020 | 0.24 | 0.26 | 0.04 (J) | | |
| 10/9/2020 | | | | <0.1 | <0.1 |
| 3/30/2021 | <0.1 | | 0.04 | | |
| 3/31/2021 | | 0.34 | | <0.1 | 0.04 |
| 9/3/2021 | | 0.41 | 0.07 (J) | 0.05 (J) | 0.07 (J) |
| 9/7/2021 | <0.1 | | | | |
| 3/23/2022 | | 0.3 | <0.1 | <0.1 | <0.1 |
| 3/24/2022 | <0.1 | | | | |
| 9/8/2022 | | | | <0.1 | |
| 9/9/2022 | <0.1 | <0.1 | <0.1 | | <0.1 |
| Mean | 0.1037 | 0.2945 | 0.08148 | 0.09762 | 0.07852 |
| Std. Dev. | 0.03412 | 0.1024 | 0.02755 | 0.01091 | 0.02875 |
| Upper Lim. | 0.24 | 0.3495 | 0.1 | 0.1 | 0.1 |
| Lower Lim. | 0.037 | 0.2396 | 0.041 | 0.05 | 0.04 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lead (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0013 | <0.0013 | 0.0018 (J) | <0.0013 | <0.0013 | | |
| 3/2/2016 | | | | | | <0.0013 | <0.0013 |
| 5/4/2016 | | | | | <0.0013 | | |
| 5/5/2016 | <0.0013 | <0.0013 | 0.0015 | <0.0013 | | <0.0013 | <0.0013 |
| 7/7/2016 | <0.0013 | <0.0013 | 0.0018 | <0.0013 | | <0.0013 | <0.0013 |
| 7/8/2016 | | | | | <0.0013 | | |
| 9/6/2016 | <0.0013 | | | | | | |
| 9/7/2016 | | <0.0013 | 0.0024 | <0.0013 | <0.0013 | <0.0013 | <0.0013 |
| 11/9/2016 | | | 0.0023 | <0.0013 | <0.0013 | | |
| 11/10/2016 | <0.0013 | <0.0013 | | | | <0.0013 | <0.0013 |
| 1/11/2017 | | | 0.0027 | <0.0013 | <0.0013 | | |
| 1/12/2017 | <0.0013 | <0.0013 | | | | <0.0013 | <0.0013 |
| 3/14/2017 | | | 0.0024 | <0.0013 | <0.0013 | <0.0013 | |
| 3/15/2017 | <0.0013 | <0.0013 | | | | | <0.0013 |
| 5/18/2017 | <0.0013 | <0.0013 | 0.0029 | <0.0013 | <0.0013 | <0.0013 | <0.0013 |
| 3/14/2018 | <0.0013 | <0.0013 | 0.0023 | <0.0013 | <0.0013 | <0.0013 | <0.0013 |
| 6/10/2018 | | | 0.0024 | <0.0013 | <0.0013 | | |
| 6/11/2018 | <0.0013 | <0.0013 | | | | <0.0013 | <0.0013 |
| 10/18/2018 | | <0.0013 | 0.002 | <0.0013 | 0.00039 (J) | <0.0013 | <0.0013 |
| 10/19/2018 | <0.0013 | | | | | | |
| 3/1/2019 | | | 0.0012 (J) | <0.0013 | <0.0013 | <0.0013 | <0.0013 |
| 3/2/2019 | <0.0013 | <0.0013 | | | | | |
| 6/3/2019 | <0.0013 | | 0.0018 | 0.00091 (J) | <0.0013 | 0.00067 (J) | 0.00037 (J) |
| 6/11/2019 | | <0.0013 | | | | | |
| 11/7/2019 | | 0.00011 (J) | 0.002 | | | 9.4E-05 (J) | 0.0003 (J) |
| 11/9/2019 | 0.00014 (J) | | | 0.00012 (J) | <0.0013 | | |
| 4/17/2020 | | <0.0013 | | | <0.0013 | 0.00011 (J) | 0.00033 |
| 4/18/2020 | 0.00018 (J) | | 0.0024 | <0.0013 | | | |
| 10/8/2020 | <0.0013 | <0.0013 | 0.0019 | <0.0013 | <0.0013 | | |
| 10/9/2020 | | | | | | 0.0012 (J) | 0.0003 (J) |
| 3/30/2021 | <0.0013 | <0.0013 | | <0.0013 | <0.0013 | | |
| 3/31/2021 | | | 0.0022 | | | <0.0013 | 0.0004 |
| 9/3/2021 | | | 0.002 | <0.0013 | <0.0013 | <0.0013 | <0.0013 |
| 9/7/2021 | <0.0013 | <0.0013 | | | | | |
| 3/23/2022 | <0.0013 | | 0.0018 | <0.0013 | <0.0013 | <0.0013 | <0.0013 |
| 3/24/2022 | | <0.0013 | | | | | |
| 9/8/2022 | | | | | <0.0013 | <0.0013 | |
| 9/9/2022 | <0.0013 | <0.0013 | 0.0021 | <0.0013 | | | <0.0013 |
| Mean | 0.001186 | 0.001241 | 0.002095 | 0.001222 | 0.001255 | 0.001144 | 0.00106 |
| Std. Dev. | 0.0003509 | 0.0002661 | 0.0004006 | 0.0002735 | 0.0002035 | 0.0003831 | 0.000427 |
| Upper Lim. | 0.0013 | 0.0013 | 0.002322 | 0.0013 | 0.0013 | 0.0013 | 0.0013 |
| Lower Lim. | 0.00018 | 0.00011 | 0.001868 | 0.00091 | 0.00039 | 0.0012 | 0.0004 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.005 | <0.005 | 0.057 | <0.005 | <0.005 | | |
| 3/2/2016 | | | | | | 0.0095 (J) | 0.0082 (J) |
| 5/4/2016 | | | | | <0.005 | | |
| 5/5/2016 | <0.005 | <0.005 | 0.044 | <0.005 | | 0.0059 | 0.0072 |
| 7/7/2016 | <0.005 | <0.005 | 0.04 | <0.005 | | 0.006 | 0.0092 |
| 7/8/2016 | | | | | <0.005 | | |
| 9/6/2016 | <0.005 | | | | | | |
| 9/7/2016 | | <0.005 | 0.033 | <0.005 | 0.0073 | 0.0049 (J) | 0.0069 |
| 11/9/2016 | | | 0.035 | <0.005 | <0.005 | | |
| 11/10/2016 | <0.005 | <0.005 | | | | 0.0055 | 0.0045 (J) |
| 1/11/2017 | | | 0.028 | <0.005 | <0.005 | | |
| 1/12/2017 | <0.005 | <0.005 | | | | 0.0045 (J) | 0.0073 |
| 3/14/2017 | | | 0.037 | <0.005 | 0.0035 (J) | 0.0069 | |
| 3/15/2017 | <0.005 | 0.0038 (J) | | | | | 0.012 |
| 5/18/2017 | <0.005 | <0.005 | 0.024 | <0.005 | <0.005 | 0.0055 | 0.0084 |
| 3/14/2018 | <0.005 | 0.002 (J) | 0.028 | <0.005 | <0.005 | 0.0059 | 0.012 |
| 6/10/2018 | | | 0.019 | <0.005 | <0.005 | | |
| 6/11/2018 | <0.005 | 0.0015 (J) | | | | 0.0042 (J) | 0.009 |
| 10/18/2018 | | 0.0017 (J) | 0.022 | <0.005 | 0.0012 (J) | 0.0062 | 0.011 |
| 10/19/2018 | 0.0012 (J) | | | | | | |
| 3/1/2019 | | | 0.017 | <0.005 | 0.0012 (J) | 0.0054 | 0.0077 |
| 3/2/2019 | 0.0014 (J) | 0.0011 (J) | | | | | |
| 6/3/2019 | <0.005 | | 0.017 | <0.005 | <0.005 | 0.0054 | 0.0082 |
| 6/11/2019 | | 0.0025 (J) | | | | | |
| 11/7/2019 | | 0.00097 (J) | 0.019 | | | 0.0052 | 0.014 |
| 11/9/2019 | 0.0009 (J) | | | <0.005 | 0.00068 (J) | | |
| 4/17/2020 | | 0.0021 | | | 0.00043 (J) | 0.0076 | 0.0092 |
| 4/18/2020 | <0.005 | | 0.017 | 0.00039 (J) | | | |
| 10/8/2020 | <0.005 | <0.005 | 0.017 | <0.005 | <0.005 | | |
| 10/9/2020 | | | | | | 0.0053 | 0.011 |
| 3/30/2021 | <0.005 | 0.002 | | <0.005 | <0.005 | | |
| 3/31/2021 | | | 0.015 | | | 0.0059 | 0.017 |
| 9/3/2021 | | | 0.021 | <0.005 | <0.005 | 0.0067 | 0.092 |
| 9/7/2021 | <0.005 | 0.0027 (J) | | | | | |
| 3/23/2022 | <0.005 | | 0.02 | <0.005 | <0.005 | 0.0062 | 0.011 |
| 3/24/2022 | | 0.00099 (J) | | | | | |
| 9/8/2022 | | | | | <0.005 | <0.005 | |
| 9/9/2022 | <0.005 | <0.005 | 0.015 | <0.005 | | | 0.006 |
| Mean | 0.004425 | 0.003318 | 0.02625 | 0.004769 | 0.004215 | 0.00576 | 0.01359 |
| Std. Dev. | 0.001407 | 0.001678 | 0.01143 | 0.001031 | 0.00183 | 0.001384 | 0.01868 |
| Upper Lim. | 0.005 | 0.005 | 0.03151 | 0.005 | 0.005 | 0.006546 | 0.012 |
| Lower Lim. | 0.0014 | 0.0017 | 0.01962 | 0.00039 | 0.0035 | 0.004974 | 0.0073 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0002 | <0.0002 | 0.00089 | <0.0002 | | |
| 3/2/2016 | | | | | <0.0002 | 0.007 |
| 5/4/2016 | | | | <0.0002 | | |
| 5/5/2016 | <0.0002 | <0.0002 | 0.00054 | | <0.0002 | 0.006 |
| 7/7/2016 | <0.0002 | <0.0002 (*) | 0.00066 (V) | | <0.0002 (*) | 0.0053 |
| 7/8/2016 | | | | <0.0002 (*) | | |
| 9/6/2016 | <0.0002 | | | | | |
| 9/7/2016 | | <0.0002 | 0.0016 | <0.0002 | <0.0002 | 0.0067 |
| 11/9/2016 | | | 0.0015 | <0.0002 | | |
| 11/10/2016 | <0.0002 | <0.0002 | | | <0.0002 | 0.00014 (J) |
| 1/11/2017 | | | 0.0025 | <0.0002 | | |
| 1/12/2017 | <0.0002 | <0.0002 | | | <0.0002 | 0.0052 |
| 3/14/2017 | | | 0.0012 | <0.0002 | <0.0002 | |
| 3/15/2017 | <0.0002 | <0.0002 (*) | | | | 0.0048 |
| 5/18/2017 | <0.0002 | <0.0002 | 0.0014 | <0.0002 | <0.0002 | 0.0074 |
| 3/14/2018 | 9.4E-05 (J) | 0.00012 (J) | 0.0011 | 8E-05 (J) | 9.7E-05 (J) | 0.0059 |
| 6/10/2018 | | | 0.0014 | <0.0002 | | |
| 6/11/2018 | <0.0002 | <0.0002 | | | <0.0002 | 0.0042 |
| 10/18/2018 | | <0.0002 | 0.00087 | <0.0002 | <0.0002 | 0.0034 |
| 10/19/2018 | 9.4E-05 (J) | | | | | |
| 3/1/2019 | | | 0.00077 | <0.0002 | <0.0002 | 0.0041 |
| 3/2/2019 | <0.0002 | <0.0002 | | | | |
| 6/3/2019 | <0.0002 | | 0.00054 | <0.0002 | <0.0002 | 0.0025 |
| 6/11/2019 | | <0.0002 | | | | |
| 11/7/2019 | | <0.0002 | 0.00053 | | 0.0012 | 0.0034 |
| 11/9/2019 | <0.0002 | | | <0.0002 | | |
| 4/17/2020 | | 0.00062 | | <0.0002 | 0.0032 | 0.0063 |
| 4/18/2020 | <0.0002 | | 0.00069 | | | |
| 10/8/2020 | <0.0002 | 0.00016 (J) | 0.00087 | <0.0002 | | |
| 10/9/2020 | | | | | 0.0014 | 0.0049 |
| 3/30/2021 | <0.0002 | <0.0002 | | <0.0002 | | |
| 3/31/2021 | | | 0.00072 | | 0.00035 | 0.0055 |
| 9/3/2021 | | | 0.00048 | <0.0002 | 0.0012 | 0.0012 |
| 9/7/2021 | <0.0002 | <0.0002 | | | | |
| 3/23/2022 | <0.0002 | | 0.00032 | <0.0002 | 0.00047 | 0.0034 |
| 3/24/2022 | | <0.0002 | | | | |
| 9/8/2022 | | | | <0.0002 | 0.00041 | |
| 9/9/2022 | <0.0002 | <0.0002 | 0.00082 | | | 0.0036 |
| Mean | 0.0001894 | 0.000215 | 0.00097 | 0.000194 | 0.0005363 | 0.004547 |
| Std. Dev. | 3.263E-05 | 9.731E-05 | 0.0005135 | 2.683E-05 | 0.0007373 | 0.00189 |
| Upper Lim. | 0.0002 | 0.00062 | 0.001262 | 0.0002 | 0.00047 | 0.00562 |
| Lower Lim. | 9.4E-05 | 0.00016 | 0.0006784 | 8E-05 | 0.0002 | 0.003474 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Molybdenum (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-105 | MW-106 | MW-109 |
|---|---|---|---|---|---|
| 3/1/2016 | <0.015 | <0.015 | 0.004 (J) | <0.015 | |
| 3/2/2016 | | | | | <0.015 |
| 5/4/2016 | | | | <0.015 | |
| 5/5/2016 | <0.015 | <0.015 | 0.0093 (J) | | <0.015 |
| 7/7/2016 | <0.015 | <0.015 | 0.0047 (J) | | <0.015 |
| 7/8/2016 | | | | <0.015 | |
| 9/6/2016 | <0.015 | | | | |
| 9/7/2016 | | <0.015 | 0.004 (J) | <0.015 | <0.015 |
| 11/9/2016 | | | 0.0037 (J) | <0.015 | |
| 11/10/2016 | <0.015 | <0.015 | | | <0.015 |
| 1/11/2017 | | | 0.0052 (J) | <0.015 | |
| 1/12/2017 | <0.015 | <0.015 | | | <0.015 |
| 3/14/2017 | | | 0.004 (J) | <0.015 | <0.015 |
| 3/15/2017 | <0.015 | <0.015 | | | |
| 5/18/2017 | <0.015 | <0.015 | 0.0043 (J) | <0.015 | <0.015 |
| 3/14/2018 | <0.015 | <0.015 | 0.0054 (J) | <0.015 | <0.015 |
| 6/10/2018 | | | 0.0035 (J) | <0.015 | |
| 6/11/2018 | <0.015 | <0.015 | | | <0.015 |
| 10/18/2018 | | <0.015 | 0.0032 (J) | <0.015 | <0.015 |
| 10/19/2018 | <0.015 | | | | |
| 3/1/2019 | | | 0.0047 (J) | <0.015 | <0.015 |
| 3/2/2019 | <0.015 | <0.015 | | | |
| 6/3/2019 | <0.015 | | 0.0033 (J) | <0.015 | <0.015 |
| 6/11/2019 | | <0.015 | | | |
| 11/7/2019 | | <0.015 | | | <0.015 |
| 11/9/2019 | <0.015 | | 0.0025 (J) | <0.015 | |
| 4/17/2020 | | <0.015 | | <0.015 | <0.015 |
| 4/18/2020 | <0.015 | | 0.003 | | |
| 10/8/2020 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 10/9/2020 | | | | | <0.015 |
| 3/30/2021 | <0.015 | <0.015 | 0.005 | <0.015 | |
| 3/31/2021 | | | | | <0.015 |
| 9/3/2021 | | | 0.0057 (J) | <0.015 | <0.015 |
| 9/7/2021 | <0.015 | <0.015 | | | |
| 3/23/2022 | 0.00091 (J) | | 0.0089 | 0.00068 (J) | 0.0009 (J) |
| 3/24/2022 | | 0.00092 (J) | | | |
| 9/8/2022 | | | | <0.015 | <0.015 |
| 9/9/2022 | <0.015 | <0.015 | 0.0044 (J) | | |
| Mean | 0.0143 | 0.0143 | 0.004815 | 0.01428 | 0.01429 |
| Std. Dev. | 0.003151 | 0.003148 | 0.00184 | 0.003202 | 0.003153 |
| Upper Lim. | 0.015 | 0.015 | 0.005679 | 0.015 | 0.015 |
| Lower Lim. | 0.00091 | 0.00092 | 0.00376 | 0.00068 | 0.0009 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0013 | 0.0028 (J) | 0.0054 (J) | <0.0013 | <0.0013 | | |
| 3/2/2016 | | | | | | <0.0013 | 0.0025 (J) |
| 5/4/2016 | | | | | <0.0013 | | |
| 5/5/2016 | 0.00029 (J) | 0.0026 | 0.0038 | 0.0003 (J) | | <0.0013 | 0.0033 |
| 7/7/2016 | <0.0013 (*) | 0.0025 | 0.0043 | <0.0013 | | <0.0013 | 0.0031 |
| 7/8/2016 | | | | | <0.0013 | | |
| 9/6/2016 | <0.0013 | | | | | | |
| 9/7/2016 | | 0.0031 | 0.0099 | 0.00026 (J) | <0.0013 | <0.0013 | 0.0034 |
| 11/9/2016 | | | 0.012 | 0.00038 (J) | <0.0013 | | |
| 11/10/2016 | <0.0013 | 0.0028 | | | | <0.0013 | 0.0038 |
| 1/11/2017 | | | 0.022 | <0.0013 | <0.0013 | | |
| 1/12/2017 | <0.0013 | 0.0028 | | | | <0.0013 | 0.0034 |
| 3/14/2017 | | | 0.011 | <0.0013 | <0.0013 | <0.0013 | |
| 3/15/2017 | <0.0013 | 0.0027 | | | | | 0.0032 |
| 5/18/2017 | <0.0013 | 0.0036 | 0.018 | <0.0013 | <0.0013 | <0.0013 | 0.0034 |
| 3/14/2018 | 0.001 (J) | 0.0032 | 0.0057 | 0.0006 (J) | <0.0013 | <0.0013 | 0.0038 |
| 6/10/2018 | | | 0.015 | 0.00043 (J) | <0.0013 | | |
| 6/11/2018 | 0.00028 (J) | 0.003 | | | | <0.0013 | 0.0037 |
| 10/18/2018 | | 0.0016 | 0.0049 | <0.0013 | <0.0013 | <0.0013 | 0.0033 |
| 10/19/2018 | <0.0013 | | | | | | |
| 3/1/2019 | | | 0.0026 | <0.0013 | <0.0013 | <0.0013 | 0.0033 |
| 3/2/2019 | <0.0013 | <0.0013 | | | | | |
| 6/3/2019 | <0.0013 | | 0.0039 | <0.0013 | <0.0013 | <0.0013 | 0.0035 |
| 6/11/2019 | | 0.0014 | | | | | |
| 11/7/2019 | | 0.002 | 0.0085 | | | 0.00024 (J) | 0.0034 |
| 11/9/2019 | <0.0013 | | | 0.00041 | <0.0013 | | |
| 4/17/2020 | | 0.0022 | | | <0.0013 | 0.0002 (J) | 0.0039 |
| 4/18/2020 | 0.00019 (J) | | 0.0084 | 0.0004 | | | |
| 10/8/2020 | <0.0013 | 0.0014 | 0.0045 | <0.0013 | <0.0013 | | |
| 10/9/2020 | | | | | | <0.0013 | 0.0031 |
| 3/30/2021 | <0.0013 | 0.0019 | | <0.0013 | <0.0013 | | |
| 3/31/2021 | | | 0.011 | | | <0.0013 | 0.0046 |
| 9/3/2021 | | | 0.0054 | <0.0013 | <0.0013 | <0.0013 | 0.0035 |
| 9/7/2021 | <0.0013 | 0.0014 | | | | | |
| 3/23/2022 | 0.00025 | | 0.0067 | 0.00023 (J) | <0.0013 | 0.00035 | 0.0034 |
| 3/24/2022 | | 0.0014 | | | | | |
| 9/8/2022 | | | | | 0.0016 | 0.002 | |
| 9/9/2022 | 0.0044 | 0.0012 (J) | 0.02 | 0.0014 | | | 0.0045 |
| Mean | 0.001231 | 0.002213 | 0.00915 | 0.0009355 | 0.001315 | 0.00118 | 0.003505 |
| Std. Dev. | 0.0008583 | 0.0008091 | 0.005713 | 0.0004743 | 6.708E-05 | 0.0004252 | 0.0004685 |
| Upper Lim. | 0.0013 | 0.002672 | 0.01239 | 0.0013 | 0.0016 | 0.002 | 0.003771 |
| Lower Lim. | 0.001 | 0.001753 | 0.005906 | 0.0004 | 0.0013 | 0.00035 | 0.003239 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 1/13/2023 1:39 PM View: 100 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-102 | MW-103 | MW-104 | MW-105 | MW-109 | MW-110 |
|---|---|---|---|---|---|---|
| 3/1/2016 | <0.0005 | <0.0005 | 0.00043 (J) | <0.0005 | | |
| 3/2/2016 | | | | | <0.0005 | 0.00018 (J) |
| 5/5/2016 | <0.0005 | <0.0005 | 0.0003 (J) | <0.0005 | <0.0005 | 0.00024 (J) |
| 7/7/2016 | <0.0005 | <0.0005 | 0.00028 (J) | <0.0005 | <0.0005 | 0.00025 (J) |
| 9/6/2016 | <0.0005 | | | | | |
| 9/7/2016 | | <0.0005 | 0.00028 (J) | <0.0005 | <0.0005 | 0.00023 (J) |
| 11/9/2016 | | | 0.0003 (J) | <0.0005 | | |
| 11/10/2016 | <0.0005 | <0.0005 | | | <0.0005 | 0.0002 (J) |
| 1/11/2017 | | | 0.00032 (J) | <0.0005 | | |
| 1/12/2017 | <0.0005 | <0.0005 | | | <0.0005 | 0.00026 (J) |
| 3/14/2017 | | | 0.00032 (J) | <0.0005 | <0.0005 | |
| 3/15/2017 | <0.0005 | <0.0005 | | | | 0.0003 (J) |
| 5/18/2017 | <0.0005 | <0.0005 | 0.0004 (J) | <0.0005 | <0.0005 | 0.00028 (J) |
| 3/14/2018 | <0.0005 | <0.0005 | 0.00021 (J) | <0.0005 | <0.0005 | 0.00029 (J) |
| 6/10/2018 | | | 0.00033 (J) | <0.0005 | | |
| 6/11/2018 | <0.0005 | <0.0005 | | | <0.0005 | 0.00029 (J) |
| 10/18/2018 | | <0.0005 | 0.00021 (J) | <0.0005 | <0.0005 | 0.00031 (J) |
| 10/19/2018 | <0.0005 | | | | | |
| 3/1/2019 | | | 0.00013 (J) | <0.0005 | <0.0005 | 0.0003 (J) |
| 3/2/2019 | <0.0005 | <0.0005 | | | | |
| 6/3/2019 | <0.0005 | | 0.00016 (J) | <0.0005 | <0.0005 | 0.0002 (J) |
| 6/11/2019 | | <0.0005 | | | | |
| 11/7/2019 | | 2.6E-05 (J) | 0.00025 | | <0.0005 | 0.00024 (J) |
| 11/9/2019 | 0.00021 (J) | | | 0.00024 (J) | | |
| 4/17/2020 | | <0.0005 | | | <0.0005 | 0.00031 |
| 4/18/2020 | <0.0005 | | 0.00033 | <0.0005 | | |
| 10/8/2020 | <0.0005 | 0.00015 (J) | 0.00034 (J) | <0.0005 | | |
| 10/9/2020 | | | | | 0.00012 (J) | 0.00037 (J) |
| 3/30/2021 | <0.0005 | <0.0005 | | <0.0005 | | |
| 3/31/2021 | | | 0.00031 | | <0.0005 | 0.00028 |
| 9/3/2021 | | | 0.00037 (J) | 0.00012 (J) | <0.0005 | 0.00022 (J) |
| 9/7/2021 | <0.0005 | <0.0005 | | | | |
| 3/23/2022 | <0.0005 | | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 3/24/2022 | | <0.0005 | | | | |
| 9/8/2022 | | | | | <0.0005 | |
| 9/9/2022 | <0.0005 | <0.0005 | 0.00051 | <0.0005 | | <0.0005 |
| Mean | 0.0004855 | 0.0004588 | 0.0003015 | 0.000468 | 0.000481 | 0.0002625 |
| Std. Dev. | 6.485E-05 | 0.0001284 | 8.905E-05 | 0.0001004 | 8.497E-05 | 4.587E-05 |
| Upper Lim. | 0.0005 | 0.0005 | 0.0003521 | 0.0005 | 0.0005 | 0.0002885 |
| Lower Lim. | 0.00021 | 0.00015 | 0.0002509 | 0.00024 | 0.00012 | 0.0002365 |

ND substitution: RL or RL/2 if <15% NDs.

# 200 Series

# Confidence Interval Summary Table - 200 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:44 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228 (pCi/L)** | **MW-200** | **15.36** | **7.577** | **5** | **Yes** | **20** | **6.851** | **0** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-201** | **14.34** | **7.484** | **5** | **Yes** | **20** | **7.593** | **0** | **ln(x)** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-206** | **23.31** | **10.41** | **5** | **Yes** | **20** | **12.34** | **0** | **x^(1/3)** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 200 Series - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 1:44 PM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Antimony (mg/L) | MW-201 | 0.0025 | 0.001 | 0.006 | No | 18 | 0.0004851 | 88.89 | No | 0.01 | NP (NDs) |
| Antimony (mg/L) | MW-206 | 0.0025 | 0.0011 | 0.006 | No | 18 | 0.00033 | 94.44 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-200 | 0.0029 | 0.00072 | 0.01 | No | 20 | 0.001587 | 30 | No | 0.01 | NP (Cohens/xfrm) |
| Arsenic (mg/L) | MW-201 | 0.0034 | 0.0009 | 0.01 | No | 20 | 0.002797 | 50 | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-206 | 0.007731 | 0.002016 | 0.01 | No | 20 | 0.006202 | 15 | sqrt(x) | 0.01 | Param. |
| Barium (mg/L) | MW-200 | 0.05948 | 0.03305 | 2 | No | 20 | 0.02327 | 5 | No | 0.01 | Param. |
| Barium (mg/L) | MW-201 | 0.06298 | 0.03762 | 2 | No | 20 | 0.02233 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-206 | 0.09766 | 0.05495 | 2 | No | 20 | 0.03761 | 0 | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-200 | 0.0025 | 0.000045 | 0.004 | No | 20 | 0.000549 | 95 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-201 | 0.0025 | 0.000069 | 0.004 | No | 20 | 0.0005436 | 95 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-206 | 0.0025 | 0.00055 | 0.004 | No | 20 | 0.0008777 | 80 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-200 | 0.00061 | 0.00039 | 0.005 | No | 19 | 0.0005228 | 68.42 | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-201 | 0.005752 | 0.001795 | 0.005 | No | 20 | 0.005509 | 5 | ln(x) | 0.01 | Param. |
| Cadmium (mg/L) | MW-206 | 0.0026 | 0.00065 | 0.005 | No | 20 | 0.00106 | 15 | No | 0.01 | NP (normality) |
| Chromium (mg/L) | MW-201 | 0.0025 | 0.002 | 0.1 | No | 17 | 0.0003793 | 82.35 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-206 | 0.0026 | 0.0025 | 0.1 | No | 17 | 0.00002425 | 94.12 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-200 | 0.0015 | 0.0005 | 0.006 | No | 20 | 0.00073 | 25 | No | 0.01 | NP (Cohens/xfrm) |
| Cobalt (mg/L) | MW-201 | 0.002556 | 0.001304 | 0.006 | No | 20 | 0.001285 | 5 | sqrt(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-206 | 0.004179 | 0.002058 | 0.006 | No | 20 | 0.001868 | 0 | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-200** | **15.36** | **7.577** | **5** | **Yes** | **20** | **6.851** | **0** | **No** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-201** | **14.34** | **7.484** | **5** | **Yes** | **20** | **7.593** | **0** | **ln(x)** | **0.01** | **Param.** |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-206** | **23.31** | **10.41** | **5** | **Yes** | **20** | **12.34** | **0** | **x^(1/3)** | **0.01** | **Param.** |
| Fluoride (mg/L) | MW-200 | 0.1 | 0.06 | 4 | No | 21 | 0.06599 | 23.81 | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-201 | 0.6948 | 0.4271 | 4 | No | 22 | 0.2494 | 4.545 | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-206 | 0.07592 | 0.05094 | 4 | No | 22 | 0.02473 | 13.64 | sqrt(x) | 0.01 | Param. |
| Lead (mg/L) | MW-200 | 0.001515 | 0.0008565 | 0.015 | No | 20 | 0.0004757 | 25 | No | 0.01 | Param. |
| Lead (mg/L) | MW-201 | 0.0013 | 0.00057 | 0.015 | No | 20 | 0.0003942 | 65 | No | 0.01 | NP (normality) |
| Lead (mg/L) | MW-206 | 0.0087 | 0.00076 | 0.015 | No | 20 | 0.004119 | 10 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-200 | 0.01 | 0.0025 | 0.04 | No | 20 | 0.001649 | 80 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-201 | 0.0062 | 0.0042 | 0.04 | No | 20 | 0.00692 | 20 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-206 | 0.005 | 0.0029 | 0.04 | No | 20 | 0.001199 | 85 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-200 | 0.00195 | 0.0007598 | 0.002 | No | 20 | 0.001048 | 10 | No | 0.01 | Param. |
| Mercury (mg/L) | MW-201 | 0.001253 | 0.0003046 | 0.002 | No | 20 | 0.001051 | 10 | ln(x) | 0.01 | Param. |
| Mercury (mg/L) | MW-206 | 0.00036 | 0.00016 | 0.002 | No | 20 | 0.0002481 | 40 | No | 0.01 | NP (normality) |
| Molybdenum (mg/L) | MW-200 | 0.015 | 0.0078 | 0.1 | No | 18 | 0.001697 | 94.44 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-201 | 0.015 | 0.0015 | 0.1 | No | 18 | 0.003182 | 94.44 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-206 | 0.015 | 0.00092 | 0.1 | No | 18 | 0.003319 | 94.44 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-200 | 0.01034 | 0.003893 | 0.05 | No | 20 | 0.005937 | 10 | sqrt(x) | 0.01 | Param. |
| Selenium (mg/L) | MW-201 | 0.009815 | 0.003719 | 0.05 | No | 20 | 0.005623 | 5 | sqrt(x) | 0.01 | Param. |
| Selenium (mg/L) | MW-206 | 0.01708 | 0.01013 | 0.05 | No | 20 | 0.006121 | 5 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-200 | 0.0005 | 0.00018 | 0.002 | No | 20 | 0.0001728 | 40 | No | 0.01 | NP (normality) |
| Thallium (mg/L) | MW-201 | 0.0004291 | 0.0002379 | 0.002 | No | 20 | 0.0001684 | 15 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-206 | 0.0007173 | 0.0003917 | 0.002 | No | 20 | 0.0002867 | 15 | No | 0.01 | Param. |

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Antimony Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Arsenic Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Barium Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Beryllium Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Cadmium Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Chromium Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Cobalt Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Fluoride Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Lead Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Lithium Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Mercury Analysis Run 1/13/2023 1:42 PM View: 200 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded.  Per-well alpha = 0.01.





Constituent: Molybdenum  Analysis Run 1/13/2023 1:42 PM  View: 200 Series Confidence Intervals

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric Confidence Interval

Compliance Limit is not exceeded.  Per-well alpha = 0.01.  Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Selenium  Analysis Run 1/13/2023 1:42 PM  View: 200 Series Confidence Intervals

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded.  Per-well alpha = 0.01.  Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Thallium  Analysis Run 1/13/2023 1:42 PM  View: 200 Series Confidence Intervals

Gulf Clean Energy Center  Client: FPL  Data: Gulf Clean Energy Plant

# Confidence Interval

Constituent: Antimony (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 |
|---|---|---|
| 3/2/2016 | <0.0025 | <0.0025 |
| 5/3/2016 | | <0.0025 |
| 5/4/2016 | 0.001 (J) | |
| 7/5/2016 | | <0.0025 |
| 7/6/2016 | <0.0025 | |
| 9/8/2016 | <0.0025 | <0.0025 |
| 11/8/2016 | <0.0025 | |
| 11/9/2016 | | <0.0025 |
| 1/12/2017 | | <0.0025 |
| 1/13/2017 | <0.0025 | |
| 3/16/2017 | <0.0025 | |
| 3/17/2017 | | <0.0025 |
| 5/17/2017 | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | 0.0011 (J) |
| 6/8/2018 | | <0.0025 |
| 6/9/2018 | <0.0025 | |
| 10/17/2018 | | <0.0025 |
| 11/14/2018 | 0.001 (J) | |
| 2/28/2019 | | <0.0025 |
| 3/5/2019 | <0.0025 | |
| 4/18/2020 | | <0.0025 |
| 4/22/2020 | <0.0025 | |
| 10/12/2020 | <0.0025 | <0.0025 |
| 4/1/2021 | <0.0025 | <0.0025 |
| 9/8/2021 | <0.0025 | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 |
| 9/13/2022 | <0.0025 | <0.0025 |
| Mean | 0.002333 | 0.002422 |
| Std. Dev. | 0.0004851 | 0.00033 |
| Upper Lim. | 0.0025 | 0.0025 |
| Lower Lim. | 0.001 | 0.0011 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.0059 (J) | 0.0033 (J) | 0.021 |
| 5/3/2016 | 0.0038 | | 0.016 |
| 5/4/2016 | | 0.0068 | |
| 7/5/2016 | 0.0051 | | 0.017 |
| 7/6/2016 | | 0.01 | |
| 9/8/2016 | 0.0042 (J) | 0.0093 | 0.011 |
| 11/8/2016 | | 0.0043 (J) | |
| 11/9/2016 | <0.0013 | | 0.011 |
| 1/12/2017 | 0.00068 (J) | | 0.0062 |
| 1/13/2017 | | 0.0034 | |
| 3/16/2017 | | 0.0023 | |
| 3/17/2017 | 0.0029 | | 0.0078 |
| 5/16/2017 | 0.0018 | | |
| 5/17/2017 | | 0.0009 (J) | 0.0052 |
| 3/13/2018 | 0.0013 | | |
| 3/14/2018 | | 0.00062 (J) | 0.0033 |
| 6/8/2018 | 0.0018 | | 0.003 |
| 6/9/2018 | | 0.00063 (J) | |
| 10/17/2018 | | | 0.0028 |
| 11/13/2018 | 0.00072 (J) | | |
| 11/14/2018 | | <0.0013 | |
| 2/28/2019 | 0.00067 (J) | | 0.00089 (J) |
| 3/5/2019 | | <0.0013 | |
| 6/4/2019 | 0.00048 (J) | <0.0013 | 0.001 (J) |
| 11/12/2019 | 0.0011 (J) | <0.0013 | 0.0022 (V) |
| 4/18/2020 | 0.00044 | | 0.00086 |
| 4/22/2020 | | <0.0013 | |
| 10/12/2020 | <0.0013 | <0.0013 | 0.0017 |
| 4/1/2021 | <0.0013 | <0.0013 | 0.00064 |
| 9/8/2021 | <0.0013 | <0.0013 | <0.0013 |
| 3/25/2022 | <0.0013 | <0.0013 | <0.0013 |
| 9/13/2022 | <0.0013 | <0.0013 | <0.0013 |
| Mean | 0.001935 | 0.002728 | 0.005775 |
| Std. Dev. | 0.001587 | 0.002797 | 0.006202 |
| Upper Lim. | 0.0029 | 0.0034 | 0.007731 |
| Lower Lim. | 0.00072 | 0.0009 | 0.002016 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Barium (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.089 | 0.064 | 0.13 |
| 5/3/2016 | 0.076 | | 0.11 |
| 5/4/2016 | | 0.078 | |
| 7/5/2016 | 0.068 | | 0.12 |
| 7/6/2016 | | 0.081 | |
| 9/8/2016 | 0.078 | 0.095 | 0.13 |
| 11/8/2016 | | 0.083 | |
| 11/9/2016 | 0.051 | | 0.12 |
| 1/12/2017 | 0.036 | | 0.1 |
| 1/13/2017 | | 0.071 | |
| 3/16/2017 | | 0.06 | |
| 3/17/2017 | 0.061 | | 0.12 |
| 5/16/2017 | 0.061 | | |
| 5/17/2017 | | 0.036 | 0.11 |
| 3/13/2018 | 0.042 | | |
| 3/14/2018 | | 0.03 | 0.079 |
| 6/8/2018 | 0.057 | | 0.07 |
| 6/9/2018 | | 0.029 | |
| 10/17/2018 | | | 0.059 |
| 11/13/2018 | 0.048 | | |
| 11/14/2018 | | 0.028 | |
| 2/28/2019 | 0.045 | | 0.048 |
| 3/5/2019 | | 0.035 | |
| 6/4/2019 | 0.04 | 0.04 | 0.048 |
| 11/12/2019 | 0.0071 | 0.011 | 0.0081 |
| 4/18/2020 | 0.025 | | 0.056 |
| 4/22/2020 | | 0.048 | |
| 10/12/2020 | 0.025 | 0.038 | 0.051 |
| 4/1/2021 | 0.031 | 0.055 | 0.051 |
| 9/8/2021 | 0.026 | 0.049 | 0.039 |
| 3/25/2022 | <0.0005 | 0.041 | 0.038 |
| 9/13/2022 | 0.059 | 0.034 | 0.039 |
| Mean | 0.04627 | 0.0503 | 0.07631 |
| Std. Dev. | 0.02327 | 0.02233 | 0.03761 |
| Upper Lim. | 0.05948 | 0.06298 | 0.09766 |
| Lower Lim. | 0.03305 | 0.03762 | 0.05495 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | <0.0025 | <0.0025 | 0.00055 (J) |
| 5/3/2016 | <0.0025 | | <0.0025 |
| 5/4/2016 | | <0.0025 | |
| 7/5/2016 | <0.0025 | | 0.00048 (J) |
| 7/6/2016 | | <0.0025 | |
| 9/8/2016 | <0.0025 | <0.0025 | <0.0025 |
| 11/8/2016 | | <0.0025 | |
| 11/9/2016 | <0.0025 | | <0.0025 |
| 1/12/2017 | <0.0025 | | <0.0025 |
| 1/13/2017 | | <0.0025 | |
| 3/16/2017 | | <0.0025 | |
| 3/17/2017 | <0.0025 | | 0.00042 (J) |
| 5/16/2017 | <0.0025 | | |
| 5/17/2017 | | <0.0025 | <0.0025 |
| 3/13/2018 | <0.0025 | | |
| 3/14/2018 | | <0.0025 | <0.0025 |
| 6/8/2018 | <0.0025 | | <0.0025 |
| 6/9/2018 | | <0.0025 | |
| 10/17/2018 | | | <0.0025 |
| 11/13/2018 | <0.0025 (J3) | | |
| 11/14/2018 | | <0.0025 (J3) | |
| 2/28/2019 | <0.0025 | | <0.0025 |
| 3/5/2019 | | <0.0025 | |
| 6/4/2019 | <0.0025 | <0.0025 | <0.0025 |
| 11/12/2019 | <0.0025 | <0.0025 | <0.0025 |
| 4/18/2020 | 4.5E-05 (J) | | 4.1E-05 (J) |
| 4/22/2020 | | 6.9E-05 (J) | |
| 10/12/2020 | <0.0025 | <0.0025 | <0.0025 |
| 4/1/2021 | <0.0025 | <0.0025 | <0.0025 |
| 9/8/2021 | <0.0025 | <0.0025 | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 | <0.0025 |
| 9/13/2022 | <0.0025 | <0.0025 | <0.0025 |
| Mean | 0.002377 | 0.002378 | 0.002075 |
| Std. Dev. | 0.000549 | 0.0005436 | 0.0008777 |
| Upper Lim. | 0.0025 | 0.0025 | 0.0025 |
| Lower Lim. | 4.5E-05 | 6.9E-05 | 0.00055 |

ND substitution: RL or RL/2 if <15% NDs. Substitution method for trace values of the form <PQL(J): PQL.

# Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.022 (o) | <0.0025 | 0.0031 (J) |
| 5/3/2016 | <0.0005 | | 0.0025 |
| 5/4/2016 | | 0.014 | |
| 7/5/2016 | <0.0005 | | 0.0026 |
| 7/6/2016 | | 0.015 | |
| 9/8/2016 | <0.0005 | 0.015 | 0.0026 (J) |
| 11/8/2016 | | 0.014 | |
| 11/9/2016 | <0.0005 | | 0.0032 (J) |
| 1/12/2017 | <0.0005 | | 0.0031 |
| 1/13/2017 | | 0.013 | |
| 3/16/2017 | | 0.0084 | |
| 3/17/2017 | <0.0005 | | 0.0027 |
| 5/16/2017 | <0.0005 | | |
| 5/17/2017 | | 0.0044 | 0.0024 (J) |
| 3/13/2018 | 0.00039 (J) | | |
| 3/14/2018 | | 0.0032 | 0.0014 (J) |
| 6/8/2018 | <0.0005 | | 0.0014 (J) |
| 6/9/2018 | | 0.0029 | |
| 10/17/2018 | | | 0.00088 (J) |
| 11/13/2018 | <0.0005 | | |
| 11/14/2018 | | 0.0021 (J) | |
| 2/28/2019 | <0.0005 | | 0.00065 (J) |
| 3/5/2019 | | 0.0023 (J) | |
| 6/4/2019 | <0.0005 | 0.0017 (J) | 0.00035 (J) |
| 11/12/2019 | 0.00061 (J) | 0.002 (J) | 0.00055 (J) |
| 4/18/2020 | 0.00091 | | 0.00029 (J) |
| 4/22/2020 | | 0.0013 | |
| 10/12/2020 | <0.0005 | 0.0015 (J) | <0.0025 |
| 4/1/2021 | 0.0012 | 0.0012 | 0.00065 |
| 9/8/2021 | 0.0006 (J) | 0.0013 (J) | 0.00044 (J) |
| 3/25/2022 | <0.0005 | 0.0017 (J) | <0.0025 |
| 9/13/2022 | 0.0027 | 0.00066 (J) | <0.0025 |
| Mean | 0.0006795 | 0.005345 | 0.001815 |
| Std. Dev. | 0.0005228 | 0.005509 | 0.00106 |
| Upper Lim. | 0.00061 | 0.005752 | 0.0026 |
| Lower Lim. | 0.00039 | 0.001795 | 0.00065 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 |
|---|---|---|
| 3/2/2016 | <0.0025 | 0.0026 (J) |
| 5/3/2016 | | <0.0025 |
| 5/4/2016 | <0.0025 | |
| 7/5/2016 | | <0.0025 |
| 7/6/2016 | <0.0025 | |
| 9/8/2016 | <0.0025 | <0.0025 |
| 11/8/2016 | <0.0025 | |
| 11/9/2016 | | <0.0025 |
| 1/12/2017 | | <0.0025 |
| 1/13/2017 | <0.0025 | |
| 3/16/2017 | <0.0025 | |
| 3/17/2017 | | <0.0025 |
| 5/17/2017 | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | <0.0025 |
| 6/8/2018 | | <0.0025 |
| 6/9/2018 | <0.0025 | |
| 2/28/2019 | | <0.0025 |
| 3/5/2019 | <0.0025 | |
| 4/18/2020 | | <0.0025 |
| 4/22/2020 | <0.0025 | |
| 10/12/2020 | 0.0011 (J) | <0.0025 |
| 4/1/2021 | 0.0018 | <0.0025 |
| 9/8/2021 | 0.002 (J) | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 |
| 9/13/2022 | <0.0025 | <0.0025 |
| Mean | 0.002347 | 0.002506 |
| Std. Dev. | 0.0003793 | 2.425E-05 |
| Upper Lim. | 0.0025 | 0.0026 |
| Lower Lim. | 0.002 | 0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.0024 (J) | 0.0013 (J) | 0.0074 (J) |
| 5/3/2016 | 0.0015 (J) | | 0.0051 |
| 5/4/2016 | | 0.0026 | |
| 7/5/2016 | 0.0015 (J) | | 0.0055 |
| 7/6/2016 | | 0.0033 | |
| 9/8/2016 | <0.0005 | 0.0038 (J) | 0.0056 (J) |
| 11/8/2016 | | 0.0035 (J) | |
| 11/9/2016 | <0.0005 | | 0.0057 (J) |
| 1/12/2017 | 0.00056 (J) | | 0.0044 |
| 1/13/2017 | | 0.006 | |
| 3/16/2017 | | 0.0021 (J) | |
| 3/17/2017 | 0.0012 (J) | | 0.0027 |
| 5/16/2017 | 0.0013 (J) | | |
| 5/17/2017 | | 0.0021 (J) | 0.0035 |
| 3/13/2018 | 0.0011 (J) | | |
| 3/14/2018 | | 0.0022 (J) | 0.0027 |
| 6/8/2018 | 0.0028 | | 0.0029 |
| 6/9/2018 | | 0.0016 (J) | |
| 10/17/2018 | | | 0.0027 |
| 11/13/2018 | 0.0019 (J) | | |
| 11/14/2018 | | 0.0016 (J) | |
| 2/28/2019 | 0.0024 (J) | | 0.0022 (J) |
| 3/5/2019 | | 0.0017 (J) | |
| 6/4/2019 | 0.0013 (J) | 0.0014 (J) | 0.0018 (J) |
| 11/12/2019 | <0.0005 | <0.0025 | 0.00067 (J) |
| 4/18/2020 | 0.00048 (J) | | 0.0016 |
| 4/22/2020 | | 0.00091 | |
| 10/12/2020 | <0.0005 | 0.0014 (J) | 0.0019 (J) |
| 4/1/2021 | 0.0013 | 0.0012 | 0.002 |
| 9/8/2021 | 0.00061 (J) | 0.00071 (J) | 0.0014 (J) |
| 3/25/2022 | <0.0005 | 0.00086 (J) | 0.0012 (J) |
| 9/13/2022 | 0.00069 (J) | 0.0011 (J) | 0.0014 (J) |
| Mean | 0.001177 | 0.002031 | 0.003119 |
| Std. Dev. | 0.00073 | 0.001285 | 0.001868 |
| Upper Lim. | 0.0015 | 0.002556 | 0.004179 |
| Lower Lim. | 0.0005 | 0.001304 | 0.002058 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 22.9 | 22.1 | 36.5 |
| 5/3/2016 | 23.6 | | 35.5 |
| 5/4/2016 | | 19.9 | |
| 7/5/2016 | 23.6 | | 32.9 |
| 7/6/2016 | | 28.5 | |
| 9/8/2016 | 20.8 | 20.1 | 23 |
| 11/8/2016 | | 24.6 | |
| 11/9/2016 | 7.46 | | 40.5 |
| 1/12/2017 | 11.2 | | 35.4 |
| 1/13/2017 | | 22.8 | |
| 3/16/2017 | | 12.2 | |
| 3/17/2017 | 14.3 | | 27.7 |
| 5/16/2017 | 16.9 | | |
| 5/17/2017 | | 7.05 | 26.4 |
| 3/13/2018 | 10.9 | | |
| 3/14/2018 | | 6.95 | 17.7 |
| 6/8/2018 | 10.6 | | 15.3 |
| 6/9/2018 | | 6.52 | |
| 10/17/2018 | | | 12.6 |
| 11/13/2018 | 9.09 | | |
| 11/14/2018 | | 5.66 | |
| 2/28/2019 | 9.7 | | 8.04 |
| 3/5/2019 | | 8.11 | |
| 6/4/2019 | 7.7 | 5.89 | 8.36 |
| 11/12/2019 | 6.4 | 8.32 | 7.14 |
| 4/18/2020 | 2.42 | | 7.03 |
| 4/22/2020 | | 7.2 | |
| 10/12/2020 | 4.51 | 7.02 | 9.54 |
| 4/1/2021 | 5.51 | 9.55 | 9.3 |
| 9/8/2021 | 4.54 | 8.42 | 6.25 |
| 3/25/2022 | 3.81 | 8.93 | 6.19 |
| 9/13/2022 | 13.4 | 4.5 | 6.19 |
| Mean | 11.47 | 12.22 | 18.58 |
| Std. Dev. | 6.851 | 7.593 | 12.34 |
| Upper Lim. | 15.36 | 14.34 | 23.31 |
| Lower Lim. | 7.577 | 7.484 | 10.41 |

# Confidence Interval

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.088 (J) | 0.54 | 0.074 (J) |
| 5/3/2016 | 0.05 (J) | | 0.05 (J) |
| 5/4/2016 | | 0.41 | |
| 7/5/2016 | 0.07 (J) | | 0.05 (J) |
| 7/6/2016 | | 0.49 | |
| 9/8/2016 | 0.07 (J) | 0.57 | 0.05 (J) |
| 11/8/2016 | | 0.47 | |
| 11/9/2016 | 0.06 (J) | | 0.04 (J) |
| 1/12/2017 | <0.1 | | 0.04 (J) |
| 1/13/2017 | | 0.73 | |
| 3/16/2017 | | 0.92 | |
| 3/17/2017 | 0.05 (J) | | 0.04 (J) |
| 5/16/2017 | 0.06 (J) | | |
| 5/17/2017 | | 0.77 | 0.06 (J) |
| 10/3/2017 | | | 0.11 |
| 10/4/2017 | 0.08 (J) | 0.96 | |
| 12/20/2017 | | 0.88 (R) | 0.08 (I) |
| 3/13/2018 | 0.05 (J) | | |
| 3/14/2018 | | 0.84 | 0.08 (J) |
| 6/8/2018 | 0.13 | | 0.1 |
| 6/9/2018 | | 0.78 | |
| 10/17/2018 | | | 0.12 |
| 11/13/2018 | 0.1 | | |
| 11/14/2018 | | 0.67 | |
| 2/28/2019 | 0.3 | | 0.1 |
| 3/5/2019 | | 0.64 | |
| 6/4/2019 | <0.1 | 0.09 (J) | 0.08 (J) |
| 11/12/2019 | 0.072 (J) | 0.57 | 0.045 (J) |
| 4/18/2020 | <0.1 | | <0.1 |
| 4/22/2020 | | 0.39 | |
| 10/12/2020 | <0.1 | 0.46 | 0.04 (J) |
| 4/1/2021 | 0.07 | 0.5 | 0.07 |
| 9/8/2021 | 0.049 (J) | 0.36 | 0.048 (J) |
| 3/25/2022 | <0.1 | 0.25 | <0.1 |
| 9/13/2022 | 0.27 (J) | <0.1 | <0.1 |
| Mean | 0.09852 | 0.5609 | 0.06486 |
| Std. Dev. | 0.06599 | 0.2494 | 0.02473 |
| Upper Lim. | 0.1 | 0.6948 | 0.07592 |
| Lower Lim. | 0.06 | 0.4271 | 0.05094 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lead (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | <0.0013 | <0.0013 | 0.011 |
| 5/3/2016 | 0.0015 | | 0.0087 |
| 5/4/2016 | | <0.0013 | |
| 7/5/2016 | 0.0017 | | 0.011 |
| 7/6/2016 | | <0.0013 | |
| 9/8/2016 | 0.0021 (J) | <0.0013 | 0.0092 |
| 11/8/2016 | | <0.0013 | |
| 11/9/2016 | <0.0013 | | 0.01 |
| 1/12/2017 | 0.00041 (J) | | 0.0086 |
| 1/13/2017 | | <0.0013 | |
| 3/16/2017 | | <0.0013 | |
| 3/17/2017 | 0.0011 (J) | | 0.0082 |
| 5/16/2017 | 0.0011 (J) | | |
| 5/17/2017 | | <0.0013 | 0.0081 |
| 3/13/2018 | 0.00047 (J) | | |
| 3/14/2018 | | <0.0013 | 0.004 |
| 6/8/2018 | 0.0013 | | 0.0034 |
| 6/9/2018 | | <0.0013 | |
| 10/17/2018 | | | 0.0026 |
| 11/13/2018 | 0.0014 | | |
| 11/14/2018 | | <0.0013 | |
| 2/28/2019 | 0.0012 (J) | | 0.0019 |
| 3/5/2019 | | 0.00037 (J) | |
| 6/4/2019 | 0.00079 (J) | 0.00065 (J) | 0.0011 (J) |
| 11/12/2019 | 0.00069 (J) | 0.00061 (J) | 0.001 (J) |
| 4/18/2020 | 0.00042 | | 0.00057 |
| 4/22/2020 | | 0.0005 | |
| 10/12/2020 | 0.00034 (J) | 0.0005 (J) | 0.00085 (J) |
| 4/1/2021 | 0.00058 | 0.00057 | 0.00076 |
| 9/8/2021 | <0.0013 | 0.00034 (J) | 0.0004 (J) |
| 3/25/2022 | <0.0013 | <0.0013 | <0.0013 |
| 9/13/2022 | <0.0013 | <0.0013 | <0.0013 |
| Mean | 0.00108 | 0.001022 | 0.004634 |
| Std. Dev. | 0.0004757 | 0.0003942 | 0.004119 |
| Upper Lim. | 0.001515 | 0.0013 | 0.0087 |
| Lower Lim. | 0.0008565 | 0.00057 | 0.00076 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.01 (J) | <0.005 | <0.005 |
| 5/3/2016 | <0.005 | | <0.005 |
| 5/4/2016 | | 0.0069 | |
| 7/5/2016 | <0.005 | | <0.005 |
| 7/6/2016 | | 0.0086 | |
| 9/8/2016 | <0.005 | 0.035 | <0.005 |
| 11/8/2016 | | <0.005 | |
| 11/9/2016 | <0.005 | | <0.005 |
| 1/12/2017 | <0.005 | | <0.005 |
| 1/13/2017 | | 0.0078 | |
| 3/16/2017 | | 0.0062 | |
| 3/17/2017 | <0.005 | | <0.005 |
| 5/16/2017 | <0.005 | | |
| 5/17/2017 | | 0.0042 (J) | <0.005 |
| 3/13/2018 | <0.005 | | |
| 3/14/2018 | | 0.0053 | <0.005 |
| 6/8/2018 | <0.005 | | 0.0012 (J) |
| 6/9/2018 | | 0.0044 (J) | |
| 10/17/2018 | | | 0.0014 (J) |
| 11/13/2018 | 0.0024 (J) | | |
| 11/14/2018 | | 0.005 | |
| 2/28/2019 | 0.0025 (J) | | <0.005 |
| 3/5/2019 | | 0.0043 (J) | |
| 6/4/2019 | 0.0012 (J) | 0.0044 (J) | <0.005 |
| 11/12/2019 | <0.005 | 0.0026 (J) | <0.005 |
| 4/18/2020 | <0.005 | | <0.005 |
| 4/22/2020 | | 0.0024 | |
| 10/12/2020 | <0.005 | 0.0026 (J) | <0.005 |
| 4/1/2021 | <0.005 | 0.005 | 0.0029 |
| 9/8/2021 | <0.005 | 0.0033 (J) | <0.005 |
| 3/25/2022 | <0.005 | <0.005 | <0.005 |
| 9/13/2022 | <0.005 | <0.005 | <0.005 |
| Mean | 0.004805 | 0.0064 | 0.004525 |
| Std. Dev. | 0.001649 | 0.00692 | 0.001199 |
| Upper Lim. | 0.01 | 0.0062 | 0.005 |
| Lower Lim. | 0.0025 | 0.0042 | 0.0029 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.0027 | 0.0026 | 0.00024 |
| 5/3/2016 | 0.003 | | 0.00036 |
| 5/4/2016 | | 0.0022 | |
| 7/5/2016 | 0.0023 | | 0.0007 |
| 7/6/2016 | | 0.0026 | |
| 9/8/2016 | 0.0034 | 0.0027 | 0.00081 |
| 11/8/2016 | | 0.0016 | |
| 11/9/2016 | 0.0012 | | 0.00099 |
| 1/12/2017 | 0.0012 | | 0.00064 |
| 1/13/2017 | | 0.0026 | |
| 3/16/2017 | | 0.0015 | |
| 3/17/2017 | 0.0022 | | 0.00033 |
| 5/16/2017 | 0.0019 | | |
| 5/17/2017 | | 0.00016 (J) | 0.00034 |
| 3/13/2018 | 0.0014 | | |
| 3/14/2018 | | 0.00051 | 0.0002 |
| 6/8/2018 | 0.0018 | | 0.00016 (J) |
| 6/9/2018 | | 0.00032 | |
| 10/17/2018 | | | 0.00014 (J) |
| 11/13/2018 | 0.0021 | | |
| 11/14/2018 | | 8.2E-05 (J) | |
| 2/28/2019 | 0.0016 | | 0.00012 (J) |
| 3/5/2019 | | 0.0026 | |
| 6/4/2019 | 0.00061 | 0.0012 | <0.0002 |
| 11/12/2019 | 0.00056 | 0.00048 | <0.0002 |
| 4/18/2020 | 0.00013 (J) | | <0.0002 |
| 4/22/2020 | | 0.0004 | |
| 10/12/2020 | 0.00017 (J) | 0.00026 | <0.0002 |
| 4/1/2021 | 0.00025 | 0.00029 | <0.0002 |
| 9/8/2021 | <0.0002 | <0.0002 | <0.0002 |
| 3/25/2022 | <0.0002 | <0.0002 | <0.0002 |
| 9/13/2022 | 0.00038 | 0.00027 | <0.0002 |
| Mean | 0.001355 | 0.001129 | 0.0003315 |
| Std. Dev. | 0.001048 | 0.001051 | 0.0002481 |
| Upper Lim. | 0.00195 | 0.001253 | 0.00036 |
| Lower Lim. | 0.0007598 | 0.0003046 | 0.00016 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Molybdenum (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | <0.015 | <0.015 | <0.015 |
| 5/3/2016 | <0.015 | | <0.015 |
| 5/4/2016 | | <0.015 | |
| 7/5/2016 | <0.015 | | <0.015 |
| 7/6/2016 | | <0.015 | |
| 9/8/2016 | <0.015 | <0.015 | <0.015 |
| 11/8/2016 | | <0.015 | |
| 11/9/2016 | <0.015 | | <0.015 |
| 1/12/2017 | <0.015 | | <0.015 |
| 1/13/2017 | | <0.015 | |
| 3/16/2017 | | 0.0015 (J) | |
| 3/17/2017 | 0.0078 (J) | | <0.015 |
| 5/16/2017 | <0.015 | | |
| 5/17/2017 | | <0.015 | <0.015 |
| 3/13/2018 | <0.015 | | |
| 3/14/2018 | | <0.015 | 0.00092 (J) |
| 6/8/2018 | <0.015 | | <0.015 |
| 6/9/2018 | | <0.015 | |
| 10/17/2018 | | | <0.015 |
| 11/13/2018 | <0.015 | | |
| 11/14/2018 | | <0.015 | |
| 2/28/2019 | <0.015 | | <0.015 |
| 3/5/2019 | | <0.015 | |
| 4/18/2020 | <0.015 | | <0.015 |
| 4/22/2020 | | <0.015 | |
| 10/12/2020 | <0.015 | <0.015 | <0.015 |
| 4/1/2021 | <0.015 | <0.015 | <0.015 |
| 9/8/2021 | <0.015 | <0.015 | <0.015 |
| 3/25/2022 | <0.015 | <0.015 | <0.015 |
| 9/13/2022 | <0.015 | <0.015 | <0.015 |
| Mean | 0.0146 | 0.01425 | 0.01422 |
| Std. Dev. | 0.001697 | 0.003182 | 0.003319 |
| Upper Lim. | 0.015 | 0.015 | 0.015 |
| Lower Lim. | 0.0078 | 0.0015 | 0.00092 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.018 | 0.013 | 0.026 |
| 5/3/2016 | 0.016 | | 0.019 |
| 5/4/2016 | | 0.014 | |
| 7/5/2016 | 0.018 | | 0.018 |
| 7/6/2016 | | 0.015 | |
| 9/8/2016 | 0.016 | 0.018 | 0.018 |
| 11/8/2016 | | 0.015 | |
| 11/9/2016 | 0.013 | | 0.02 |
| 1/12/2017 | 0.004 | | 0.017 |
| 1/13/2017 | | 0.014 | |
| 3/16/2017 | | 0.012 | |
| 3/17/2017 | 0.015 | | 0.016 |
| 5/16/2017 | 0.01 | | |
| 5/17/2017 | | 0.0094 | 0.013 |
| 3/13/2018 | 0.0064 | | |
| 3/14/2018 | | 0.0049 | 0.019 |
| 6/8/2018 | 0.0076 | | 0.018 |
| 6/9/2018 | | 0.0047 | |
| 10/17/2018 | | | 0.013 |
| 11/13/2018 | 0.0062 | | |
| 11/14/2018 | | 0.0031 | |
| 2/28/2019 | 0.0044 | | 0.011 |
| 3/5/2019 | | 0.0012 (J) | |
| 6/4/2019 | 0.0044 | 0.002 | 0.015 |
| 11/12/2019 | 0.0042 | 0.0026 | 0.012 |
| 4/18/2020 | 0.0028 | | 0.0085 |
| 4/22/2020 | | 0.0037 | |
| 10/12/2020 | 0.0025 | 0.003 | 0.0071 |
| 4/1/2021 | 0.0042 | 0.0036 | 0.008 |
| 9/8/2021 | 0.0033 | 0.0046 | 0.0059 |
| 3/25/2022 | <0.0013 | 0.005 | 0.0069 |
| 9/13/2022 | <0.0013 | <0.0013 | <0.0013 |
| Mean | 0.007865 | 0.007473 | 0.0136 |
| Std. Dev. | 0.005937 | 0.005623 | 0.006121 |
| Upper Lim. | 0.01034 | 0.009815 | 0.01708 |
| Lower Lim. | 0.003893 | 0.003719 | 0.01013 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 1/13/2023 1:44 PM View: 200 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-200 | MW-201 | MW-206 |
|---|---|---|---|
| 3/2/2016 | 0.00058 (J) | 0.0003 (J) | 0.00095 (J) |
| 5/3/2016 | 0.00041 (J) | | 0.00089 |
| 5/4/2016 | | 0.0005 | |
| 7/5/2016 | 0.0004 (J) | | 0.001 |
| 7/6/2016 | | 0.00047 (J) | |
| 9/8/2016 | 0.00045 (J) | 0.00053 (J) | 0.00088 (J) |
| 11/8/2016 | | 0.00055 (J) | |
| 11/9/2016 | <0.0005 | | 0.00083 (J) |
| 1/12/2017 | 0.00012 (J) | | 0.00076 |
| 1/13/2017 | | 0.00057 | |
| 3/16/2017 | | 0.0004 (J) | |
| 3/17/2017 | 0.00027 (J) | | 0.00088 |
| 5/16/2017 | 0.00025 (J) | | |
| 5/17/2017 | | 0.00029 (J) | 0.00071 |
| 3/13/2018 | 0.00018 (J) | | |
| 3/14/2018 | | 0.00027 (J) | 0.00055 |
| 6/8/2018 | 0.00018 (J) | | 0.00048 (J) |
| 6/9/2018 | | 0.00023 (J) | |
| 10/17/2018 | | | 0.0003 (J) |
| 11/13/2018 | <0.0005 | | |
| 11/14/2018 | | 0.00015 (J) | |
| 2/28/2019 | 0.0001 (J) | | 0.00024 (J) |
| 3/5/2019 | | 0.00016 (J) | |
| 6/4/2019 | <0.0005 | 0.00011 (J) | 0.00017 (J) |
| 11/12/2019 | <0.0005 | 0.00012 (J) | 0.00019 (J) |
| 4/18/2020 | 5.8E-05 (J) | | 0.00023 |
| 4/22/2020 | | 0.00015 | |
| 10/12/2020 | 0.00014 (J) | 0.00025 (J) | 0.00033 (J) |
| 4/1/2021 | <0.0005 | 0.00012 | 0.0002 |
| 9/8/2021 | <0.0005 | <0.0005 | <0.0005 |
| 3/25/2022 | <0.0005 | <0.0005 | <0.0005 |
| 9/13/2022 | <0.0005 | <0.0005 | <0.0005 |
| Mean | 0.0003569 | 0.0003335 | 0.0005545 |
| Std. Dev. | 0.0001728 | 0.0001684 | 0.0002867 |
| Upper Lim. | 0.0005 | 0.0004291 | 0.0007173 |
| Lower Lim. | 0.00018 | 0.0002379 | 0.0003917 |

ND substitution: RL or RL/2 if <15% NDs.

# 300 Series

# Confidence Interval Summary Table - 300 Series - Significant Results

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 2:00 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **Combined Radium 226 + 228 (pCi/L)** | **MW-303** | **6.734** | **5.018** | **5** | **Yes** | **20** | **1.905** | **0** | **ln(x)** | **0.01** | **Param.** |
| **Molybdenum (mg/L)** | **MW-303** | **1.453** | **0.7522** | **0.1** | **Yes** | **20** | **0.6168** | **0** | **No** | **0.01** | **Param.** |

# Confidence Interval Summary Table - 300 Series - All Results


Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant Printed 1/13/2023, 2:00 AM

| Constituent | Well | Upper Lim. | Lower Lim. | Compliance | Sig. | N | Std. Dev. | %NDs | Transform | Alpha | Method |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Arsenic (mg/L) | MW-303 | 0.0015 | 0.00082 | 0.01 | No | 18 | 0.0004255 | 55.56 | No | 0.01 | NP (normality) |
| Arsenic (mg/L) | MW-304 | 0.0035 | 0.00056 | 0.01 | No | 15 | 0.001559 | 26.67 | No | 0.01 | NP (Cohens/xfrm) |
| Arsenic (mg/L) | MW-305 | 0.00042 | 0.00025 | 0.01 | No | 18 | 0.02162 | 77.78 | No | 0.01 | NP (NDs) |
| Arsenic (mg/L) | MW-308 | 0.0023 | 0.0011 | 0.01 | No | 18 | 0.0003204 | 83.33 | No | 0.01 | NP (NDs) |
| Barium (mg/L) | MW-300 | 0.012 | 0.011 | 2 | No | 20 | 0.0007452 | 0 | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-303 | 0.04801 | 0.03137 | 2 | No | 20 | 0.01571 | 0 | sqrt(x) | 0.01 | Param. |
| Barium (mg/L) | MW-304 | 0.04205 | 0.02885 | 2 | No | 20 | 0.01163 | 0 | No | 0.01 | Param. |
| Barium (mg/L) | MW-305 | 0.026 | 0.016 | 2 | No | 20 | 0.007236 | 0 | No | 0.01 | NP (normality) |
| Barium (mg/L) | MW-308 | 0.02719 | 0.02181 | 2 | No | 20 | 0.004741 | 0 | No | 0.01 | Param. |
| Beryllium (mg/L) | MW-303 | 0.0025 | 0.000074 | 0.004 | No | 17 | 0.0005884 | 94.12 | No | 0.01 | NP (NDs) |
| Beryllium (mg/L) | MW-305 | 0.001 | 0.0005 | 0.004 | No | 17 | 0.0001213 | 94.12 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-300 | 0.0025 | 0.000075 | 0.005 | No | 20 | 0.0005422 | 95 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-303 | 0.0025 | 0.00041 | 0.005 | No | 20 | 0.001025 | 40 | No | 0.01 | NP (normality) |
| Cadmium (mg/L) | MW-304 | 0.0042 | 0.001 | 0.005 | No | 20 | 0.0006549 | 85 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-305 | 0.0029 | 0.000076 | 0.005 | No | 20 | 0.0005499 | 90 | No | 0.01 | NP (NDs) |
| Cadmium (mg/L) | MW-308 | 0.0025 | 0.000089 | 0.005 | No | 20 | 0.0005391 | 95 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-300 | 0.0037 | 0.0012 | 0.1 | No | 17 | 0.0004423 | 88.24 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-303 | 0.0025 | 0.0014 | 0.1 | No | 17 | 0.0004001 | 88.24 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-304 | 0.0025 | 0.0021 | 0.1 | No | 17 | 0.000376 | 76.47 | No | 0.01 | NP (NDs) |
| Chromium (mg/L) | MW-305 | 0.0013 | 0.001 | 0.1 | No | 17 | 0.0004314 | 70.59 | No | 0.01 | NP (normality) |
| Chromium (mg/L) | MW-308 | 0.0025 | 0.0022 | 0.1 | No | 17 | 0.0004094 | 88.24 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-300 | 0.0025 | 0.00093 | 0.006 | No | 20 | 0.0008687 | 80 | No | 0.01 | NP (NDs) |
| Cobalt (mg/L) | MW-303 | 0.0025 | 0.00059 | 0.006 | No | 20 | 0.0009752 | 50 | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-304 | 0.04327 | 0.005834 | 0.006 | No | 11 | 0.08645 | 0 | ln(x) | 0.01 | Param. |
| Cobalt (mg/L) | MW-305 | 0.0025 | 0.00045 | 0.006 | No | 20 | 0.00781 | 35 | No | 0.01 | NP (normality) |
| Cobalt (mg/L) | MW-308 | 0.0025 | 0.00063 | 0.006 | No | 20 | 0.0005865 | 90 | No | 0.01 | NP (NDs) |
| Combined Radium 226 + 228 (pCi/L) | MW-300 | 5.498 | 4.828 | 5 | No | 20 | 0.5897 | 0 | No | 0.01 | Param. |
| **Combined Radium 226 + 228 (pCi/L)** | **MW-303** | **6.734** | **5.018** | **5** | **Yes** | **20** | **1.905** | **0** | **ln(x)** | **0.01** | **Param.** |
| Combined Radium 226 + 228 (pCi/L) | MW-304 | 6.853 | 4.143 | 5 | No | 20 | 2.385 | 0 | No | 0.01 | Param. |
| Combined Radium 226 + 228 (pCi/L) | MW-305 | 1.67 | 1.24 | 5 | No | 20 | 4.162 | 0 | No | 0.01 | NP (normality) |
| Combined Radium 226 + 228 (pCi/L) | MW-308 | 3.006 | 2.33 | 5 | No | 20 | 0.5948 | 0 | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-300 | 0.1 | 0.041 | 4 | No | 21 | 0.01287 | 95.24 | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-303 | 0.2449 | 0.166 | 4 | No | 22 | 0.07347 | 4.545 | No | 0.01 | Param. |
| Fluoride (mg/L) | MW-304 | 0.12 | 0.06 | 4 | No | 21 | 0.1371 | 47.62 | No | 0.01 | NP (normality) |
| Fluoride (mg/L) | MW-305 | 4.6 | 0.035 | 4 | No | 21 | 0.9836 | 85.71 | No | 0.01 | NP (NDs) |
| Fluoride (mg/L) | MW-308 | 0.1392 | 0.08627 | 4 | No | 22 | 0.0493 | 4.545 | No | 0.01 | Param. |
| Lead (mg/L) | MW-300 | 0.0013 | 0.00039 | 0.015 | No | 17 | 0.0003573 | 88.24 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-303 | 0.0013 | 0.00011 | 0.015 | No | 17 | 0.0002886 | 94.12 | No | 0.01 | NP (NDs) |
| Lead (mg/L) | MW-304 | 0.0014 | 0.00048 | 0.015 | No | 17 | 0.0004162 | 58.82 | No | 0.01 | NP (normality) |
| Lead (mg/L) | MW-305 | 0.0019 | 0.00025 | 0.015 | No | 17 | 0.0004002 | 94.12 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-300 | 0.005 | 0.0036 | 0.04 | No | 20 | 0.001519 | 80 | No | 0.01 | NP (NDs) |
| Lithium (mg/L) | MW-303 | 0.02769 | 0.02159 | 0.04 | No | 20 | 0.006433 | 5 | x^2 | 0.01 | Param. |
| Lithium (mg/L) | MW-304 | 0.005 | 0.0034 | 0.04 | No | 20 | 0.001782 | 65 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-305 | 0.006 | 0.0025 | 0.04 | No | 20 | 0.001633 | 75 | No | 0.01 | NP (normality) |
| Lithium (mg/L) | MW-308 | 0.005 | 0.0021 | 0.04 | No | 20 | 0.001489 | 80 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-300 | 0.0002 | 0.00019 | 0.002 | No | 20 | 0.000002236 | 95 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-304 | 0.00055 | 0.0002 | 0.002 | No | 20 | 0.0003136 | 25 | No | 0.01 | NP (Cohens/xfrm) |
| Mercury (mg/L) | MW-305 | 0.0018 | 0.00014 | 0.002 | No | 20 | 0.000612 | 85 | No | 0.01 | NP (NDs) |
| Mercury (mg/L) | MW-308 | 0.00042 | 0.000087 | 0.002 | No | 20 | 0.00005647 | 90 | No | 0.01 | NP (NDs) |
| **Molybdenum (mg/L)** | **MW-303** | **1.453** | **0.7522** | **0.1** | **Yes** | **20** | **0.6168** | **0** | **No** | **0.01** | **Param.** |
| Molybdenum (mg/L) | MW-304 | 0.015 | 0.0043 | 0.1 | No | 20 | 0.00552 | 65 | No | 0.01 | NP (normality) |
| Molybdenum (mg/L) | MW-305 | 0.015 | 0.0016 | 0.1 | No | 20 | 0.004325 | 90 | No | 0.01 | NP (NDs) |
| Molybdenum (mg/L) | MW-308 | 0.015 | 0.0022 | 0.1 | No | 20 | 0.004867 | 85 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-300 | 0.0045 | 0.0013 | 0.05 | No | 20 | 0.0007155 | 95 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-303 | 0.006326 | 0.003714 | 0.05 | No | 20 | 0.0023 | 0 | No | 0.01 | Param. |
| Selenium (mg/L) | MW-304 | 0.006488 | 0.004196 | 0.05 | No | 19 | 0.001957 | 0 | No | 0.01 | Param. |
| Selenium (mg/L) | MW-305 | 0.21 | 0.00077 | 0.05 | No | 20 | 0.04669 | 85 | No | 0.01 | NP (NDs) |
| Selenium (mg/L) | MW-308 | 0.006204 | 0.003566 | 0.05 | No | 20 | 0.002322 | 0 | No | 0.01 | Param. |
| Thallium (mg/L) | MW-303 | 0.00027 | 0.00018 | 0.002 | No | 20 | 0.0001165 | 15 | No | 0.01 | NP (normality) |
| Thallium (mg/L) | MW-304 | 0.00029 | 0.00014 | 0.002 | No | 20 | 0.000154 | 25 | No | 0.01 | NP (Cohens/xfrm) |
| Thallium (mg/L) | MW-308 | 0.0003543 | 0.0002367 | 0.002 | No | 20 | 0.0001035 | 15 | No | 0.01 | Param. |

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Arsenic Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Barium Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Beryllium Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Cadmium Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Chromium Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Cobalt Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Fluoride Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Lead Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Lithium Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Non-Parametric Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01.





Constituent: Mercury Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval


Compliance limit is exceeded.* Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Molybdenum Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.





Constituent: Selenium Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Parametric and Non-Parametric (NP) Confidence Interval

Compliance Limit is not exceeded. Per-well alpha = 0.01. Normality Test: Shapiro Wilk, alpha based on n.




Constituent: Thallium Analysis Run 1/13/2023 1:59 AM View: 300 Series Confidence Intervals
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Confidence Interval

Constituent: Arsenic (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|
| 3/3/2016 | 0.0018 (J) | 0.009 (o) | <0.00025 | <0.0013 |
| 5/4/2016 | 0.0024 | 0.019 (o) | <0.00025 | <0.0013 |
| 7/6/2016 | 0.0005 (J) | 0.014 (o) | | <0.0013 |
| 7/7/2016 | | | <0.00025 | |
| 9/7/2016 | | 0.005 | <0.00025 | <0.0013 |
| 9/8/2016 | <0.0013 | | | |
| 11/7/2016 | | | <0.00025 | |
| 11/8/2016 | <0.0013 | 0.0035 | | <0.0013 |
| 1/10/2017 | <0.0013 | 0.0051 | <0.00025 | <0.0013 |
| 3/15/2017 | | 0.00066 (J) | <0.00025 | |
| 3/16/2017 | 0.0015 | | | <0.0013 |
| 5/15/2017 | 0.0012 (J) | | | |
| 5/16/2017 | | 0.00094 (J) | <0.00025 | <0.0013 |
| 3/13/2018 | 0.00082 (J) | 0.00086 (J) | <0.00025 | <0.0013 |
| 6/7/2018 | 0.0007 (J) | 0.00056 (J) | <0.00025 | <0.0013 |
| 10/17/2018 | <0.0013 | 0.0005 (J) | <0.00025 | <0.0013 |
| 2/27/2019 | | | | <0.0013 |
| 2/28/2019 | <0.0013 | <0.0013 | <0.00025 | |
| 4/18/2020 | <0.0013 | 0.00053 | 0.00042 | 0.00046 |
| 10/8/2020 | 0.00069 (J) | | | 0.0011 (J) |
| 10/9/2020 | | <0.0013 | 0.00057 (J) | |
| 4/1/2021 | <0.0013 | 0.00062 | 0.00048 | <0.0013 |
| 9/7/2021 | <0.0013 | <0.0013 | <0.00025 | <0.0013 |
| 3/24/2022 | <0.0013 | 0.0019 | <0.00025 | 0.0023 |
| 9/12/2022 | <0.0013 | <0.0013 | | <0.0013 |
| 9/16/2022 | | | 0.092 | |
| Mean | 0.001256 | 0.001691 | 0.005387 | 0.001298 |
| Std. Dev. | 0.0004255 | 0.001559 | 0.02162 | 0.0003204 |
| Upper Lim. | 0.0015 | 0.0035 | 0.00042 | 0.0023 |
| Lower Lim. | 0.00082 | 0.00056 | 0.00025 | 0.0011 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Barium (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | 0.01 (J) | 0.024 | 0.045 | 0.02 | 0.023 |
| 5/4/2016 | 0.012 | 0.025 | 0.035 | 0.017 | 0.029 |
| 7/6/2016 | | 0.025 | 0.036 | | 0.029 |
| 7/7/2016 | 0.012 | | | 0.018 | |
| 9/7/2016 | 0.011 | | 0.026 | 0.017 | 0.029 |
| 9/8/2016 | | 0.03 | | | |
| 11/7/2016 | | | | 0.017 | |
| 11/8/2016 | 0.011 | 0.032 | 0.042 | | 0.025 |
| 1/10/2017 | 0.011 | 0.027 | 0.041 | 0.016 | 0.022 |
| 3/15/2017 | 0.013 | | 0.018 | 0.018 | |
| 3/16/2017 | | 0.04 | | | 0.023 |
| 5/15/2017 | | 0.028 | | | |
| 5/16/2017 | 0.011 | | 0.026 | 0.016 | 0.02 |
| 3/13/2018 | 0.011 | 0.034 | 0.057 | 0.016 | 0.031 |
| 6/6/2018 | 0.012 | | | | |
| 6/7/2018 | | 0.053 | 0.04 | 0.016 | 0.026 |
| 10/17/2018 | | 0.048 | 0.021 | 0.016 | 0.017 |
| 10/18/2018 | 0.01 | | | | |
| 2/27/2019 | | | | | 0.024 |
| 2/28/2019 | 0.012 | 0.032 | 0.039 | 0.02 | |
| 5/31/2019 | 0.011 | 0.029 | 0.044 | 0.036 | 0.031 |
| 11/11/2019 | 0.012 | 0.046 | 0.027 | 0.026 | 0.02 |
| 4/18/2020 | 0.011 | 0.069 | 0.043 | 0.02 | 0.016 |
| 10/8/2020 | | 0.076 | | | 0.022 |
| 10/9/2020 | 0.011 | | 0.015 | 0.016 | |
| 3/31/2021 | 0.012 | | | | |
| 4/1/2021 | | 0.068 | 0.055 | 0.017 | 0.031 |
| 9/7/2021 | 0.011 | 0.034 | 0.041 | 0.015 | 0.029 |
| 3/24/2022 | 0.012 | 0.047 | 0.036 | 0.03 | 0.024 |
| 9/12/2022 | 0.011 | 0.044 | 0.022 | | 0.019 |
| 9/16/2022 | | | | 0.041 | |
| Mean | 0.01135 | 0.04055 | 0.03545 | 0.0204 | 0.0245 |
| Std. Dev. | 0.0007452 | 0.01571 | 0.01163 | 0.007236 | 0.004741 |
| Upper Lim. | 0.012 | 0.04801 | 0.04205 | 0.026 | 0.02719 |
| Lower Lim. | 0.011 | 0.03137 | 0.02885 | 0.016 | 0.02181 |

# Confidence Interval

Constituent: Beryllium (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-305 |
|---|---|---|
| 3/3/2016 | <0.0025 | <0.0005 |
| 5/4/2016 | <0.0025 | <0.0005 |
| 7/6/2016 | <0.0025 | |
| 7/7/2016 | | <0.0005 |
| 9/7/2016 | | <0.0005 |
| 9/8/2016 | <0.0025 | |
| 11/7/2016 | | <0.0005 |
| 11/8/2016 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.0005 |
| 3/15/2017 | | <0.0005 |
| 3/16/2017 | <0.0025 | |
| 5/15/2017 | <0.0025 | |
| 5/16/2017 | | <0.0005 |
| 3/13/2018 | <0.0025 | <0.0005 |
| 6/7/2018 | <0.0025 | <0.0005 |
| 2/28/2019 | <0.0025 | <0.0005 |
| 4/18/2020 | 7.4E-05 (J) | <0.0005 |
| 10/8/2020 | <0.0025 | |
| 10/9/2020 | | <0.0005 |
| 4/1/2021 | <0.0025 | <0.0005 |
| 9/7/2021 | <0.0025 | <0.0005 |
| 3/24/2022 | <0.0025 | <0.0005 |
| 9/12/2022 | <0.0025 | |
| 9/16/2022 | | 0.001 (J) |
| Mean | 0.002357 | 0.0005294 |
| Std. Dev. | 0.0005884 | 0.0001213 |
| Upper Lim. | 0.0025 | 0.001 |
| Lower Lim. | 7.4E-05 | 0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cadmium (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0005 | <0.0025 |
| 5/4/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0005 | <0.0025 |
| 7/6/2016 | | 0.00036 (J) | <0.0025 | | <0.0025 |
| 7/7/2016 | <0.0025 | | | <0.0005 | |
| 9/7/2016 | <0.0025 | | <0.0025 | <0.0005 | <0.0025 |
| 9/8/2016 | | 0.00045 (J) | | | |
| 11/7/2016 | | | | <0.0005 | |
| 11/8/2016 | <0.0025 | 0.00065 (J) | <0.0025 | | <0.0025 |
| 1/10/2017 | <0.0025 | 0.00051 (J) | <0.0025 | <0.0005 | <0.0025 |
| 3/15/2017 | <0.0025 | | <0.0025 | <0.0005 | |
| 3/16/2017 | | 0.00049 (J) | | | <0.0025 |
| 5/15/2017 | | 0.00045 (J) | | | |
| 5/16/2017 | <0.0025 | | <0.0025 | <0.0005 | <0.0025 |
| 3/13/2018 | <0.0025 | 0.00041 (J) | <0.0025 | <0.0005 | <0.0025 |
| 6/6/2018 | <0.0025 | | | | |
| 6/7/2018 | | 0.00066 (J) | <0.0025 | <0.0005 | <0.0025 |
| 10/17/2018 | | 0.00072 (J) | <0.0025 | <0.0005 | <0.0025 |
| 10/18/2018 | <0.0025 | | | | |
| 2/27/2019 | | | | | <0.0025 |
| 2/28/2019 | <0.0025 | 0.00039 (J) | <0.0025 | <0.0005 | |
| 5/31/2019 | <0.0025 | 0.00034 (J) | <0.0025 | <0.0005 | <0.0025 |
| 11/11/2019 | <0.0025 | <0.0025 | 0.001 (J) | <0.0005 | <0.0025 |
| 4/18/2020 | 7.5E-05 (J) | 0.00024 (J) | 0.00073 | 7.6E-05 (J) | 8.9E-05 (J) |
| 10/8/2020 | | <0.0025 | | | <0.0025 |
| 10/9/2020 | <0.0025 | | <0.0025 | <0.0005 | |
| 3/31/2021 | <0.0025 | | | | |
| 4/1/2021 | | <0.0025 | <0.0025 | <0.0005 | <0.0025 |
| 9/7/2021 | <0.0025 | <0.0025 | 0.0042 | <0.0005 | <0.0025 |
| 3/24/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0005 | <0.0025 |
| 9/12/2022 | <0.0025 | <0.0025 | <0.0025 | | <0.0025 |
| 9/16/2022 | | | | 0.0029 | |
| Mean | 0.002379 | 0.001283 | 0.002421 | 0.0005988 | 0.002379 |
| Std. Dev. | 0.0005422 | 0.001025 | 0.0006549 | 0.0005499 | 0.0005391 |
| Upper Lim. | 0.0025 | 0.0025 | 0.0042 | 0.0029 | 0.0025 |
| Lower Lim. | 7.5E-05 | 0.00041 | 0.001 | 7.6E-05 | 8.9E-05 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Chromium (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.0025 | <0.0025 | <0.0025 | <0.001 | <0.0025 |
| 5/4/2016 | 0.0037 | <0.0025 | 0.0012 (J) | 0.0025 | <0.0025 |
| 7/6/2016 | | <0.0025 | <0.0025 | | <0.0025 |
| 7/7/2016 | <0.0025 | | | <0.001 | |
| 9/7/2016 | <0.0025 | | <0.0025 | <0.001 | <0.0025 |
| 9/8/2016 | | <0.0025 | | | |
| 11/7/2016 | | | | <0.001 | |
| 11/8/2016 | <0.0025 | <0.0025 | <0.0025 | | <0.0025 |
| 1/10/2017 | <0.0025 | <0.0025 | <0.0025 | <0.001 | <0.0025 |
| 3/15/2017 | <0.0025 | | <0.0025 | <0.001 | |
| 3/16/2017 | | <0.0025 | | | <0.0025 |
| 5/15/2017 | | <0.0025 | | | |
| 5/16/2017 | <0.0025 | | <0.0025 | <0.001 | <0.0025 |
| 3/13/2018 | <0.0025 | <0.0025 | <0.0025 | <0.001 | <0.0025 |
| 6/6/2018 | <0.0025 | | | | |
| 6/7/2018 | | <0.0025 | <0.0025 | <0.001 | <0.0025 |
| 2/27/2019 | | | | | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0025 | <0.0025 | <0.001 | |
| 4/18/2020 | <0.0025 | <0.0025 | <0.0025 | <0.001 | 0.00082 |
| 10/8/2020 | | <0.0025 | | | <0.0025 |
| 10/9/2020 | <0.0025 | | 0.0016 (J) | 0.0016 (J) | |
| 3/31/2021 | <0.0025 | | | | |
| 4/1/2021 | | 0.0014 | <0.0025 | <0.001 | <0.0025 |
| 9/7/2021 | 0.0012 (J) | 0.0012 (J) | 0.0025 | 0.0012 (J) | 0.0022 (J) |
| 3/24/2022 | <0.0025 | <0.0025 | 0.0021 (J) | 0.002 | <0.0025 |
| 9/12/2022 | <0.0025 | <0.0025 | <0.0025 | | <0.0025 |
| 9/16/2022 | | | | 0.0013 (J) | |
| Mean | 0.002494 | 0.002359 | 0.002347 | 0.001212 | 0.002384 |
| Std. Dev. | 0.0004423 | 0.0004001 | 0.000376 | 0.0004314 | 0.0004094 |
| Upper Lim. | 0.0037 | 0.0025 | 0.0025 | 0.0013 | 0.0025 |
| Lower Lim. | 0.0012 | 0.0014 | 0.0021 | 0.001 | 0.0022 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Cobalt (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.0025 | <0.0025 | 0.19 | 0.00085 (J) | 0.00063 (J) |
| 5/4/2016 | 0.00093 (J) | 0.0007 (J) | 0.16 | 0.001 (J) | 0.00056 (J) |
| 7/6/2016 | | <0.0025 | 0.15 | | <0.0025 |
| 7/7/2016 | <0.0025 | | | 0.00044 (J) | |
| 9/7/2016 | <0.0025 | | 0.019 | 0.00052 (J) | <0.0025 |
| 9/8/2016 | | <0.0025 | | | |
| 11/7/2016 | | | | 0.00046 (J) | |
| 11/8/2016 | <0.0025 | 0.00051 (J) | 0.099 | | <0.0025 |
| 1/10/2017 | <0.0025 | <0.0025 | 0.077 | 0.00042 (J) | <0.0025 |
| 3/15/2017 | <0.0025 | | 0.0042 | 0.00044 (J) | |
| 3/16/2017 | | 0.0004 (J) | | | <0.0025 |
| 5/15/2017 | | 0.00079 (J) | | | |
| 5/16/2017 | <0.0025 | | 0.0067 | <0.0025 | <0.0025 |
| 3/13/2018 | <0.0025 | 0.00056 (J) | 0.015 | <0.0025 | <0.0025 |
| 6/6/2018 | <0.0025 | | | | |
| 6/7/2018 | | 0.0007 (J) | 0.014 | <0.0025 | <0.0025 |
| 10/17/2018 | | <0.0025 | 0.012 | <0.0025 | <0.0025 |
| 10/18/2018 | <0.0025 | | | | |
| 2/27/2019 | | | | | <0.0025 |
| 2/28/2019 | <0.0025 | 0.00059 (J) | 0.02 | 0.00042 (J) | |
| 5/31/2019 | <0.0025 | 0.00073 (J) | 0.026 | 0.00046 (J) | <0.0025 |
| 11/11/2019 | 0.00023 (J) | 0.00065 (J) | 0.023 | 0.00063 (J) | <0.0025 |
| 4/18/2020 | 0.00024 (J) | 0.00044 (J) | 0.015 | 0.00045 (J) | <0.0025 |
| 10/8/2020 | | <0.0025 | | | <0.0025 |
| 10/9/2020 | <0.0025 | | 0.0019 (J) | <0.0025 | |
| 3/31/2021 | <0.0025 | | | | |
| 4/1/2021 | | <0.0025 | 0.0079 | <0.0025 | <0.0025 |
| 9/7/2021 | <0.0025 | <0.0025 | 0.3 | <0.0025 | <0.0025 |
| 3/24/2022 | 0.00024 (J) | <0.0025 | 0.01 | 0.0016 | <0.0025 |
| 9/12/2022 | <0.0025 | <0.0025 | 0.012 | | <0.0025 |
| 9/16/2022 | | | | 0.036 | |
| Mean | 0.002082 | 0.001553 | 0.04016 | 0.003059 | 0.002309 |
| Std. Dev. | 0.0008687 | 0.0009752 | 0.08645 | 0.00781 | 0.0005865 |
| Upper Lim. | 0.0025 | 0.0025 | 0.04327 | 0.0025 | 0.0025 |
| Lower Lim. | 0.00093 | 0.00059 | 0.005834 | 0.00045 | 0.00063 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | 4.62 | 5.43 | 9.46 | 1.67 | 2.29 |
| 5/4/2016 | 5.36 | 5.52 | 9.66 | 1.18 | 2.58 |
| 7/6/2016 | | 12.9 | 2.84 | | 3.08 |
| 7/7/2016 | 6.27 | | | 1.24 | |
| 9/7/2016 | 5.25 | | 4.49 | 1.49 | 3.04 |
| 9/8/2016 | | 3.73 | | | |
| 11/7/2016 | | | | 1.32 | |
| 11/8/2016 | 5.64 | 5.61 | 7.47 | | 2.96 |
| 1/10/2017 | 5.39 | 4.33 | 9.6 | 2.16 | 3.5 |
| 3/15/2017 | 5.72 | | 2.22 | 1.14 | |
| 3/16/2017 | | 6.34 | | | 2.9 |
| 5/15/2017 | | 5.77 | | | |
| 5/16/2017 | 4.84 | | 3.89 | 1.26 | 1.47 |
| 3/13/2018 | 5.59 | 5.94 | 5.25 | 1.29 | 2.96 |
| 6/6/2018 | 3.96 | | | | |
| 6/7/2018 | | 5.79 | 4.1 | 1.25 | 2.45 |
| 10/17/2018 | | 6.31 | 3.15 | 1.24 | 2.7 |
| 10/18/2018 | 5.75 | | | | |
| 2/27/2019 | | | | | 2.61 |
| 2/28/2019 | 4.82 | 5.4 | 5.21 | 1.55 | |
| 5/31/2019 | 4.06 | 4.37 | 6.03 | 1.9 | 3.62 |
| 11/11/2019 | 5.43 | 5.71 | 5.15 | 1.58 | 2 |
| 4/18/2020 | 5.09 | 6.89 | 7.33 | 1.55 | 1.34 |
| 10/8/2020 | | 8.36 | | | 3.17 |
| 10/9/2020 | 4.71 | | 1.58 | 0.858 | |
| 3/31/2021 | 4.44 | | | | |
| 4/1/2021 | | 6.31 | 6.79 | 1.23 | 2.27 |
| 9/7/2021 | 5.47 | 6.02 | 6.19 | 1.6 | 2.42 |
| 3/24/2022 | 5.39 | 5.28 | 6.01 | 3 | 3.16 |
| 9/12/2022 | 5.46 | 4.49 | 3.54 | | 2.84 |
| 9/16/2022 | | | | 20 | |
| Mean | 5.163 | 6.025 | 5.498 | 2.425 | 2.668 |
| Std. Dev. | 0.5897 | 1.905 | 2.385 | 4.162 | 0.5948 |
| Upper Lim. | 5.498 | 6.734 | 6.853 | 1.67 | 3.006 |
| Lower Lim. | 4.828 | 5.018 | 4.143 | 1.24 | 2.33 |

# Confidence Interval

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | 0.041 (J) | 0.15 | 0.12 | 0.035 (J) | 0.11 |
| 5/4/2016 | <0.1 | 0.11 | 0.19 | <0.1 | 0.07 (J) |
| 7/6/2016 | | 0.13 | 0.15 | | 0.07 (J) |
| 7/7/2016 | <0.1 | | | <0.1 | |
| 9/7/2016 | <0.1 | | 0.06 (J) | <0.1 | 0.06 (J) |
| 9/8/2016 | | 0.12 | | | |
| 11/7/2016 | | | | <0.1 | |
| 11/8/2016 | <0.1 | 0.13 | 0.09 (J) | | 0.06 (J) |
| 1/10/2017 | <0.1 | 0.15 | <0.1 | <0.1 | 0.04 (J) |
| 3/15/2017 | <0.1 | | <0.1 | <0.1 | |
| 3/16/2017 | | 0.16 | | | 0.06 (J) |
| 5/15/2017 | | 0.2 | | | |
| 5/16/2017 | <0.1 | | 0.04 (J) | <0.1 | 0.09 (J) |
| 10/3/2017 | <0.1 | 0.25 | 0.07 (J) | <0.1 | 0.13 |
| 12/20/2017 | | 0.25 | | | 0.1 |
| 3/13/2018 | <0.1 | 0.26 | <0.1 | <0.1 | 0.1 |
| 6/6/2018 | <0.1 | | | | |
| 6/7/2018 | | 0.28 | <0.1 | <0.1 | 0.14 |
| 10/17/2018 | | 0.29 | 0.06 (J) | <0.1 | 0.14 |
| 10/18/2018 | <0.1 | | | | |
| 2/27/2019 | | | | | 0.16 |
| 2/28/2019 | <0.1 | 0.28 | <0.1 | <0.1 | |
| 5/31/2019 | <0.1 | 0.33 | <0.1 | <0.1 | 0.2 |
| 11/11/2019 | <0.1 | 0.26 | <0.1 | <0.1 | 0.16 |
| 4/18/2020 | <0.1 | 0.25 | <0.1 | <0.1 | 0.17 |
| 10/8/2020 | | <0.1 | | | 0.07 (J) |
| 10/9/2020 | <0.1 | | 0.04 (J) | <0.1 | |
| 3/31/2021 | <0.1 | | | | |
| 4/1/2021 | | 0.26 | 0.04 | 0.032 | 0.19 |
| 9/7/2021 | <0.1 | 0.24 | 0.7 | <0.1 | 0.17 |
| 3/24/2022 | <0.1 | 0.22 | <0.1 | <0.1 | 0.14 |
| 9/12/2022 | <0.1 | 0.15 (J) | <0.1 | | <0.1 |
| 9/16/2022 | | | | 4.6 | |
| Mean | 0.09719 | 0.2055 | 0.1219 | 0.308 | 0.1127 |
| Std. Dev. | 0.01287 | 0.07347 | 0.1371 | 0.9836 | 0.0493 |
| Upper Lim. | 0.1 | 0.2449 | 0.12 | 4.6 | 0.1392 |
| Lower Lim. | 0.041 | 0.166 | 0.06 | 0.035 | 0.08627 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lead (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 |
|---|---|---|---|---|
| 3/3/2016 | <0.0013 | <0.0013 | <0.0013 | <0.00025 |
| 5/4/2016 | <0.0013 | <0.0013 | 0.00086 (J) | <0.00025 |
| 7/6/2016 | | <0.0013 | 0.0014 | |
| 7/7/2016 | <0.0013 | | | <0.00025 |
| 9/7/2016 | <0.0013 | | 0.00056 (J) | <0.00025 |
| 9/8/2016 | | <0.0013 | | |
| 11/7/2016 | | | | <0.00025 |
| 11/8/2016 | <0.0013 | <0.0013 | 0.00047 (J) | |
| 1/10/2017 | <0.0013 | <0.0013 | 0.00041 (J) | <0.00025 |
| 3/15/2017 | <0.0013 | | <0.0013 | <0.00025 |
| 3/16/2017 | | <0.0013 | | |
| 5/15/2017 | | <0.0013 | | |
| 5/16/2017 | <0.0013 | | <0.0013 | <0.00025 |
| 3/13/2018 | <0.0013 | <0.0013 | <0.0013 | <0.00025 |
| 6/6/2018 | <0.0013 | | | |
| 6/7/2018 | | <0.0013 | <0.0013 | <0.00025 |
| 2/28/2019 | <0.0013 | <0.0013 | <0.0013 | <0.00025 |
| 4/18/2020 | 8.3E-05 (J) | 0.00011 (J) | 0.00022 (J) | <0.00025 |
| 10/8/2020 | | <0.0013 | | |
| 10/9/2020 | <0.0013 | | 0.00048 (J) | <0.00025 |
| 3/31/2021 | 0.00039 | | | |
| 4/1/2021 | | <0.0013 | <0.0013 | <0.00025 |
| 9/7/2021 | <0.0013 | <0.0013 | <0.0013 | <0.00025 |
| 3/24/2022 | <0.0013 | <0.0013 | <0.0013 | <0.00025 |
| 9/12/2022 | <0.0013 | <0.0013 | <0.0013 | |
| 9/16/2022 | | | | 0.0019 |
| Mean | 0.001175 | 0.00123 | 0.001024 | 0.0003471 |
| Std. Dev. | 0.0003573 | 0.0002886 | 0.0004162 | 0.0004002 |
| Upper Lim. | 0.0013 | 0.0013 | 0.0014 | 0.0019 |
| Lower Lim. | 0.00039 | 0.00011 | 0.00048 | 0.00025 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Lithium (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.005 | 0.037 | <0.005 | <0.005 | <0.005 |
| 5/4/2016 | <0.005 | 0.029 | <0.005 | <0.005 | <0.005 |
| 7/6/2016 | | 0.024 | 0.0044 (J) | | <0.005 |
| 7/7/2016 | <0.005 | | | <0.005 | |
| 9/7/2016 | <0.005 | | <0.005 | <0.005 | <0.005 |
| 9/8/2016 | | 0.022 | | | |
| 11/7/2016 | | | | <0.005 | |
| 11/8/2016 | <0.005 | 0.026 | <0.005 | | <0.005 |
| 1/10/2017 | <0.005 | 0.024 | <0.005 | <0.005 | <0.005 |
| 3/15/2017 | <0.005 | | <0.005 | <0.005 | |
| 3/16/2017 | | 0.029 | | | <0.005 |
| 5/15/2017 | | 0.025 | | | |
| 5/16/2017 | <0.005 | | <0.005 | <0.005 | <0.005 |
| 3/13/2018 | <0.005 | 0.03 | <0.005 | <0.005 | <0.005 |
| 6/6/2018 | <0.005 | | | | |
| 6/7/2018 | | 0.025 | 0.0012 (J) | 0.0014 (J) | 0.0011 (J) |
| 10/17/2018 | | 0.024 | <0.005 | <0.005 | <0.005 |
| 10/18/2018 | <0.005 | | | | |
| 2/27/2019 | | | | | 0.0011 (J) |
| 2/28/2019 | <0.005 | 0.021 | <0.005 | <0.005 | |
| 5/31/2019 | 0.0014 (J) | 0.021 | 0.0023 (J) | <0.005 | 0.0021 (J) |
| 11/11/2019 | 0.00062 (J) | 0.023 | 0.0034 | 0.00054 (J) | 0.0013 |
| 4/18/2020 | 0.00062 (J) | 0.023 | 0.0012 | 0.00047 (J) | <0.005 |
| 10/8/2020 | | 0.029 | | | <0.005 |
| 10/9/2020 | <0.005 | | <0.005 | <0.005 | |
| 3/31/2021 | 0.0036 | | | | |
| 4/1/2021 | | 0.022 | 0.0027 | 0.0025 | <0.005 |
| 9/7/2021 | <0.005 | 0.023 | 0.0096 | <0.005 | <0.005 |
| 3/24/2022 | <0.005 | 0.021 | <0.005 | <0.005 | <0.005 |
| 9/12/2022 | <0.005 | <0.005 | <0.005 | | <0.005 |
| 9/16/2022 | | | | 0.006 | |
| Mean | 0.004312 | 0.02402 | 0.00449 | 0.004295 | 0.00428 |
| Std. Dev. | 0.001519 | 0.006433 | 0.001782 | 0.001633 | 0.001489 |
| Upper Lim. | 0.005 | 0.02769 | 0.005 | 0.006 | 0.005 |
| Lower Lim. | 0.0036 | 0.02159 | 0.0034 | 0.0025 | 0.0021 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Mercury (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|
| 3/3/2016 | <0.0002 | 8.6E-05 (J) | <0.0002 | <0.0002 |
| 5/4/2016 | <0.0002 | 0.00026 | <0.0002 | <0.0002 |
| 7/6/2016 | | 0.0012 | | <0.0002 (*) |
| 7/7/2016 | <0.0002 | | <0.0002 | |
| 9/7/2016 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 11/7/2016 | | | <0.0002 | |
| 11/8/2016 | <0.0002 | 0.00065 | | <0.0002 |
| 1/10/2017 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 3/15/2017 | <0.0002 | <0.0002 | <0.0002 | |
| 3/16/2017 | | | | <0.0002 |
| 5/16/2017 | <0.0002 | 0.00042 | <0.0002 | <0.0002 |
| 3/13/2018 | <0.0002 | 0.00039 | <0.0002 | <0.0002 |
| 6/6/2018 | <0.0002 | | | |
| 6/7/2018 | | 0.00033 | <0.0002 | <0.0002 |
| 10/17/2018 | | 0.00041 | <0.0002 | <0.0002 |
| 10/18/2018 | <0.0002 | | | |
| 2/27/2019 | | | | <0.0002 |
| 2/28/2019 | <0.0002 | 0.00055 | <0.0002 | |
| 5/31/2019 | <0.0002 | 0.00054 | <0.0002 | <0.0002 |
| 11/11/2019 | <0.0002 | 0.0011 | <0.0002 | <0.0002 |
| 4/18/2020 | <0.0002 | 0.00082 | <0.0002 | <0.0002 |
| 10/8/2020 | | | | 8.7E-05 (J) |
| 10/9/2020 | <0.0002 | 0.00033 | 0.00014 (J) | |
| 3/31/2021 | 0.00019 | | | |
| 4/1/2021 | | 0.00012 | <0.0002 | 0.00042 |
| 9/7/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 3/24/2022 | <0.0002 | <0.0002 | 0.0018 | <0.0002 |
| 9/12/2022 | <0.0002 | 0.00016 (J) | | <0.0002 |
| 9/16/2022 | | | 0.0025 | |
| Mean | 0.0001995 | 0.0004183 | 0.000392 | 0.0002053 |
| Std. Dev. | 2.236E-06 | 0.0003136 | 0.000612 | 5.647E-05 |
| Upper Lim. | 0.0002 | 0.00055 | 0.0018 | 0.00042 |
| Lower Lim. | 0.00019 | 0.0002 | 0.00014 | 8.7E-05 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Molybdenum (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|
| 3/3/2016 | 0.99 | <0.015 | <0.015 | <0.015 |
| 5/4/2016 | 0.99 | <0.015 | <0.015 | <0.015 |
| 7/6/2016 | 1.9 | 0.0018 (J) | | <0.015 |
| 7/7/2016 | | | <0.015 | |
| 9/7/2016 | | 0.0029 (J) | <0.015 | <0.015 |
| 9/8/2016 | 2.4 | | | |
| 11/7/2016 | | | <0.015 | |
| 11/8/2016 | 2.2 | <0.015 | | <0.015 |
| 1/10/2017 | 2.1 | <0.015 (*) | <0.015 | <0.015 |
| 3/15/2017 | | <0.015 | <0.015 | |
| 3/16/2017 | 1.6 | | | <0.015 |
| 5/15/2017 | 1.2 | | | |
| 5/16/2017 | | <0.015 (*) | <0.015 (*) | <0.015 |
| 3/13/2018 | 1 | 0.0033 (J) | <0.015 | <0.015 |
| 6/7/2018 | 1.1 | 0.0065 (J) | 0.0016 (J) | 0.00098 (J) |
| 10/17/2018 | 1.1 | 0.0043 (J) | <0.015 | <0.015 |
| 2/27/2019 | | | | <0.015 |
| 2/28/2019 | 0.77 | 0.0028 (J) | <0.015 | |
| 5/31/2019 | 0.64 | <0.015 | <0.015 | <0.015 |
| 11/11/2019 | 0.85 | 0.0056 (J) | <0.015 | <0.015 |
| 4/18/2020 | 0.81 | <0.015 | <0.015 | <0.015 |
| 10/8/2020 | 0.5 | | | <0.015 |
| 10/9/2020 | | <0.015 | <0.015 | |
| 4/1/2021 | 0.49 | <0.015 | <0.015 | <0.015 |
| 9/7/2021 | 0.44 | <0.015 | <0.015 | <0.015 |
| 3/24/2022 | 0.53 | <0.015 | 0.00033 (J) | 0.002 (J) |
| 9/12/2022 | 0.44 | <0.015 | | 0.0022 (J) |
| 9/16/2022 | | | <0.015 | |
| Mean | 1.103 | 0.01111 | 0.0136 | 0.01301 |
| Std. Dev. | 0.6168 | 0.00552 | 0.004325 | 0.004867 |
| Upper Lim. | 1.453 | 0.015 | 0.015 | 0.015 |
| Lower Lim. | 0.7522 | 0.0043 | 0.0016 | 0.0022 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Selenium (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-300 | MW-303 | MW-304 | MW-305 | MW-308 |
|---|---|---|---|---|---|
| 3/3/2016 | <0.0013 | 0.008 | 0.0041 (J) | <0.0013 | 0.0051 (J) |
| 5/4/2016 | <0.0013 | 0.0068 | 0.008 | <0.0013 | 0.0049 |
| 7/6/2016 | | 0.0061 | 0.0056 | | 0.0066 |
| 7/7/2016 | <0.0013 | | | <0.0013 | |
| 9/7/2016 | <0.0013 | | 0.0045 | <0.0013 | 0.0073 |
| 9/8/2016 | | 0.0065 | | | |
| 11/7/2016 | | | | <0.0013 | |
| 11/8/2016 | <0.0013 | 0.0046 | 0.0055 | | 0.0058 |
| 1/10/2017 | <0.0013 | 0.0045 | 0.0056 | <0.0013 | 0.0058 |
| 3/15/2017 | <0.0013 | | 0.0088 | <0.0013 | |
| 3/16/2017 | | 0.0079 | | | 0.006 |
| 5/15/2017 | | 0.0064 | | | |
| 5/16/2017 | <0.0013 | | 0.0029 | <0.0013 | 0.0058 |
| 3/13/2018 | <0.0013 | 0.0037 | 0.0065 | <0.0013 | 0.0048 |
| 6/6/2018 | <0.0013 | | | | |
| 6/7/2018 | | 0.0054 | 0.0047 | <0.0013 | 0.0061 |
| 10/17/2018 | | 0.0026 | 0.05 (o) | <0.0013 | 0.0023 |
| 10/18/2018 | <0.0013 | | | | |
| 2/27/2019 | | | | | 0.0033 |
| 2/28/2019 | <0.0013 | 0.002 | 0.0011 (J) | <0.0013 | |
| 5/31/2019 | <0.0013 | 0.0041 | 0.0045 | <0.0013 | 0.0031 |
| 11/11/2019 | <0.0013 | 0.0031 | 0.0067 | 0.00027 | 0.002 |
| 4/18/2020 | <0.0013 | 0.0035 | 0.0066 | <0.0013 | 0.0021 |
| 10/8/2020 | | 0.0014 | | | 0.0047 |
| 10/9/2020 | <0.0013 | | 0.0057 | <0.0013 | |
| 3/31/2021 | <0.0013 | | | | |
| 4/1/2021 | | 0.004 | 0.0038 | <0.0013 | 0.0027 |
| 9/7/2021 | <0.0013 | 0.0046 | 0.0069 | <0.0013 | 0.0045 |
| 3/24/2022 | <0.0013 | 0.0042 | 0.0025 | 0.00077 | 0.0028 |
| 9/12/2022 | 0.0045 | 0.011 | 0.0075 | | 0.012 |
| 9/16/2022 | | | | 0.21 | |
| Mean | 0.00146 | 0.00502 | 0.005342 | 0.01166 | 0.004885 |
| Std. Dev. | 0.0007155 | 0.0023 | 0.001957 | 0.04669 | 0.002322 |
| Upper Lim. | 0.0045 | 0.006326 | 0.006488 | 0.21 | 0.006204 |
| Lower Lim. | 0.0013 | 0.003714 | 0.004196 | 0.00077 | 0.003566 |

ND substitution: RL or RL/2 if <15% NDs.

# Confidence Interval

Constituent: Thallium (mg/L) Analysis Run 1/13/2023 2:00 AM View: 300 Series Confidence Intervals

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-303 | MW-304 | MW-308 |
|---|---|---|---|
| 3/3/2016 | 0.00023 (J) | 0.00015 (J) | 0.00023 (J) |
| 5/4/2016 | 0.00021 (J) | 0.00021 (J) | 0.00026 (J) |
| 7/6/2016 | 0.00016 (J) | 0.00022 (J) | 0.00032 (J) |
| 9/7/2016 | | 0.0001 (J) | 0.00036 (J) |
| 9/8/2016 | 0.00015 (J) | | |
| 11/8/2016 | 0.00017 (J) | 0.00014 (J) | 0.00032 (J) |
| 1/10/2017 | 0.00018 (J) | 0.00018 (J) | 0.00033 (J) |
| 3/15/2017 | | <0.0005 | |
| 3/16/2017 | 0.00024 (J) | | 0.00029 (J) |
| 5/15/2017 | 0.00022 (J) | | |
| 5/16/2017 | | 9.5E-05 (J) | 0.00027 (J) |
| 3/13/2018 | 0.00022 (J) | 0.00017 (J) | 0.00028 (J) |
| 6/7/2018 | 0.00022 (J) | 0.00017 (J) | 0.00026 (J) |
| 10/17/2018 | 0.00019 (J) | 0.00011 (J) | 0.00022 (J) |
| 2/27/2019 | | | 0.00022 (J) |
| 2/28/2019 | 0.00018 (J) | 0.00016 (J) | |
| 5/31/2019 | <0.0005 | <0.0005 | <0.0005 |
| 11/11/2019 | 0.00023 (J) | 0.00029 (J) | 0.00023 (J) |
| 4/18/2020 | 0.00027 | 0.00026 | 0.00016 |
| 10/8/2020 | 0.00038 (J) | | 0.00031 (J) |
| 10/9/2020 | | 0.00015 (J) | |
| 4/1/2021 | 0.00022 | <0.0005 | 0.00019 |
| 9/7/2021 | 0.00015 (J) | 0.00015 (J) | 0.00016 (J) |
| 3/24/2022 | <0.0005 | <0.0005 | <0.0005 |
| 9/12/2022 | <0.0005 | <0.0005 | <0.0005 |
| Mean | 0.000256 | 0.0002528 | 0.0002955 |
| Std. Dev. | 0.0001165 | 0.000154 | 0.0001035 |
| Upper Lim. | 0.00027 | 0.00029 | 0.0003543 |
| Lower Lim. | 0.00018 | 0.00014 | 0.0002367 |


ND substitution: RL or RL/2 if <15% NDs.

# Time Series - 100, 200 & 300 Series

# 100 Series

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/12/2023 10:45 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/12/2023 10:45 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/12/2023 10:45 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/12/2023 10:45 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Barium Analysis Run 1/12/2023 10:45 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Barium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Beryllium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Beryllium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Boron Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Boron Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cadmium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cadmium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Time Series





Constituent: Calcium Analysis Run 1/12/2023 10:46 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Time Series





Constituent: Calcium Analysis Run 1/12/2023 10:46 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Time Series





Constituent: Chloride Analysis Run 1/12/2023 10:46 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Time Series





Constituent: Chloride Analysis Run 1/12/2023 10:46 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Chromium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Chromium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cobalt Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cobalt Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Field pH Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Field pH Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Fluoride Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Fluoride Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Lead Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Lead Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Sulfate Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Sulfate Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Thallium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Thallium Analysis Run 1/12/2023 10:46 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:47 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

Time Series




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:47 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | | |
| 3/1/2016 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | | | | | |
| 5/4/2016 | | <0.0025 | | | | | <0.0025 |
| 5/5/2016 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 7/5/2016 | <0.0025 | | | | | | |
| 7/7/2016 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | | <0.0025 |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | | | | |
| 9/7/2016 | | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 11/7/2016 | <0.0025 | | | | | | |
| 11/9/2016 | | | | | <0.0025 | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | <0.0025 | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | | | | | |
| 1/11/2017 | | <0.0025 | | | <0.0025 | <0.0025 | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | | |
| 3/13/2017 | <0.0025 | | | | | | |
| 3/14/2017 | | <0.0025 | | | <0.0025 | <0.0025 | <0.0025 |
| 3/15/2017 | | | <0.0025 | <0.0025 | | | |
| 5/15/2017 | <0.0025 | | | | | | |
| 5/18/2017 | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 3/12/2018 | <0.0025 | | | | | | |
| 3/14/2018 | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 6/5/2018 | <0.0025 | | | | | | |
| 6/10/2018 | | <0.0025 | | | <0.0025 | <0.0025 | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | | | | | |
| 10/18/2018 | | <0.0025 | | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | | | |
| 3/1/2019 | | | | | <0.0025 | <0.0025 | <0.0025 |
| 3/2/2019 | | | <0.0025 | <0.0025 | | | |
| 4/16/2020 | <0.0025 | <0.0025 | | | | | |
| 4/17/2020 | | | | <0.0025 | | | <0.0025 |
| 4/18/2020 | | | <0.0025 | | <0.0025 | <0.0025 | |
| 10/7/2020 | <0.0025 | <0.0025 | | | | | |
| 10/8/2020 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 3/29/2021 | <0.0025 | <0.0025 | | | | | |
| 3/30/2021 | | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 3/31/2021 | | | | | <0.0025 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | | | |
| 9/3/2021 | | | | | <0.0025 | <0.0025 | <0.0025 |
| 9/7/2021 | | | <0.0025 | <0.0025 | | | |
| 3/22/2022 | <0.0025 | <0.0025 | | | | | |
| 3/23/2022 | | | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 3/24/2022 | | | | <0.0025 | | | |
| 9/7/2022 | <0.0025 | <0.0025 | | | | | |
| 9/8/2022 | | | | | | | <0.0025 |
| 9/9/2022 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | |
| 3/1/2016 | | | | | <0.0025 | <0.0025 |
| 3/2/2016 | | | <0.0025 | <0.0025 | | |
| 5/2/2016 | <0.0025 | <0.0025 | | | | <0.0025 |
| 5/3/2016 | | | | | <0.0025 | |
| 5/5/2016 | | | <0.0025 | <0.0025 | | |
| 7/5/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 7/7/2016 | | | <0.0025 | <0.0025 | | |
| 9/6/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/7/2016 | | | <0.0025 | <0.0025 | | |
| 11/7/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 11/10/2016 | | | <0.0025 | <0.0025 | | |
| 1/9/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | |
| 3/13/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2017 | | | <0.0025 | | | |
| 3/15/2017 | | | | <0.0025 | | |
| 5/15/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 5/18/2017 | | | <0.0025 | <0.0025 | | |
| 3/12/2018 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2018 | | | <0.0025 | <0.0025 | | |
| 6/5/2018 | <0.0025 | <0.0025 | | | | |
| 6/6/2018 | | | | | <0.0025 | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | |
| 10/16/2018 | <0.0025 | <0.0025 | | | | |
| 10/17/2018 | | | | | <0.0025 | <0.0025 |
| 2/27/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/1/2019 | | | <0.0025 | <0.0025 | | |
| 4/16/2020 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 4/17/2020 | | | <0.0025 | <0.0025 | | |
| 10/7/2020 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 10/9/2020 | | | <0.0025 | <0.0025 | | |
| 3/29/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/31/2021 | | | <0.0025 | <0.0025 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/3/2021 | | | <0.0025 | <0.0025 | | |
| 3/22/2022 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/23/2022 | | | <0.0025 | <0.0025 | | |
| 9/7/2022 | <0.0025 | | | | | |
| 9/8/2022 | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 9/9/2022 | | | | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | | | | | |
| 3/1/2016 | | | <0.0013 | <0.0013 | 0.0085 | 0.0039 (J) | <0.0013 |
| 5/2/2016 | <0.0013 | | | | | | |
| 5/4/2016 | | <0.0013 | | | | | <0.0013 |
| 5/5/2016 | | | <0.0013 | <0.0013 | 0.0077 | 0.0039 | |
| 7/5/2016 | <0.0013 | | | | | | |
| 7/7/2016 | | | <0.0013 | <0.0013 | 0.0082 | 0.0037 | |
| 7/8/2016 | | <0.0013 | | | | | <0.0013 |
| 9/6/2016 | <0.0013 | <0.0013 | <0.0013 | | | | |
| 9/7/2016 | | | | <0.0013 | 0.012 | 0.0032 | <0.0013 |
| 11/7/2016 | <0.0013 | | | | | | |
| 11/9/2016 | | | | | 0.0071 | 0.0038 | <0.0013 |
| 11/10/2016 | | <0.0013 | 0.0005 (J) | 0.00051 (J) | | | |
| 1/9/2017 | <0.0013 | | | | | | |
| 1/11/2017 | | <0.0013 | | | 0.0071 | 0.0035 | <0.0013 |
| 1/12/2017 | | | <0.0013 | <0.0013 | | | |
| 3/13/2017 | 0.00069 (J) | | | | | | |
| 3/14/2017 | | <0.0013 | | | 0.0067 | 0.0036 | <0.0013 |
| 3/15/2017 | | | <0.0013 | <0.0013 | | | |
| 5/15/2017 | <0.0013 | | | | | | |
| 5/18/2017 | | <0.0013 | <0.0013 | <0.0013 | 0.0087 | 0.0036 | <0.0013 |
| 3/12/2018 | <0.0013 | | | | | | |
| 3/14/2018 | | <0.0013 | <0.0013 | <0.0013 | 0.0027 | 0.0039 | <0.0013 |
| 6/5/2018 | <0.0013 | | | | | | |
| 6/10/2018 | | 0.00046 (J) | | | 0.0047 | 0.0034 | <0.0013 |
| 6/11/2018 | | | <0.0013 | <0.0013 | | | |
| 10/16/2018 | <0.0013 | | | | | | |
| 10/18/2018 | | <0.0013 | | <0.0013 | 0.0019 | 0.0044 | <0.0013 |
| 10/19/2018 | | | <0.0013 | | | | |
| 2/27/2019 | <0.0013 | <0.0013 | | | | | |
| 3/1/2019 | | | | | <0.0013 | 0.0047 | <0.0013 |
| 3/2/2019 | | | <0.0013 | <0.0013 | | | |
| 5/31/2019 | <0.0013 | <0.0013 | | | | | |
| 6/3/2019 | | | <0.0013 | | 0.003 | 0.0045 | <0.0013 |
| 6/11/2019 | | | | <0.0013 | | | |
| 11/6/2019 | 0.0002 (J) | 0.00019 (J) | | | | | |
| 11/7/2019 | | | | 0.00019 (J) | 8.9E-05 (J) | | |
| 11/9/2019 | | | <0.0013 | | | 0.0045 | <0.0013 |
| 4/16/2020 | <0.0013 | <0.0013 | | | | | |
| 4/17/2020 | | | | <0.0013 | | | <0.0013 |
| 4/18/2020 | | | <0.0013 | | 0.0014 | 0.0054 | |
| 10/7/2020 | <0.0013 | 0.00056 (J) | | | | | |
| 10/8/2020 | | | <0.0013 | 0.0021 | 0.0019 | 0.0046 | <0.0013 |
| 3/29/2021 | <0.0013 | 0.00078 | | | | | |
| 3/30/2021 | | | <0.0013 | <0.0013 | | 0.0082 | <0.0013 |
| 3/31/2021 | | | | | 0.00048 | | |
| 9/2/2021 | 0.00059 (J) | <0.0013 | | | | | |
| 9/3/2021 | | | | | 0.00084 (J) | 0.0096 | <0.0013 |
| 9/7/2021 | | | <0.0013 | <0.0013 | | | |
| 3/22/2022 | <0.0013 | <0.0013 | | | | | |
| 3/23/2022 | | | <0.0013 | | 0.0018 | 0.0073 | <0.0013 |
| 3/24/2022 | | | | <0.0013 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0013 | <0.0013 | | | | | |
| 9/8/2022 | | | | | | | <0.0013 |
| 9/9/2022 | | | <0.0013 | <0.0013 | 0.01 | 0.0048 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | | | | |
| 3/1/2016 | | | | | <0.0013 | 0.00038 (J) |
| 3/2/2016 | | | <0.0013 | <0.0013 | | |
| 5/2/2016 | <0.0013 | <0.0013 | | | | 0.00073 (J) |
| 5/3/2016 | | | | | <0.0013 | |
| 5/5/2016 | | | <0.0013 | 0.00061 (J) | | |
| 7/5/2016 | <0.0013 | <0.0013 | | | <0.0013 | 0.00077 (J) |
| 7/7/2016 | | | <0.0013 | <0.0013 | | |
| 9/6/2016 | <0.0013 | <0.0013 | | | <0.0013 | 0.0013 |
| 9/7/2016 | | | <0.0013 | <0.0013 | | |
| 11/7/2016 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 11/10/2016 | | | <0.0013 | 0.00047 (J) | | |
| 1/9/2017 | <0.0013 | <0.0013 | | | <0.0013 | 0.00053 (J) |
| 1/12/2017 | | | <0.0013 | <0.0013 | | |
| 3/13/2017 | <0.0013 | 0.00069 (J) | | | <0.0013 | <0.0013 |
| 3/14/2017 | | | <0.0013 | | | |
| 3/15/2017 | | | | <0.0013 | | |
| 5/15/2017 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 5/18/2017 | | | <0.0013 | 0.00051 (J) | | |
| 3/12/2018 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/14/2018 | | | <0.0013 | 0.00056 (J) | | |
| 6/5/2018 | <0.0013 | <0.0013 | | | | |
| 6/6/2018 | | | | | <0.0013 | <0.0013 |
| 6/11/2018 | | | <0.0013 | 0.0005 (J) | | |
| 10/16/2018 | <0.0013 | <0.0013 | | | | |
| 10/17/2018 | | | | | <0.0013 | <0.0013 |
| 10/18/2018 | | | <0.0013 | <0.0013 | | |
| 2/27/2019 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/1/2019 | | | <0.0013 | <0.0013 | | |
| 5/31/2019 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 6/3/2019 | | | <0.0013 | <0.0013 | | |
| 11/6/2019 | 0.0002 (J) | 0.00012 (J) | | | 0.00014 (J) | 0.00024 (J) |
| 11/7/2019 | | | 0.00025 (V) | 0.0002 (J) | | |
| 4/16/2020 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 4/17/2020 | | | <0.0013 | 0.00012 (J) | | |
| 10/7/2020 | <0.0013 | <0.0013 | | | 0.00064 (J) | <0.0013 |
| 10/9/2020 | | | <0.0013 | <0.0013 | | |
| 3/29/2021 | <0.0013 | 0.00054 | | | <0.0013 | 0.00042 |
| 3/31/2021 | | | 0.0011 | <0.0013 | | |
| 9/2/2021 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 9/3/2021 | | | 0.00048 (J) | 0.00063 (J) | | |
| 3/22/2022 | <0.0013 | 0.00027 | | | <0.0013 | <0.0013 |
| 3/23/2022 | | | <0.0013 | <0.0013 | | |
| 9/7/2022 | <0.0013 | | | | | |
| 9/8/2022 | | <0.0013 | <0.0013 | | <0.0013 | <0.0013 |
| 9/9/2022 | | | | <0.0013 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 0.014 | 0.0097 (J) | | | | | |
| 3/1/2016 | | | 0.0081 (J) | 0.055 | 0.017 | 0.043 | 0.016 |
| 5/2/2016 | 0.013 | | | | | | |
| 5/4/2016 | | 0.0095 | | | | | 0.012 |
| 5/5/2016 | | | 0.011 | 0.056 | 0.018 | 0.033 | |
| 7/5/2016 | 0.013 | | | | | | |
| 7/7/2016 | | | 0.012 | 0.055 | 0.02 | 0.042 | |
| 7/8/2016 | | 0.0093 | | | | | 0.015 |
| 9/6/2016 | 0.016 | 0.011 | 0.012 | | | | |
| 9/7/2016 | | | | 0.07 | 0.027 | 0.043 | 0.012 |
| 11/7/2016 | 0.014 | | | | | | |
| 11/9/2016 | | | | | 0.022 | 0.046 | 0.01 |
| 11/10/2016 | | 0.0092 | 0.0099 | 0.061 | | | |
| 1/9/2017 | 0.015 | | | | | | |
| 1/11/2017 | | 0.0092 | | | 0.03 | 0.042 | 0.01 |
| 1/12/2017 | | | 0.0085 | 0.058 | | | |
| 3/13/2017 | 0.015 | | | | | | |
| 3/14/2017 | | 0.0095 | | | 0.02 | 0.038 | 0.0097 |
| 3/15/2017 | | | 0.009 | 0.07 | | | |
| 5/15/2017 | 0.015 | | | | | | |
| 5/18/2017 | | 0.0095 | 0.0095 | 0.068 | 0.027 | 0.051 | 0.01 |
| 3/12/2018 | 0.017 | | | | | | |
| 3/14/2018 | | 0.0089 | 0.0084 | 0.052 | 0.025 | 0.038 | 0.0096 |
| 6/5/2018 | 0.018 | | | | | | |
| 6/10/2018 | | 0.0092 | | | 0.025 | 0.055 | 0.0089 |
| 6/11/2018 | | | 0.0089 | 0.053 | | | |
| 10/16/2018 | 0.017 | | | | | | |
| 10/18/2018 | | 0.0089 | | 0.052 | 0.021 | 0.035 | 0.0096 |
| 10/19/2018 | | | 0.0085 | | | | |
| 2/27/2019 | 0.021 | 0.011 | | | | | |
| 3/1/2019 | | | | | 0.018 | 0.032 | 0.0095 |
| 3/2/2019 | | | 0.01 | 0.011 | | | |
| 5/31/2019 | 0.02 | 0.0088 | | | | | |
| 6/3/2019 | | | 0.012 | | 0.031 | 0.05 | 0.0098 |
| 6/11/2019 | | | | 0.043 | | | |
| 11/6/2019 | 0.019 | 0.0094 | | | | | |
| 11/7/2019 | | | | 0.04 | 0.02 | | |
| 11/9/2019 | | | 0.011 | | | 0.06 | 0.011 |
| 4/16/2020 | 0.02 | 0.0099 | | | | | |
| 4/17/2020 | | | | 0.05 | | | 0.012 |
| 4/18/2020 | | | 0.012 | | 0.021 | 0.045 | |
| 10/7/2020 | 0.02 | 0.0088 | | | | | |
| 10/8/2020 | | | 0.0086 | 0.037 | 0.022 | 0.028 | 0.0099 |
| 3/29/2021 | 0.019 | 0.0097 | | | | | |
| 3/30/2021 | | | 0.0096 | 0.033 | | 0.028 | 0.011 |
| 3/31/2021 | | | | | 0.023 | | |
| 9/2/2021 | 0.02 | 0.0089 | | | | | |
| 9/3/2021 | | | | | 0.02 | 0.029 | 0.011 |
| 9/7/2021 | | | 0.0095 | 0.03 | | | |
| 3/22/2022 | 0.019 | 0.0092 | | | | | |
| 3/23/2022 | | | 0.013 | | 0.03 | 0.027 | 0.012 |
| 3/24/2022 | | | | 0.027 | | | |

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | 0.019 | 0.0089 | | | | | |
| 9/8/2022 | | | | | | | 0.012 |
| 9/9/2022 | | | 0.03 | 0.018 | 0.035 | 0.024 | |

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.013 | 0.013 | | | | |
| 3/1/2016 | | | | | 0.012 | 0.015 |
| 3/2/2016 | | | 0.022 | 0.058 | | |
| 5/2/2016 | 0.013 | 0.01 | | | | 0.013 |
| 5/3/2016 | | | | | 0.012 | |
| 5/5/2016 | | | 0.02 | 0.05 | | |
| 7/5/2016 | 0.013 | 0.0089 | | | 0.011 | 0.017 |
| 7/7/2016 | | | 0.021 | 0.044 | | |
| 9/6/2016 | 0.013 | 0.01 | | | 0.012 | 0.017 |
| 9/7/2016 | | | 0.023 | 0.051 | | |
| 11/7/2016 | 0.013 | 0.0096 | | | 0.012 | 0.023 |
| 11/10/2016 | | | 0.019 | 0.046 | | |
| 1/9/2017 | 0.012 | 0.011 | | | 0.013 | 0.016 |
| 1/12/2017 | | | 0.018 | 0.047 | | |
| 3/13/2017 | 0.013 | 0.011 | | | 0.013 | 0.016 |
| 3/14/2017 | | | 0.02 | | | |
| 3/15/2017 | | | | 0.046 | | |
| 5/15/2017 | 0.011 | 0.0089 | | | 0.012 | 0.015 |
| 5/18/2017 | | | 0.019 | 0.045 | | |
| 3/12/2018 | 0.013 | 0.01 | | | 0.013 | 0.015 |
| 3/14/2018 | | | 0.017 | 0.036 | | |
| 6/5/2018 | 0.014 | 0.011 | | | | |
| 6/6/2018 | | | | | 0.014 | 0.017 |
| 6/11/2018 | | | 0.016 | 0.036 | | |
| 10/16/2018 | 0.011 | 0.011 | | | | |
| 10/17/2018 | | | | | 0.012 | 0.016 |
| 10/18/2018 | | | 0.019 | 0.035 | | |
| 2/27/2019 | 0.014 | 0.011 | | | 0.015 | 0.018 |
| 3/1/2019 | | | 0.018 | 0.036 | | |
| 5/31/2019 | 0.013 | 0.01 | | | 0.014 | 0.016 |
| 6/3/2019 | | | 0.017 | 0.04 | | |
| 11/6/2019 | 0.012 | 0.0097 | | | 0.013 | 0.017 |
| 11/7/2019 | | | 0.019 | 0.027 | | |
| 4/16/2020 | 0.012 | 0.012 | | | 0.014 | 0.017 |
| 4/17/2020 | | | 0.026 | 0.032 | | |
| 10/7/2020 | 0.012 | 0.011 | | | 0.013 | 0.016 |
| 10/9/2020 | | | 0.026 | 0.026 | | |
| 3/29/2021 | 0.011 | 0.011 | | | 0.013 | 0.017 |
| 3/31/2021 | | | 0.027 | 0.025 | | |
| 9/2/2021 | 0.012 | 0.011 | | | 0.012 | 0.017 |
| 9/3/2021 | | | 0.032 | 0.036 | | |
| 3/22/2022 | 0.01 | 0.012 | | | 0.013 | 0.018 |
| 3/23/2022 | | | 0.02 | 0.024 | | |
| 9/7/2022 | 0.012 | | | | | |
| 9/8/2022 | | 0.012 | 0.017 | | 0.012 | 0.017 |
| 9/9/2022 | | | | 0.023 | | |

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | | |
| 3/1/2016 | | | <0.0025 | <0.0025 | 0.0013 (J) | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | | | | | |
| 5/4/2016 | | <0.0025 | | | | | <0.0025 |
| 5/5/2016 | | | <0.0025 | <0.0025 | 0.00088 (J) | <0.0025 | |
| 7/5/2016 | <0.0025 | | | | | | |
| 7/7/2016 | | | <0.0025 | <0.0025 | 0.001 (J) | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | | <0.0025 |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | | | | |
| 9/7/2016 | | | | <0.0025 | 0.00078 (J) | <0.0025 | <0.0025 |
| 11/7/2016 | <0.0025 | | | | | | |
| 11/9/2016 | | | | | 0.0012 (J) | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | <0.0025 | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | | | | | |
| 1/11/2017 | | <0.0025 | | | 0.0014 (J) | <0.0025 | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | | |
| 3/13/2017 | <0.0025 | | | | | | |
| 3/14/2017 | | <0.0025 | | | 0.0013 (J) | <0.0025 | <0.0025 |
| 3/15/2017 | | | <0.0025 | <0.0025 | | | |
| 5/15/2017 | <0.0025 | | | | | | |
| 5/18/2017 | | <0.0025 | <0.0025 | <0.0025 | 0.0016 (J) | <0.0025 | <0.0025 |
| 3/12/2018 | <0.0025 | | | | | | |
| 3/14/2018 | | <0.0025 | <0.0025 | <0.0025 | 0.0011 (J) | <0.0025 | <0.0025 |
| 6/5/2018 | <0.0025 | | | | | | |
| 6/10/2018 | | <0.0025 | | | 0.0011 (J) | <0.0025 | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | | | | | |
| 10/18/2018 | | <0.0025 | | <0.0025 | 0.00084 (J) | <0.0025 | <0.0025 |
| 10/19/2018 | | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | | | |
| 3/1/2019 | | | | | 0.00057 (J) | <0.0025 | <0.0025 |
| 3/2/2019 | | | <0.0025 | <0.0025 | | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | | | |
| 6/3/2019 | | | <0.0025 | | 0.00074 (J) | <0.0025 | <0.0025 |
| 6/11/2019 | | | | <0.0025 | | | |
| 11/6/2019 | 9E-05 (J) | 4.7E-05 (J) | | | | | |
| 11/7/2019 | | | | <0.0025 | 0.00065 | | |
| 11/9/2019 | | | <0.0025 | | | <0.0025 | <0.0025 |
| 4/16/2020 | 5.4E-05 (J) | 4.3E-05 (J) | | | | | |
| 4/17/2020 | | | | <0.0025 | | | <0.0025 |
| 4/18/2020 | | | 0.00011 (J) | | 0.00096 | <0.0025 | |
| 10/7/2020 | 0.0014 (J) | 0.0014 (J) | | | | | |
| 10/8/2020 | | | <0.0025 | <0.0025 | 0.00039 (J) | <0.0025 | <0.0025 |
| 3/29/2021 | <0.0025 | <0.0025 | | | | | |
| 3/30/2021 | | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 3/31/2021 | | | | | 0.0007 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | | | |
| 9/3/2021 | | | | | 0.00076 (J) | <0.0025 | <0.0025 |
| 9/7/2021 | | | <0.0025 | <0.0025 | | | |
| 3/22/2022 | <0.0025 | <0.0025 | | | | | |
| 3/23/2022 | | | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 3/24/2022 | | | | <0.0025 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0025 | <0.0025 | | | | | |
| 9/8/2022 | | | | | | | <0.0025 |
| 9/9/2022 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | |
| 3/1/2016 | | | | | <0.0025 | <0.0025 |
| 3/2/2016 | | | <0.0025 | <0.0025 | | |
| 5/2/2016 | <0.0025 | <0.0025 | | | | <0.0025 |
| 5/3/2016 | | | | | <0.0025 | |
| 5/5/2016 | | | <0.0025 | <0.0025 | | |
| 7/5/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 7/7/2016 | | | <0.0025 | <0.0025 | | |
| 9/6/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/7/2016 | | | <0.0025 | <0.0025 | | |
| 11/7/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 11/10/2016 | | | <0.0025 | <0.0025 | | |
| 1/9/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | |
| 3/13/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2017 | | | <0.0025 | | | |
| 3/15/2017 | | | | <0.0025 | | |
| 5/15/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 5/18/2017 | | | <0.0025 | <0.0025 | | |
| 3/12/2018 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2018 | | | <0.0025 | <0.0025 | | |
| 6/5/2018 | <0.0025 | <0.0025 | | | | |
| 6/6/2018 | | | | | <0.0025 | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | |
| 10/16/2018 | <0.0025 | <0.0025 | | | | |
| 10/17/2018 | | | | | <0.0025 | <0.0025 |
| 10/18/2018 | | | <0.0025 | <0.0025 | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/1/2019 | | | <0.0025 | <0.0025 | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 6/3/2019 | | | <0.0025 | <0.0025 | | |
| 11/6/2019 | 6.6E-05 (J) | <0.0025 | | | <0.0025 | <0.0025 |
| 11/7/2019 | | | <0.0025 | 8.4E-05 (J) | | |
| 4/16/2020 | 6.1E-05 (J) | <0.0025 | | | <0.0025 | <0.0025 |
| 4/17/2020 | | | 4.4E-05 (J) | 0.00013 (J) | | |
| 10/7/2020 | 0.0015 (J) | 0.0015 (J) | | | 0.0014 (J) | 0.0014 (J) |
| 10/9/2020 | | | <0.0025 | <0.0025 | | |
| 3/29/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/31/2021 | | | <0.0025 | <0.0025 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/3/2021 | | | <0.0025 | <0.0025 | | |
| 3/22/2022 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/23/2022 | | | <0.0025 | <0.0025 | | |
| 9/7/2022 | <0.0025 | | | | | |
| 9/8/2022 | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 9/9/2022 | | | | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.018 | <0.05 | | | | | |
| 3/1/2016 | | | <0.05 | <0.05 (*) | 8.7 | <0.32 (*) | <0.018 |
| 5/2/2016 | <0.018 | | | | | | |
| 5/4/2016 | | <0.05 | | | | | <0.018 (*) |
| 5/5/2016 | | | <0.05 | <0.05 (*) | 7.8 | <0.32 (*) | |
| 7/5/2016 | <0.018 | | | | | | |
| 7/7/2016 | | | <0.05 | 0.33 | 7 | 1 | |
| 7/8/2016 | | <0.05 | | | | | <0.018 |
| 9/6/2016 | <0.018 | <0.05 | <0.05 | | | | |
| 9/7/2016 | | | | 0.37 | 12 | 0.53 | 0.022 (J) |
| 11/7/2016 | <0.018 | | | | | | |
| 11/9/2016 | | | | | 9.6 | 1.6 | <0.018 |
| 11/10/2016 | | <0.05 | <0.05 | 0.43 | | | |
| 1/9/2017 | <0.018 | | | | | | |
| 1/11/2017 | | <0.05 | | | 11 | 0.9 | <0.018 |
| 1/12/2017 | | | <0.05 | 0.44 | | | |
| 3/13/2017 | <0.018 | | | | | | |
| 3/14/2017 | | <0.05 | | | 10 | 0.63 | 0.071 |
| 3/15/2017 | | | <0.05 | 0.46 | | | |
| 5/15/2017 | <0.018 | | | | | | |
| 5/18/2017 | | <0.05 | <0.05 | 0.44 | 15 | 1.5 | <0.018 (*) |
| 10/2/2017 | <0.018 | | | | | | |
| 10/5/2017 | | <0.05 | | | 12 | 0.32 | <0.018 |
| 10/6/2017 | | | <0.05 | 0.37 | | | |
| 12/19/2017 | | | | 0.35 (R) | 11 (R) | 1.6 (R) | |
| 3/12/2018 | <0.018 | | | | | | |
| 3/14/2018 | | <0.05 | <0.05 | 0.32 | 11 | 0.7 | <0.018 |
| 6/5/2018 | <0.018 | | | | | | |
| 6/10/2018 | | <0.05 | | | 12 | 2.4 | 0.066 |
| 6/11/2018 | | | <0.05 | 0.26 | | | |
| 10/16/2018 | <0.018 | | | | | | |
| 10/18/2018 | | 0.081 | | 0.25 | 9.6 | 0.43 | 0.067 |
| 10/19/2018 | | | 0.34 | | | | |
| 2/27/2019 | <0.018 | <0.05 | | | | | |
| 3/1/2019 | | | | | 6.5 | 0.4 | 0.048 (J) |
| 3/2/2019 | | | <0.05 | <0.05 | | | |
| 5/31/2019 | <0.018 | <0.05 | | | | | |
| 6/3/2019 | | | 0.17 | | 11 | 1.7 | <0.018 |
| 6/11/2019 | | | | 0.39 | | | |
| 11/6/2019 | 0.017 (V) | 0.016 (V) | | | | | |
| 11/7/2019 | | | | 0.19 | 11 | | |
| 11/9/2019 | | | 0.023 (J) | | | 1.8 | 0.097 (V) |
| 4/16/2020 | 0.02 | 0.013 | | | | | |
| 4/17/2020 | | | | 0.31 | | | 0.07 |
| 4/18/2020 | | | 0.012 | | 11 | 1.7 | |
| 10/7/2020 | <0.018 | <0.05 | | | | | |
| 10/8/2020 | | | 0.033 (J) | 0.31 | 12 | 0.37 | 0.031 (J) |
| 3/29/2021 | <0.018 | <0.05 | | | | | |
| 3/30/2021 | | | <0.05 | 0.23 | | 0.22 | <0.018 |
| 3/31/2021 | | | | | 8.9 | | |
| 9/2/2021 | 0.021 (J) | <0.05 | | | | | |
| 9/3/2021 | | | | | 8.7 | 0.2 | 0.021 (J) |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | <0.05 | 0.19 | | | |
| 3/22/2022 | 0.013 | 0.012 | | | | | |
| 3/23/2022 | | | 0.017 | | 8.7 | 0.23 | 0.0074 (J) |
| 3/24/2022 | | | | 0.2 | | | |
| 9/7/2022 | 0.031 (J) | 0.029 (J) | | | | | |
| 9/8/2022 | | | | | | | 0.097 |
| 9/9/2022 | | | 0.13 | 0.22 | 14 | 0.5 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.018 | <0.018 | | | | |
| 3/1/2016 | | | | | <0.05 | <0.05 |
| 3/2/2016 | | | <0.05 (*) | 3 | | |
| 5/2/2016 | <0.018 | <0.018 | | | | <0.05 |
| 5/3/2016 | | | | | <0.05 | |
| 5/5/2016 | | | <0.05 (*) | 2.9 | | |
| 7/5/2016 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 7/7/2016 | | | 0.1 | 3 | | |
| 9/6/2016 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 9/7/2016 | | | 0.073 | 3.8 | | |
| 11/7/2016 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 11/10/2016 | | | 0.073 | 2.1 | | |
| 1/9/2017 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 1/12/2017 | | | 0.059 | 4 | | |
| 3/13/2017 | <0.018 | 0.022 (J) | | | <0.05 | <0.05 |
| 3/14/2017 | | | 0.044 (J) | | | |
| 3/15/2017 | | | | 4.2 | | |
| 5/15/2017 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 5/18/2017 | | | <0.05 (*) | 4.4 | | |
| 10/2/2017 | <0.018 | 0.023 (J) | | | <0.05 | <0.05 |
| 10/5/2017 | | | 0.047 (J) | | | |
| 10/6/2017 | | | | 2.3 | | |
| 12/19/2017 | | | | 5.3 (R) | | |
| 3/12/2018 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 3/14/2018 | | | <0.05 | 4.6 | | |
| 6/5/2018 | <0.018 | <0.018 | | | | |
| 6/6/2018 | | | | | <0.05 | <0.05 |
| 6/11/2018 | | | 0.11 | 4.2 | | |
| 10/16/2018 | <0.018 | <0.018 | | | | |
| 10/17/2018 | | | | | <0.05 | <0.05 |
| 10/18/2018 | | | 0.15 | 4.3 | | |
| 2/27/2019 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 3/1/2019 | | | 0.23 | 3.8 | | |
| 5/31/2019 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 6/3/2019 | | | 0.45 | 3 | | |
| 11/6/2019 | 0.016 (V) | 0.022 (V) | | | 0.011 (V) | 0.0099 (J) |
| 11/7/2019 | | | 0.42 | 4.2 | | |
| 4/16/2020 | 0.013 | 0.017 | | | 0.0075 (J) | 0.0055 (J) |
| 4/17/2020 | | | 0.83 | 4.6 | | |
| 10/7/2020 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 10/9/2020 | | | 0.37 | 4.8 | | |
| 3/29/2021 | <0.018 | <0.018 | | | <0.05 | <0.05 |
| 3/31/2021 | | | 0.2 | 3.8 | | |
| 9/2/2021 | 0.018 (J) | 0.022 (J) | | | <0.05 | <0.05 |
| 9/3/2021 | | | 0.77 | 3.3 | | |
| 3/22/2022 | 0.013 | 0.017 | | | 0.009 (J) | 0.0063 (J) |
| 3/23/2022 | | | 0.36 | 4.5 | | |
| 9/7/2022 | 0.031 (J) | | | | | |
| 9/8/2022 | | 0.055 | 0.45 | | 0.027 (J) | 0.025 (J) |
| 9/9/2022 | | | | 4.4 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | | |
| 3/1/2016 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | | | | | |
| 5/4/2016 | | <0.0025 | | | | | <0.0025 |
| 5/5/2016 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 7/5/2016 | <0.0025 | | | | | | |
| 7/7/2016 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | | <0.0025 |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | | | | |
| 9/7/2016 | | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 11/7/2016 | <0.0025 | | | | | | |
| 11/9/2016 | | | | | <0.0025 | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | <0.0025 | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | | | | | |
| 1/11/2017 | | <0.0025 | | | 0.00049 (J) | <0.0025 | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | | |
| 3/13/2017 | <0.0025 | | | | | | |
| 3/14/2017 | | <0.0025 | | | <0.0025 | <0.0025 | <0.0025 |
| 3/15/2017 | | | <0.0025 | <0.0025 | | | |
| 5/15/2017 | <0.0025 | | | | | | |
| 5/18/2017 | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 3/12/2018 | <0.0025 | | | | | | |
| 3/14/2018 | | <0.0025 | <0.0025 | <0.0025 | 0.00052 (J) | <0.0025 | <0.0025 |
| 6/5/2018 | <0.0025 | | | | | | |
| 6/10/2018 | | <0.0025 | | | 0.00049 (J) | <0.0025 | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | | | | | |
| 10/18/2018 | | <0.0025 | | <0.0025 | 0.00044 (J) | <0.0025 | <0.0025 |
| 10/19/2018 | | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | | | |
| 3/1/2019 | | | | | 0.00038 (J) | <0.0025 | <0.0025 |
| 3/2/2019 | | | <0.0025 | <0.0025 | | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | | | |
| 6/3/2019 | | | <0.0025 | | 0.0006 (J) | <0.0025 | <0.0025 |
| 6/11/2019 | | | | <0.0025 | | | |
| 11/6/2019 | <0.0025 | <0.0025 | | | | | |
| 11/7/2019 | | | | <0.0025 | 0.00075 | | |
| 11/9/2019 | | | <0.0025 | | | <0.0025 | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | | | | | |
| 4/17/2020 | | | | <0.0025 | | | <0.0025 |
| 4/18/2020 | | | <0.0025 | | 0.00037 (J) | <0.0025 | |
| 10/7/2020 | <0.0025 | <0.0025 | | | | | |
| 10/8/2020 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 |
| 3/29/2021 | <0.0025 | <0.0025 | | | | | |
| 3/30/2021 | | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 3/31/2021 | | | | | 0.00056 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | | | |
| 9/3/2021 | | | | | 0.00061 (J) | <0.0025 | <0.0025 |
| 9/7/2021 | | | <0.0025 | <0.0025 | | | |
| 3/22/2022 | <0.0025 | <0.0025 | | | | | |
| 3/23/2022 | | | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 3/24/2022 | | | | <0.0025 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0025 | <0.0025 | | | | | |
| 9/8/2022 | | | | | | | <0.0025 |
| 9/9/2022 | | | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | |
| 3/1/2016 | | | | | <0.0025 | <0.0025 |
| 3/2/2016 | | | <0.0025 | <0.0025 | | |
| 5/2/2016 | <0.0025 | <0.0025 | | | | <0.0025 |
| 5/3/2016 | | | | | <0.0025 | |
| 5/5/2016 | | | <0.0025 | <0.0025 | | |
| 7/5/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 7/7/2016 | | | <0.0025 | <0.0025 | | |
| 9/6/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/7/2016 | | | <0.0025 | <0.0025 | | |
| 11/7/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 11/10/2016 | | | <0.0025 | <0.0025 | | |
| 1/9/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | |
| 3/13/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2017 | | | <0.0025 | | | |
| 3/15/2017 | | | | <0.0025 | | |
| 5/15/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 5/18/2017 | | | <0.0025 | <0.0025 | | |
| 3/12/2018 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2018 | | | <0.0025 | <0.0025 | | |
| 6/5/2018 | <0.0025 | <0.0025 | | | | |
| 6/6/2018 | | | | | <0.0025 | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | |
| 10/16/2018 | <0.0025 | <0.0025 | | | | |
| 10/17/2018 | | | | | <0.0025 | <0.0025 |
| 10/18/2018 | | | <0.0025 | <0.0025 | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/1/2019 | | | <0.0025 | <0.0025 | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 6/3/2019 | | | <0.0025 | <0.0025 | | |
| 11/6/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 11/7/2019 | | | 7.8E-05 (J) | 0.00032 (J) | | |
| 4/16/2020 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 4/17/2020 | | | <0.0025 | 0.00011 (J) | | |
| 10/7/2020 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 10/9/2020 | | | <0.0025 | <0.0025 | | |
| 3/29/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/31/2021 | | | <0.0025 | <0.0025 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/3/2021 | | | <0.0025 | <0.0025 | | |
| 3/22/2022 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/23/2022 | | | <0.0025 | <0.0025 | | |
| 9/7/2022 | <0.0025 | | | | | |
| 9/8/2022 | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 9/9/2022 | | | | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1 (J) | | | | | |
| 3/1/2016 | | | 0.99 (J) | 5.6 | 46 | 63 | 1.8 |
| 5/2/2016 | 0.78 | | | | | | |
| 5/4/2016 | | 0.62 | | | | | 1.1 |
| 5/5/2016 | | | 1.2 | 5.4 | 37 | 58 | |
| 7/5/2016 | 0.65 | | | | | | |
| 7/7/2016 | | | 1.1 | 3.9 | 38 | 55 | |
| 7/8/2016 | | 0.4 | | | | | 0.82 |
| 9/6/2016 | 0.7 | 0.45 | 1 | | | | |
| 9/7/2016 | | | | 4.2 | 55 | 59 | 0.57 |
| 11/7/2016 | 0.8 | | | | | | |
| 11/9/2016 | | | | | 52 | 61 | 0.62 |
| 11/10/2016 | | 0.44 | 0.73 | 3.5 | | | |
| 1/9/2017 | 0.74 | | | | | | |
| 1/11/2017 | | 0.42 | | | 56 | 66 | 0.44 |
| 1/12/2017 | | | 0.63 | 3.3 | | | |
| 3/13/2017 | 0.78 | | | | | | |
| 3/14/2017 | | 0.42 | | | 55 | 63 | 0.46 |
| 3/15/2017 | | | 0.72 | 4.1 | | | |
| 5/15/2017 | 0.76 | | | | | | |
| 5/18/2017 | | 0.38 | 0.71 | 3.9 | 61 | 68 | 0.41 |
| 10/2/2017 | 0.78 | | | | | | |
| 10/5/2017 | | 0.39 | | | 55 | 58 | 0.39 |
| 10/6/2017 | | | 0.56 | 4.3 | | | |
| 12/19/2017 | | | | 3.7 (R) | 47 (R) | 69 (R) | |
| 3/12/2018 | 0.88 | | | | | | |
| 3/14/2018 | | 0.49 | 0.63 | 3.9 | 55 | 62 | 0.47 |
| 6/5/2018 | 0.9 | | | | | | |
| 6/10/2018 | | 0.39 | | | 67 | 86 | 0.39 |
| 6/11/2018 | | | 0.55 | 3.5 | | | |
| 10/16/2018 | 0.86 | | | | | | |
| 10/18/2018 | | 0.41 | | 3.1 | 52 | 63 | 0.47 |
| 10/19/2018 | | | 0.37 | | | | |
| 2/27/2019 | 0.96 | 0.44 | | | | | |
| 3/1/2019 | | | | | 28 | 51 | 0.46 |
| 3/2/2019 | | | 0.57 | 0.56 | | | |
| 5/31/2019 | 0.76 | 0.28 | | | | | |
| 6/3/2019 | | | 2 | | 49 | 65 | 0.38 |
| 6/11/2019 | | | | 3.5 | | | |
| 11/6/2019 | 0.88 | 0.46 | | | | | |
| 11/7/2019 | | | | 3.4 | 62 | | |
| 11/9/2019 | | | 0.61 (V) | | | 84 | 0.56 (V) |
| 4/16/2020 | 0.84 | 0.38 | | | | | |
| 4/17/2020 | | | | 3.5 | | | 0.42 |
| 4/18/2020 | | | 0.45 | | 62 | 58 | |
| 10/7/2020 | 0.93 | 0.47 | | | | | |
| 10/8/2020 | | | 0.67 | 3.7 | 59 | 50 | 0.51 |
| 3/29/2021 | 1 | 0.43 | | | | | |
| 3/30/2021 | | | 0.47 | 3.6 | | 68 | 0.49 |
| 3/31/2021 | | | | | 74 | | |
| 9/2/2021 | 1.1 | 0.63 | | | | | |
| 9/3/2021 | | | | | 63 | 59 | 0.51 |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | 0.39 | 3.5 | | | |
| 3/22/2022 | 0.9 | 0.38 | | | | | |
| 3/23/2022 | | | 2 | | 71 | 62 | 0.48 |
| 3/24/2022 | | | | 3.6 | | | |
| 9/7/2022 | 1 | 0.6 | | | | | |
| 9/8/2022 | | | | | | | 1.6 |
| 9/9/2022 | | | 12 | 3.3 | 110 | 57 | |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.67 | 1.4 | | | | |
| 3/1/2016 | | | | | 0.6 | 1.5 |
| 3/2/2016 | | | 2 | 23 | | |
| 5/2/2016 | 0.58 | 1.1 | | | | 0.83 |
| 5/3/2016 | | | | | 0.55 | |
| 5/5/2016 | | | 2.6 | 21 | | |
| 7/5/2016 | 0.43 | 0.94 | | | 0.53 | 1.6 |
| 7/7/2016 | | | 2.9 | 20 | | |
| 9/6/2016 | 0.48 | 1 | | | 0.5 | 1.6 |
| 9/7/2016 | | | 3.1 | 20 | | |
| 11/7/2016 | 0.56 | 1.2 | | | 0.68 | 1.5 |
| 11/10/2016 | | | 2.7 | 8.7 | | |
| 1/9/2017 | 0.43 | 1.2 | | | 0.56 | 0.98 |
| 1/12/2017 | | | 2.9 | 27 | | |
| 3/13/2017 | 0.48 | 1.3 | | | 0.62 | 0.75 |
| 3/14/2017 | | | 3.1 | | | |
| 3/15/2017 | | | | 32 | | |
| 5/15/2017 | 0.37 | 1 | | | 0.58 | 0.83 |
| 5/18/2017 | | | 3 | 30 | | |
| 10/2/2017 | 0.47 | 1.2 | | | 0.62 | 0.83 |
| 10/5/2017 | | | 3.7 | | | |
| 10/6/2017 | | | | 15 | | |
| 12/19/2017 | | | 3.1 (R) | 41 (R) | | |
| 3/12/2018 | 0.49 | 1.4 | | | 0.59 | 0.71 |
| 3/14/2018 | | | 3.1 | 35 | | |
| 6/5/2018 | 0.49 | 1.2 | | | | |
| 6/6/2018 | | | | | 0.59 | 0.68 |
| 6/11/2018 | | | 2.6 | 30 | | |
| 10/16/2018 | 0.42 | 1.4 | | | | |
| 10/17/2018 | | | | | 0.54 | 0.66 |
| 10/18/2018 | | | 2.8 | 38 | | |
| 2/27/2019 | 0.56 | 1.3 | | | 0.63 | 0.7 |
| 3/1/2019 | | | 3.1 | 28 | | |
| 5/31/2019 | 0.33 | 1.1 | | | 0.45 | 0.52 |
| 6/3/2019 | | | 3.9 | 13 | | |
| 11/6/2019 | 0.49 | 1.2 | | | 0.55 | 0.74 |
| 11/7/2019 | | | 4.3 | 32 | | |
| 4/16/2020 | 0.36 | 1.3 | | | 0.53 | 0.59 |
| 4/17/2020 | | | 5.2 | 29 | | |
| 10/7/2020 | 0.43 | 1.6 | | | 0.63 | 0.67 |
| 10/9/2020 | | | 5.9 | 31 | | |
| 3/29/2021 | 0.46 | 1.6 | | | 0.68 | 0.75 |
| 3/31/2021 | | | 3.3 | 23 | | |
| 9/2/2021 | 0.47 | 1.5 | | | 0.56 | 0.73 |
| 9/3/2021 | | | 8.4 | 21 | | |
| 3/22/2022 | 0.33 | 1.6 | | | 0.81 | 0.7 |
| 3/23/2022 | | | 4.8 | 28 | | |
| 9/7/2022 | 0.61 | | | | | |
| 9/8/2022 | | 2.1 | 6 | | 0.69 | 0.82 |
| 9/9/2022 | | | | 26 | | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 5.4 | | | | | |
| 3/1/2016 | | | 4.8 | 6.6 | 90 | 36 | 4.4 |
| 5/2/2016 | 4.4 | | | | | | |
| 5/4/2016 | | 4.5 | | | | | 3 |
| 5/5/2016 | | | 5.6 | 6.5 | 63 | 34 | |
| 7/5/2016 | 4.2 | | | | | | |
| 7/7/2016 | | | 5 | 7.3 | 75 | 34 | |
| 7/8/2016 | | 4.9 | | | | | 3.5 |
| 9/6/2016 | 4.3 | 4.3 | 4.8 | | | | |
| 9/7/2016 | | | | 7.4 | 140 | 33 | 3.3 |
| 11/7/2016 | 4.2 | | | | | | |
| 11/9/2016 | | | | | 180 | 38 | 3.9 |
| 11/10/2016 | | 4.5 | 4.7 | 8.4 | | | |
| 1/9/2017 | 5.3 | | | | | | |
| 1/11/2017 | | 5.3 | | | 200 | 34 | 4.1 |
| 1/12/2017 | | | 5.6 | 9.2 | | | |
| 3/13/2017 | 5.2 | | | | | | |
| 3/14/2017 | | 5.5 | | | 150 | 35 | 4 |
| 3/15/2017 | | | 5.9 | 9.5 | | | |
| 5/15/2017 | 4.8 | | | | | | |
| 5/18/2017 | | 5 | 5.7 | 9.9 | 190 | 60 | 4 |
| 10/2/2017 | 5.5 | | | | | | |
| 10/5/2017 | | 5.6 | | | 120 | 33 | 4.5 |
| 10/6/2017 | | | 6 | 10 | | | |
| 12/19/2017 | | | | 9.3 (R) | 84 (R) | 120 (R) | |
| 3/12/2018 | 5.3 | | | | | | |
| 3/14/2018 | | 5.2 | 5.2 | 7.7 | 160 | 45 | 3.7 |
| 6/5/2018 | 5.3 | | | | | | |
| 6/10/2018 | | 5.2 | | | 190 | 140 | 3.6 |
| 6/11/2018 | | | 4.9 | 8 | | | |
| 10/16/2018 | 5.5 | | | | | | |
| 10/18/2018 | | 5.2 | | 12 | 100 | 32 | 5 |
| 10/19/2018 | | | 6.7 | | | | |
| 2/27/2019 | 4.6 | 5.1 | | | | | |
| 3/1/2019 | | | | | 42 | 30 | 1.7 (J) |
| 3/2/2019 | | | 4.4 | 8.5 | | | |
| 5/31/2019 | 5.1 | 5 | | | | | |
| 6/3/2019 | | | 13 | | 110 | 86 | 3.3 |
| 6/11/2019 | | | | 17 | | | |
| 11/6/2019 | 5.8 | 6 | | | | | |
| 11/7/2019 | | | | 15 | 120 | | |
| 11/9/2019 | | | 6.1 | | | 200 | 4.7 |
| 4/16/2020 | 6.1 | 5.8 | | | | | |
| 4/17/2020 | | | | 20 | | | 4.8 |
| 4/18/2020 | | | 6.3 | | 130 | 73 | |
| 10/7/2020 | 6.6 | 5.9 | | | | | |
| 10/8/2020 | | | 6.4 | 18 | 95 | 26 | 5 |
| 3/29/2021 | 10 | 5.8 | | | | | |
| 3/30/2021 | | | 6.4 | 12 | | 18 | 5 |
| 3/31/2021 | | | | | 120 | | |
| 9/2/2021 | 5.8 | 5.1 | | | | | |
| 9/3/2021 | | | | | 110 | 10 | 4.4 |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | 6.1 | 12 | | | |
| 3/22/2022 | 5.9 | 4.9 | | | | | |
| 3/23/2022 | | | 6.9 | | 120 | 10 | 4.1 |
| 3/24/2022 | | | | 9.8 | | | |
| 9/7/2022 | 4.4 | 3.4 | | | | | |
| 9/8/2022 | | | | | | | 3.3 |
| 9/9/2022 | | | 11 | 6.9 | 140 | 6.2 | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 8.1 | 7.4 | | | | |
| 3/1/2016 | | | | | 5.6 | 4 |
| 3/2/2016 | | | 5 | 87 | | |
| 5/2/2016 | 6 | 6.3 | | | | 3.6 |
| 5/3/2016 | | | | | 5.1 | |
| 5/5/2016 | | | 6.8 | 87 | | |
| 7/5/2016 | 5.2 | 4.8 | | | 4.7 | 3.6 |
| 7/7/2016 | | | 6.7 | 83 | | |
| 9/6/2016 | 5.5 | 6 | | | 4.4 | 4 |
| 9/7/2016 | | | 4.8 | 80 | | |
| 11/7/2016 | 5.4 | 5.7 | | | 4.6 | 4.4 |
| 11/10/2016 | | | 4.2 | 35 | | |
| 1/9/2017 | 6.1 | 6.8 | | | 5.3 | 4.4 |
| 1/12/2017 | | | 4.4 | 130 | | |
| 3/13/2017 | 5.5 | 6.8 | | | 5.6 | 4.1 |
| 3/14/2017 | | | 4.4 | | | |
| 3/15/2017 | | | | 150 | | |
| 5/15/2017 | 4.7 | 6.1 | | | 5.2 | 3.7 |
| 5/18/2017 | | | 5 | 140 | | |
| 10/2/2017 | 6.1 | 6 | | | 5.5 | 4.8 |
| 10/5/2017 | | | 5.8 | | | |
| 10/6/2017 | | | | 62 | | |
| 12/19/2017 | | | | 180 (R) | | |
| 3/12/2018 | 6.1 | 5.9 | | | 5.6 | 4 |
| 3/14/2018 | | | 6.9 | 140 | | |
| 6/5/2018 | 5.5 | 6.5 | | | | |
| 6/6/2018 | | | | | 5.6 | 4.1 |
| 6/11/2018 | | | 6 | 140 | | |
| 10/16/2018 | 5.1 | 5.9 | | | | |
| 10/17/2018 | | | | | 5.5 | 3.7 |
| 10/18/2018 | | | 7.5 | 160 | | |
| 2/27/2019 | 5 | 4.3 | | | 5.1 | 4 |
| 3/1/2019 | | | 7.2 | 140 | | |
| 5/31/2019 | 5.4 | 4.5 | | | 5.4 | 3.7 |
| 6/3/2019 | | | 8.5 | 79 | | |
| 11/6/2019 | 6.1 | 5.7 | | | 5.9 | 4.7 |
| 11/7/2019 | | | 18 | 120 | | |
| 4/16/2020 | 5.3 | 5.6 | | | 6.2 | 4.9 |
| 4/17/2020 | | | 29 | 120 | | |
| 10/7/2020 | 5.7 | 5.1 | | | 6.1 | 4.7 |
| 10/9/2020 | | | 22 | 100 | | |
| 3/29/2021 | 5.2 | 5 | | | 6.2 | 5.4 |
| 3/31/2021 | | | 18 | 110 | | |
| 9/2/2021 | 5.1 | 5.2 | | | 5.9 | 5.1 |
| 9/3/2021 | | | 57 | 100 | | |
| 3/22/2022 | 4.7 | 8.8 | | | 5.6 | 4.8 |
| 3/23/2022 | | | 28 | 110 | | |
| 9/7/2022 | 3.6 | | | | | |
| 9/8/2022 | | 3.4 | 17 | | 4.3 | 5.3 |
| 9/9/2022 | | | | 84 | | |

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | | |
| 3/1/2016 | | | <0.0025 | <0.0025 | <0.0025 | 0.0023 (J) | <0.0025 |
| 5/2/2016 | 0.0029 | | | | | | |
| 5/4/2016 | | <0.0025 | | | | | <0.0025 |
| 5/5/2016 | | | <0.0025 | <0.0025 | 0.0014 (J) | <0.0025 | |
| 7/5/2016 | <0.0025 | | | | | | |
| 7/7/2016 | | | <0.0025 | <0.0025 | 0.0014 (J) | 0.002 (J) | |
| 7/8/2016 | | <0.0025 | | | | | <0.0025 |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | | | | |
| 9/7/2016 | | | | <0.0025 | 0.0019 (J) | 0.0029 | <0.0025 |
| 11/7/2016 | <0.0025 | | | | | | |
| 11/9/2016 | | | | | 0.0023 (J) | 0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | <0.0025 | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | | | | | |
| 1/11/2017 | | <0.0025 | | | 0.0024 (J) | 0.002 (J) | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | | |
| 3/13/2017 | <0.0025 | | | | | | |
| 3/14/2017 | | <0.0025 | | | 0.0023 (J) | 0.0025 | <0.0025 |
| 3/15/2017 | | | <0.0025 | <0.0025 | | | |
| 5/15/2017 | <0.0025 | | | | | | |
| 5/18/2017 | | <0.0025 | <0.0025 | <0.0025 | 0.0023 (J) | 0.002 (J) | <0.0025 |
| 3/12/2018 | <0.0025 | | | | | | |
| 3/14/2018 | | <0.0025 | <0.0025 | <0.0025 | 0.0023 (J) | 0.0022 (J) | <0.0025 |
| 6/5/2018 | <0.0025 | | | | | | |
| 6/10/2018 | | <0.0025 | | | 0.0022 (J) | 0.002 (J) | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | | | | | |
| 10/18/2018 | | <0.0025 | | <0.0025 | 0.0016 (J) | 0.0029 | <0.0025 |
| 10/19/2018 | | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | | | |
| 3/1/2019 | | | | | <0.0025 | 0.0026 | <0.0025 |
| 3/2/2019 | | | 0.0028 | 0.0052 | | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | | | |
| 6/3/2019 | | | <0.0025 | | 0.0015 (J) | 0.0022 (J) | <0.0025 |
| 6/11/2019 | | | | 0.0011 (J) | | | |
| 11/6/2019 | <0.0025 | <0.0025 | | | | | |
| 11/7/2019 | | | | 0.00028 (J) | <0.0025 | | |
| 11/9/2019 | | | 0.00037 (J) | | | 0.0022 (J) | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | | | | | |
| 4/17/2020 | | | | 0.00026 (J) | | | <0.0025 |
| 4/18/2020 | | | <0.0025 | | 0.0016 | 0.0029 | |
| 10/7/2020 | <0.0025 | 0.0046 | | | | | |
| 10/8/2020 | | | <0.0025 | <0.0025 | 0.0031 | 0.0028 | 0.0019 (J) |
| 3/29/2021 | <0.0025 | 0.0024 | | | | | |
| 3/30/2021 | | | <0.0025 | <0.0025 | | 0.0015 | <0.0025 |
| 3/31/2021 | | | | | <0.0025 | | |
| 9/2/2021 | 0.0014 (J) | <0.0025 | | | | | |
| 9/3/2021 | | | | | 0.0025 | 0.0011 (J) | <0.0025 |
| 9/7/2021 | | | 0.0012 (J) | 0.0088 | | | |
| 3/22/2022 | 0.0046 | 0.0051 | | | | | |
| 3/23/2022 | | | 0.0063 | | 0.001 (J) | 0.00073 | 0.0044 |
| 3/24/2022 | | | | 0.003 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0025 | <0.0025 | | | | | |
| 9/8/2022 | | | | | | | <0.0025 |
| 9/9/2022 | | | <0.0025 | <0.0025 | <0.0025 | 0.002 (J) | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | | | | |
| 3/1/2016 | | | | | <0.0025 | 0.00056 (J) |
| 3/2/2016 | | | <0.0025 | <0.0025 | | |
| 5/2/2016 | 0.0019 (J) | 0.0034 | | | | 0.0021 (J) |
| 5/3/2016 | | | | | 0.0012 (J) | |
| 5/5/2016 | | | <0.0025 | <0.0025 | | |
| 7/5/2016 | 0.0051 | 0.0059 | | | <0.0025 | <0.0025 |
| 7/7/2016 | | | <0.0025 | <0.0025 | | |
| 9/6/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/7/2016 | | | <0.0025 | <0.0025 | | |
| 11/7/2016 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 11/10/2016 | | | <0.0025 | <0.0025 | | |
| 1/9/2017 | 0.017 (o) | <0.0025 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | | <0.0025 | <0.0025 | | |
| 3/13/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2017 | | | <0.0025 | | | |
| 3/15/2017 | | | | <0.0025 | | |
| 5/15/2017 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 5/18/2017 | | | <0.0025 | <0.0025 | | |
| 3/12/2018 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/14/2018 | | | <0.0025 | <0.0025 | | |
| 6/5/2018 | <0.0025 | <0.0025 | | | | |
| 6/6/2018 | | | | | <0.0025 | <0.0025 |
| 6/11/2018 | | | <0.0025 | <0.0025 | | |
| 10/16/2018 | <0.0025 | <0.0025 | | | | |
| 10/17/2018 | | | | | <0.0025 | <0.0025 |
| 10/18/2018 | | | <0.0025 | <0.0025 | | |
| 2/27/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/1/2019 | | | <0.0025 | <0.0025 | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 6/3/2019 | | | <0.0025 | <0.0025 | | |
| 11/6/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 11/7/2019 | | | <0.0025 | 0.00042 (J) | | |
| 4/16/2020 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 4/17/2020 | | | <0.0025 | 0.0004 (J) | | |
| 10/7/2020 | 0.001 (J) | 0.0015 (J) | | | 0.0033 | 0.0017 (J) |
| 10/9/2020 | | | <0.0025 | 0.0016 (J) | | |
| 3/29/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 3/31/2021 | | | 0.016 | <0.0025 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 9/3/2021 | | | <0.0025 | <0.0025 | | |
| 3/22/2022 | 0.00032 (J) | 0.00027 (J) | | | 0.0088 | 0.0022 |
| 3/23/2022 | | | 0.0061 | 0.0025 | | |
| 9/7/2022 | <0.0025 | | | | | |
| 9/8/2022 | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 9/9/2022 | | | | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 0.00039 (J) | <0.0025 | | | | | |
| 3/1/2016 | | | <0.0025 | 0.001 (J) | 0.017 | <0.0025 | 0.0007 (J) |
| 5/2/2016 | 0.0013 (J) | | | | | | |
| 5/4/2016 | | <0.0025 | | | | | 0.001 (J) |
| 5/5/2016 | | | <0.0025 | 0.00064 (J) | 0.012 | <0.0025 | |
| 7/5/2016 | 0.00049 (J) | | | | | | |
| 7/7/2016 | | | <0.0025 | <0.0025 | 0.012 | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | | 0.00057 (J) |
| 9/6/2016 | 0.00062 (J) | 0.00042 (J) | <0.0025 | | | | |
| 9/7/2016 | | | | 0.00044 (J) | 0.018 | <0.0025 | 0.00061 (J) |
| 11/7/2016 | 0.00049 (J) | | | | | | |
| 11/9/2016 | | | | | 0.022 | <0.0025 | 0.00055 (J) |
| 11/10/2016 | | <0.0025 | <0.0025 | <0.0025 | | | |
| 1/9/2017 | 0.00045 (J) | | | | | | |
| 1/11/2017 | | <0.0025 | | | 0.025 | <0.0025 | 0.00045 (J) |
| 1/12/2017 | | | <0.0025 | <0.0025 | | | |
| 3/13/2017 | 0.00048 (J) | | | | | | |
| 3/14/2017 | | <0.0025 | | | 0.019 | <0.0025 | 0.00059 (J) |
| 3/15/2017 | | | <0.0025 | <0.0025 | | | |
| 5/15/2017 | 0.00052 (J) | | | | | | |
| 5/18/2017 | | <0.0025 | <0.0025 | <0.0025 | 0.023 | <0.0025 | 0.00059 (J) |
| 3/12/2018 | 0.00055 (J) | | | | | | |
| 3/14/2018 | | <0.0025 | <0.0025 | <0.0025 | 0.014 | <0.0025 | 0.00044 (J) |
| 6/5/2018 | 0.00051 (J) | | | | | | |
| 6/10/2018 | | <0.0025 | | | 0.029 | <0.0025 | 0.0004 (J) |
| 6/11/2018 | | | <0.0025 | <0.0025 | | | |
| 10/16/2018 | 0.00058 (J) | | | | | | |
| 10/18/2018 | | <0.0025 | | <0.0025 | 0.016 | <0.0025 | <0.0025 |
| 10/19/2018 | | | <0.0025 | | | | |
| 2/27/2019 | 0.00065 (J) | <0.0025 | | | | | |
| 3/1/2019 | | | | | 0.009 | <0.0025 | <0.0025 |
| 3/2/2019 | | | <0.0025 | 0.00041 (J) | | | |
| 5/31/2019 | 0.00046 (J) | <0.0025 | | | | | |
| 6/3/2019 | | | <0.0025 | | 0.015 | <0.0025 | <0.0025 |
| 6/11/2019 | | | | <0.0025 | | | |
| 11/6/2019 | 0.00056 (J) | 0.00033 (J) | | | | | |
| 11/7/2019 | | | | 0.00015 (J) | 0.022 | | |
| 11/9/2019 | | | 0.00016 (J) | | | 0.00087 (J) | 0.00036 (J) |
| 4/16/2020 | 0.00058 | 0.00035 (J) | | | | | |
| 4/17/2020 | | | | 0.00021 (J) | | | 0.00036 (J) |
| 4/18/2020 | | | 0.00023 (J) | | 0.013 | 0.00037 (J) | |
| 10/7/2020 | 0.0006 (J) | <0.0025 | | | | | |
| 10/8/2020 | | | <0.0025 | <0.0025 | 0.017 | <0.0025 | <0.0025 |
| 3/29/2021 | 0.00059 | <0.0025 | | | | | |
| 3/30/2021 | | | <0.0025 | <0.0025 | | <0.0025 | <0.0025 |
| 3/31/2021 | | | | | 0.018 | | |
| 9/2/2021 | 0.00069 (J) | <0.0025 | | | | | |
| 9/3/2021 | | | | | 0.018 | <0.0025 | <0.0025 |
| 9/7/2021 | | | <0.0025 | <0.0025 | | | |
| 3/22/2022 | 0.0014 | 0.0012 | | | | | |
| 3/23/2022 | | | 0.00088 | | 0.023 | 0.00017 (J) | 0.00099 |
| 3/24/2022 | | | | 0.00026 (J) | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0025 | <0.0025 | | | | | |
| 9/8/2022 | | | | | | | <0.0025 |
| 9/9/2022 | | | <0.0025 | <0.0025 | 0.032 | <0.0025 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.00064 (J) | 0.00023 (J) | | | | |
| 3/1/2016 | | | | | 0.00064 (J) | 0.00071 (J) |
| 3/2/2016 | | | 0.00075 (J) | 0.0047 (J) | | |
| 5/2/2016 | 0.0014 (J) | 0.00092 (J) | | | | 0.001 (J) |
| 5/3/2016 | | | | | 0.00079 (J) | |
| 5/5/2016 | | | 0.0042 | 0.0047 | | |
| 7/5/2016 | 0.0027 | 0.0032 | | | <0.0025 | 0.00055 (J) |
| 7/7/2016 | | | 0.0043 | 0.0041 | | |
| 9/6/2016 | 0.00062 (J) | <0.0025 | | | 0.00094 (J) | 0.00057 (J) |
| 9/7/2016 | | | 0.0049 | 0.0047 | | |
| 11/7/2016 | 0.00058 (J) | <0.0025 | | | 0.00041 (J) | 0.00047 (J) |
| 11/10/2016 | | | 0.004 | 0.0043 | | |
| 1/9/2017 | 0.00059 (J) | <0.0025 | | | 0.00074 (J) | 0.00054 (J) |
| 1/12/2017 | | | 0.0045 | 0.0048 | | |
| 3/13/2017 | 0.0005 (J) | <0.0025 | | | 0.00091 (J) | 0.0004 (J) |
| 3/14/2017 | | | 0.0039 | | | |
| 3/15/2017 | | | | 0.0066 | | |
| 5/15/2017 | 0.00046 (J) | <0.0025 | | | 0.00075 (J) | 0.00046 (J) |
| 5/18/2017 | | | 0.005 | 0.0065 | | |
| 3/12/2018 | 0.00055 (J) | <0.0025 | | | 0.00044 (J) | <0.0025 |
| 3/14/2018 | | | 0.0038 | 0.012 | | |
| 6/5/2018 | 0.00052 (J) | <0.0025 | | | | |
| 6/6/2018 | | | | | 0.0004 (J) | 0.00048 (J) |
| 6/11/2018 | | | 0.0044 | 0.0096 | | |
| 10/16/2018 | 0.00045 (J) | <0.0025 | | | | |
| 10/17/2018 | | | | | <0.0025 | 0.00043 (J) |
| 10/18/2018 | | | 0.0036 | 0.025 | | |
| 2/27/2019 | 0.00056 (J) | <0.0025 | | | <0.0025 | 0.00045 (J) |
| 3/1/2019 | | | 0.0052 | 0.02 | | |
| 5/31/2019 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 6/3/2019 | | | 0.0071 | 0.0053 | | |
| 11/6/2019 | 0.00048 (J) | 0.00019 (J) | | | 0.00029 (J) | 0.00094 (J) |
| 11/7/2019 | | | 0.0085 | 0.019 | | |
| 4/16/2020 | 0.00043 (J) | 0.00021 (J) | | | 0.00029 (J) | 0.00053 |
| 4/17/2020 | | | 0.0089 | 0.013 | | |
| 10/7/2020 | <0.0025 | <0.0025 | | | <0.0025 | <0.0025 |
| 10/9/2020 | | | 0.0072 | 0.015 | | |
| 3/29/2021 | <0.0025 | <0.0025 | | | <0.0025 | 0.00062 |
| 3/31/2021 | | | 0.0023 | 0.0091 | | |
| 9/2/2021 | <0.0025 | <0.0025 | | | <0.0025 | 0.00069 (J) |
| 9/3/2021 | | | 0.015 | 0.0032 | | |
| 3/22/2022 | 0.00038 (J) | 0.0002 (J) | | | 0.0014 | 0.0016 |
| 3/23/2022 | | | 0.0094 | 0.013 | | |
| 9/7/2022 | <0.0025 | | | | | |
| 9/8/2022 | | <0.0025 | 0.0077 | | <0.0025 | 0.00064 (J) |
| 9/9/2022 | | | | 0.019 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 1.27 | 1.09 | | | | | |
| 3/1/2016 | | | 0.996 | 5.24 | 11.8 | 4.21 | 0.872 |
| 5/2/2016 | 0.808 | | | | | | |
| 5/4/2016 | | 0.848 | | | | | <5 |
| 5/5/2016 | | | 2.82 | 4.13 | 9.43 | 2.24 | |
| 7/5/2016 | 0.947 | | | | | | |
| 7/7/2016 | | | 1.58 | 7.01 | 13.8 | 3.28 | |
| 7/8/2016 | | 1.46 | | | | | 1.02 |
| 9/6/2016 | 1.07 | 1.34 | 1.46 | | | | |
| 9/7/2016 | | | | 7.94 | 13.7 | 2.83 | 0.826 |
| 11/7/2016 | 0.602 | | | | | | |
| 11/9/2016 | | | | | 16.9 | 4.28 | 1.17 |
| 11/10/2016 | | 1.23 | 1.92 | 7 | | | |
| 1/9/2017 | 0.865 | | | | | | |
| 1/11/2017 | | 1.11 | | | 24.9 | 4.62 | 0.924 |
| 1/12/2017 | | | 1.48 | 7.87 | | | |
| 3/13/2017 | 0.693 | | | | | | |
| 3/14/2017 | | 1.01 | | | 15.5 | 2.28 | 0.889 |
| 3/15/2017 | | | 1.41 | 7.1 | | | |
| 5/15/2017 | 0.786 | | | | | | |
| 5/18/2017 | | 0.745 | 1.23 | 7.26 | 19.8 | 3 | 0.338 |
| 3/12/2018 | 0.933 | | | | | | |
| 3/14/2018 | | 0.614 | 1.64 | 7.02 | 13.1 | 2.82 | 0.789 |
| 6/5/2018 | 0.713 | | | | | | |
| 6/10/2018 | | 0.959 | | | 19.1 | 6.2 | 0.852 |
| 6/11/2018 | | | 1.51 | 5.54 | | | |
| 10/16/2018 | 2.14 | | | | | | |
| 10/18/2018 | | 0.944 | | 5.59 | 12.1 | 2.89 | 1.05 |
| 10/19/2018 | | | 1 | | | | |
| 2/27/2019 | 0.651 | 0.827 | | | | | |
| 3/1/2019 | | | | | 10.4 | 2.89 | 1.01 |
| 3/2/2019 | | | 1.5 | 1.69 | | | |
| 5/31/2019 | 1.33 | 0.99 | | | | | |
| 6/3/2019 | | | 2.67 | | 19.1 | 4.84 | 1.33 |
| 6/11/2019 | | | | 5.8 | | | |
| 11/6/2019 | 1.32 | 0.892 | | | | | |
| 11/7/2019 | | | | 4.83 | 20.8 | | |
| 11/9/2019 | | | 1.31 | | | 6.06 | 0.663 |
| 4/16/2020 | 0.971 | 0.497 | | | | | |
| 4/17/2020 | | | | 5.33 | | | 0.604 |
| 4/18/2020 | | | 0.931 | | 13.8 | 2.03 | |
| 10/7/2020 | 1.14 | 1.07 | | | | | |
| 10/8/2020 | | | 1.08 | 5.59 | 13.6 | 2.03 | 1.49 |
| 3/29/2021 | 1.72 | 0.561 | | | | | |
| 3/30/2021 | | | 1.46 | 5.05 | | 3.57 | 1.8 |
| 3/31/2021 | | | | | 21 | | |
| 9/2/2021 | 1.65 | 0.975 | | | | | |
| 9/3/2021 | | | | | 15.1 | 1.87 | 0.866 |
| 9/7/2021 | | | 1.47 | 4.59 | | | |
| 3/22/2022 | 1.75 | 1.1 | | | | | |
| 3/23/2022 | | | 2.18 | | 16.5 | 1.79 | 1.17 |
| 3/24/2022 | | | | 4.52 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | 2 | 1.32 | | | | | |
| 9/8/2022 | | | | | | | 1.49 |
| 9/9/2022 | | | 5.92 | 3.16 | 21.2 | 2.04 | |

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 1.42 | 2.4 | | | | |
| 3/1/2016 | | | | | 0.647 | <5 |
| 3/2/2016 | | | 2.39 | 7.8 | | |
| 5/2/2016 | 1.03 | 1.62 | | | | <5 |
| 5/3/2016 | | | | | 0.748 | |
| 5/5/2016 | | | 1.54 | 5.51 | | |
| 7/5/2016 | 0.961 | 1.01 | | | 0.591 | <5 |
| 7/7/2016 | | | 2.17 | 7.65 | | |
| 9/6/2016 | 1.07 | 1.8 | | | 0.831 | 0.566 |
| 9/7/2016 | | | 2.24 | 5.9 | | |
| 11/7/2016 | 0.818 | 1.86 | | | 0.983 | 0.784 |
| 11/10/2016 | | | 2.69 | 5.04 | | |
| 1/9/2017 | 0.934 | 2.25 | | | 0.767 | 0.541 |
| 1/12/2017 | | | 1.81 | 9.04 | | |
| 3/13/2017 | 0.937 | 1.87 | | | 1.26 | 0.442 |
| 3/14/2017 | | | 1.74 | | | |
| 3/15/2017 | | | | 6.46 | | |
| 5/15/2017 | 0.685 | 1.4 | | | 0.553 | 0.345 |
| 5/18/2017 | | | 1.7 | 8.31 | | |
| 3/12/2018 | 1.09 | 1.97 | | | 0.783 | 0.848 |
| 3/14/2018 | | | 1.99 | 7.06 | | |
| 6/5/2018 | 0.927 | 2.17 | | | | |
| 6/6/2018 | | | | | 1.08 | 0.78 |
| 6/11/2018 | | | 1.59 | 7.06 | | |
| 10/16/2018 | 1.07 | 2.2 | | | | |
| 10/17/2018 | | | | | 1.19 | 0.88 |
| 10/18/2018 | | | 1.77 | 7.22 | | |
| 2/27/2019 | 0.912 | 1.8 | | | 0.741 | 0.431 |
| 3/1/2019 | | | 1.51 | 5.59 | | |
| 5/31/2019 | 1.24 | 1.8 | | | 0.759 | 0.884 |
| 6/3/2019 | | | 0.42 (U) | 4.73 | | |
| 11/6/2019 | 0.509 (U) | 2.32 | | | 0.105 (U) | 0.366 (U) |
| 11/7/2019 | | | 3.07 | 5.46 | | |
| 4/16/2020 | 0.568 | 1.35 | | | 0.588 | 0.264 (U) |
| 4/17/2020 | | | 2.45 | 4.26 | | |
| 10/7/2020 | 0.763 | 1.75 | | | 0.709 (U) | 0.46 (U) |
| 10/9/2020 | | | 4 | 5.63 | | |
| 3/29/2021 | 0.708 | | | | 0.899 | 0.642 |
| 3/30/2021 | | 1.71 | | | | |
| 3/31/2021 | | | 3.92 | 5.69 | | |
| 9/2/2021 | 1.75 | 2.13 | | | 0.856 | 0.951 |
| 9/3/2021 | | | 5.26 | 4.72 | | |
| 3/22/2022 | 1.78 | 3.12 | | | 1.33 | 1.32 |
| 3/23/2022 | | | 3.57 | 6.71 | | |
| 9/7/2022 | 1.46 | | | | | |
| 9/8/2022 | | 3.32 | 2.78 | | 0.936 | 1.36 |
| 9/9/2022 | | | | 6.33 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:47 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 5.26 | | | | | |
| 3/1/2016 | | | 5.03 | 5.86 | 4.09 | 6.12 | 5.84 |
| 5/2/2016 | 4.76 | | | | | | |
| 5/4/2016 | | 5.1 | | | | | 5.69 |
| 5/5/2016 | | | 5.03 | 5.77 | 4.12 | 6.25 | |
| 7/5/2016 | 5.12 | | | | | | |
| 7/7/2016 | | | 4.85 | 5.45 | 3.99 | 5.99 | |
| 7/8/2016 | | 4.96 | | | | | 5.49 |
| 9/6/2016 | 5.11 | 5.43 | 4.84 | | | | |
| 9/7/2016 | | | | 5.01 | 4.06 | 6.03 | 5.22 |
| 11/7/2016 | 4.76 | | | | | | |
| 11/9/2016 | | | | | 4.05 | 6.01 | 5.39 |
| 11/10/2016 | | 4.89 | 4.72 | 4.99 | | | |
| 1/9/2017 | 4.99 | | | | | | |
| 1/11/2017 | | 4.87 | | | 4.01 | 6.04 | 5.12 |
| 1/12/2017 | | | 4.79 | 4.95 | | | |
| 3/13/2017 | 4.57 | | | | | | |
| 3/14/2017 | | 4.71 | | | 4.06 | 6.11 | 5.05 |
| 3/15/2017 | | | 4.81 | 5.03 | | | |
| 5/15/2017 | 4.6 | | | | | | |
| 5/18/2017 | | 4.5 | 4.5 | 4.75 | 3.65 | 5.88 | 4.68 |
| 10/2/2017 | 4.64 | | | | | | |
| 10/5/2017 | | 4.63 | | | 3.79 | 6.07 | 4.77 |
| 10/6/2017 | | | 4.56 | 5.07 | | | |
| 12/19/2017 | | | | 5.1 (R) | 4.1 (R) | 6.11 (R) | |
| 3/12/2018 | 4.85 | | | | | | |
| 3/14/2018 | | 5.14 | 5.08 | 4.89 | 4.2 | 6.29 | 5.28 |
| 6/5/2018 | 4.92 | | | | | | |
| 6/10/2018 | | 5.12 | | | 3.97 | 5.96 | 4.99 |
| 6/11/2018 | | | 4.81 | 5.02 | | | |
| 10/16/2018 | 4.93 | | | | | | |
| 10/18/2018 | | 4.97 | | 4.93 | 4.12 | 6.19 | 5.07 |
| 10/19/2018 | | | 5.15 | | | | |
| 2/27/2019 | 4.75 | 4.84 | | | | | |
| 3/1/2019 | | | | | 4.19 | 6.27 | 5.13 |
| 3/2/2019 | | | 4.81 | 5.58 | | | |
| 5/31/2019 | 4.9 | 4.92 | | | | | |
| 6/3/2019 | | | 4.7 | | 4.17 | 6.23 | 5.12 |
| 6/11/2019 | | | | 4.97 | | | |
| 11/6/2019 | 4.82 | 4.94 | | | | | |
| 11/7/2019 | | | | 4.99 | 4.03 | | |
| 11/9/2019 | | | 4.78 | | | 6.19 | 5.06 |
| 4/16/2020 | 5.03 | 5.17 | | | | | |
| 4/17/2020 | | | | 5.07 | | | 5.23 |
| 4/18/2020 | | | 4.96 | | 4.08 | 6.21 | |
| 10/7/2020 | 4.74 | 5.08 | | | | | |
| 10/8/2020 | | | 4.87 | 4.98 | 4.13 | 6.29 | 5.34 |
| 3/29/2021 | 4.79 | 4.92 | | | | | |
| 3/30/2021 | | | 4.82 | 5.04 | | 6.31 | 4.98 |
| 3/31/2021 | | | | | 3.7 | | |
| 9/2/2021 | 4.81 | 5.07 | | | | | |
| 9/3/2021 | | | | | 4.32 | 6.17 | 4.85 |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | 4.62 | 5.11 | | | |
| 3/22/2022 | 4.9 | 5.02 | | | | | |
| 3/23/2022 | | | 5.02 | | 4.15 | 6.48 | 4.99 |
| 3/24/2022 | | | | 5.02 | | | |
| 9/7/2022 | 4.72 | 4.89 | | | | | |
| 9/8/2022 | | | | | | | 5 |
| 9/9/2022 | | | 4.96 | 5.19 | 4.08 | 6.47 | |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 4.9 | | | | |
| 3/1/2016 | | | | | 5.08 | 6.37 |
| 3/2/2016 | | | 5.015 (D) | 5.015 (D) | | |
| 5/2/2016 | 4.77 | 4.69 | | | | 5.605 (D) |
| 5/3/2016 | | | | | 5.14 | |
| 5/5/2016 | | | 4.87 | 5.04 | | |
| 7/5/2016 | 5.48 | 7.11 (o) | | | 5.38 | 6.29 |
| 7/7/2016 | | | 4.86 | 5.55 | | |
| 9/6/2016 | 5.12 | 5.19 | | | 5.37 | 6.42 |
| 9/7/2016 | | | 4.72 | 4.86 | | |
| 11/7/2016 | 4.73 | 4.64 | | | 4.92 | 5.75 |
| 11/10/2016 | | | 4.72 | 5.19 | | |
| 1/9/2017 | 5 | 4.94 | | | 5.05 | 5.98 |
| 1/12/2017 | | | 4.67 | 4.84 | | |
| 3/13/2017 | 4.74 | 4.63 | | | 4.87 | 5.81 |
| 3/14/2017 | | | 4.77 | | | |
| 3/15/2017 | | | | 4.86 | | |
| 5/15/2017 | 4.63 | 4.52 | | | 4.69 | 5.42 |
| 5/18/2017 | | | 4.43 | 4.59 | | |
| 10/2/2017 | 4.63 | 4.54 | | | 4.88 | 5.63 |
| 10/5/2017 | | | 4.52 | | | |
| 10/6/2017 | | | | 5.73 | | |
| 12/19/2017 | | | 4.76 (R) | 4.84 (R) | | |
| 3/12/2018 | 4.81 | 4.81 | | | 5.07 | 5.6 |
| 3/14/2018 | | | 4.71 | 4.75 | | |
| 6/5/2018 | 5.04 | 4.9 | | | | |
| 6/6/2018 | | | | | 5.09 | 5.58 |
| 6/11/2018 | | | 4.78 | 4.77 | | |
| 10/16/2018 | 4.98 | 4.81 | | | | |
| 10/17/2018 | | | | | 4.99 | 5.54 |
| 10/18/2018 | | | 4.76 | 4.73 | | |
| 2/27/2019 | 4.78 | 4.71 | | | 4.87 | 5.4 |
| 3/1/2019 | | | 4.85 | 4.76 | | |
| 5/31/2019 | 4.92 | 4.84 | | | 4.89 | 5.45 |
| 6/3/2019 | | | 4.75 | 5.56 | | |
| 11/6/2019 | 4.88 | 4.78 | | | 5.04 | 5.52 |
| 11/7/2019 | | | 4.78 | 4.74 | | |
| 4/16/2020 | 5.15 | 4.96 | | | 5.13 | 5.58 |
| 4/17/2020 | | | 4.75 | 4.7 | | |
| 10/7/2020 | 4.91 | 4.8 | | | 5.13 | 5.5 |
| 10/9/2020 | | | 4.77 | 4.9 | | |
| 3/29/2021 | 4.89 | 4.8 | | | 4.93 | 5.46 |
| 3/31/2021 | | | 4.64 | 4.85 | | |
| 9/2/2021 | 4.87 | 4.77 | | | 4.94 | 5.16 |
| 9/3/2021 | | | 4.72 | 6.28 | | |
| 3/22/2022 | 4.91 | 4.89 | | | 5.1 | 5.18 |
| 3/23/2022 | | | 5 | 5.01 | | |
| 9/7/2022 | 4.92 | | | | | |
| 9/8/2022 | | 4.78 | 4.82 | | 4.87 | 5.13 |
| 9/9/2022 | | | | 4.68 | | |

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | | | | | |
| 3/1/2016 | | | <0.1 | 0.037 (J) | 0.46 | 0.041 (J) | <0.1 |
| 5/2/2016 | <0.1 | | | | | | |
| 5/4/2016 | | <0.1 | | | | | <0.1 |
| 5/5/2016 | | | <0.1 | <0.1 | 0.27 | <0.1 | |
| 7/5/2016 | <0.1 | | | | | | |
| 7/7/2016 | | | <0.1 | <0.1 | 0.29 | <0.1 | |
| 7/8/2016 | | <0.1 | | | | | <0.1 |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | | | | |
| 9/7/2016 | | | | <0.1 | 0.33 | <0.1 | <0.1 |
| 11/7/2016 | <0.1 | | | | | | |
| 11/9/2016 | | | | | 0.29 | <0.1 | <0.1 |
| 11/10/2016 | | <0.1 | <0.1 | <0.1 | | | |
| 1/9/2017 | <0.1 | | | | | | |
| 1/11/2017 | | <0.1 | | | 0.42 | <0.1 | <0.1 |
| 1/12/2017 | | | <0.1 | <0.1 | | | |
| 3/13/2017 | <0.1 | | | | | | |
| 3/14/2017 | | <0.1 | | | 0.34 | <0.1 | <0.1 |
| 3/15/2017 | | | <0.1 | <0.1 | | | |
| 5/15/2017 | <0.1 | | | | | | |
| 5/18/2017 | | <0.1 | <0.1 | <0.1 | 0.47 | <0.1 | <0.1 |
| 10/2/2017 | <0.1 | | | | | | |
| 10/5/2017 | | <0.1 | | | 0.22 | <0.1 | <0.1 |
| 10/6/2017 | | | <0.1 | <0.1 | | | |
| 12/19/2017 | | | | | 0.26 (R) | | |
| 3/12/2018 | <0.1 | | | | | | |
| 3/14/2018 | | 0.12 | <0.1 | <0.1 | 0.3 | <0.1 | <0.1 |
| 6/5/2018 | <0.1 | | | | | | |
| 6/10/2018 | | <0.1 | | | 0.38 | <0.1 | <0.1 |
| 6/11/2018 | | | <0.1 | <0.1 | | | |
| 10/16/2018 | <0.1 | | | | | | |
| 10/18/2018 | | <0.1 | | <0.1 | 0.26 | 0.04 (J) | <0.1 |
| 10/19/2018 | | | <0.1 | | | | |
| 2/27/2019 | <0.1 | <0.1 | | | | | |
| 3/1/2019 | | | | | 0.1 | <0.1 | <0.1 |
| 3/2/2019 | | | <0.1 | <0.1 | | | |
| 5/31/2019 | <0.1 | <0.1 | | | | | |
| 6/3/2019 | | | <0.1 | | 0.22 | 0.04 (J) | <0.1 |
| 6/11/2019 | | | | <0.1 | | | |
| 11/6/2019 | <0.1 | <0.1 | | | | | |
| 11/7/2019 | | | | <0.1 | 0.21 | | |
| 11/9/2019 | | | <0.1 | | | <0.1 | <0.1 |
| 4/16/2020 | <0.1 | <0.1 | | | | | |
| 4/17/2020 | | | | <0.1 | | | <0.1 |
| 4/18/2020 | | | <0.1 | | 0.3 | 0.04 (J) | |
| 10/7/2020 | <0.1 | <0.1 | | | | | |
| 10/8/2020 | | | <0.1 | 0.24 | 0.26 | 0.04 (J) | <0.1 |
| 3/29/2021 | 0.06 | <0.1 | | | | | |
| 3/30/2021 | | | <0.1 | <0.1 | | 0.04 | <0.1 |
| 3/31/2021 | | | | | 0.34 | | |
| 9/2/2021 | 0.08 (J) | 0.04 (J) | | | | | |
| 9/3/2021 | | | | | 0.41 | 0.07 (J) | <0.1 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | <0.1 | <0.1 | | | |
| 3/22/2022 | <0.1 | <0.1 | | | | | |
| 3/23/2022 | | | <0.1 | | 0.3 | <0.1 | <0.1 |
| 3/24/2022 | | | | <0.1 | | | |
| 9/7/2022 | <0.1 | <0.1 | | | | | |
| 9/8/2022 | | | | | | | <0.1 |
| 9/9/2022 | | | <0.1 | <0.1 | <0.1 | <0.1 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | | | | |
| 3/1/2016 | | | | | <0.1 | 0.033 (J) |
| 3/2/2016 | | | <0.1 | 0.039 (J) | | |
| 5/2/2016 | <0.1 | <0.1 | | | | <0.1 |
| 5/3/2016 | | | | | <0.1 | |
| 5/5/2016 | | | <0.1 | <0.1 | | |
| 7/5/2016 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 7/7/2016 | | | <0.1 | <0.1 | | |
| 9/6/2016 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 9/7/2016 | | | <0.1 | <0.1 | | |
| 11/7/2016 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 11/10/2016 | | | <0.1 | <0.1 | | |
| 1/9/2017 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 1/12/2017 | | | <0.1 | <0.1 | | |
| 3/13/2017 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/14/2017 | | | <0.1 | | | |
| 3/15/2017 | | | | <0.1 | | |
| 5/15/2017 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 5/18/2017 | | | <0.1 | <0.1 | | |
| 10/2/2017 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 10/5/2017 | | | <0.1 | | | |
| 10/6/2017 | | | | <0.1 | | |
| 3/12/2018 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/14/2018 | | | <0.1 | <0.1 | | |
| 6/5/2018 | <0.1 | <0.1 | | | | |
| 6/6/2018 | | | | | <0.1 | <0.1 |
| 6/11/2018 | | | <0.1 | 0.04 (J) | | |
| 10/16/2018 | <0.1 | <0.1 | | | | |
| 10/17/2018 | | | | | <0.1 | <0.1 |
| 10/18/2018 | | | <0.1 | 0.04 (J) | | |
| 2/27/2019 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/1/2019 | | | <0.1 | <0.1 | | |
| 5/31/2019 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 6/3/2019 | | | <0.1 | 0.04 (J) | | |
| 11/6/2019 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 11/7/2019 | | | <0.1 | 0.04 (J) | | |
| 4/16/2020 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 4/17/2020 | | | <0.1 | 0.04 (J) | | |
| 10/7/2020 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 10/9/2020 | | | <0.1 | <0.1 | | |
| 3/29/2021 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/31/2021 | | | <0.1 | 0.04 | | |
| 9/2/2021 | 0.1 | <0.1 | | | <0.1 | 0.04 (J) |
| 9/3/2021 | | | 0.05 (J) | 0.07 (J) | | |
| 3/22/2022 | <0.1 | <0.1 | | | <0.1 | <0.1 |
| 3/23/2022 | | | <0.1 | <0.1 | | |
| 9/7/2022 | <0.1 | | | | | |
| 9/8/2022 | | <0.1 | <0.1 | | <0.1 | <0.1 |
| 9/9/2022 | | | | <0.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | | | | | |
| 3/1/2016 | | | <0.0013 | <0.0013 | 0.0018 (J) | <0.0013 | <0.0013 |
| 5/2/2016 | <0.0013 | | | | | | |
| 5/4/2016 | | <0.0013 | | | | | <0.0013 |
| 5/5/2016 | | | <0.0013 | <0.0013 | 0.0015 | <0.0013 | |
| 7/5/2016 | <0.0013 | | | | | | |
| 7/7/2016 | | | <0.0013 | <0.0013 | 0.0018 | <0.0013 | |
| 7/8/2016 | | <0.0013 | | | | | <0.0013 |
| 9/6/2016 | <0.0013 | <0.0013 | <0.0013 | | | | |
| 9/7/2016 | | | | <0.0013 | 0.0024 | <0.0013 | <0.0013 |
| 11/7/2016 | <0.0013 | | | | | | |
| 11/9/2016 | | | | | 0.0023 | <0.0013 | <0.0013 |
| 11/10/2016 | | <0.0013 | <0.0013 | <0.0013 | | | |
| 1/9/2017 | <0.0013 | | | | | | |
| 1/11/2017 | | <0.0013 | | | 0.0027 | <0.0013 | <0.0013 |
| 1/12/2017 | | | <0.0013 | <0.0013 | | | |
| 3/13/2017 | <0.0013 | | | | | | |
| 3/14/2017 | | <0.0013 | | | 0.0024 | <0.0013 | <0.0013 |
| 3/15/2017 | | | <0.0013 | <0.0013 | | | |
| 5/15/2017 | <0.0013 | | | | | | |
| 5/18/2017 | | <0.0013 | <0.0013 | <0.0013 | 0.0029 | <0.0013 | <0.0013 |
| 3/12/2018 | <0.0013 | | | | | | |
| 3/14/2018 | | <0.0013 | <0.0013 | <0.0013 | 0.0023 | <0.0013 | <0.0013 |
| 6/5/2018 | <0.0013 | | | | | | |
| 6/10/2018 | | <0.0013 | | | 0.0024 | <0.0013 | <0.0013 |
| 6/11/2018 | | | <0.0013 | <0.0013 | | | |
| 10/16/2018 | <0.0013 | | | | | | |
| 10/18/2018 | | <0.0013 | | <0.0013 | 0.002 | <0.0013 | 0.00039 (J) |
| 10/19/2018 | | | <0.0013 | | | | |
| 2/27/2019 | <0.0013 | <0.0013 | | | | | |
| 3/1/2019 | | | | | 0.0012 (J) | <0.0013 | <0.0013 |
| 3/2/2019 | | | <0.0013 | <0.0013 | | | |
| 5/31/2019 | <0.0013 | <0.0013 | | | | | |
| 6/3/2019 | | | <0.0013 | | 0.0018 | 0.00091 (J) | <0.0013 |
| 6/11/2019 | | | | <0.0013 | | | |
| 11/6/2019 | 0.0001 (J) | <0.0013 | | | | | |
| 11/7/2019 | | | | 0.00011 (J) | 0.002 | | |
| 11/9/2019 | | | 0.00014 (J) | | | 0.00012 (J) | <0.0013 |
| 4/16/2020 | 6.6E-05 (J) | <0.0013 | | | | | |
| 4/17/2020 | | | | <0.0013 | | | <0.0013 |
| 4/18/2020 | | | 0.00018 (J) | | 0.0024 | <0.0013 | |
| 10/7/2020 | <0.0013 | <0.0013 | | | | | |
| 10/8/2020 | | | <0.0013 | <0.0013 | 0.0019 | <0.0013 | <0.0013 |
| 3/29/2021 | <0.0013 | <0.0013 | | | | | |
| 3/30/2021 | | | <0.0013 | <0.0013 | | <0.0013 | <0.0013 |
| 3/31/2021 | | | | | 0.0022 | | |
| 9/2/2021 | <0.0013 | <0.0013 | | | | | |
| 9/3/2021 | | | | | 0.002 | <0.0013 | <0.0013 |
| 9/7/2021 | | | <0.0013 | <0.0013 | | | |
| 3/22/2022 | <0.0013 | <0.0013 | | | | | |
| 3/23/2022 | | | <0.0013 | | 0.0018 | <0.0013 | <0.0013 |
| 3/24/2022 | | | | <0.0013 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0013 | <0.0013 | | | | | |
| 9/8/2022 | | | | | | | <0.0013 |
| 9/9/2022 | | | <0.0013 | <0.0013 | 0.0021 | <0.0013 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | | | | |
| 3/1/2016 | | | | | <0.0013 | <0.0013 |
| 3/2/2016 | | | <0.0013 | <0.0013 | | |
| 5/2/2016 | <0.0013 | <0.0013 | | | | <0.0013 |
| 5/3/2016 | | | | | <0.0013 | |
| 5/5/2016 | | | <0.0013 | <0.0013 | | |
| 7/5/2016 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 7/7/2016 | | | <0.0013 | <0.0013 | | |
| 9/6/2016 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 9/7/2016 | | | <0.0013 | <0.0013 | | |
| 11/7/2016 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 11/10/2016 | | | <0.0013 | <0.0013 | | |
| 1/9/2017 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 1/12/2017 | | | <0.0013 | <0.0013 | | |
| 3/13/2017 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/14/2017 | | | <0.0013 | | | |
| 3/15/2017 | | | | <0.0013 | | |
| 5/15/2017 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 5/18/2017 | | | <0.0013 | <0.0013 | | |
| 3/12/2018 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/14/2018 | | | <0.0013 | <0.0013 | | |
| 6/5/2018 | <0.0013 | <0.0013 | | | | |
| 6/6/2018 | | | | | <0.0013 | <0.0013 |
| 6/11/2018 | | | <0.0013 | <0.0013 | | |
| 10/16/2018 | <0.0013 | <0.0013 | | | | |
| 10/17/2018 | | | | | <0.0013 | <0.0013 |
| 10/18/2018 | | | <0.0013 | <0.0013 | | |
| 2/27/2019 | 0.001 (J) | <0.0013 | | | <0.0013 | <0.0013 |
| 3/1/2019 | | | <0.0013 | <0.0013 | | |
| 5/31/2019 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 6/3/2019 | | | 0.00067 (J) | 0.00037 (J) | | |
| 11/6/2019 | 6.6E-05 (J) | 8.4E-05 (J) | | | <0.0013 | 0.0002 (J) |
| 11/7/2019 | | | 9.4E-05 (J) | 0.0003 (J) | | |
| 4/16/2020 | <0.0013 | <0.0013 | | | <0.0013 | 0.00016 (J) |
| 4/17/2020 | | | 0.00011 (J) | 0.00033 | | |
| 10/7/2020 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 10/9/2020 | | | 0.0012 (J) | 0.0003 (J) | | |
| 3/29/2021 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/31/2021 | | | <0.0013 | 0.0004 | | |
| 9/2/2021 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 9/3/2021 | | | <0.0013 | <0.0013 | | |
| 3/22/2022 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/23/2022 | | | <0.0013 | <0.0013 | | |
| 9/7/2022 | <0.0013 | | | | | |
| 9/8/2022 | | <0.0013 | <0.0013 | | <0.0013 | <0.0013 |
| 9/9/2022 | | | | <0.0013 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.005 | <0.005 | | | | | |
| 3/1/2016 | | | <0.005 | <0.005 | 0.057 | <0.005 | <0.005 |
| 5/2/2016 | <0.005 | | | | | | |
| 5/4/2016 | | <0.005 | | | | | <0.005 |
| 5/5/2016 | | | <0.005 | <0.005 | 0.044 | <0.005 | |
| 7/5/2016 | <0.005 | | | | | | |
| 7/7/2016 | | | <0.005 | <0.005 | 0.04 | <0.005 | |
| 7/8/2016 | | <0.005 | | | | | <0.005 |
| 9/6/2016 | <0.005 | 0.0037 (J) | <0.005 | | | | |
| 9/7/2016 | | | | <0.005 | 0.033 | <0.005 | 0.0073 |
| 11/7/2016 | <0.005 | | | | | | |
| 11/9/2016 | | | | | 0.035 | <0.005 | <0.005 |
| 11/10/2016 | | <0.005 | <0.005 | <0.005 | | | |
| 1/9/2017 | <0.005 | | | | | | |
| 1/11/2017 | | <0.005 | | | 0.028 | <0.005 | <0.005 |
| 1/12/2017 | | | <0.005 | <0.005 | | | |
| 3/13/2017 | <0.005 | | | | | | |
| 3/14/2017 | | <0.005 | | | 0.037 | <0.005 | 0.0035 (J) |
| 3/15/2017 | | | <0.005 | 0.0038 (J) | | | |
| 5/15/2017 | <0.005 | | | | | | |
| 5/18/2017 | | <0.005 | <0.005 | <0.005 | 0.024 | <0.005 | <0.005 |
| 3/12/2018 | 0.0011 (J) | | | | | | |
| 3/14/2018 | | <0.005 | <0.005 | 0.002 (J) | 0.028 | <0.005 | <0.005 |
| 6/5/2018 | <0.005 | | | | | | |
| 6/10/2018 | | <0.005 | | | 0.019 | <0.005 | <0.005 |
| 6/11/2018 | | | <0.005 | 0.0015 (J) | | | |
| 10/16/2018 | <0.005 | | | | | | |
| 10/18/2018 | | 0.0013 (J) | | 0.0017 (J) | 0.022 | <0.005 | 0.0012 (J) |
| 10/19/2018 | | | 0.0012 (J) | | | | |
| 2/27/2019 | <0.005 | <0.005 | | | | | |
| 3/1/2019 | | | | | 0.017 | <0.005 | 0.0012 (J) |
| 3/2/2019 | | | 0.0014 (J) | 0.0011 (J) | | | |
| 5/31/2019 | 0.0021 (J) | 0.0013 (J) | | | | | |
| 6/3/2019 | | | <0.005 | | 0.017 | <0.005 | <0.005 |
| 6/11/2019 | | | | 0.0025 (J) | | | |
| 11/6/2019 | 0.0011 | 0.001 | | | | | |
| 11/7/2019 | | | | 0.00097 (J) | 0.019 | | |
| 11/9/2019 | | | 0.0009 (J) | | | <0.005 | 0.00068 (J) |
| 4/16/2020 | 0.0006 (J) | <0.005 | | | | | |
| 4/17/2020 | | | | 0.0021 | | | 0.00043 (J) |
| 4/18/2020 | | | <0.005 | | 0.017 | 0.00039 (J) | |
| 10/7/2020 | 0.0054 | 0.0052 | | | | | |
| 10/8/2020 | | | <0.005 | <0.005 | 0.017 | <0.005 | <0.005 |
| 3/29/2021 | <0.005 | 0.0019 | | | | | |
| 3/30/2021 | | | <0.005 | 0.002 | | <0.005 | <0.005 |
| 3/31/2021 | | | | | 0.015 | | |
| 9/2/2021 | <0.005 | <0.005 | | | | | |
| 9/3/2021 | | | | | 0.021 | <0.005 | <0.005 |
| 9/7/2021 | | | <0.005 | 0.0027 (J) | | | |
| 3/22/2022 | 0.0013 | 0.0014 | | | | | |
| 3/23/2022 | | | <0.005 | | 0.02 | <0.005 | <0.005 |
| 3/24/2022 | | | | 0.00099 (J) | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.005 | <0.005 | | | | | |
| 9/8/2022 | | | | | | | <0.005 |
| 9/9/2022 | | | <0.005 | <0.005 | 0.015 | <0.005 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.005 | <0.005 | | | | |
| 3/1/2016 | | | | | <0.005 | 0.0037 |
| 3/2/2016 | | | 0.0095 (J) | 0.0082 (J) | | |
| 5/2/2016 | <0.005 | <0.005 | | | | <0.005 |
| 5/3/2016 | | | | | <0.005 | |
| 5/5/2016 | | | 0.0059 | 0.0072 | | |
| 7/5/2016 | <0.005 | <0.005 | | | <0.005 | <0.005 |
| 7/7/2016 | | | 0.006 | 0.0092 | | |
| 9/6/2016 | <0.005 | <0.005 | | | <0.005 | <0.005 |
| 9/7/2016 | | | 0.0049 (J) | 0.0069 | | |
| 11/7/2016 | <0.005 | <0.005 | | | <0.005 | 0.0097 (o) |
| 11/10/2016 | | | 0.0055 | 0.0045 (J) | | |
| 1/9/2017 | <0.005 | <0.005 | | | <0.005 | <0.005 |
| 1/12/2017 | | | 0.0045 (J) | 0.0073 | | |
| 3/13/2017 | <0.005 | <0.005 | | | <0.005 | <0.005 |
| 3/14/2017 | | | 0.0069 | | | |
| 3/15/2017 | | | | 0.012 | | |
| 5/15/2017 | <0.005 | <0.005 | | | <0.005 | <0.005 |
| 5/18/2017 | | | 0.0055 | 0.0084 | | |
| 3/12/2018 | 0.0014 (J) | <0.005 | | | <0.005 | <0.005 |
| 3/14/2018 | | | 0.0059 | 0.012 | | |
| 6/5/2018 | 0.0012 (J) | <0.005 | | | | |
| 6/6/2018 | | | | | <0.005 | 0.0021 (J) |
| 6/11/2018 | | | 0.0042 (J) | 0.009 | | |
| 10/16/2018 | 0.0015 (J) | 0.0013 (J) | | | | |
| 10/17/2018 | | | | | <0.005 | 0.0012 (J) |
| 10/18/2018 | | | 0.0062 | 0.011 | | |
| 2/27/2019 | <0.005 | <0.005 | | | <0.005 | 0.002 (J) |
| 3/1/2019 | | | 0.0054 | 0.0077 | | |
| 5/31/2019 | 0.0017 (J) | 0.0017 (J) | | | 0.0015 (J) | 0.0026 (J) |
| 6/3/2019 | | | 0.0054 | 0.0082 | | |
| 11/6/2019 | 0.0011 | <0.005 | | | 0.00063 (J) | 0.0012 |
| 11/7/2019 | | | 0.0052 | 0.014 | | |
| 4/16/2020 | 0.00063 (J) | <0.005 | | | <0.005 | 0.00091 (J) |
| 4/17/2020 | | | 0.0076 | 0.0092 | | |
| 10/7/2020 | 0.0054 | 0.0048 (J) | | | 0.005 | 0.0049 (J) |
| 10/9/2020 | | | 0.0053 | 0.011 | | |
| 3/29/2021 | <0.005 | <0.005 | | | <0.005 | 0.0042 |
| 3/31/2021 | | | 0.0059 | 0.017 | | |
| 9/2/2021 | <0.005 | <0.005 | | | <0.005 | <0.005 |
| 9/3/2021 | | | 0.0067 | 0.092 | | |
| 3/22/2022 | <0.005 | <0.005 | | | 0.0012 | <0.005 |
| 3/23/2022 | | | 0.0062 | 0.011 | | |
| 9/7/2022 | <0.005 | | | | | |
| 9/8/2022 | | <0.005 | <0.005 | | <0.005 | <0.005 |
| 9/9/2022 | | | | 0.006 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0002 | <0.0002 | | | | | |
| 3/1/2016 | | | <0.0002 | <0.0002 | 0.00089 | <0.0002 | <0.0002 |
| 5/2/2016 | <0.0002 | | | | | | |
| 5/4/2016 | | <0.0002 | | | | | <0.0002 |
| 5/5/2016 | | | <0.0002 | <0.0002 | 0.00054 | <0.0002 | |
| 7/5/2016 | <0.0002 | | | | | | |
| 7/7/2016 | | | <0.0002 | <0.0002 (*) | 0.00066 (V) | <0.0002 | |
| 7/8/2016 | | <0.0002 (*) | | | | | <0.0002 (*) |
| 9/6/2016 | <0.0002 (*) | <0.0002 | <0.0002 | | | | |
| 9/7/2016 | | | | <0.0002 | 0.0016 | <0.0002 | <0.0002 |
| 11/7/2016 | <0.0002 | | | | | | |
| 11/9/2016 | | | | | 0.0015 | <0.0002 | <0.0002 |
| 11/10/2016 | | <0.0002 | <0.0002 | <0.0002 | | | |
| 1/9/2017 | <0.0002 (*) | | | | | | |
| 1/11/2017 | | <0.0002 | | | 0.0025 | <0.0002 | <0.0002 |
| 1/12/2017 | | | <0.0002 | <0.0002 | | | |
| 3/13/2017 | <0.0002 | | | | | | |
| 3/14/2017 | | <0.0002 (*) | | | 0.0012 | <0.0002 | <0.0002 |
| 3/15/2017 | | | <0.0002 | <0.0002 (*) | | | |
| 5/15/2017 | <0.0002 | | | | | | |
| 5/18/2017 | | <0.0002 | <0.0002 | <0.0002 | 0.0014 | <0.0002 | <0.0002 |
| 3/12/2018 | <0.0002 | | | | | | |
| 3/14/2018 | | 9.3E-05 (J) | 9.4E-05 (J) | 0.00012 (J) | 0.0011 | <0.0002 | 8E-05 (J) |
| 6/5/2018 | <0.0002 | | | | | | |
| 6/10/2018 | | <0.0002 | | | 0.0014 | <0.0002 | <0.0002 |
| 6/11/2018 | | | <0.0002 | <0.0002 | | | |
| 10/16/2018 | <0.0002 | | | | | | |
| 10/18/2018 | | <0.0002 | | <0.0002 | 0.00087 | <0.0002 | <0.0002 |
| 10/19/2018 | | | 9.4E-05 (J) | | | | |
| 2/27/2019 | <0.0002 | <0.0002 | | | | | |
| 3/1/2019 | | | | | 0.00077 | <0.0002 | <0.0002 |
| 3/2/2019 | | | <0.0002 | <0.0002 | | | |
| 5/31/2019 | <0.0002 | <0.0002 | | | | | |
| 6/3/2019 | | | <0.0002 | | 0.00054 | <0.0002 | <0.0002 |
| 6/11/2019 | | | | <0.0002 | | | |
| 11/6/2019 | <0.0002 | <0.0002 | | | | | |
| 11/7/2019 | | | | <0.0002 | 0.00053 | | |
| 11/9/2019 | | | <0.0002 | | | <0.0002 | <0.0002 |
| 4/16/2020 | <0.0002 | <0.0002 | | | | | |
| 4/17/2020 | | | | 0.00062 | | | <0.0002 |
| 4/18/2020 | | | <0.0002 | | 0.00069 | <0.0002 | |
| 10/7/2020 | <0.0002 | <0.0002 | | | | | |
| 10/8/2020 | | | <0.0002 | 0.00016 (J) | 0.00087 | <0.0002 | <0.0002 |
| 3/29/2021 | <0.0002 | <0.0002 | | | | | |
| 3/30/2021 | | | <0.0002 | <0.0002 | | <0.0002 | <0.0002 |
| 3/31/2021 | | | | | 0.00072 | | |
| 9/2/2021 | <0.0002 | <0.0002 | | | | | |
| 9/3/2021 | | | | | 0.00048 | <0.0002 | <0.0002 |
| 9/7/2021 | | | <0.0002 | <0.0002 | | | |
| 3/22/2022 | <0.0002 | <0.0002 | | | | | |
| 3/23/2022 | | | <0.0002 | | 0.00032 | <0.0002 | <0.0002 |
| 3/24/2022 | | | | <0.0002 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0002 | <0.0002 | | | | | |
| 9/8/2022 | | | | | | | <0.0002 |
| 9/9/2022 | | | <0.0002 | <0.0002 | 0.00082 | <0.0002 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | 9.1E-05 (J) | <0.0002 | | | | |
| 3/1/2016 | | | | | <0.0002 | <0.0002 |
| 3/2/2016 | | | <0.0002 | 0.007 | | |
| 5/2/2016 | 7.4E-05 (J) | <0.0002 | | | | <0.0002 |
| 5/3/2016 | | | | | <0.0002 | |
| 5/5/2016 | | | <0.0002 | 0.006 | | |
| 7/5/2016 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 7/7/2016 | | | <0.0002 (*) | 0.0053 | | |
| 9/6/2016 | <0.0002 (*) | <0.0002 | | | <0.0002 (*) | <0.0002 (*) |
| 9/7/2016 | | | <0.0002 | 0.0067 | | |
| 11/7/2016 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 11/10/2016 | | | <0.0002 | 0.00014 (J) | | |
| 1/9/2017 | <0.0002 (*) | <0.0002 (*) | | | <0.0002 (*) | <0.0002 (*) |
| 1/12/2017 | | | <0.0002 | 0.0052 | | |
| 3/13/2017 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/14/2017 | | | <0.0002 | | | |
| 3/15/2017 | | | | 0.0048 | | |
| 5/15/2017 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 5/18/2017 | | | <0.0002 | 0.0074 | | |
| 3/12/2018 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/14/2018 | | | 9.7E-05 (J) | 0.0059 | | |
| 6/5/2018 | <0.0002 | <0.0002 | | | | |
| 6/6/2018 | | | | | <0.0002 | <0.0002 |
| 6/11/2018 | | | <0.0002 | 0.0042 | | |
| 10/16/2018 | <0.0002 | <0.0002 | | | | |
| 10/17/2018 | | | | | <0.0002 | <0.0002 |
| 10/18/2018 | | | <0.0002 | 0.0034 | | |
| 2/27/2019 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/1/2019 | | | <0.0002 | 0.0041 | | |
| 5/31/2019 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 6/3/2019 | | | <0.0002 | 0.0025 | | |
| 11/6/2019 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 11/7/2019 | | | 0.0012 | 0.0034 | | |
| 4/16/2020 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 4/17/2020 | | | 0.0032 | 0.0063 | | |
| 10/7/2020 | 0.00025 | 0.00013 (J) | | | 8E-05 (J) | <0.0002 |
| 10/9/2020 | | | 0.0014 | 0.0049 | | |
| 3/29/2021 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/31/2021 | | | 0.00035 | 0.0055 | | |
| 9/2/2021 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 9/3/2021 | | | 0.0012 | 0.0012 | | |
| 3/22/2022 | <0.0002 | <0.0002 | | | <0.0002 | <0.0002 |
| 3/23/2022 | | | 0.00047 | 0.0034 | | |
| 9/7/2022 | <0.0002 | | | | | |
| 9/8/2022 | | <0.0002 | 0.00041 | | <0.0002 | <0.0002 |
| 9/9/2022 | | | | 0.0036 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.015 | <0.015 | | | | | |
| 3/1/2016 | | | <0.015 | <0.015 | <0.015 | 0.004 (J) | <0.015 |
| 5/2/2016 | <0.015 | | | | | | |
| 5/4/2016 | | <0.015 | | | | | <0.015 |
| 5/5/2016 | | | <0.015 | <0.015 | <0.015 | 0.0093 (J) | |
| 7/5/2016 | <0.015 | | | | | | |
| 7/7/2016 | | | <0.015 | <0.015 | <0.015 | 0.0047 (J) | |
| 7/8/2016 | | <0.015 | | | | | <0.015 |
| 9/6/2016 | <0.015 | <0.015 | <0.015 | | | | |
| 9/7/2016 | | | | <0.015 | <0.015 | 0.004 (J) | <0.015 |
| 11/7/2016 | <0.015 | | | | | | |
| 11/9/2016 | | | | | <0.015 | 0.0037 (J) | <0.015 |
| 11/10/2016 | | <0.015 | <0.015 | <0.015 | | | |
| 1/9/2017 | <0.015 | | | | | | |
| 1/11/2017 | | <0.015 | | | <0.015 | 0.0052 (J) | <0.015 |
| 1/12/2017 | | | <0.015 | <0.015 | | | |
| 3/13/2017 | 0.0042 (J) | | | | | | |
| 3/14/2017 | | <0.015 | | | <0.015 | 0.004 (J) | <0.015 |
| 3/15/2017 | | | <0.015 | <0.015 | | | |
| 5/15/2017 | <0.015 | | | | | | |
| 5/18/2017 | | <0.015 | <0.015 | <0.015 | <0.015 | 0.0043 (J) | <0.015 |
| 3/12/2018 | <0.015 | | | | | | |
| 3/14/2018 | | <0.015 | <0.015 | <0.015 | <0.015 | 0.0054 (J) | <0.015 |
| 6/5/2018 | <0.015 | | | | | | |
| 6/10/2018 | | <0.015 | | | <0.015 | 0.0035 (J) | <0.015 |
| 6/11/2018 | | | <0.015 | <0.015 | | | |
| 10/16/2018 | <0.015 | | | | | | |
| 10/18/2018 | | <0.015 | | <0.015 | <0.015 | 0.0032 (J) | <0.015 |
| 10/19/2018 | | | <0.015 | | | | |
| 2/27/2019 | <0.015 | <0.015 | | | | | |
| 3/1/2019 | | | | | <0.015 | 0.0047 (J) | <0.015 |
| 3/2/2019 | | | <0.015 | <0.015 | | | |
| 5/31/2019 | <0.015 | <0.015 | | | | | |
| 6/3/2019 | | | <0.015 | | <0.015 | 0.0033 (J) | <0.015 |
| 6/11/2019 | | | | <0.015 | | | |
| 11/6/2019 | <0.015 | <0.015 | | | | | |
| 11/7/2019 | | | | <0.015 | <0.015 | | |
| 11/9/2019 | | | <0.015 | | | 0.0025 (J) | <0.015 |
| 4/16/2020 | <0.015 | <0.015 | | | | | |
| 4/17/2020 | | | | <0.015 | | | <0.015 |
| 4/18/2020 | | | <0.015 | | <0.015 | 0.003 | |
| 10/7/2020 | <0.015 | <0.015 | | | | | |
| 10/8/2020 | | | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| 3/29/2021 | <0.015 | <0.015 | | | | | |
| 3/30/2021 | | | <0.015 | <0.015 | | 0.005 | <0.015 |
| 3/31/2021 | | | | | <0.015 | | |
| 9/2/2021 | <0.015 | <0.015 | | | | | |
| 9/3/2021 | | | | | <0.015 | 0.0057 (J) | <0.015 |
| 9/7/2021 | | | <0.015 | <0.015 | | | |
| 3/22/2022 | 0.00066 (J) | 0.00064 (J) | | | | | |
| 3/23/2022 | | | 0.00091 (J) | | <0.015 | 0.0089 | 0.00068 (J) |
| 3/24/2022 | | | | 0.00092 (J) | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 10:47 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.015 | <0.015 | | | | | |
| 9/8/2022 | | | | | | | <0.015 |
| 9/9/2022 | | | <0.015 | <0.015 | <0.015 | 0.0044 (J) | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.015 | <0.015 | | | | |
| 3/1/2016 | | | | | <0.015 | <0.015 |
| 3/2/2016 | | | <0.015 | <0.015 | | |
| 5/2/2016 | <0.015 | <0.015 | | | | <0.015 |
| 5/3/2016 | | | | | <0.015 | |
| 5/5/2016 | | | <0.015 | <0.015 | | |
| 7/5/2016 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 7/7/2016 | | | <0.015 | <0.015 | | |
| 9/6/2016 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 9/7/2016 | | | <0.015 | <0.015 | | |
| 11/7/2016 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 11/10/2016 | | | <0.015 | <0.015 | | |
| 1/9/2017 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 1/12/2017 | | | <0.015 | <0.015 | | |
| 3/13/2017 | <0.015 | 0.0022 (J) | | | <0.015 | <0.015 |
| 3/14/2017 | | | <0.015 | | | |
| 3/15/2017 | | | | <0.015 | | |
| 5/15/2017 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 5/18/2017 | | | <0.015 | <0.015 | | |
| 3/12/2018 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 3/14/2018 | | | <0.015 | <0.015 | | |
| 6/5/2018 | 0.00088 (J) | <0.015 | | | | |
| 6/6/2018 | | | | | <0.015 | <0.015 |
| 6/11/2018 | | | <0.015 | <0.015 | | |
| 10/16/2018 | <0.015 | <0.015 | | | | |
| 10/17/2018 | | | | | <0.015 | <0.015 |
| 10/18/2018 | | | <0.015 | <0.015 | | |
| 2/27/2019 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 3/1/2019 | | | <0.015 | <0.015 | | |
| 5/31/2019 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 6/3/2019 | | | <0.015 | <0.015 | | |
| 11/6/2019 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 11/7/2019 | | | <0.015 | <0.015 | | |
| 4/16/2020 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 4/17/2020 | | | <0.015 | <0.015 | | |
| 10/7/2020 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 10/9/2020 | | | <0.015 | <0.015 | | |
| 3/29/2021 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 3/31/2021 | | | <0.015 | <0.015 | | |
| 9/2/2021 | <0.015 | <0.015 | | | <0.015 | <0.015 |
| 9/3/2021 | | | <0.015 | <0.015 | | |
| 3/22/2022 | <0.015 | <0.015 | | | 0.0011 (J) | 0.00031 (J) |
| 3/23/2022 | | | 0.0009 (J) | <0.015 | | |
| 9/7/2022 | <0.015 | | | | | |
| 9/8/2022 | | <0.015 | <0.015 | | <0.015 | <0.015 |
| 9/9/2022 | | | | <0.015 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | | | | | |
| 3/1/2016 | | | <0.0013 | 0.0028 (J) | 0.0054 (J) | <0.0013 | <0.0013 |
| 5/2/2016 | <0.0013 | | | | | | |
| 5/4/2016 | | <0.0013 | | | | | <0.0013 |
| 5/5/2016 | | | 0.00029 (J) | 0.0026 | 0.0038 | 0.0003 (J) | |
| 7/5/2016 | <0.0013 | | | | | | |
| 7/7/2016 | | | <0.0013 (*) | 0.0025 | 0.0043 | <0.0013 | |
| 7/8/2016 | | <0.0013 | | | | | <0.0013 |
| 9/6/2016 | 0.00049 (J) | <0.0013 | <0.0013 | | | | |
| 9/7/2016 | | | | 0.0031 | 0.0099 | 0.00026 (J) | <0.0013 |
| 11/7/2016 | <0.0013 | | | | | | |
| 11/9/2016 | | | | | 0.012 | 0.00038 (J) | <0.0013 |
| 11/10/2016 | | <0.0013 | <0.0013 | 0.0028 | | | |
| 1/9/2017 | <0.0013 | | | | | | |
| 1/11/2017 | | 0.00049 (J) | | | 0.022 | <0.0013 | <0.0013 |
| 1/12/2017 | | | <0.0013 | 0.0028 | | | |
| 3/13/2017 | 0.0023 | | | | | | |
| 3/14/2017 | | <0.0013 | | | 0.011 | <0.0013 | <0.0013 |
| 3/15/2017 | | | <0.0013 | 0.0027 | | | |
| 5/15/2017 | <0.0013 | | | | | | |
| 5/18/2017 | | <0.0013 | <0.0013 | 0.0036 | 0.018 | <0.0013 | <0.0013 |
| 3/12/2018 | 0.00046 (J) | | | | | | |
| 3/14/2018 | | 0.00067 (J) | 0.001 (J) | 0.0032 | 0.0057 | 0.0006 (J) | <0.0013 |
| 6/5/2018 | 0.00049 (J) | | | | | | |
| 6/10/2018 | | 0.00028 (J) | | | 0.015 | 0.00043 (J) | <0.0013 |
| 6/11/2018 | | | 0.00028 (J) | 0.003 | | | |
| 10/16/2018 | <0.0013 | | | | | | |
| 10/18/2018 | | <0.0013 | | 0.0016 | 0.0049 | <0.0013 | <0.0013 |
| 10/19/2018 | | | <0.0013 | | | | |
| 2/27/2019 | <0.0013 | <0.0013 | | | | | |
| 3/1/2019 | | | | | 0.0026 | <0.0013 | <0.0013 |
| 3/2/2019 | | | <0.0013 | <0.0013 | | | |
| 5/31/2019 | <0.0013 | <0.0013 | | | | | |
| 6/3/2019 | | | <0.0013 | | 0.0039 | <0.0013 | <0.0013 |
| 6/11/2019 | | | | 0.0014 | | | |
| 11/6/2019 | <0.0013 | <0.0013 | | | | | |
| 11/7/2019 | | | | 0.002 | 0.0085 | | |
| 11/9/2019 | | | <0.0013 | | | 0.00041 | <0.0013 |
| 4/16/2020 | <0.0013 | <0.0013 | | | | | |
| 4/17/2020 | | | | 0.0022 | | | <0.0013 |
| 4/18/2020 | | | 0.00019 (J) | | 0.0084 | 0.0004 | |
| 10/7/2020 | <0.0013 | <0.0013 | | | | | |
| 10/8/2020 | | | <0.0013 | 0.0014 | 0.0045 | <0.0013 | <0.0013 |
| 3/29/2021 | <0.0013 | <0.0013 | | | | | |
| 3/30/2021 | | | <0.0013 | 0.0019 | | <0.0013 | <0.0013 |
| 3/31/2021 | | | | | 0.011 | | |
| 9/2/2021 | <0.0013 | <0.0013 | | | | | |
| 9/3/2021 | | | | | 0.0054 | <0.0013 | <0.0013 |
| 9/7/2021 | | | <0.0013 | 0.0014 | | | |
| 3/22/2022 | <0.0013 | <0.0013 | | | | | |
| 3/23/2022 | | | 0.00025 | | 0.0067 | 0.00023 (J) | <0.0013 |
| 3/24/2022 | | | | 0.0014 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0013 | <0.0013 | | | | | |
| 9/8/2022 | | | | | | | 0.0016 |
| 9/9/2022 | | | 0.0044 | 0.0012 (J) | 0.02 | 0.0014 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | | | | |
| 3/1/2016 | | | | | <0.0013 | <0.0013 |
| 3/2/2016 | | | <0.0013 | 0.0025 (J) | | |
| 5/2/2016 | <0.0013 | 0.00025 (J) | | | | <0.0013 |
| 5/3/2016 | | | | | <0.0013 | |
| 5/5/2016 | | | <0.0013 | 0.0033 | | |
| 7/5/2016 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 7/7/2016 | | | <0.0013 | 0.0031 | | |
| 9/6/2016 | <0.0013 | 0.00027 (J) | | | <0.0013 | <0.0013 |
| 9/7/2016 | | | <0.0013 | 0.0034 | | |
| 11/7/2016 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 11/10/2016 | | | <0.0013 | 0.0038 | | |
| 1/9/2017 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 1/12/2017 | | | <0.0013 | 0.0034 | | |
| 3/13/2017 | <0.0013 | 0.0025 | | | <0.0013 | <0.0013 |
| 3/14/2017 | | | <0.0013 | | | |
| 3/15/2017 | | | | 0.0032 | | |
| 5/15/2017 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 5/18/2017 | | | <0.0013 | 0.0034 | | |
| 3/12/2018 | 0.00064 (J) | 0.00047 (J) | | | 0.00026 (J) | <0.0013 |
| 3/14/2018 | | | <0.0013 | 0.0038 | | |
| 6/5/2018 | 0.00098 (J) | 0.00065 (J) | | | | |
| 6/6/2018 | | | | | 0.00025 (J) | 0.00026 (J) |
| 6/11/2018 | | | <0.0013 | 0.0037 | | |
| 10/16/2018 | <0.0013 | <0.0013 | | | | |
| 10/17/2018 | | | | | <0.0013 | <0.0013 |
| 10/18/2018 | | | <0.0013 | 0.0033 | | |
| 2/27/2019 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/1/2019 | | | <0.0013 | 0.0033 | | |
| 5/31/2019 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 6/3/2019 | | | <0.0013 | 0.0035 | | |
| 11/6/2019 | <0.0013 | 0.00034 | | | <0.0013 | <0.0013 |
| 11/7/2019 | | | 0.00024 (J) | 0.0034 | | |
| 4/16/2020 | <0.0013 | 0.0004 | | | <0.0013 | <0.0013 |
| 4/17/2020 | | | 0.0002 (J) | 0.0039 | | |
| 10/7/2020 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 10/9/2020 | | | <0.0013 | 0.0031 | | |
| 3/29/2021 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 3/31/2021 | | | <0.0013 | 0.0046 | | |
| 9/2/2021 | <0.0013 | <0.0013 | | | <0.0013 | <0.0013 |
| 9/3/2021 | | | <0.0013 | 0.0035 | | |
| 3/22/2022 | <0.0013 | 0.00051 | | | <0.0013 | <0.0013 |
| 3/23/2022 | | | 0.00035 | 0.0034 | | |
| 9/7/2022 | <0.0013 | | | | | |
| 9/8/2022 | | <0.0013 | 0.002 | | <0.0013 | 0.0034 |
| 9/9/2022 | | | | 0.0045 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | <5 | | | | | |
| 3/1/2016 | | | <5 | 26 | 380 | 17 | <5 |
| 5/2/2016 | 15 (o) | | | | | | |
| 5/4/2016 | | <5 | | | | | <5 |
| 5/5/2016 | | | <5 | 31 | 280 | 11 | |
| 7/5/2016 | <5 | | | | | | |
| 7/7/2016 | | | <5 | 31 | 330 | 33 | |
| 7/8/2016 | | <5 | | | | | <5 |
| 9/6/2016 | <5 | <5 | <5 | | | | |
| 9/7/2016 | | | | 41 | 550 | 18 | <5 |
| 11/7/2016 | <5 | | | | | | |
| 11/9/2016 | | | | | 700 | 52 | <5 |
| 11/10/2016 | | <5 | <5 | 39 | | | |
| 1/9/2017 | <5 | | | | | | |
| 1/11/2017 | | <5 | | | 670 | 31 | <5 |
| 1/12/2017 | | | <5 | 35 | | | |
| 3/13/2017 | 2.5 (J) | | | | | | |
| 3/14/2017 | | <5 | | | 670 | 20 | <5 |
| 3/15/2017 | | | <5 (*) | 43 | | | |
| 5/15/2017 | <5 | | | | | | |
| 5/18/2017 | | <5 (X) | <5 (X) | 35 | 790 | 35 | <5 (X) |
| 10/2/2017 | <5 | | | | | | |
| 10/5/2017 | | <5 | | | 500 | 7.7 | <5 |
| 10/6/2017 | | | <5 | 39 | | | |
| 12/19/2017 | | | | 36 (R) | 400 (R) | 51 (R) | |
| 3/12/2018 | <5 | | | | | | |
| 3/14/2018 | | <5 | <5 | 38 | 540 | 22 | <5 |
| 6/5/2018 | <5 | | | | | | |
| 6/10/2018 | | 1.5 (J) | | | 760 | 96 | 1.4 (J) |
| 6/11/2018 | | | 1.7 (J) | 34 | | | |
| 10/16/2018 | <5 | | | | | | |
| 10/18/2018 | | <5 | | 31 | 460 | 6.6 | <5 |
| 10/19/2018 | | | 3.4 (J) | | | | |
| 2/27/2019 | <5 | 1.9 (J) | | | | | |
| 3/1/2019 | | | | | 240 | 9.6 | <5 |
| 3/2/2019 | | | <5 | 35 | | | |
| 5/31/2019 | <5 | <5 | | | | | |
| 6/3/2019 | | | 3.5 (J) | | 480 | 58 | <5 |
| 6/11/2019 | | | | 32 | | | |
| 11/6/2019 | <5 | <5 | | | | | |
| 11/7/2019 | | | | 27 | 610 | | |
| 11/9/2019 | | | <5 | | | 120 | <5 |
| 4/16/2020 | <5 | <5 | | | | | |
| 4/17/2020 | | | | 31 | | | <5 |
| 4/18/2020 | | | <5 | | 670 | 32 | |
| 10/7/2020 | <5 | <5 | | | | | |
| 10/8/2020 | | | <5 | 30 | 590 | 9.3 | <5 |
| 3/29/2021 | <5 | <5 | | | | | |
| 3/30/2021 | | | <5 | 32 | | 7.6 | <5 |
| 3/31/2021 | | | | | 670 | | |
| 9/2/2021 | <5 | <5 | | | | | |
| 9/3/2021 | | | | | 480 | 9.3 | <5 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | <5 | 22 | | | |
| 3/22/2022 | <5 | <5 | | | | | |
| 3/23/2022 | | | 1.8 (J) | | 560 | 24 | <5 |
| 3/24/2022 | | | | 28 | | | |
| 9/7/2022 | 1.7 (J) | 1.5 (J) | | | | | |
| 9/8/2022 | | | | | | | <5 |
| 9/9/2022 | | | 27 | 20 | 870 | 17 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | 1.6 (J) | | | | |
| 3/1/2016 | | | | | <5 | <5 |
| 3/2/2016 | | | 13 | 150 | | |
| 5/2/2016 | <5 | 2.1 (J) | | | | <5 |
| 5/3/2016 | | | | | <5 | |
| 5/5/2016 | | | 15 | 200 | | |
| 7/5/2016 | <5 | 2 (J) | | | <5 | <5 |
| 7/7/2016 | | | 14 | 200 | | |
| 9/6/2016 | <5 | 1.8 (J) | | | <5 | 3.7 (J) |
| 9/7/2016 | | | 15 | 200 | | |
| 11/7/2016 | <5 | 1.7 (J) | | | <5 | <5 |
| 11/10/2016 | | | 13 | 130 | | |
| 1/9/2017 | 2.6 (J) | 1.5 (J) | | | <5 | <5 |
| 1/12/2017 | | | 12 | 240 | | |
| 3/13/2017 | <5 | 2.2 (J) | | | <5 | <5 |
| 3/14/2017 | | | 10 (V) | | | |
| 3/15/2017 | | | | 300 | | |
| 5/15/2017 | <5 | 1.9 (J) | | | <5 | <5 |
| 5/18/2017 | | | 8.7 | 270 | | |
| 10/2/2017 | <5 | 3.4 (J) | | | 1.5 (J) | 1.7 (J) |
| 10/5/2017 | | | 9.8 | | | |
| 10/6/2017 | | | | 140 | | |
| 12/19/2017 | | | 8.4 (R) | 280 (R) | | |
| 3/12/2018 | <5 | 2.6 (J) | | | <5 | <5 |
| 3/14/2018 | | | 9.7 | 270 | | |
| 6/5/2018 | <5 | 2.6 (J) | | | | |
| 6/6/2018 | | | | | <5 | <5 |
| 6/11/2018 | | | 10 | 270 | | |
| 10/16/2018 | <5 | 2.8 (J) | | | | |
| 10/17/2018 | | | | | <5 | <5 |
| 10/18/2018 | | | 8.1 | 280 | | |
| 2/27/2019 | <5 | 2.4 (J) | | | <5 | <5 |
| 3/1/2019 | | | 7.4 | 250 | | |
| 5/31/2019 | <5 | 3.3 (J) | | | <5 | <5 |
| 6/3/2019 | | | 21 | 150 | | |
| 11/6/2019 | <5 | 3.7 (J) | | | <5 | <5 |
| 11/7/2019 | | | 16 | 290 | | |
| 4/16/2020 | <5 | 1.7 (J) | | | <5 | <5 |
| 4/17/2020 | | | 12 | 280 | | |
| 10/7/2020 | <5 | 4 (J) | | | <5 | <5 |
| 10/9/2020 | | | 25 | 280 | | |
| 3/29/2021 | <5 | 2.3 | | | <5 | <5 |
| 3/31/2021 | | | 15 | 250 | | |
| 9/2/2021 | <5 | 4.7 (J) | | | <5 | <5 |
| 9/3/2021 | | | 32 | 160 | | |
| 3/22/2022 | <5 | 4.5 (J) | | | <5 | <5 |
| 3/23/2022 | | | 28 | 270 | | |
| 9/7/2022 | 1.4 (J) | | | | | |
| 9/8/2022 | | 5.5 | 34 | | <5 | <5 |
| 9/9/2022 | | | | 270 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | | | | | |
| 3/1/2016 | | | <0.0005 | <0.0005 | 0.00043 (J) | <0.0005 | <0.0005 |
| 5/2/2016 | <0.0005 | | | | | | |
| 5/4/2016 | | <0.0005 | | | | | <0.0005 |
| 5/5/2016 | | | <0.0005 | <0.0005 | 0.0003 (J) | <0.0005 | |
| 7/5/2016 | <0.0005 | | | | | | |
| 7/7/2016 | | | <0.0005 | <0.0005 | 0.00028 (J) | <0.0005 | |
| 7/8/2016 | | <0.0005 | | | | | <0.0005 |
| 9/6/2016 | <0.0005 | <0.0005 | <0.0005 | | | | |
| 9/7/2016 | | | | <0.0005 | 0.00028 (J) | <0.0005 | <0.0005 |
| 11/7/2016 | <0.0005 | | | | | | |
| 11/9/2016 | | | | | 0.0003 (J) | <0.0005 | <0.0005 |
| 11/10/2016 | | <0.0005 | <0.0005 | <0.0005 | | | |
| 1/9/2017 | <0.0005 | | | | | | |
| 1/11/2017 | | <0.0005 | | | 0.00032 (J) | <0.0005 | <0.0005 |
| 1/12/2017 | | | <0.0005 | <0.0005 | | | |
| 3/13/2017 | <0.0005 | | | | | | |
| 3/14/2017 | | <0.0005 | | | 0.00032 (J) | <0.0005 | <0.0005 |
| 3/15/2017 | | | <0.0005 | <0.0005 | | | |
| 5/15/2017 | <0.0005 | | | | | | |
| 5/18/2017 | | <0.0005 | <0.0005 | <0.0005 | 0.0004 (J) | <0.0005 | <0.0005 |
| 3/12/2018 | <0.0005 | | | | | | |
| 3/14/2018 | | <0.0005 | <0.0005 | <0.0005 | 0.00021 (J) | <0.0005 | <0.0005 |
| 6/5/2018 | <0.0005 | | | | | | |
| 6/10/2018 | | <0.0005 | | | 0.00033 (J) | <0.0005 | <0.0005 |
| 6/11/2018 | | | <0.0005 | <0.0005 | | | |
| 10/16/2018 | <0.0005 | | | | | | |
| 10/18/2018 | | <0.0005 | | <0.0005 | 0.00021 (J) | <0.0005 | <0.0005 |
| 10/19/2018 | | | <0.0005 | | | | |
| 2/27/2019 | <0.0005 | <0.0005 | | | | | |
| 3/1/2019 | | | | | 0.00013 (J) | <0.0005 | <0.0005 |
| 3/2/2019 | | | <0.0005 | <0.0005 | | | |
| 5/31/2019 | <0.0005 | <0.0005 | | | | | |
| 6/3/2019 | | | <0.0005 | | 0.00016 (J) | <0.0005 | <0.0005 |
| 6/11/2019 | | | | <0.0005 | | | |
| 11/6/2019 | <0.0005 | <0.0005 | | | | | |
| 11/7/2019 | | | | 2.6E-05 (J) | 0.00025 | | |
| 11/9/2019 | | | 0.00021 (J) | | | 0.00024 (J) | <0.0005 |
| 4/16/2020 | <0.0005 | <0.0005 | | | | | |
| 4/17/2020 | | | | <0.0005 | | | <0.0005 |
| 4/18/2020 | | | <0.0005 | | 0.00033 | <0.0005 | |
| 10/7/2020 | <0.0005 | <0.0005 | | | | | |
| 10/8/2020 | | | <0.0005 | 0.00015 (J) | 0.00034 (J) | <0.0005 | <0.0005 |
| 3/29/2021 | <0.0005 | <0.0005 | | | | | |
| 3/30/2021 | | | <0.0005 | <0.0005 | | <0.0005 | <0.0005 |
| 3/31/2021 | | | | | 0.00031 | | |
| 9/2/2021 | 0.00015 (J) | <0.0005 | | | | | |
| 9/3/2021 | | | | | 0.00037 (J) | 0.00012 (J) | <0.0005 |
| 9/7/2021 | | | <0.0005 | <0.0005 | | | |
| 3/22/2022 | <0.0005 | <0.0005 | | | | | |
| 3/23/2022 | | | <0.0005 | | <0.0005 | <0.0005 | <0.0005 |
| 3/24/2022 | | | | <0.0005 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2022 | <0.0005 | <0.0005 | | | | | |
| 9/8/2022 | | | | | | | <0.0005 |
| 9/9/2022 | | | <0.0005 | <0.0005 | 0.00051 | <0.0005 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | | | | |
| 3/1/2016 | | | | | <0.0005 | <0.0005 |
| 3/2/2016 | | | <0.0005 | 0.00018 (J) | | |
| 5/2/2016 | <0.0005 | <0.0005 | | | | <0.0005 |
| 5/3/2016 | | | | | <0.0005 | |
| 5/5/2016 | | | <0.0005 | 0.00024 (J) | | |
| 7/5/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 7/7/2016 | | | <0.0005 | 0.00025 (J) | | |
| 9/6/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 9/7/2016 | | | <0.0005 | 0.00023 (J) | | |
| 11/7/2016 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 11/10/2016 | | | <0.0005 | 0.0002 (J) | | |
| 1/9/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 1/12/2017 | | | <0.0005 | 0.00026 (J) | | |
| 3/13/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/14/2017 | | | <0.0005 | | | |
| 3/15/2017 | | | | 0.0003 (J) | | |
| 5/15/2017 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 5/18/2017 | | | <0.0005 | 0.00028 (J) | | |
| 3/12/2018 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/14/2018 | | | <0.0005 | 0.00029 (J) | | |
| 6/5/2018 | <0.0005 | <0.0005 | | | | |
| 6/6/2018 | | | | | <0.0005 | <0.0005 |
| 6/11/2018 | | | <0.0005 | 0.00029 (J) | | |
| 10/16/2018 | <0.0005 | <0.0005 | | | | |
| 10/17/2018 | | | | | <0.0005 | <0.0005 |
| 10/18/2018 | | | <0.0005 | 0.00031 (J) | | |
| 2/27/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/1/2019 | | | <0.0005 | 0.0003 (J) | | |
| 5/31/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 6/3/2019 | | | <0.0005 | 0.0002 (J) | | |
| 11/6/2019 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 11/7/2019 | | | <0.0005 | 0.00024 (J) | | |
| 4/16/2020 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 4/17/2020 | | | <0.0005 | 0.00031 | | |
| 10/7/2020 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 10/9/2020 | | | 0.00012 (J) | 0.00037 (J) | | |
| 3/29/2021 | <0.0005 | <0.0005 (D) | | | <0.0005 | <0.0005 |
| 3/31/2021 | | | <0.0005 | 0.00028 | | |
| 9/2/2021 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 9/3/2021 | | | <0.0005 | 0.00022 (J) | | |
| 3/22/2022 | <0.0005 | <0.0005 | | | <0.0005 | <0.0005 |
| 3/23/2022 | | | <0.0005 | <0.0005 | | |
| 9/7/2022 | <0.0005 | | | | | |
| 9/8/2022 | | <0.0005 | <0.0005 | | <0.0005 | <0.0005 |
| 9/9/2022 | | | | <0.0005 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | 20 | | | | | |
| 3/1/2016 | | | <5 | 84 | 760 | 290 | <5 |
| 5/2/2016 | <5 | | | | | | |
| 5/4/2016 | | 6 | | | | | 12 |
| 5/5/2016 | | | <5 | 76 | 620 | 250 | |
| 7/5/2016 | 12 | | | | | | |
| 7/7/2016 | | | 24 | 54 | 640 | 270 | |
| 7/8/2016 | | 6 | | | | | 10 |
| 9/6/2016 | 36 | 36 | 40 | | | | |
| 9/7/2016 | | | | 82 | 1100 | 270 | 10 |
| 11/7/2016 | 18 | | | | | | |
| 11/9/2016 | | | | | 1300 | 330 | 26 |
| 11/10/2016 | | 16 | 20 | 80 | | | |
| 1/9/2017 | 4 (J) | | | | | | |
| 1/11/2017 | | 38 | | | 1600 | 330 | 28 |
| 1/12/2017 | | | 54 | 110 | | | |
| 3/13/2017 | 6 | | | | | | |
| 3/14/2017 | | <5 | | | 1200 | 260 | <5 |
| 3/15/2017 | | | 14 | 82 | | | |
| 5/15/2017 | <5 | | | | | | |
| 5/18/2017 | | 10 | 38 | 100 | 1500 | 360 | 26 |
| 10/2/2017 | <5 | | | | | | |
| 10/5/2017 | | <5 | | | 980 | 240 | <5 |
| 10/6/2017 | | | 22 | 110 | | | |
| 12/19/2017 | | | | 72 (R) | 900 (R) | 460 (R) | |
| 3/12/2018 | 18 | | | | | | |
| 3/14/2018 | | 8 | 14 | 66 | 1100 | 300 | <5 |
| 6/5/2018 | 10 | | | | | | |
| 6/10/2018 | | 8 | | | 1500 | 560 | 6 |
| 6/11/2018 | | | 8 | 96 | | | |
| 10/16/2018 | 32 | | | | | | |
| 10/18/2018 | | 28 | | 64 | 860 | 250 | 68 |
| 10/19/2018 | | | 54 | | | | |
| 2/27/2019 | 110 | 68 | | | | | |
| 3/1/2019 | | | | | 440 | 210 | 28 |
| 3/2/2019 | | | 28 | 210 | | | |
| 5/31/2019 | 46 | <5 | | | | | |
| 6/3/2019 | | | 54 | | 950 | 500 | 28 |
| 6/11/2019 | | | | 110 | | | |
| 11/6/2019 | <5 | 10 | | | | | |
| 11/7/2019 | | | | 50 | 980 | | |
| 11/9/2019 | | | 24 | | | 720 | 42 |
| 4/16/2020 | 28 | 44 | | | | | |
| 4/17/2020 | | | | 70 | | | 48 |
| 4/18/2020 | | | 54 | | 1100 | 180 | |
| 10/7/2020 | 30 | 24 | | | | | |
| 10/8/2020 | | | 32 | 120 | 500 | 260 | 100 |
| 3/29/2021 | 38 | 26 | | | | | |
| 3/30/2021 | | | 32 | 170 | | 340 | 12 |
| 3/31/2021 | | | | | 1100 | | |
| 9/2/2021 | 40 | 8 | | | | | |
| 9/3/2021 | | | | | 1000 | 210 | <5 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-102 | MW-103 | MW-104 | MW-105 | MW-106 |
|---|---|---|---|---|---|---|---|
| 9/7/2021 | | | 10 | 62 | | | |
| 3/22/2022 | 58 | 14 | | | | | |
| 3/23/2022 | | | 36 | | 1300 | 230 | 30 |
| 3/24/2022 | | | | 90 | | | |
| 9/7/2022 | 36 | 14 | | | | | |
| 9/8/2022 | | | | | | | 18 |
| 9/9/2022 | | | 62 | 48 | 1400 | 200 | |

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/12/2023 10:48 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


| | MW-107 (bg) | MW-108 (bg) | MW-109 | MW-110 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | 12 | | | | |
| 3/1/2016 | | | | | 10 | <5 |
| 3/2/2016 | | | 30 | 440 | | |
| 5/2/2016 | <5 | 6 | | | | 36 |
| 5/3/2016 | | | | | <5 | |
| 5/5/2016 | | | 38 | 480 | | |
| 7/5/2016 | 14 | <5 | | | <5 | <5 |
| 7/7/2016 | | | 22 | 470 | | |
| 9/6/2016 | 30 | 38 | | | 36 | 44 |
| 9/7/2016 | | | 38 | 440 | | |
| 11/7/2016 | 8 | <5 | | | <5 | 30 |
| 11/10/2016 | | | 38 | 260 | | |
| 1/9/2017 | <5 | 14 | | | <5 | 12 |
| 1/12/2017 | | | 40 | 630 | | |
| 3/13/2017 | <5 | 8 | | | 22 | 20 |
| 3/14/2017 | | | 22 | | | |
| 3/15/2017 | | | | 620 | | |
| 5/15/2017 | <5 | <5 | | | 6 | 4 (J) |
| 5/18/2017 | | | 24 | 640 | | |
| 10/2/2017 | <5 | 6 | | | 16 | 24 |
| 10/5/2017 | | | <5 | | | |
| 10/6/2017 | | | | 360 | | |
| 12/19/2017 | | | | 840 (R) | | |
| 3/12/2018 | 14 | <5 | | | <5 | <5 |
| 3/14/2018 | | | 12 | 660 | | |
| 6/5/2018 | <5 | 14 | | | | |
| 6/6/2018 | | | | | 20 | 16 |
| 6/11/2018 | | | 26 | 670 | | |
| 10/16/2018 | 12 | 6 | | | | |
| 10/17/2018 | | | | | 44 | 44 |
| 10/18/2018 | | | 34 | 750 | | |
| 2/27/2019 | 54 | 110 | | | 20 | 28 |
| 3/1/2019 | | | 42 | 640 | | |
| 5/31/2019 | 8 | 26 | | | 32 | 18 |
| 6/3/2019 | | | 54 | 420 | | |
| 11/6/2019 | 4 (J) | <5 | | | 24 | 20 |
| 11/7/2019 | | | 24 | 540 | | |
| 4/16/2020 | 18 | 8 | | | 6 | 8 |
| 4/17/2020 | | | 28 | 600 | | |
| 10/7/2020 | 20 | 26 | | | 16 | 12 |
| 10/9/2020 | | | 86 | 660 | | |
| 3/29/2021 | 12 | 28 | | | 42 | 40 |
| 3/31/2021 | | | 66 | 620 | | |
| 9/2/2021 | 10 | 8 | | | 10 | <5 |
| 9/3/2021 | | | 170 | 580 | | |
| 3/22/2022 | 18 | 46 | | | 84 | 22 |
| 3/23/2022 | | | 90 | 630 | | |
| 9/7/2022 | 22 | | | | | |
| 9/8/2022 | | 44 | 80 | | 24 | 48 |
| 9/9/2022 | | | | 560 | | |

ND substitution: RL or RL/2 if <15% NDs.

# 200 Series

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Barium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


Time Series




Constituent: Barium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Beryllium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Beryllium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Boron Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Boron Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cadmium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cadmium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Calcium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


Time Series




Constituent: Calcium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Chloride Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


Time Series




Constituent: Chloride Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Chromium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Chromium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cobalt Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cobalt Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Field pH Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Field pH Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Fluoride Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Fluoride Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lead Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lead Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Molybdenum Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Selenium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

Time Series




Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:16 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/2/2016 | | | | | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/3/2016 | | | | | <0.0025 |
| 5/4/2016 | | <0.0025 | | | |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 7/8/2016 | | <0.0025 | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2016 | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 11/9/2016 | | | | | <0.0025 |
| 11/10/2016 | | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 1/11/2017 | | <0.0025 | | | |
| 1/12/2017 | | | | | <0.0025 |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/14/2017 | | <0.0025 | | | |
| 3/17/2017 | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/16/2017 | | | | | <0.0025 |
| 5/18/2017 | | <0.0025 | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/13/2018 | | | | | <0.0025 |
| 3/14/2018 | | <0.0025 | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 6/8/2018 | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 10/18/2018 | | <0.0025 | | | |
| 11/13/2018 | | | | | <0.0025 |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 2/28/2019 | | | | | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/18/2020 | | | | | <0.0025 |
| 10/7/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 10/12/2020 | | | | | <0.0025 |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/1/2021 | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2021 | | | | | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/25/2022 | | | | | <0.0025 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/8/2022 | | | | <0.0025 | |
| 9/13/2022 | | | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 |
| 3/2/2016 | <0.0025 | <0.0025 | | |
| 5/2/2016 | | | | <0.0025 |
| 5/3/2016 | | <0.0025 | <0.0025 | |
| 5/4/2016 | 0.001 (J) | | | |
| 7/5/2016 | | <0.0025 | <0.0025 | <0.0025 |
| 7/6/2016 | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 |
| 9/8/2016 | <0.0025 | <0.0025 | | |
| 11/7/2016 | | | <0.0025 | <0.0025 |
| 11/8/2016 | <0.0025 | | | |
| 11/9/2016 | | <0.0025 | | |
| 1/9/2017 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | <0.0025 | | |
| 1/13/2017 | <0.0025 | | | |
| 3/13/2017 | | | <0.0025 | <0.0025 |
| 3/16/2017 | <0.0025 | | | |
| 3/17/2017 | | <0.0025 | | |
| 5/15/2017 | | | <0.0025 | <0.0025 |
| 5/17/2017 | <0.0025 | <0.0025 | | |
| 3/12/2018 | | | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | 0.0011 (J) | | |
| 6/6/2018 | | | <0.0025 | <0.0025 |
| 6/8/2018 | | <0.0025 | | |
| 6/9/2018 | <0.0025 | | | |
| 10/17/2018 | | <0.0025 | <0.0025 | <0.0025 |
| 11/14/2018 | 0.001 (J) | | | |
| 2/27/2019 | | | <0.0025 | <0.0025 |
| 2/28/2019 | | <0.0025 | | |
| 3/5/2019 | <0.0025 | | | |
| 4/16/2020 | | | <0.0025 | <0.0025 |
| 4/18/2020 | | <0.0025 | | |
| 4/22/2020 | <0.0025 | | | |
| 10/7/2020 | | | <0.0025 | <0.0025 |
| 10/12/2020 | <0.0025 | <0.0025 | | |
| 3/29/2021 | | | <0.0025 | <0.0025 |
| 4/1/2021 | <0.0025 | <0.0025 | | |
| 9/2/2021 | | | <0.0025 | <0.0025 |
| 9/8/2021 | <0.0025 | <0.0025 | | |
| 3/22/2022 | | | <0.0025 | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 | | |
| 9/8/2022 | | | <0.0025 | <0.0025 |
| 9/13/2022 | <0.0025 | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 3/2/2016 | | | | | 0.0059 (J) |
| 5/2/2016 | <0.0013 | | <0.0013 | <0.0013 | |
| 5/3/2016 | | | | | 0.0038 |
| 5/4/2016 | | <0.0013 | | | |
| 7/5/2016 | <0.0013 | | <0.0013 | <0.0013 | 0.0051 |
| 7/8/2016 | | <0.0013 | | | |
| 9/6/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 9/8/2016 | | | | | 0.0042 (J) |
| 11/7/2016 | <0.0013 | | <0.0013 | <0.0013 | |
| 11/9/2016 | | | | | <0.0013 |
| 11/10/2016 | | <0.0013 | | | |
| 1/9/2017 | <0.0013 | | <0.0013 | <0.0013 | |
| 1/11/2017 | | <0.0013 | | | |
| 1/12/2017 | | | | | 0.00068 (J) |
| 3/13/2017 | 0.00069 (J) | | <0.0013 | 0.00069 (J) | |
| 3/14/2017 | | <0.0013 | | | |
| 3/17/2017 | | | | | 0.0029 |
| 5/15/2017 | <0.0013 | | <0.0013 | <0.0013 | |
| 5/16/2017 | | | | | 0.0018 |
| 5/18/2017 | | <0.0013 | | | |
| 3/12/2018 | <0.0013 | | <0.0013 | <0.0013 | |
| 3/13/2018 | | | | | 0.0013 |
| 3/14/2018 | | <0.0013 | | | |
| 6/5/2018 | <0.0013 | | <0.0013 | <0.0013 | |
| 6/8/2018 | | | | | 0.0018 |
| 6/10/2018 | | 0.00046 (J) | | | |
| 10/16/2018 | <0.0013 | | <0.0013 | <0.0013 | |
| 10/18/2018 | | <0.0013 | | | |
| 11/13/2018 | | | | | 0.00072 (J) |
| 2/27/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 2/28/2019 | | | | | 0.00067 (J) |
| 5/31/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 6/4/2019 | | | | | 0.00048 (J) |
| 11/6/2019 | 0.0002 (J) | 0.00019 (J) | 0.0002 (J) | 0.00012 (J) | |
| 11/12/2019 | | | | | 0.0011 (J) |
| 4/16/2020 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 4/18/2020 | | | | | 0.00044 |
| 10/7/2020 | <0.0013 | 0.00056 (J) | <0.0013 | <0.0013 | |
| 10/12/2020 | | | | | <0.0013 |
| 3/29/2021 | <0.0013 | 0.00078 | <0.0013 | 0.00054 | |
| 4/1/2021 | | | | | <0.0013 |
| 9/2/2021 | 0.00059 (J) | <0.0013 | <0.0013 | <0.0013 | |
| 9/8/2021 | | | | | <0.0013 |
| 3/22/2022 | <0.0013 | <0.0013 | <0.0013 | 0.00027 | |
| 3/25/2022 | | | | | <0.0013 |
| 9/7/2022 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/8/2022 | | | | <0.0013 | |
| 9/13/2022 | | | | | <0.0013 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0013 | 0.00038 (J) |
| 3/2/2016 | 0.0033 (J) | 0.021 | | |
| 5/2/2016 | | | | 0.00073 (J) |
| 5/3/2016 | | 0.016 | <0.0013 | |
| 5/4/2016 | 0.0068 | | | |
| 7/5/2016 | | 0.017 | <0.0013 | 0.00077 (J) |
| 7/6/2016 | 0.01 | | | |
| 9/6/2016 | | | <0.0013 | 0.0013 |
| 9/8/2016 | 0.0093 | 0.011 | | |
| 11/7/2016 | | | <0.0013 | <0.0013 |
| 11/8/2016 | 0.0043 (J) | | | |
| 11/9/2016 | | 0.011 | | |
| 1/9/2017 | | | <0.0013 | 0.00053 (J) |
| 1/12/2017 | | 0.0062 | | |
| 1/13/2017 | 0.0034 | | | |
| 3/13/2017 | | | <0.0013 | <0.0013 |
| 3/16/2017 | 0.0023 | | | |
| 3/17/2017 | | 0.0078 | | |
| 5/15/2017 | | | <0.0013 | <0.0013 |
| 5/17/2017 | 0.0009 (J) | 0.0052 | | |
| 3/12/2018 | | | <0.0013 | <0.0013 |
| 3/14/2018 | 0.00062 (J) | 0.0033 | | |
| 6/6/2018 | | | <0.0013 | <0.0013 |
| 6/8/2018 | | 0.003 | | |
| 6/9/2018 | 0.00063 (J) | | | |
| 10/17/2018 | | 0.0028 | <0.0013 | <0.0013 |
| 11/14/2018 | <0.0013 | | | |
| 2/27/2019 | | | <0.0013 | <0.0013 |
| 2/28/2019 | | 0.00089 (J) | | |
| 3/5/2019 | <0.0013 | | | |
| 5/31/2019 | | | <0.0013 | <0.0013 |
| 6/4/2019 | <0.0013 | 0.001 (J) | | |
| 11/6/2019 | | | 0.00014 (J) | 0.00024 (J) |
| 11/12/2019 | <0.0013 | 0.0022 (V) | | |
| 4/16/2020 | | | <0.0013 | <0.0013 |
| 4/18/2020 | | 0.00086 | | |
| 4/22/2020 | <0.0013 | | | |
| 10/7/2020 | | | 0.00064 (J) | <0.0013 |
| 10/12/2020 | <0.0013 | 0.0017 | | |
| 3/29/2021 | | | <0.0013 | 0.00042 |
| 4/1/2021 | <0.0013 | 0.00064 | | |
| 9/2/2021 | | | <0.0013 | <0.0013 |
| 9/8/2021 | <0.0013 | <0.0013 | | |
| 3/22/2022 | | | <0.0013 | <0.0013 |
| 3/25/2022 | <0.0013 | <0.0013 | | |
| 9/8/2022 | | | <0.0013 | <0.0013 |
| 9/13/2022 | <0.0013 | <0.0013 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 0.014 | 0.0097 (J) | 0.013 | 0.013 | |
| 3/2/2016 | | | | | 0.089 |
| 5/2/2016 | 0.013 | | 0.013 | 0.01 | |
| 5/3/2016 | | | | | 0.076 |
| 5/4/2016 | | 0.0095 | | | |
| 7/5/2016 | 0.013 | | 0.013 | 0.0089 | 0.068 |
| 7/8/2016 | | 0.0093 | | | |
| 9/6/2016 | 0.016 | 0.011 | 0.013 | 0.01 | |
| 9/8/2016 | | | | | 0.078 |
| 11/7/2016 | 0.014 | | 0.013 | 0.0096 | |
| 11/9/2016 | | | | | 0.051 |
| 11/10/2016 | | 0.0092 | | | |
| 1/9/2017 | 0.015 | | 0.012 | 0.011 | |
| 1/11/2017 | | 0.0092 | | | |
| 1/12/2017 | | | | | 0.036 |
| 3/13/2017 | 0.015 | | 0.013 | 0.011 | |
| 3/14/2017 | | 0.0095 | | | |
| 3/17/2017 | | | | | 0.061 |
| 5/15/2017 | 0.015 | | 0.011 | 0.0089 | |
| 5/16/2017 | | | | | 0.061 |
| 5/18/2017 | | 0.0095 | | | |
| 3/12/2018 | 0.017 | | 0.013 | 0.01 | |
| 3/13/2018 | | | | | 0.042 |
| 3/14/2018 | | 0.0089 | | | |
| 6/5/2018 | 0.018 | | 0.014 | 0.011 | |
| 6/8/2018 | | | | | 0.057 |
| 6/10/2018 | | 0.0092 | | | |
| 10/16/2018 | 0.017 | | 0.011 | 0.011 | |
| 10/18/2018 | | 0.0089 | | | |
| 11/13/2018 | | | | | 0.048 |
| 2/27/2019 | 0.021 | 0.011 | 0.014 | 0.011 | |
| 2/28/2019 | | | | | 0.045 |
| 5/31/2019 | 0.02 | 0.0088 | 0.013 | 0.01 | |
| 6/4/2019 | | | | | 0.04 |
| 11/6/2019 | 0.019 | 0.0094 | 0.012 | 0.0097 | |
| 11/12/2019 | | | | | 0.0071 |
| 4/16/2020 | 0.02 | 0.0099 | 0.012 | 0.012 | |
| 4/18/2020 | | | | | 0.025 |
| 10/7/2020 | 0.02 | 0.0088 | 0.012 | 0.011 | |
| 10/12/2020 | | | | | 0.025 |
| 3/29/2021 | 0.019 | 0.0097 | 0.011 | 0.011 | |
| 4/1/2021 | | | | | 0.031 |
| 9/2/2021 | 0.02 | 0.0089 | 0.012 | 0.011 | |
| 9/8/2021 | | | | | 0.026 |
| 3/22/2022 | 0.019 | 0.0092 | 0.01 | 0.012 | |
| 3/25/2022 | | | | | <0.0005 |
| 9/7/2022 | 0.019 | 0.0089 | 0.012 | | |
| 9/8/2022 | | | | 0.012 | |
| 9/13/2022 | | | | | 0.059 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 0.012 | 0.015 |
| 3/2/2016 | 0.064 | 0.13 | | |
| 5/2/2016 | | | | 0.013 |
| 5/3/2016 | | 0.11 | 0.012 | |
| 5/4/2016 | 0.078 | | | |
| 7/5/2016 | | 0.12 | 0.011 | 0.017 |
| 7/6/2016 | 0.081 | | | |
| 9/6/2016 | | | 0.012 | 0.017 |
| 9/8/2016 | 0.095 | 0.13 | | |
| 11/7/2016 | | | 0.012 | 0.023 |
| 11/8/2016 | 0.083 | | | |
| 11/9/2016 | | 0.12 | | |
| 1/9/2017 | | | 0.013 | 0.016 |
| 1/12/2017 | | 0.1 | | |
| 1/13/2017 | 0.071 | | | |
| 3/13/2017 | | | 0.013 | 0.016 |
| 3/16/2017 | 0.06 | | | |
| 3/17/2017 | | 0.12 | | |
| 5/15/2017 | | | 0.012 | 0.015 |
| 5/17/2017 | 0.036 | 0.11 | | |
| 3/12/2018 | | | 0.013 | 0.015 |
| 3/14/2018 | 0.03 | 0.079 | | |
| 6/6/2018 | | | 0.014 | 0.017 |
| 6/8/2018 | | 0.07 | | |
| 6/9/2018 | 0.029 | | | |
| 10/17/2018 | | 0.059 | 0.012 | 0.016 |
| 11/14/2018 | 0.028 | | | |
| 2/27/2019 | | | 0.015 | 0.018 |
| 2/28/2019 | | 0.048 | | |
| 3/5/2019 | 0.035 | | | |
| 5/31/2019 | | | 0.014 | 0.016 |
| 6/4/2019 | 0.04 | 0.048 | | |
| 11/6/2019 | | | 0.013 | 0.017 |
| 11/12/2019 | 0.011 | 0.0081 | | |
| 4/16/2020 | | | 0.014 | 0.017 |
| 4/18/2020 | | 0.056 | | |
| 4/22/2020 | 0.048 | | | |
| 10/7/2020 | | | 0.013 | 0.016 |
| 10/12/2020 | 0.038 | 0.051 | | |
| 3/29/2021 | | | 0.013 | 0.017 |
| 4/1/2021 | 0.055 | 0.051 | | |
| 9/2/2021 | | | 0.012 | 0.017 |
| 9/8/2021 | 0.049 | 0.039 | | |
| 3/22/2022 | | | 0.013 | 0.018 |
| 3/25/2022 | 0.041 | 0.038 | | |
| 9/8/2022 | | | 0.012 | 0.017 |
| 9/13/2022 | 0.034 | 0.039 | | |

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/2/2016 | | | | | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/3/2016 | | | | | <0.0025 |
| 5/4/2016 | | <0.0025 | | | |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | <0.0025 |
| 7/8/2016 | | <0.0025 | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2016 | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 11/9/2016 | | | | | <0.0025 |
| 11/10/2016 | | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 1/11/2017 | | <0.0025 | | | |
| 1/12/2017 | | | | | <0.0025 |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/14/2017 | | <0.0025 | | | |
| 3/17/2017 | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/16/2017 | | | | | <0.0025 |
| 5/18/2017 | | <0.0025 | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/13/2018 | | | | | <0.0025 |
| 3/14/2018 | | <0.0025 | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 6/8/2018 | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 10/18/2018 | | <0.0025 | | | |
| 11/13/2018 | | | | | <0.0025 (J3) |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 2/28/2019 | | | | | <0.0025 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 6/4/2019 | | | | | <0.0025 |
| 11/6/2019 | 9E-05 (J) | 4.7E-05 (J) | 6.6E-05 (J) | <0.0025 | |
| 11/12/2019 | | | | | <0.0025 |
| 4/16/2020 | 5.4E-05 (J) | 4.3E-05 (J) | 6.1E-05 (J) | <0.0025 | |
| 4/18/2020 | | | | | 4.5E-05 (J) |
| 10/7/2020 | 0.0014 (J) | 0.0014 (J) | 0.0015 (J) | 0.0015 (J) | |
| 10/12/2020 | | | | | <0.0025 |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/1/2021 | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2021 | | | | | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/25/2022 | | | | | <0.0025 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/8/2022 | | | | <0.0025 | |
| 9/13/2022 | | | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs. Substitution method for trace values of the form <PQL(J): PQL.

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 |
| 3/2/2016 | <0.0025 | 0.00055 (J) | | |
| 5/2/2016 | | | | <0.0025 |
| 5/3/2016 | | <0.0025 | <0.0025 | |
| 5/4/2016 | <0.0025 | | | |
| 7/5/2016 | | 0.00048 (J) | <0.0025 | <0.0025 |
| 7/6/2016 | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 |
| 9/8/2016 | <0.0025 | <0.0025 | | |
| 11/7/2016 | | | <0.0025 | <0.0025 |
| 11/8/2016 | <0.0025 | | | |
| 11/9/2016 | | <0.0025 | | |
| 1/9/2017 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | <0.0025 | | |
| 1/13/2017 | <0.0025 | | | |
| 3/13/2017 | | | <0.0025 | <0.0025 |
| 3/16/2017 | <0.0025 | | | |
| 3/17/2017 | | 0.00042 (J) | | |
| 5/15/2017 | | | <0.0025 | <0.0025 |
| 5/17/2017 | <0.0025 | <0.0025 | | |
| 3/12/2018 | | | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | <0.0025 | <0.0025 |
| 6/8/2018 | | <0.0025 | | |
| 6/9/2018 | <0.0025 | | | |
| 10/17/2018 | | <0.0025 | <0.0025 | <0.0025 |
| 11/14/2018 | <0.0025 (J3) | | | |
| 2/27/2019 | | | <0.0025 | <0.0025 |
| 2/28/2019 | | <0.0025 | | |
| 3/5/2019 | <0.0025 | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 |
| 6/4/2019 | <0.0025 | <0.0025 | | |
| 11/6/2019 | | | <0.0025 | <0.0025 |
| 11/12/2019 | <0.0025 | <0.0025 | | |
| 4/16/2020 | | | <0.0025 | <0.0025 |
| 4/18/2020 | | 4.1E-05 (J) | | |
| 4/22/2020 | 6.9E-05 (J) | | | |
| 10/7/2020 | | | 0.0014 (J) | 0.0014 (J) |
| 10/12/2020 | <0.0025 | <0.0025 | | |
| 3/29/2021 | | | <0.0025 | <0.0025 |
| 4/1/2021 | <0.0025 | <0.0025 | | |
| 9/2/2021 | | | <0.0025 | <0.0025 |
| 9/8/2021 | <0.0025 | <0.0025 | | |
| 3/22/2022 | | | <0.0025 | <0.0025 |
| 3/25/2022 | <0.0025 | <0.0025 | | |
| 9/8/2022 | | | <0.0025 | <0.0025 |
| 9/13/2022 | <0.0025 | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs. Substitution method for trace values of the form <PQL(J): PQL.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.018 | <0.05 | <0.018 | <0.018 | |
| 3/2/2016 | | | | | 32 |
| 5/2/2016 | <0.018 | | <0.018 | <0.018 | |
| 5/3/2016 | | | | | 38 |
| 5/4/2016 | | <0.05 | | | |
| 7/5/2016 | <0.018 | | <0.018 | <0.018 | 42 |
| 7/8/2016 | | <0.05 | | | |
| 9/6/2016 | <0.018 | <0.05 | <0.018 | <0.018 | |
| 9/8/2016 | | | | | 36 |
| 11/7/2016 | <0.018 | | <0.018 | <0.018 | |
| 11/9/2016 | | | | | 25 |
| 11/10/2016 | | <0.05 | | | |
| 1/9/2017 | <0.018 | | <0.018 | <0.018 | |
| 1/11/2017 | | <0.05 | | | |
| 1/12/2017 | | | | | 9.1 |
| 3/13/2017 | <0.018 | | <0.018 | 0.022 (J) | |
| 3/14/2017 | | <0.05 | | | |
| 3/17/2017 | | | | | 28 |
| 5/15/2017 | <0.018 | | <0.018 | <0.018 | |
| 5/16/2017 | | | | | 21 |
| 5/18/2017 | | <0.05 | | | |
| 10/2/2017 | <0.018 | | <0.018 | 0.023 (J) | |
| 10/4/2017 | | | | | 18 |
| 10/5/2017 | | <0.05 | | | |
| 12/20/2017 | | | | | 16 (R) |
| 3/12/2018 | <0.018 | | <0.018 | <0.018 | |
| 3/13/2018 | | | | | 10 |
| 3/14/2018 | | <0.05 | | | |
| 6/5/2018 | <0.018 | | <0.018 | <0.018 | |
| 6/8/2018 | | | | | 12 |
| 6/10/2018 | | <0.05 | | | |
| 10/16/2018 | <0.018 | | <0.018 | <0.018 | |
| 10/18/2018 | | 0.081 | | | |
| 11/13/2018 | | | | | 9.1 |
| 2/27/2019 | <0.018 | <0.05 | <0.018 | <0.018 | |
| 2/28/2019 | | | | | 8.5 |
| 5/31/2019 | <0.018 | <0.05 | <0.018 | <0.018 | |
| 6/4/2019 | | | | | 11 |
| 11/6/2019 | 0.017 (V) | 0.016 (V) | 0.016 (V) | 0.022 (V) | |
| 11/12/2019 | | | | | 5.3 |
| 4/16/2020 | 0.02 | 0.013 | 0.013 | 0.017 | |
| 4/18/2020 | | | | | 1.6 |
| 10/7/2020 | <0.018 | <0.05 | <0.018 | <0.018 | |
| 10/12/2020 | | | | | 3 |
| 3/29/2021 | <0.018 | <0.05 | <0.018 | <0.018 | |
| 4/1/2021 | | | | | 2.9 |
| 9/2/2021 | 0.021 (J) | <0.05 | 0.018 (J) | 0.022 (J) | |
| 9/8/2021 | | | | | 2.1 |
| 3/22/2022 | 0.013 | 0.012 | 0.013 | 0.017 | |
| 3/25/2022 | | | | | 0.0043 (J) |
| 9/7/2022 | 0.031 (J) | 0.029 (J) | 0.031 (J) | | |
| 9/8/2022 | | | | 0.055 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 9/13/2022 | | | | | 7.2 |

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.05 | <0.05 |
| 3/2/2016 | 33 | 82 | | |
| 5/2/2016 | | | | <0.05 |
| 5/3/2016 | | 100 | <0.05 | |
| 5/4/2016 | 30 | | | |
| 7/5/2016 | | 150 | <0.05 | <0.05 |
| 7/6/2016 | 35 | | | |
| 9/6/2016 | | | <0.05 | <0.05 |
| 9/8/2016 | 38 | 66 | | |
| 11/7/2016 | | | <0.05 | <0.05 |
| 11/8/2016 | 39 | | | |
| 11/9/2016 | | 81 | | |
| 1/9/2017 | | | <0.05 | <0.05 |
| 1/12/2017 | | 68 | | |
| 1/13/2017 | 34 | | | |
| 3/13/2017 | | | <0.05 | <0.05 |
| 3/16/2017 | 21 | | | |
| 3/17/2017 | | 72 | | |
| 5/15/2017 | | | <0.05 | <0.05 |
| 5/17/2017 | 10 | 67 | | |
| 10/2/2017 | | | <0.05 | <0.05 |
| 10/3/2017 | | 52 | | |
| 10/4/2017 | 6 | | | |
| 12/20/2017 | 4.9 (R) | 51 | | |
| 3/12/2018 | | | <0.05 | <0.05 |
| 3/14/2018 | 4.4 | 48 | | |
| 6/6/2018 | | | <0.05 | <0.05 |
| 6/8/2018 | | 40 | | |
| 6/9/2018 | 4.1 | | | |
| 10/17/2018 | | 25 | <0.05 | <0.05 |
| 11/14/2018 | 2.3 | | | |
| 2/27/2019 | | | <0.05 | <0.05 |
| 2/28/2019 | | 20 | | |
| 3/5/2019 | 2.1 | | | |
| 5/31/2019 | | | <0.05 | <0.05 |
| 6/4/2019 | 5.2 | 19 | | |
| 11/6/2019 | | | 0.011 (V) | 0.0099 (J) |
| 11/12/2019 | 4.5 | 14 | | |
| 4/16/2020 | | | 0.0075 (J) | 0.0055 (J) |
| 4/18/2020 | | 17 | | |
| 4/22/2020 | 4.2 | | | |
| 10/7/2020 | | | <0.05 | <0.05 |
| 10/12/2020 | 3.3 | 17 | | |
| 3/29/2021 | | | <0.05 | <0.05 |
| 4/1/2021 | 4 | 19 | | |
| 9/2/2021 | | | <0.05 | <0.05 |
| 9/8/2021 | 3.8 | 13 | | |
| 3/22/2022 | | | 0.009 (J) | 0.0063 (J) |
| 3/25/2022 | 3.4 | 10 | | |
| 9/8/2022 | | | 0.027 (J) | 0.025 (J) |
| 9/13/2022 | 2.7 | 9.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/2/2016 | | | | | 0.022 (o) |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/3/2016 | | | | | <0.0005 |
| 5/4/2016 | | <0.0025 | | | |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | <0.0005 |
| 7/8/2016 | | <0.0025 | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2016 | | | | | <0.0005 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 11/9/2016 | | | | | <0.0005 |
| 11/10/2016 | | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 1/11/2017 | | <0.0025 | | | |
| 1/12/2017 | | | | | <0.0005 |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/14/2017 | | <0.0025 | | | |
| 3/17/2017 | | | | | <0.0005 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/16/2017 | | | | | <0.0005 |
| 5/18/2017 | | <0.0025 | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/13/2018 | | | | | 0.00039 (J) |
| 3/14/2018 | | <0.0025 | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 6/8/2018 | | | | | <0.0005 |
| 6/10/2018 | | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 10/18/2018 | | <0.0025 | | | |
| 11/13/2018 | | | | | <0.0005 |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 2/28/2019 | | | | | <0.0005 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 6/4/2019 | | | | | <0.0005 |
| 11/6/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 11/12/2019 | | | | | 0.00061 (J) |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/18/2020 | | | | | 0.00091 |
| 10/7/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 10/12/2020 | | | | | <0.0005 |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/1/2021 | | | | | 0.0012 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2021 | | | | | 0.0006 (J) |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/25/2022 | | | | | <0.0005 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/8/2022 | | | | <0.0025 | |
| 9/13/2022 | | | | | 0.0027 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 |
| 3/2/2016 | <0.0025 | 0.0031 (J) | | |
| 5/2/2016 | | | | <0.0025 |
| 5/3/2016 | | 0.0025 | <0.0025 | |
| 5/4/2016 | 0.014 | | | |
| 7/5/2016 | | 0.0026 | <0.0025 | <0.0025 |
| 7/6/2016 | 0.015 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 |
| 9/8/2016 | 0.015 | 0.0026 (J) | | |
| 11/7/2016 | | | <0.0025 | <0.0025 |
| 11/8/2016 | 0.014 | | | |
| 11/9/2016 | | 0.0032 (J) | | |
| 1/9/2017 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | 0.0031 | | |
| 1/13/2017 | 0.013 | | | |
| 3/13/2017 | | | <0.0025 | <0.0025 |
| 3/16/2017 | 0.0084 | | | |
| 3/17/2017 | | 0.0027 | | |
| 5/15/2017 | | | <0.0025 | <0.0025 |
| 5/17/2017 | 0.0044 | 0.0024 (J) | | |
| 3/12/2018 | | | <0.0025 | <0.0025 |
| 3/14/2018 | 0.0032 | 0.0014 (J) | | |
| 6/6/2018 | | | <0.0025 | <0.0025 |
| 6/8/2018 | | 0.0014 (J) | | |
| 6/9/2018 | 0.0029 | | | |
| 10/17/2018 | | 0.00088 (J) | <0.0025 | <0.0025 |
| 11/14/2018 | 0.0021 (J) | | | |
| 2/27/2019 | | | <0.0025 | <0.0025 |
| 2/28/2019 | | 0.00065 (J) | | |
| 3/5/2019 | 0.0023 (J) | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 |
| 6/4/2019 | 0.0017 (J) | 0.00035 (J) | | |
| 11/6/2019 | | | <0.0025 | <0.0025 |
| 11/12/2019 | 0.002 (J) | 0.00055 (J) | | |
| 4/16/2020 | | | <0.0025 | <0.0025 |
| 4/18/2020 | | 0.00029 (J) | | |
| 4/22/2020 | 0.0013 | | | |
| 10/7/2020 | | | <0.0025 | <0.0025 |
| 10/12/2020 | 0.0015 (J) | <0.0025 | | |
| 3/29/2021 | | | <0.0025 | <0.0025 |
| 4/1/2021 | 0.0012 | 0.00065 | | |
| 9/2/2021 | | | <0.0025 | <0.0025 |
| 9/8/2021 | 0.0013 (J) | 0.00044 (J) | | |
| 3/22/2022 | | | <0.0025 | <0.0025 |
| 3/25/2022 | 0.0017 (J) | <0.0025 | | |
| 9/8/2022 | | | <0.0025 | <0.0025 |
| 9/13/2022 | 0.00066 (J) | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1 (J) | 0.67 | 1.4 | |
| 3/2/2016 | | | | | 900 |
| 5/2/2016 | 0.78 | | 0.58 | 1.1 | |
| 5/3/2016 | | | | | 1200 |
| 5/4/2016 | | 0.62 | | | |
| 7/5/2016 | 0.65 | | 0.43 | 0.94 | 920 |
| 7/8/2016 | | 0.4 | | | |
| 9/6/2016 | 0.7 | 0.45 | 0.48 | 1 | |
| 9/8/2016 | | | | | 870 |
| 11/7/2016 | 0.8 | | 0.56 | 1.2 | |
| 11/9/2016 | | | | | 570 |
| 11/10/2016 | | 0.44 | | | |
| 1/9/2017 | 0.74 | | 0.43 | 1.2 | |
| 1/11/2017 | | 0.42 | | | |
| 1/12/2017 | | | | | 220 |
| 3/13/2017 | 0.78 | | 0.48 | 1.3 | |
| 3/14/2017 | | 0.42 | | | |
| 3/17/2017 | | | | | 570 |
| 5/15/2017 | 0.76 | | 0.37 | 1 | |
| 5/16/2017 | | | | | 500 |
| 5/18/2017 | | 0.38 | | | |
| 10/2/2017 | 0.78 | | 0.47 | 1.2 | |
| 10/4/2017 | | | | | 490 |
| 10/5/2017 | | 0.39 | | | |
| 12/20/2017 | | | | | 420 (R) |
| 3/12/2018 | 0.88 | | 0.49 | 1.4 | |
| 3/13/2018 | | | | | 290 |
| 3/14/2018 | | 0.49 | | | |
| 6/5/2018 | 0.9 | | 0.49 | 1.2 | |
| 6/8/2018 | | | | | 320 |
| 6/10/2018 | | 0.39 | | | |
| 10/16/2018 | 0.86 | | 0.42 | 1.4 | |
| 10/18/2018 | | 0.41 | | | |
| 11/13/2018 | | | | | 220 |
| 2/27/2019 | 0.96 | 0.44 | 0.56 | 1.3 | |
| 2/28/2019 | | | | | 230 |
| 5/31/2019 | 0.76 | 0.28 | 0.33 | 1.1 | |
| 6/4/2019 | | | | | 170 |
| 11/6/2019 | 0.88 | 0.46 | 0.49 | 1.2 | |
| 11/12/2019 | | | | | 130 |
| 4/16/2020 | 0.84 | 0.38 | 0.36 | 1.3 | |
| 4/18/2020 | | | | | 40 |
| 10/7/2020 | 0.93 | 0.47 | 0.43 | 1.6 | |
| 10/12/2020 | | | | | 74 |
| 3/29/2021 | 1 | 0.43 | 0.46 | 1.6 | |
| 4/1/2021 | | | | | 75 |
| 9/2/2021 | 1.1 | 0.63 | 0.47 | 1.5 | |
| 9/8/2021 | | | | | 74 |
| 3/22/2022 | 0.9 | 0.38 | 0.33 | 1.6 | |
| 3/25/2022 | | | | | <0.05 |
| 9/7/2022 | 1 | 0.6 | 0.61 | | |
| 9/8/2022 | | | | 2.1 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 9/13/2022 | | | | | 93 |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 0.6 | 1.5 |
| 3/2/2016 | 890 | 2400 | | |
| 5/2/2016 | | | | 0.83 |
| 5/3/2016 | | 2100 | 0.55 | |
| 5/4/2016 | 830 | | | |
| 7/5/2016 | | 2200 | 0.53 | 1.6 |
| 7/6/2016 | 780 | | | |
| 9/6/2016 | | | 0.5 | 1.6 |
| 9/8/2016 | 820 | 2000 | | |
| 11/7/2016 | | | 0.68 | 1.5 |
| 11/8/2016 | 760 | | | |
| 11/9/2016 | | 2000 | | |
| 1/9/2017 | | | 0.56 | 0.98 |
| 1/12/2017 | | 1800 | | |
| 1/13/2017 | 660 | | | |
| 3/13/2017 | | | 0.62 | 0.75 |
| 3/16/2017 | 400 | | | |
| 3/17/2017 | | 1800 | | |
| 5/15/2017 | | | 0.58 | 0.83 |
| 5/17/2017 | 160 | 1500 | | |
| 10/2/2017 | | | 0.62 | 0.83 |
| 10/3/2017 | | 1300 | | |
| 10/4/2017 | 100 | | | |
| 12/20/2017 | 82 (R) | 1200 | | |
| 3/12/2018 | | | 0.59 | 0.71 |
| 3/14/2018 | 75 | 1100 | | |
| 6/6/2018 | | | 0.59 | 0.68 |
| 6/8/2018 | | 800 | | |
| 6/9/2018 | 64 | | | |
| 10/17/2018 | | 530 | 0.54 | 0.66 |
| 11/14/2018 | 38 | | | |
| 2/27/2019 | | | 0.63 | 0.7 |
| 2/28/2019 | | 350 | | |
| 3/5/2019 | 43 | | | |
| 5/31/2019 | | | 0.45 | 0.52 |
| 6/4/2019 | 54 | 380 (D) | | |
| 11/6/2019 | | | 0.55 | 0.74 |
| 11/12/2019 | 82 | 240 | | |
| 4/16/2020 | | | 0.53 | 0.59 |
| 4/18/2020 | | 320 | | |
| 4/22/2020 | 61 | | | |
| 10/7/2020 | | | 0.63 | 0.67 |
| 10/12/2020 | 58 | 300 | | |
| 3/29/2021 | | | 0.68 | 0.75 |
| 4/1/2021 | 75 | 290 | | |
| 9/2/2021 | | | 0.56 | 0.73 |
| 9/8/2021 | 72 | 200 | | |
| 3/22/2022 | | | 0.81 | 0.7 |
| 3/25/2022 | 73 | 170 | | |
| 9/8/2022 | | | 0.69 | 0.82 |
| 9/13/2022 | 82 | 160 | | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 5.4 | 8.1 | 7.4 | |
| 3/2/2016 | | | | | 1700 |
| 5/2/2016 | 4.4 | | 6 | 6.3 | |
| 5/3/2016 | | | | | 2500 |
| 5/4/2016 | | 4.5 | | | |
| 7/5/2016 | 4.2 | | 5.2 | 4.8 | <140 (*) |
| 7/8/2016 | | 4.9 | | | |
| 9/6/2016 | 4.3 | 4.3 | 5.5 | 6 | |
| 9/8/2016 | | | | | 1900 |
| 11/7/2016 | 4.2 | | 5.4 | 5.7 | |
| 11/9/2016 | | | | | 1200 |
| 11/10/2016 | | 4.5 | | | |
| 1/9/2017 | 5.3 | | 6.1 | 6.8 | |
| 1/11/2017 | | 5.3 | | | |
| 1/12/2017 | | | | | 470 |
| 3/13/2017 | 5.2 | | 5.5 | 6.8 | |
| 3/14/2017 | | 5.5 | | | |
| 3/17/2017 | | | | | 1100 |
| 5/15/2017 | 4.8 | | 4.7 | 6.1 | |
| 5/16/2017 | | | | | 1000 |
| 5/18/2017 | | 5 | | | |
| 10/2/2017 | 5.5 | | 6.1 | 6 | |
| 10/4/2017 | | | | | 910 |
| 10/5/2017 | | 5.6 | | | |
| 12/20/2017 | | | | | 810 (R) |
| 3/12/2018 | 5.3 | | 6.1 | 5.9 | |
| 3/13/2018 | | | | | 530 |
| 3/14/2018 | | 5.2 | | | |
| 6/5/2018 | 5.3 | | 5.5 | 6.5 | |
| 6/8/2018 | | | | | 680 |
| 6/10/2018 | | 5.2 | | | |
| 10/16/2018 | 5.5 | | 5.1 | 5.9 | |
| 10/18/2018 | | 5.2 | | | |
| 11/13/2018 | | | | | 450 |
| 2/27/2019 | 4.6 | 5.1 | 5 | 4.3 | |
| 2/28/2019 | | | | | 470 |
| 5/31/2019 | 5.1 | 5 | 5.4 | 4.5 | |
| 6/4/2019 | | | | | 310 |
| 11/6/2019 | 5.8 | 6 | 6.1 | 5.7 | |
| 11/12/2019 | | | | | 280 |
| 4/16/2020 | 6.1 | 5.8 | 5.3 | 5.6 | |
| 4/18/2020 | | | | | 59 |
| 10/7/2020 | 6.6 | 5.9 | 5.7 | 5.1 | |
| 10/12/2020 | | | | | 130 |
| 3/29/2021 | 10 | 5.8 | 5.2 | 5 | |
| 4/1/2021 | | | | | 130 |
| 9/2/2021 | 5.8 | 5.1 | 5.1 | 5.2 | |
| 9/8/2021 | | | | | 100 |
| 3/22/2022 | 5.9 | 4.9 | 4.7 | 8.8 | |
| 3/25/2022 | | | | | 76 |
| 9/7/2022 | 4.4 | 3.4 | 3.6 | | |
| 9/8/2022 | | | | 3.4 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 9/13/2022 | | | | | 180 |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 5.6 | 4 |
| 3/2/2016 | 1700 | 4700 | | |
| 5/2/2016 | | | | 3.6 |
| 5/3/2016 | | 4900 | 5.1 | |
| 5/4/2016 | 1600 | | | |
| 7/5/2016 | | 360 (o) | 4.7 | 3.6 |
| 7/6/2016 | 2000 | | | |
| 9/6/2016 | | | 4.4 | 4 |
| 9/8/2016 | 1800 | 4400 | | |
| 11/7/2016 | | | 4.6 | 4.4 |
| 11/8/2016 | 1800 | | | |
| 11/9/2016 | | 4800 | | |
| 1/9/2017 | | | 5.3 | 4.4 |
| 1/12/2017 | | 3900 | | |
| 1/13/2017 | 1500 | | | |
| 3/13/2017 | | | 5.6 | 4.1 |
| 3/16/2017 | 870 | | | |
| 3/17/2017 | | 3700 | | |
| 5/15/2017 | | | 5.2 | 3.7 |
| 5/17/2017 | 310 | 3500 | | |
| 10/2/2017 | | | 5.5 | 4.8 |
| 10/3/2017 | | 2300 | | |
| 10/4/2017 | 160 | | | |
| 12/20/2017 | 110 (R) | 2400 | | |
| 3/12/2018 | | | 5.6 | 4 |
| 3/14/2018 | 110 | 2100 | | |
| 6/6/2018 | | | 5.6 | 4.1 |
| 6/8/2018 | | 1800 | | |
| 6/9/2018 | 86 | | | |
| 10/17/2018 | | 1200 | 5.5 | 3.7 |
| 11/14/2018 | 41 | | | |
| 2/27/2019 | | | 5.1 | 4 |
| 2/28/2019 | | 720 | | |
| 3/5/2019 | 75 | | | |
| 5/31/2019 | | | 5.4 | 3.7 |
| 6/4/2019 | 98 | 690 | | |
| 11/6/2019 | | | 5.9 | 4.7 |
| 11/12/2019 | 190 | 490 | | |
| 4/16/2020 | | | 6.2 | 4.9 |
| 4/18/2020 | | 660 | | |
| 4/22/2020 | 120 | | | |
| 10/7/2020 | | | 6.1 | 4.7 |
| 10/12/2020 | 82 | 610 | | |
| 3/29/2021 | | | 6.2 | 5.4 |
| 4/1/2021 | 140 | 510 | | |
| 9/2/2021 | | | 5.9 | 5.1 |
| 9/8/2021 | 130 | 440 | | |
| 3/22/2022 | | | 5.6 | 4.8 |
| 3/25/2022 | 160 | 340 | | |
| 9/8/2022 | | | 4.3 | 5.3 |
| 9/13/2022 | 130 | 300 | | |

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 3/2/2016 | | | | | <0.0025 |
| 5/2/2016 | 0.0029 | | 0.0019 (J) | 0.0034 | |
| 5/3/2016 | | | | | <0.0025 |
| 5/4/2016 | | <0.0025 | | | |
| 7/5/2016 | <0.0025 | | 0.0051 | 0.0059 | <0.0025 |
| 7/8/2016 | | <0.0025 | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2016 | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | |
| 11/9/2016 | | | | | <0.0025 |
| 11/10/2016 | | <0.0025 | | | |
| 1/9/2017 | <0.0025 | | 0.017 (o) | <0.0025 | |
| 1/11/2017 | | <0.0025 | | | |
| 1/12/2017 | | | | | <0.0025 |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/14/2017 | | <0.0025 | | | |
| 3/17/2017 | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | |
| 5/16/2017 | | | | | <0.0025 |
| 5/18/2017 | | <0.0025 | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 3/13/2018 | | | | | <0.0025 |
| 3/14/2018 | | <0.0025 | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 6/8/2018 | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | |
| 10/18/2018 | | <0.0025 | | | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 2/28/2019 | | | | | <0.0025 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 11/6/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | |
| 4/18/2020 | | | | | <0.0025 |
| 10/7/2020 | <0.0025 | 0.0046 | 0.001 (J) | 0.0015 (J) | |
| 10/12/2020 | | | | | <0.0025 |
| 3/29/2021 | <0.0025 | 0.0024 | <0.0025 | <0.0025 | |
| 4/1/2021 | | | | | <0.0025 |
| 9/2/2021 | 0.0014 (J) | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2021 | | | | | <0.0025 |
| 3/22/2022 | 0.0046 | 0.0051 | 0.00032 (J) | 0.00027 (J) | |
| 3/25/2022 | | | | | <0.0025 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/8/2022 | | | | <0.0025 | |
| 9/13/2022 | | | | | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | 0.00056 (J) |
| 3/2/2016 | <0.0025 | 0.0026 (J) | | |
| 5/2/2016 | | | | 0.0021 (J) |
| 5/3/2016 | | <0.0025 | 0.0012 (J) | |
| 5/4/2016 | <0.0025 | | | |
| 7/5/2016 | | <0.0025 | <0.0025 | <0.0025 |
| 7/6/2016 | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 |
| 9/8/2016 | <0.0025 | <0.0025 | | |
| 11/7/2016 | | | <0.0025 | <0.0025 |
| 11/8/2016 | <0.0025 | | | |
| 11/9/2016 | | <0.0025 | | |
| 1/9/2017 | | | <0.0025 | <0.0025 |
| 1/12/2017 | | <0.0025 | | |
| 1/13/2017 | <0.0025 | | | |
| 3/13/2017 | | | <0.0025 | <0.0025 |
| 3/16/2017 | <0.0025 | | | |
| 3/17/2017 | | <0.0025 | | |
| 5/15/2017 | | | <0.0025 | <0.0025 |
| 5/17/2017 | <0.0025 | <0.0025 | | |
| 3/12/2018 | | | <0.0025 | <0.0025 |
| 3/14/2018 | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | <0.0025 | <0.0025 |
| 6/8/2018 | | <0.0025 | | |
| 6/9/2018 | <0.0025 | | | |
| 10/17/2018 | | | <0.0025 | <0.0025 |
| 2/27/2019 | | | <0.0025 | <0.0025 |
| 2/28/2019 | | <0.0025 | | |
| 3/5/2019 | <0.0025 | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 |
| 11/6/2019 | | | <0.0025 | <0.0025 |
| 4/16/2020 | | | <0.0025 | <0.0025 |
| 4/18/2020 | | <0.0025 | | |
| 4/22/2020 | <0.0025 | | | |
| 10/7/2020 | | | 0.0033 | 0.0017 (J) |
| 10/12/2020 | 0.0011 (J) | <0.0025 | | |
| 3/29/2021 | | | <0.0025 | <0.0025 |
| 4/1/2021 | 0.0018 | <0.0025 | | |
| 9/2/2021 | | | <0.0025 | <0.0025 |
| 9/8/2021 | 0.002 (J) | <0.0025 | | |
| 3/22/2022 | | | 0.0088 | 0.0022 |
| 3/25/2022 | <0.0025 | <0.0025 | | |
| 9/8/2022 | | | <0.0025 | <0.0025 |
| 9/13/2022 | <0.0025 | <0.0025 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 0.00039 (J) | <0.0025 | 0.00064 (J) | 0.00023 (J) | |
| 3/2/2016 | | | | | 0.0024 (J) |
| 5/2/2016 | 0.0013 (J) | | 0.0014 (J) | 0.00092 (J) | |
| 5/3/2016 | | | | | 0.0015 (J) |
| 5/4/2016 | | <0.0025 | | | |
| 7/5/2016 | 0.00049 (J) | | 0.0027 | 0.0032 | 0.0015 (J) |
| 7/8/2016 | | <0.0025 | | | |
| 9/6/2016 | 0.00062 (J) | 0.00042 (J) | 0.00062 (J) | <0.0025 | |
| 9/8/2016 | | | | | <0.0005 |
| 11/7/2016 | 0.00049 (J) | | 0.00058 (J) | <0.0025 | |
| 11/9/2016 | | | | | <0.0005 |
| 11/10/2016 | | <0.0025 | | | |
| 1/9/2017 | 0.00045 (J) | | 0.00059 (J) | <0.0025 | |
| 1/11/2017 | | <0.0025 | | | |
| 1/12/2017 | | | | | 0.00056 (J) |
| 3/13/2017 | 0.00048 (J) | | 0.0005 (J) | <0.0025 | |
| 3/14/2017 | | <0.0025 | | | |
| 3/17/2017 | | | | | 0.0012 (J) |
| 5/15/2017 | 0.00052 (J) | | 0.00046 (J) | <0.0025 | |
| 5/16/2017 | | | | | 0.0013 (J) |
| 5/18/2017 | | <0.0025 | | | |
| 3/12/2018 | 0.00055 (J) | | 0.00055 (J) | <0.0025 | |
| 3/13/2018 | | | | | 0.0011 (J) |
| 3/14/2018 | | <0.0025 | | | |
| 6/5/2018 | 0.00051 (J) | | 0.00052 (J) | <0.0025 | |
| 6/8/2018 | | | | | 0.0028 |
| 6/10/2018 | | <0.0025 | | | |
| 10/16/2018 | 0.00058 (J) | | 0.00045 (J) | <0.0025 | |
| 10/18/2018 | | <0.0025 | | | |
| 11/13/2018 | | | | | 0.0019 (J) |
| 2/27/2019 | 0.00065 (J) | <0.0025 | 0.00056 (J) | <0.0025 | |
| 2/28/2019 | | | | | 0.0024 (J) |
| 5/31/2019 | 0.00046 (J) | <0.0025 | <0.0025 | <0.0025 | |
| 6/4/2019 | | | | | 0.0013 (J) |
| 11/6/2019 | 0.00056 (J) | 0.00033 (J) | 0.00048 (J) | 0.00019 (J) | |
| 11/12/2019 | | | | | <0.0005 |
| 4/16/2020 | 0.00058 | 0.00035 (J) | 0.00043 (J) | 0.00021 (J) | |
| 4/18/2020 | | | | | 0.00048 (J) |
| 10/7/2020 | 0.0006 (J) | <0.0025 | <0.0025 | <0.0025 | |
| 10/12/2020 | | | | | <0.0005 |
| 3/29/2021 | 0.00059 | <0.0025 | <0.0025 | <0.0025 | |
| 4/1/2021 | | | | | 0.0013 |
| 9/2/2021 | 0.00069 (J) | <0.0025 | <0.0025 | <0.0025 | |
| 9/8/2021 | | | | | 0.00061 (J) |
| 3/22/2022 | 0.0014 | 0.0012 | 0.00038 (J) | 0.0002 (J) | |
| 3/25/2022 | | | | | <0.0005 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/8/2022 | | | | <0.0025 | |
| 9/13/2022 | | | | | 0.00069 (J) |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 0.00064 (J) | 0.00071 (J) |
| 3/2/2016 | 0.0013 (J) | 0.0074 (J) | | |
| 5/2/2016 | | | | 0.001 (J) |
| 5/3/2016 | | 0.0051 | 0.00079 (J) | |
| 5/4/2016 | 0.0026 | | | |
| 7/5/2016 | | 0.0055 | <0.0025 | 0.00055 (J) |
| 7/6/2016 | 0.0033 | | | |
| 9/6/2016 | | | 0.00094 (J) | 0.00057 (J) |
| 9/8/2016 | 0.0038 (J) | 0.0056 (J) | | |
| 11/7/2016 | | | 0.00041 (J) | 0.00047 (J) |
| 11/8/2016 | 0.0035 (J) | | | |
| 11/9/2016 | | 0.0057 (J) | | |
| 1/9/2017 | | | 0.00074 (J) | 0.00054 (J) |
| 1/12/2017 | | 0.0044 | | |
| 1/13/2017 | 0.006 | | | |
| 3/13/2017 | | | 0.00091 (J) | 0.0004 (J) |
| 3/16/2017 | 0.0021 (J) | | | |
| 3/17/2017 | | 0.0027 | | |
| 5/15/2017 | | | 0.00075 (J) | 0.00046 (J) |
| 5/17/2017 | 0.0021 (J) | 0.0035 | | |
| 3/12/2018 | | | 0.00044 (J) | <0.0025 |
| 3/14/2018 | 0.0022 (J) | 0.0027 | | |
| 6/6/2018 | | | 0.0004 (J) | 0.00048 (J) |
| 6/8/2018 | | 0.0029 | | |
| 6/9/2018 | 0.0016 (J) | | | |
| 10/17/2018 | | 0.0027 | <0.0025 | 0.00043 (J) |
| 11/14/2018 | 0.0016 (J) | | | |
| 2/27/2019 | | | <0.0025 | 0.00045 (J) |
| 2/28/2019 | | 0.0022 (J) | | |
| 3/5/2019 | 0.0017 (J) | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 |
| 6/4/2019 | 0.0014 (J) | 0.0018 (J) | | |
| 11/6/2019 | | | 0.00029 (J) | 0.00094 (J) |
| 11/12/2019 | <0.0025 | 0.00067 (J) | | |
| 4/16/2020 | | | 0.00029 (J) | 0.00053 |
| 4/18/2020 | | 0.0016 | | |
| 4/22/2020 | 0.00091 | | | |
| 10/7/2020 | | | <0.0025 | <0.0025 |
| 10/12/2020 | 0.0014 (J) | 0.0019 (J) | | |
| 3/29/2021 | | | <0.0025 | 0.00062 |
| 4/1/2021 | 0.0012 | 0.002 | | |
| 9/2/2021 | | | <0.0025 | 0.00069 (J) |
| 9/8/2021 | 0.00071 (J) | 0.0014 (J) | | |
| 3/22/2022 | | | 0.0014 | 0.0016 |
| 3/25/2022 | 0.00086 (J) | 0.0012 (J) | | |
| 9/8/2022 | | | <0.0025 | 0.00064 (J) |
| 9/13/2022 | 0.0011 (J) | 0.0014 (J) | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 1.27 | 1.09 | 1.42 | 2.4 | |
| 3/2/2016 | | | | | 22.9 |
| 5/2/2016 | 0.808 | | 1.03 | 1.62 | |
| 5/3/2016 | | | | | 23.6 |
| 5/4/2016 | | 0.848 | | | |
| 7/5/2016 | 0.947 | | 0.961 | 1.01 | 23.6 |
| 7/8/2016 | | 1.46 | | | |
| 9/6/2016 | 1.07 | 1.34 | 1.07 | 1.8 | |
| 9/8/2016 | | | | | 20.8 |
| 11/7/2016 | 0.602 | | 0.818 | 1.86 | |
| 11/9/2016 | | | | | 7.46 |
| 11/10/2016 | | 1.23 | | | |
| 1/9/2017 | 0.865 | | 0.934 | 2.25 | |
| 1/11/2017 | | 1.11 | | | |
| 1/12/2017 | | | | | 11.2 |
| 3/13/2017 | 0.693 | | 0.937 | 1.87 | |
| 3/14/2017 | | 1.01 | | | |
| 3/17/2017 | | | | | 14.3 |
| 5/15/2017 | 0.786 | | 0.685 | 1.4 | |
| 5/16/2017 | | | | | 16.9 |
| 5/18/2017 | | 0.745 | | | |
| 3/12/2018 | 0.933 | | 1.09 | 1.97 | |
| 3/13/2018 | | | | | 10.9 |
| 3/14/2018 | | 0.614 | | | |
| 6/5/2018 | 0.713 | | 0.927 | 2.17 | |
| 6/8/2018 | | | | | 10.6 |
| 6/10/2018 | | 0.959 | | | |
| 10/16/2018 | 2.14 | | 1.07 | 2.2 | |
| 10/18/2018 | | 0.944 | | | |
| 11/13/2018 | | | | | 9.09 |
| 2/27/2019 | 0.651 | 0.827 | 0.912 | 1.8 | |
| 2/28/2019 | | | | | 9.7 |
| 5/31/2019 | 1.33 | 0.99 | 1.24 | 1.8 | |
| 6/4/2019 | | | | | 7.7 |
| 11/6/2019 | 1.32 | 0.892 | 0.509 (U) | 2.32 | |
| 11/12/2019 | | | | | 6.4 |
| 4/16/2020 | 0.971 | 0.497 | 0.568 | 1.35 | |
| 4/18/2020 | | | | | 2.42 |
| 10/7/2020 | 1.14 | 1.07 | 0.763 | 1.75 | |
| 10/12/2020 | | | | | 4.51 |
| 3/29/2021 | 1.72 | 0.561 | 0.708 | | |
| 3/30/2021 | | | | 1.71 | |
| 4/1/2021 | | | | | 5.51 |
| 9/2/2021 | 1.65 | 0.975 | 1.75 | 2.13 | |
| 9/8/2021 | | | | | 4.54 |
| 3/22/2022 | 1.75 | 1.1 | 1.78 | 3.12 | |
| 3/25/2022 | | | | | 3.81 |
| 9/7/2022 | 2 | 1.32 | 1.46 | | |
| 9/8/2022 | | | | 3.32 | |
| 9/13/2022 | | | | | 13.4 |

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 0.647 | <5 |
| 3/2/2016 | 22.1 | 36.5 | | |
| 5/2/2016 | | | | <5 |
| 5/3/2016 | | 35.5 | 0.748 | |
| 5/4/2016 | 19.9 | | | |
| 7/5/2016 | | 32.9 | 0.591 | <5 |
| 7/6/2016 | 28.5 | | | |
| 9/6/2016 | | | 0.831 | 0.566 |
| 9/8/2016 | 20.1 | 23 | | |
| 11/7/2016 | | | 0.983 | 0.784 |
| 11/8/2016 | 24.6 | | | |
| 11/9/2016 | | 40.5 | | |
| 1/9/2017 | | | 0.767 | 0.541 |
| 1/12/2017 | | 35.4 | | |
| 1/13/2017 | 22.8 | | | |
| 3/13/2017 | | | 1.26 | 0.442 |
| 3/16/2017 | 12.2 | | | |
| 3/17/2017 | | 27.7 | | |
| 5/15/2017 | | | 0.553 | 0.345 |
| 5/17/2017 | 7.05 | 26.4 | | |
| 3/12/2018 | | | 0.783 | 0.848 |
| 3/14/2018 | 6.95 | 17.7 | | |
| 6/6/2018 | | | 1.08 | 0.78 |
| 6/8/2018 | | 15.3 | | |
| 6/9/2018 | 6.52 | | | |
| 10/17/2018 | | 12.6 | 1.19 | 0.88 |
| 11/14/2018 | 5.66 | | | |
| 2/27/2019 | | | 0.741 | 0.431 |
| 2/28/2019 | | 8.04 | | |
| 3/5/2019 | 8.11 | | | |
| 5/31/2019 | | | 0.759 | 0.884 |
| 6/4/2019 | 5.89 | 8.36 | | |
| 11/6/2019 | | | 0.105 (U) | 0.366 (U) |
| 11/12/2019 | 8.32 | 7.14 | | |
| 4/16/2020 | | | 0.588 | 0.264 (U) |
| 4/18/2020 | | 7.03 | | |
| 4/22/2020 | 7.2 | | | |
| 10/7/2020 | | | 0.709 (U) | 0.46 (U) |
| 10/12/2020 | 7.02 | 9.54 | | |
| 3/29/2021 | | | 0.899 | 0.642 |
| 4/1/2021 | 9.55 | 9.3 | | |
| 9/2/2021 | | | 0.856 | 0.951 |
| 9/8/2021 | 8.42 | 6.25 | | |
| 3/22/2022 | | | 1.33 | 1.32 |
| 3/25/2022 | 8.93 | 6.19 | | |
| 9/8/2022 | | | 0.936 | 1.36 |
| 9/13/2022 | 4.5 | 6.19 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 5.26 | 5.11 | 4.9 | |
| 3/2/2016 | | | | | 5.16 (D) |
| 5/2/2016 | 4.76 | | 4.77 | 4.69 | |
| 5/3/2016 | | | | | 5.1 |
| 5/4/2016 | | 5.1 | | | |
| 7/5/2016 | 5.12 | | 5.48 | 7.11 (o) | 4.86 |
| 7/8/2016 | | 4.96 | | | |
| 9/6/2016 | 5.11 | 5.43 | 5.12 | 5.19 | |
| 9/8/2016 | | | | | 4.76 |
| 11/7/2016 | 4.76 | | 4.73 | 4.64 | |
| 11/9/2016 | | | | | 4.99 |
| 11/10/2016 | | 4.89 | | | |
| 1/9/2017 | 4.99 | | 5 | 4.94 | |
| 1/11/2017 | | 4.87 | | | |
| 1/12/2017 | | | | | 5.04 |
| 3/13/2017 | 4.57 | | 4.74 | 4.63 | |
| 3/14/2017 | | 4.71 | | | |
| 3/17/2017 | | | | | 5.02 |
| 5/15/2017 | 4.6 | | 4.63 | 4.52 | |
| 5/16/2017 | | | | | 4.77 |
| 5/18/2017 | | 4.5 | | | |
| 10/2/2017 | 4.64 | | 4.63 | 4.54 | |
| 10/4/2017 | | | | | 4.89 |
| 10/5/2017 | | 4.63 | | | |
| 12/20/2017 | | | | | 4.94 (R) |
| 3/12/2018 | 4.85 | | 4.81 | 4.81 | |
| 3/13/2018 | | | | | 5.19 |
| 3/14/2018 | | 5.14 | | | |
| 6/5/2018 | 4.92 | | 5.04 | 4.9 | |
| 6/8/2018 | | | | | 5.05 |
| 6/10/2018 | | 5.12 | | | |
| 10/16/2018 | 4.93 | | 4.98 | 4.81 | |
| 10/18/2018 | | 4.97 | | | |
| 11/13/2018 | | | | | 5.11 |
| 2/27/2019 | 4.75 | 4.84 | 4.78 | 4.71 | |
| 2/28/2019 | | | | | 4.97 |
| 5/31/2019 | 4.9 | 4.92 | 4.92 | 4.84 | |
| 6/4/2019 | | | | | 5.27 |
| 11/6/2019 | 4.82 | 4.94 | 4.88 | 4.78 | |
| 11/12/2019 | | | | | 4.92 |
| 4/16/2020 | 5.03 | 5.17 | 5.15 | 4.96 | |
| 4/18/2020 | | | | | 5.2 |
| 10/7/2020 | 4.74 | 5.08 | 4.91 | 4.8 | |
| 10/12/2020 | | | | | 5.3 |
| 3/29/2021 | 4.79 | 4.92 | 4.89 | 4.8 | |
| 4/1/2021 | | | | | 5.06 |
| 9/2/2021 | 4.81 | 5.07 | 4.87 | 4.77 | |
| 9/8/2021 | | | | | 5.21 |
| 3/22/2022 | 4.9 | 5.02 | 4.91 | 4.89 | |
| 3/25/2022 | | | | | 5.34 |
| 9/7/2022 | 4.72 | 4.89 | 4.92 | | |
| 9/8/2022 | | | | 4.78 | |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 9/13/2022 | | | | | 4.82 |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 5.08 | 6.37 |
| 3/2/2016 | 5.57 | 4.62 | | |
| 5/2/2016 | | | | 5.605 (D) |
| 5/3/2016 | | 4.26 | 5.14 | |
| 5/4/2016 | 5.62 | | | |
| 7/5/2016 | | 4.15 | 5.38 | 6.29 |
| 7/6/2016 | 5.52 | | | |
| 9/6/2016 | | | 5.37 | 6.42 |
| 9/8/2016 | 5.26 | 4.6 | | |
| 11/7/2016 | | | 4.92 | 5.75 |
| 11/8/2016 | 5.09 | | | |
| 11/9/2016 | | 4.12 | | |
| 1/9/2017 | | | 5.05 | 5.98 |
| 1/12/2017 | | 4.24 | | |
| 1/13/2017 | 5.14 | | | |
| 3/13/2017 | | | 4.87 | 5.81 |
| 3/16/2017 | 5.1 | | | |
| 3/17/2017 | | 4.22 | | |
| 5/15/2017 | | | 4.69 | 5.42 |
| 5/17/2017 | 4.9 | 4.35 | | |
| 10/2/2017 | | | 4.88 | 5.63 |
| 10/3/2017 | | 4.11 | | |
| 10/4/2017 | 4.84 | | | |
| 12/20/2017 | 4.94 (R) | 4.31 | | |
| 3/12/2018 | | | 5.07 | 5.6 |
| 3/14/2018 | 4.82 | 4.35 | | |
| 6/6/2018 | | | 5.09 | 5.58 |
| 6/8/2018 | | 4.31 | | |
| 6/9/2018 | 4.81 | | | |
| 10/17/2018 | | 4.41 | 4.99 | 5.54 |
| 11/14/2018 | 4.85 | | | |
| 2/27/2019 | | | 4.87 | 5.4 |
| 2/28/2019 | | 4.42 | | |
| 3/5/2019 | 4.71 | | | |
| 5/31/2019 | | | 4.89 | 5.45 |
| 6/4/2019 | 4.85 | 4.69 | | |
| 11/6/2019 | | | 5.04 | 5.52 |
| 11/12/2019 | 4.67 | 4.56 | | |
| 4/16/2020 | | | 5.13 | 5.58 |
| 4/18/2020 | | 5 | | |
| 4/22/2020 | 4.69 | | | |
| 10/7/2020 | | | 5.13 | 5.5 |
| 10/12/2020 | 4.56 | 4.82 | | |
| 3/29/2021 | | | 4.93 | 5.46 |
| 4/1/2021 | 4.52 | 4.59 | | |
| 9/2/2021 | | | 4.94 | 5.16 |
| 9/8/2021 | 4.63 | 4.77 | | |
| 3/22/2022 | | | 5.1 | 5.18 |
| 3/25/2022 | 4.95 | 5.21 | | |
| 9/8/2022 | | | 4.87 | 5.13 |
| 9/13/2022 | 4.76 | 4.88 | | |

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 3/2/2016 | | | | | 0.088 (J) |
| 5/2/2016 | <0.1 | | <0.1 | <0.1 | |
| 5/3/2016 | | | | | 0.05 (J) |
| 5/4/2016 | | <0.1 | | | |
| 7/5/2016 | <0.1 | | <0.1 | <0.1 | 0.07 (J) |
| 7/8/2016 | | <0.1 | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 9/8/2016 | | | | | 0.07 (J) |
| 11/7/2016 | <0.1 | | <0.1 | <0.1 | |
| 11/9/2016 | | | | | 0.06 (J) |
| 11/10/2016 | | <0.1 | | | |
| 1/9/2017 | <0.1 | | <0.1 | <0.1 | |
| 1/11/2017 | | <0.1 | | | |
| 1/12/2017 | | | | | <0.1 |
| 3/13/2017 | <0.1 | | <0.1 | <0.1 | |
| 3/14/2017 | | <0.1 | | | |
| 3/17/2017 | | | | | 0.05 (J) |
| 5/15/2017 | <0.1 | | <0.1 | <0.1 | |
| 5/16/2017 | | | | | 0.06 (J) |
| 5/18/2017 | | <0.1 | | | |
| 10/2/2017 | <0.1 | | <0.1 | <0.1 | |
| 10/4/2017 | | | | | 0.08 (J) |
| 10/5/2017 | | <0.1 | | | |
| 3/12/2018 | <0.1 | | <0.1 | <0.1 | |
| 3/13/2018 | | | | | 0.05 (J) |
| 3/14/2018 | | 0.12 | | | |
| 6/5/2018 | <0.1 | | <0.1 | <0.1 | |
| 6/8/2018 | | | | | 0.13 |
| 6/10/2018 | | <0.1 | | | |
| 10/16/2018 | <0.1 | | <0.1 | <0.1 | |
| 10/18/2018 | | <0.1 | | | |
| 11/13/2018 | | | | | 0.1 |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 2/28/2019 | | | | | 0.3 |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 6/4/2019 | | | | | <0.1 |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 11/12/2019 | | | | | 0.072 (J) |
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 4/18/2020 | | | | | <0.1 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 10/12/2020 | | | | | <0.1 |
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | |
| 4/1/2021 | | | | | 0.07 |
| 9/2/2021 | 0.08 (J) | 0.04 (J) | 0.1 | <0.1 | |
| 9/8/2021 | | | | | 0.049 (J) |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | |
| 3/25/2022 | | | | | <0.1 |
| 9/7/2022 | <0.1 | <0.1 | <0.1 | | |
| 9/8/2022 | | | | <0.1 | |
| 9/13/2022 | | | | | 0.27 (J) |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.1 | 0.033 (J) |
| 3/2/2016 | 0.54 | 0.074 (J) | | |
| 5/2/2016 | | | | <0.1 |
| 5/3/2016 | | 0.05 (J) | <0.1 | |
| 5/4/2016 | 0.41 | | | |
| 7/5/2016 | | 0.05 (J) | <0.1 | <0.1 |
| 7/6/2016 | 0.49 | | | |
| 9/6/2016 | | | <0.1 | <0.1 |
| 9/8/2016 | 0.57 | 0.05 (J) | | |
| 11/7/2016 | | | <0.1 | <0.1 |
| 11/8/2016 | 0.47 | | | |
| 11/9/2016 | | 0.04 (J) | | |
| 1/9/2017 | | | <0.1 | <0.1 |
| 1/12/2017 | | 0.04 (J) | | |
| 1/13/2017 | 0.73 | | | |
| 3/13/2017 | | | <0.1 | <0.1 |
| 3/16/2017 | 0.92 | | | |
| 3/17/2017 | | 0.04 (J) | | |
| 5/15/2017 | | | <0.1 | <0.1 |
| 5/17/2017 | 0.77 | 0.06 (J) | | |
| 10/2/2017 | | | <0.1 | <0.1 |
| 10/3/2017 | | 0.11 | | |
| 10/4/2017 | 0.96 | | | |
| 12/20/2017 | 0.88 (R) | 0.08 (I) | | |
| 3/12/2018 | | | <0.1 | <0.1 |
| 3/14/2018 | 0.84 | 0.08 (J) | | |
| 6/6/2018 | | | <0.1 | <0.1 |
| 6/8/2018 | | 0.1 | | |
| 6/9/2018 | 0.78 | | | |
| 10/17/2018 | | 0.12 | <0.1 | <0.1 |
| 11/14/2018 | 0.67 | | | |
| 2/27/2019 | | | <0.1 | <0.1 |
| 2/28/2019 | | 0.1 | | |
| 3/5/2019 | 0.64 | | | |
| 5/31/2019 | | | <0.1 | <0.1 |
| 6/4/2019 | 0.09 (J) | 0.08 (J) | | |
| 11/6/2019 | | | <0.1 | <0.1 |
| 11/12/2019 | 0.57 | 0.045 (J) | | |
| 4/16/2020 | | | <0.1 | <0.1 |
| 4/18/2020 | | <0.1 | | |
| 4/22/2020 | 0.39 | | | |
| 10/7/2020 | | | <0.1 | <0.1 |
| 10/12/2020 | 0.46 | 0.04 (J) | | |
| 3/29/2021 | | | <0.1 | <0.1 |
| 4/1/2021 | 0.5 | 0.07 | | |
| 9/2/2021 | | | <0.1 | 0.04 (J) |
| 9/8/2021 | 0.36 | 0.048 (J) | | |
| 3/22/2022 | | | <0.1 | <0.1 |
| 3/25/2022 | 0.25 | <0.1 | | |
| 9/8/2022 | | | <0.1 | <0.1 |
| 9/13/2022 | <0.1 | <0.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 3/2/2016 | | | | | <0.0013 |
| 5/2/2016 | <0.0013 | | <0.0013 | <0.0013 | |
| 5/3/2016 | | | | | 0.0015 |
| 5/4/2016 | | <0.0013 | | | |
| 7/5/2016 | <0.0013 | | <0.0013 | <0.0013 | 0.0017 |
| 7/8/2016 | | <0.0013 | | | |
| 9/6/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 9/8/2016 | | | | | 0.0021 (J) |
| 11/7/2016 | <0.0013 | | <0.0013 | <0.0013 | |
| 11/9/2016 | | | | | <0.0013 |
| 11/10/2016 | | <0.0013 | | | |
| 1/9/2017 | <0.0013 | | <0.0013 | <0.0013 | |
| 1/11/2017 | | <0.0013 | | | |
| 1/12/2017 | | | | | 0.00041 (J) |
| 3/13/2017 | <0.0013 | | <0.0013 | <0.0013 | |
| 3/14/2017 | | <0.0013 | | | |
| 3/17/2017 | | | | | 0.0011 (J) |
| 5/15/2017 | <0.0013 | | <0.0013 | <0.0013 | |
| 5/16/2017 | | | | | 0.0011 (J) |
| 5/18/2017 | | <0.0013 | | | |
| 3/12/2018 | <0.0013 | | <0.0013 | <0.0013 | |
| 3/13/2018 | | | | | 0.00047 (J) |
| 3/14/2018 | | <0.0013 | | | |
| 6/5/2018 | <0.0013 | | <0.0013 | <0.0013 | |
| 6/8/2018 | | | | | 0.0013 |
| 6/10/2018 | | <0.0013 | | | |
| 10/16/2018 | <0.0013 | | <0.0013 | <0.0013 | |
| 10/18/2018 | | <0.0013 | | | |
| 11/13/2018 | | | | | 0.0014 |
| 2/27/2019 | <0.0013 | <0.0013 | 0.001 (J) | <0.0013 | |
| 2/28/2019 | | | | | 0.0012 (J) |
| 5/31/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 6/4/2019 | | | | | 0.00079 (J) |
| 11/6/2019 | 0.0001 (J) | <0.0013 | 6.6E-05 (J) | 8.4E-05 (J) | |
| 11/12/2019 | | | | | 0.00069 (J) |
| 4/16/2020 | 6.6E-05 (J) | <0.0013 | <0.0013 | <0.0013 | |
| 4/18/2020 | | | | | 0.00042 |
| 10/7/2020 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 10/12/2020 | | | | | 0.00034 (J) |
| 3/29/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 4/1/2021 | | | | | 0.00058 |
| 9/2/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 9/8/2021 | | | | | <0.0013 |
| 3/22/2022 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 3/25/2022 | | | | | <0.0013 |
| 9/7/2022 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/8/2022 | | | | <0.0013 | |
| 9/13/2022 | | | | | <0.0013 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0013 | <0.0013 |
| 3/2/2016 | <0.0013 | 0.011 | | |
| 5/2/2016 | | | | <0.0013 |
| 5/3/2016 | | 0.0087 | <0.0013 | |
| 5/4/2016 | <0.0013 | | | |
| 7/5/2016 | | 0.011 | <0.0013 | <0.0013 |
| 7/6/2016 | <0.0013 | | | |
| 9/6/2016 | | | <0.0013 | <0.0013 |
| 9/8/2016 | <0.0013 | 0.0092 | | |
| 11/7/2016 | | | <0.0013 | <0.0013 |
| 11/8/2016 | <0.0013 | | | |
| 11/9/2016 | | 0.01 | | |
| 1/9/2017 | | | <0.0013 | <0.0013 |
| 1/12/2017 | | 0.0086 | | |
| 1/13/2017 | <0.0013 | | | |
| 3/13/2017 | | | <0.0013 | <0.0013 |
| 3/16/2017 | <0.0013 | | | |
| 3/17/2017 | | 0.0082 | | |
| 5/15/2017 | | | <0.0013 | <0.0013 |
| 5/17/2017 | <0.0013 | 0.0081 | | |
| 3/12/2018 | | | <0.0013 | <0.0013 |
| 3/14/2018 | <0.0013 | 0.004 | | |
| 6/6/2018 | | | <0.0013 | <0.0013 |
| 6/8/2018 | | 0.0034 | | |
| 6/9/2018 | <0.0013 | | | |
| 10/17/2018 | | 0.0026 | <0.0013 | <0.0013 |
| 11/14/2018 | <0.0013 | | | |
| 2/27/2019 | | | <0.0013 | <0.0013 |
| 2/28/2019 | | 0.0019 | | |
| 3/5/2019 | 0.00037 (J) | | | |
| 5/31/2019 | | | <0.0013 | <0.0013 |
| 6/4/2019 | 0.00065 (J) | 0.0011 (J) | | |
| 11/6/2019 | | | <0.0013 | 0.0002 (J) |
| 11/12/2019 | 0.00061 (J) | 0.001 (J) | | |
| 4/16/2020 | | | <0.0013 | 0.00016 (J) |
| 4/18/2020 | | 0.00057 | | |
| 4/22/2020 | 0.0005 | | | |
| 10/7/2020 | | | <0.0013 | <0.0013 |
| 10/12/2020 | 0.0005 (J) | 0.00085 (J) | | |
| 3/29/2021 | | | <0.0013 | <0.0013 |
| 4/1/2021 | 0.00057 | 0.00076 | | |
| 9/2/2021 | | | <0.0013 | <0.0013 |
| 9/8/2021 | 0.00034 (J) | 0.0004 (J) | | |
| 3/22/2022 | | | <0.0013 | <0.0013 |
| 3/25/2022 | <0.0013 | <0.0013 | | |
| 9/8/2022 | | | <0.0013 | <0.0013 |
| 9/13/2022 | <0.0013 | <0.0013 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.005 | <0.005 | <0.005 | <0.005 | |
| 3/2/2016 | | | | | 0.01 (J) |
| 5/2/2016 | <0.005 | | <0.005 | <0.005 | |
| 5/3/2016 | | | | | <0.005 |
| 5/4/2016 | | <0.005 | | | |
| 7/5/2016 | <0.005 | | <0.005 | <0.005 | <0.005 |
| 7/8/2016 | | <0.005 | | | |
| 9/6/2016 | <0.005 | 0.0037 (J) | <0.005 | <0.005 | |
| 9/8/2016 | | | | | <0.005 |
| 11/7/2016 | <0.005 | | <0.005 | <0.005 | |
| 11/9/2016 | | | | | <0.005 |
| 11/10/2016 | | <0.005 | | | |
| 1/9/2017 | <0.005 | | <0.005 | <0.005 | |
| 1/11/2017 | | <0.005 | | | |
| 1/12/2017 | | | | | <0.005 |
| 3/13/2017 | <0.005 | | <0.005 | <0.005 | |
| 3/14/2017 | | <0.005 | | | |
| 3/17/2017 | | | | | <0.005 |
| 5/15/2017 | <0.005 | | <0.005 | <0.005 | |
| 5/16/2017 | | | | | <0.005 |
| 5/18/2017 | | <0.005 | | | |
| 3/12/2018 | 0.0011 (J) | | 0.0014 (J) | <0.005 | |
| 3/13/2018 | | | | | <0.005 |
| 3/14/2018 | | <0.005 | | | |
| 6/5/2018 | <0.005 | | 0.0012 (J) | <0.005 | |
| 6/8/2018 | | | | | <0.005 |
| 6/10/2018 | | <0.005 | | | |
| 10/16/2018 | <0.005 | | 0.0015 (J) | 0.0013 (J) | |
| 10/18/2018 | | 0.0013 (J) | | | |
| 11/13/2018 | | | | | 0.0024 (J) |
| 2/27/2019 | <0.005 | <0.005 | <0.005 | <0.005 | |
| 2/28/2019 | | | | | 0.0025 (J) |
| 5/31/2019 | 0.0021 (J) | 0.0013 (J) | 0.0017 (J) | 0.0017 (J) | |
| 6/4/2019 | | | | | 0.0012 (J) |
| 11/6/2019 | 0.0011 | 0.001 | 0.0011 | <0.005 | |
| 11/12/2019 | | | | | <0.005 |
| 4/16/2020 | 0.0006 (J) | <0.005 | 0.00063 (J) | <0.005 | |
| 4/18/2020 | | | | | <0.005 |
| 10/7/2020 | 0.0054 | 0.0052 | 0.0054 | 0.0048 (J) | |
| 10/12/2020 | | | | | <0.005 |
| 3/29/2021 | <0.005 | 0.0019 | <0.005 | <0.005 | |
| 4/1/2021 | | | | | <0.005 |
| 9/2/2021 | <0.005 | <0.005 | <0.005 | <0.005 | |
| 9/8/2021 | | | | | <0.005 |
| 3/22/2022 | 0.0013 | 0.0014 | <0.005 | <0.005 | |
| 3/25/2022 | | | | | <0.005 |
| 9/7/2022 | <0.005 | <0.005 | <0.005 | | |
| 9/8/2022 | | | | <0.005 | |
| 9/13/2022 | | | | | <0.005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.005 | 0.0037 |
| 3/2/2016 | <0.005 | <0.005 | | |
| 5/2/2016 | | | | <0.005 |
| 5/3/2016 | | <0.005 | <0.005 | |
| 5/4/2016 | 0.0069 | | | |
| 7/5/2016 | | <0.005 | <0.005 | <0.005 |
| 7/6/2016 | 0.0086 | | | |
| 9/6/2016 | | | <0.005 | <0.005 |
| 9/8/2016 | 0.035 | <0.005 | | |
| 11/7/2016 | | | <0.005 | 0.0097 (o) |
| 11/8/2016 | <0.005 | | | |
| 11/9/2016 | | <0.005 | | |
| 1/9/2017 | | | <0.005 | <0.005 |
| 1/12/2017 | | <0.005 | | |
| 1/13/2017 | 0.0078 | | | |
| 3/13/2017 | | | <0.005 | <0.005 |
| 3/16/2017 | 0.0062 | | | |
| 3/17/2017 | | <0.005 | | |
| 5/15/2017 | | | <0.005 | <0.005 |
| 5/17/2017 | 0.0042 (J) | <0.005 | | |
| 3/12/2018 | | | <0.005 | <0.005 |
| 3/14/2018 | 0.0053 | <0.005 | | |
| 6/6/2018 | | | <0.005 | 0.0021 (J) |
| 6/8/2018 | | 0.0012 (J) | | |
| 6/9/2018 | 0.0044 (J) | | | |
| 10/17/2018 | | 0.0014 (J) | <0.005 | 0.0012 (J) |
| 11/14/2018 | 0.005 | | | |
| 2/27/2019 | | | <0.005 | 0.002 (J) |
| 2/28/2019 | | <0.005 | | |
| 3/5/2019 | 0.0043 (J) | | | |
| 5/31/2019 | | | 0.0015 (J) | 0.0026 (J) |
| 6/4/2019 | 0.0044 (J) | <0.005 | | |
| 11/6/2019 | | | 0.00063 (J) | 0.0012 |
| 11/12/2019 | 0.0026 (J) | <0.005 | | |
| 4/16/2020 | | | <0.005 | 0.00091 (J) |
| 4/18/2020 | | <0.005 | | |
| 4/22/2020 | 0.0024 | | | |
| 10/7/2020 | | | 0.005 | 0.0049 (J) |
| 10/12/2020 | 0.0026 (J) | <0.005 | | |
| 3/29/2021 | | | <0.005 | 0.0042 |
| 4/1/2021 | 0.005 | 0.0029 | | |
| 9/2/2021 | | | <0.005 | <0.005 |
| 9/8/2021 | 0.0033 (J) | <0.005 | | |
| 3/22/2022 | | | 0.0012 | <0.005 |
| 3/25/2022 | <0.005 | <0.005 | | |
| 9/8/2022 | | | <0.005 | <0.005 |
| 9/13/2022 | <0.005 | <0.005 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0002 | <0.0002 | 9.1E-05 (J) | <0.0002 | |
| 3/2/2016 | | | | | 0.0027 |
| 5/2/2016 | <0.0002 | | 7.4E-05 (J) | <0.0002 | |
| 5/3/2016 | | | | | 0.003 |
| 5/4/2016 | | <0.0002 | | | |
| 7/5/2016 | <0.0002 | | <0.0002 | <0.0002 | 0.0023 |
| 7/8/2016 | | <0.0002 (*) | | | |
| 9/6/2016 | <0.0002 (*) | <0.0002 | <0.0002 (*) | <0.0002 | |
| 9/8/2016 | | | | | 0.0034 |
| 11/7/2016 | <0.0002 | | <0.0002 | <0.0002 | |
| 11/9/2016 | | | | | 0.0012 |
| 11/10/2016 | | <0.0002 | | | |
| 1/9/2017 | <0.0002 (*) | | <0.0002 (*) | <0.0002 (*) | |
| 1/11/2017 | | <0.0002 | | | |
| 1/12/2017 | | | | | 0.0012 |
| 3/13/2017 | <0.0002 | | <0.0002 | <0.0002 | |
| 3/14/2017 | | <0.0002 (*) | | | |
| 3/17/2017 | | | | | 0.0022 |
| 5/15/2017 | <0.0002 | | <0.0002 | <0.0002 | |
| 5/16/2017 | | | | | 0.0019 |
| 5/18/2017 | | <0.0002 | | | |
| 3/12/2018 | <0.0002 | | <0.0002 | <0.0002 | |
| 3/13/2018 | | | | | 0.0014 |
| 3/14/2018 | | 9.3E-05 (J) | | | |
| 6/5/2018 | <0.0002 | | <0.0002 | <0.0002 | |
| 6/8/2018 | | | | | 0.0018 |
| 6/10/2018 | | <0.0002 | | | |
| 10/16/2018 | <0.0002 | | <0.0002 | <0.0002 | |
| 10/18/2018 | | <0.0002 | | | |
| 11/13/2018 | | | | | 0.0021 |
| 2/27/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 2/28/2019 | | | | | 0.0016 |
| 5/31/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 6/4/2019 | | | | | 0.00061 |
| 11/6/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 11/12/2019 | | | | | 0.00056 |
| 4/16/2020 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 4/18/2020 | | | | | 0.00013 (J) |
| 10/7/2020 | <0.0002 | <0.0002 | 0.00025 | 0.00013 (J) | |
| 10/12/2020 | | | | | 0.00017 (J) |
| 3/29/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 4/1/2021 | | | | | 0.00025 |
| 9/2/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 9/8/2021 | | | | | <0.0002 |
| 3/22/2022 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| 3/25/2022 | | | | | <0.0002 |
| 9/7/2022 | <0.0002 | <0.0002 | <0.0002 | | |
| 9/8/2022 | | | | <0.0002 | |
| 9/13/2022 | | | | | 0.00038 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0002 | <0.0002 |
| 3/2/2016 | 0.0026 | 0.00024 | | |
| 5/2/2016 | | | | <0.0002 |
| 5/3/2016 | | 0.00036 | <0.0002 | |
| 5/4/2016 | 0.0022 | | | |
| 7/5/2016 | | 0.0007 | <0.0002 | <0.0002 |
| 7/6/2016 | 0.0026 | | | |
| 9/6/2016 | | | <0.0002 (*) | <0.0002 (*) |
| 9/8/2016 | 0.0027 | 0.00081 | | |
| 11/7/2016 | | | <0.0002 | <0.0002 |
| 11/8/2016 | 0.0016 | | | |
| 11/9/2016 | | 0.00099 | | |
| 1/9/2017 | | | <0.0002 (*) | <0.0002 (*) |
| 1/12/2017 | | 0.00064 | | |
| 1/13/2017 | 0.0026 | | | |
| 3/13/2017 | | | <0.0002 | <0.0002 |
| 3/16/2017 | 0.0015 | | | |
| 3/17/2017 | | 0.00033 | | |
| 5/15/2017 | | | <0.0002 | <0.0002 |
| 5/17/2017 | 0.00016 (J) | 0.00034 | | |
| 3/12/2018 | | | <0.0002 | <0.0002 |
| 3/14/2018 | 0.00051 | 0.0002 | | |
| 6/6/2018 | | | <0.0002 | <0.0002 |
| 6/8/2018 | | 0.00016 (J) | | |
| 6/9/2018 | 0.00032 | | | |
| 10/17/2018 | | 0.00014 (J) | <0.0002 | <0.0002 |
| 11/14/2018 | 8.2E-05 (J) | | | |
| 2/27/2019 | | | <0.0002 | <0.0002 |
| 2/28/2019 | | 0.00012 (J) | | |
| 3/5/2019 | 0.0026 | | | |
| 5/31/2019 | | | <0.0002 | <0.0002 |
| 6/4/2019 | 0.0012 | <0.0002 | | |
| 11/6/2019 | | | <0.0002 | <0.0002 |
| 11/12/2019 | 0.00048 | <0.0002 | | |
| 4/16/2020 | | | <0.0002 | <0.0002 |
| 4/18/2020 | | <0.0002 | | |
| 4/22/2020 | 0.0004 | | | |
| 10/7/2020 | | | 8E-05 (J) | <0.0002 |
| 10/12/2020 | 0.00026 | <0.0002 | | |
| 3/29/2021 | | | <0.0002 | <0.0002 |
| 4/1/2021 | 0.00029 | <0.0002 | | |
| 9/2/2021 | | | <0.0002 | <0.0002 |
| 9/8/2021 | <0.0002 | <0.0002 | | |
| 3/22/2022 | | | <0.0002 | <0.0002 |
| 3/25/2022 | <0.0002 | <0.0002 | | |
| 9/8/2022 | | | <0.0002 | <0.0002 |
| 9/13/2022 | 0.00027 | <0.0002 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 3/2/2016 | | | | | <0.015 |
| 5/2/2016 | <0.015 | | <0.015 | <0.015 | |
| 5/3/2016 | | | | | <0.015 |
| 5/4/2016 | | <0.015 | | | |
| 7/5/2016 | <0.015 | | <0.015 | <0.015 | <0.015 |
| 7/8/2016 | | <0.015 | | | |
| 9/6/2016 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 9/8/2016 | | | | | <0.015 |
| 11/7/2016 | <0.015 | | <0.015 | <0.015 | |
| 11/9/2016 | | | | | <0.015 |
| 11/10/2016 | | <0.015 | | | |
| 1/9/2017 | <0.015 | | <0.015 | <0.015 | |
| 1/11/2017 | | <0.015 | | | |
| 1/12/2017 | | | | | <0.015 |
| 3/13/2017 | 0.0042 (J) | | <0.015 | 0.0022 (J) | |
| 3/14/2017 | | <0.015 | | | |
| 3/17/2017 | | | | | 0.0078 (J) |
| 5/15/2017 | <0.015 | | <0.015 | <0.015 | |
| 5/16/2017 | | | | | <0.015 |
| 5/18/2017 | | <0.015 | | | |
| 3/12/2018 | <0.015 | | <0.015 | <0.015 | |
| 3/13/2018 | | | | | <0.015 |
| 3/14/2018 | | <0.015 | | | |
| 6/5/2018 | <0.015 | | 0.00088 (J) | <0.015 | |
| 6/8/2018 | | | | | <0.015 |
| 6/10/2018 | | <0.015 | | | |
| 10/16/2018 | <0.015 | | <0.015 | <0.015 | |
| 10/18/2018 | | <0.015 | | | |
| 11/13/2018 | | | | | <0.015 |
| 2/27/2019 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 2/28/2019 | | | | | <0.015 |
| 5/31/2019 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 11/6/2019 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 4/16/2020 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 4/18/2020 | | | | | <0.015 |
| 10/7/2020 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 10/12/2020 | | | | | <0.015 |
| 3/29/2021 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 4/1/2021 | | | | | <0.015 |
| 9/2/2021 | <0.015 | <0.015 | <0.015 | <0.015 | |
| 9/8/2021 | | | | | <0.015 |
| 3/22/2022 | 0.00066 (J) | 0.00064 (J) | <0.015 | <0.015 | |
| 3/25/2022 | | | | | <0.015 |
| 9/7/2022 | <0.015 | <0.015 | <0.015 | | |
| 9/8/2022 | | | | <0.015 | |
| 9/13/2022 | | | | | <0.015 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.015 | <0.015 |
| 3/2/2016 | <0.015 | <0.015 | | |
| 5/2/2016 | | | | <0.015 |
| 5/3/2016 | | <0.015 | <0.015 | |
| 5/4/2016 | <0.015 | | | |
| 7/5/2016 | | <0.015 | <0.015 | <0.015 |
| 7/6/2016 | <0.015 | | | |
| 9/6/2016 | | | <0.015 | <0.015 |
| 9/8/2016 | <0.015 | <0.015 | | |
| 11/7/2016 | | | <0.015 | <0.015 |
| 11/8/2016 | <0.015 | | | |
| 11/9/2016 | | <0.015 | | |
| 1/9/2017 | | | <0.015 | <0.015 |
| 1/12/2017 | | <0.015 | | |
| 1/13/2017 | <0.015 | | | |
| 3/13/2017 | | | <0.015 | <0.015 |
| 3/16/2017 | 0.0015 (J) | | | |
| 3/17/2017 | | <0.015 | | |
| 5/15/2017 | | | <0.015 | <0.015 |
| 5/17/2017 | <0.015 | <0.015 | | |
| 3/12/2018 | | | <0.015 | <0.015 |
| 3/14/2018 | <0.015 | 0.00092 (J) | | |
| 6/6/2018 | | | <0.015 | <0.015 |
| 6/8/2018 | | <0.015 | | |
| 6/9/2018 | <0.015 | | | |
| 10/17/2018 | | <0.015 | <0.015 | <0.015 |
| 11/14/2018 | <0.015 | | | |
| 2/27/2019 | | | <0.015 | <0.015 |
| 2/28/2019 | | <0.015 | | |
| 3/5/2019 | <0.015 | | | |
| 5/31/2019 | | | <0.015 | <0.015 |
| 11/6/2019 | | | <0.015 | <0.015 |
| 4/16/2020 | | | <0.015 | <0.015 |
| 4/18/2020 | | <0.015 | | |
| 4/22/2020 | <0.015 | | | |
| 10/7/2020 | | | <0.015 | <0.015 |
| 10/12/2020 | <0.015 | <0.015 | | |
| 3/29/2021 | | | <0.015 | <0.015 |
| 4/1/2021 | <0.015 | <0.015 | | |
| 9/2/2021 | | | <0.015 | <0.015 |
| 9/8/2021 | <0.015 | <0.015 | | |
| 3/22/2022 | | | 0.0011 (J) | 0.00031 (J) |
| 3/25/2022 | <0.015 | <0.015 | | |
| 9/8/2022 | | | <0.015 | <0.015 |
| 9/13/2022 | <0.015 | <0.015 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 3/2/2016 | | | | | 0.018 |
| 5/2/2016 | <0.0013 | | <0.0013 | 0.00025 (J) | |
| 5/3/2016 | | | | | 0.016 |
| 5/4/2016 | | <0.0013 | | | |
| 7/5/2016 | <0.0013 | | <0.0013 | <0.0013 | 0.018 |
| 7/8/2016 | | <0.0013 | | | |
| 9/6/2016 | 0.00049 (J) | <0.0013 | <0.0013 | 0.00027 (J) | |
| 9/8/2016 | | | | | 0.016 |
| 11/7/2016 | <0.0013 | | <0.0013 | <0.0013 | |
| 11/9/2016 | | | | | 0.013 |
| 11/10/2016 | | <0.0013 | | | |
| 1/9/2017 | <0.0013 | | <0.0013 | <0.0013 | |
| 1/11/2017 | | 0.00049 (J) | | | |
| 1/12/2017 | | | | | 0.004 |
| 3/13/2017 | 0.0023 | | <0.0013 | 0.0025 | |
| 3/14/2017 | | <0.0013 | | | |
| 3/17/2017 | | | | | 0.015 |
| 5/15/2017 | <0.0013 | | <0.0013 | <0.0013 | |
| 5/16/2017 | | | | | 0.01 |
| 5/18/2017 | | <0.0013 | | | |
| 3/12/2018 | 0.00046 (J) | | 0.00064 (J) | 0.00047 (J) | |
| 3/13/2018 | | | | | 0.0064 |
| 3/14/2018 | | 0.00067 (J) | | | |
| 6/5/2018 | 0.00049 (J) | | 0.00098 (J) | 0.00065 (J) | |
| 6/8/2018 | | | | | 0.0076 |
| 6/10/2018 | | 0.00028 (J) | | | |
| 10/16/2018 | <0.0013 | | <0.0013 | <0.0013 | |
| 10/18/2018 | | <0.0013 | | | |
| 11/13/2018 | | | | | 0.0062 |
| 2/27/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 2/28/2019 | | | | | 0.0044 |
| 5/31/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 6/4/2019 | | | | | 0.0044 |
| 11/6/2019 | <0.0013 | <0.0013 | <0.0013 | 0.00034 | |
| 11/12/2019 | | | | | 0.0042 |
| 4/16/2020 | <0.0013 | <0.0013 | <0.0013 | 0.0004 | |
| 4/18/2020 | | | | | 0.0028 |
| 10/7/2020 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 10/12/2020 | | | | | 0.0025 |
| 3/29/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 4/1/2021 | | | | | 0.0042 |
| 9/2/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | |
| 9/8/2021 | | | | | 0.0033 |
| 3/22/2022 | <0.0013 | <0.0013 | <0.0013 | 0.00051 | |
| 3/25/2022 | | | | | <0.0013 |
| 9/7/2022 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/8/2022 | | | | <0.0013 | |
| 9/13/2022 | | | | | <0.0013 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0013 | <0.0013 |
| 3/2/2016 | 0.013 | 0.026 | | |
| 5/2/2016 | | | | <0.0013 |
| 5/3/2016 | | 0.019 | <0.0013 | |
| 5/4/2016 | 0.014 | | | |
| 7/5/2016 | | 0.018 | <0.0013 | <0.0013 |
| 7/6/2016 | 0.015 | | | |
| 9/6/2016 | | | <0.0013 | <0.0013 |
| 9/8/2016 | 0.018 | 0.018 | | |
| 11/7/2016 | | | <0.0013 | <0.0013 |
| 11/8/2016 | 0.015 | | | |
| 11/9/2016 | | 0.02 | | |
| 1/9/2017 | | | <0.0013 | <0.0013 |
| 1/12/2017 | | 0.017 | | |
| 1/13/2017 | 0.014 | | | |
| 3/13/2017 | | | <0.0013 | <0.0013 |
| 3/16/2017 | 0.012 | | | |
| 3/17/2017 | | 0.016 | | |
| 5/15/2017 | | | <0.0013 | <0.0013 |
| 5/17/2017 | 0.0094 | 0.013 | | |
| 3/12/2018 | | | 0.00026 (J) | <0.0013 |
| 3/14/2018 | 0.0049 | 0.019 | | |
| 6/6/2018 | | | 0.00025 (J) | 0.00026 (J) |
| 6/8/2018 | | 0.018 | | |
| 6/9/2018 | 0.0047 | | | |
| 10/17/2018 | | 0.013 | <0.0013 | <0.0013 |
| 11/14/2018 | 0.0031 | | | |
| 2/27/2019 | | | <0.0013 | <0.0013 |
| 2/28/2019 | | 0.011 | | |
| 3/5/2019 | 0.0012 (J) | | | |
| 5/31/2019 | | | <0.0013 | <0.0013 |
| 6/4/2019 | 0.002 | 0.015 | | |
| 11/6/2019 | | | <0.0013 | <0.0013 |
| 11/12/2019 | 0.0026 | 0.012 | | |
| 4/16/2020 | | | <0.0013 | <0.0013 |
| 4/18/2020 | | 0.0085 | | |
| 4/22/2020 | 0.0037 | | | |
| 10/7/2020 | | | <0.0013 | <0.0013 |
| 10/12/2020 | 0.003 | 0.0071 | | |
| 3/29/2021 | | | <0.0013 | <0.0013 |
| 4/1/2021 | 0.0036 | 0.008 | | |
| 9/2/2021 | | | <0.0013 | <0.0013 |
| 9/8/2021 | 0.0046 | 0.0059 | | |
| 3/22/2022 | | | <0.0013 | <0.0013 |
| 3/25/2022 | 0.005 | 0.0069 | | |
| 9/8/2022 | | | <0.0013 | 0.0034 |
| 9/13/2022 | <0.0013 | <0.0013 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <5 | <5 | <5 | 1.6 (J) | |
| 3/2/2016 | | | | | 400 |
| 5/2/2016 | 15 (o) | | <5 | 2.1 (J) | |
| 5/3/2016 | | | | | 2.2 (J) |
| 5/4/2016 | | <5 | | | |
| 7/5/2016 | <5 | | <5 | 2 (J) | 450 (J) |
| 7/8/2016 | | <5 | | | |
| 9/6/2016 | <5 | <5 | <5 | 1.8 (J) | |
| 9/8/2016 | | | | | 450 |
| 11/7/2016 | <5 | | <5 | 1.7 (J) | |
| 11/9/2016 | | | | | 430 |
| 11/10/2016 | | <5 | | | |
| 1/9/2017 | <5 | | 2.6 (J) | 1.5 (J) | |
| 1/11/2017 | | <5 | | | |
| 1/12/2017 | | | | | 130 |
| 3/13/2017 | 2.5 (J) | | <5 | 2.2 (J) | |
| 3/14/2017 | | <5 | | | |
| 3/17/2017 | | | | | 290 |
| 5/15/2017 | <5 | | <5 | 1.9 (J) | |
| 5/16/2017 | | | | | 280 |
| 5/18/2017 | | <5 (X) | | | |
| 10/2/2017 | <5 | | <5 | 3.4 (J) | |
| 10/4/2017 | | | | | 250 |
| 10/5/2017 | | <5 | | | |
| 12/20/2017 | | | | | 230 (R) |
| 3/12/2018 | <5 | | <5 | 2.6 (J) | |
| 3/13/2018 | | | | | 160 |
| 3/14/2018 | | <5 | | | |
| 6/5/2018 | <5 | | <5 | 2.6 (J) | |
| 6/8/2018 | | | | | 160 |
| 6/10/2018 | | 1.5 (J) | | | |
| 10/16/2018 | <5 | | <5 | 2.8 (J) | |
| 10/18/2018 | | <5 | | | |
| 11/13/2018 | | | | | 130 |
| 2/27/2019 | <5 | 1.9 (J) | <5 | 2.4 (J) | |
| 2/28/2019 | | | | | 130 |
| 5/31/2019 | <5 | <5 | <5 | 3.3 (J) | |
| 6/4/2019 | | | | | 100 |
| 11/6/2019 | <5 | <5 | <5 | 3.7 (J) | |
| 11/12/2019 | | | | | 100 |
| 4/16/2020 | <5 | <5 | <5 | 1.7 (J) | |
| 4/18/2020 | | | | | 64 |
| 10/7/2020 | <5 | <5 | <5 | 4 (J) | |
| 10/12/2020 | | | | | 64 |
| 3/29/2021 | <5 | <5 | <5 | 2.3 | |
| 4/1/2021 | | | | | 84 |
| 9/2/2021 | <5 | <5 | <5 | 4.7 (J) | |
| 9/8/2021 | | | | | 60 |
| 3/22/2022 | <5 | <5 | <5 | 4.5 (J) | |
| 3/25/2022 | | | | | 71 |
| 9/7/2022 | 1.7 (J) | 1.5 (J) | 1.4 (J) | | |
| 9/8/2022 | | | | 5.5 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 9/13/2022 | | | | | 130 |

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <5 | <5 |
| 3/2/2016 | 450 | 460 | | |
| 5/2/2016 | | | | <5 |
| 5/3/2016 | | 740 | <5 | |
| 5/4/2016 | 500 | | | |
| 7/5/2016 | | 750 | <5 | <5 |
| 7/6/2016 | 370 | | | |
| 9/6/2016 | | | <5 | 3.7 (J) |
| 9/8/2016 | 450 | 710 | | |
| 11/7/2016 | | | <5 | <5 |
| 11/8/2016 | 450 | | | |
| 11/9/2016 | | 810 | | |
| 1/9/2017 | | | <5 | <5 |
| 1/12/2017 | | 600 | | |
| 1/13/2017 | 390 | | | |
| 3/13/2017 | | | <5 | <5 |
| 3/16/2017 | 290 | | | |
| 3/17/2017 | | 640 | | |
| 5/15/2017 | | | <5 | <5 |
| 5/17/2017 | 270 | 590 | | |
| 10/2/2017 | | | 1.5 (J) | 1.7 (J) |
| 10/3/2017 | | 480 | | |
| 10/4/2017 | 240 | | | |
| 12/20/2017 | 210 (R) | 470 | | |
| 3/12/2018 | | | <5 | <5 |
| 3/14/2018 | 190 | 470 | | |
| 6/6/2018 | | | <5 | <5 |
| 6/8/2018 | | 440 | | |
| 6/9/2018 | 170 | | | |
| 10/17/2018 | | 270 | <5 | <5 |
| 11/14/2018 | 110 | | | |
| 2/27/2019 | | | <5 | <5 |
| 2/28/2019 | | 240 | | |
| 3/5/2019 | 86 | | | |
| 5/31/2019 | | | <5 | <5 |
| 6/4/2019 | 100 | 280 | | |
| 11/6/2019 | | | <5 | <5 |
| 11/12/2019 | 93 | 260 | | |
| 4/16/2020 | | | <5 | <5 |
| 4/18/2020 | | 250 | | |
| 4/22/2020 | 130 | | | |
| 10/7/2020 | | | <5 | <5 |
| 10/12/2020 | 110 | 230 | | |
| 3/29/2021 | | | <5 | <5 |
| 4/1/2021 | 110 | 200 | | |
| 9/2/2021 | | | <5 | <5 |
| 9/8/2021 | 110 | 140 | | |
| 3/22/2022 | | | <5 | <5 |
| 3/25/2022 | 120 | 160 | | |
| 9/8/2022 | | | <5 | <5 |
| 9/13/2022 | 95 | 160 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 3/2/2016 | | | | | 0.00058 (J) |
| 5/2/2016 | <0.0005 | | <0.0005 | <0.0005 | |
| 5/3/2016 | | | | | 0.00041 (J) |
| 5/4/2016 | | <0.0005 | | | |
| 7/5/2016 | <0.0005 | | <0.0005 | <0.0005 | 0.0004 (J) |
| 7/8/2016 | | <0.0005 | | | |
| 9/6/2016 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 9/8/2016 | | | | | 0.00045 (J) |
| 11/7/2016 | <0.0005 | | <0.0005 | <0.0005 | |
| 11/9/2016 | | | | | <0.0005 |
| 11/10/2016 | | <0.0005 | | | |
| 1/9/2017 | <0.0005 | | <0.0005 | <0.0005 | |
| 1/11/2017 | | <0.0005 | | | |
| 1/12/2017 | | | | | 0.00012 (J) |
| 3/13/2017 | <0.0005 | | <0.0005 | <0.0005 | |
| 3/14/2017 | | <0.0005 | | | |
| 3/17/2017 | | | | | 0.00027 (J) |
| 5/15/2017 | <0.0005 | | <0.0005 | <0.0005 | |
| 5/16/2017 | | | | | 0.00025 (J) |
| 5/18/2017 | | <0.0005 | | | |
| 3/12/2018 | <0.0005 | | <0.0005 | <0.0005 | |
| 3/13/2018 | | | | | 0.00018 (J) |
| 3/14/2018 | | <0.0005 | | | |
| 6/5/2018 | <0.0005 | | <0.0005 | <0.0005 | |
| 6/8/2018 | | | | | 0.00018 (J) |
| 6/10/2018 | | <0.0005 | | | |
| 10/16/2018 | <0.0005 | | <0.0005 | <0.0005 | |
| 10/18/2018 | | <0.0005 | | | |
| 11/13/2018 | | | | | <0.0005 |
| 2/27/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 2/28/2019 | | | | | 0.0001 (J) |
| 5/31/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 6/4/2019 | | | | | <0.0005 |
| 11/6/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 11/12/2019 | | | | | <0.0005 |
| 4/16/2020 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 4/18/2020 | | | | | 5.8E-05 (J) |
| 10/7/2020 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 10/12/2020 | | | | | 0.00014 (J) |
| 3/29/2021 | <0.0005 | <0.0005 | <0.0005 | <0.0005 (D) | |
| 4/1/2021 | | | | | <0.0005 |
| 9/2/2021 | 0.00015 (J) | <0.0005 | <0.0005 | <0.0005 | |
| 9/8/2021 | | | | | <0.0005 |
| 3/22/2022 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | |
| 3/25/2022 | | | | | <0.0005 |
| 9/7/2022 | <0.0005 | <0.0005 | <0.0005 | | |
| 9/8/2022 | | | | <0.0005 | |
| 9/13/2022 | | | | | <0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | <0.0005 | <0.0005 |
| 3/2/2016 | 0.0003 (J) | 0.00095 (J) | | |
| 5/2/2016 | | | | <0.0005 |
| 5/3/2016 | | 0.00089 | <0.0005 | |
| 5/4/2016 | 0.0005 | | | |
| 7/5/2016 | | 0.001 | <0.0005 | <0.0005 |
| 7/6/2016 | 0.00047 (J) | | | |
| 9/6/2016 | | | <0.0005 | <0.0005 |
| 9/8/2016 | 0.00053 (J) | 0.00088 (J) | | |
| 11/7/2016 | | | <0.0005 | <0.0005 |
| 11/8/2016 | 0.00055 (J) | | | |
| 11/9/2016 | | 0.00083 (J) | | |
| 1/9/2017 | | | <0.0005 | <0.0005 |
| 1/12/2017 | | 0.00076 | | |
| 1/13/2017 | 0.00057 | | | |
| 3/13/2017 | | | <0.0005 | <0.0005 |
| 3/16/2017 | 0.0004 (J) | | | |
| 3/17/2017 | | 0.00088 | | |
| 5/15/2017 | | | <0.0005 | <0.0005 |
| 5/17/2017 | 0.00029 (J) | 0.00071 | | |
| 3/12/2018 | | | <0.0005 | <0.0005 |
| 3/14/2018 | 0.00027 (J) | 0.00055 | | |
| 6/6/2018 | | | <0.0005 | <0.0005 |
| 6/8/2018 | | 0.00048 (J) | | |
| 6/9/2018 | 0.00023 (J) | | | |
| 10/17/2018 | | 0.0003 (J) | <0.0005 | <0.0005 |
| 11/14/2018 | 0.00015 (J) | | | |
| 2/27/2019 | | | <0.0005 | <0.0005 |
| 2/28/2019 | | 0.00024 (J) | | |
| 3/5/2019 | 0.00016 (J) | | | |
| 5/31/2019 | | | <0.0005 | <0.0005 |
| 6/4/2019 | 0.00011 (J) | 0.00017 (J) | | |
| 11/6/2019 | | | <0.0005 | <0.0005 |
| 11/12/2019 | 0.00012 (J) | 0.00019 (J) | | |
| 4/16/2020 | | | <0.0005 | <0.0005 |
| 4/18/2020 | | 0.00023 | | |
| 4/22/2020 | 0.00015 | | | |
| 10/7/2020 | | | <0.0005 | <0.0005 |
| 10/12/2020 | 0.00025 (J) | 0.00033 (J) | | |
| 3/29/2021 | | | <0.0005 | <0.0005 |
| 4/1/2021 | 0.00012 | 0.0002 | | |
| 9/2/2021 | | | <0.0005 | <0.0005 |
| 9/8/2021 | <0.0005 | <0.0005 | | |
| 3/22/2022 | | | <0.0005 | <0.0005 |
| 3/25/2022 | <0.0005 | <0.0005 | | |
| 9/8/2022 | | | <0.0005 | <0.0005 |
| 9/13/2022 | <0.0005 | <0.0005 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 2/29/2016 | 20 | 20 | <5 | 12 | |
| 3/2/2016 | | | | | 7200 |
| 5/2/2016 | <5 | | <5 | 6 | |
| 5/3/2016 | | | | | 6400 |
| 5/4/2016 | | 6 | | | |
| 7/5/2016 | 12 | | 14 | <5 | 7000 |
| 7/8/2016 | | 6 | | | |
| 9/6/2016 | 36 | 36 | 30 | 38 | |
| 9/8/2016 | | | | | 6000 |
| 11/7/2016 | 18 | | 8 | <5 | |
| 11/9/2016 | | | | | 3500 |
| 11/10/2016 | | 16 | | | |
| 1/9/2017 | 4 (J) | | <5 | 14 | |
| 1/11/2017 | | 38 | | | |
| 1/12/2017 | | | | | 1500 |
| 3/13/2017 | 6 | | <5 | 8 | |
| 3/14/2017 | | <5 | | | |
| 3/17/2017 | | | | | 2900 |
| 5/15/2017 | <5 | | <5 | <5 | |
| 5/16/2017 | | | | | 3100 |
| 5/18/2017 | | 10 | | | |
| 10/2/2017 | <5 | | <5 | 6 | |
| 10/4/2017 | | | | | 3400 |
| 10/5/2017 | | <5 | | | |
| 12/20/2017 | | | | | 1900 (R) |
| 3/12/2018 | 18 | | 14 | <5 | |
| 3/13/2018 | | | | | 1600 |
| 3/14/2018 | | 8 | | | |
| 6/5/2018 | 10 | | <5 | 14 | |
| 6/8/2018 | | | | | 2000 |
| 6/10/2018 | | 8 | | | |
| 10/16/2018 | 32 | | 12 | 6 | |
| 10/18/2018 | | 28 | | | |
| 11/13/2018 | | | | | 1400 |
| 2/27/2019 | 110 | 68 | 54 | 110 | |
| 2/28/2019 | | | | | 1400 |
| 5/31/2019 | 46 | <5 | 8 | 26 | |
| 6/4/2019 | | | | | 1200 |
| 11/6/2019 | <5 | 10 | 4 (J) | <5 | |
| 11/12/2019 | | | | | 1000 |
| 4/16/2020 | 28 | 44 | 18 | 8 | |
| 4/18/2020 | | | | | 240 |
| 10/7/2020 | 30 | 24 | 20 | 26 | |
| 10/12/2020 | | | | | 600 |
| 3/29/2021 | 38 | 26 | 12 | 28 | |
| 4/1/2021 | | | | | 640 |
| 9/2/2021 | 40 | 8 | 10 | 8 | |
| 9/8/2021 | | | | | 480 |
| 3/22/2022 | 58 | 14 | 18 | 46 | |
| 3/25/2022 | | | | | 380 |
| 9/7/2022 | 36 | 14 | 22 | | |
| 9/8/2022 | | | | 44 | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-200 |
|---|---|---|---|---|---|
| 9/13/2022 | | | | | 600 |

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:17 AM View: 200 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


| | MW-201 | MW-206 | MW-306 (bg) | MW-307 (bg) |
|---|---|---|---|---|
| 3/1/2016 | | | 10 | <5 |
| 3/2/2016 | 7200 | 32000 (o) | | |
| 5/2/2016 | | | | 36 |
| 5/3/2016 | | 13000 | <5 | |
| 5/4/2016 | 4500 | | | |
| 7/5/2016 | | 8700 | <5 | <5 |
| 7/6/2016 | 4900 | | | |
| 9/6/2016 | | | 36 | 44 |
| 9/8/2016 | 4400 | 11000 (Q) | | |
| 11/7/2016 | | | <5 | 30 |
| 11/8/2016 | 6200 | | | |
| 11/9/2016 | | 13000 | | |
| 1/9/2017 | | | <5 | 12 |
| 1/12/2017 | | 12000 | | |
| 1/13/2017 | 4400 | | | |
| 3/13/2017 | | | 22 | 20 |
| 3/16/2017 | 2800 | | | |
| 3/17/2017 | | 10000 | | |
| 5/15/2017 | | | 6 | 4 (J) |
| 5/17/2017 | 1100 | 8300 | | |
| 10/2/2017 | | | 16 | 24 |
| 10/3/2017 | | 7100 | | |
| 10/4/2017 | 700 | | | |
| 12/20/2017 | 590 (R) | 7000 | | |
| 3/12/2018 | | | <5 | <5 |
| 3/14/2018 | 490 | 6300 | | |
| 6/6/2018 | | | 20 | 16 |
| 6/8/2018 | | 5200 | | |
| 6/9/2018 | 430 | | | |
| 10/17/2018 | | 3800 | 44 | 44 |
| 11/14/2018 | 230 | | | |
| 2/27/2019 | | | 20 | 28 |
| 2/28/2019 | | 1700 | | |
| 3/5/2019 | 300 | | | |
| 5/31/2019 | | | 32 | 18 |
| 6/4/2019 | 400 | 2300 | | |
| 11/6/2019 | | | 24 | 20 |
| 11/12/2019 | 670 | 1900 | | |
| 4/16/2020 | | | 6 | 8 |
| 4/18/2020 | | 1700 | | |
| 4/22/2020 | 600 | | | |
| 10/7/2020 | | | 16 | 12 |
| 10/12/2020 | 460 | 2200 | | |
| 3/29/2021 | | | 42 | 40 |
| 4/1/2021 | 650 | 2300 | | |
| 9/2/2021 | | | 10 | <5 |
| 9/8/2021 | 550 | 1700 | | |
| 3/22/2022 | | | 84 | 22 |
| 3/25/2022 | 610 | 630 | | |
| 9/8/2022 | | | 24 | 48 |
| 9/13/2022 | 530 | 920 | | |

ND substitution: RL or RL/2 if <15% NDs.

# 300 Series

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Antimony Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Arsenic Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Barium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Barium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Beryllium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Beryllium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Boron Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Boron Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cadmium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Cadmium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Calcium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Calcium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Chloride Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Chloride Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Chromium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Chromium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cobalt Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Cobalt Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Field pH Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Time Series




Constituent: Field pH Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Fluoride Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Fluoride Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Lead Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Lead Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Lithium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Mercury Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Molybdenum Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Molybdenum Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Selenium Analysis Run 1/13/2023 1:45 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Selenium Analysis Run 1/13/2023 1:46 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/13/2023 1:46 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Sulfate Analysis Run 1/13/2023 1:46 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/13/2023 1:46 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


Time Series




Constituent: Thallium Analysis Run 1/13/2023 1:46 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.


## Time Series




Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:46 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG
Hollow symbols indicate censored values.

## Time Series




Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:46 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 5/4/2016 | | <0.0025 | | | <0.0025 | <0.0025 |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 7/6/2016 | | | | | | <0.0025 |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | | <0.0025 |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | <0.0025 |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 10/18/2018 | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 4/18/2020 | | | | | <0.0025 | <0.0025 |
| 10/7/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | <0.0025 | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/24/2022 | | | | | <0.0025 | <0.0025 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | | |
| 9/8/2022 | | | | <0.0025 | | |
| 9/12/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Antimony (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 | |
| 3/3/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 5/2/2016 | | | | <0.0025 | |
| 5/3/2016 | | | <0.0025 | | |
| 5/4/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 7/5/2016 | | | <0.0025 | <0.0025 | |
| 7/6/2016 | <0.0025 | | | | <0.0025 |
| 7/7/2016 | | <0.0025 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 | |
| 9/7/2016 | <0.0025 | <0.0025 | | | <0.0025 |
| 11/7/2016 | | <0.0025 | <0.0025 | <0.0025 | |
| 11/8/2016 | <0.0025 | | | | <0.0025 |
| 1/9/2017 | | | <0.0025 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/13/2017 | | | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0025 | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | <0.0025 | <0.0025 | |
| 5/16/2017 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/12/2018 | | | <0.0025 | <0.0025 | |
| 3/13/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 6/6/2018 | | | <0.0025 | <0.0025 | |
| 6/7/2018 | <0.0025 | <0.0025 | | | <0.0025 |
| 10/17/2018 | | | <0.0025 | <0.0025 | |
| 2/27/2019 | | | <0.0025 | <0.0025 | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0025 | | | |
| 4/16/2020 | | | <0.0025 | <0.0025 | |
| 4/18/2020 | <0.0025 | <0.0025 | | | <0.0025 |
| 10/7/2020 | | | <0.0025 | <0.0025 | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | <0.0025 | <0.0025 | | | |
| 3/29/2021 | | | <0.0025 | <0.0025 | |
| 4/1/2021 | <0.0025 | <0.0025 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | <0.0025 | |
| 9/7/2021 | <0.0025 | <0.0025 | | | <0.0025 |
| 3/22/2022 | | | <0.0025 | <0.0025 | |
| 3/24/2022 | <0.0025 | <0.0025 | | | <0.0025 |
| 9/8/2022 | | | <0.0025 | <0.0025 | |
| 9/12/2022 | <0.0025 | | | | <0.0025 |
| 9/16/2022 | | <0.0025 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/3/2016 | | | | | <0.0013 | 0.0018 (J) |
| 5/2/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 5/4/2016 | | <0.0013 | | | <0.0013 | 0.0024 |
| 7/5/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 7/6/2016 | | | | | | 0.0005 (J) |
| 7/7/2016 | | | | | <0.0013 | |
| 7/8/2016 | | <0.0013 | | | | |
| 9/6/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/7/2016 | | | | | <0.0013 | |
| 9/8/2016 | | | | | | <0.0013 |
| 11/7/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 11/8/2016 | | | | | <0.0013 | <0.0013 |
| 11/10/2016 | | <0.0013 | | | | |
| 1/9/2017 | <0.0013 | | <0.0013 | <0.0013 | | |
| 1/10/2017 | | | | | <0.0013 | <0.0013 |
| 1/11/2017 | | <0.0013 | | | | |
| 3/13/2017 | 0.00069 (J) | | <0.0013 | 0.00069 (J) | | |
| 3/14/2017 | | <0.0013 | | | | |
| 3/15/2017 | | | | | <0.0013 | |
| 3/16/2017 | | | | | | 0.0015 |
| 5/15/2017 | <0.0013 | | <0.0013 | <0.0013 | | 0.0012 (J) |
| 5/16/2017 | | | | | <0.0013 | |
| 5/18/2017 | | <0.0013 | | | | |
| 3/12/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 3/13/2018 | | | | | <0.0013 | 0.00082 (J) |
| 3/14/2018 | | <0.0013 | | | | |
| 6/5/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 6/6/2018 | | | | | <0.0013 | |
| 6/7/2018 | | | | | | 0.0007 (J) |
| 6/10/2018 | | 0.00046 (J) | | | | |
| 10/16/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 10/17/2018 | | | | | | <0.0013 |
| 10/18/2018 | | <0.0013 | | | <0.0013 | |
| 2/27/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 2/28/2019 | | | | | <0.0013 | <0.0013 |
| 5/31/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 11/6/2019 | 0.0002 (J) | 0.00019 (J) | 0.0002 (J) | 0.00012 (J) | | |
| 4/16/2020 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 4/18/2020 | | | | | <0.0013 | <0.0013 |
| 10/7/2020 | <0.0013 | 0.00056 (J) | <0.0013 | <0.0013 | | |
| 10/8/2020 | | | | | | 0.00069 (J) |
| 10/9/2020 | | | | | <0.0013 | |
| 3/29/2021 | <0.0013 | 0.00078 | <0.0013 | 0.00054 | | |
| 3/31/2021 | | | | | <0.0013 | |
| 4/1/2021 | | | | | | <0.0013 |
| 9/2/2021 | 0.00059 (J) | <0.0013 | <0.0013 | <0.0013 | | |
| 9/7/2021 | | | | | <0.0013 | <0.0013 |
| 3/22/2022 | <0.0013 | <0.0013 | <0.0013 | 0.00027 | | |
| 3/24/2022 | | | | | <0.0013 | <0.0013 |
| 9/7/2022 | <0.0013 | <0.0013 | <0.0013 | | | |
| 9/8/2022 | | | | <0.0013 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/12/2022 | | | | | <0.0013 | <0.0013 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Arsenic (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0013 | 0.00038 (J) | |
| 3/3/2016 | 0.009 (o) | <0.00025 | | | <0.0013 |
| 5/2/2016 | | | | 0.00073 (J) | |
| 5/3/2016 | | | <0.0013 | | |
| 5/4/2016 | 0.019 (o) | <0.00025 | | | <0.0013 |
| 7/5/2016 | | | <0.0013 | 0.00077 (J) | |
| 7/6/2016 | 0.014 (o) | | | | <0.0013 |
| 7/7/2016 | | <0.00025 | | | |
| 9/6/2016 | | | <0.0013 | 0.0013 | |
| 9/7/2016 | 0.005 | <0.00025 | | | <0.0013 |
| 11/7/2016 | | <0.00025 | <0.0013 | <0.0013 | |
| 11/8/2016 | 0.0035 | | | | <0.0013 |
| 1/9/2017 | | | <0.0013 | 0.00053 (J) | |
| 1/10/2017 | 0.0051 | <0.00025 | | | <0.0013 |
| 3/13/2017 | | | <0.0013 | <0.0013 | |
| 3/15/2017 | 0.00066 (J) | <0.00025 | | | |
| 3/16/2017 | | | | | <0.0013 |
| 5/15/2017 | | | <0.0013 | <0.0013 | |
| 5/16/2017 | 0.00094 (J) | <0.00025 | | | <0.0013 |
| 3/12/2018 | | | <0.0013 | <0.0013 | |
| 3/13/2018 | 0.00086 (J) | <0.00025 | | | <0.0013 |
| 6/6/2018 | | | <0.0013 | <0.0013 | |
| 6/7/2018 | 0.00056 (J) | <0.00025 | | | <0.0013 |
| 10/17/2018 | 0.0005 (J) | <0.00025 | <0.0013 | <0.0013 | <0.0013 |
| 2/27/2019 | | | <0.0013 | <0.0013 | <0.0013 |
| 2/28/2019 | <0.0013 | <0.00025 | | | |
| 5/31/2019 | | | <0.0013 | <0.0013 | |
| 11/6/2019 | | | 0.00014 (J) | 0.00024 (J) | |
| 4/16/2020 | | | <0.0013 | <0.0013 | |
| 4/18/2020 | 0.00053 | 0.00042 | | | 0.00046 |
| 10/7/2020 | | | 0.00064 (J) | <0.0013 | |
| 10/8/2020 | | | | | 0.0011 (J) |
| 10/9/2020 | <0.0013 | 0.00057 (J) | | | |
| 3/29/2021 | | | <0.0013 | 0.00042 | |
| 4/1/2021 | 0.00062 | 0.00048 | | | <0.0013 |
| 9/2/2021 | | | <0.0013 | <0.0013 | |
| 9/7/2021 | <0.0013 | <0.00025 | | | <0.0013 |
| 3/22/2022 | | | <0.0013 | <0.0013 | |
| 3/24/2022 | 0.0019 | <0.00025 | | | 0.0023 |
| 9/8/2022 | | | <0.0013 | <0.0013 | |
| 9/12/2022 | <0.0013 | | | | <0.0013 |
| 9/16/2022 | | 0.092 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.014 | 0.0097 (J) | 0.013 | 0.013 | | |
| 3/3/2016 | | | | | 0.01 (J) | 0.024 |
| 5/2/2016 | 0.013 | | 0.013 | 0.01 | | |
| 5/4/2016 | | 0.0095 | | | 0.012 | 0.025 |
| 7/5/2016 | 0.013 | | 0.013 | 0.0089 | | |
| 7/6/2016 | | | | | | 0.025 |
| 7/7/2016 | | | | | 0.012 | |
| 7/8/2016 | | 0.0093 | | | | |
| 9/6/2016 | 0.016 | 0.011 | 0.013 | 0.01 | | |
| 9/7/2016 | | | | | 0.011 | |
| 9/8/2016 | | | | | | 0.03 |
| 11/7/2016 | 0.014 | | 0.013 | 0.0096 | | |
| 11/8/2016 | | | | | 0.011 | 0.032 |
| 11/10/2016 | | 0.0092 | | | | |
| 1/9/2017 | 0.015 | | 0.012 | 0.011 | | |
| 1/10/2017 | | | | | 0.011 | 0.027 |
| 1/11/2017 | | 0.0092 | | | | |
| 3/13/2017 | 0.015 | | 0.013 | 0.011 | | |
| 3/14/2017 | | 0.0095 | | | | |
| 3/15/2017 | | | | | 0.013 | |
| 3/16/2017 | | | | | | 0.04 |
| 5/15/2017 | 0.015 | | 0.011 | 0.0089 | | 0.028 |
| 5/16/2017 | | | | | 0.011 | |
| 5/18/2017 | | 0.0095 | | | | |
| 3/12/2018 | 0.017 | | 0.013 | 0.01 | | |
| 3/13/2018 | | | | | 0.011 | 0.034 |
| 3/14/2018 | | 0.0089 | | | | |
| 6/5/2018 | 0.018 | | 0.014 | 0.011 | | |
| 6/6/2018 | | | | | 0.012 | |
| 6/7/2018 | | | | | | 0.053 |
| 6/10/2018 | | 0.0092 | | | | |
| 10/16/2018 | 0.017 | | 0.011 | 0.011 | | |
| 10/17/2018 | | | | | | 0.048 |
| 10/18/2018 | | 0.0089 | | | 0.01 | |
| 2/27/2019 | 0.021 | 0.011 | 0.014 | 0.011 | | |
| 2/28/2019 | | | | | 0.012 | 0.032 |
| 5/31/2019 | 0.02 | 0.0088 | 0.013 | 0.01 | 0.011 | 0.029 |
| 11/6/2019 | 0.019 | 0.0094 | 0.012 | 0.0097 | | |
| 11/11/2019 | | | | | 0.012 | 0.046 |
| 4/16/2020 | 0.02 | 0.0099 | 0.012 | 0.012 | | |
| 4/18/2020 | | | | | 0.011 | 0.069 |
| 10/7/2020 | 0.02 | 0.0088 | 0.012 | 0.011 | | |
| 10/8/2020 | | | | | | 0.076 |
| 10/9/2020 | | | | | 0.011 | |
| 3/29/2021 | 0.019 | 0.0097 | 0.011 | 0.011 | | |
| 3/31/2021 | | | | | 0.012 | |
| 4/1/2021 | | | | | | 0.068 |
| 9/2/2021 | 0.02 | 0.0089 | 0.012 | 0.011 | | |
| 9/7/2021 | | | | | 0.011 | 0.034 |
| 3/22/2022 | 0.019 | 0.0092 | 0.01 | 0.012 | | |
| 3/24/2022 | | | | | 0.012 | 0.047 |
| 9/7/2022 | 0.019 | 0.0089 | 0.012 | | | |

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/8/2022 | | | | 0.012 | | |
| 9/12/2022 | | | | | 0.011 | 0.044 |

# Time Series

Constituent: Barium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 0.012 | 0.015 | |
| 3/3/2016 | 0.045 | 0.02 | | | 0.023 |
| 5/2/2016 | | | | 0.013 | |
| 5/3/2016 | | | 0.012 | | |
| 5/4/2016 | 0.035 | 0.017 | | | 0.029 |
| 7/5/2016 | | | 0.011 | 0.017 | |
| 7/6/2016 | 0.036 | | | | 0.029 |
| 7/7/2016 | | 0.018 | | | |
| 9/6/2016 | | | 0.012 | 0.017 | |
| 9/7/2016 | 0.026 | 0.017 | | | 0.029 |
| 11/7/2016 | | 0.017 | 0.012 | 0.023 | |
| 11/8/2016 | 0.042 | | | | 0.025 |
| 1/9/2017 | | | 0.013 | 0.016 | |
| 1/10/2017 | 0.041 | 0.016 | | | 0.022 |
| 3/13/2017 | | | 0.013 | 0.016 | |
| 3/15/2017 | 0.018 | 0.018 | | | |
| 3/16/2017 | | | | | 0.023 |
| 5/15/2017 | | | 0.012 | 0.015 | |
| 5/16/2017 | 0.026 | 0.016 | | | 0.02 |
| 3/12/2018 | | | 0.013 | 0.015 | |
| 3/13/2018 | 0.057 | 0.016 | | | 0.031 |
| 6/6/2018 | | | 0.014 | 0.017 | |
| 6/7/2018 | 0.04 | 0.016 | | | 0.026 |
| 10/17/2018 | 0.021 | 0.016 | 0.012 | 0.016 | 0.017 |
| 2/27/2019 | | | 0.015 | 0.018 | 0.024 |
| 2/28/2019 | 0.039 | 0.02 | | | |
| 5/31/2019 | 0.044 | 0.036 | 0.014 | 0.016 | 0.031 |
| 11/6/2019 | | | 0.013 | 0.017 | |
| 11/11/2019 | 0.027 | 0.026 | | | 0.02 |
| 4/16/2020 | | | 0.014 | 0.017 | |
| 4/18/2020 | 0.043 | 0.02 | | | 0.016 |
| 10/7/2020 | | | 0.013 | 0.016 | |
| 10/8/2020 | | | | | 0.022 |
| 10/9/2020 | 0.015 | 0.016 | | | |
| 3/29/2021 | | | 0.013 | 0.017 | |
| 4/1/2021 | 0.055 | 0.017 | | | 0.031 |
| 9/2/2021 | | | 0.012 | 0.017 | |
| 9/7/2021 | 0.041 | 0.015 | | | 0.029 |
| 3/22/2022 | | | 0.013 | 0.018 | |
| 3/24/2022 | 0.036 | 0.03 | | | 0.024 |
| 9/8/2022 | | | 0.012 | 0.017 | |
| 9/12/2022 | 0.022 | | | | 0.019 |
| 9/16/2022 | | 0.041 | | | |

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 5/4/2016 | | <0.0025 | | | <0.0025 | <0.0025 |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 7/6/2016 | | | | | | <0.0025 |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | | <0.0025 |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | <0.0025 |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 10/18/2018 | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | <0.0025 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 11/6/2019 | 9E-05 (J) | 4.7E-05 (J) | 6.6E-05 (J) | <0.0025 | | |
| 4/16/2020 | 5.4E-05 (J) | 4.3E-05 (J) | 6.1E-05 (J) | <0.0025 | | |
| 4/18/2020 | | | | | <0.0025 | 7.4E-05 (J) |
| 10/7/2020 | 0.0014 (J) | 0.0014 (J) | 0.0015 (J) | 0.0015 (J) | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | <0.0025 | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/24/2022 | | | | | <0.0025 | <0.0025 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | | |
| 9/8/2022 | | | | <0.0025 | | |
| 9/12/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Beryllium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 | |
| 3/3/2016 | <0.0025 | <0.0005 | | | <0.0025 |
| 5/2/2016 | | | | <0.0025 | |
| 5/3/2016 | | | <0.0025 | | |
| 5/4/2016 | <0.0025 | <0.0005 | | | <0.0025 |
| 7/5/2016 | | | <0.0025 | <0.0025 | |
| 7/6/2016 | <0.0025 | | | | <0.0025 |
| 7/7/2016 | | <0.0005 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 | |
| 9/7/2016 | <0.0025 | <0.0005 | | | <0.0025 |
| 11/7/2016 | | <0.0005 | <0.0025 | <0.0025 | |
| 11/8/2016 | <0.0025 | | | | <0.0025 |
| 1/9/2017 | | | <0.0025 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.0005 | | | <0.0025 |
| 3/13/2017 | | | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0005 | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | <0.0025 | <0.0025 | |
| 5/16/2017 | <0.0025 | <0.0005 | | | <0.0025 |
| 3/12/2018 | | | <0.0025 | <0.0025 | |
| 3/13/2018 | <0.0025 | <0.0005 | | | <0.0025 |
| 6/6/2018 | | | <0.0025 | <0.0025 | |
| 6/7/2018 | <0.0025 | <0.0005 | | | <0.0025 |
| 10/17/2018 | | | <0.0025 | <0.0025 | |
| 2/27/2019 | | | <0.0025 | <0.0025 | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0005 | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 | |
| 11/6/2019 | | | <0.0025 | <0.0025 | |
| 4/16/2020 | | | <0.0025 | <0.0025 | |
| 4/18/2020 | <0.0025 | <0.0005 | | | <0.0025 |
| 10/7/2020 | | | 0.0014 (J) | 0.0014 (J) | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | <0.0025 | <0.0005 | | | |
| 3/29/2021 | | | <0.0025 | <0.0025 | |
| 4/1/2021 | <0.0025 | <0.0005 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | <0.0025 | |
| 9/7/2021 | <0.0025 | <0.0005 | | | <0.0025 |
| 3/22/2022 | | | <0.0025 | <0.0025 | |
| 3/24/2022 | <0.0025 | <0.0005 | | | <0.0025 |
| 9/8/2022 | | | <0.0025 | <0.0025 | |
| 9/12/2022 | <0.0025 | | | | <0.0025 |
| 9/16/2022 | | 0.001 (J) | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 3/3/2016 | | | | | 0.11 (J) | 3.2 |
| 5/2/2016 | <0.018 | | <0.018 | <0.018 | | |
| 5/4/2016 | | <0.05 | | | <0.05 | 4 |
| 7/5/2016 | <0.018 | | <0.018 | <0.018 | | |
| 7/6/2016 | | | | | | 2.6 |
| 7/7/2016 | | | | | <0.05 | |
| 7/8/2016 | | <0.05 | | | | |
| 9/6/2016 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 9/7/2016 | | | | | 0.028 (J) | |
| 9/8/2016 | | | | | | 3.6 |
| 11/7/2016 | <0.018 | | <0.018 | <0.018 | | |
| 11/8/2016 | | | | | 0.025 (J) | 5 |
| 11/10/2016 | | <0.05 | | | | |
| 1/9/2017 | <0.018 | | <0.018 | <0.018 | | |
| 1/10/2017 | | | | | <0.05 (*) | 4.2 |
| 1/11/2017 | | <0.05 | | | | |
| 3/13/2017 | <0.018 | | <0.018 | 0.022 (J) | | |
| 3/14/2017 | | <0.05 | | | | |
| 3/15/2017 | | | | | <0.05 | |
| 3/16/2017 | | | | | | 3.5 |
| 5/15/2017 | <0.018 | | <0.018 | <0.018 | | 3.2 |
| 5/16/2017 | | | | | <0.05 | |
| 5/18/2017 | | <0.05 | | | | |
| 10/2/2017 | <0.018 | | <0.018 | 0.023 (J) | | |
| 10/3/2017 | | | | | 0.03 (J) | 2.9 |
| 10/5/2017 | | <0.05 | | | | |
| 12/20/2017 | | | | | | 2 |
| 3/12/2018 | <0.018 | | <0.018 | <0.018 | | |
| 3/13/2018 | | | | | <0.05 | 3.4 |
| 3/14/2018 | | <0.05 | | | | |
| 6/5/2018 | <0.018 | | <0.018 | <0.018 | | |
| 6/6/2018 | | | | | 0.024 (J) | |
| 6/7/2018 | | | | | | 5.6 |
| 6/10/2018 | | <0.05 | | | | |
| 10/16/2018 | <0.018 | | <0.018 | <0.018 | | |
| 10/17/2018 | | | | | | 7.3 |
| 10/18/2018 | | 0.081 | | | 0.022 (J) | |
| 2/27/2019 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 2/28/2019 | | | | | <0.05 | 3.1 |
| 5/31/2019 | <0.018 | <0.05 | <0.018 | <0.018 | <0.05 | 2.7 |
| 11/6/2019 | 0.017 (V) | 0.016 (V) | 0.016 (V) | 0.022 (V) | | |
| 11/11/2019 | | | | | 0.035 (V) | 9.7 |
| 4/16/2020 | 0.02 | 0.013 | 0.013 | 0.017 | | |
| 4/18/2020 | | | | | 0.027 | 5.7 |
| 10/7/2020 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 10/8/2020 | | | | | | 3.6 |
| 10/9/2020 | | | | | 0.025 (J) | |
| 3/29/2021 | <0.018 | <0.05 | <0.018 | <0.018 | | |
| 3/31/2021 | | | | | 0.046 | |
| 4/1/2021 | | | | | | 3.5 |
| 9/2/2021 | 0.021 (J) | <0.05 | 0.018 (J) | 0.022 (J) | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 0.022 (J) | 3.1 |
| 3/22/2022 | 0.013 | 0.012 | 0.013 | 0.017 | | |
| 3/24/2022 | | | | | 0.035 | 3.2 |
| 9/7/2022 | 0.031 (J) | 0.029 (J) | 0.031 (J) | | | |
| 9/8/2022 | | | | 0.055 | | |
| 9/12/2022 | | | | | 0.05 | 5.2 |

# Time Series

Constituent: Boron (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.05 | <0.05 | |
| 3/3/2016 | 1.6 | <0.05 | | | 2.6 |
| 5/2/2016 | | | | <0.05 | |
| 5/3/2016 | | | <0.05 | | |
| 5/4/2016 | 2.3 | <0.05 (*) | | | 5.9 |
| 7/5/2016 | | | <0.05 | <0.05 | |
| 7/6/2016 | 1.9 | | | | 4.9 |
| 7/7/2016 | | 0.034 (J) | | | |
| 9/6/2016 | | | <0.05 | <0.05 | |
| 9/7/2016 | 0.95 | <0.05 | | | 6.4 |
| 11/7/2016 | | 0.045 (J) | <0.05 | <0.05 | |
| 11/8/2016 | 1.8 | | | | 6 |
| 1/9/2017 | | | <0.05 | <0.05 | |
| 1/10/2017 | 1.9 | <0.05 (*) | | | 5.4 |
| 3/13/2017 | | | <0.05 | <0.05 | |
| 3/15/2017 | 0.38 | <0.05 | | | |
| 3/16/2017 | | | | | 4.5 |
| 5/15/2017 | | | <0.05 | <0.05 | |
| 5/16/2017 | 2 | 0.043 (J) | | | 3.9 |
| 10/2/2017 | | | <0.05 | <0.05 | |
| 10/3/2017 | 0.67 | 0.026 (J) | | | 0.93 |
| 12/20/2017 | 3 | | | | 3 |
| 3/12/2018 | | | <0.05 | <0.05 | |
| 3/13/2018 | 2.9 | 0.07 | | | 3.6 |
| 6/6/2018 | | | <0.05 | <0.05 | |
| 6/7/2018 | 2.9 | 0.1 | | | 3.4 |
| 10/17/2018 | 1.6 | 0.074 | <0.05 | <0.05 | 2.8 |
| 2/27/2019 | | | <0.05 | <0.05 | 2.8 |
| 2/28/2019 | 2.5 | 0.027 (J) | | | |
| 5/31/2019 | 3.1 | <0.05 | <0.05 | <0.05 | 4.4 |
| 11/6/2019 | | | 0.011 (V) | 0.0099 (J) | |
| 11/11/2019 | 10 | 0.036 (V) | | | 16 |
| 4/16/2020 | | | 0.0075 (J) | 0.0055 (J) | |
| 4/18/2020 | 2.8 | 0.016 | | | 3 |
| 10/7/2020 | | | <0.05 | <0.05 | |
| 10/8/2020 | | | | | 2.4 |
| 10/9/2020 | 0.68 | 0.018 (J) | | | |
| 3/29/2021 | | | <0.05 | <0.05 | |
| 4/1/2021 | 3.2 | 0.035 | | | 5.1 |
| 9/2/2021 | | | <0.05 | <0.05 | |
| 9/7/2021 | 1.4 | <0.05 | | | 1.7 |
| 3/22/2022 | | | 0.009 (J) | 0.0063 (J) | |
| 3/24/2022 | 3.4 | 0.028 | | | 3.2 |
| 9/8/2022 | | | 0.027 (J) | 0.025 (J) | |
| 9/12/2022 | 2.5 | | | | 3 |
| 9/16/2022 | | 0.23 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 5/4/2016 | | <0.0025 | | | <0.0025 | <0.0025 |
| 7/5/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 7/6/2016 | | | | | | 0.00036 (J) |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | 0.00045 (J) |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | 0.00065 (J) |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | 0.00051 (J) |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | 0.00049 (J) |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | | 0.00045 (J) |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | 0.00041 (J) |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | 0.00066 (J) |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 10/17/2018 | | | | | | 0.00072 (J) |
| 10/18/2018 | | <0.0025 | | | <0.0025 | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | 0.00039 (J) |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | 0.00034 (J) |
| 11/6/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 11/11/2019 | | | | | <0.0025 | <0.0025 |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 4/18/2020 | | | | | 7.5E-05 (J) | 0.00024 (J) |
| 10/7/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | <0.0025 |
| 9/2/2021 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | <0.0025 | <0.0025 |
| 3/22/2022 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/24/2022 | | | | | <0.0025 | <0.0025 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/8/2022 | | | | <0.0025 | | |
| 9/12/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cadmium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | <0.0025 | |
| 3/3/2016 | <0.0025 | <0.0005 | | | <0.0025 |
| 5/2/2016 | | | | <0.0025 | |
| 5/3/2016 | | | <0.0025 | | |
| 5/4/2016 | <0.0025 | <0.0005 | | | <0.0025 |
| 7/5/2016 | | | <0.0025 | <0.0025 | |
| 7/6/2016 | <0.0025 | | | | <0.0025 |
| 7/7/2016 | | <0.0005 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 | |
| 9/7/2016 | <0.0025 | <0.0005 | | | <0.0025 |
| 11/7/2016 | | <0.0005 | <0.0025 | <0.0025 | |
| 11/8/2016 | <0.0025 | | | | <0.0025 |
| 1/9/2017 | | | <0.0025 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.0005 | | | <0.0025 |
| 3/13/2017 | | | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.0005 | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | <0.0025 | <0.0025 | |
| 5/16/2017 | <0.0025 | <0.0005 | | | <0.0025 |
| 3/12/2018 | | | <0.0025 | <0.0025 | |
| 3/13/2018 | <0.0025 | <0.0005 | | | <0.0025 |
| 6/6/2018 | | | <0.0025 | <0.0025 | |
| 6/7/2018 | <0.0025 | <0.0005 | | | <0.0025 |
| 10/17/2018 | <0.0025 | <0.0005 | <0.0025 | <0.0025 | <0.0025 |
| 2/27/2019 | | | <0.0025 | <0.0025 | <0.0025 |
| 2/28/2019 | <0.0025 | <0.0005 | | | |
| 5/31/2019 | <0.0025 | <0.0005 | <0.0025 | <0.0025 | <0.0025 |
| 11/6/2019 | | | <0.0025 | <0.0025 | |
| 11/11/2019 | 0.001 (J) | <0.0005 | | | <0.0025 |
| 4/16/2020 | | | <0.0025 | <0.0025 | |
| 4/18/2020 | 0.00073 | 7.6E-05 (J) | | | 8.9E-05 (J) |
| 10/7/2020 | | | <0.0025 | <0.0025 | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | <0.0025 | <0.0005 | | | |
| 3/29/2021 | | | <0.0025 | <0.0025 | |
| 4/1/2021 | <0.0025 | <0.0005 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | <0.0025 | |
| 9/7/2021 | 0.0042 | <0.0005 | | | <0.0025 |
| 3/22/2022 | | | <0.0025 | <0.0025 | |
| 3/24/2022 | <0.0025 | <0.0005 | | | <0.0025 |
| 9/8/2022 | | | <0.0025 | <0.0025 | |
| 9/12/2022 | <0.0025 | | | | <0.0025 |
| 9/16/2022 | | 0.0029 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 1 | 1 (J) | 0.67 | 1.4 | | |
| 3/3/2016 | | | | | 1 (J) | 57 |
| 5/2/2016 | 0.78 | | 0.58 | 1.1 | | |
| 5/4/2016 | | 0.62 | | | 1 | 60 |
| 7/5/2016 | 0.65 | | 0.43 | 0.94 | | |
| 7/6/2016 | | | | | | 54 |
| 7/7/2016 | | | | | 0.62 | |
| 7/8/2016 | | 0.4 | | | | |
| 9/6/2016 | 0.7 | 0.45 | 0.48 | 1 | | |
| 9/7/2016 | | | | | 0.6 | |
| 9/8/2016 | | | | | | 68 |
| 11/7/2016 | 0.8 | | 0.56 | 1.2 | | |
| 11/8/2016 | | | | | 0.53 | 84 |
| 11/10/2016 | | 0.44 | | | | |
| 1/9/2017 | 0.74 | | 0.43 | 1.2 | | |
| 1/10/2017 | | | | | 0.51 | 64 |
| 1/11/2017 | | 0.42 | | | | |
| 3/13/2017 | 0.78 | | 0.48 | 1.3 | | |
| 3/14/2017 | | 0.42 | | | | |
| 3/15/2017 | | | | | 0.53 | |
| 3/16/2017 | | | | | | 78 |
| 5/15/2017 | 0.76 | | 0.37 | 1 | | 63 |
| 5/16/2017 | | | | | 0.48 | |
| 5/18/2017 | | 0.38 | | | | |
| 10/2/2017 | 0.78 | | 0.47 | 1.2 | | |
| 10/3/2017 | | | | | 0.46 | 43 |
| 10/5/2017 | | 0.39 | | | | |
| 12/20/2017 | | | | | | 44 |
| 3/12/2018 | 0.88 | | 0.49 | 1.4 | | |
| 3/13/2018 | | | | | 0.46 | 68 |
| 3/14/2018 | | 0.49 | | | | |
| 6/5/2018 | 0.9 | | 0.49 | 1.2 | | |
| 6/6/2018 | | | | | 0.45 | |
| 6/7/2018 | | | | | | 89 |
| 6/10/2018 | | 0.39 | | | | |
| 10/16/2018 | 0.86 | | 0.42 | 1.4 | | |
| 10/17/2018 | | | | | | 93 |
| 10/18/2018 | | 0.41 | | | 0.48 | |
| 2/27/2019 | 0.96 | 0.44 | 0.56 | 1.3 | | |
| 2/28/2019 | | | | | 0.44 | 48 |
| 5/31/2019 | 0.76 | 0.28 | 0.33 | 1.1 | 0.55 | 47 |
| 11/6/2019 | 0.88 | 0.46 | 0.49 | 1.2 | | |
| 11/11/2019 | | | | | 0.56 (V) | 73 |
| 4/16/2020 | 0.84 | 0.38 | 0.36 | 1.3 | | |
| 4/18/2020 | | | | | 0.48 | 93 |
| 10/7/2020 | 0.93 | 0.47 | 0.43 | 1.6 | | |
| 10/8/2020 | | | | | | 100 |
| 10/9/2020 | | | | | 0.58 | |
| 3/29/2021 | 1 | 0.43 | 0.46 | 1.6 | | |
| 3/31/2021 | | | | | 0.3 | |
| 4/1/2021 | | | | | | 97 |
| 9/2/2021 | 1.1 | 0.63 | 0.47 | 1.5 | | |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 0.46 | 56 |
| 3/22/2022 | 0.9 | 0.38 | 0.33 | 1.6 | | |
| 3/24/2022 | | | | | 0.59 | 75 |
| 9/7/2022 | 1 | 0.6 | 0.61 | | | |
| 9/8/2022 | | | | 2.1 | | |
| 9/12/2022 | | | | | 0.71 | 74 |

# Time Series

Constituent: Calcium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 0.6 | 1.5 | |
| 3/3/2016 | 160 | 2.5 | | | 84 |
| 5/2/2016 | | | | 0.83 | |
| 5/3/2016 | | | 0.55 | | |
| 5/4/2016 | 140 | 1.1 | | | 90 |
| 7/5/2016 | | | 0.53 | 1.6 | |
| 7/6/2016 | 120 | | | | 72 |
| 7/7/2016 | | 0.71 | | | |
| 9/6/2016 | | | 0.5 | 1.6 | |
| 9/7/2016 | 94 | 0.78 | | | 75 |
| 11/7/2016 | | 0.82 | 0.68 | 1.5 | |
| 11/8/2016 | 160 | | | | 79 |
| 1/9/2017 | | | 0.56 | 0.98 | |
| 1/10/2017 | 150 | 0.58 | | | 61 |
| 3/13/2017 | | | 0.62 | 0.75 | |
| 3/15/2017 | 78 | 0.69 | | | |
| 3/16/2017 | | | | | 62 |
| 5/15/2017 | | | 0.58 | 0.83 | |
| 5/16/2017 | 120 | 0.66 | | | 64 |
| 10/2/2017 | | | 0.62 | 0.83 | |
| 10/3/2017 | 160 | 0.68 | | | 59 |
| 12/20/2017 | 120 | | | | 65 |
| 3/12/2018 | | | 0.59 | 0.71 | |
| 3/13/2018 | 110 | 0.65 | | | 77 |
| 6/6/2018 | | | 0.59 | 0.68 | |
| 6/7/2018 | 97 | 0.6 | | | 78 |
| 10/17/2018 | 130 | 0.73 | 0.54 | 0.66 | 60 |
| 2/27/2019 | | | 0.63 | 0.7 | 65 |
| 2/28/2019 | 120 | 0.84 | | | |
| 5/31/2019 | 110 | 2.6 | 0.45 | 0.52 | 84 |
| 11/6/2019 | | | 0.55 | 0.74 | |
| 11/11/2019 | 82 | 1.6 (V) | | | 63 |
| 4/16/2020 | | | 0.53 | 0.59 | |
| 4/18/2020 | 150 | 0.9 | | | 48 |
| 10/7/2020 | | | 0.63 | 0.67 | |
| 10/8/2020 | | | | | 55 |
| 10/9/2020 | 120 | 0.76 | | | |
| 3/29/2021 | | | 0.68 | 0.75 | |
| 4/1/2021 | 170 | 0.61 | | | 73 |
| 9/2/2021 | | | 0.56 | 0.73 | |
| 9/7/2021 | 190 | 0.53 | | | 66 |
| 3/22/2022 | | | 0.81 | 0.7 | |
| 3/24/2022 | 200 | 3.9 | | | 68 |
| 9/8/2022 | | | 0.69 | 0.82 | |
| 9/12/2022 | 130 | | | | 63 |
| 9/16/2022 | | 58 | | | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 5.3 | 5.4 | 8.1 | 7.4 | | |
| 3/3/2016 | | | | | 8.2 | 36 |
| 5/2/2016 | 4.4 | | 6 | 6.3 | | |
| 5/4/2016 | | 4.5 | | | 8.2 | 47 |
| 7/5/2016 | 4.2 | | 5.2 | 4.8 | | |
| 7/6/2016 | | | | | | 28 |
| 7/7/2016 | | | | | 8.3 | |
| 7/8/2016 | | 4.9 | | | | |
| 9/6/2016 | 4.3 | 4.3 | 5.5 | 6 | | |
| 9/7/2016 | | | | | 8.1 | |
| 9/8/2016 | | | | | | 47 |
| 11/7/2016 | 4.2 | | 5.4 | 5.7 | | |
| 11/8/2016 | | | | | 8.5 | 150 |
| 11/10/2016 | | 4.5 | | | | |
| 1/9/2017 | 5.3 | | 6.1 | 6.8 | | |
| 1/10/2017 | | | | | 9.1 | 110 |
| 1/11/2017 | | 5.3 | | | | |
| 3/13/2017 | 5.2 | | 5.5 | 6.8 | | |
| 3/14/2017 | | 5.5 | | | | |
| 3/15/2017 | | | | | 48 | |
| 3/16/2017 | | | | | | 200 |
| 5/15/2017 | 4.8 | | 4.7 | 6.1 | | 120 |
| 5/16/2017 | | | | | 8.9 | |
| 5/18/2017 | | 5 | | | | |
| 10/2/2017 | 5.5 | | 6.1 | 6 | | |
| 10/3/2017 | | | | | 8.9 | 38 |
| 10/5/2017 | | 5.6 | | | | |
| 12/20/2017 | | | | | 8.8 | 22 |
| 3/12/2018 | 5.3 | | 6.1 | 5.9 | | |
| 3/13/2018 | | | | | 8.3 | 82 |
| 3/14/2018 | | 5.2 | | | | |
| 6/5/2018 | 5.3 | | 5.5 | 6.5 | | |
| 6/6/2018 | | | | | 8 | |
| 6/7/2018 | | | | | | 170 |
| 6/10/2018 | | 5.2 | | | | |
| 10/16/2018 | 5.5 | | 5.1 | 5.9 | | |
| 10/17/2018 | | | | | | 110 |
| 10/18/2018 | | 5.2 | | | 8.1 | |
| 2/27/2019 | 4.6 | 5.1 | 5 | 4.3 | | |
| 2/28/2019 | | | | | 9.1 | 49 |
| 5/31/2019 | 5.1 | 5 | 5.4 | 4.5 | 8.2 | 50 |
| 11/6/2019 | 5.8 | 6 | 6.1 | 5.7 | | |
| 11/11/2019 | | | | | 8.4 | 63 |
| 4/16/2020 | 6.1 | 5.8 | 5.3 | 5.6 | | |
| 4/18/2020 | | | | | 8.7 | 96 |
| 10/7/2020 | 6.6 | 5.9 | 5.7 | 5.1 | | |
| 10/8/2020 | | | | | | 230 |
| 10/9/2020 | | | | | 8.9 | |
| 3/29/2021 | 10 | 5.8 | 5.2 | 5 | | |
| 3/31/2021 | | | | | 8.4 | |
| 4/1/2021 | | | | | | 48 |
| 9/2/2021 | 5.8 | 5.1 | 5.1 | 5.2 | | |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 8.3 | 46 |
| 3/22/2022 | 5.9 | 4.9 | 4.7 | 8.8 | | |
| 3/24/2022 | | | | | 9.2 | 36 |
| 9/7/2022 | 4.4 | 3.4 | 3.6 | | | |
| 9/8/2022 | | | | 3.4 | | |
| 9/12/2022 | | | | | 7.1 | 29 |

# Time Series

Constituent: Chloride (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 5.6 | 4 | |
| 3/3/2016 | 110 | 7.9 | | | 43 |
| 5/2/2016 | | | | 3.6 | |
| 5/3/2016 | | | 5.1 | | |
| 5/4/2016 | 120 | 7 | | | 63 |
| 7/5/2016 | | | 4.7 | 3.6 | |
| 7/6/2016 | 130 | | | | 51 |
| 7/7/2016 | | 7.1 | | | |
| 9/6/2016 | | | 4.4 | 4 | |
| 9/7/2016 | 43 | 6.9 | | | 57 |
| 11/7/2016 | | 8 | 4.6 | 4.4 | |
| 11/8/2016 | 98 | | | | 47 |
| 1/9/2017 | | | 5.3 | 4.4 | |
| 1/10/2017 | 150 | <7.4 (*) | | | 45 |
| 3/13/2017 | | | 5.6 | 4.1 | |
| 3/15/2017 | 65 | 8.1 | | | |
| 3/16/2017 | | | | | 40 |
| 5/15/2017 | | | 5.2 | 3.7 | |
| 5/16/2017 | 120 | 7.8 | | | 39 |
| 10/2/2017 | | | 5.5 | 4.8 | |
| 10/3/2017 | 21 | 7.1 | | | 20 |
| 12/20/2017 | 79 | 7.6 | | | 63 |
| 3/12/2018 | | | 5.6 | 4 | |
| 3/13/2018 | 84 | 6.9 | | | 130 |
| 6/6/2018 | | | 5.6 | 4.1 | |
| 6/7/2018 | 86 | 7.3 | | | 120 |
| 10/17/2018 | 45 | 6.8 | 5.5 | 3.7 | 70 |
| 2/27/2019 | | | 5.1 | 4 | 94 |
| 2/28/2019 | 110 | 7.1 | | | |
| 5/31/2019 | 130 | 9.8 | 5.4 | 3.7 | 110 |
| 11/6/2019 | | | 5.9 | 4.7 | |
| 11/11/2019 | 81 | 12 | | | 62 |
| 4/16/2020 | | | 6.2 | 4.9 | |
| 4/18/2020 | 140 | 8.2 | | | 33 |
| 10/7/2020 | | | 6.1 | 4.7 | |
| 10/8/2020 | | | | | 36 |
| 10/9/2020 | 14 | 7.5 | | | |
| 3/29/2021 | | | 6.2 | 5.4 | |
| 4/1/2021 | 71 | 7.4 | | | 96 |
| 9/2/2021 | | | 5.9 | 5.1 | |
| 9/7/2021 | 25 | 7 | | | 88 |
| 3/22/2022 | | | 5.6 | 4.8 | |
| 3/24/2022 | 140 | 9.2 | | | 64 |
| 9/8/2022 | | | 4.3 | 5.3 | |
| 9/12/2022 | 64 | | | | 40 |
| 9/16/2022 | | 21 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | 0.0029 | | 0.0019 (J) | 0.0034 | | |
| 5/4/2016 | | <0.0025 | | | 0.0037 | <0.0025 |
| 7/5/2016 | <0.0025 | | 0.0051 | 0.0059 | | |
| 7/6/2016 | | | | | | <0.0025 |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | <0.0025 |
| 11/7/2016 | <0.0025 | | <0.0025 | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | <0.0025 |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | <0.0025 | | 0.017 (o) | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | <0.0025 |
| 5/15/2017 | <0.0025 | | <0.0025 | <0.0025 | | <0.0025 |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | <0.0025 |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | <0.0025 |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | <0.0025 | | <0.0025 | <0.0025 | | |
| 10/18/2018 | | <0.0025 | | | | |
| 2/27/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | <0.0025 |
| 5/31/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 11/6/2019 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 4/16/2020 | <0.0025 | <0.0025 | <0.0025 | <0.0025 | | |
| 4/18/2020 | | | | | <0.0025 | <0.0025 |
| 10/7/2020 | <0.0025 | 0.0046 | 0.001 (J) | 0.0015 (J) | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | <0.0025 | 0.0024 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | 0.0014 |
| 9/2/2021 | 0.0014 (J) | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | 0.0012 (J) | 0.0012 (J) |
| 3/22/2022 | 0.0046 | 0.0051 | 0.00032 (J) | 0.00027 (J) | | |
| 3/24/2022 | | | | | <0.0025 | <0.0025 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | | |
| 9/8/2022 | | | | <0.0025 | | |
| 9/12/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Chromium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0025 | 0.00056 (J) | |
| 3/3/2016 | <0.0025 | <0.001 | | | <0.0025 |
| 5/2/2016 | | | | 0.0021 (J) | |
| 5/3/2016 | | | 0.0012 (J) | | |
| 5/4/2016 | 0.0012 (J) | 0.0025 | | | <0.0025 |
| 7/5/2016 | | | <0.0025 | <0.0025 | |
| 7/6/2016 | <0.0025 | | | | <0.0025 |
| 7/7/2016 | | <0.001 | | | |
| 9/6/2016 | | | <0.0025 | <0.0025 | |
| 9/7/2016 | <0.0025 | <0.001 | | | <0.0025 |
| 11/7/2016 | | <0.001 | <0.0025 | <0.0025 | |
| 11/8/2016 | <0.0025 | | | | <0.0025 |
| 1/9/2017 | | | <0.0025 | <0.0025 | |
| 1/10/2017 | <0.0025 | <0.001 | | | <0.0025 |
| 3/13/2017 | | | <0.0025 | <0.0025 | |
| 3/15/2017 | <0.0025 | <0.001 | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | <0.0025 | <0.0025 | |
| 5/16/2017 | <0.0025 | <0.001 | | | <0.0025 |
| 3/12/2018 | | | <0.0025 | <0.0025 | |
| 3/13/2018 | <0.0025 | <0.001 | | | <0.0025 |
| 6/6/2018 | | | <0.0025 | <0.0025 | |
| 6/7/2018 | <0.0025 | <0.001 | | | <0.0025 |
| 10/17/2018 | | | <0.0025 | <0.0025 | |
| 2/27/2019 | | | <0.0025 | <0.0025 | <0.0025 |
| 2/28/2019 | <0.0025 | <0.001 | | | |
| 5/31/2019 | | | <0.0025 | <0.0025 | |
| 11/6/2019 | | | <0.0025 | <0.0025 | |
| 4/16/2020 | | | <0.0025 | <0.0025 | |
| 4/18/2020 | <0.0025 | <0.001 | | | 0.00082 |
| 10/7/2020 | | | 0.0033 | 0.0017 (J) | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | 0.0016 (J) | 0.0016 (J) | | | |
| 3/29/2021 | | | <0.0025 | <0.0025 | |
| 4/1/2021 | <0.0025 | <0.001 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | <0.0025 | |
| 9/7/2021 | 0.0025 | 0.0012 (J) | | | 0.0022 (J) |
| 3/22/2022 | | | 0.0088 | 0.0022 | |
| 3/24/2022 | 0.0021 (J) | 0.002 | | | <0.0025 |
| 9/8/2022 | | | <0.0025 | <0.0025 | |
| 9/12/2022 | <0.0025 | | | | <0.0025 |
| 9/16/2022 | | 0.0013 (J) | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 0.00039 (J) | <0.0025 | 0.00064 (J) | 0.00023 (J) | | |
| 3/3/2016 | | | | | <0.0025 | <0.0025 |
| 5/2/2016 | 0.0013 (J) | | 0.0014 (J) | 0.00092 (J) | | |
| 5/4/2016 | | <0.0025 | | | 0.00093 (J) | 0.0007 (J) |
| 7/5/2016 | 0.00049 (J) | | 0.0027 | 0.0032 | | |
| 7/6/2016 | | | | | | <0.0025 |
| 7/7/2016 | | | | | <0.0025 | |
| 7/8/2016 | | <0.0025 | | | | |
| 9/6/2016 | 0.00062 (J) | 0.00042 (J) | 0.00062 (J) | <0.0025 | | |
| 9/7/2016 | | | | | <0.0025 | |
| 9/8/2016 | | | | | | <0.0025 |
| 11/7/2016 | 0.00049 (J) | | 0.00058 (J) | <0.0025 | | |
| 11/8/2016 | | | | | <0.0025 | 0.00051 (J) |
| 11/10/2016 | | <0.0025 | | | | |
| 1/9/2017 | 0.00045 (J) | | 0.00059 (J) | <0.0025 | | |
| 1/10/2017 | | | | | <0.0025 | <0.0025 |
| 1/11/2017 | | <0.0025 | | | | |
| 3/13/2017 | 0.00048 (J) | | 0.0005 (J) | <0.0025 | | |
| 3/14/2017 | | <0.0025 | | | | |
| 3/15/2017 | | | | | <0.0025 | |
| 3/16/2017 | | | | | | 0.0004 (J) |
| 5/15/2017 | 0.00052 (J) | | 0.00046 (J) | <0.0025 | | 0.00079 (J) |
| 5/16/2017 | | | | | <0.0025 | |
| 5/18/2017 | | <0.0025 | | | | |
| 3/12/2018 | 0.00055 (J) | | 0.00055 (J) | <0.0025 | | |
| 3/13/2018 | | | | | <0.0025 | 0.00056 (J) |
| 3/14/2018 | | <0.0025 | | | | |
| 6/5/2018 | 0.00051 (J) | | 0.00052 (J) | <0.0025 | | |
| 6/6/2018 | | | | | <0.0025 | |
| 6/7/2018 | | | | | | 0.0007 (J) |
| 6/10/2018 | | <0.0025 | | | | |
| 10/16/2018 | 0.00058 (J) | | 0.00045 (J) | <0.0025 | | |
| 10/17/2018 | | | | | | <0.0025 |
| 10/18/2018 | | <0.0025 | | | <0.0025 | |
| 2/27/2019 | 0.00065 (J) | <0.0025 | 0.00056 (J) | <0.0025 | | |
| 2/28/2019 | | | | | <0.0025 | 0.00059 (J) |
| 5/31/2019 | 0.00046 (J) | <0.0025 | <0.0025 | <0.0025 | <0.0025 | 0.00073 (J) |
| 11/6/2019 | 0.00056 (J) | 0.00033 (J) | 0.00048 (J) | 0.00019 (J) | | |
| 11/11/2019 | | | | | 0.00023 (J) | 0.00065 (J) |
| 4/16/2020 | 0.00058 | 0.00035 (J) | 0.00043 (J) | 0.00021 (J) | | |
| 4/18/2020 | | | | | 0.00024 (J) | 0.00044 (J) |
| 10/7/2020 | 0.0006 (J) | <0.0025 | <0.0025 | <0.0025 | | |
| 10/8/2020 | | | | | | <0.0025 |
| 10/9/2020 | | | | | <0.0025 | |
| 3/29/2021 | 0.00059 | <0.0025 | <0.0025 | <0.0025 | | |
| 3/31/2021 | | | | | <0.0025 | |
| 4/1/2021 | | | | | | <0.0025 |
| 9/2/2021 | 0.00069 (J) | <0.0025 | <0.0025 | <0.0025 | | |
| 9/7/2021 | | | | | <0.0025 | <0.0025 |
| 3/22/2022 | 0.0014 | 0.0012 | 0.00038 (J) | 0.0002 (J) | | |
| 3/24/2022 | | | | | 0.00024 (J) | <0.0025 |
| 9/7/2022 | <0.0025 | <0.0025 | <0.0025 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/8/2022 | | | | <0.0025 | | |
| 9/12/2022 | | | | | <0.0025 | <0.0025 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Cobalt (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 0.00064 (J) | 0.00071 (J) | |
| 3/3/2016 | 0.19 | 0.00085 (J) | | | 0.00063 (J) |
| 5/2/2016 | | | | 0.001 (J) | |
| 5/3/2016 | | | 0.00079 (J) | | |
| 5/4/2016 | 0.16 | 0.001 (J) | | | 0.00056 (J) |
| 7/5/2016 | | | <0.0025 | 0.00055 (J) | |
| 7/6/2016 | 0.15 | | | | <0.0025 |
| 7/7/2016 | | 0.00044 (J) | | | |
| 9/6/2016 | | | 0.00094 (J) | 0.00057 (J) | |
| 9/7/2016 | 0.019 | 0.00052 (J) | | | <0.0025 |
| 11/7/2016 | | 0.00046 (J) | 0.00041 (J) | 0.00047 (J) | |
| 11/8/2016 | 0.099 | | | | <0.0025 |
| 1/9/2017 | | | 0.00074 (J) | 0.00054 (J) | |
| 1/10/2017 | 0.077 | 0.00042 (J) | | | <0.0025 |
| 3/13/2017 | | | 0.00091 (J) | 0.0004 (J) | |
| 3/15/2017 | 0.0042 | 0.00044 (J) | | | |
| 3/16/2017 | | | | | <0.0025 |
| 5/15/2017 | | | 0.00075 (J) | 0.00046 (J) | |
| 5/16/2017 | 0.0067 | <0.0025 | | | <0.0025 |
| 3/12/2018 | | | 0.00044 (J) | <0.0025 | |
| 3/13/2018 | 0.015 | <0.0025 | | | <0.0025 |
| 6/6/2018 | | | 0.0004 (J) | 0.00048 (J) | |
| 6/7/2018 | 0.014 | <0.0025 | | | <0.0025 |
| 10/17/2018 | 0.012 | <0.0025 | <0.0025 | 0.00043 (J) | <0.0025 |
| 2/27/2019 | | | <0.0025 | 0.00045 (J) | <0.0025 |
| 2/28/2019 | 0.02 | 0.00042 (J) | | | |
| 5/31/2019 | 0.026 | 0.00046 (J) | <0.0025 | <0.0025 | <0.0025 |
| 11/6/2019 | | | 0.00029 (J) | 0.00094 (J) | |
| 11/11/2019 | 0.023 | 0.00063 (J) | | | <0.0025 |
| 4/16/2020 | | | 0.00029 (J) | 0.00053 | |
| 4/18/2020 | 0.015 | 0.00045 (J) | | | <0.0025 |
| 10/7/2020 | | | <0.0025 | <0.0025 | |
| 10/8/2020 | | | | | <0.0025 |
| 10/9/2020 | 0.0019 (J) | <0.0025 | | | |
| 3/29/2021 | | | <0.0025 | 0.00062 | |
| 4/1/2021 | 0.0079 | <0.0025 | | | <0.0025 |
| 9/2/2021 | | | <0.0025 | 0.00069 (J) | |
| 9/7/2021 | 0.3 | <0.0025 | | | <0.0025 |
| 3/22/2022 | | | 0.0014 | 0.0016 | |
| 3/24/2022 | 0.01 | 0.0016 | | | <0.0025 |
| 9/8/2022 | | | <0.0025 | 0.00064 (J) | |
| 9/12/2022 | 0.012 | | | | <0.0025 |
| 9/16/2022 | | 0.036 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 1.27 | 1.09 | 1.42 | 2.4 | | |
| 3/3/2016 | | | | | 4.62 | 5.43 |
| 5/2/2016 | 0.808 | | 1.03 | 1.62 | | |
| 5/4/2016 | | 0.848 | | | 5.36 | 5.52 |
| 7/5/2016 | 0.947 | | 0.961 | 1.01 | | |
| 7/6/2016 | | | | | | 12.9 |
| 7/7/2016 | | | | | 6.27 | |
| 7/8/2016 | | 1.46 | | | | |
| 9/6/2016 | 1.07 | 1.34 | 1.07 | 1.8 | | |
| 9/7/2016 | | | | | 5.25 | |
| 9/8/2016 | | | | | | 3.73 |
| 11/7/2016 | 0.602 | | 0.818 | 1.86 | | |
| 11/8/2016 | | | | | 5.64 | 5.61 |
| 11/10/2016 | | 1.23 | | | | |
| 1/9/2017 | 0.865 | | 0.934 | 2.25 | | |
| 1/10/2017 | | | | | 5.39 | 4.33 |
| 1/11/2017 | | 1.11 | | | | |
| 3/13/2017 | 0.693 | | 0.937 | 1.87 | | |
| 3/14/2017 | | 1.01 | | | | |
| 3/15/2017 | | | | | 5.72 | |
| 3/16/2017 | | | | | | 6.34 |
| 5/15/2017 | 0.786 | | 0.685 | 1.4 | | 5.77 |
| 5/16/2017 | | | | | 4.84 | |
| 5/18/2017 | | 0.745 | | | | |
| 3/12/2018 | 0.933 | | 1.09 | 1.97 | | |
| 3/13/2018 | | | | | 5.59 | 5.94 |
| 3/14/2018 | | 0.614 | | | | |
| 6/5/2018 | 0.713 | | 0.927 | 2.17 | | |
| 6/6/2018 | | | | | 3.96 | |
| 6/7/2018 | | | | | | 5.79 |
| 6/10/2018 | | 0.959 | | | | |
| 10/16/2018 | 2.14 | | 1.07 | 2.2 | | |
| 10/17/2018 | | | | | | 6.31 |
| 10/18/2018 | | 0.944 | | | 5.75 | |
| 2/27/2019 | 0.651 | 0.827 | 0.912 | 1.8 | | |
| 2/28/2019 | | | | | 4.82 | 5.4 |
| 5/31/2019 | 1.33 | 0.99 | 1.24 | 1.8 | 4.06 | 4.37 |
| 11/6/2019 | 1.32 | 0.892 | 0.509 (U) | 2.32 | | |
| 11/11/2019 | | | | | 5.43 | 5.71 |
| 4/16/2020 | 0.971 | 0.497 | 0.568 | 1.35 | | |
| 4/18/2020 | | | | | 5.09 | 6.89 |
| 10/7/2020 | 1.14 | 1.07 | 0.763 | 1.75 | | |
| 10/8/2020 | | | | | | 8.36 |
| 10/9/2020 | | | | | 4.71 | |
| 3/29/2021 | 1.72 | 0.561 | 0.708 | | | |
| 3/30/2021 | | | | 1.71 | | |
| 3/31/2021 | | | | | 4.44 | |
| 4/1/2021 | | | | | | 6.31 |
| 9/2/2021 | 1.65 | 0.975 | 1.75 | 2.13 | | |
| 9/7/2021 | | | | | 5.47 | 6.02 |
| 3/22/2022 | 1.75 | 1.1 | 1.78 | 3.12 | | |
| 3/24/2022 | | | | | 5.39 | 5.28 |

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2022 | 2 | 1.32 | 1.46 | | | |
| 9/8/2022 | | | | 3.32 | | |
| 9/12/2022 | | | | | 5.46 | 4.49 |

# Time Series

Constituent: Combined Radium 226 + 228 (pCi/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 0.647 | <5 | |
| 3/3/2016 | 9.46 | 1.67 | | | 2.29 |
| 5/2/2016 | | | | <5 | |
| 5/3/2016 | | | 0.748 | | |
| 5/4/2016 | 9.66 | 1.18 | | | 2.58 |
| 7/5/2016 | | | 0.591 | <5 | |
| 7/6/2016 | 2.84 | | | | 3.08 |
| 7/7/2016 | | 1.24 | | | |
| 9/6/2016 | | | 0.831 | 0.566 | |
| 9/7/2016 | 4.49 | 1.49 | | | 3.04 |
| 11/7/2016 | | 1.32 | 0.983 | 0.784 | |
| 11/8/2016 | 7.47 | | | | 2.96 |
| 1/9/2017 | | | 0.767 | 0.541 | |
| 1/10/2017 | 9.6 | 2.16 | | | 3.5 |
| 3/13/2017 | | | 1.26 | 0.442 | |
| 3/15/2017 | 2.22 | 1.14 | | | |
| 3/16/2017 | | | | | 2.9 |
| 5/15/2017 | | | 0.553 | 0.345 | |
| 5/16/2017 | 3.89 | 1.26 | | | 1.47 |
| 3/12/2018 | | | 0.783 | 0.848 | |
| 3/13/2018 | 5.25 | 1.29 | | | 2.96 |
| 6/6/2018 | | | 1.08 | 0.78 | |
| 6/7/2018 | 4.1 | 1.25 | | | 2.45 |
| 10/17/2018 | 3.15 | 1.24 | 1.19 | 0.88 | 2.7 |
| 2/27/2019 | | | 0.741 | 0.431 | 2.61 |
| 2/28/2019 | 5.21 | 1.55 | | | |
| 5/31/2019 | 6.03 | 1.9 | 0.759 | 0.884 | 3.62 |
| 11/6/2019 | | | 0.105 (U) | 0.366 (U) | |
| 11/11/2019 | 5.15 | 1.58 | | | 2 |
| 4/16/2020 | | | 0.588 | 0.264 (U) | |
| 4/18/2020 | 7.33 | 1.55 | | | 1.34 |
| 10/7/2020 | | | 0.709 (U) | 0.46 (U) | |
| 10/8/2020 | | | | | 3.17 |
| 10/9/2020 | 1.58 | 0.858 | | | |
| 3/29/2021 | | | 0.899 | 0.642 | |
| 4/1/2021 | 6.79 | 1.23 | | | 2.27 |
| 9/2/2021 | | | 0.856 | 0.951 | |
| 9/7/2021 | 6.19 | 1.6 | | | 2.42 |
| 3/22/2022 | | | 1.33 | 1.32 | |
| 3/24/2022 | 6.01 | 3 | | | 3.16 |
| 9/8/2022 | | | 0.936 | 1.36 | |
| 9/12/2022 | 3.54 | | | | 2.84 |
| 9/16/2022 | | 20 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 5.11 | 5.26 | 5.11 | 4.9 | | |
| 3/3/2016 | | | | | 5.11 | 6.16 |
| 5/2/2016 | 4.76 | | 4.77 | 4.69 | | |
| 5/4/2016 | | 5.1 | | | 5.13 | 6.3 |
| 7/5/2016 | 5.12 | | 5.48 | 7.11 (o) | | |
| 7/6/2016 | | | | | | 7.07 |
| 7/7/2016 | | | | | 4.96 | |
| 7/8/2016 | | 4.96 | | | | |
| 9/6/2016 | 5.11 | 5.43 | 5.12 | 5.19 | | |
| 9/7/2016 | | | | | 4.88 | |
| 9/8/2016 | | | | | | 6.72 |
| 11/7/2016 | 4.76 | | 4.73 | 4.64 | | |
| 11/8/2016 | | | | | 4.54 | 6.55 |
| 11/10/2016 | | 4.89 | | | | |
| 1/9/2017 | 4.99 | | 5 | 4.94 | | |
| 1/10/2017 | | | | | 4.83 | 6.72 |
| 1/11/2017 | | 4.87 | | | | |
| 3/13/2017 | 4.57 | | 4.74 | 4.63 | | |
| 3/14/2017 | | 4.71 | | | | |
| 3/15/2017 | | | | | 4.82 | |
| 3/16/2017 | | | | | | 6.5 |
| 5/15/2017 | 4.6 | | 4.63 | 4.52 | | 6.15 |
| 5/16/2017 | | | | | 4.53 | |
| 5/18/2017 | | 4.5 | | | | |
| 10/2/2017 | 4.64 | | 4.63 | 4.54 | | |
| 10/3/2017 | | | | | 4.44 | 6.48 |
| 10/5/2017 | | 4.63 | | | | |
| 12/20/2017 | | | | | 4.63 | 6.99 (R) |
| 3/12/2018 | 4.85 | | 4.81 | 4.81 | | |
| 3/13/2018 | | | | | 4.78 | 6.61 |
| 3/14/2018 | | 5.14 | | | | |
| 6/5/2018 | 4.92 | | 5.04 | 4.9 | | |
| 6/6/2018 | | | | | 4.67 | |
| 6/7/2018 | | | | | | 6.48 |
| 6/10/2018 | | 5.12 | | | | |
| 10/16/2018 | 4.93 | | 4.98 | 4.81 | | |
| 10/17/2018 | | | | | | 6.58 |
| 10/18/2018 | | 4.97 | | | 4.71 | |
| 2/27/2019 | 4.75 | 4.84 | 4.78 | 4.71 | | |
| 2/28/2019 | | | | | 4.71 | 6.53 |
| 5/31/2019 | 4.9 | 4.92 | 4.92 | 4.84 | 4.62 | 6.25 |
| 11/6/2019 | 4.82 | 4.94 | 4.88 | 4.78 | | |
| 11/11/2019 | | | | | 4.77 | 6.68 |
| 4/16/2020 | 5.03 | 5.17 | 5.15 | 4.96 | | |
| 4/18/2020 | | | | | 4.69 | 6.61 |
| 10/7/2020 | 4.74 | 5.08 | 4.91 | 4.8 | | |
| 10/8/2020 | | | | | | 6.68 |
| 10/9/2020 | | | | | 4.6 | |
| 3/29/2021 | 4.79 | 4.92 | 4.89 | 4.8 | | |
| 3/31/2021 | | | | | 4.69 | |
| 4/1/2021 | | | | | | 6.46 |
| 9/2/2021 | 4.81 | 5.07 | 4.87 | 4.77 | | |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 4.52 | 6.56 |
| 3/22/2022 | 4.9 | 5.02 | 4.91 | 4.89 | | |
| 3/24/2022 | | | | | 4.68 | 6.9 |
| 9/7/2022 | 4.72 | 4.89 | 4.92 | | | |
| 9/8/2022 | | | | 4.78 | | |
| 9/12/2022 | | | | | 4.64 | 6.76 |

# Time Series

Constituent: Field pH (SU) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 5.08 | 6.37 | |
| 3/3/2016 | 5.185 (D) | 5.33 | | | 6.62 (D) |
| 5/2/2016 | | | | 5.605 (D) | |
| 5/3/2016 | | | 5.14 | | |
| 5/4/2016 | 5.02 (D) | 5.13 | | | 6.345 (D) |
| 7/5/2016 | | | 5.38 | 6.29 | |
| 7/6/2016 | 4.93 | | | | 6.42 |
| 7/7/2016 | | 5.19 | | | |
| 9/6/2016 | | | 5.37 | 6.42 | |
| 9/7/2016 | 5.36 | 4.9 | | | 6.01 |
| 11/7/2016 | | 4.78 | 4.92 | 5.75 | |
| 11/8/2016 | 5.26 | | | | 6.02 |
| 1/9/2017 | | | 5.05 | 5.98 | |
| 1/10/2017 | 5.04 | 4.96 | | | 6 |
| 3/13/2017 | | | 4.87 | 5.81 | |
| 3/15/2017 | 5.91 | 4.89 | | | |
| 3/16/2017 | | | | | 6.12 |
| 5/15/2017 | | | 4.69 | 5.42 | |
| 5/16/2017 | 5.36 | 4.53 | | | 6.13 |
| 10/2/2017 | | | 4.88 | 5.63 | |
| 10/3/2017 | 6.36 | 4.64 | | | 5.47 |
| 12/20/2017 | 5.86 | 4.87 | | | 6.07 (R) |
| 3/12/2018 | | | 5.07 | 5.6 | |
| 3/13/2018 | 5.41 | 4.91 | | | 6.26 |
| 6/6/2018 | | | 5.09 | 5.58 | |
| 6/7/2018 | 5.37 | 4.8 | | | 6.36 |
| 10/17/2018 | 5.94 | 4.87 | 4.99 | 5.54 | 6.18 |
| 2/27/2019 | | | 4.87 | 5.4 | 6.49 |
| 2/28/2019 | 5.64 | 4.86 | | | |
| 5/31/2019 | 5.41 | 4.84 | 4.89 | 5.45 | 6.65 |
| 11/6/2019 | | | 5.04 | 5.52 | |
| 11/11/2019 | 5.18 | 4.9 | | | 6.75 |
| 4/16/2020 | | | 5.13 | 5.58 | |
| 4/18/2020 | 5.2 | 4.91 | | | 6.97 |
| 10/7/2020 | | | 5.13 | 5.5 | |
| 10/8/2020 | | | | | 5.78 |
| 10/9/2020 | 6.49 | 4.93 | | | |
| 3/29/2021 | | | 4.93 | 5.46 | |
| 4/1/2021 | 5.81 | 4.83 | | | 6.55 |
| 9/2/2021 | | | 4.94 | 5.16 | |
| 9/7/2021 | 5.1 | 4.68 | | | 6.13 |
| 3/22/2022 | | | 5.1 | 5.18 | |
| 3/24/2022 | 5.83 | 4.84 | | | 6.68 |
| 9/8/2022 | | | 4.87 | 5.13 | |
| 9/12/2022 | 6.13 | | | | 6.58 |
| 9/16/2022 | | 3.8 | | | |

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 3/3/2016 | | | | | 0.041 (J) | 0.15 |
| 5/2/2016 | <0.1 | | <0.1 | <0.1 | | |
| 5/4/2016 | | <0.1 | | | <0.1 | 0.11 |
| 7/5/2016 | <0.1 | | <0.1 | <0.1 | | |
| 7/6/2016 | | | | | | 0.13 |
| 7/7/2016 | | | | | <0.1 | |
| 7/8/2016 | | <0.1 | | | | |
| 9/6/2016 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 9/7/2016 | | | | | <0.1 | |
| 9/8/2016 | | | | | | 0.12 |
| 11/7/2016 | <0.1 | | <0.1 | <0.1 | | |
| 11/8/2016 | | | | | <0.1 | 0.13 |
| 11/10/2016 | | <0.1 | | | | |
| 1/9/2017 | <0.1 | | <0.1 | <0.1 | | |
| 1/10/2017 | | | | | <0.1 | 0.15 |
| 1/11/2017 | | <0.1 | | | | |
| 3/13/2017 | <0.1 | | <0.1 | <0.1 | | |
| 3/14/2017 | | <0.1 | | | | |
| 3/15/2017 | | | | | <0.1 | |
| 3/16/2017 | | | | | | 0.16 |
| 5/15/2017 | <0.1 | | <0.1 | <0.1 | | 0.2 |
| 5/16/2017 | | | | | <0.1 | |
| 5/18/2017 | | <0.1 | | | | |
| 10/2/2017 | <0.1 | | <0.1 | <0.1 | | |
| 10/3/2017 | | | | | <0.1 | 0.25 |
| 10/5/2017 | | <0.1 | | | | |
| 12/20/2017 | | | | | | 0.25 |
| 3/12/2018 | <0.1 | | <0.1 | <0.1 | | |
| 3/13/2018 | | | | | <0.1 | 0.26 |
| 3/14/2018 | | 0.12 | | | | |
| 6/5/2018 | <0.1 | | <0.1 | <0.1 | | |
| 6/6/2018 | | | | | <0.1 | |
| 6/7/2018 | | | | | | 0.28 |
| 6/10/2018 | | <0.1 | | | | |
| 10/16/2018 | <0.1 | | <0.1 | <0.1 | | |
| 10/17/2018 | | | | | | 0.29 |
| 10/18/2018 | | <0.1 | | | <0.1 | |
| 2/27/2019 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 2/28/2019 | | | | | <0.1 | 0.28 |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | 0.33 |
| 11/6/2019 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 11/11/2019 | | | | | <0.1 | 0.26 |
| 4/16/2020 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 4/18/2020 | | | | | <0.1 | 0.25 |
| 10/7/2020 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 10/8/2020 | | | | | | <0.1 |
| 10/9/2020 | | | | | <0.1 | |
| 3/29/2021 | 0.06 | <0.1 | <0.1 | <0.1 | | |
| 3/31/2021 | | | | | <0.1 | |
| 4/1/2021 | | | | | | 0.26 |
| 9/2/2021 | 0.08 (J) | 0.04 (J) | 0.1 | <0.1 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | <0.1 | 0.24 |
| 3/22/2022 | <0.1 | <0.1 | <0.1 | <0.1 | | |
| 3/24/2022 | | | | | <0.1 | 0.22 |
| 9/7/2022 | <0.1 | <0.1 | <0.1 | | | |
| 9/8/2022 | | | | <0.1 | | |
| 9/12/2022 | | | | | <0.1 | 0.15 (J) |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Fluoride (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.1 | 0.033 (J) | |
| 3/3/2016 | 0.12 | 0.035 (J) | | | 0.11 |
| 5/2/2016 | | | | <0.1 | |
| 5/3/2016 | | | <0.1 | | |
| 5/4/2016 | 0.19 | <0.1 | | | 0.07 (J) |
| 7/5/2016 | | | <0.1 | <0.1 | |
| 7/6/2016 | 0.15 | | | | 0.07 (J) |
| 7/7/2016 | | <0.1 | | | |
| 9/6/2016 | | | <0.1 | <0.1 | |
| 9/7/2016 | 0.06 (J) | <0.1 | | | 0.06 (J) |
| 11/7/2016 | | <0.1 | <0.1 | <0.1 | |
| 11/8/2016 | 0.09 (J) | | | | 0.06 (J) |
| 1/9/2017 | | | <0.1 | <0.1 | |
| 1/10/2017 | <0.1 | <0.1 | | | 0.04 (J) |
| 3/13/2017 | | | <0.1 | <0.1 | |
| 3/15/2017 | <0.1 | <0.1 | | | |
| 3/16/2017 | | | | | 0.06 (J) |
| 5/15/2017 | | | <0.1 | <0.1 | |
| 5/16/2017 | 0.04 (J) | <0.1 | | | 0.09 (J) |
| 10/2/2017 | | | <0.1 | <0.1 | |
| 10/3/2017 | 0.07 (J) | <0.1 | | | 0.13 |
| 12/20/2017 | | | | | 0.1 |
| 3/12/2018 | | | <0.1 | <0.1 | |
| 3/13/2018 | <0.1 | <0.1 | | | 0.1 |
| 6/6/2018 | | | <0.1 | <0.1 | |
| 6/7/2018 | <0.1 | <0.1 | | | 0.14 |
| 10/17/2018 | 0.06 (J) | <0.1 | <0.1 | <0.1 | 0.14 |
| 2/27/2019 | | | <0.1 | <0.1 | 0.16 |
| 2/28/2019 | <0.1 | <0.1 | | | |
| 5/31/2019 | <0.1 | <0.1 | <0.1 | <0.1 | 0.2 |
| 11/6/2019 | | | <0.1 | <0.1 | |
| 11/11/2019 | <0.1 | <0.1 | | | 0.16 |
| 4/16/2020 | | | <0.1 | <0.1 | |
| 4/18/2020 | <0.1 | <0.1 | | | 0.17 |
| 10/7/2020 | | | <0.1 | <0.1 | |
| 10/8/2020 | | | | | 0.07 (J) |
| 10/9/2020 | 0.04 (J) | <0.1 | | | |
| 3/29/2021 | | | <0.1 | <0.1 | |
| 4/1/2021 | 0.04 | 0.032 | | | 0.19 |
| 9/2/2021 | | | <0.1 | 0.04 (J) | |
| 9/7/2021 | 0.7 | <0.1 | | | 0.17 |
| 3/22/2022 | | | <0.1 | <0.1 | |
| 3/24/2022 | <0.1 | <0.1 | | | 0.14 |
| 9/8/2022 | | | <0.1 | <0.1 | |
| 9/12/2022 | <0.1 | | | | <0.1 |
| 9/16/2022 | | 4.6 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/3/2016 | | | | | <0.0013 | <0.0013 |
| 5/2/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 5/4/2016 | | <0.0013 | | | <0.0013 | <0.0013 |
| 7/5/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 7/6/2016 | | | | | | <0.0013 |
| 7/7/2016 | | | | | <0.0013 | |
| 7/8/2016 | | <0.0013 | | | | |
| 9/6/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/7/2016 | | | | | <0.0013 | |
| 9/8/2016 | | | | | | <0.0013 |
| 11/7/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 11/8/2016 | | | | | <0.0013 | <0.0013 |
| 11/10/2016 | | <0.0013 | | | | |
| 1/9/2017 | <0.0013 | | <0.0013 | <0.0013 | | |
| 1/10/2017 | | | | | <0.0013 | <0.0013 |
| 1/11/2017 | | <0.0013 | | | | |
| 3/13/2017 | <0.0013 | | <0.0013 | <0.0013 | | |
| 3/14/2017 | | <0.0013 | | | | |
| 3/15/2017 | | | | | <0.0013 | |
| 3/16/2017 | | | | | | <0.0013 |
| 5/15/2017 | <0.0013 | | <0.0013 | <0.0013 | | <0.0013 |
| 5/16/2017 | | | | | <0.0013 | |
| 5/18/2017 | | <0.0013 | | | | |
| 3/12/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 3/13/2018 | | | | | <0.0013 | <0.0013 |
| 3/14/2018 | | <0.0013 | | | | |
| 6/5/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 6/6/2018 | | | | | <0.0013 | |
| 6/7/2018 | | | | | | <0.0013 |
| 6/10/2018 | | <0.0013 | | | | |
| 10/16/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 10/18/2018 | | <0.0013 | | | | |
| 2/27/2019 | <0.0013 | <0.0013 | 0.001 (J) | <0.0013 | | |
| 2/28/2019 | | | | | <0.0013 | <0.0013 |
| 5/31/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 11/6/2019 | 0.0001 (J) | <0.0013 | 6.6E-05 (J) | 8.4E-05 (J) | | |
| 4/16/2020 | 6.6E-05 (J) | <0.0013 | <0.0013 | <0.0013 | | |
| 4/18/2020 | | | | | 8.3E-05 (J) | 0.00011 (J) |
| 10/7/2020 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 10/8/2020 | | | | | | <0.0013 |
| 10/9/2020 | | | | | <0.0013 | |
| 3/29/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/31/2021 | | | | | 0.00039 | |
| 4/1/2021 | | | | | | <0.0013 |
| 9/2/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/7/2021 | | | | | <0.0013 | <0.0013 |
| 3/22/2022 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/24/2022 | | | | | <0.0013 | <0.0013 |
| 9/7/2022 | <0.0013 | <0.0013 | <0.0013 | | | |
| 9/8/2022 | | | | <0.0013 | | |
| 9/12/2022 | | | | | <0.0013 | <0.0013 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lead (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0013 | <0.0013 | |
| 3/3/2016 | <0.0013 | <0.00025 | | | <0.0013 |
| 5/2/2016 | | | | <0.0013 | |
| 5/3/2016 | | | <0.0013 | | |
| 5/4/2016 | 0.00086 (J) | <0.00025 | | | <0.0013 |
| 7/5/2016 | | | <0.0013 | <0.0013 | |
| 7/6/2016 | 0.0014 | | | | <0.0013 |
| 7/7/2016 | | <0.00025 | | | |
| 9/6/2016 | | | <0.0013 | <0.0013 | |
| 9/7/2016 | 0.00056 (J) | <0.00025 | | | <0.0013 |
| 11/7/2016 | | <0.00025 | <0.0013 | <0.0013 | |
| 11/8/2016 | 0.00047 (J) | | | | <0.0013 |
| 1/9/2017 | | | <0.0013 | <0.0013 | |
| 1/10/2017 | 0.00041 (J) | <0.00025 | | | <0.0013 |
| 3/13/2017 | | | <0.0013 | <0.0013 | |
| 3/15/2017 | <0.0013 | <0.00025 | | | |
| 3/16/2017 | | | | | <0.0013 |
| 5/15/2017 | | | <0.0013 | <0.0013 | |
| 5/16/2017 | <0.0013 | <0.00025 | | | <0.0013 |
| 3/12/2018 | | | <0.0013 | <0.0013 | |
| 3/13/2018 | <0.0013 | <0.00025 | | | <0.0013 |
| 6/6/2018 | | | <0.0013 | <0.0013 | |
| 6/7/2018 | <0.0013 | <0.00025 | | | <0.0013 |
| 10/17/2018 | | | <0.0013 | <0.0013 | |
| 2/27/2019 | | | <0.0013 | <0.0013 | <0.0013 |
| 2/28/2019 | <0.0013 | <0.00025 | | | |
| 5/31/2019 | | | <0.0013 | <0.0013 | |
| 11/6/2019 | | | <0.0013 | 0.0002 (J) | |
| 4/16/2020 | | | <0.0013 | 0.00016 (J) | |
| 4/18/2020 | 0.00022 (J) | <0.00025 | | | <0.0013 |
| 10/7/2020 | | | <0.0013 | <0.0013 | |
| 10/8/2020 | | | | | <0.0013 |
| 10/9/2020 | 0.00048 (J) | <0.00025 | | | |
| 3/29/2021 | | | <0.0013 | <0.0013 | |
| 4/1/2021 | <0.0013 | <0.00025 | | | <0.0013 |
| 9/2/2021 | | | <0.0013 | <0.0013 | |
| 9/7/2021 | <0.0013 | <0.00025 | | | <0.0013 |
| 3/22/2022 | | | <0.0013 | <0.0013 | |
| 3/24/2022 | <0.0013 | <0.00025 | | | <0.0013 |
| 9/8/2022 | | | <0.0013 | <0.0013 | |
| 9/12/2022 | <0.0013 | | | | <0.0013 |
| 9/16/2022 | | 0.0019 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.005 | <0.005 | <0.005 | <0.005 | | |
| 3/3/2016 | | | | | <0.005 | 0.037 |
| 5/2/2016 | <0.005 | | <0.005 | <0.005 | | |
| 5/4/2016 | | <0.005 | | | <0.005 | 0.029 |
| 7/5/2016 | <0.005 | | <0.005 | <0.005 | | |
| 7/6/2016 | | | | | | 0.024 |
| 7/7/2016 | | | | | <0.005 | |
| 7/8/2016 | | <0.005 | | | | |
| 9/6/2016 | <0.005 | 0.0037 (J) | <0.005 | <0.005 | | |
| 9/7/2016 | | | | | <0.005 | |
| 9/8/2016 | | | | | | 0.022 |
| 11/7/2016 | <0.005 | | <0.005 | <0.005 | | |
| 11/8/2016 | | | | | <0.005 | 0.026 |
| 11/10/2016 | | <0.005 | | | | |
| 1/9/2017 | <0.005 | | <0.005 | <0.005 | | |
| 1/10/2017 | | | | | <0.005 | 0.024 |
| 1/11/2017 | | <0.005 | | | | |
| 3/13/2017 | <0.005 | | <0.005 | <0.005 | | |
| 3/14/2017 | | <0.005 | | | | |
| 3/15/2017 | | | | | <0.005 | |
| 3/16/2017 | | | | | | 0.029 |
| 5/15/2017 | <0.005 | | <0.005 | <0.005 | | 0.025 |
| 5/16/2017 | | | | | <0.005 | |
| 5/18/2017 | | <0.005 | | | | |
| 3/12/2018 | 0.0011 (J) | | 0.0014 (J) | <0.005 | | |
| 3/13/2018 | | | | | <0.005 | 0.03 |
| 3/14/2018 | | <0.005 | | | | |
| 6/5/2018 | <0.005 | | 0.0012 (J) | <0.005 | | |
| 6/6/2018 | | | | | <0.005 | |
| 6/7/2018 | | | | | | 0.025 |
| 6/10/2018 | | <0.005 | | | | |
| 10/16/2018 | <0.005 | | 0.0015 (J) | 0.0013 (J) | | |
| 10/17/2018 | | | | | | 0.024 |
| 10/18/2018 | | 0.0013 (J) | | | <0.005 | |
| 2/27/2019 | <0.005 | <0.005 | <0.005 | <0.005 | | |
| 2/28/2019 | | | | | <0.005 | 0.021 |
| 5/31/2019 | 0.0021 (J) | 0.0013 (J) | 0.0017 (J) | 0.0017 (J) | 0.0014 (J) | 0.021 |
| 11/6/2019 | 0.0011 | 0.001 | 0.0011 | <0.005 | | |
| 11/11/2019 | | | | | 0.00062 (J) | 0.023 |
| 4/16/2020 | 0.0006 (J) | <0.005 | 0.00063 (J) | <0.005 | | |
| 4/18/2020 | | | | | 0.00062 (J) | 0.023 |
| 10/7/2020 | 0.0054 | 0.0052 | 0.0054 | 0.0048 (J) | | |
| 10/8/2020 | | | | | | 0.029 |
| 10/9/2020 | | | | | <0.005 | |
| 3/29/2021 | <0.005 | 0.0019 | <0.005 | <0.005 | | |
| 3/31/2021 | | | | | 0.0036 | |
| 4/1/2021 | | | | | | 0.022 |
| 9/2/2021 | <0.005 | <0.005 | <0.005 | <0.005 | | |
| 9/7/2021 | | | | | <0.005 | 0.023 |
| 3/22/2022 | 0.0013 | 0.0014 | <0.005 | <0.005 | | |
| 3/24/2022 | | | | | <0.005 | 0.021 |
| 9/7/2022 | <0.005 | <0.005 | <0.005 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/8/2022 | | | | <0.005 | | |
| 9/12/2022 | | | | | <0.005 | <0.005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Lithium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.005 | 0.0037 | |
| 3/3/2016 | <0.005 | <0.005 | | | <0.005 |
| 5/2/2016 | | | | <0.005 | |
| 5/3/2016 | | | <0.005 | | |
| 5/4/2016 | <0.005 | <0.005 | | | <0.005 |
| 7/5/2016 | | | <0.005 | <0.005 | |
| 7/6/2016 | 0.0044 (J) | | | | <0.005 |
| 7/7/2016 | | <0.005 | | | |
| 9/6/2016 | | | <0.005 | <0.005 | |
| 9/7/2016 | <0.005 | <0.005 | | | <0.005 |
| 11/7/2016 | | <0.005 | <0.005 | 0.0097 (o) | |
| 11/8/2016 | <0.005 | | | | <0.005 |
| 1/9/2017 | | | <0.005 | <0.005 | |
| 1/10/2017 | <0.005 | <0.005 | | | <0.005 |
| 3/13/2017 | | | <0.005 | <0.005 | |
| 3/15/2017 | <0.005 | <0.005 | | | |
| 3/16/2017 | | | | | <0.005 |
| 5/15/2017 | | | <0.005 | <0.005 | |
| 5/16/2017 | <0.005 | <0.005 | | | <0.005 |
| 3/12/2018 | | | <0.005 | <0.005 | |
| 3/13/2018 | <0.005 | <0.005 | | | <0.005 |
| 6/6/2018 | | | <0.005 | 0.0021 (J) | |
| 6/7/2018 | 0.0012 (J) | 0.0014 (J) | | | 0.0011 (J) |
| 10/17/2018 | <0.005 | <0.005 | <0.005 | 0.0012 (J) | <0.005 |
| 2/27/2019 | | | <0.005 | 0.002 (J) | 0.0011 (J) |
| 2/28/2019 | <0.005 | <0.005 | | | |
| 5/31/2019 | 0.0023 (J) | <0.005 | 0.0015 (J) | 0.0026 (J) | 0.0021 (J) |
| 11/6/2019 | | | 0.00063 (J) | 0.0012 | |
| 11/11/2019 | 0.0034 | 0.00054 (J) | | | 0.0013 |
| 4/16/2020 | | | <0.005 | 0.00091 (J) | |
| 4/18/2020 | 0.0012 | 0.00047 (J) | | | <0.005 |
| 10/7/2020 | | | 0.005 | 0.0049 (J) | |
| 10/8/2020 | | | | | <0.005 |
| 10/9/2020 | <0.005 | <0.005 | | | |
| 3/29/2021 | | | <0.005 | 0.0042 | |
| 4/1/2021 | 0.0027 | 0.0025 | | | <0.005 |
| 9/2/2021 | | | <0.005 | <0.005 | |
| 9/7/2021 | 0.0096 | <0.005 | | | <0.005 |
| 3/22/2022 | | | 0.0012 | <0.005 | |
| 3/24/2022 | <0.005 | <0.005 | | | <0.005 |
| 9/8/2022 | | | <0.005 | <0.005 | |
| 9/12/2022 | <0.005 | | | | <0.005 |
| 9/16/2022 | | 0.006 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0002 | <0.0002 | 9.1E-05 (J) | <0.0002 | | |
| 3/3/2016 | | | | | <0.0002 | <0.0002 |
| 5/2/2016 | <0.0002 | | 7.4E-05 (J) | <0.0002 | | |
| 5/4/2016 | | <0.0002 | | | <0.0002 | <0.0002 |
| 7/5/2016 | <0.0002 | | <0.0002 | <0.0002 | | |
| 7/6/2016 | | | | | | <0.0002 |
| 7/7/2016 | | | | | <0.0002 | |
| 7/8/2016 | | <0.0002 (*) | | | | |
| 9/6/2016 | <0.0002 (*) | <0.0002 | <0.0002 (*) | <0.0002 | | |
| 9/7/2016 | | | | | <0.0002 | |
| 9/8/2016 | | | | | | <0.0002 |
| 11/7/2016 | <0.0002 | | <0.0002 | <0.0002 | | |
| 11/8/2016 | | | | | <0.0002 | <0.0002 |
| 11/10/2016 | | <0.0002 | | | | |
| 1/9/2017 | <0.0002 (*) | | <0.0002 (*) | <0.0002 (*) | | |
| 1/10/2017 | | | | | <0.0002 | <0.0002 |
| 1/11/2017 | | <0.0002 | | | | |
| 3/13/2017 | <0.0002 | | <0.0002 | <0.0002 | | |
| 3/14/2017 | | <0.0002 (*) | | | | |
| 3/15/2017 | | | | | <0.0002 | |
| 3/16/2017 | | | | | | <0.0002 |
| 5/15/2017 | <0.0002 | | <0.0002 | <0.0002 | | <0.0002 |
| 5/16/2017 | | | | | <0.0002 | |
| 5/18/2017 | | <0.0002 | | | | |
| 3/12/2018 | <0.0002 | | <0.0002 | <0.0002 | | |
| 3/13/2018 | | | | | <0.0002 | <0.0002 |
| 3/14/2018 | | 9.3E-05 (J) | | | | |
| 6/5/2018 | <0.0002 | | <0.0002 | <0.0002 | | |
| 6/6/2018 | | | | | <0.0002 | |
| 6/7/2018 | | | | | | <0.0002 |
| 6/10/2018 | | <0.0002 | | | | |
| 10/16/2018 | <0.0002 | | <0.0002 | <0.0002 | | |
| 10/17/2018 | | | | | | <0.0002 |
| 10/18/2018 | | <0.0002 | | | <0.0002 | |
| 2/27/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 2/28/2019 | | | | | <0.0002 | <0.0002 |
| 5/31/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 11/6/2019 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 11/11/2019 | | | | | <0.0002 | <0.0002 |
| 4/16/2020 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 4/18/2020 | | | | | <0.0002 | <0.0002 |
| 10/7/2020 | <0.0002 | <0.0002 | 0.00025 | 0.00013 (J) | | |
| 10/8/2020 | | | | | | <0.0002 |
| 10/9/2020 | | | | | <0.0002 | |
| 3/29/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 3/31/2021 | | | | | 0.00019 | |
| 4/1/2021 | | | | | | <0.0002 |
| 9/2/2021 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 9/7/2021 | | | | | <0.0002 | <0.0002 |
| 3/22/2022 | <0.0002 | <0.0002 | <0.0002 | <0.0002 | | |
| 3/24/2022 | | | | | <0.0002 | <0.0002 |
| 9/7/2022 | <0.0002 | <0.0002 | <0.0002 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/8/2022 | | | | <0.0002 | | |
| 9/12/2022 | | | | | <0.0002 | <0.0002 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Mercury (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0002 | <0.0002 | |
| 3/3/2016 | 8.6E-05 (J) | <0.0002 | | | <0.0002 |
| 5/2/2016 | | | | <0.0002 | |
| 5/3/2016 | | | <0.0002 | | |
| 5/4/2016 | 0.00026 | <0.0002 | | | <0.0002 |
| 7/5/2016 | | | <0.0002 | <0.0002 | |
| 7/6/2016 | 0.0012 | | | | <0.0002 (*) |
| 7/7/2016 | | <0.0002 | | | |
| 9/6/2016 | | | <0.0002 (*) | <0.0002 (*) | |
| 9/7/2016 | <0.0002 | <0.0002 | | | <0.0002 |
| 11/7/2016 | | <0.0002 | <0.0002 | <0.0002 | |
| 11/8/2016 | 0.00065 | | | | <0.0002 |
| 1/9/2017 | | | <0.0002 (*) | <0.0002 (*) | |
| 1/10/2017 | <0.0002 | <0.0002 | | | <0.0002 |
| 3/13/2017 | | | <0.0002 | <0.0002 | |
| 3/15/2017 | <0.0002 | <0.0002 | | | |
| 3/16/2017 | | | | | <0.0002 |
| 5/15/2017 | | | <0.0002 | <0.0002 | |
| 5/16/2017 | 0.00042 | <0.0002 | | | <0.0002 |
| 3/12/2018 | | | <0.0002 | <0.0002 | |
| 3/13/2018 | 0.00039 | <0.0002 | | | <0.0002 |
| 6/6/2018 | | | <0.0002 | <0.0002 | |
| 6/7/2018 | 0.00033 | <0.0002 | | | <0.0002 |
| 10/17/2018 | 0.00041 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 2/27/2019 | | | <0.0002 | <0.0002 | <0.0002 |
| 2/28/2019 | 0.00055 | <0.0002 | | | |
| 5/31/2019 | 0.00054 | <0.0002 | <0.0002 | <0.0002 | <0.0002 |
| 11/6/2019 | | | <0.0002 | <0.0002 | |
| 11/11/2019 | 0.0011 | <0.0002 | | | <0.0002 |
| 4/16/2020 | | | <0.0002 | <0.0002 | |
| 4/18/2020 | 0.00082 | <0.0002 | | | <0.0002 |
| 10/7/2020 | | | 8E-05 (J) | <0.0002 | |
| 10/8/2020 | | | | | 8.7E-05 (J) |
| 10/9/2020 | 0.00033 | 0.00014 (J) | | | |
| 3/29/2021 | | | <0.0002 | <0.0002 | |
| 4/1/2021 | 0.00012 | <0.0002 | | | 0.00042 |
| 9/2/2021 | | | <0.0002 | <0.0002 | |
| 9/7/2021 | <0.0002 | <0.0002 | | | <0.0002 |
| 3/22/2022 | | | <0.0002 | <0.0002 | |
| 3/24/2022 | <0.0002 | 0.0018 | | | <0.0002 |
| 9/8/2022 | | | <0.0002 | <0.0002 | |
| 9/12/2022 | 0.00016 (J) | | | | <0.0002 |
| 9/16/2022 | | 0.0025 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 3/3/2016 | | | | | <0.015 | 0.99 |
| 5/2/2016 | <0.015 | | <0.015 | <0.015 | | |
| 5/4/2016 | | <0.015 | | | <0.015 | 0.99 |
| 7/5/2016 | <0.015 | | <0.015 | <0.015 | | |
| 7/6/2016 | | | | | | 1.9 |
| 7/7/2016 | | | | | <0.015 | |
| 7/8/2016 | | <0.015 | | | | |
| 9/6/2016 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 9/7/2016 | | | | | <0.015 | |
| 9/8/2016 | | | | | | 2.4 |
| 11/7/2016 | <0.015 | | <0.015 | <0.015 | | |
| 11/8/2016 | | | | | <0.015 | 2.2 |
| 11/10/2016 | | <0.015 | | | | |
| 1/9/2017 | <0.015 | | <0.015 | <0.015 | | |
| 1/10/2017 | | | | | <0.015 | 2.1 |
| 1/11/2017 | | <0.015 | | | | |
| 3/13/2017 | 0.0042 (J) | | <0.015 | 0.0022 (J) | | |
| 3/14/2017 | | <0.015 | | | | |
| 3/15/2017 | | | | | <0.015 | |
| 3/16/2017 | | | | | | 1.6 |
| 5/15/2017 | <0.015 | | <0.015 | <0.015 | | 1.2 |
| 5/16/2017 | | | | | <0.015 | |
| 5/18/2017 | | <0.015 | | | | |
| 3/12/2018 | <0.015 | | <0.015 | <0.015 | | |
| 3/13/2018 | | | | | <0.015 | 1 |
| 3/14/2018 | | <0.015 | | | | |
| 6/5/2018 | <0.015 | | 0.00088 (J) | <0.015 | | |
| 6/6/2018 | | | | | <0.015 | |
| 6/7/2018 | | | | | | 1.1 |
| 6/10/2018 | | <0.015 | | | | |
| 10/16/2018 | <0.015 | | <0.015 | <0.015 | | |
| 10/17/2018 | | | | | | 1.1 |
| 10/18/2018 | | <0.015 | | | <0.015 | |
| 2/27/2019 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 2/28/2019 | | | | | <0.015 | 0.77 |
| 5/31/2019 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 | 0.64 |
| 11/6/2019 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 11/11/2019 | | | | | <0.015 | 0.85 |
| 4/16/2020 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 4/18/2020 | | | | | <0.015 | 0.81 |
| 10/7/2020 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 10/8/2020 | | | | | | 0.5 |
| 10/9/2020 | | | | | <0.015 | |
| 3/29/2021 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 3/31/2021 | | | | | <0.015 | |
| 4/1/2021 | | | | | | 0.49 |
| 9/2/2021 | <0.015 | <0.015 | <0.015 | <0.015 | | |
| 9/7/2021 | | | | | <0.015 | 0.44 |
| 3/22/2022 | 0.00066 (J) | 0.00064 (J) | <0.015 | <0.015 | | |
| 3/24/2022 | | | | | <0.015 | 0.53 |
| 9/7/2022 | <0.015 | <0.015 | <0.015 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/8/2022 | | | | <0.015 | | |
| 9/12/2022 | | | | | <0.015 | 0.44 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Molybdenum (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.015 | <0.015 | |
| 3/3/2016 | <0.015 | <0.015 | | | <0.015 |
| 5/2/2016 | | | | <0.015 | |
| 5/3/2016 | | | <0.015 | | |
| 5/4/2016 | <0.015 | <0.015 | | | <0.015 |
| 7/5/2016 | | | <0.015 | <0.015 | |
| 7/6/2016 | 0.0018 (J) | | | | <0.015 |
| 7/7/2016 | | <0.015 | | | |
| 9/6/2016 | | | <0.015 | <0.015 | |
| 9/7/2016 | 0.0029 (J) | <0.015 | | | <0.015 |
| 11/7/2016 | | <0.015 | <0.015 | <0.015 | |
| 11/8/2016 | <0.015 | | | | <0.015 |
| 1/9/2017 | | | <0.015 | <0.015 | |
| 1/10/2017 | <0.015 (*) | <0.015 | | | <0.015 |
| 3/13/2017 | | | <0.015 | <0.015 | |
| 3/15/2017 | <0.015 | <0.015 | | | |
| 3/16/2017 | | | | | <0.015 |
| 5/15/2017 | | | <0.015 | <0.015 | |
| 5/16/2017 | <0.015 (*) | <0.015 (*) | | | <0.015 |
| 3/12/2018 | | | <0.015 | <0.015 | |
| 3/13/2018 | 0.0033 (J) | <0.015 | | | <0.015 |
| 6/6/2018 | | | <0.015 | <0.015 | |
| 6/7/2018 | 0.0065 (J) | 0.0016 (J) | | | 0.00098 (J) |
| 10/17/2018 | 0.0043 (J) | <0.015 | <0.015 | <0.015 | <0.015 |
| 2/27/2019 | | | <0.015 | <0.015 | <0.015 |
| 2/28/2019 | 0.0028 (J) | <0.015 | | | |
| 5/31/2019 | <0.015 | <0.015 | <0.015 | <0.015 | <0.015 |
| 11/6/2019 | | | <0.015 | <0.015 | |
| 11/11/2019 | 0.0056 (J) | <0.015 | | | <0.015 |
| 4/16/2020 | | | <0.015 | <0.015 | |
| 4/18/2020 | <0.015 | <0.015 | | | <0.015 |
| 10/7/2020 | | | <0.015 | <0.015 | |
| 10/8/2020 | | | | | <0.015 |
| 10/9/2020 | <0.015 | <0.015 | | | |
| 3/29/2021 | | | <0.015 | <0.015 | |
| 4/1/2021 | <0.015 | <0.015 | | | <0.015 |
| 9/2/2021 | | | <0.015 | <0.015 | |
| 9/7/2021 | <0.015 | <0.015 | | | <0.015 |
| 3/22/2022 | | | 0.0011 (J) | 0.00031 (J) | |
| 3/24/2022 | <0.015 | 0.00033 (J) | | | 0.002 (J) |
| 9/8/2022 | | | <0.015 | <0.015 | |
| 9/12/2022 | <0.015 | | | | 0.0022 (J) |
| 9/16/2022 | | <0.015 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/3/2016 | | | | | <0.0013 | 0.008 |
| 5/2/2016 | <0.0013 | | <0.0013 | 0.00025 (J) | | |
| 5/4/2016 | | <0.0013 | | | <0.0013 | 0.0068 |
| 7/5/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 7/6/2016 | | | | | | 0.0061 |
| 7/7/2016 | | | | | <0.0013 | |
| 7/8/2016 | | <0.0013 | | | | |
| 9/6/2016 | 0.00049 (J) | <0.0013 | <0.0013 | 0.00027 (J) | | |
| 9/7/2016 | | | | | <0.0013 | |
| 9/8/2016 | | | | | | 0.0065 |
| 11/7/2016 | <0.0013 | | <0.0013 | <0.0013 | | |
| 11/8/2016 | | | | | <0.0013 | 0.0046 |
| 11/10/2016 | | <0.0013 | | | | |
| 1/9/2017 | <0.0013 | | <0.0013 | <0.0013 | | |
| 1/10/2017 | | | | | <0.0013 | 0.0045 |
| 1/11/2017 | | 0.00049 (J) | | | | |
| 3/13/2017 | 0.0023 | | <0.0013 | 0.0025 | | |
| 3/14/2017 | | <0.0013 | | | | |
| 3/15/2017 | | | | | <0.0013 | |
| 3/16/2017 | | | | | | 0.0079 |
| 5/15/2017 | <0.0013 | | <0.0013 | <0.0013 | | 0.0064 |
| 5/16/2017 | | | | | <0.0013 | |
| 5/18/2017 | | <0.0013 | | | | |
| 3/12/2018 | 0.00046 (J) | | 0.00064 (J) | 0.00047 (J) | | |
| 3/13/2018 | | | | | <0.0013 | 0.0037 |
| 3/14/2018 | | 0.00067 (J) | | | | |
| 6/5/2018 | 0.00049 (J) | | 0.00098 (J) | 0.00065 (J) | | |
| 6/6/2018 | | | | | <0.0013 | |
| 6/7/2018 | | | | | | 0.0054 |
| 6/10/2018 | | 0.00028 (J) | | | | |
| 10/16/2018 | <0.0013 | | <0.0013 | <0.0013 | | |
| 10/17/2018 | | | | | | 0.0026 |
| 10/18/2018 | | <0.0013 | | | <0.0013 | |
| 2/27/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 2/28/2019 | | | | | <0.0013 | 0.002 |
| 5/31/2019 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | 0.0041 |
| 11/6/2019 | <0.0013 | <0.0013 | <0.0013 | 0.00034 | | |
| 11/11/2019 | | | | | <0.0013 | 0.0031 |
| 4/16/2020 | <0.0013 | <0.0013 | <0.0013 | 0.0004 | | |
| 4/18/2020 | | | | | <0.0013 | 0.0035 |
| 10/7/2020 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 10/8/2020 | | | | | | 0.0014 |
| 10/9/2020 | | | | | <0.0013 | |
| 3/29/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 3/31/2021 | | | | | <0.0013 | |
| 4/1/2021 | | | | | | 0.004 |
| 9/2/2021 | <0.0013 | <0.0013 | <0.0013 | <0.0013 | | |
| 9/7/2021 | | | | | <0.0013 | 0.0046 |
| 3/22/2022 | <0.0013 | <0.0013 | <0.0013 | 0.00051 | | |
| 3/24/2022 | | | | | <0.0013 | 0.0042 |
| 9/7/2022 | <0.0013 | <0.0013 | <0.0013 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/8/2022 | | | | <0.0013 | | |
| 9/12/2022 | | | | | 0.0045 | 0.011 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Selenium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0013 | <0.0013 | |
| 3/3/2016 | 0.0041 (J) | <0.0013 | | | 0.0051 (J) |
| 5/2/2016 | | | | <0.0013 | |
| 5/3/2016 | | | <0.0013 | | |
| 5/4/2016 | 0.008 | <0.0013 | | | 0.0049 |
| 7/5/2016 | | | <0.0013 | <0.0013 | |
| 7/6/2016 | 0.0056 | | | | 0.0066 |
| 7/7/2016 | | <0.0013 | | | |
| 9/6/2016 | | | <0.0013 | <0.0013 | |
| 9/7/2016 | 0.0045 | <0.0013 | | | 0.0073 |
| 11/7/2016 | | <0.0013 | <0.0013 | <0.0013 | |
| 11/8/2016 | 0.0055 | | | | 0.0058 |
| 1/9/2017 | | | <0.0013 | <0.0013 | |
| 1/10/2017 | 0.0056 | <0.0013 | | | 0.0058 |
| 3/13/2017 | | | <0.0013 | <0.0013 | |
| 3/15/2017 | 0.0088 | <0.0013 | | | |
| 3/16/2017 | | | | | 0.006 |
| 5/15/2017 | | | <0.0013 | <0.0013 | |
| 5/16/2017 | 0.0029 | <0.0013 | | | 0.0058 |
| 3/12/2018 | | | 0.00026 (J) | <0.0013 | |
| 3/13/2018 | 0.0065 | <0.0013 | | | 0.0048 |
| 6/6/2018 | | | 0.00025 (J) | 0.00026 (J) | |
| 6/7/2018 | 0.0047 | <0.0013 | | | 0.0061 |
| 10/17/2018 | 0.05 (o) | <0.0013 | <0.0013 | <0.0013 | 0.0023 |
| 2/27/2019 | | | <0.0013 | <0.0013 | 0.0033 |
| 2/28/2019 | 0.0011 (J) | <0.0013 | | | |
| 5/31/2019 | 0.0045 | <0.0013 | <0.0013 | <0.0013 | 0.0031 |
| 11/6/2019 | | | <0.0013 | <0.0013 | |
| 11/11/2019 | 0.0067 | 0.00027 | | | 0.002 |
| 4/16/2020 | | | <0.0013 | <0.0013 | |
| 4/18/2020 | 0.0066 | <0.0013 | | | 0.0021 |
| 10/7/2020 | | | <0.0013 | <0.0013 | |
| 10/8/2020 | | | | | 0.0047 |
| 10/9/2020 | 0.0057 | <0.0013 | | | |
| 3/29/2021 | | | <0.0013 | <0.0013 | |
| 4/1/2021 | 0.0038 | <0.0013 | | | 0.0027 |
| 9/2/2021 | | | <0.0013 | <0.0013 | |
| 9/7/2021 | 0.0069 | <0.0013 | | | 0.0045 |
| 3/22/2022 | | | <0.0013 | <0.0013 | |
| 3/24/2022 | 0.0025 | 0.00077 | | | 0.0028 |
| 9/8/2022 | | | <0.0013 | 0.0034 | |
| 9/12/2022 | 0.0075 | | | | 0.012 |
| 9/16/2022 | | 0.21 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <5 | <5 | <5 | 1.6 (J) | | |
| 3/3/2016 | | | | | <5 | 180 |
| 5/2/2016 | 15 (o) | | <5 | 2.1 (J) | | |
| 5/4/2016 | | <5 | | | <5 | 200 |
| 7/5/2016 | <5 | | <5 | 2 (J) | | |
| 7/6/2016 | | | | | | 150 |
| 7/7/2016 | | | | | <5 | |
| 7/8/2016 | | <5 | | | | |
| 9/6/2016 | <5 | <5 | <5 | 1.8 (J) | | |
| 9/7/2016 | | | | | <5 | |
| 9/8/2016 | | | | | | 160 |
| 11/7/2016 | <5 | | <5 | 1.7 (J) | | |
| 11/8/2016 | | | | | <5 | 230 |
| 11/10/2016 | | <5 | | | | |
| 1/9/2017 | <5 | | 2.6 (J) | 1.5 (J) | | |
| 1/10/2017 | | | | | <5 | 190 |
| 1/11/2017 | | <5 | | | | |
| 3/13/2017 | 2.5 (J) | | <5 | 2.2 (J) | | |
| 3/14/2017 | | <5 | | | | |
| 3/15/2017 | | | | | <5 (*) | |
| 3/16/2017 | | | | | | 190 |
| 5/15/2017 | <5 | | <5 | 1.9 (J) | | 190 |
| 5/16/2017 | | | | | <5 | |
| 5/18/2017 | | <5 (X) | | | | |
| 10/2/2017 | <5 | | <5 | 3.4 (J) | | |
| 10/3/2017 | | | | | <5 | 130 |
| 10/5/2017 | | <5 | | | | |
| 12/20/2017 | | | | | | 85 |
| 3/12/2018 | <5 | | <5 | 2.6 (J) | | |
| 3/13/2018 | | | | | <5 | 160 |
| 3/14/2018 | | <5 | | | | |
| 6/5/2018 | <5 | | <5 | 2.6 (J) | | |
| 6/6/2018 | | | | | <5 | |
| 6/7/2018 | | | | | | 280 |
| 6/10/2018 | | 1.5 (J) | | | | |
| 10/16/2018 | <5 | | <5 | 2.8 (J) | | |
| 10/17/2018 | | | | | | 250 |
| 10/18/2018 | | <5 | | | <5 | |
| 2/27/2019 | <5 | 1.9 (J) | <5 | 2.4 (J) | | |
| 2/28/2019 | | | | | <5 | 140 |
| 5/31/2019 | <5 | <5 | <5 | 3.3 (J) | <5 | 140 |
| 11/6/2019 | <5 | <5 | <5 | 3.7 (J) | | |
| 11/11/2019 | | | | | <5 | 230 |
| 4/16/2020 | <5 | <5 | <5 | 1.7 (J) | | |
| 4/18/2020 | | | | | <5 | 260 |
| 10/7/2020 | <5 | <5 | <5 | 4 (J) | | |
| 10/8/2020 | | | | | | 160 |
| 10/9/2020 | | | | | <5 | |
| 3/29/2021 | <5 | <5 | <5 | 2.3 | | |
| 3/31/2021 | | | | | 18 | |
| 4/1/2021 | | | | | | 320 |
| 9/2/2021 | <5 | <5 | <5 | 4.7 (J) | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | <5 | 120 |
| 3/22/2022 | <5 | <5 | <5 | 4.5 (J) | | |
| 3/24/2022 | | | | | <5 | 180 |
| 9/7/2022 | 1.7 (J) | 1.5 (J) | 1.4 (J) | | | |
| 9/8/2022 | | | | 5.5 | | |
| 9/12/2022 | | | | | <5 | 190 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Sulfate (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <5 | <5 | |
| 3/3/2016 | 550 | <5 | | | 230 |
| 5/2/2016 | | | | <5 | |
| 5/3/2016 | | | <5 | | |
| 5/4/2016 | 520 | <5 | | | 280 |
| 7/5/2016 | | | <5 | <5 | |
| 7/6/2016 | 510 | | | | 270 |
| 7/7/2016 | | <5 | | | |
| 9/6/2016 | | | <5 | 3.7 (J) | |
| 9/7/2016 | 340 | <5 | | | 280 |
| 11/7/2016 | | <5 | <5 | <5 | |
| 11/8/2016 | 630 | | | | 280 |
| 1/9/2017 | | | <5 | <5 | |
| 1/10/2017 | 580 | <5 | | | 240 |
| 3/13/2017 | | | <5 | <5 | |
| 3/15/2017 | 250 | <5 (*) | | | |
| 3/16/2017 | | | | | 220 |
| 5/15/2017 | | | <5 | <5 | |
| 5/16/2017 | 410 | <5 | | | 200 |
| 10/2/2017 | | | 1.5 (J) | 1.7 (J) | |
| 10/3/2017 | 440 | <5 | | | 180 |
| 12/20/2017 | 400 | | | | 170 |
| 3/12/2018 | | | <5 | <5 | |
| 3/13/2018 | 460 | 1.5 (J) | | | 210 |
| 6/6/2018 | | | <5 | <5 | |
| 6/7/2018 | 420 | <5 | | | 210 |
| 10/17/2018 | 320 | <5 | <5 | <5 | 140 |
| 2/27/2019 | | | <5 | <5 | 150 |
| 2/28/2019 | 490 | 2.6 (J) | | | |
| 5/31/2019 | 500 | 12 | <5 | <5 | 210 |
| 11/6/2019 | | | <5 | <5 | |
| 11/11/2019 | 340 | 5.5 | | | 170 |
| 4/16/2020 | | | <5 | <5 | |
| 4/18/2020 | 600 | <5 | | | 120 |
| 10/7/2020 | | | <5 | <5 | |
| 10/8/2020 | | | | | 170 |
| 10/9/2020 | 300 | <5 | | | |
| 3/29/2021 | | | <5 | <5 | |
| 4/1/2021 | 750 | 1.9 | | | 190 |
| 9/2/2021 | | | <5 | <5 | |
| 9/7/2021 | 530 | <5 | | | 140 |
| 3/22/2022 | | | <5 | <5 | |
| 3/24/2022 | 680 | 18 | | | 1700 |
| 9/8/2022 | | | <5 | <5 | |
| 9/12/2022 | 450 | | | | 140 |
| 9/16/2022 | | 530 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 3/3/2016 | | | | | <0.0005 | 0.00023 (J) |
| 5/2/2016 | <0.0005 | | <0.0005 | <0.0005 | | |
| 5/4/2016 | | <0.0005 | | | <0.0005 | 0.00021 (J) |
| 7/5/2016 | <0.0005 | | <0.0005 | <0.0005 | | |
| 7/6/2016 | | | | | | 0.00016 (J) |
| 7/7/2016 | | | | | <0.0005 | |
| 7/8/2016 | | <0.0005 | | | | |
| 9/6/2016 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 9/7/2016 | | | | | <0.0005 | |
| 9/8/2016 | | | | | | 0.00015 (J) |
| 11/7/2016 | <0.0005 | | <0.0005 | <0.0005 | | |
| 11/8/2016 | | | | | <0.0005 | 0.00017 (J) |
| 11/10/2016 | | <0.0005 | | | | |
| 1/9/2017 | <0.0005 | | <0.0005 | <0.0005 | | |
| 1/10/2017 | | | | | <0.0005 | 0.00018 (J) |
| 1/11/2017 | | <0.0005 | | | | |
| 3/13/2017 | <0.0005 | | <0.0005 | <0.0005 | | |
| 3/14/2017 | | <0.0005 | | | | |
| 3/15/2017 | | | | | <0.0005 | |
| 3/16/2017 | | | | | | 0.00024 (J) |
| 5/15/2017 | <0.0005 | | <0.0005 | <0.0005 | | 0.00022 (J) |
| 5/16/2017 | | | | | <0.0005 | |
| 5/18/2017 | | <0.0005 | | | | |
| 3/12/2018 | <0.0005 | | <0.0005 | <0.0005 | | |
| 3/13/2018 | | | | | <0.0005 | 0.00022 (J) |
| 3/14/2018 | | <0.0005 | | | | |
| 6/5/2018 | <0.0005 | | <0.0005 | <0.0005 | | |
| 6/6/2018 | | | | | <0.0005 | |
| 6/7/2018 | | | | | | 0.00022 (J) |
| 6/10/2018 | | <0.0005 | | | | |
| 10/16/2018 | <0.0005 | | <0.0005 | <0.0005 | | |
| 10/17/2018 | | | | | | 0.00019 (J) |
| 10/18/2018 | | <0.0005 | | | <0.0005 | |
| 2/27/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 2/28/2019 | | | | | <0.0005 | 0.00018 (J) |
| 5/31/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 11/6/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 11/11/2019 | | | | | <0.0005 | 0.00023 (J) |
| 4/16/2020 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 4/18/2020 | | | | | <0.0005 | 0.00027 |
| 10/7/2020 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 10/8/2020 | | | | | | 0.00038 (J) |
| 10/9/2020 | | | | | <0.0005 | |
| 3/29/2021 | <0.0005 | <0.0005 | <0.0005 | <0.0005 (D) | | |
| 3/31/2021 | | | | | <0.0005 | |
| 4/1/2021 | | | | | | 0.00022 |
| 9/2/2021 | 0.00015 (J) | <0.0005 | <0.0005 | <0.0005 | | |
| 9/7/2021 | | | | | <0.0005 | 0.00015 (J) |
| 3/22/2022 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | | |
| 3/24/2022 | | | | | <0.0005 | <0.0005 |
| 9/7/2022 | <0.0005 | <0.0005 | <0.0005 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/8/2022 | | | | <0.0005 | | |
| 9/12/2022 | | | | | <0.0005 | <0.0005 |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Thallium (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | <0.0005 | <0.0005 | |
| 3/3/2016 | 0.00015 (J) | <0.0005 | | | 0.00023 (J) |
| 5/2/2016 | | | | <0.0005 | |
| 5/3/2016 | | | <0.0005 | | |
| 5/4/2016 | 0.00021 (J) | <0.0005 | | | 0.00026 (J) |
| 7/5/2016 | | | <0.0005 | <0.0005 | |
| 7/6/2016 | 0.00022 (J) | | | | 0.00032 (J) |
| 7/7/2016 | | <0.0005 | | | |
| 9/6/2016 | | | <0.0005 | <0.0005 | |
| 9/7/2016 | 0.0001 (J) | <0.0005 | | | 0.00036 (J) |
| 11/7/2016 | | <0.0005 | <0.0005 | <0.0005 | |
| 11/8/2016 | 0.00014 (J) | | | | 0.00032 (J) |
| 1/9/2017 | | | <0.0005 | <0.0005 | |
| 1/10/2017 | 0.00018 (J) | <0.0005 | | | 0.00033 (J) |
| 3/13/2017 | | | <0.0005 | <0.0005 | |
| 3/15/2017 | <0.0005 | <0.0005 | | | |
| 3/16/2017 | | | | | 0.00029 (J) |
| 5/15/2017 | | | <0.0005 | <0.0005 | |
| 5/16/2017 | 9.5E-05 (J) | <0.0005 | | | 0.00027 (J) |
| 3/12/2018 | | | <0.0005 | <0.0005 | |
| 3/13/2018 | 0.00017 (J) | <0.0005 | | | 0.00028 (J) |
| 6/6/2018 | | | <0.0005 | <0.0005 | |
| 6/7/2018 | 0.00017 (J) | <0.0005 | | | 0.00026 (J) |
| 10/17/2018 | 0.00011 (J) | <0.0005 | <0.0005 | <0.0005 | 0.00022 (J) |
| 2/27/2019 | | | <0.0005 | <0.0005 | 0.00022 (J) |
| 2/28/2019 | 0.00016 (J) | <0.0005 | | | |
| 5/31/2019 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| 11/6/2019 | | | <0.0005 | <0.0005 | |
| 11/11/2019 | 0.00029 (J) | <0.0005 | | | 0.00023 (J) |
| 4/16/2020 | | | <0.0005 | <0.0005 | |
| 4/18/2020 | 0.00026 | <0.0005 | | | 0.00016 |
| 10/7/2020 | | | <0.0005 | <0.0005 | |
| 10/8/2020 | | | | | 0.00031 (J) |
| 10/9/2020 | 0.00015 (J) | <0.0005 | | | |
| 3/29/2021 | | | <0.0005 | <0.0005 | |
| 4/1/2021 | <0.0005 | <0.0005 | | | 0.00019 |
| 9/2/2021 | | | <0.0005 | <0.0005 | |
| 9/7/2021 | 0.00015 (J) | <0.0005 | | | 0.00016 (J) |
| 3/22/2022 | | | <0.0005 | <0.0005 | |
| 3/24/2022 | <0.0005 | <0.0005 | | | <0.0005 |
| 9/8/2022 | | | <0.0005 | <0.0005 | |
| 9/12/2022 | <0.0005 | | | | <0.0005 |
| 9/16/2022 | | <0.0005 | | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 2/29/2016 | 20 | 20 | <5 | 12 | | |
| 3/3/2016 | | | | | 18 | 420 |
| 5/2/2016 | <5 | | <5 | 6 | | |
| 5/4/2016 | | 6 | | | 28 | 450 |
| 7/5/2016 | 12 | | 14 | <5 | | |
| 7/6/2016 | | | | | | 280 |
| 7/7/2016 | | | | | <5 | |
| 7/8/2016 | | 6 | | | | |
| 9/6/2016 | 36 | 36 | 30 | 38 | | |
| 9/7/2016 | | | | | 8 | |
| 9/8/2016 | | | | | | 410 |
| 11/7/2016 | 18 | | 8 | <5 | | |
| 11/8/2016 | | | | | 24 | 580 |
| 11/10/2016 | | 16 | | | | |
| 1/9/2017 | 4 (J) | | <5 | 14 | | |
| 1/10/2017 | | | | | 30 | 530 |
| 1/11/2017 | | 38 | | | | |
| 3/13/2017 | 6 | | <5 | 8 | | |
| 3/14/2017 | | <5 | | | | |
| 3/15/2017 | | | | | 32 | |
| 3/16/2017 | | | | | | 650 |
| 5/15/2017 | <5 | | <5 | <5 | | 500 |
| 5/16/2017 | | | | | <5 | |
| 5/18/2017 | | 10 | | | | |
| 10/2/2017 | <5 | | <5 | 6 | | |
| 10/3/2017 | | | | | 34 | 310 |
| 10/5/2017 | | <5 | | | | |
| 12/20/2017 | | | | | | 150 |
| 3/12/2018 | 18 | | 14 | <5 | | |
| 3/13/2018 | | | | | 26 | 450 |
| 3/14/2018 | | 8 | | | | |
| 6/5/2018 | 10 | | <5 | 14 | | |
| 6/6/2018 | | | | | 64 | |
| 6/7/2018 | | | | | | 620 |
| 6/10/2018 | | 8 | | | | |
| 10/16/2018 | 32 | | 12 | 6 | | |
| 10/17/2018 | | | | | | 700 |
| 10/18/2018 | | 28 | | | 12 | |
| 2/27/2019 | 110 | 68 | 54 | 110 | | |
| 2/28/2019 | | | | | 20 | 330 |
| 5/31/2019 | 46 | <5 | 8 | 26 | 36 | 300 |
| 11/6/2019 | <5 | 10 | 4 (J) | <5 | | |
| 11/11/2019 | | | | | 66 | 390 |
| 4/16/2020 | 28 | 44 | 18 | 8 | | |
| 4/18/2020 | | | | | 62 | 520 |
| 10/7/2020 | 30 | 24 | 20 | 26 | | |
| 10/8/2020 | | | | | | 850 |
| 10/9/2020 | | | | | 52 | |
| 3/29/2021 | 38 | 26 | 12 | 28 | | |
| 3/31/2021 | | | | | 48 | |
| 4/1/2021 | | | | | | 600 |
| 9/2/2021 | 40 | 8 | 10 | 8 | | |

ND substitution: RL or RL/2 if <15% NDs.

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-100 (bg) | MW-101 (bg) | MW-107 (bg) | MW-108 (bg) | MW-300 | MW-303 |
|---|---|---|---|---|---|---|
| 9/7/2021 | | | | | 54 | 360 |
| 3/22/2022 | 58 | 14 | 18 | 46 | | |
| 3/24/2022 | | | | | 16 | 440 |
| 9/7/2022 | 36 | 14 | 22 | | | |
| 9/8/2022 | | | | 44 | | |
| 9/12/2022 | | | | | 22 | 460 |

# Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 1/13/2023 1:47 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

| | MW-304 | MW-305 | MW-306 (bg) | MW-307 (bg) | MW-308 |
|---|---|---|---|---|---|
| 3/1/2016 | | | 10 | <5 | |
| 3/3/2016 | 1100 | 18 | | | 490 |
| 5/2/2016 | | | | 36 | |
| 5/3/2016 | | | <5 | | |
| 5/4/2016 | 1200 | 38 | | | 690 |
| 7/5/2016 | | | <5 | <5 | |
| 7/6/2016 | 870 | | | | 500 |
| 7/7/2016 | | <5 | | | |
| 9/6/2016 | | | 36 | 44 | |
| 9/7/2016 | 650 | 14 | | | 590 |
| 11/7/2016 | | 32 | <5 | 30 | |
| 11/8/2016 | 1100 | | | | 530 |
| 1/9/2017 | | | <5 | 12 | |
| 1/10/2017 | 1300 | 32 | | | 510 |
| 3/13/2017 | | | 22 | 20 | |
| 3/15/2017 | 500 | 20 | | | |
| 3/16/2017 | | | | | 420 |
| 5/15/2017 | | | 6 | 4 (J) | |
| 5/16/2017 | 850 | 18 | | | 430 |
| 10/2/2017 | | | 16 | 24 | |
| 10/3/2017 | 760 | 36 | | | 320 |
| 12/20/2017 | 830 | | | | 410 |
| 3/12/2018 | | | <5 | <5 | |
| 3/13/2018 | 880 | 12 | | | 590 |
| 6/6/2018 | | | 20 | 16 | |
| 6/7/2018 | 670 | <5 | | | 530 |
| 10/17/2018 | 770 | 68 | 44 | 44 | 390 |
| 2/27/2019 | | | 20 | 28 | 420 |
| 2/28/2019 | 880 | 28 | | | |
| 5/31/2019 | 1200 | 50 | 32 | 18 | 620 |
| 11/6/2019 | | | 24 | 20 | |
| 11/11/2019 | 370 | 38 | | | 410 |
| 4/16/2020 | | | 6 | 8 | |
| 4/18/2020 | 1000 | 36 | | | 280 |
| 10/7/2020 | | | 16 | 12 | |
| 10/8/2020 | | | | | 380 |
| 10/9/2020 | 580 | 42 | | | |
| 3/29/2021 | | | 42 | 40 | |
| 4/1/2021 | 1200 | 52 | | | 560 |
| 9/2/2021 | | | 10 | <5 | |
| 9/7/2021 | 1000 | 24 | | | 450 |
| 3/22/2022 | | | 84 | 22 | |
| 3/24/2022 | 1400 | 62 | | | 470 |
| 9/8/2022 | | | 24 | 48 | |
| 9/12/2022 | 930 | | | | 370 |
| 9/16/2022 | | 770 | | | |


ND substitution: RL or RL/2 if <15% NDs.

# Box Plots - 100, 200 & 300 Series

# 100 Series

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/12/2023 10:48 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Box & Whiskers Plot





Constituent: Lithium Analysis Run 1/12/2023 10:49 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Box & Whiskers Plot





Constituent: Lithium Analysis Run 1/12/2023 10:49 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Box & Whiskers Plot





Constituent: Mercury Analysis Run 1/12/2023 10:49 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

## Box & Whiskers Plot





Constituent: Mercury Analysis Run 1/12/2023 10:49 PM View: 100 Series General

Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 . UG

## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Box & Whiskers Plot





Constituent: Total Dissolved Solids Analysis Run 1/12/2023 10:49 PM View: 100 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# 200 Series

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/13/2023 1:41 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lithium Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lithium Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 . UG

## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Box & Whiskers Plot





Constituent: Total Dissolved Solids Analysis Run 1/13/2023 1:42 AM View: 200 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# 300 Series

Sanitas™ v.9.6.36 . UG


Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


Box & Whiskers Plot




Constituent: Antimony Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


Box & Whiskers Plot




Constituent: Arsenic Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Barium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Beryllium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Boron Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cadmium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Calcium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chloride Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Chromium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Cobalt Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Combined Radium 226 + 228 Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Field pH Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Fluoride Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lead Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lithium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Lithium Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Mercury Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Molybdenum Analysis Run 1/13/2023 2:01 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/13/2023 2:02 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Selenium Analysis Run 1/13/2023 2:02 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/13/2023 2:02 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Sulfate Analysis Run 1/13/2023 2:02 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG


## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/13/2023 2:02 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


Sanitas™ v.9.6.36 . UG

## Box & Whiskers Plot




Constituent: Thallium Analysis Run 1/13/2023 2:02 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant


## Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 1/13/2023 2:02 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

Sanitas™ v.9.6.36 . UG

Box & Whiskers Plot




Constituent: Total Dissolved Solids Analysis Run 1/13/2023 2:02 AM View: 300 Series General
Gulf Clean Energy Center Client: FPL Data: Gulf Clean Energy Plant

# APPENDIX D

# MW-110 Cobalt Evaluation at Ash Landfill No. 1

Geosyntec consultants

1120 North 12th Avenue
Pensacola, Florida 32501
PH 850 477 6547
www.geosyntec.com

# Memorandum

**Date:** 27 January 2023

**To:** Billi Jo Huddleston, Florida Power & Light Company

**From:** Ben Amos, Ph.D., P.E. and Lane Dorman, P.G., Geosyntec Consultants, Inc.

**Subject:** Alternate Source Demonstration for Cobalt in MW-110 at Ash Landfill No. 1, Gulf Clean Energy Center, Pensacola, FL

## INTRODUCTION

On behalf of Florida Power & Light Company ("FPL"), Geosyntec Consultants, Inc. (Geosyntec) prepared this alternate source demonstration ("ASD") for cobalt in MW-110 at Ash Landfill No. 1 ("LF1") at FPL Gulf Clean Energy Center ("GCEC") located in Escambia County, Florida ("Site"). This ASD has been prepared consistent with the requirements of the United States Environmental Protection Agency's ("USEPA") Coal Combustion Residuals ("CCR") Rule at 40 CFR Part 257, Subpart D ("CCR Rule"); specifically, 40 CFR Section 257.95(g)(3)(ii).

## BACKGROUND AND PURPOSE

Pursuant to the USEPA CCR Rule, FPL installed and certified a groundwater monitoring system at GCEC's LF1 (**Figure 1**). Notification of a statistically significant level ("SSL") of cobalt above the applicable groundwater protection standard ("GWPS") downgradient of LF1 was posted to the operating record on November 14, 2018. In accordance with the CCR Rule, FPL previously prepared an ASD for cobalt at MW-104, the single well downgradient of LF1 with a cobalt SSL.[1]

The analysis of groundwater sampling data collected as part of the groundwater monitoring assessment program in March and September 2022 indicated an SSL of cobalt above the applicable GWPS in MW-110 at LF1.[2] This memorandum demonstrates that the ASD for cobalt at MW-104 is applicable to MW-110. The ASD for MW-104, and by extension MW-110, specifically demonstrates that naturally occurring sources of cobalt are present at the Site and these naturally occurring sources, not LF1, resulted in the SSLs at LF1.

## SOIL CHARACTERIZATION ACTIVITIES

The presence of naturally occurring cobalt was evaluated by sampling and analyzing soil cores previously collected during historical monitoring well installation activities. The soil cores had

[1] Geosyntec, January 2019. Alternate Source Demonstration, Gulf Power Company, Plant Crist, Ash Landfill No. 1.
[2] Notification of the cobalt SSL at MW-110 was posted to the operating record on January 25, 2023.

been sealed in plastic bags and stored in long-term storage at GCEC's climate-controlled warehouse. Thirty-four samples, representing 11 locations, were collected from the soil cores in August 2018 for laboratory analysis. Soil samples were selected based on their proximity to LF1 (**Figure 1**) and lithology. Sampling intervals (**Table 1**) included elevations that were above, within, and below the screen interval elevation of downgradient wells with respect to feet relative to the North American Vertical Datum of 1988 ("ft NAVD88"). Collected samples were analyzed for total cobalt and selected samples with reported detections of total cobalt were further analyzed in accordance with the synthetic precipitation leaching procedure ("SPLP").

A naturally occurring source of cobalt would be indicated by the presence of elevated concentrations of cobalt throughout Site soils, regardless of spatial proximity to LF1. In contrast, elevated concentrations in soils surrounding LF1 and the absence of elevated cobalt concentrations beyond the influence of LF1 would indicate LF1 as a potential cobalt source. Further, elevated leaching concentrations of cobalt from soils beyond the influence of LF1 would indicate the naturally occurring sources of cobalt resulted in the LF1 SSLs.

## ALTERNATE SOURCE DEMONSTRATION

Results from the investigation as summarized in **Table 1** indicated:

- Laboratory results reported overall detections of total cobalt in 16 of 34 samples analyzed (approximately 47%) and 10 of 11 locations (approximately 91%) at concentrations ranging from an estimated concentration of 0.0874 to 19.6 milligrams per kilogram ("mg/kg").
- Nine of 16 cobalt detections (approximately 56%) were "I" qualified, indicating that these concentrations were estimated and between the method detection limit and the practical quantification limit of the laboratory method.
- Cobalt was detected in 4 of 5 soil borings in the vicinity of LF1 at concentrations ranging from 0.0956(I) to 15.4 mg/kg.
    - These soil samples represent elevations between approximately 80 and -66 ft NAVD88 which are above and below the screen interval elevation of MW-110 (*i.e.,* -17.7 to -27.7 feet NAVD88).
    - Cobalt was detected in soil samples above the water table, which is approximately 10 ft NAVD88, including select sample intervals from MW5004 and MW2002. These sample intervals are considered hydraulically isolated from LF1 since they were collected above the water table.
    - Cobalt was also detected in soil samples below the water table, which is approximately 10 ft NAVD88, including select sample intervals from MW5001, MW-D, and MW5004. Saturated samples from these locations are considered hydraulically downgradient of LF1 based on both their spatial location relative to the unit and since they were collected below the water table.

  - Cobalt was not detected in soil samples from the MW2038/MW2015 boring location.

- Of the soil samples collected elsewhere at the Site (*i.e.*, from borings associated with EXB-02, MW2021, MWC-7R, MW2024, MW2046, and MW2003), cobalt was detected in 9 of 17 samples (approximately 53%) at concentrations ranging from 0.0874(I) to 19.6 mg/kg, suggesting Site-wide occurrence of cobalt.


The following eight soil samples, collected in the vicinity of LF1, were analyzed to assess the potential to leach cobalt from native soils to groundwater by SPLP: GE-5DR-58'; GE-5DR-94'; MWC-8R-30'; MWC-8R-42'; MWC-8R-57'; MWC-8R-132'; MW-D-35'; and MWP-13R-62' (**Table 1**). Three of the eight soil samples resulted in SPLP concentrations of cobalt above the GWPS of 0.006 milligrams per liter ("mg/L"). The three samples included MWC-8R-30' (91 ft above the top of the screen of MW-110), MWC-8R-57' (64 ft above the top of the screen of MW-110), and MWC-8R-132' (1 ft below the bottom of the MW-110 screen). The vertical distribution of these SPLP detections in the vicinity of LF1 indicate that naturally occurring cobalt is distributed throughout a soil horizon exceeding 100 ft, including soil sample locations both above and below the water table.

The maximum concentration of cobalt detected in the vicinity of LF1 was 15.4 mg/kg in sample MWC-8R-30'. The cobalt SPLP concentration from this sample was 0.588 mg/L which is approximately 100 times the GWPS for cobalt of 0.006 mg/L. The elevation of this downgradient unsaturated sample is 69 ft above the groundwater table, and therefore, the sample location is beyond above the influence of LF1. These elevated soil and SPLP concentrations suggest an alternate source of cobalt is present at the Site resulting in elevated groundwater cobalt concentrations.

Furthermore, the distribution of cobalt across the Site is not consistent with a release from a localized source. The maximum cobalt leachate concentration of 1.04 mg/L was reported at EXB-02 at an approximate depth of -34 ft NAVD88. EXB-02 is approximately 2,100 ft from LF1. The location of this sample suggests lateral distribution of cobalt across the Site.

The observed vertical and lateral profile of cobalt detections and SPLP results suggest that the cobalt observations are not associated with a release from LF1 and are instead widespread and naturally occurring across the Site. The results of the cobalt soil investigation demonstrated that cobalt was detected at various locations across the Site, both upgradient and downgradient of LF1, above and below the water table, and at depth intervals both above and below the screen interval of CCR well MW-110. This lateral and vertical distribution of cobalt at the Site, along with the SPLP test results, indicates that naturally occurring cobalt present in the subsurface soils is the source of the cobalt SSLs in groundwater, not LF1.


This *Alternate Source Demonstration for Cobalt in MW-110, Florida Power & Light Company – Gulf Clean Energy Center – Ash Landfill No. 1* demonstrates that a source other than LF1 resulted in the cobalt SSLs at LF1. The ASD has been prepared in accordance with the requirements of the USEPA CCR Rule; specifically 40 CFR 257.95 (g)(3)(ii) under the supervision of a State of Florida licensed Professional Engineer and Professional Geologist with Geosyntec.




This document has been electronically signed and sealed by Benjamin Amos P.E. on 27 January 2023 using a SHA-1 authentication code. Printed copies of this document are not considered signed and sealed, and the SHA-1 authentication code must be verified on any electronic copies.
2023.01.27 11:08:55 -05'00'

Benjamin K. Amos, Ph.D., P.E.
Florida Professional Engineer No. 82837

Date




Lane Dorman, P.G.
Florida Professional Geologist No. PG2861

1/27/23
Date

Attachments:

Table 1 Cobalt Results from Historical Soil Cores
Figure 1 Monitoring Well and Soil Boring Locations

# TABLE

## TABLE 1: COBALT RESULTS FROM HISTORICAL SOIL CORES


### Florida Power & Light Company, Pensacola, Florida

| Soil Boring Location | Soil Sample ID | Sample Elevation (ft NAVD88) | Soil Sample Collection Date | Total Cobalt Content (mg/kg) | Cobalt SPLP (mg/L) |
|---|---|---|---|---|---|
| MW2038/MW2015 | GE-5S/D-25' | 4 | 8/14/2018 | 0.298 U | --- |
| | GE-5S/D-35' | -6 | 8/14/2018 | 0.317 U | --- |
| | GE-5S/D-38' | -9 | 8/14/2018 | 0.314 U | --- |
| | GE-5S/D-45' | -16 | 8/14/2018 | 0.280 U | --- |
| MW5001 | GE-5DR-58 | -30 | 8/31/2018 | **0.235 I** | 0.000400 U |
| | GE-5DR-77' | -49 | 8/31/2018 | 0.0766 U | --- |
| | GE-5DR-94' | -66 | 8/31/2018 | **0.276 I** | 0.000400 U |
| MW5004 | MWC-8R-30' | 74 | 8/31/2018 | **15.4** | **0.588** |
| | MWC-8R-42' | 62 | 8/31/2018 | **0.208 I** | 0.000400 U |
| | MWC-8R-57' | 47 | 8/31/2018 | **6.02** | **0.239** |
| | MWC-8R-95' | 9 | 8/14/2018 | 0.0321 U | --- |
| | MWC-8R-102' | 2 | 8/14/2018 | 0.327 U | --- |
| | MWC-8R-112' | -8 | 8/14/2018 | 0.291 U | --- |
| | MWC-8R-132' | -28 | 8/14/2018 | **3.75** | **0.141** |
| MW-D | MW-D-35' | 81 | 8/31/2018 | **0.0956 I** | 0.000400 U |
| | MW-D-88' | 28 | 8/14/2018 | 0.307 U | --- |
| | MW-D-110' | 6 | 8/14/2018 | 0.315 U | --- |
| MW2002 | MWP-13R-22 | 78 | 8/31/2018 | 0.0842 U | --- |
| | MWP-13R-42 | 58 | 8/31/2018 | 0.0862 U | --- |
| | MWP-13R-52 | 48 | 8/31/2018 | 0.0814 U | --- |
| | MWP-13R-62' | 38 | 8/14/2018 | **0.770 I** | 0.00300 U |
| | MWP-13R-72' | 28 | 8/14/2018 | 0.330 U | --- |
| | MWP-13R-102' | -2 | 8/14/2018 | 0.350 U | --- |
| | MWP-13R-112' | -12 | 8/14/2018 | 0.303 U | --- |
| | MWP-13R-122' | -22 | 8/14/2018 | 0.375 U | --- |
| EXB-02 | EXB-02-62' | -24 | 8/31/2018 | 0.0778 U | --- |
| | EXB-02-72' | -34 | 8/31/2018 | **19.6** | **1.04** |
| MW2021 | GE-4DR-52' | -36 | 8/31/2018 | **0.135 I** | 0.000400 U |
| MWC-7R | MWC-7R-30' | 2 | 8/31/2018 | **1.09** | 0.000400 U |
| | MWC-7R-62' | -30 | 8/31/2018 | **1.13** | 0.000400 U |
| MW2024 | MWI-1-60' | -30 | 8/31/2018 | **0.190 I** | 0.000400 U |
| MW2046 | MWI-2-48' | -29 | 8/31/2018 | **0.896** | 0.000400 U |
| MW2003 | MWP-11R-45' | 20 | 8/31/2018 | **0.0874 I** | 0.000400 U |
| | MWP-11R-65' | 0 | 8/31/2018 | **0.300 I** | 0.000400 U |

**Notes:**

1. MW2038 corresponds to GE-5S sample location and MW2015 corresponds to GE-5D sample location.
2. ft NAVD88 indicates feet in reference to the North American Vertical Datum of 1988.
3. Soil sample collection date indicates the date the soil sample was collected from the soil core stored in the warehouse.
4. mg/kg indicates milligrams per kilogram.
5. mg/L indicates milligrams per liter.
6. SPLP indicates Synthetic Precipitation Leaching Procedure.
7. U indicates that the compound was analyzed but not detected.
8. I indicates that the reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
9. --- indicates not analyzed.
10. **Detected constituents are shown in bold.**

# FIGURE




Notes:
1. CCR indicates Coal Combustion Residual.
2. Source of property boundary Gulf Power drawing number ES4041S1.
3. 2022 aerial source: Esri, DigitalGlobe, GeoEye, i-cubed, USDA FSA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community.

**Monitoring Well and Soil Boring Locations**

Gulf Clean Energy Center
11999 Pate St
Pensacola, FL

Geosyntec consultants

Pensacola, FL | January 2023

Figure 1

Path: (Tifusville-01\DATA) \\Tifusville-01\Data\0GIS\FR2406_Gulf_Power_Plant_Crist\MXDs\202301\MW_SB_Locations.mxd 11 January 2023. Last Edited by: csaville